



**Andrew J. Spano, Westchester County Executive  
County Board of Legislators**

# Annual Data Book

Issued: 2007

**DEPARTMENT OF HEALTH  
Joshua Lipsman, M.D., J.D., M.P.H., Commissioner**

**COUNTY OF WESTCHESTER  
ANDREW J. SPANO  
COUNTY EXECUTIVE**

**DEPARTMENT OF HEALTH  
ANNUAL DATA BOOK  
2007**

**JOSHUA LIPSMAN, M.D., J.D., M.P.H.  
COMMISSIONER OF HEALTH  
WESTCHESTER COUNTY DEPARTMENT OF HEALTH  
145 HUGUENOT STREET – 8<sup>TH</sup> FLOOR  
NEW ROCHELLE, NY 10801**

**For questions, please contact the Department's Division of Planning and Evaluation:  
Phone: (914) 813-5100**

# Westchester County Department of Health

---

---

## **Mission Statement**

The mission of the Westchester County Department of Health is to promote health, prevent disease and prolong meaningful life for Westchester residents.

The Commissioner of Health is vested with all of the powers and duties necessary under the mandates of the New York State Public Health Law to

- monitor and control the spread of communicable disease,
- monitor and regulate air and water quality,
- enforce the state and local sanitary code,
- promote and ensure local public health activities and
- assure the availability of community health services.

## Foreword

The Annual Data Book 2007 contains community health data that are valuable for describing the health and well being of Westchester County residents. In addition, it includes information on services delivered by the Department of Health. The data book contains three major sections. The first section provides general health status profiles of the county in detail with illustrative figures, maps, and narrative. The second section contains the most current data tables. New this year, the second section includes five-year historical trend tables for select indicators. The last section provides information on data sources, definitions, data analysis methods, disease codes, and other information on Westchester County hospitals, nursing homes, and Health Department district offices and personnel.

The following are the main areas contained in the data book:

### General Health Status

- Major health status indicators compared with Healthy People 2010

### Vital Statistics

- Births and Pregnancies, including the numbers of births, birth rates, and demographic characteristics of mothers.
- Deaths, including the numbers of deaths, death rates, leading causes of death and demographic characteristics.

### Morbidity and Hospitalization

- Hospitalizations, including number of hospital discharges, average length of stay, type of services received, primary diagnosis for hospitalization, and demographic characteristics of patients.
- Communicable Diseases, including the number of communicable diseases reported to the Westchester County Department of Health.

### Health Department Services

- Information on the Lead Poisoning Prevention Program and the activities of the Department of Health's community clinics.
- Information on environmental health inspections conducted.
- Services for Children with Special Needs.
- Child Health Plus Enrollment.

## Westchester County Municipalities

Health Planning Region and Municipality <sup>1</sup>	Code <sup>2</sup>
<b>Northwest</b>	
Cortlandt Town	T
Buchanan Village	V
Croton-on-Hudson Village	V
Cortlandt Unincorporated	TOV
Mount Pleasant Town	T
Briarcliff Manor Village (Mount Pleasant Part) <sup>2</sup>	V
Pleasantville Village	V
Sleepy Hollow Village	V
Mount Pleasant Unincorporated	TOV
Ossining Town	T
Briarcliff Manor Village (Ossining Part) <sup>2</sup>	V
Ossining Village	V
Ossining Unincorporated	TOV
Peekskill	C
<b>Northeast</b>	
Bedford Town	T
Lewisboro Town	T
Mount Kisco Town/Village	T/V
New Castle Town	T
North Castle Town	T
North Salem Town	T
Pound Ridge Town	T
Somers Town	T
Yorktown Town	T
<b>West Central</b>	
Greenburgh Town	T
Ardsley Village	V
Dobbs Ferry Village	V
Elmsford Village	V
Hastings-on-Hudson Village	V
Irvington Village	V
Tarrytown Village	V
Greenburgh Unincorporated	TOV
Scarsdale Town/Village	T/V
White Plains	C


<b>Health Planning Region and Municipality<sup>1</sup></b>	<b>Code<sup>2</sup></b>
<b>East Central</b>	
Harrison Town/Village	T/V
Mamaroneck Town	T
Larchmont Village	V
Mamaroneck Village (Mamaroneck Part) <sup>3</sup>	V
Mamaroneck Unincorporated	TOV
Rye City	C
Rye Town	T
Mamaroneck Village (Rye Part ) <sup>3</sup>	V
Port Chester Village	V
Rye Brook Village	V
<b>Southwest</b>	
Yonkers	C
<b>Southeast</b>	
Eastchester Town	T
Bronxville Village	V
Tuckahoe Village	V
Eastchester Unincorporated	TOV
Mount Vernon	C
New Rochelle	C
Pelham Town	T
Pelham Village	V
Pelham Manor Village	V

<sup>1</sup> For regional planning purposes, municipalities are grouped into six geographic health planning regions.

<sup>2</sup> A town may or may not include incorporated villages located within the town boundary. When it does not include any incorporated villages within the town boundary, the statistics refer to the town as a whole (T). When it does include incorporated villages within its boundary, the statistics refer to the unincorporated area within the town boundary (TOV). The entities of Harrison, Mount Kisco, and Scarsdale are both towns and villages (V/T). The land in two towns, Pelham and Rye, has all been incorporated into separated villages. Therefore, no data are reported for these two towns.

<sup>3</sup> The Village of Briarcliff Manor and the Village of Mamaroneck are split between two towns. Briarcliff Manor is within the Town of Ossining (92% of its surface area and 91% of its population) and the Town of Mount Pleasant (8% of its surface area and 9% of its population). The Village of Mamaroneck is within the Town of Mamaroneck (63% of its surface area and 60% of its population) and the Town of Rye (37% of its surface area and 40% of its population).

# MUNICIPALITIES AND HEALTH PLANNING REGIONS WESTCHESTER COUNTY



# Table of Contents

Mission Statement.....	i
Foreword.....	ii
Westchester County Municipalities .....	iii
List of Tables .....	vii
List of Figures/Maps .....	xiv
<b>Westchester County Health Status Profiles.....</b>	<b>1</b>
<i>General Health Status</i> .....	2
<i>Births and Pregnancies</i> .....	8
<i>Deaths</i> .....	14
<i>Morbidity: Hospitalizations</i> .....	18
<i>Morbidity: Selected Diseases</i> .....	28
<b>Tables.....</b>	<b>37</b>
<i>Births and Pregnancies</i> .....	37
<i>Deaths</i> .....	52
<i>Morbidity: Hospitalizations</i> .....	65
<i>Morbidity: Selected Diseases</i> .....	117
<i>Selected Services Provided by Westchester County Department of Health</i> .....	134
<b>Appendices.....</b>	<b>152</b>
<i>Data Sources and Definitions</i> .....	152
<i>Data Analysis and Significance Test</i> .....	158
<i>The International Classification of Diseases (ICD-10): Codes for Selected Causes of Death</i> .....	159
<i>The International Classification of Diseases (ICD-9): Codes for Selected Diseases for</i> <i>Hospitalizations</i> .....	160
<i>Westchester County Department of Health, Communicable Disease Reporting Requirements</i> .....	163
<i>Westchester County Hospitals</i> .....	164
<i>Westchester County Nursing Homes</i> .....	166
<i>Westchester County Department of Health District Offices</i> .....	169
<i>Westchester County Board of Health</i> .....	170
<i>Westchester County Department of Health - Administrative Staff</i> .....	171
<i>Westchester County Department of Health - Project Staff</i> .....	172



## **List of Tables**

### **Population: Health Status Profile**

#### ***Births and Pregnancies***

Table 1	Total Number of Births by Municipality, Westchester County, 2001-2005	37
Table 2	Number of Births by Mother's Age and Municipality, Westchester County, 2005	38
Table 3	Average Maternal Age by Municipality, Westchester County, 2001-2005	39
Table 4	Percentage of Infants with Low Birthweight, by Municipality, Westchester County, 2001-2005	40
Table 5	Percentage of Infants with Less Than 37 Gestation Weeks, by Municipality, Westchester County, 2001-2005	41
Table 6	Percentage of Infants with Late or No Prenatal Care, Westchester County, 2001-2005	42
Table 7	Number of Births by Mother's Age, Race/Ethnicity, Infants' Birthweight, Gestation Weeks, and Time Starting Prenatal Care, Westchester County, 2001-2005	43
Table 8	Number of Births by Mother's Age and Race/Ethnicity, Westchester County, 2005	44
Table 9	Number of Births by Mother's Age and Educational Level, Westchester County, 2005	45
Table 10	Number of Births by Birthweight and Mother's Race/Ethnicity and Age, Westchester County, 2005	46
Table 11	Average Birthweight by Maternal Exposure to Smoking and Drug Use During Pregnancy by Mother's Race/Ethnicity, Westchester County, 2005	47
Table 12	Number of Births by Time Starting Prenatal Care and Mother's Age and Race/Ethnicity, Westchester County, 2005	48
Table 13	Number of Births by Time Starting Prenatal Care and Mother's Educational Level and Race/Ethnicity, Westchester County, 2005	49
Table 14	Number of Births by Time Starting Prenatal Care and Mother's Regional Origin, Westchester County, 2005	50
Table 15	Number of Total Pregnancies, Live Births, Spontaneous Fetal Deaths, and Induced Abortions by Mother's Race/Ethnicity and Age, Westchester County, 2005	51

## ***Deaths***

Table 16	Total Number of Deaths by Municipality, Westchester County, 2001-2005	52
Table 17	Total Number of Infant Deaths, Westchester County, 2001-2005	53
Table 18	Number of Deaths and Death Rates by Age Group and Sex, and Average Age of Death by Sex, Westchester County, 2005	54
Table 19	Number of Deaths and Death Rates by Age Group and Race/Ethnicity, and Average Age of Death by Race/Ethnicity, Westchester County, 2005	55
Table 20	Number of Infant Deaths and Infant Mortality Rates by Race/Ethnicity, Westchester County, 2001-2005	56
Table 21	Ten Leading Causes of Death and Death Rates, Westchester County, New York State (NYS), and the United States, 2004-2005	57
Table 22	Number of Deaths and Death Rates by Selected Causes and Sex, Westchester County, 2005	58
Table 23	Number of Deaths and Death Rates by Selected Causes and Age Group, Westchester County, 2005	59
Table 24	Number of Deaths and Death Rates by Selected Causes and Race/Ethnicity, Westchester County, 2005	60
Table 25	Number of Deaths Due to Cardiovascular Diseases by Age Group and Sex, Westchester County, 2005	61
Table 26	Number of Deaths Due to Cardiovascular Diseases by Race/Ethnicity, Westchester County, 2005	62
Table 27	Number of Deaths Due to Malignant Neoplasms by Age Group and Sex, Westchester County, 2005	63
Table 28	Number of Deaths Due to Malignant Neoplasms by Race/Ethnicity, Westchester County, 2005	64

## ***Morbidity: Hospitalizations***

Table 29	Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2005-2006	65
Table 30	Number of Hospital Discharges and Average Length of Stay by Age and Sex, Westchester County Residents, 2005-2006	69
Table 31	Number of Hospital Discharges and Average Length of Stay by Age and Race/Ethnicity, Westchester County Residents, 2005-2006	71

Table 32	Number of Hospital Discharges by Principal Diagnosis and All Related Diagnoses, Westchester County Residents, 2005-2006	73
Table 33	Number of Hospital Discharges by Principal Diagnosis and Age, Westchester County Residents, 2005-2006	75
Table 34	Number of Hospital Discharges by Principal Diagnosis and Sex, Westchester County Residents, 2005-2006	77
Table 35	Number of Hospital Discharges by Principal Diagnosis and Race/Ethnicity, Westchester County Residents, 2005-2006	79
Table 36	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age, Westchester County Residents, 2005-2006	81
Table 37	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Sex, Westchester County Residents, 2005-2006	83
Table 38	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Race/Ethnicity, Westchester County Residents, 2005-2006	85
Table 39	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age and Sex, Westchester County Residents, 2005-2006	87
Table 40	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System, by Age and Race/Ethnicity, Westchester County Residents, 2005-2006	89
Table 41	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Age, Westchester County Residents, 2005-2006	91
Table 42	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Sex, Westchester County Residents, 2005-2006	92
Table 43	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Race/Ethnicity, Westchester County Residents, 2005-2006	93
Table 44	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Age, Westchester County Residents, 2005-2006	94
Table 45	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Sex, Westchester County Residents, 2005-2006	95

Table 46	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Race/Ethnicity, Westchester County Residents, 2005-2006	96
Table 47	Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses by Age, Westchester County Residents, 2005-2006	97
Table 48	Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses by Sex, Westchester County Residents, 2005-2006	98
Table 49	Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses by Race/Ethnicity, Westchester County Residents, 2005-2006	99
Table 50	Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses by Age and Sex, Westchester County Residents, 2005-2006	100
Table 51	Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses <sup>1</sup> by Age and Race/Ethnicity, Westchester County Residents, 2005-2006	102
Table 52	Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning by Etiology and Age, Westchester County Residents, 2005-2006	104
Table 53	Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning by Etiology and Sex, Westchester County Residents, 2005-2006	106
Table 54	Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning by Etiology and Race/Ethnicity, Westchester County Residents, 2005-2006	107
Table 55	Number of Hospital Discharges and Average Length of Stay Due to Diabetes-Related Diagnoses by Age and Sex, Westchester County Residents, 2005-2006	109
Table 56	Number of Hospital Discharges and Average Length of Stay Due to Diabetes-Related Diagnoses by Age and Race/Ethnicity, Westchester County Residents, 2005-2006	111
Table 57	Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses by Age and Sex, Westchester County Residents, 2005-2006	113
Table 58	Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses by Age and Race/Ethnicity, Westchester County Residents, 2005-2006	115

***Morbidity: Selected Diseases***

Table 59	Reported Cases and Rates of Reportable Diseases, Westchester County, 2002-2006	117
Table 60	The Top Ten Reported Communicable Diseases in Westchester County Compared to New York State and United States, 2005-2006	118
Table 61	Reported Cases and Rates of Chlamydia by Municipality, Westchester County, 2002-2006	119
Table 62	Reported Cases and Rates of Gonorrhea by Municipality, Westchester County, 2002-2006	120
Table 63	Reported Cases and Rates of Syphilis (All Stages) by Municipality, Westchester County, 2002-2006	121
Table 64	Reported Cases and Rates of Chlamydia by Age Group, Sex, and Race/Ethnicity, Westchester County, 2006	122
Table 65	Reported Cases and Rates of Gonorrhea by Age Group, Sex, and Race/Ethnicity, Westchester County, 2006	123
Table 66	Reported Cases and Rates of Syphilis (All Stages) by Age Group, Sex, and Race/Ethnicity, Westchester County, 2006	124
Table 67	Reported Cases and Rates of Lyme Disease by Municipality, Westchester County, 2002-2006	125
Table 68	Reported Cases and Rates of Ehrlichiosis by Municipality, Westchester County, 2006	126
Table 69	Reported Cases and Rates of Lyme Disease by Age and Sex, Westchester County, 2006	127
Table 70	Reported Cases and Rates of Major Enteric Infections, Westchester County, 2006	128
Table 71	Reported Cases and Rates of Major Enteric Diseases by Age, Westchester County, 2006	129
Table 72	Reported Cases and Rates of Selected Central Nervous System Diseases and Bacteremias, Westchester County, 2006	130
Table 73	Reported Cases and Rates of Meningitis by Age and Sex, Westchester County, 2006	131
Table 74	Reported Cases and Rates of Invasive Strep Pneumoniae by Age and Sex, Westchester County, 2006	131
Table 75	Number of Tuberculosis Cases and Contacts, Westchester County, 2002-2006	132

Table 76	Reported Cases and Rates of Tuberculosis by Age, Westchester County, 2002-2006	133
----------	--	-----

***Selected Services Provided by Westchester County Department of Health***

Table 77	Childhood Lead Poisoning Prevention Program: Total Number of Tests Conducted, Test Results by Blood Lead Level, and Number of Initial Screen Tests by Municipality, Westchester County, 2006	134
Table 78	Childhood Lead Poisoning Prevention Program: Total Number of Tests Conducted, Test Results by Blood Lead Level, and Number of Initial Screen Tests by Age, Westchester County, 2006	135
Table 79	Childhood Lead Poisoning Prevention Program: Number of Children Tested, Number of Children with Multiple Tests, and Number of Children with Lead Poisoning, and Number of Lead Registry Cases, Westchester County, 2006	136
Table 80	Number of Patients Served, Number of Clinic Visits, and Number of Vaccines Administered by District Office, Westchester County Department of Health, 2006	137
Table 81	Number of Patients Served at District Offices by Age, Sex, and Race/Ethnicity, Westchester County, 2006	138
Table 82	Number of Patients and Visits to Family Planning Clinics by Patient Age Group and Race/Ethnicity, Westchester County, 2006	139
Table 83	Number of Patients and Visits to Sexually Transmitted Diseases Clinics by Patient Age Group, Sex, and Race/Ethnicity, Westchester County, 2006	140
Table 84	Number of Patients and Visits With HIV Tests and/or Counseling by Patient Age Group, Sex, and Race/Ethnicity, Westchester County, 2006	141
Table 85	Number of Patients and Visits to Tuberculosis Clinics by Patient Age Group, Sex, and Race/Ethnicity, Westchester County, 2006	142
Table 86	Number of Patients Enrolled in Home Health Program and Number of Home Health Visits Received by Patient Age Group, Sex, and Race/Ethnicity, Westchester County, 2006	143
Table 87	Number of Animal Bites Reported to the Westchester County Department of Health, Number of Animals Tested, Number of Animals Confirmed Rabid by Type of Animal and Human Rabies Post-Exposure Prophylaxis, 1991-2006	144
Table 88	Number of Rabies Post-Exposure Treatments Administered by Rabies Status, 2002-2006	145

Table 89	Number of Animals Confirmed Rabid, Westchester County, 1991-2006	146
Table 90	Public Health Protection and Environmental Quality: Number of Inspection Related Activities, 2006	147
Table 91	Public Health Complaints Received and Investigated by Program, 2006	149
Table 92	Public Health Protection: Facility Permits Issued, Westchester County, 2006	150
Table 93	Services For Children With Special Needs: Number of Children Served, Westchester County Department of Health, 2006	151
Table 94	Child Health Plus Enrollment and Family Health Plus/Medicaid Enrollment, Westchester County Department of Health, 2006	151

## **List of Figures and Maps**

Figure 1	Percentage Distribution of Infants by Birthplace, Westchester County, 2005	8
Figure 2	Number of Births, Westchester County, 2001-2005	8
Figure 3	Percentage Distribution of Births by Maternal Age, Westchester County, 2005	9
Figure 4	Percentage Distribution of Births by Maternal Age and Race/Ethnicity, Westchester County, 2005	9
Figure 5	Percent of Infants with Low Birthweight by Race/Ethnicity, Westchester County, 2005	10
Figure 6	Average Birthweight of Infants by Mother's Risk Behavior During Pregnancy, Westchester County, 2005	11
Figure 7	Percent of Mothers Who Delayed or Did Not Seek Prenatal Care by Maternal Age, Westchester County, 2005	11
Figure 8	Percent of Mothers Who Delayed or Did Not Seek Prenatal Care by Race/Ethnicity, Westchester County, 2005	12
Figure 9	Percent of Mothers Who Delayed or Did Not Seek Prenatal Care by Educational Level, Westchester County, 2005	13
Figure 10	Percent of Mothers Who Delayed or Did Not Seek Prenatal Care by Geographical Region of Origin, Westchester County, 2005	13
Figure 11	Average Age of Death by Race/Ethnicity, Westchester County, 2005	14
Figure 12	Infant Mortality Rate by Race/Ethnicity, Westchester County, 2005	14
Figure 13	Percentage Distribution of Selected Causes of Death by Sex, Westchester County, 2005	15
Figure 14	Percentage Distribution of Deaths by Selected Causes and Race/Ethnicity, Westchester County, 2005	16
Figure 15	Percentage Distribution of Deaths Due to Cardiovascular Diseases, Westchester County, 2005	17
Figure 16	Percentage Distribution of Deaths Due to Malignant Neoplasms by Sex, Westchester County, 2005	17
Figure 17	Percentage Distribution of Hospital Discharges by Service Category, Westchester County Residents, 2006	18



Figure 18	Percentage Distribution of Hospital Discharges by Principal Diagnosis, Westchester County Residents, 2006	19
Figure 19	Percentage Distribution of Hospital Discharges by Principal Diagnosis and Sex, Westchester County Residents, 2006	20
Figure 20	Percentage Distribution of Hospital Discharges by Principal Diagnosis and Race, Westchester County Residents, 2006	21
Figure 21	Percentage Distribution of Hospital Discharges Due to Cardiovascular and Other Diseases of the Circulatory System by Principal Diagnosis, Westchester County Residents, 2006	22
Figure 22	Percentage Distribution of Hospital Discharges Due to Cardiovascular and Other Diseases of the Circulatory System by Age and Race/Ethnicity, Westchester County Residents, 2006	23
Figure 23	Percentage Distribution of Asthma Related Hospital Discharges by Race, Westchester County Residents, 2006	24
Figure 24	Percentage Distribution of Hospital Discharges Due to Malignant Neoplasms by General Diagnosis Category and Sex, Westchester County Residents, 2006	25
Figure 25	Percentage Distribution of Hospital Discharges Due to Malignant Neoplasms by Age and Race/Ethnicity, Westchester County Residents, 2006	25
Figure 26	Percentage Distribution of Hospital Discharges Due to Injury and Poisoning by Etiology, Westchester County Residents, 2006	26
Figure 27	Percentage Distribution of AIDS Related Hospital Discharges by Race, Westchester County Residents, 2006	27
Figure 28	The Top Ten Reported Communicable Diseases in Westchester County Compared to New York State and United States, 2005-2006	29
Figure 29	Reported Rates of Sexually Transmitted Diseases, Westchester County, 2002-2006	30
Figure 30	Reported Rates of Sexually Transmitted Diseases by Health Planning Region, Westchester County, 2006	30
Figure 31	Reported Rates of Chlamydia by Sex and Age, Westchester County, 2006	31
Figure 32	Reported Rates of Gonorrhea by Sex and Age, Westchester County, 2006	32
Figure 33	Reported Rates of Chlamydia by Sex and Race/Ethnicity, Westchester County, 2006	32
Figure 34	Reported Rates of Gonorrhea by Sex and Race/Ethnicity, Westchester County, 2006	33

Figure 35	Reported Cases of Early Syphilis, 2002-2006	33
Figure 36	Reported Rates of Lyme Disease by Health Planning Region, Westchester County, 2006	34
Figure 37	Reported Rates of Lyme Disease by Sex and Age, Westchester County, 2006	34
Figure 38	Percentage Distribution of Enteric Disease Cases by Age, Westchester County, 2006	35

***Maps***

Municipalities and Health Planning Regions, Westchester County	v
Hospitals in Westchester County, 2007	165
Nursing Homes Located in Westchester County, 2007	168

**Westchester County**  
**Health Status Profiles**

## **Introduction to Westchester County Health Status Profiles**

---

The health status profile presents information for the county's general health status, behavior health status, vital statistics, including births, pregnancies, and deaths, as well as morbidity statistics, including hospitalization discharges by various diseases and the reported cases and rates of communicable diseases in Westchester County.

Significance tests were performed for all the indicators discussed in the profiles. Only statistically significant differences, defined as a p-value less than .05 ( $p < 0.05$ ) are highlighted in the profiles unless noted otherwise.

## General Health Status

---

To assess the general health status of Westchester County residents, a list of health indicators are presented in comparison with the objectives set by the U.S. Department of Health and Human Services' Healthy People 2010. Data for these health indicators come from various sources, such as the Behavior Risk Factor Surveillance System (BRFSS), New York State Department of Health Statewide Planning and Research Cooperative System (SPARCS), vital statistics, as well as Westchester County Department of Health's internal databases.

The list is presented in the order of the Healthy People 2010 objectives, with the serial number listed along with the specific objectives, the Westchester County indicators, the Healthy People 2010 Objectives, and the data sources. Westchester County indicators that fall below the 2010 objectives are marked in red. For those indicators obtained from surveys (such as the BRFSS), a difference is marked only when it is statistically significant. For those indicators obtained from other sources rather than surveys, a difference is marked red when it is different in absolute value.

## Major Health Status Indicators Compared With Healthy People 2010

Topic	Westchester County Indicators	Healthy People 2010 Objectives	Data Sources
<b>1 Access to Quality Health Services</b>			
1.1 Increase the proportion of persons with health insurance (%)	85.0 (age 18-64) (79.6 , 90.5)	100 (age under 65)	2005 BRFSS
1.5 Increase the proportion of persons with a usual primary care provider (%)	88.2 (ages 18+) (83.9 , 92.5)	85.0 (all ages)	1997-2002 BRFSS
1.9 Reduce hospitalization rates for three ambulatory-care-sensitive conditions—pediatric asthma, uncontrolled diabetes, and immunization-preventable pneumonia and influenza (admissions per 10,000)			
1.9a Pediatric asthma—persons under age 18 years	15.4	17.3	2006 SPARCS
1.9b Uncontrolled diabetes—persons aged 18 to 64 years	6.4	5.4	
1.9c Immunization-preventable pneu-monia or influenza—persons aged 65 years and older	1.3	8.0	
<b>2 Arthritis, Osteoporosis, and Chronic Back Conditions</b>			
2.10 Reduce the proportion of adults who are hospitalized for vertebral fractures associated with osteoporosis (admission of persons aged 65+ per 10,000)	8.8	14.0	2006 SPARCS
<b>3 Cancer</b>			
3.1 Reduce the overall cancer death rate (per 100,000)	232.9	159.9	2005 Vital Statistics
3.2 Reduce the lung cancer death rate (per 100,000)	52.0	44.9	
3.3 Reduce the breast cancer death rate (females) (per 100,000)	43.6	22.3	
3.4 Reduce the death rate from cancer of the uterine cervix (female) (per 100,000)	5.2	2.0	
3.5 Reduce the colorectal cancer death rate (per 100,000)	23.0	13.9	
3.6 Reduce the oropharyngeal cancer death rate (per 100,000)	0.1	2.7	
3.7 Reduce the prostate cancer death rate (males) (per 100,000)	27.2	28.8	
3.8 Reduce the rate of melanoma cancer deaths (per 100,000)	3.7	2.5	
3.11 Increase the proportion of women who receive a Pap test (%)			2003 BRFSS
3.11a Women aged 18 years and up who have ever received a Pap test	95.5 (92.3 , 98.7)	97.0	
3.11b Women aged 18 years and up who received a Pap test within the preceding 3 years	83.1 (75.1 , 91.2)	90.0	2004 BRFSS
3.12 Increase the proportion of adults who received a colorectal cancer screening examination			
3.12a Adults aged 50+ who have received a fecal occult blood test within the preceding 2 yrs (%)	25.6 (17.0 , 34.4)	50	
3.12b Adults aged 50+ who have ever received a sigmoidoscopy or colonoscopy (%)	62.3 (53.3 , 71.4)	50	
3.13 Increase the proportion of women aged 40 years and older who have received a mammogram within the preceding 2 yrs (%)	76.7 (68.9 , 84.6)	70	
<b>5 Diabetes</b>			
5.3 Reduce the overall rate of diabetes that is clinically diagnosed (per 1,000)	32 (15, 49)	25 (new and existing)	2005 BRFSS
5.5 Reduce the diabetes death rate (per 100,000)	18.7	45	2005 Vital Statistics

## Major Health Status Indicators Compared With Healthy People 2010

Topic		Westchester County Indicators	Healthy People 2010 Objectives	Data Sources
<b>8</b>	<b>Environmental Health</b>			
8.11	Eliminate elevated blood lead levels ( $\geq 10\mu\text{g/dL}$ ) in children ages 1-6 (%)	0.03 (confirmed elevated)	0.0	2003 WCDH
<b>9</b>	<b>Family Planning</b>			
9.1	Increase the proportion of births that are intended for women aged 15-44 years (%)	73.4	70	2005 Vital Statistics
9.2	Reduce the proportion of births occurring within 24 months of a previous birth for women aged 15-44 years (%)	19.7	6	
9.7	Reduce pregnancies among adolescent females aged 15-17 (per 1,000)	29.6	43	2002 Vital Statistics
<b>10</b>	<b>Food Safety</b>			
10.1	Reduce infections caused by key foodborne pathogens (per 100,000)			04/25/2007 WCDH Data for 2006
10.1a	Campylobacteriosis	16.9	12.3	
10.1b	E. coli (O157:H7)	0.6	1.0	
10.1c	Listeriosis	0.4	0.25	
10.1d	Salmonellosis	12.1	6.8	
<b>12</b>	<b>Heart Disease and Stroke</b>			
12.1	Reduce coronary heart disease deaths (per 100,000)	206.9	166	2005 Vital Statistics
12.6	Reduce hospitalizations of older adults with congestive heart failure as the principal diagnosis (per 1,000)			2006 SPARCS
12.6a	Adults aged 65 to 74 years	8.1	6.5	
12.6b	Adults aged 75 to 84 years	19.6	13.5	
12.6c	Adults aged 85 years and older	42.1	26.5	
12.7	Reduce stroke deaths (per 100,000)	40.5	48	2005 Vital Statistics
12.9	Reduce the proportion of adults aged 20 and older w/high blood pressure (%)	19.7% (15.0 , 24.5)	16.0% (aged 20+)	2005 BRFSS
12.15	Increase the proportion of adults aged 18 and older who have had their blood cholesterol checked within the preceding 5 yrs (%)	79.0% (72.8 , 85.3)	80%	2005 BRFSS  1997-2002 BRFSS
		95.0% (92.5 , 97.6)		
<b>13</b>	<b>HIV</b>			
13.1	Reduce AIDS among adolescents and adults (ages 13+; per 100,000)	22.8	1.0	2003 NYS DOH Bureau of HIV/AIDS Epidemiology, data through 2002
13.2	Reduce the number of new AIDS cases among adolescent and adult men who have sex with men (1998 baseline: 40 cases)	30 cases (25% improvement)	13,385 cases (25% improvement)	
13.3	Reduce the number of new AIDS cases among females and males who inject drugs (1998 baseline: 119 cases)	43 cases (63.9% improvement)	9,075 cases (25% improvement)	
13.4	Reduce the number of new AIDS cases among adolescent and adult men who have sex with men and inject drugs (1998 baseline: 8 cases)	3 cases (62.5% improvement)	1,592 cases (25% improvement)	
13.14	Reduce deaths from HIV infection (per 100,000)	4.9	0.7	2005 Vital Statistics
<b>14</b>	<b>Immunization &amp; Infectious Diseases</b>			
14.1	Reduce or eliminate indigenous cases of vaccine-preventable diseases (# of cases)			04/25/2007 WCDH Data for 2006
14.1a	Congenital rubella syndrome (under age 1)	0	0	

## Major Health Status Indicators Compared With Healthy People 2010

Topic		Westchester County Indicators	Healthy People 2010 Objectives	Data Sources
<b>14</b>	<b>Immunization &amp; Infectious Diseases (cont'd)</b>			
14.1	Reduce or eliminate indigenous cases of vaccine-preventable diseases (# of cases)			04/25/2007 WCDH Data for 2006
14.1b	Diphtheria (persons under age 35)	0	0	
14.1c	Haemophilus influenzae type b (under age 5)	0	0	
14.1d	Hepatitis B (persons aged 2 to 18) (2001 baseline: 1 case)	6 (increased by 500%)	9 (99% improvement)	
14.1e	Measles	0	0	
14.1f	Mumps	0	0	
14.1g	Pertussis (under age 7) (2000 baseline: 12 cases)	4 (decreased by 67%)	2,000 (41% improvement)	
14.1h	Polio (wild-type virus)	0	0	
14.1i	Rubella	0	0	
14.1j	Tetanus (under age 35)	0	0	
14.2	Reduce chronic hepatitis B virus infections in infants and young children under age 2 (perinatal infections; # of cases) (2000-2002 baseline: 0 case)	1 (increased from 0 to 1)	400 (76% improvement)	
14.3	Reduce hepatitis B (per 100,000)			
14.3a	Age 19-24	14.2	2.4	
14.3b	Age 25-39	48.7	5.1	
14.3c	Age 40+	32.6	3.8	
14.6	Reduce hepatitis A (per 100,000)	1.3	4.5	
14.7	Reduce meningococcal disease (per 100,000)	0.5	1.0	
14.8	Reduce Lyme disease (per 100,000) (2000 Baseline: 24.8)	27.4 (increased by 10.5%)	9.7 (44% improvement)	
14.9	Reduce hepatitis C (per 100,000)	96.5	1.0	
14.11	Reduce tuberculosis (per 100,000)	7.2	1.0	
14.29	Increase the proportion of adults who are vaccinated annually against influenza and ever vaccinated against pneumococcal disease (%)			2003 BRFS
14.29a	Noninstitutional adults aged 65+ vaccinated against influenza annually	67.8 (58.8 , 76.8)	90.0	
14.29b	Noninstitutional adults aged 65+ ever vaccinated against pneumonia	53.0 (43.2 , 62.8)	90.0	
<b>15</b>	<b>Injury and Violence Prevention</b>			
15.1	Reduce hospitalization for nonfatal head injuries (per 100,000)	60.1	45.0	2006 SPARCS
15.2	Reduce hospitalization for nonfatal spinal cord injuries (per 100,000)	4.9	2.4	
15.3	Reduce firearm-related deaths (per 100,000)	4.0	4.1	2005 Vital Statistics
15.8	Reduce deaths caused by poisonings (per 100,000)	0.5	1.5	
15.9	Reduce deaths caused by suffocation (per 100,000)	2.8	3.0	
15.13	Reduce deaths caused by unintentional injuries (per 100,000)	17.2	17.5	
15.15	Reduce deaths caused by motor vehicle crashes			
15.15a	Death rate (per 100,000)	6.1	9.2	
15.27	Reduce deaths from falls (per 100,000)	4.3	3.0	
15.28	Reduce hip fractures among older adults (per 100,000)			2006 SPARCS
15.28a	Females aged 65 years and older	1093.9	416.0	
15.28b	Males aged 65 years and older	569.8	474.0	



## Major Health Status Indicators Compared With Healthy People 2010

Topic		Westchester County Indicators	Healthy People 2010 Objectives	Data Sources
<b>15</b>	<b>Injury and Violence Prevention (cont'd)</b>			
15.29	Reduce drowning (per 100,000)	0.2	0.9	2005 Vital Statistics
<b>16</b>	<b>Maternal, Infant, and Child Health</b>			
16.1	Reduce fetal and infant deaths (per 1,000 live births)			2005 Vital Statistics
16.1c	All infant deaths (within 1 year)	5.8	4.5	
16.1d	Neonatal deaths (within the first 28 days of life)	3.6	2.9	
16.1e	Postneonatal deaths (between 28 days and 1 year)	2.2	1.2	
16.1f	Related to all birth defects	1.4	1.1	
16.1g	Related to congenital heart defects	0.60	0.38	
16.1h	From sudden infant death syndrome (SIDS)	0.10	0.25	
16.2	Reduce the rate of child deaths (per 100,000)			
16.2a	Children aged 1 to 4 years	19.3	18.6	
16.2b	Children aged 5 to 9 years	8.8	12.3	
16.3	Reduce deaths of adolescents and young adults (per 100,000)			
16.3a	Adolescents aged 10 to 14 years	14.1	16.8	
16.3b	Adolescents aged 15 to 19 years	40.5	39.8	
16.3c	Young adults aged 20 to 24 years	100.1	49.0	
16.4	Reduce maternal deaths (per 100,000 live births)	16.6	3.3	
16.5	Reduce maternal illness and complications due to pregnancy			2006 SPARCS
16.5a	Maternal complications during hospitalized labor and delivery (per 100 deliveries)	5.4	24.0	
16.6	Increase the proportion of pregnant women who receive early and adequate prenatal care			2005 Vital Statistics
16.6a	Beginning in the first trimester of pregnancy (% of live births)	64.9	90	
16.9	Reduce cesarean births among low-risk (full term, singleton, vertex presentation) women (% of live births)			
16.9a	Women giving birth for the first time	35.7	15	
16.9b	Prior cesarean birth	82	63	
16.10	Reduce low birth weight and very low birth weight (%)			
16.10a	Low birth weight (1500-2500 grams)	6.7	5	
16.10b	Very low birth weight (<1500 grams)	1.4	0.9	
16.11	Reduce preterm births (%)			
16.11a	Total preterm births (less than 37 weeks of gestation)	9.6	7.6	
16.11b	Live births at 32 - 36 weeks of gestation.	8.1	6.4	
16.11c	Live births at less than 32 weeks of gestation.	1.5	1.1	
16.17	Increase abstinence from alcohol, cigarettes, and illicit drugs among pregnant women aged 15-44 years (%)			
16.17a	Alcohol	99.7	94	
16.17b	Smoking (any)	98.1	99	
16.17c	Illicit drugs	99.5	100	
<b>18</b>	<b>Mental Health and Mental Disorders</b>			
18.1	Reduce the suicide rate (per 100,000)	5.0	5.0	2005 Vital Statistics


## Major Health Status Indicators Compared With Healthy People 2010

Topic	Westchester County Indicators	Healthy People 2010 Objectives	Data Sources
<b>19 Nutrition and Overweight (ages 20+)</b>			
19.1 Increase the proportion of adults who are at a healthy weight ( $18.5 \leq \text{BMI} < 25.0$ ) (%)	47.8 (ages 18+) (41.2 , 54.5)  48.5 (ages 20+) (44.5 , 52.5)	60.0 (ages 20+)	2005 BRFSS  1997-2002 BRFSS
19.2 Reduce the proportion of adults who are obese ( $\text{BMI} \geq 30$ ) (%)	15.1 (ages 18+) (10.6 , 19.7)	15.0 (ages 20+)	2005 BRFSS
<b>22 Physical Activity and Fitness (ages 18+)</b>			
22.1 Reduce the proportion of adults who engage in no leisure-time physical activity (%)	19.5 (14.5, 24.5)	20	2005 BRFSS
<b>24 Respiratory Diseases</b>			
24.1 Reduce asthma deaths (per million)			
24.1a Children under age 5 years	0.0	1.0	2005 Vital Statistics
24.1b Children aged 5 to 14 years	7.6	1.0	
24.1c Adolescents and adults aged 15 to 34 years	8.9	2.0	
24.1d Adults aged 35 to 64 years	16.1	9.0	
24.1e Adults aged 65 years and older	46.5	60.0	
24.2 Reduce hospitalizations for asthma (per 10,000)			
24.2a Children under age 5 years	33.0	25.0	2006 SPARCS
24.2b Children and adults aged 5 to 64 years	11.3	7.7	
24.2c Adults aged 65 years and older	23.6	11.0	
24.10 Reduce deaths from chronic obstructive pulmonary disease (COPD) among adults aged 45 and older (per 100,000)	97.5	60.0	2005 Vital Statistics
<b>25 Sexually Transmitted Diseases</b>			
25.2 Reduce gonorrhea (per 100,000)	47.1	19.0	04/25/2007 WCDH Data for 2006
25.3 Eliminate sustained domestic transmission of primary and secondary syphilis (per 100,000)	2.4	0.2	
25.13 Increase the proportion of Tribal, State, and local sexually transmitted disease programs that routinely offer hepatitis B vaccines to all STD clients (%)	100	90	2007 WCDH
<b>26 Substance Abuse</b>			
26.1 Reduce deaths and injuries caused by alcohol- and drug-related motor vehicle crashes (per 100,000)			2001 Institute for Traffic Safety Management and Research
26.1a Alcohol-related deaths	1.6	4.0	
26.1b Alcohol-related injuries	50.5	65.0	
26.2 Reduce cirrhosis deaths (per 100,000)	5.7	3.0	2005 Vital Statistics
26.3 Reduce drug-induced deaths (per 100,000)	2.3	1.0	
<b>27 Tobacco</b>			
27.1 Reduce tobacco use by adults aged 18 and older (%)			
27.1a Cigarette smoking	16.6 (11.6 , 21.7)	12.0	2005 BRFSS
27.5 Increase smoking cessation attempts by adult smokers aged 18 years and older	64.4 (53.0 , 75.8)	75.0	2003 BRFSS


# Births and Pregnancies

## Births/Birth Rates


- A total of 12,080 infants were born to Westchester County residents in 2005, with a birth rate of 13.1 live births per 1,000 people. Among these infants, the majority was born within the county, accounting for 76.5% of all the infants born to Westchester County residents; 1,722 were born in the city of New York (NYC), accounting for 14.3% of all the infants born to Westchester County residents. Less than 10% were born in other New York State (NYS) counties or outside of NYS (9.2%) (Figure 1).




- The average maternal age at birth for Westchester County was 30.7 years.
- The number of births has decreased by 535 from 2001 to 2005, a difference of 4.2% (Figure 2).



- Over half of the children born in 2005 were born to women between the ages of 25 and 34. About 5% of children were born to mothers under 20 years of age in 2005. Six percent of children were born to mothers of 40 years or older (Figure 3).




- Among children born to white women in 2005, 9.5% was born to women aged 20-24; 18.8% was born to women aged 25-29; more than one-third was born to women aged 30-34; over one quarter was born to women aged 35-39; and 6.7% was born to women aged 40 and over. Approximately three percent (3.2%) was born to women under the age of 20 (Figure 4). The average maternal age among white mothers was 31.7 years in 2005.



- The average maternal age among black mothers was younger than that of white mothers (28.7 vs. 31.7 years). Among children born to black women in 2005, 19.3% was born to women aged 20-24; 24.9% was born to women aged 25-29; 22.5% was born to women aged 30-34; and 17.3% was born to children aged 35-39. Six percent was born to mothers aged 40 and over; 10.2% of children was born to mothers younger than 20 (Figure 4).
- Hispanic women, on average, have children at a younger age than white women (27.7 vs. 31.7 years). Among children born to Hispanic women in 2005, over half was born to women aged 20-29; 22.2% was born to mothers aged 30-34; and 12.5% was born to women aged 35-39. Hispanic women had the lowest percentage of children born to women aged 40 and over, at 3.4%; 9.4% of children was born to mothers younger than 20 (Figure 4).


### ***Birthweight***

- Among infants born in 2005, 6.7% was born with a birthweight between 1,500 to 2,499 grams, and 1.4% was born with a birthweight of below 1,500 grams (Figure 5).




- The proportion of infants born with low birthweight (<2,500 grams) varied by race (Figure 5). Blacks had the highest proportion of low birthweight babies (14.3%). Whites and Hispanics had similar proportions of infants with low birthweights (6.9% and 6.8%, respectively).

- Infant birthweight was associated with mother's behavior during pregnancy (Figure 6). The average birthweight for children born to women who did not smoke or use illicit drugs during pregnancy was 3,278 grams. Among infants born to mothers who only smoked during pregnancy, the average birthweight was 3,101 grams. Among infants born to mothers who reported using illicit drugs, the average birthweight was 2,740 grams. Among infants born to mothers who smoked as well as used any illicit drugs, the average birthweight was 2,695 grams.




### Prenatal Care

- Among infants born in 2005, over one-quarter (26.9%) was born to women who delayed or sought no prenatal care (excluding infants born to women with incomplete prenatal care information). About eighteen percent (18.5%) of the infants were born to mothers who started their prenatal care during the second trimester, 4.0% were born to mothers who started their prenatal care during the third trimester, and 4.4% were born to mothers who never sought prenatal care (Figure 7).




- Young women were more likely to delay or seek no prenatal care. Among infants born to women of ages 10-17 years, over half (59.8%) were born to mothers who did not seek prenatal care until their second or third trimester or who never sought prenatal care (Figure 7). In comparison, the percentage of infants born to mothers of older ages (ages 40+) who did not seek or delayed prenatal care was 19.2%.
- Black women were more likely to delay or seek no prenatal care compared to white women. 30.9% of infants born to black women had delayed prenatal care; 10.6% did not receive any prenatal care (Figure 8).



- Women of Hispanic ethnicity were also more likely to delay or seek no prenatal care compared to white women (Figure 8). Among infants born to Hispanic mothers, 26.2% did not seek prenatal care until the second trimester, 5.7% did not seek care until the third trimester, and 6.0% did not seek any prenatal care.
- As level of education increased, the percentage of mothers who delayed or did not seek prenatal care decreased (Figure 9). Thirty-eight percent of women with less than a high school education sought prenatal care in the second or third trimester, compared to 11.0% of women with an advanced degree. Eight percent of women with less than a high school education never sought prenatal care, while only 1.0% of women with an advanced degree never sought prenatal care. The association between educational level and delay or absence of prenatal care was tested by Pearson's chi-square ( $p < 0.005$ ).


**Figure 9. Percent of Mothers Who Delayed or Did Not Seek Prenatal Care\* by Educational Level, Westchester County, 2005**



\* Excludes cases with incomplete information on prenatal care.  
Source: New York State Department of Health.

- Delay or absence of prenatal care varied by geographical region of origin (Figure 10). Women of American origin had the lowest percentage of mothers who delayed seeking prenatal care but received care (17.0%). Women of European, Canadian, or Australian origin had the lowest percentage of mothers who never sought prenatal care (0.7%).
- Women from Africa and Mexico had the highest percentage of mothers who delayed prenatal care (34.7% and 38.1%, respectively) or did not seek prenatal care (9.4% and 8.0%, respectively) (Figure 10).

**Figure 10. Percent of Mothers who Delayed or Did Not Seek Prenatal Care\* by Mother's Geographical Region of Origin, Westchester County, 2005**




\* Excludes cases with incomplete information on prenatal care.  
Source: New York State Department of Health.




# Deaths

## Deaths/Death Rates

- A total of 7,807 Westchester County residents died in 2005. The death rate for Westchester County was 8.5 per 1,000 people.
- The average age of death for Westchester County was 76.2 years. The average age at death for females was higher than for males (79.3 versus 72.6 years).
- The average age of death varied by race and ethnicity (Figure 11). The average age of death was the highest for whites, at 78.2 years. Among Blacks, the average age of death was 68.0 years; Hispanics had the lowest average age of death, at 62.1 years.



- The infant mortality rate for Westchester County was 5.8 per 1,000 live births. The infant mortality rate was the highest among blacks (7.0 per 1,000 live births) (Figure 12).



## Major Causes of Deaths


- Major cardiovascular disease was the leading cause of death in Westchester County in 2005, followed by malignant neoplasms. Together, these diseases were responsible for 67.0% of all deaths.
- Conditions originating in the perinatal period accounted for the majority of the deaths among children under one year of age (48.6%), followed by congenital anomalies (24.3%).
- Among people under 30 years of age (excluding those under 1 year), the two major causes of death were accidents (20.8%) and malignant neoplasms (16.7%).
- Among people aged 30-49, the two major causes of death were malignant neoplasms (31.8%), followed by major cardiovascular diseases (16.6%). Malignant neoplasms were also the major cause of death among persons between 50 to 64 years of age (44.7%), followed by major cardiovascular diseases (25.4%). Major cardiovascular disease was the leading cause of death for people aged 65 and over (44.6%), followed by malignant neoplasms (24.8%).
- There were a few differences in the major causes of death by sex (Figure 13). About forty-two percent (41.6%) of deaths were due to major cardiovascular diseases among females, compared to 36.8% of males. Males had a slightly higher percentage of deaths due to diabetes than females (2.6% vs. 1.9%). Two percent (2.2%) of deaths were due to accidents among males, compared to 1.6% among females.

**Figure 13. Percentage Distribution of Selected Causes of Death by Sex, Westchester County, 2005**

Total: 7,807


**Males: 3,604**

**Females: 4,203**




Source: New York State Department of Health.

- The major causes of death varied among people of different races and ethnicities. While major cardiovascular disease was the leading cause of death for all groups, it accounted for 40.6% of all deaths among whites, 34.2% of all deaths among blacks, and 28.8% of all deaths among Hispanics (Figure 14).




- Malignant neoplasms accounted for 27.6% of all deaths among whites and 27.2% of all deaths among blacks. Among Hispanics, malignant neoplasms accounted for 26.0% of all deaths (Figure 14).
- Chronic lower respiratory diseases and pneumonia accounted for higher proportions of deaths among whites (4.5% and 2.9%) than among blacks (3.9% and 2.3%). Diabetes mellitus accounted for higher percentage of deaths among blacks (4.5%) and Hispanics (3.5%) than among whites (1.8%) (Figure 14).
- Death due to accidents was the third leading cause of death among Hispanics, accounting for 5.3% of all deaths. Accidents accounted for 2.0% and 1.3% of deaths among whites and blacks, respectively (Figure 14).
- A total of 3,077 individuals died due to major cardiovascular diseases in Westchester County in 2005, accounting for 39.4% of total deaths. Among people who died of major cardiovascular diseases, the majority (60.9%) were due to ischemic heart diseases, including acute myocardial infarction (Figure 15).

**Figure 15. Percentage Distribution of Deaths Due to Cardiovascular Diseases, Westchester County, 2005**



- Malignant neoplasms were the cause of death for 2,151 individuals in Westchester County in 2005, accounting for 27.6% of total deaths (Figure 16). There were slightly more females than males that died of malignant neoplasms (1,135 vs. 1,016), although the death rates were similar (females: 235.6 per 100,000; males: 230.0 per 100,000). Among females, over a quarter (26.1%) of cancer deaths was due to malignant neoplasms located in the digestive organs and peritoneum. About one-fifth (20.5%) was due to malignant neoplasms of the respiratory system. Breast cancer was the third leading cause of death among female cancer deaths, accounting for 18.5% of all female deaths due to malignant neoplasms in 2005. Malignant neoplasms of the genital organs accounted for 11.8% and lymphatic and hematopoietic systems accounted for 9.0%.
- Among males, 27.1% of the cancer deaths were due to malignant neoplasms of the digestive organs and peritoneum (Figure 16). Over a quarter (26.5%) of male cancer deaths were due to malignant neoplasms of the respiratory system. Malignant neoplasms of the genital organs accounted for 12.0% of male cancer deaths and malignant neoplasms of the lymphatic and hematopoietic systems accounted for 9.9% of male cancer deaths.

**Figure 16. Percentage Distribution of Deaths Due to Malignant Neoplasms by Sex, Westchester County, 2005**




## Morbidity: Hospitalizations

### Total Hospital Discharges<sup>1</sup>

Information on hospitalizations among Westchester County residents is reported using data collected by New York State Statewide Planning and Research Cooperative System (SPARCS). Only the hospitalizations that occurred within New York State are reported.

- In 2006, the total number of reported hospital discharges among Westchester County residents was 117,163. It was 126,125 in 2005.
- During 2006, over one-third of reported hospital discharges were for surgical services (35.7%). An additional 34.5% was for medical services. Newborns accounted for 8.2% of hospital discharges, while 9.7% of discharges were obstetrics related (excluding induced abortions and associated complications). The remaining discharges were for psychiatric (8.2%) and pediatric services (3.8%) (Figure 17).



- Eighty one percent of the 2006 hospitalizations occurred in Westchester County hospitals. The five hospitals that received the greatest number of cases were: Westchester Medical Center (12.2%), St. John's Riverside Hospital (12.0%), White Plains Hospital Center (11.5%), Sound Shore Medical Center of Westchester (8.4%), and Lawrence Hospital Center (8.4%). Together, these five hospitals accounted for over half (52.5%) of all the hospitalization cases of residents in Westchester County.

<sup>1</sup> Due to the fact that the SPARCS data are continually being updated, the completeness of reporting by individual facilities varies over time. Information reported for 2006 reflects data received as of July 2007.

- During 2006, the top three hospitals for medical related hospitalizations were:
  - White Plains Hospital Center (12.3%),
  - St. John's Riverside Hospital (12.3%), and
  - Lawrence Hospital Center (11.4%).

The top three hospitals for surgical related hospitalizations were


- Westchester Medical Center (15.0%),
- White Plains Hospital Center (12.2%), and
- St. John's Riverside Hospital (7.9%).

Over one-third of the pediatric cases were hospitalized at Westchester Medical Center (39.2%).

The top three hospitals for psychiatric related hospitalizations were:

- St. Johns Riverside Hospital (19.2%),
- Westchester Medical Center (17.7%), and
- St. Vincent's Westchester (14.1%).


- Excluding newborns, and hospitalizations due to complications of pregnancy, childbirth, and puerperium, the top causes of hospitalization as defined by principal diagnosis<sup>2</sup> were:
  - Diseases of the circulatory system (15.3%),
  - Diseases of the digestive system (8.3%),
  - Mental disorders (8.2%)
  - Diseases of the respiratory system (7.3%),
  - Neoplasms (6.3%), and
  - Injury and Poisoning (5.1%) (Figure 18).



<sup>2</sup> The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care. Because the principal diagnosis represents the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. Furthermore, the principal diagnosis reflects clinical findings discovered during the patient's stay, therefore, it may differ from the admitting diagnosis.

### Total Hospital Discharges by Sex

- There were more hospitalization discharges among females than among males for Westchester County residents during 2006, with females accounting for 54.7% of all the reported hospitalized cases. Excluding obstetric related causes and newborns, females accounted for 50.0% of all reported hospitalized cases.
- The average length of hospital stay for Westchester County cases was 6.5 days for females, 7.5 days for males and 6.8 days overall. Excluding newborns and obstetric related cases, the average length of stay was 7.5 days for females and 7.8 days for males. Generally, people hospitalized at an older age spent a longer time in the hospital. However, patients aged 11-14 years of age, had a longer length of stay than other age groups.
- The top three causes for all males were diseases of the circulatory system (19.2%), mental disorder (11.3%), and diseases of the digestive system (8.8%). Excluding newborns, the top three causes of hospitalization for all females were complication of pregnancy, childbirth, and puerperium (17.8%), diseases of the circulatory system (12.9%), followed by diseases of the digestive system (8.3%) (Figure 19).




### Total Hospital Discharges by Race/Ethnicity

- Among the hospitalization discharges for Westchester County residents during 2006, whites accounted for 64.5% of all the reported hospitalized cases, blacks accounted for 18.0%, and all other races accounted for 17.5%. Hispanics represented 13.4% of all reported hospitalized cases. Excluding obstetric related causes and newborns, whites accounted for 66.5% of the cases, blacks accounted for 18.6% and other races accounted for 14.9% of the cases. Ten percent (9.9%) of all hospital cases were among Hispanics.

- Excluding newborns and obstetric related cases, the average length of stay among whites was 7.2 days, 8.1 days among blacks, and 5.9 days among Hispanics.
- During 2006, excluding newborns and complications of pregnancy, childbirth, and puerperium, the top three causes of hospitalization for all whites were: diseases of the circulatory system (16.4%), diseases of the digestive system (8.9%), and disease of the respiratory system (7.6%) (Figure 20).

**Figure 20. Percentage Distribution of Hospital Discharges by Principal Diagnosis and Race, Westchester County Residents, 2006**




Source: NYS DOH, Statewide Planning and Research Cooperative System SPARCS 2007

- Among blacks, the top three causes of hospitalization, excluding newborns and complications of pregnancy, childbirth, and puerperium, were diseases of the circulatory system (14.1%), mental disorders (13.3%), and diseases of the respiratory system (7.6%) (Figure 20).
- Among Hispanics, the top three causes of hospitalization, excluding newborns and complications of pregnancy, childbirth, and puerperium, were mental disorders (8.4%), diseases of the digestive system (8.4%), and diseases of the circulatory system (7.3%).
- During 2006, 9.7% of the hospitalized cases were related to complications of pregnancy, childbirth, and puerperium, such cases accounted for 8.1% and 8.6% of all cases for whites and blacks, respectively. Among Hispanics, they accounted for 20.8% of all cases.




### *Hospital Discharges Due to Diseases of the Circulatory System*

- During 2006, a total of 17,946 cases were hospitalized due to cardiovascular and other diseases of the circulatory system. Among these cases, one-third were due to ischemic heart diseases consisting of acute myocardial infarctions (10.8%) and of other ischemic heart diseases (21.6%). Cerebrovascular disease accounted for 16.3% (Figure 21).



- In general, the number of hospital discharges due to diseases of the circulatory system increased by age. Additionally, more males than females were hospitalized due to diseases of the circulatory system, especially among those aged 30 to 74.
- Among people hospitalized due to diseases of the circulatory system, 69.0% were among whites 16.6% were among blacks, 14.4% were among other races, and 6.4% were among Hispanics.
- Among whites hospitalized due to circulatory diseases, 7.3% were under the age of 50, 19.3% were between the ages of 50-64, 20.7% were between the ages of 65-74, and 52.8% were over the age of 75 (Figure 22).

**Figure 22. Percentage Distribution of Hospital Discharges Due to Cardiovascular and Other Diseases of the Circulatory System by Age and Race/Ethnicity, Westchester County Residents, 2006**



\*Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: NYS DOH, Statewide Planning and Research Cooperative System, SPARCS 2007

The total percentage for each column may not add up to exactly 100.0% due to rounding.

- In comparison to whites, Hispanics had a higher proportion of patients under the age of 50 hospitalized due to circulatory diseases: 24.4% were under the age of 50, 30.2% were between the ages of 50-64, 22.8% were between the ages of 65-74 years, and 22.6% were over the age of 75.
- Similar to Hispanics, blacks had a higher proportion of patients under the age of 50 hospitalized due to diseases of the circulatory system compared to whites. For example, 18.2% were under age 50, 31.2% were between age 50 and 64, 21.4% were between age 65 to 74, and 29.3% were over 75.


### ***Hospital Discharges Due to Diseases of the Digestive System***

- A total of 9,714 hospitalized cases were due to diseases of the digestive system during 2006.
- Approximately thirty percent cases were due to non-specific diseases of the intestines and peritoneum (29.2%) and 14.1% were due to diseases of esophagus, stomach, and duodenum.
- A higher proportion of females than males were hospitalized due to digestive system diseases (54.6%).

### ***Hospital Discharges Due to Diseases of the Respiratory System***

- There was a total of 8,538 hospital discharges due to diseases of the respiratory system, which was the fourth most frequent cause of hospitalization among Westchester County residents during 2006, excluding newborns and obstetric cases.
- Over one-third of respiratory disease hospitalizations were due to pneumonia (2,936 cases, or 34.4%).

- An additional third was due to chronic obstructive pulmonary diseases (COPD) (2,812 cases, or 32.9%). Among which, a total of 1,344 cases were due to asthma.
- Approximately one quarter (24.5%) of the asthma related hospital discharges occurred among children aged 12 years or younger.
- Although blacks comprise only 14.2% of Westchester County’s population, 36.2% of the hospitalized asthma cases were among black residents (Figure 23).




- There were a higher proportion of females than males hospitalized due to asthma (62.4% vs. 37.6%).

### ***Hospital Discharges Due to Neoplasms***


- During 2006, 7,328 cases were hospitalized with neoplasms as the principal diagnosis. An additional 6,725 cases were hospitalized with a diagnosis indicating a neoplasm on one of 14 additional diagnoses codes. The total number of neoplasm-related hospitalizations reached 15,103 cases, including benign neoplasms, carcinoma-in-situ, and neoplasms of uncertain behavior or unspecified nature<sup>3</sup>.
- Over three quarters (77.2%) of the neoplasm-related hospitalizations were due to malignant neoplasms (a total of 11,661 cases). In general, there were greater numbers of males than females in all categories of malignant neoplasms, with the exception of breast cancer and unspecified sites. Among females with malignant neoplasms, 19.6% were due to cancer of the digestive organs and peritoneum, 20.7% were due to cancer in unspecified sites, and 13.4% were due to breast cancer (Figure 24).

<sup>3</sup> Neoplasms related hospitalizations include cases with the principal diagnosis and/or 14 other diagnoses in the numeric ranges 140-239 or the V-class ranges V58.00-V58.10.

- Among males hospitalized due to malignant neoplasms, 21.0% were due to cancer of the digestive system, 19.6% were due to cancer of the lymphatic and hematopoietic tissues, 17.1% were due to cancer of the genital organs, and 13.9% were due to cancer of the respiratory and intra-thoracic organs (Figure 24).




- There were more female (74.3%) than male hospitalizations for benign and uncertain or unspecified neoplasms (2,463 females vs. 852 males).
- The age distribution of hospital discharges due to malignant neoplasms varied across racial and ethnic categories. Among whites, 3.3% of the cases were under the age of 30, 9.6% were between the ages of 30-49, 24.6% were between the ages of 50-64, 22.9% between the ages of 65-74, and 39.6% were over 75 years of age (Figure 25).



- Among blacks hospitalized due to malignant neoplasms, 4.4% were under age 30, 15.3% were between the ages of 30-49, 33.4% were between the ages of 50-64, 24.6% were of 65-74, and 22.4% were over the age of 75.
- Among Hispanics, 7.6% of the hospitalized cases due to malignant neoplasms were under 30 years of age, 28.5% were between the ages 30-49, another 32.7% were between the ages 50-64, 17.5% were of ages 65-74, and only 13.7% were over the age of 75.

### ***Hospital Discharges Due to Injuries and Poisonings***

- During 2006, 5,947 cases were hospitalized due to injuries and poisonings as the principal diagnosis. An additional 2,102 cases were hospitalized with injury and poisoning identified as one of the related causes<sup>4</sup>. The number of hospitalized cases due to injuries and poisonings totaled 8,049 during 2006.
- Over half of the hospitalized injuries and poisoning cases were due to falls (54.5%). Other major hospitalized injuries included motor vehicle accidents (7.4%), self-inflicted injuries (4.1%), injuries related to assault (4.0%), and accidental poisonings (3.9%) (Figure 26).



- Of all hospital discharges due to falls, 73.9% occurred among persons 65 years and older. More females were hospitalized due to falls (2,789 cases; 63.5%) than males (1,601 cases; 36.5%).

<sup>4</sup> Including all the cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recording an external code (E-code) are: a) principal diagnosis of an injury or poisoning, b) 14 other diagnosis and admission diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis, and c) other diagnosis with an external cause. Only the first E-Code is recorded in this item.

- White residents accounted for 79.9% of hospital discharges due to falls, while black residents accounted for 7.7%.
- Among all the hospitalized injuries due to motor vehicle accidents, 56.4% occurred among people 18-49 years of age and 61.3% occurred among men. Half of the hospital discharges due to motor vehicle accidents were among whites (54.6%).


### ***Other Hospitalized Cases***

#### Diabetes:

- Diabetes was the principal diagnosis for a total of 1,564 hospital discharges in 2006.
- Over nineteen thousand (19,535) hospital cases had diabetes, as defined by having at least one of the 15 diagnoses<sup>5</sup> for diabetes.

#### HIV and AIDS:

- There were 1,374 hospital discharges related to HIV and AIDS<sup>6</sup> in 2006 among Westchester County residents, of which 58.2% was among men.
- Over half (54.0%) of hospital discharges for HIV and AIDS were among black residents and 30.8% were among white residents (Figure 27).



<sup>5</sup> Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. Diagnoses that related to an earlier episode which had no bearing on the current hospital stay were excluded. A patient may be included in more than one category.

<sup>6</sup> Defined by considering principal diagnosis and all other relevant diagnoses. For details, please refer to Appendix 4.

## Morbidity: Selected Diseases

---

### *Diseases Reported*

- In 2006, communicable diseases in 31 categories were reported among Westchester County residents.
- Some categories with the highest number of reported cases were:
  - Sexually Transmitted Diseases (STDs)
    - Chlamydia (2,143 cases)
    - Gonorrhea (435 cases)
    - Syphilis (173 cases, includes 31 early Syphilis)
  - Vector-Borne
    - Lyme Disease (253 cases)
  - Enteric Infections
    - Campylobacteriosis (156 cases)
    - Giardiasis (119 cases)
    - Salmonellosis (112 cases)
  - CNS Diseases and Bacteremias
    - Meningitis (112 cases) consisting of:
      - Aseptic meningitis (18 cases)*
      - Meningococcal diseases (5 case)*
      - Other Meningitis/Bacteremias (89 cases)*
    - Invasive Strep Pneumoniae (75 cases)
  - Tuberculosis (72 cases)
- Chlamydia is the top reported communicable disease across the New York State (NYS) and the nation. In addition, Gonorrhea, Syphilis, the three enteric infections listed above, and lyme disease are also among the top reported diseases in NYS and the nation (Figure 28).


### *Sexually Transmitted Diseases*

- Of the reportable STDs, Chlamydia<sup>7</sup> was the most prevalent (232.1 cases per 100,000) in Westchester County. Gonorrhea was the second most prevalent STD in Westchester County (47.1 per 100,000), followed by Syphilis (18.7 per 100,000).

---

<sup>7</sup> Mandatory reporting of Chlamydia started in 1999.

**Figure 28. The Top Ten Reported Communicable Diseases in Westchester County Compared to New York State and United States, 2005-2006**



\*Data for latent stages of syphilis not available for United States.


\*\*This disease is not reportable for the United States, therefore no data is available.

Sources: Westchester County Department of Health, Division of Disease Control; New York State Department of Health; Center of Disease Control, National Notifiable Diseases Surveillance System.

- During the past five years (2002-2006), the reported infection rate for Chlamydia increased by 58.0% from 146.9 per 100,000 in 2002 to 232.1 per 100,000 in 2006. The reported infection rate of Syphilis increased by 98.9% from 2002 to 2006. The reported infection rate for Gonorrhea has remained relatively stable in the past five years, except for a jump in 2003 (Figure 29).




**Figure 29. Reported Rates of Sexually Transmitted Diseases, Westchester County, 2002-2006**



Source: Westchester County Department of Health, Division of Disease Control.


- The reported rate of Chlamydia infection was significantly higher in the Southeast and Southwest Health Planning Regions (HPRs) (395.7 and 351.4 per 100,000, respectively) than in the overall county (Figure 30). The reported rate of Chlamydia infection was significantly higher in Mount Vernon and Yonkers.
- The reported rate of Gonorrhea infection was higher in the Southeast and Southwest HPRs (87.6 and 76.0 per 100,000) than in the overall county (Figure 30). The municipalities with significantly higher rates of Gonorrhea infection included Mount Vernon and Yonkers.

**Figure 30. Reported Rates of Sexually Transmitted Diseases by Health Planning Region, Westchester County, 2006**




Source: Westchester County Department of Health, Division of Disease Control.


- The majority of Chlamydia and Gonorrhea cases were located in the following municipalities: Yonkers, Mount Vernon, New Rochelle, White Plains, Greenburgh, and Mount Pleasant. The majority of Syphilis cases were located in the following municipalities: Yonkers, Mount Vernon, New Rochelle, and White Plains.
- The reported rate of Chlamydia infection was the highest in the 20-24 age group (1563.0 per 100,000), followed by the 15-19 age group (1375.9 per 100,000). Females had significantly higher reported infection rates than males in the all age groups. Among females, the highest infection rate was in the 15-19 age group (2377.5 per 100,000). Among females ages 20-24, the reported infection rate was 2229.9 per 100,000. The higher reported rates among females may be biased due to the fact that females are more likely to be screened than males (Figure 31).




- The reported rate of Gonorrhea infection was the highest in the 20-24 age group (278.9 per 100,000), followed by the 15-19 age group (255.7 per 100,000). Females ages 15-19 had the highest reported rate of infection, followed by both males and females ages 20-24 (Figure 32). Among people ages 15-19, females had significantly higher rates of infection than males.




- The reported infection rates of Chlamydia were higher among blacks and Hispanics compared to whites for both males and females (Figure 33). Blacks had a higher Chlamydia infection rate than whites in all age groups. For black females, the infection rate was 4942.3 per 100,000 for those aged 15-19 and 3625.5 per 100,000 for those aged 20-24.



- The reported rate of Gonorrhea for blacks was significantly higher than whites for both sexes (Figure 34). Blacks had a higher Gonorrhea infection rate than whites and Hispanics in all age groups. Black males aged 20-24 had an infection rate of 1176.8 per 100,000. Among black females in age groups 15-19 and 20-24, the infection rate was 1033.0 per 100,000 and 803.1 per 100,000, respectively.




- Blacks are disproportionately represented among the reported cases of Chlamydia and Gonorrhea. Although blacks represent only 14.2% of Westchester County’s population, 34.8% of the reported Chlamydia cases and 56.3% of the reported Gonorrhea cases were among blacks.
- In the year 2006, 31 cases of Early Syphilis (primary, secondary, and early latent) were reported, up from the 16 cases in 2002 (Figure 35). Among the 2006 cases, 22 (71.0%) occurred among the MSM population and 11 (35.5%) were HIV positive. By comparison, only two (16.7%) out of the 12 early Syphilis cases reported in the year 2000 occurred among men who have sex with men.




## Tick-Borne Diseases

- Lyme Disease represented the majority of tick-borne disease cases in Westchester County (27.4 per 100,000) in 2006. Lyme Disease was more prevalent in the Northeast HPR (105.7 per 100,000) than in the overall county (Figure 36). Due to surveillance limitations, the incidence of Lyme Disease might be underreported.




- The reported rate of Lyme Disease was the highest among persons ages 50-69 and lowest among persons ages 20-39 (Figure 37).



## Enteric Diseases

- The three most prevalent enteric diseases in Westchester County in 2006 were Campylobacteriosis, Giardiasis, and Salmonellosis. Of these three, Campylobacteriosis was the most prevalent (16.9 per 100,000), followed by Giardiasis (12.9 per 100,000), and Salmonellosis (12.1 per 100,000).
- Many of the reported enteric diseases occurred among young children. For example, among people with reported Campylobacteriosis, 18.1% were among children under the age of 10 (Figure 38). Of all the reported Giardiasis cases, 27.6% were among children under age 10. Of all the reported cases of Salmonellosis, over one-third (36.0%) were among children under the age of 10.
- A large number of cases occurred among older adults as well for Salmonellosis; 17.1% of all cases were among those aged 60 and older (Figure 38).



## Meningitis and Pneumonia

- A total of 112 Meningitis cases were reported during 2006 and are categorized as follows: 18 Aseptic Meningitis, 5 Meningococcal diseases, and 89 other Meningitis/Bacteremias. Approximately sixty-three percent (62.5%) of the cases occurred among people 50 years and older.

- During 2006, 75 cases with Invasive Strep Pneumoniae were reported. Among them, two-thirds of the cases were reported from the five cities in Westchester County (Mount Vernon, New Rochelle, Peekskill, White Plains, and Yonkers). Over half of the cases occurred among those aged 50 and over, accounting for 54.7% of the total.

### ***Tuberculosis***

- There were 72 Tuberculosis cases reported in 2006 and 2550 contacts to these cases were identified. Among these cases, 74.0% were among the foreign born population. About 43% of all cases were among Hispanics. Almost half (45.8%) were among people aged 20-44.
- Of the 72 Tuberculosis cases, eight were identified as HIV positive. Five cases were resistant to at least one of the drugs that were available for the treatment of tuberculosis.

### ***HIV and AIDS***

- No updated information at present. For the most current information, please refer to 2005/2006 Annual Databook.

# Tables



**Table 1. Total Number of Births by Municipality, Westchester County, 2001-2005**

Health Planning Region and Municipality	Number of Births				
	2005 <sup>1</sup>	2004	2003 <sup>1</sup>	2002	2001
<b>Westchester County</b>	<b>12,080</b>	<b>12,386</b>	<b>12,784</b>	<b>12,763</b>	<b>12,615</b>
<b>Northwest</b>	<b>1,694</b>	<b>1,885</b>	<b>1,832</b>	<b>1,933</b>	<b>1,843</b>
Briarcliff Manor (V)	65	82	54	64	71
Buchanan (V)	28	27	35	29	25
Cortlandt (TOV)	287	337	331	351	348
Croton-on-Hudson (V)	69	104	92	115	93
Mount Pleasant (TOV)	242	247	234	293	277
Ossining (TOV)	42	45	52	108	80
Ossining (V)	349	421	406	375	371
Peekskill (C)	366	416	389	373	365
Pleasantville (V)	71	68	85	74	79
Sleepy Hollow (V)	175	138	154	151	134
<b>Northeast</b>	<b>1,236</b>	<b>1,484</b>	<b>1,444</b>	<b>1,677</b>	<b>1,615</b>
Bedford (T)	184	208	218	258	238
Lewisboro (T)	105	122	121	154	143
Mount Kisco (T/V)	153	166	146	145	145
New Castle (T)	125	197	174	212	216
North Castle (T)	83	116	105	140	115
North Salem (T)	36	52	60	66	63
Pound Ridge (T)	34	67	64	67	71
Somers (T)	167	196	191	204	202
Yorktown (T)	349	360	365	431	422
<b>West Central</b>	<b>1,604</b>	<b>1,972</b>	<b>1,667</b>	<b>1,997</b>	<b>1,981</b>
Ardsley (V)	16	44	28	36	43
Dobbs Ferry (V)	81	123	84	104	100
Elmsford (V)	69	87	96	79	71
Greenburgh (TOV)	437	508	472	591	607
Hastings-on-Hudson (V)	41	62	50	49	61
Irvington (V)	39	60	31	73	63
Scarsdale (T/V)	82	156	79	157	143
Tarrytown (V)	134	150	121	167	112
White Plains (C)	705	782	706	741	781
<b>East Central</b>	<b>1,283</b>	<b>1,497</b>	<b>1,422</b>	<b>1,602</b>	<b>1,542</b>
Harrison (T/V)	198	210	237	257	227
Larchmont (V)	45	78	57	56	52
Mamaroneck (TOV)	86	163	108	203	178
Mamaroneck (V)	214	237	231	229	220
Port Chester (V)	489	485	515	502	484
Rye (C)	157	204	170	216	240
Rye Brook (V)	94	120	104	139	141
<b>Southwest</b>	<b>2,451</b>	<b>2,917</b>	<b>2,520</b>	<b>2,878</b>	<b>2,920</b>
Yonkers (C)	2,451	2,917	2,520	2,878	2,920
<b>Southeast</b>	<b>1,982</b>	<b>2,509</b>	<b>2,067</b>	<b>2,623</b>	<b>2,618</b>
Bronxville (V)	33	101	33	85	63
Eastchester (TOV)	165	238	200	245	239
Mount Vernon (C)	842	978	816	1,010	1,016
New Rochelle (C)	806	957	842	1,043	1,059
Pelham (V)	48	94	67	73	92
Pelham Manor (V)	24	52	39	59	69
Tuckahoe (V)	64	89	70	108	80
<b>Unknown</b>	<b>108</b>	<b>122</b>	<b>47</b>	<b>53</b>	<b>96</b>
<b>Births Occurred in NYC<sup>1</sup></b>	<b>1,722</b>	<b>--</b>	<b>1,785</b>	<b>--</b>	<b>--</b>

<sup>1</sup> Residence information was not available for births in NYC.

Source: New York State Department of Health.

**Table 2. Number of Births by Mother's Age and Municipality, Westchester County, 2005**

Health Planning Region and Municipality	Mother's Age								
	Total <sup>1</sup>	10-17	18-19	20-24	25-29	30-34	35-39	40-45	45+
<b>Westchester County</b>	<b>12,080</b>	<b>191</b>	<b>403</b>	<b>1,552</b>	<b>2,583</b>	<b>3,792</b>	<b>2,829</b>	<b>676</b>	<b>51</b>
<b>Northwest</b>	<b>1,694</b>	<b>21</b>	<b>44</b>	<b>220</b>	<b>358</b>	<b>575</b>	<b>384</b>	<b>85</b>	<b>7</b>
Briarcliff Manor (V)	65	0	0	2	6	32	19	6	0
Buchanan (V)	28	0	0	5	7	11	5	0	0
Cortlandt (TOV)	287	1	3	26	44	108	89	14	2
Croton-on-Hudson (V)	69	0	1	2	14	25	21	6	0
Mount Pleasant (TOV)	242	1	1	13	38	102	76	10	1
Ossining (TOV)	42	0	0	2	10	22	6	2	0
Ossining (V)	349	4	14	62	94	105	53	17	0
Peekskill (C)	366	12	18	75	95	93	54	17	2
Pleasantville (V)	71	0	0	2	10	26	25	6	2
Sleepy Hollow (V)	175	3	7	31	40	51	36	7	0
<b>Northeast</b>	<b>1,236</b>	<b>3</b>	<b>15</b>	<b>68</b>	<b>168</b>	<b>479</b>	<b>404</b>	<b>88</b>	<b>11</b>
Bedford (T)	184	0	3	14	31	68	53	13	2
Lewisboro (T)	105	0	1	4	5	37	35	19	4
Mount Kisco (T/V)	153	3	5	17	35	53	36	3	1
New Castle (T)	125	0	0	4	11	50	47	11	2
North Castle (T)	83	0	0	1	6	27	43	6	0
North Salem (T)	36	0	2	1	7	15	8	2	1
Pound Ridge (T)	34	0	0	2	2	14	13	3	0
Somers (T)	167	0	1	4	20	69	64	9	0
Yorktown (T)	349	0	3	21	51	146	105	22	1
<b>West Central</b>	<b>1,604</b>	<b>21</b>	<b>53</b>	<b>185</b>	<b>339</b>	<b>534</b>	<b>361</b>	<b>98</b>	<b>12</b>
Ardsley (V)	16	0	0	1	1	4	6	4	0
Dobbs Ferry (V)	81	0	1	10	18	32	17	3	0
Elmsford (V)	69	2	1	7	21	27	8	3	0
Greenburgh (TOV)	437	4	11	45	95	147	99	31	5
Hastings-on-Hudson (V)	41	0	0	3	7	12	12	5	2
Irvington (V)	39	0	0	1	7	15	14	2	0
Scarsdale (T/V)	82	0	0	0	5	30	33	12	2
Tarrytown (V)	134	0	5	12	22	45	41	9	0
White Plains (C)	705	15	35	106	163	222	131	29	3
<b>East Central</b>	<b>1,283</b>	<b>19</b>	<b>33</b>	<b>175</b>	<b>274</b>	<b>397</b>	<b>320</b>	<b>60</b>	<b>4</b>
Harrison (T/V)	198	0	3	13	48	68	53	11	2
Larchmont (V)	45	0	0	2	5	18	18	2	0
Mamaroneck (TOV)	86	0	0	3	6	42	32	3	0
Mamaroneck (V)	214	4	3	20	59	57	60	10	1
Port Chester (V)	489	13	25	131	120	119	63	17	0
Rye (C)	157	1	2	2	23	55	63	11	0
Rye Brook (V)	94	1	0	4	13	38	31	6	1
<b>Southwest</b>	<b>2,451</b>	<b>83</b>	<b>138</b>	<b>462</b>	<b>677</b>	<b>648</b>	<b>353</b>	<b>87</b>	<b>3</b>
Yonkers (C)	2,451	83	138	462	677	648	353	87	3
<b>Southeast</b>	<b>1,982</b>	<b>33</b>	<b>86</b>	<b>318</b>	<b>496</b>	<b>562</b>	<b>401</b>	<b>85</b>	<b>1</b>
Bronxville (V)	33	0	0	0	4	13	16	0	0
Eastchester (TOV)	165	0	1	8	22	74	51	9	0
Mount Vernon (C)	842	19	51	165	252	183	139	32	1
New Rochelle (C)	806	14	32	136	197	233	158	36	0
Pelham (V)	48	0	1	4	7	19	14	3	0
Pelham Manor (V)	24	0	0	1	1	10	11	1	0
Tuckahoe (V)	64	0	1	4	13	30	12	4	0
<b>Unknown</b>	<b>108</b>	<b>0</b>	<b>8</b>	<b>11</b>	<b>17</b>	<b>35</b>	<b>25</b>	<b>11</b>	<b>0</b>
<b>Births Occurred in NYC<sup>2</sup></b>	<b>1,722</b>	<b>11</b>	<b>26</b>	<b>113</b>	<b>254</b>	<b>562</b>	<b>581</b>	<b>162</b>	<b>13</b>

<sup>1</sup> Total includes cases with unknown maternal age.

<sup>2</sup> Residence information was not available for births in NYC.

Source: New York State Department of Health.

**Table 3. Average Maternal Age by Municipality, Westchester County, 2001-2005**

Health Planning Region and Municipality	Average Maternal Age				
	2005 <sup>1</sup>	2004	2003 <sup>1</sup>	2002	2001
<b>Westchester County</b>	<b>30.7</b>	<b>30.8</b>	<b>30.8</b>	<b>30.8</b>	<b>30.6</b>
<b>Northwest</b>	<b>30.8</b>	<b>31.1</b>	<b>30.9</b>	<b>31.1</b>	<b>31.0</b>
Briarcliff Manor (V)	34.0	34.4	33.3	34.2	34.1
Buchanan (V)	30.0	31.5	30.6	30.1	31.6
Cortlandt (TOV)	32.1	32.5	32.6	32.8	32.2
Croton-on-Hudson (V)	32.7	33.3	33.4	33.3	33.5
Mount Pleasant (TOV)	32.5	33.1	32.7	33.9	32.8
Ossining (TOV)	31.6	33.1	31.9	32.9	32.1
Ossining (V)	29.4	30.2	29.9	29.2	29.2
Peekskill (C)	28.7	28.4	29.0	27.9	29.0
Pleasantville (V)	34.1	32.8	32.2	32.6	32.9
Sleepy Hollow (V)	29.8	30.4	28.8	29.6	29.2
<b>Northeast</b>	<b>33.0</b>	<b>33.2</b>	<b>32.9</b>	<b>33.1</b>	<b>32.9</b>
Bedford (T)	32.5	33.0	32.5	32.7	32.5
Lewisboro (T)	35.2	33.8	34.0	34.5	33.9
Mount Kisco (T/V)	30.4	30.3	30.4	31.0	30.6
New Castle (T)	34.1	34.7	34.3	34.5	33.2
North Castle (T)	34.8	33.5	32.8	32.7	33.7
North Salem (T)	32.5	32.6	33.5	33.8	33.3
Pound Ridge (T)	33.9	34.7	34.0	34.6	34.6
Somers (T)	33.6	33.9	33.7	33.5	33.7
Yorktown (T)	32.7	33.0	32.5	32.4	32.6
<b>West Central</b>	<b>31.0</b>	<b>31.6</b>	<b>31.1</b>	<b>31.5</b>	<b>31.5</b>
Ardsey (V)	35.4	34.5	34.1	32.6	33.9
Dobbs Ferry (V)	30.9	33.2	32.8	31.5	32.3
Elmsford (V)	29.9	29.0	28.8	28.6	31.0
Greenburgh (TOV)	31.5	31.9	31.3	31.9	31.9
Hastings-on-Hudson (V)	34.0	33.9	33.1	34.0	33.6
Irvington (V)	33.5	33.9	34.8	34.0	34.5
Scarsdale (T/V)	35.6	35.2	34.6	34.6	34.9
Tarrytown (V)	32.0	32.6	32.1	32.0	32.4
White Plains (C)	29.7	30.0	30.1	30.2	29.9
<b>East Central</b>	<b>30.8</b>	<b>31.6</b>	<b>31.2</b>	<b>31.7</b>	<b>31.5</b>
Harrison (T/V)	32.1	32.5	32.9	32.5	32.8
Larchmont (V)	33.6	34.4	33.8	34.1	34.2
Mamaroneck (TOV)	33.3	34.5	33.1	33.9	33.6
Mamaroneck (V)	31.1	31.6	30.5	30.8	31.1
Port Chester (V)	27.9	28.3	28.8	29.0	28.3
Rye (C)	33.7	34.8	33.8	34.4	34.2
Rye Brook (V)	33.4	32.6	33.6	33.0	33.3
<b>Southwest</b>	<b>28.5</b>	<b>28.8</b>	<b>28.4</b>	<b>28.7</b>	<b>28.5</b>
Yonkers (C)	28.5	28.8	28.4	28.7	28.5
<b>Southeast</b>	<b>29.7</b>	<b>30.4</b>	<b>29.8</b>	<b>30.3</b>	<b>30.1</b>
Bronxville (V)	33.9	35.2	33.5	33.0	34.4
Eastchester (TOV)	33.0	33.1	33.0	33.6	33.2
Mount Vernon (C)	28.5	28.9	28.8	28.8	28.5
New Rochelle (C)	29.6	30.2	29.3	30.1	30.0
Pelham (V)	32.9	33.2	32.5	32.4	34.1
Pelham Manor (V)	34.2	35.5	33.9	34.6	34.0
Tuckahoe (V)	31.7	31.9	30.6	32.0	31.7
<b>Unknown</b>	<b>31.5</b>	<b>32.4</b>	<b>30.6</b>	<b>30.1</b>	<b>30.3</b>
<b>Births Occurred in NYC<sup>1</sup></b>	<b>33.0</b>	<b>--</b>	<b>33.2</b>	<b>--</b>	<b>--</b>

<sup>1</sup> Residence information was not available for births in NYC.

Source: New York State Department of Health.

**Table 4. Percentage of Infants with Low Birthweight, by Municipality, Westchester County, 2001-2005**

Health Planning Region and Municipality	Percentage of Infants Born With Low Birthweight <sup>1</sup>				
	2005 <sup>2</sup>	2004	2003 <sup>2</sup>	2002	2001
<b>Westchester County</b>	<b>8.1</b>	<b>8.3</b>	<b>7.7</b>	<b>7.8</b>	<b>7.1</b>
<b>Northwest</b>	<b>7.9</b>	<b>5.7</b>	<b>6.7</b>	<b>7.5</b>	<b>6.2</b>
Briarcliff Manor (V)	6.2	2.4	3.7	10.9	8.5
Buchanan (V)	7.1	11.1	2.9	10.3	12.0
Cortlandt (TOV)	8.7	7.1	5.4	8.3	5.5
Croton-on-Hudson (V)	5.8	1.9	12.0	7.0	10.8
Mount Pleasant (TOV)	7.0	3.6	6.0	7.9	3.3
Ossining (TOV)	9.5	4.4	7.7	6.5	6.3
Ossining (V)	6.6	7.4	4.9	3.7	5.9
Peekskill (C)	9.0	6.0	8.2	8.0	6.0
Pleasantville (V)	4.2	7.4	12.9	12.2	8.9
Sleepy Hollow (V)	10.3	2.9	5.8	9.9	8.2
<b>Northeast</b>	<b>5.5</b>	<b>7.8</b>	<b>7.5</b>	<b>7.0</b>	<b>5.8</b>
Bedford (T)	5.4	6.3	4.6	8.1	7.1
Lewisboro (T)	8.6	4.1	6.6	6.5	5.6
Mount Kisco (T/V)	4.6	9.0	5.5	6.2	5.5
New Castle (T)	4.0	9.1	12.1	8.5	6.9
North Castle (T)	4.8	10.3	8.6	5.0	3.5
North Salem (T)	8.3	3.9	13.3	7.6	7.9
Pound Ridge (T)	2.9	10.5	14.1	7.5	0.0
Somers (T)	6.0	9.7	5.2	5.4	7.4
Yorktown (T)	5.4	6.9	6.9	7.4	5.0
<b>West Central</b>	<b>7.4</b>	<b>6.6</b>	<b>7.0</b>	<b>6.7</b>	<b>6.9</b>
Ardsley (V)	0.0	6.8	0.0	5.6	2.3
Dobbs Ferry (V)	8.6	6.5	6.0	6.7	12.0
Elmsford (V)	2.9	5.8	5.2	5.1	8.5
Greenburgh (TOV)	9.8	8.5	8.1	7.5	6.8
Hastings-on-Hudson (V)	7.3	4.8	6.0	6.1	6.6
Irvington (V)	0.0	3.3	3.2	6.9	7.9
Scarsdale (T/V)	9.8	4.5	5.1	5.1	6.3
Tarrytown (V)	3.7	5.3	5.0	4.2	2.7
White Plains (C)	7.2	6.7	7.7	7.2	7.0
<b>East Central</b>	<b>7.5</b>	<b>8.0</b>	<b>7.4</b>	<b>8.3</b>	<b>6.7</b>
Harrison (T/V)	7.1	8.1	11.4	10.1	7.1
Larchmont (V)	8.9	5.1	3.5	1.8	5.8
Mamaroneck (TOV)	5.8	9.8	5.6	11.3	5.6
Mamaroneck (V)	6.5	4.6	5.2	5.7	9.1
Port Chester (V)	6.1	7.6	7.6	6.8	8.3
Rye (C)	12.7	10.3	4.7	8.3	3.3
Rye Brook (V)	9.6	11.7	10.6	13.0	5.0
<b>Southwest</b>	<b>8.8</b>	<b>9.2</b>	<b>8.2</b>	<b>7.6</b>	<b>7.4</b>
Yonkers (C)	8.8	9.2	8.2	7.6	7.4
<b>Southeast</b>	<b>9.0</b>	<b>10.9</b>	<b>7.5</b>	<b>9.3</b>	<b>8.6</b>
Bronxville (V)	6.1	8.9	6.1	5.9	0.0
Eastchester (TOV)	6.1	8.0	9.0	4.9	9.2
Mount Vernon (C)	11.9	12.7	8.7	11.4	9.4
New Rochelle (C)	7.6	9.9	6.5	8.9	8.4
Pelham (V)	6.3	6.4	1.5	11.0	10.9
Pelham Manor (V)	0.0	17.3	2.6	0.0	11.6
Tuckahoe (V)	3.1	13.5	8.6	9.3	2.5
<b>Unknown</b>	<b>4.6</b>	<b>9.0</b>	<b>8.5</b>	<b>11.3</b>	<b>8.3</b>
<b>Births Occurred in NYC<sup>2</sup></b>	<b>9.8</b>	<b>--</b>	<b>9.4</b>	<b>--</b>	<b>--</b>

<sup>1</sup> Low birthweight is defined as less than 2,500 grams at birth. Those with no information on birthweight are excluded.

<sup>2</sup> Residence information was not available for births in NYC.

Source: New York State Department of Health.

**Table 5. Percentage of Infants with Less Than 37 Gestation Weeks, by Municipality, Westchester County, 2001-2005**

Health Planning Region and Municipality	Percentage of Infants Born With <37 Weeks Gestation <sup>1</sup>				
	2005 <sup>2</sup>	2004	2003 <sup>2</sup>	2002	2001
<b>Westchester County</b>	<b>9.6</b>	<b>9.7</b>	<b>9.4</b>	<b>9.4</b>	<b>8.4</b>
<b>Northwest</b>	<b>8.8</b>	<b>7.0</b>	<b>8.4</b>	<b>9.3</b>	<b>7.8</b>
Briarcliff Manor (V)	3.1	4.9	5.6	14.1	4.2
Buchanan (V)	0.0	11.1	5.7	6.9	12.5
Cortlandt (TOV)	10.1	8.6	10.0	8.6	6.4
Croton-on-Hudson (V)	7.3	2.9	10.9	7.0	10.8
Mount Pleasant (TOV)	9.9	8.9	7.7	8.9	5.1
Ossining (TOV)	9.5	4.4	17.3	8.3	13.8
Ossining (V)	6.0	6.2	6.4	5.9	7.4
Peekskill (C)	11.8	7.5	8.8	12.1	9.9
Pleasantville (V)	7.0	5.9	12.9	18.9	11.5
Sleepy Hollow (V)	9.1	5.1	5.2	9.9	6.1
<b>Northeast</b>	<b>7.4</b>	<b>8.8</b>	<b>9.8</b>	<b>8.4</b>	<b>7.6</b>
Bedford (T)	8.2	5.3	8.7	8.5	7.1
Lewisboro (T)	9.5	9.0	7.4	11.7	6.3
Mount Kisco (T/V)	7.2	6.0	8.2	5.5	6.2
New Castle (T)	9.6	9.1	11.5	8.0	7.9
North Castle (T)	8.4	9.5	15.2	5.7	4.4
North Salem (T)	11.1	11.5	17.0	7.6	9.5
Pound Ridge (T)	5.9	13.4	18.8	6.0	4.2
Somers (T)	5.4	9.7	7.3	7.8	10.0
Yorktown (T)	6.3	10.0	8.0	9.7	8.8
<b>West Central</b>	<b>9.3</b>	<b>8.8</b>	<b>8.3</b>	<b>8.9</b>	<b>8.7</b>
Ardsley (V)	12.5	6.8	3.6	8.3	2.3
Dobbs Ferry (V)	9.9	7.3	6.0	7.7	15.2
Elmsford (V)	2.9	6.9	11.5	10.1	11.3
Greenburgh (TOV)	9.6	11.8	8.1	9.3	8.4
Hastings-on-Hudson (V)	7.3	6.5	8.0	10.2	6.6
Irvington (V)	5.1	8.3	0.0	9.6	14.3
Scarsdale (T/V)	9.8	4.5	3.8	8.3	8.4
Tarrytown (V)	7.5	7.3	4.1	5.4	4.5
White Plains (C)	10.2	8.8	10.2	9.5	8.5
<b>East Central</b>	<b>8.7</b>	<b>8.4</b>	<b>8.3</b>	<b>9.6</b>	<b>8.7</b>
Harrison (T/V)	14.7	10.0	13.6	12.5	11.5
Larchmont (V)	0.0	2.6	3.6	0.0	11.5
Mamaroneck (TOV)	7.0	12.3	4.6	13.3	7.3
Mamaroneck (V)	9.4	4.2	6.1	8.3	7.7
Port Chester (V)	7.2	7.8	9.0	8.8	10.0
Rye (C)	8.9	10.8	5.9	7.4	5.0
Rye Brook (V)	8.5	10.8	8.7	10.8	7.8
<b>Southwest</b>	<b>9.8</b>	<b>10.6</b>	<b>11.1</b>	<b>9.6</b>	<b>8.5</b>
Yonkers (C)	9.8	10.6	11.1	9.6	8.5
<b>Southeast</b>	<b>11.5</b>	<b>12.6</b>	<b>8.5</b>	<b>10.1</b>	<b>8.6</b>
Bronxville (V)	9.1	12.9	9.1	7.1	4.8
Eastchester (TOV)	5.5	9.7	10.5	8.2	9.7
Mount Vernon (C)	14.6	13.6	10.6	11.6	9.1
New Rochelle (C)	10.3	12.0	6.3	9.9	8.0
Pelham (V)	6.3	11.7	4.6	6.9	10.9
Pelham Manor (V)	8.3	19.2	7.7	1.7	13.0
Tuckahoe (V)	7.8	12.4	10.0	12.0	5.0
<b>Unknown</b>	<b>9.3</b>	<b>10.7</b>	<b>6.5</b>	<b>11.3</b>	<b>10.5</b>
<b>Births Occurred in NYC<sup>2</sup></b>	<b>10.4</b>	<b>--</b>	<b>10.5</b>	<b>--</b>	<b>--</b>

<sup>1</sup> Cases with no information on length of gestation are excluded.

<sup>2</sup> Residence information was not available for births in NYC.

Source: New York State Department of Health.

**Table 6. Percentage of Infants with Late or No Prenatal Care, Westchester County, 2001-2005**

Health Planning Region and Municipality	Percentage of Infants Born With Late or No Prenatal Care <sup>1</sup>				
	2005 <sup>2</sup>	2004	2003 <sup>2</sup>	2002	2001
<b>Westchester County</b>	<b>26.9</b>	<b>27.2</b>	<b>23.4</b>	<b>23.2</b>	<b>25.9</b>
<b>Northwest</b>	<b>22.9</b>	<b>23.6</b>	<b>23.1</b>	<b>20.6</b>	<b>24.4</b>
Briarcliff Manor (V)	12.7	9.8	7.7	7.8	9.1
Buchanan (V)	24.0	22.2	14.7	10.3	13.0
Cortlandt (TOV)	15.9	14.8	12.5	12.8	18.1
Croton-on-Hudson (V)	9.0	12.5	16.5	13.9	17.4
Mount Pleasant (TOV)	12.7	15.0	9.6	10.6	11.8
Ossining (TOV)	14.6	17.8	10.9	5.6	11.3
Ossining (V)	25.8	23.3	34.5	30.9	32.6
Peekskill (C)	38.2	41.4	32.4	31.4	40.4
Pleasantville (V)	13.0	20.6	9.9	10.8	6.8
Sleepy Hollow (V)	26.6	27.5	37.1	33.8	35.4
<b>Northeast</b>	<b>13.5</b>	<b>12.9</b>	<b>12.8</b>	<b>9.8</b>	<b>12.3</b>
Bedford (T)	18.8	16.4	16.2	11.2	13.9
Lewisboro (T)	13.2	9.0	10.0	7.1	7.1
Mount Kisco (T/V)	21.1	16.3	22.3	13.1	16.8
New Castle (T)	12.3	11.7	6.1	10.8	11.2
North Castle (T)	10.2	15.5	11.4	12.1	14.0
North Salem (T)	13.8	9.6	14.9	6.1	11.8
Pound Ridge (T)	10.0	13.4	19.4	3.0	9.3
Somers (T)	11.0	11.2	8.4	4.9	6.3
Yorktown (T)	10.2	11.9	12.6	11.4	14.7
<b>West Central</b>	<b>28.5</b>	<b>23.7</b>	<b>23.2</b>	<b>22.9</b>	<b>24.0</b>
Ardsley (V)	23.1	18.2	8.0	8.3	18.6
Dobbs Ferry (V)	30.0	15.5	23.3	18.3	27.5
Elmsford (V)	40.9	29.9	29.7	30.4	31.9
Greenburgh (TOV)	29.2	24.0	19.9	22.2	18.7
Hastings-on-Hudson (V)	15.0	14.5	18.8	16.6	23.7
Irvington (V)	17.1	10.0	22.2	13.7	19.7
Scarsdale (T/V)	17.2	10.3	12.1	11.5	13.5
Tarrytown (V)	15.6	20.7	17.0	19.2	20.6
White Plains (C)	31.8	29.5	27.5	28.7	30.2
<b>East Central</b>	<b>33.6</b>	<b>15.0</b>	<b>29.0</b>	<b>12.9</b>	<b>27.4</b>
Harrison (T/V)	25.0	14.3	16.8	15.6	15.0
Larchmont (V)	33.3	10.3	21.7	10.7	18.6
Mamaroneck (TOV)	21.6	6.1	14.0	7.4	12.2
Mamaroneck (V)	43.9	18.1	23.4	16.2	24.0
Port Chester (V)	35.7	23.9	40.1	19.5	48.6
Rye (C)	24.4	4.9	16.7	1.9	5.9
Rye Brook (V)	27.6	5.8	26.9	4.3	14.8
<b>Southwest</b>	<b>35.1</b>	<b>35.6</b>	<b>38.3</b>	<b>32.1</b>	<b>38.7</b>
Yonkers (C)	35.1	35.6	38.3	32.1	38.7
<b>Southeast</b>	<b>40.0</b>	<b>26.0</b>	<b>21.2</b>	<b>18.1</b>	<b>21.3</b>
Bronxville (V)	16.7	17.8	3.9	8.2	13.3
Eastchester (TOV)	17.4	12.2	10.6	11.4	10.5
Mount Vernon (C)	47.7	30.9	24.4	21.7	24.9
New Rochelle (C)	40.3	29.3	22.0	18.0	21.6
Pelham (V)	23.3	8.5	12.7	8.2	12.9
Pelham Manor (V)	17.7	5.8	0.0	8.5	10.0
Tuckahoe (V)	21.0	13.5	25.8	19.4	27.6
<b>Unknown</b>	<b>35.4</b>	<b>18.0</b>	<b>29.7</b>	<b>26.4</b>	<b>27.2</b>
<b>Births Occurred in NYC<sup>2</sup></b>	<b>9.7</b>	<b>--</b>	<b>10.1</b>	<b>--</b>	<b>--</b>

<sup>1</sup> Late or no prenatal care is defined as prenatal care begun at the second or third trimester, or no prenatal care throughout pregnancy. Those with incomplete information on prenatal care were excluded.<sup>2</sup> Residence information was not available for births in NYC.

Source: New York State Department of Health.

**Table 7. Number of Births by Mother's Age, Race/Ethnicity, Infants' Birthweight, Gestation Weeks, Time Starting Prenatal Care, and Geographical Region of Origin, Westchester County, 2001-2005**

	2005		2004		2003		2002		2001	
	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Total<sup>1</sup></b>	<b>12,080</b>	<b>100.0</b>	<b>12,386</b>	<b>100.0</b>	<b>12,784</b>	<b>100.0</b>	<b>12,763</b>	<b>100.0</b>	<b>12,615</b>	<b>100.0</b>
<b>Age</b>										
10-14	6	0.0	11	0.1	11	0.1	11	0.1	11	0.1
15-17	185	1.5	173	1.4	167	1.3	172	1.3	171	1.4
18-19	403	3.3	368	3.0	363	2.8	379	3.0	421	3.3
20-24	1,552	12.9	1,576	12.7	1,638	12.8	1,561	12.2	1,650	13.1
25-29	2,583	21.4	2,555	20.6	2,580	20.2	2,616	20.5	2,598	20.6
30-34	3,792	31.4	4,083	33.0	4,274	33.4	4,408	34.5	4,211	33.4
35-39	2,829	23.4	2,847	23.0	3,026	23.7	2,880	22.6	2,869	22.7
40-44	676	5.6	723	5.8	681	5.3	687	5.4	641	5.1
45+	51	0.4	48	0.4	44	0.3	46	0.4	42	0.3
<b>Average Maternal Age</b>	30.7		30.8		30.8		30.8		30.6	
<b>Race/Ethnicity</b>										
White	7,631	63.2	8,297	67.0	9,905	77.5	9,701	76.0	9,554	75.7
Black	1,714	14.2	1,816	14.7	1,865	14.6	1,958	15.3	1,966	15.6
Other	2,728	22.6	2,266	18.3	799	6.3	842	6.6	829	6.6
Hispanic <sup>2</sup>	3,894	32.2	3,712	30.0	3,475	27.2	3,325	26.1	3,273	25.9
<b>Infants' Birthweight</b>										
<1,500 grams	171	1.4	215	1.7	185	1.4	170	1.3	152	1.2
1,500 - 2,499 grams	812	6.7	813	6.6	798	6.2	826	6.5	746	5.9
2,500 grams and over	11,081	91.9	11,347	91.7	11,799	92.3	11,764	92.2	11,714	92.9
Unknown	16	0.1	11	0.1	2	0.0	3	0.0	3	0.0
<b>Gestation Weeks</b>										
8-34	495	4.1	494	4.0	496	3.9	460	3.6	434	3.5
35-36	663	5.5	707	5.7	701	5.5	737	5.8	619	4.9
37+	10,911	90.4	11,135	90.3	11,557	90.6	11,558	90.6	11,522	91.6
Unknown	11	0.1	50	0.4	30	0.2	8	0.1	40	0.3
<b>Time Starting Prenatal Care</b>										
First Trimester (1st-3rd month)	7,836	73.1	8,135	72.8	8,730	76.6	8,751	76.8	8,387	74.1
Second Trimester (4th-6th month)	1,988	18.5	2,338	20.9	2,173	19.1	2,132	18.7	2,232	19.7
Third Trimester (7th-9th month)	428	4.0	469	4.2	361	3.2	375	3.3	452	4.0
None	471	4.4	233	2.1	131	1.1	131	1.2	248	2.2
Unknown	1,357	--	1,211	--	1,389	--	1,374	--	1,296	--
<b>Geographical Region of Origin<sup>3</sup></b>										
United States	6,966	57.7	7,077	57.1	6,688	52.3	6,743	52.8	6,848	54.3
Central / South America	1,536	12.7	1,571	12.7	1,512	11.8	1,468	11.5	1,377	10.9
Mexico	1,091	9.0	987	8.0	1,001	7.8	930	7.3	879	7.0
Caribbean Region	859	7.1	967	7.8	1,006	7.9	1,004	7.9	955	7.6
Asia / India	748	6.2	809	6.5	738	5.8	829	6.5	744	5.9
Europe / Canada / Australia	616	5.1	702	5.7	738	5.8	765	6.0	682	5.4
Africa	151	1.3	150	1.2	138	1.1	142	1.1	118	0.9
Other/Unknown	113	0.9	123	1.0	963	7.5	882	6.9	1,012	8.0

<sup>1</sup>Total includes cases with unknown maternal age, race, birthweight, and gestation weeks.

<sup>2</sup>Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

<sup>3</sup>Countries of origin listed as 'unknown' or contributing less than 4 cases are placed in the 'other/unknown' category.

Source: New York State Department of Health. Birth file data format from the NYSDOH changed from 2004 onward (see Appendix 1).

**Table 8. Number of Births by Mother's Age and Race/Ethnicity, Westchester County, 2005**

Mother's Age	Total <sup>1</sup>		White		Black		Other		Hispanic <sup>2</sup>	
	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Total<sup>1</sup></b>	<b>12,080</b>	<b>100.0</b>	<b>7,631</b>	<b>100.0</b>	<b>1,714</b>	<b>100.0</b>	<b>2,728</b>	<b>100.0</b>	<b>3,894</b>	<b>100.0</b>
10-14	6	0.0	0	0.0	6	0.4	0	0.0	1	0.0
15-17	185	1.5	86	1.1	55	3.2	44	1.6	119	3.1
18-19	403	3.3	157	2.1	114	6.7	131	4.8	246	6.3
20-24	1,552	12.9	725	9.5	330	19.3	496	18.2	951	24.4
25-29	2,583	21.4	1,436	18.8	426	24.9	721	26.4	1,094	28.1
30-34	3,792	31.4	2,624	34.4	385	22.5	782	28.7	864	22.2
35-39	2,829	23.4	2,093	27.4	296	17.3	437	16.0	486	12.5
40-44	676	5.6	472	6.2	96	5.6	107	3.9	123	3.2
45+	51	0.4	35	0.5	6	0.4	10	0.4	9	0.2
Average Age	30.7		31.7		28.7		29.2		27.7	

<sup>1</sup>Total includes cases with unknown maternal age and/or race.

<sup>2</sup>Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health. Birth file data format from the NYSDOH changed from 2004 onward. Racial and ethnic categories became more detailed for 'other' and mixed-race categories.



**Table 9. Number of Births by Mother's Age and Educational Level, Westchester County, 2005**

Mother's Age	Total <sup>1</sup>		Less than HS		High School / GED		Some College or Associate's Degree		Bachelor's Degree		Graduate or Professional Degree	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Total<sup>1</sup></b>	<b>12,080</b>	<b>100.0</b>	<b>2,269</b>	<b>100.0</b>	<b>1,954</b>	<b>100.0</b>	<b>2,233</b>	<b>100.0</b>	<b>2,816</b>	<b>100.0</b>	<b>2,746</b>	<b>100.0</b>
10-14	6	0.0	6	0.3	0	0.0	0	0.0	0	0.0	0	0.0
15-17	185	1.5	158	7.0	25	1.3	1	0.0	0	0.0	0	0.0
18-19	403	3.3	199	8.8	145	7.4	52	2.3	0	0.0	0	0.0
20-24	1,552	12.8	658	29.0	437	22.4	344	15.4	89	3.2	17	0.6
25-29	2,583	21.4	569	25.1	521	26.7	595	26.6	508	18.0	368	13.4
30-34	3,792	31.4	416	18.3	444	22.7	636	28.5	1,077	38.2	1,210	44.1
35-39	2,829	23.4	208	9.2	295	15.1	489	21.9	891	31.6	936	34.1
40-44	676	5.6	53	2.3	82	4.2	106	4.7	235	8.3	194	7.1
45+	51	0.4	2	0.1	4	0.2	10	0.4	15	0.5	20	0.7
Average Age	30.7		26.1		28.3		30.4		33.3		33.8	

<sup>1</sup>Total includes cases with unknown maternal age and/or educational level.

Source: New York State Department of Health.

**Table 10. Number of Births by Birthweight and Mother's Race/Ethnicity and Age, Westchester County, 2005**

Race/Ethnicity and Birthweight	Total <sup>1</sup>	%	Mother's Age							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>12,080</b>	<b>100.0</b>	<b>191</b>	<b>403</b>	<b>1,552</b>	<b>2,583</b>	<b>3,792</b>	<b>2,829</b>	<b>676</b>	<b>51</b>
<1500 grams	171	1.4	4	6	19	39	40	41	18	4
1500-2499 grams	812	6.7	17	22	102	144	254	196	67	10
2500 grams+	11,081	91.9	170	375	1,431	2,397	3,491	2,588	590	37
Not stated	16	--	0	0	0	3	7	4	1	0
<b>White</b>	<b>7,629</b>	<b>100.0</b>	<b>86</b>	<b>157</b>	<b>725</b>	<b>1,436</b>	<b>2,624</b>	<b>2,093</b>	<b>472</b>	<b>35</b>
<1500 grams	95	1.2	2	1	8	20	22	26	13	3
1500-2499 grams	434	5.7	5	5	34	68	151	131	37	3
2500 grams+	7,086	93.1	79	151	683	1,346	2,445	1,932	421	29
Not Stated	14	--	0	0	0	2	6	4	1	0
<b>Black</b>	<b>1,714</b>	<b>100.0</b>	<b>61</b>	<b>114</b>	<b>330</b>	<b>426</b>	<b>385</b>	<b>296</b>	<b>96</b>	<b>6</b>
<1500 grams	47	2.7	0	5	4	16	10	8	3	1
1500-2499 grams	198	11.6	9	10	39	41	46	30	18	5
2500 grams+	1,468	85.6	52	99	287	368	329	258	75	0
Not Stated	1	--	0	0	0	1	0	0	0	0
<b>Other</b>	<b>2,728</b>	<b>100.0</b>	<b>44</b>	<b>131</b>	<b>496</b>	<b>721</b>	<b>782</b>	<b>437</b>	<b>107</b>	<b>10</b>
<1500 grams	29	1.1	2	0	7	3	8	7	2	0
1500-2499 grams	180	6.6	3	7	29	35	57	35	12	2
2500 grams+	2,518	92.3	39	124	460	683	716	395	93	8
Not Stated	1	--	0	0	0	0	1	0	0	0
<b>Hispanic<sup>2</sup></b>	<b>3,894</b>	<b>100.0</b>	<b>120</b>	<b>246</b>	<b>951</b>	<b>1,094</b>	<b>864</b>	<b>486</b>	<b>123</b>	<b>9</b>
<1500 grams	42	1.1	3	0	11	7	10	9	2	0
1500-2499 grams	221	5.7	7	6	45	47	58	41	15	2
2500 grams+	3,630	93.2	110	240	895	1,040	796	436	106	7
Not Stated	1	--	0	0	0	0	0	0	0	0

<sup>1</sup> Total includes cases with unknown maternal age and/or race.

<sup>2</sup> Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health. Birth file data format from the NYSDOH changed from 2004 onward. Racial and ethnic categories became more detailed for 'other' and mixed-race categories.

**Table 11. Average Birthweight by Maternal Exposure to Smoking and Drug Use During Pregnancy by Mother's Race/Ethnicity, Westchester County, 2005**

Mother's Race/Ethnicity		No Smoking & No Drug Use	Smoking Only <sup>1</sup>	Drug Use Only <sup>2</sup>	Both Smoking & Drug Use
<b>Total</b> <sup>3</sup>	Birthweight (g)	3,278	3,101 *	2,740 *	2,695 *
	n	11,811	191	32	30
<b>White</b>	Birthweight (g)	3,325	3,135 *	3,063	2,772 *
	n	7,473	122	9	13
<b>Black</b>	Birthweight (g)	3,111	2,945	2,609 *	2,623 *
	n	1,626	52	22	13
<b>Hispanic</b> <sup>4</sup>	Birthweight (g)	3,284	3,129	3,080	2,705 *
	n	3,839	39	7	9

<sup>1</sup> Any use of tobacco products during pregnancy.

<sup>2</sup> Any use of illegal drugs during pregnancy.

<sup>3</sup> Total includes 'other' and 'unknown' racial categories. Individuals without birthweight information were excluded.

<sup>4</sup> Hispanic is an ethnic group and may be of any race. Therefore, Hispanic ethnicity is reported among racial groups.

\* Statistically significant by Student's t-test, p-value<0.05. All comparisons are between the risk group and non-risk group, (the "no smoking and no drug use" group).

Source: New York State Department of Health. Birth file data format from the NYSDOH changed from 2004 onward. Racial and ethnic categories became more detailed for 'other' and mixed-race categories.

**Table 12. Number of Births by Time Starting Prenatal Care and Mother's Age and Race/Ethnicity, Westchester County, 2005**

Mother's Race/Ethnicity and Time Starting Prenatal Care	Total <sup>1</sup> %		Mother's Age							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>12,080</b>	<b>100.0</b>	<b>191</b>	<b>403</b>	<b>1,552</b>	<b>2,583</b>	<b>3,792</b>	<b>2,829</b>	<b>676</b>	<b>51</b>
First Trimester (1st-3rd Month)	7,836	73.1	72	173	829	1614	2646	1994	480	28
Second Trimester (4th-6th Month)	1,988	18.5	68	131	417	508	472	308	76	8
Third Trimester (7th-9th Month)	428	4.0	24	45	105	110	88	43	12	1
No prenatal care	471	4.4	15	37	106	130	88	70	24	0
Unknown trimester	1,357	-	12	17	95	221	498	414	84	14
<b>White</b>	<b>7,631</b>	<b>100.0</b>	<b>86</b>	<b>157</b>	<b>725</b>	<b>1,436</b>	<b>2,624</b>	<b>2,093</b>	<b>472</b>	<b>35</b>
First Trimester (1st-3rd Month)	5,177	78.8	31	71	396	933	1878	1498	353	17
Second Trimester (4th-6th Month)	1,005	15.3	26	57	189	242	258	190	38	5
Third Trimester (7th-9th Month)	186	2.8	13	18	50	48	34	18	4	1
No prenatal care	205	3.1	9	6	45	67	40	26	11	0
Unknown trimester	1,058	-	7	5	45	146	414	361	66	12
<b>Black</b>	<b>1,714</b>	<b>100.0</b>	<b>61</b>	<b>114</b>	<b>330</b>	<b>426</b>	<b>385</b>	<b>296</b>	<b>96</b>	<b>6</b>
First Trimester (1st-3rd Month)	943	58.6	23	48	163	230	223	196	58	2
Second Trimester (4th-6th Month)	391	24.3	25	32	89	103	78	45	17	2
Third Trimester (7th-9th Month)	106	6.6	6	11	25	21	28	11	4	0
No prenatal care	170	10.6	3	20	37	46	33	22	9	0
Unknown trimester	104	-	4	3	16	26	23	22	8	2
<b>Other</b>	<b>2,728</b>	<b>100.0</b>	<b>44</b>	<b>131</b>	<b>496</b>	<b>721</b>	<b>782</b>	<b>437</b>	<b>107</b>	<b>10</b>
First Trimester (1st-3rd Month)	1,713	67.5	18	54	270	451	544	298	69	9
Second Trimester (4th-6th Month)	592	23.3	17	42	139	163	136	73	21	1
Third Trimester (7th-9th Month)	136	5.4	5	16	30	41	26	14	4	0
No prenatal care	95	3.7	3	10	24	17	15	22	4	0
Unknown trimester	192	-	1	9	33	49	61	30	9	0
<b>Hispanic<sup>2</sup></b>	<b>3,894</b>	<b>100.0</b>	<b>120</b>	<b>246</b>	<b>951</b>	<b>1,094</b>	<b>864</b>	<b>486</b>	<b>123</b>	<b>9</b>
First Trimester (1st-3rd Month)	2,248	62.1	45	97	501	646	576	305	73	5
Second Trimester (4th-6th Month)	949	26.2	41	96	264	261	160	103	21	3
Third Trimester (7th-9th Month)	205	5.7	16	28	73	54	21	10	3	0
No prenatal care	216	6.0	11	13	58	62	34	30	8	0
Unknown trimester	276	-	7	12	55	71	73	38	18	1

<sup>1</sup> Total includes cases with unknown maternal age and/or race.

<sup>2</sup> Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health. Birth file data format from the NYSDOH changed from 2004 onward. Racial and ethnic categories became more detailed for 'other' and mixed-race categories.

**Table 13. Number of Births by Time Starting Prenatal Care and Mother's Educational Level and Race/Ethnicity, Westchester County, 2005**

Mother's Race/Ethnicity and Time Starting Prenatal Care	Total <sup>1</sup> %		Mother's Educational Level				
			Less than High School	High School / GED	Some College or Associate's Degree	Bachelor's Degree	Graduate or Professional Degree
<b>Total<sup>1</sup></b>	<b>12,080</b>	<b>100.0</b>	<b>2,269</b>	<b>1,954</b>	<b>2,233</b>	<b>2,816</b>	<b>2,746</b>
First Trimester (1st-3rd Month)	7,836	73.1	1,150	1098	1474	2038	2049
Second Trimester (4th-6th Month)	1,988	18.5	660	440	386	262	229
Third Trimester (7th-9th Month)	428	4.0	154	107	79	58	26
No prenatal care	471	4.4	172	141	85	37	24
Unknown trimester	1,357	-	133	168	209	421	418
<b>White</b>	<b>7,631</b>	<b>100.0</b>	<b>1,028</b>	<b>1,057</b>	<b>1,249</b>	<b>2,107</b>	<b>2,166</b>
First Trimester (1st-3rd Month)	5,177	78.8	504	626	872	1547	1615
Second Trimester (4th-6th Month)	1,005	15.3	301	207	168	163	162
Third Trimester (7th-9th Month)	186	2.8	75	43	29	27	11
No prenatal care	205	3.1	93	57	32	13	8
Unknown trimester	1,058	-	55	124	148	357	370
<b>Black</b>	<b>1,714</b>	<b>100.0</b>	<b>293</b>	<b>402</b>	<b>557</b>	<b>250</b>	<b>197</b>
First Trimester (1st-3rd Month)	943	58.6	126	191	317	156	148
Second Trimester (4th-6th Month)	391	24.3	90	94	138	43	24
Third Trimester (7th-9th Month)	106	6.6	22	36	29	16	3
No prenatal care	170	10.6	43	61	36	17	6
Unknown trimester	104	-	12	20	37	18	16
<b>Other</b>	<b>2,728</b>	<b>100.0</b>	<b>948</b>	<b>494</b>	<b>427</b>	<b>456</b>	<b>381</b>
First Trimester (1st-3rd Month)	1,713	67.5	520	281	285	334	284
Second Trimester (4th-6th Month)	592	23.3	269	139	80	56	43
Third Trimester (7th-9th Month)	136	5.4	57	28	21	15	12
No prenatal care	95	3.7	36	23	17	7	10
Unknown trimester	192	-	66	23	24	44	32
<b>Hispanic<sup>2</sup></b>	<b>3,894</b>	<b>100.0</b>	<b>1753</b>	<b>940</b>	<b>637</b>	<b>329</b>	<b>211</b>
First Trimester (1st-3rd Month)	2,248	62.1	912	529	395	237	163
Second Trimester (4th-6th Month)	949	26.2	508	233	130	51	22
Third Trimester (7th-9th Month)	205	5.7	116	51	23	8	4
No prenatal care	216	6.0	108	63	37	4	3
Unknown trimester	276	-	109	64	52	29	19

<sup>1</sup> Total includes cases with unknown maternal race and/or educational level.

<sup>2</sup> Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health. Birth file data format from the NYSDOH changed from 2004 onward. Racial and ethnic categories became more detailed for 'other' and mixed-race categories.

**Table 14. Number of Births by Time Starting Prenatal Care and Mother's Region of Origin, Westchester County, 2005**

Time Starting Prenatal Care	Total <sup>1</sup> %		Mother's Region of Origin													
			USA %	Mexico %	Caribbean %	Central / South America %	Asia / India %	Europe / Canada / Australia %	Africa %							
<b>Total</b>	<b>12,080</b>	<b>100.0</b>	<b>6,966</b>	<b>100.0</b>	<b>1,091</b>	<b>100.0</b>	<b>859</b>	<b>100.0</b>	<b>1,536</b>	<b>100.0</b>	<b>748</b>	<b>100.0</b>	<b>616</b>	<b>100.0</b>	<b>151</b>	<b>100.0</b>
First Trimester (1st-3rd Month)	7,836	73.1	4,803	79.5	557	53.9	533	65.4	859	61.9	506	75.4	427	80.0	77	55.8
Second Trimester (4th-6th Month)	1,988	18.5	883	14.6	322	31.2	168	20.6	376	27.1	103	15.4	86	16.1	30	21.7
Third Trimester (7th-9th Month)	428	4.0	147	2.4	71	6.9	52	6.4	76	5.5	43	6.4	17	3.2	18	13.0
No prenatal care	471	4.4	208	3.4	83	8.0	62	7.6	77	5.5	19	2.8	4	0.7	13	9.4
Unknown trimester	1,357	--	925	--	58	--	44	--	148	--	77	--	82	--	13	--

<sup>1</sup> Total includes countries of origin with less than 4 cases.

Source: New York State Department of Health.

**Table 15. Number of Total Pregnancies, Live Births, Spontaneous Fetal Deaths, and Induced Abortions by Mother's Race/Ethnicity and Age, Westchester County, 2005**

Mother's Race/Ethnicity and Age	Total Pregnancies	Live Births	Spontaneous Fetal Deaths	Induced Abortions	As % of Total Pregnancies		
					Live Births	Spontaneous Fetal Deaths	Induced Abortions
<b>Total</b>	<b>16,815</b>	<b>12,080</b>	<b>319</b>	<b>4,416</b>	<b>71.8</b>	<b>1.9</b>	<b>26.3</b>
10-14	35	6	0	29	17.1	0.0	82.9
15-19	1,417	588	8	821	41.5	0.6	57.9
20-24	2,860	1,552	18	1,290	54.3	0.6	45.1
25-29	3,611	2,583	48	980	71.5	1.3	27.1
30-34	4,605	3,792	96	717	82.3	2.1	15.6
35-39	3,269	2,829	85	355	86.5	2.6	10.9
40-44	927	676	50	201	72.9	5.4	21.7
45+	71	51	7	13	71.8	9.9	18.3
Unknown	20	3	7	10	15.0	35.0	50.0
<b>White</b>	<b>8,737</b>	<b>7,631</b>	<b>178</b>	<b>928</b>	<b>87.3</b>	<b>2.0</b>	<b>10.6</b>
10-14	5	0	0	5	0.0	0.0	100.0
15-19	433	243	0	190	56.1	0.0	43.9
20-24	980	725	5	250	74.0	0.5	25.5
25-29	1,626	1,436	21	169	88.3	1.3	10.4
30-34	2,842	2,624	60	158	92.3	2.1	5.6
35-39	2,236	2,093	54	89	93.6	2.4	4.0
40-44	568	472	32	64	83.1	5.6	11.3
45+	41	35	4	2	85.4	9.8	4.9
Unknown	6	3	2	1	50.0	33.3	16.7
<b>Black</b>	<b>3,381</b>	<b>1,714</b>	<b>66</b>	<b>1,601</b>	<b>50.7</b>	<b>2.0</b>	<b>47.4</b>
10-14	16	6	0	10	37.5	0.0	62.5
15-19	481	169	5	307	35.1	1.0	63.8
20-24	824	330	6	488	40.0	0.7	59.2
25-29	804	426	14	364	53.0	1.7	45.3
30-34	649	385	11	253	59.3	1.7	39.0
35-39	427	296	17	114	69.3	4.0	26.7
40-44	166	96	10	60	57.8	6.0	36.1
45+	8	6	0	2	75.0	0.0	25.0
Unknown	6	0	3	3	0.0	50.0	50.0
<b>Hispanic<sup>1</sup></b>	<b>6,797</b>	<b>3,894</b>	<b>1,601</b>	<b>1,302</b>	<b>57.3</b>	<b>23.6</b>	<b>19.2</b>
10-14	22	1	10	11	4.5	45.5	50.0
15-19	868	365	307	196	42.1	35.4	22.6
20-24	1,834	951	488	395	51.9	26.6	21.5
25-29	1,787	1,094	364	329	61.2	20.4	18.4
30-34	1,327	864	253	210	65.1	19.1	15.8
35-39	702	486	114	102	69.2	16.2	14.5
40-44	235	123	60	52	52.3	25.5	22.1
45+	15	9	2	4	60.0	13.3	26.7
Unknown	7	1	3	3	14.3	42.9	42.9

<sup>1</sup> Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health. Birth file data format from the NYSDOH changed from 2004 onward. Racial and ethnic categories became more detailed for 'other' and mixed-race categories.

**Table 16. Total Number of Deaths by Municipality, Westchester County, 2001-2005**

Health Planning Region and Municipality	Number of Deaths				
	2005 <sup>1</sup>	2004	2003 <sup>1</sup>	2002	2001
<b>Westchester County</b>	<b>7,807</b>	<b>7,197</b>	<b>7,269</b>	<b>7,331</b>	<b>7,259</b>
<b>Northwest</b>	<b>1,193</b>	<b>1,175</b>	<b>1,117</b>	<b>1,131</b>	<b>1,150</b>
Briarcliff Manor (V)	68	84	74	75	66
Buchanan (V)	9	20	12	21	17
Cortlandt (TOV)	266	269	287	260	276
Croton-on-Hudson (V)	77	76	42	76	46
Mount Pleasant (TOV)	223	216	218	193	216
Ossining (TOV)	24	31	43	49	69
Ossining (V)	216	175	194	178	169
Peekskill (C)	218	210	175	186	191
Pleasantville (V)	40	41	27	46	40
Sleepy Hollow (V)	52	53	45	47	60
<b>Northeast</b>	<b>750</b>	<b>718</b>	<b>775</b>	<b>885</b>	<b>824</b>
Bedford (T)	68	88	77	90	73
Lewisboro (T)	43	27	35	41	32
Mount Kisco (T/V)	52	41	64	60	66
New Castle (T)	56	55	55	95	71
North Castle (T)	51	44	46	53	44
North Salem (T)	31	23	42	31	41
Pound Ridge (T)	25	24	13	29	19
Somers (T)	204	189	183	217	158
Yorktown (T)	220	227	260	269	320
<b>West Central</b>	<b>1,185</b>	<b>1,153</b>	<b>1,075</b>	<b>1,196</b>	<b>1,229</b>
Ardsley (V)	29	27	36	20	21
Dobbs Ferry (V)	105	92	105	105	103
Elmsford (V)	23	29	25	21	24
Greenburgh (TOV)	286	325	274	279	340
Hastings-on-Hudson (V)	88	84	63	96	100
Irvington (V)	41	28	32	29	36
Scarsdale (T/V)	77	71	63	98	104
Tarrytown (V)	90	75	92	95	77
White Plains (C)	446	422	385	453	424
<b>East Central</b>	<b>785</b>	<b>779</b>	<b>661</b>	<b>780</b>	<b>799</b>
Harrison (T/V)	154	160	116	142	164
Larchmont (V)	39	39	22	28	51
Mamaroneck (TOV)	55	47	55	73	77
Mamaroneck (V)	156	165	147	152	161
Port Chester (V)	206	177	171	197	180
Rye (C)	121	110	100	131	105
Rye Brook (V)	54	81	50	57	61
<b>Southwest</b>	<b>1,636</b>	<b>1,645</b>	<b>1,484</b>	<b>1,613</b>	<b>1,617</b>
Yonkers (C)	1,636	1,645	1,484	1,613	1,617
<b>Southeast</b>	<b>1,441</b>	<b>1,522</b>	<b>1,290</b>	<b>1,694</b>	<b>1,544</b>
Bronxville (V)	28	58	33	41	47
Eastchester (TOV)	144	180	157	167	173
Mount Vernon (C)	555	548	480	617	564
New Rochelle (C)	600	615	554	722	646
Pelham (V)	35	45	30	59	37
Pelham Manor (V)	40	35	15	37	34
Tuckahoe (V)	39	41	21	51	43
<b>Unknown</b>	<b>88</b>	<b>205</b>	<b>135</b>	<b>32</b>	<b>96</b>
<b>Deaths Occurred in NYC<sup>1</sup></b>	<b>729</b>	<b>--</b>	<b>732</b>	<b>--</b>	<b>--</b>

<sup>1</sup> Residence information was not available for deaths in NYC.

Source: New York State Department of Health.



**Table 17. Total Number of Infant Deaths, Westchester County, 2001-2005**

Health Planning Region and Municipality	Number of Infant Deaths				
	2005 <sup>1</sup>	2004	2003 <sup>1</sup>	2002	2001
<b>Westchester County</b>	<b>70</b>	<b>55</b>	<b>59</b>	<b>57</b>	<b>33</b>
<b>Northwest</b>	<b>5</b>	<b>8</b>	<b>9</b>	<b>6</b>	<b>6</b>
Briarcliff Manor (V)	0	1	0	0	0
Buchanan (V)	0	0	0	0	0
Cortlandt (TOV)	1	2	1	1	1
Croton-on-Hudson (V)	0	0	2	0	0
Mount Pleasant (TOV)	0	0	0	2	1
Ossining (TOV)	0	0	0	0	1
Ossining (V)	2	2	3	1	1
Peekskill (C)	2	2	1	1	2
Pleasantville (V)	0	0	0	0	0
Sleepy Hollow (V)	0	1	2	1	0
<b>Northeast</b>	<b>7</b>	<b>3</b>	<b>2</b>	<b>6</b>	<b>2</b>
Bedford (T)	1	1	0	1	0
Lewisboro (T)	0	0	1	1	0
Mount Kisco (T/V)	1	1	0	1	0
New Castle (T)	1	0	0	1	1
North Castle (T)	0	0	0	0	0
North Salem (T)	0	0	0	0	0
Pound Ridge (T)	0	0	0	1	0
Somers (T)	2	0	0	1	1
Yorktown (T)	2	1	1	0	0
<b>West Central</b>	<b>12</b>	<b>12</b>	<b>3</b>	<b>11</b>	<b>2</b>
Ardsley (V)	0	1	0	0	0
Dobbs Ferry (V)	1	0	0	1	0
Elmsford (V)	0	2	0	1	0
Greenburgh (TOV)	2	3	0	3	0
Hastings-on-Hudson (V)	0	0	0	0	0
Irvington (V)	0	0	0	0	0
Scarsdale (T/V)	0	0	0	0	0
Tarrytown (V)	0	1	0	0	0
White Plains (C)	9	5	3	6	2
<b>East Central</b>	<b>7</b>	<b>4</b>	<b>4</b>	<b>5</b>	<b>2</b>
Harrison (T/V)	0	1	1	1	0
Larchmont (V)	0	1	1	0	0
Mamaroneck (TOV)	0	0	0	0	1
Mamaroneck (V)	0	0	1	1	0
Port Chester (V)	3	0	1	3	1
Rye (C)	4	1	0	0	0
Rye Brook (V)	0	1	0	0	0
<b>Southwest</b>	<b>13</b>	<b>16</b>	<b>11</b>	<b>14</b>	<b>11</b>
Yonkers (C)	13	16	11	14	11
<b>Southeast</b>	<b>12</b>	<b>11</b>	<b>10</b>	<b>14</b>	<b>10</b>
Bronxville (V)	0	0	0	1	0
Eastchester (TOV)	0	0	0	1	0
Mount Vernon (C)	8	8	4	4	6
New Rochelle (C)	4	2	6	7	3
Pelham (V)	0	1	0	0	1
Pelham Manor (V)	0	0	0	0	0
Tuckahoe (V)	0	0	0	1	0
<b>Unknown</b>	<b>4</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>2</b>
<b>Deaths Occurred in NYC<sup>1</sup></b>	<b>10</b>	<b>--</b>	<b>18</b>	<b>--</b>	<b>--</b>

<sup>1</sup> Residence information was not available for deaths in NYC.

Source: New York State Department of Health.

**Table 18. Number of Deaths and Death Rates by Age Group and Sex, and Average Age of Death by Sex, Westchester County, 2005**

Age Group	Number			Death Rate <i>(per 100,000 population)</i>		
	Total	Female	Male	Total	Female	Male
<b>Total<sup>1</sup></b>	<b>7,807</b>	<b>4,203</b>	<b>3,604</b>	<b>845.4</b>	<b>872.5</b>	<b>815.9</b>
0-4	80	34	46	124.5	108.1	140.3
5-9	6	3	3	8.8	9.1	8.6
10-19	25	12	13	21.2	21.1	21.2
20-29	79	21	58	77.7	40.8	115.5
30-39	136	50	86	91.6	65.0	120.1
40-49	292	131	161	200.8	173.8	230.0
50-59	647	255	392	587.4	436.9	757.1
60-69	858	376	482	1,184.9	948.7	1,470.6
70-79	1,617	769	848	2,728.0	2,237.6	3,404.5
80+	4,066	2,552	1,514	11,405.3	10,569.0	13,160.6
<b>Average Age of Death</b>	76.2	79.3	72.6	--	--	--

<sup>1</sup>Totals include unknown age.

Source: New York State Department of Health.

**Table 19. Number of Deaths and Death Rates by Age Group and Race/Ethnicity, and Average Age of Death by Race/Ethnicity, Westchester County, 2005**

Age Group	Number					Death Rate (per 100,000 population)				
	Total	White	Black	Other	Hispanic <sup>2</sup>	Total	White	Black	Other	Hispanic <sup>2</sup>
<b>Total<sup>1</sup></b>	<b>7,807</b>	<b>6,456</b>	<b>1,054</b>	<b>277</b>	<b>431</b>	<b>845.4</b>	<b>979.9</b>	<b>803.8</b>	<b>207.5</b>	<b>299.0</b>
0-4	80	44	15	21	26	124.5	103.5	160.9	169.2	194.2
5-9	6	5	0	1	2	8.8	11.1	0.0	8.4	15.6
10-19	25	17	7	1	3	21.2	22.4	32.7	4.8	12.8
20-29	79	43	28	8	13	77.7	69.8	169.5	33.9	46.2
30-39	136	81	43	12	24	91.6	80.7	193.0	46.3	84.5
40-49	292	178	78	30	42	200.8	165.3	415.8	158.3	222.2
50-59	647	473	147	25	61	587.4	557.7	1,018.6	229.4	597.3
60-69	858	631	185	41	76	1,184.9	1,087.4	2,029.4	778.6	1,433.4
70-79	1,617	1,338	228	48	69	2,728.0	2,603.7	4,261.7	1,892.0	2,672.3
80+	4,066	3,646	322	90	115	11,405.3	11,524.8	11,168.9	7,957.6	11,197.7
<b>Average Age of Death</b>	76.2	78.2	68.0	63.5	62.1	--	--	--	--	--

<sup>1</sup> Totals include unknown age.

<sup>2</sup> Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

**Table 20. Number of Infant Deaths and Infant Mortality Rates by Race/Ethnicity, Westchester County, 2001-2005**

Race/Ethnicity	Number of Infant Deaths					Infant Mortality Rate <i>(per 1,000 live births)</i>				
	2005	2004	2003	2002	2001	2005	2004	2003	2002	2001
<b>Total</b>	<b>70</b>	<b>55</b>	<b>59</b>	<b>57</b>	<b>33</b>	<b>5.8</b>	<b>4.4</b>	<b>4.6</b>	<b>4.5</b>	<b>2.6</b>
White	37	23	27	37	24	4.8	2.8	2.7	3.8	2.5
Black	12	23	24	17	8	7.0	12.7	12.9	8.7	4.1
Other	21	9	8	3	1	7.7	4.0	10.0	3.6	1.2
Hispanic <sup>1</sup>	23	10	15	16	11	5.9	2.7	4.3	4.8	3.4

<sup>1</sup> Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are reported in race categories.

Source: New York State Department of Health.

**Table 21. Ten Leading Causes of Death and Death Rates, Westchester County, New York State (NYS), and the United States, 2004-2005**

Cause of Death	Westchester County	New York State	New York City	NYS Excluding New York City	U.S.A.
	2005 <sup>2</sup>	2004	2004	2004	2004
<b>Total</b>	7,807	151,455	56,065	95,390	2,398,365
<b>Rate<sup>1</sup></b>	845.4	787.7	691.8	857.6	816.7
<b>Major Cardiovascular Diseases</b>					
Number	3,077	62,725	25,607	37,118	867,534
Rate	333.2	326.2	316.0	333.7	295.4
Rank	[1]	[1]	[1]	[1]	[1]
<b>Malignant Neoplasms</b>					
Number	2,151	35,859	12,651	23,208	550,270
Rate	232.9	186.5	156.1	208.6	187.4
Rank	[2]	[2]	[2]	[2]	[2]
<b>Chronic Lower Respiratory Disease (CLRD)</b>					
Number	342	6,742	1,699	5,043	123,884
Rate	37.0	35.1	21.0	45.3	42.2
Rank	[3]	[3]	[5]	[3]	[3]
<b>Pneumonia</b>					
Number	220	5,613	2,944	2,669	60,207
Rate	23.8	29.2	36.3	24.0	20.5
Rank	[4]	[4]	[3]	[5]	[8]
<b>Septicemia</b>					
Number	205	2,241	461	1,780	33,464
Rate	22.2	11.7	5.7	16.0	11.4
Rank	[5]	[8]	[11]	[7]	[10]
<b>Diabetes Mellitus</b>					
Number	173	3,916	1,715	2,201	72,815
Rate	18.7	20.4	21.2	19.8	24.8
Rank	[6]	[5]	[4]	[6]	[6]
<b>Accidents</b>					
Number	149	3,927	1,078	2,849	108,694
Rate	16.1	20.4	13.3	25.6	37.0
Rank	[7]	[6]	[7]	[4]	[5]
<b>Nephritis, Nephrotic Syndromes and Nephrosis</b>					
Number	125	2,379	631	1,748	42,762
Rate	13.5	12.4	7.8	15.7	14.6
Rank	[8]	[7]	[8]	[8]	[9]
<b>Chronic Liver Diseases, including Cirrhosis</b>					
Number	53	1,276	484	792	26,549
Rate	5.7	6.6	6.0	7.1	9.0
Rank	[9]	[11]	[10]	[10]	[12]
<b>Suicide</b>					
Number	46	1,196	462	734	31,647
Rate	5.0	6.2	5.7	6.6	10.8
Rank	[10]	[12]	[12]	[11]	[11]

<sup>1</sup> Death rates are per 100,000 population.

<sup>2</sup> Rank order determined by 2005 Westchester County data.

Source: New York State Department of Health: Annual Vital Statistics Tables at [www.health.state.ny.us/nysdoh/vital\\_statistics](http://www.health.state.ny.us/nysdoh/vital_statistics) and Centers for Disease Control and Prevention: National Vital Statistics Reports, Volume 54, Number 19, 28 June 2006.

**Table 22. Number of Deaths and Death Rates by Selected Causes and Sex, Westchester County, 2005**

Cause of Death	Number of Deaths			Death Rate <i>(per 100,000 population)</i>		
	Total	Female	Male	Total	Female	Male
<b>Total</b>	<b>7,807</b>	<b>4,203</b>	<b>3,604</b>	<b>845.4</b>	<b>872.5</b>	<b>815.9</b>
Major Cardiovascular Diseases	3,077	1,749	1,328	333.2	363.1	300.6
Malignant Neoplasms	2,151	1,135	1,016	232.9	235.6	230.0
Chronic Lower Respiratory Disease (CLRD)	342	187	155	37.0	38.8	35.1
Pneumonia	220	128	92	23.8	26.6	20.8
Septicemia	205	118	87	22.2	24.5	19.7
Diabetes Mellitus	173	81	92	18.7	16.8	20.8
Accidents (Total)	149	69	80	16.1	14.3	18.1
Nephritis, Nephrotic Syndrome and Nephrosis	125	63	62	13.5	13.1	14.0
Chronic Liver Diseases including Cirrhosis	53	15	38	5.7	3.1	8.6
Suicide	46	10	36	5.0	2.1	8.1
AIDS	45	16	29	4.9	3.3	6.6
Certain Conditions Originating in the Perinatal Period	34	16	18	3.7	3.3	4.1
Homicide and Legal Intervention	33	8	25	3.6	1.7	5.7
Congenital Anomalies	30	17	13	3.2	3.5	2.9
Gastritis, Enteritis, Colitis, Diverticulitis	20	14	6	2.2	2.9	1.4
Influenza	7	4	3	0.8	0.8	0.7
Complications of Pregnancy, Childbirth, and Puerperium	2	2	0	0.2	0.4	0.0
Sudden Infant Death Syndrome	1	0	1	0.1	0.0	0.2
Tuberculosis	1	1	0	0.1	0.2	0.0
All Other Causes	1,093	570	523	118.4	118.3	118.4

Source: New York State Department of Health.

**Table 23. Number of Deaths and Death Rates by Selected Causes and Age Group, Westchester County, 2005**

Cause of Death	Number of Deaths							Death Rate <sup>1</sup> (per 100,000 population)						
	Total <sup>1</sup>	<1	1-29	30-49	50-64	65-79	80+	Total	<1	1-29	30-49	50-64	65-79	80+
<b>Total</b>	<b>7,807</b>	<b>70</b>	<b>120</b>	<b>428</b>	<b>1,065</b>	<b>2,057</b>	<b>4,066</b>	<b>845.4</b>	<b>5.8</b>	<b>34.1</b>	<b>145.6</b>	<b>717.1</b>	<b>2204.4</b>	<b>11405.3</b>
Major Cardiovascular Diseases	3,077	4	2	71	270	668	2,062	333.2	0.3	0.6	24.2	181.8	715.9	5784.0
Malignant Neoplasms	2,151	0	20	136	476	771	748	232.9	0.0	5.7	46.3	320.5	826.2	2098.2
Chronic Lower Respiratory Disease (CLRD)	342	0	2	4	31	118	187	37.0	0.0	0.6	1.4	20.9	126.5	524.5
Pneumonia	220	0	1	3	11	52	153	23.8	0.0	0.3	1.0	7.4	55.7	429.2
Septicemia	205	3	2	5	18	58	119	22.2	0.2	0.6	1.7	12.1	62.2	333.8
Diabetes Mellitus	173	0	0	10	27	70	66	18.7	0.0	0.0	3.4	18.2	75.0	185.1
Accidents (Total)	149	0	25	27	17	24	56	16.1	0.0	7.1	9.2	11.4	25.7	157.1
Nephritis, Nephrotic Syndrome and Nephrosis	125	0	0	5	12	34	74	13.5	0.0	0.0	1.7	8.1	36.4	207.6
Chronic Liver Diseases including Cirrhosis	53	0	0	12	18	16	7	5.7	0.0	0.0	4.1	12.1	17.1	19.6
Suicide	46	0	9	14	15	7	1	5.0	0.0	2.6	4.8	10.1	7.5	2.8
AIDS	45	0	4	19	19	3	0	4.9	0.0	1.1	6.5	12.8	3.2	0.0
Certain Conditions Originating in the Perinatal Period	34	34	0	0	0	0	0	3.7	2.8	0.0	0.0	0.0	0.0	0.0
Homicide and Legal Intervention	33	0	15	10	7	1	0	3.6	0.0	4.3	3.4	4.7	1.1	0.0
Congenital Anomalies	30	17	7	3	1	1	1	3.2	1.4	2.0	1.0	0.7	1.1	2.8
Gastritis, Enteritis, Colitis, Diverticulitis	20	0	1	1	3	5	10	2.2	0.0	0.3	0.3	2.0	5.4	28.1
Influenza	7	0	0	0	1	1	5	0.8	0.0	0.0	0.0	0.7	1.1	14.0
Complications of Pregnancy, Childbirth, and Puerperium	2	0	0	2	0	0	0	0.2	0.0	0.0	0.7	0.0	0.0	0.0
Sudden Infant Death Syndrome	1	1	0	0	0	0	0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
Tuberculosis	1	0	0	0	0	0	1	0.1	0.0	0.0	0.0	0.0	0.0	2.8
All Other Causes	1,093	11	32	106	139	228	576	118.4	0.9	9.1	36.1	93.6	244.3	1615.7

<sup>1</sup>Total includes unknown age.

<sup>2</sup>For infants under one year of age, the rate is calculated as per 1,000 live births (defined as infant mortality).

Source: New York State Department of Health.

**Table 24. Number of Deaths and Death Rates by Selected Causes and Race/Ethnicity, Westchester County, 2005**

Cause of Death	Number of Deaths					Death Rate (per 100,000 population)				
	Total <sup>1</sup>	White	Black	Other	Hispanic <sup>2</sup>	Total	White	Black	Other	Hispanic <sup>2</sup>
<b>Total</b>	<b>7,807</b>	<b>6,456</b>	<b>1,054</b>	<b>277</b>	<b>431</b>	<b>845.4</b>	<b>979.9</b>	<b>803.8</b>	<b>207.5</b>	<b>299.0</b>
Major Cardiovascular Diseases	3,077	2,621	360	93	124	333.2	397.8	274.5	69.7	86.0
Malignant Neoplasms	2,151	1,781	287	71	112	232.9	270.3	218.9	53.2	77.7
Chronic Lower Respiratory Disease (CLRD)	342	291	41	10	12	37.0	44.2	31.3	7.5	8.3
Pneumonia	220	188	24	6	12	23.8	28.5	18.3	4.5	8.3
Septicemia	205	161	36	8	14	22.2	24.4	27.5	6.0	9.7
Diabetes Mellitus	173	117	47	7	15	18.7	17.8	35.8	5.2	10.4
Accidents (Total)	149	127	14	8	23	16.1	19.3	10.7	6.0	16.0
Nephritis, Nephrotic Syndrome and Nephrosis	125	93	21	11	3	13.5	14.1	16.0	8.2	2.1
Chronic Liver Diseases including Cirrhosis	53	40	11	2	5	5.7	6.1	8.4	1.5	3.5
Suicide	46	39	4	3	5	5.0	5.9	3.1	2.2	3.5
AIDS	45	17	27	1	4	4.9	2.6	20.6	0.7	2.8
Certain Conditions Originating in the Perinatal Period	34	21	2	11	11	3.7	3.2	1.5	8.2	7.6
Homicide and Legal Intervention	33	15	15	3	10	3.6	2.3	11.4	2.2	6.9
Congenital Anomalies	30	18	8	4	11	3.2	2.7	6.1	3.0	7.6
Gastritis, Enteritis, Colitis, Diverticulitis	20	16	3	1	1	2.2	2.4	2.3	0.7	0.7
Influenza	7	6	1	0	1	0.8	0.9	0.8	0.0	0.7
Complications of Pregnancy, Childbirth, and Puerperium	2	2	0	0	0	0.2	0.3	0.0	0.0	0.0
Sudden Infant Death Syndrome	1	1	0	0	0	0.1	0.2	0.0	0.0	0.0
Tuberculosis	1	1	0	0	0	0.1	0.2	0.0	0.0	0.0
All Other Causes	1,093	901	153	38	68	118.4	136.8	116.7	28.5	47.2

<sup>1</sup>Totals include unknown race.

<sup>2</sup>Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.



**Table 25. Number of Deaths Due to Cardiovascular Diseases by Age Group and Sex, Westchester County, 2005**

Disease Category	Total	Age					Sex	
		0-29	30-49	50-64	65-79	80+	Female	Male
<b>Total</b>	<b>3,077</b>	<b>6</b>	<b>71</b>	<b>270</b>	<b>668</b>	<b>2,062</b>	<b>1,749</b>	<b>1,328</b>
<b>Diseases of the Heart</b>	<b>2,500</b>	<b>2</b>	<b>53</b>	<b>213</b>	<b>542</b>	<b>1,690</b>	<b>1,382</b>	<b>1,118</b>
Ischemic Heart Diseases	1,873	0	26	147	429	1,271	1,029	844
<i>Acute Myocardial Infarction</i>	488	0	12	40	116	320	253	235
<i>Other Ischemic Heart Diseases</i>	1,385	0	14	107	313	951	776	609
Hypertension with Heart Disease	126	0	3	21	28	74	71	55
Pulmonary Circulation Disease	28	0	1	4	9	14	13	15
Chronic Rheumatic Fever	9	0	2	1	2	4	6	3
Acute Rheumatic Fever	0	0	0	0	0	0	0	0
Other Diseases of the Heart	464	2	21	40	74	327	263	201
<b>Other Cardiovascular Diseases</b>	<b>577</b>	<b>4</b>	<b>18</b>	<b>57</b>	<b>126</b>	<b>372</b>	<b>367</b>	<b>210</b>
Cerebrovascular Disease	374	3	16	34	78	243	239	135
Hypertension with or without Renal Disease	79	1	1	4	22	51	52	27
Atherosclerosis	46	0	0	1	3	42	30	16
Other Diseases of the Circulatory System	78	0	1	18	23	36	46	32

Source: New York State Department of Health.

**Table 26. Number of Deaths Due to Cardiovascular Diseases by Race/Ethnicity, Westchester County, 2005**

<b>Disease Category</b>	<b>Total<sup>1</sup></b>	<b>White</b>	<b>Black</b>	<b>Other</b>	<b>Hispanic<sup>2</sup></b>
<b>Total</b>	<b>3,077</b>	<b>2,621</b>	<b>360</b>	<b>93</b>	<b>124</b>
<b>Diseases of the Heart</b>	<b>2,500</b>	<b>2,165</b>	<b>265</b>	<b>68</b>	<b>96</b>
Ischemic Heart Diseases	1,873	1,644	175	52	75
<i>Acute Myocardial Infarction</i>	488	431	44	11	15
<i>Other Ischemic Heart Diseases</i>	1,385	1,213	131	41	60
Hypertension with Heart Disease	126	89	31	6	5
Pulmonary Circulation Disease	28	23	4	1	1
Chronic Rheumatic Fever	9	7	1	1	0
Acute Rheumatic Fever	0	0	0	0	0
Other Diseases of the Heart	464	402	54	8	15
<b>Other Cardiovascular Diseases</b>	<b>577</b>	<b>456</b>	<b>95</b>	<b>25</b>	<b>28</b>
Cerebrovascular Disease	374	298	55	20	19
Hypertension with or without Renal Disease	79	57	18	4	6
Atherosclerosis	46	42	4	0	1
Other Diseases of the Circulatory System	78	59	18	1	2

<sup>1</sup> Totals include unknown race.

<sup>2</sup> Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

**Table 27. Number of Deaths Due to Malignant Neoplasms by Age Group and Sex, Westchester County, 2005**

Disease Category	Total	Age					Sex	
		0-29	30-49	50-64	65-79	80+	Female	Male
<b>Total</b>	<b>2,151</b>	<b>20</b>	<b>136</b>	<b>476</b>	<b>771</b>	<b>748</b>	<b>1,135</b>	<b>1,016</b>
Digestive Organs and Peritoneum	571	1	27	107	205	231	296	275
Respiratory System	502	1	27	122	211	141	233	269
Genital Organs	256	2	19	44	87	104	134	122
Breast	210	0	30	56	59	65	210	0
Lymphatic and Hematopoietic Tissues	203	7	7	42	79	68	102	101
Urinary Organs	114	3	1	25	41	44	27	87
Buccal Cavity and Pharynx	22	0	2	5	4	11	10	12
Other and Unspecified Sites	273	6	23	75	85	84	123	150

Source: New York State Department of Health.

**Table 28. Number of Deaths Due to Malignant Neoplasms by Race/Ethnicity, Westchester County, 2005**

<b>Disease Category</b>	<b>Total<sup>1</sup></b>	<b>White</b>	<b>Black</b>	<b>Other</b>	<b>Hispanic<sup>2</sup></b>
<b>Total</b>	<b>2,151</b>	<b>1,781</b>	<b>287</b>	<b>71</b>	<b>112</b>
Digestive Organs and Peritoneum	571	449	88	30	32
Respiratory System	502	428	58	14	16
Lymphatic and Hematopoietic Tissues	256	205	47	4	8
Genital Organs	210	172	27	9	13
Breast	203	177	25	1	12
Urinary Organs	114	96	14	2	8
Buccal Cavity and Pharynx	22	20	2	0	1
Other and Unspecified Sites	273	234	26	11	22

<sup>1</sup> Totals include deaths of unknown race.

<sup>2</sup> Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

**Table 29. Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2005-2006**

<b>2 0 0 5</b>														
<b>New York State Hospitals</b>	<b>Total</b>		<b>Medical</b>		<b>Surgical</b>		<b>Pediatric</b>		<b>Obstetrical<sup>1</sup></b>		<b>Nursery/Newborn</b>		<b>Psychiatric</b>	
	<b>N</b>	<b>%</b>	<b>N</b>	<b>%</b>	<b>N</b>	<b>%</b>	<b>N</b>	<b>%</b>	<b>N</b>	<b>%</b>	<b>N</b>	<b>%</b>	<b>N</b>	<b>%</b>
<b>Total</b>	<b>126,125</b>	<b>100.0</b>	<b>42,459</b>	<b>100.0</b>	<b>44,172</b>	<b>100.0</b>	<b>4,825</b>	<b>100.0</b>	<b>12,777</b>	<b>100.0</b>	<b>11,528</b>	<b>100.0</b>	<b>10,364</b>	<b>100.0</b>
<b>Westchester County Acute Care Hospitals</b>	<b>100,491</b>	<b>79.7</b>	<b>36,626</b>	<b>86.3</b>	<b>32,831</b>	<b>74.3</b>	<b>3,573</b>	<b>74.1</b>	<b>10,933</b>	<b>85.6</b>	<b>9,837</b>	<b>85.3</b>	<b>6,691</b>	<b>64.6</b>
White Plains Hospital Center	20,322	16.1	7,390	17.4	7,276	16.5	429	8.9	2,719	21.3	2,372	20.6	136	1.3
St. John's Riverside Hospital	14,160	11.2	5,018	11.8	3,324	7.5	370	7.7	1,791	14.0	1,654	14.3	2,003	19.3
Westchester Medical Center	13,404	10.6	2,952	7.0	5,712	12.9	1,731	35.9	830	6.5	628	5.4	1,551	15.0
Northern Westchester Hospital	9,663	7.7	3,260	7.7	3,319	7.5	397	8.2	1,167	9.1	1,220	10.6	300	2.9
Sound Shore Medical Center of Westchester	9,393	7.4	3,343	7.9	2,748	6.2	220	4.6	1,559	12.2	1,403	12.2	120	1.2
Lawrence Hospital Center	8,808	7.0	4,073	9.6	2,542	5.8	161	3.3	1,040	8.1	951	8.2	41	0.4
Phelps Memorial Hospital Center	8,200	6.5	2,862	6.7	2,683	6.1	77	1.6	1,032	8.1	996	8.6	550	5.3
Hudson Valley Hospital Center	5,331	4.2	2,161	5.1	1,764	4.0	43	0.9	720	5.6	613	5.3	30	0.3
St. Josephs Hospital (Yonkers)	5,131	4.1	2,375	5.6	1,530	3.5	135	2.8	30	0.2	0	0.0	1,061	10.2
Mount Vernon Hospital	4,634	3.7	2,236	5.3	1,485	3.4	0	0.0	43	0.3	0	0.0	870	8.4
Community Hospital at Dobbs Ferry	1,406	1.1	926	2.2	439	1.0	10	0.2	2	0.0	0	0.0	29	0.3
New York United Hospital Medical Center <sup>2</sup>	39	0.0	30	0.1	9	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>Westchester County Specialty Hospitals</b>	<b>3,886</b>	<b>3.1</b>	<b>1,223</b>	<b>2.9</b>	<b>1</b>	<b>0.0</b>	<b>44</b>	<b>0.9</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>2,618</b>	<b>25.3</b>
SVCMC - St. Vincents Westchester	1,424	1.1	5	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1,419	13.7
New York Presbyterian Hospital at Westchester Division	1,218	1.0	19	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1,199	11.6
Winifred Masterson Burke Rehabilitation Hospital	1,191	0.9	1,190	2.8	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Blythedale Childrens Hospital	53	0.0	9	0.0	0	0.0	44	0.9	0	0.0	0	0.0	0	0.0
<b>New York County (Manhattan) Hospitals</b>	<b>13,496</b>	<b>10.7</b>	<b>2,093</b>	<b>4.9</b>	<b>8,085</b>	<b>18.3</b>	<b>790</b>	<b>16.4</b>	<b>1,131</b>	<b>8.9</b>	<b>1,080</b>	<b>9.4</b>	<b>317</b>	<b>3.1</b>
New York Presbyterian Hospital at Columbia Presbyterian Center	3,244	2.6	444	1.0	1,935	4.4	378	7.8	220	1.7	203	1.8	64	0.6
New York Presbyterian Hospital at New York Weill Cornell Center	2,021	1.6	244	0.6	1,227	2.8	54	1.1	240	1.9	227	2.0	29	0.3
Mount Sinai Hospital	1,830	1.5	267	0.6	1,165	2.6	58	1.2	155	1.2	158	1.4	27	0.3
Memorial Hospital for Cancer and Allied Diseases	1,246	1.0	363	0.9	852	1.9	29	0.6	0	0.0	0	0.0	2	0.0
Lenox Hill Hospital	1,091	0.9	134	0.3	495	1.1	15	0.3	218	1.7	217	1.9	12	0.1
NYU Hospital Center	987	0.8	159	0.4	471	1.1	76	1.6	140	1.1	133	1.2	8	0.1
Hospital for Special Surgery	871	0.7	18	0.0	815	1.8	38	0.8	0	0.0	0	0.0	0	0.0
Beth Israel Medical Center/Petrie Campus	513	0.4	110	0.3	237	0.5	88	1.8	27	0.2	27	0.2	24	0.2
St. Luke's Roosevelt Hospital Center at Roosevelt Hospital Division	475	0.4	71	0.2	210	0.5	12	0.2	89	0.7	79	0.7	14	0.1
St Luke's Roosevelt Hospital at St. Luke's Hospital Division	337	0.3	43	0.1	221	0.5	12	0.2	3	0.0	2	0.0	56	0.5

(Continued)

**Table 29. Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2005-2006 (cont'd)**

2005														
New York State Hospitals	Total		Medical		Surgical		Pediatric		Obstetrical <sup>1</sup>		Nursery/Newborn		Psychiatric	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
<b>New York County (Manhattan) Hospitals (continued)</b>														
Hospital for Joint Diseases at Orthopaedic Institute Inc.	203	0.2	33	0.1	153	0.3	17	0.4	0	0.0	0	0.0	0	0.0
St. Vincent's Catholic Medical Center	162	0.1	35	0.1	102	0.2	0	0.0	9	0.1	8	0.1	8	0.1
New York Presbyterian Hospital at Allen Pavilion	111	0.1	31	0.1	32	0.1	0	0.0	22	0.2	21	0.2	5	0.0
Beth Israel Medical Center/Herbert & Nell Singer Division	78	0.1	39	0.1	24	0.1	0	0.0	1	0.0	0	0.0	14	0.1
All Other Hospitals	327	0.3	102	0.2	146	0.3	13	0.3	7	0.1	5	0.0	54	0.5
<b>Bronx County Hospitals</b>	<b>5,637</b>	<b>4.5</b>	<b>1,654</b>	<b>3.9</b>	<b>2,321</b>	<b>5.3</b>	<b>361</b>	<b>7.5</b>	<b>551</b>	<b>4.3</b>	<b>477</b>	<b>4.1</b>	<b>273</b>	<b>2.6</b>
Montefiore Medical Center at Henry & Lucy Moses Division	2,371	1.9	620	1.5	1,426	3.2	302	6.3	4	0.0	0	0.0	19	0.2
Montefiore Medical Center at Jack D. Weiler Hospital of A. Einstein College	1,325	1.1	199	0.5	407	0.9	0	0.0	373	2.9	341	3.0	5	0.0
Our Lady of Mercy Medical Center	763	0.6	237	0.6	202	0.5	29	0.6	124	1.0	96	0.8	75	0.7
Jacobi Medical Center	347	0.3	117	0.3	139	0.3	20	0.4	18	0.1	15	0.1	38	0.4
Calvary Hospital Inc.	321	0.3	300	0.7	21	0.0	0	0.0	0	0.0	0	0.0	0	0.0
St. Barnabas Hospital	201	0.2	45	0.1	32	0.1	3	0.1	12	0.1	5	0.0	104	1.0
New York Westchester Square Medical Center	131	0.1	75	0.2	56	0.1	0	0.0	0	0.0	0	0.0	0	0.0
All Other Hospitals	178	0.1	61	0.1	38	0.1	7	0.1	20	0.2	20	0.2	32	0.3
<b>Queens County Hospitals</b>	<b>262</b>	<b>0.2</b>	<b>58</b>	<b>0.1</b>	<b>91</b>	<b>0.2</b>	<b>25</b>	<b>0.5</b>	<b>31</b>	<b>0.2</b>	<b>29</b>	<b>0.3</b>	<b>28</b>	<b>0.3</b>
<b>Kings County (Brooklyn) Hospitals</b>	<b>151</b>	<b>0.1</b>	<b>50</b>	<b>0.1</b>	<b>48</b>	<b>0.1</b>	<b>6</b>	<b>0.1</b>	<b>10</b>	<b>0.1</b>	<b>6</b>	<b>0.1</b>	<b>31</b>	<b>0.3</b>
<b>Richmond County (Staten Island) Hospitals</b>	<b>40</b>	<b>0.0</b>	<b>8</b>	<b>0.0</b>	<b>11</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>1</b>	<b>0.0</b>	<b>1</b>	<b>0.0</b>	<b>19</b>	<b>0.2</b>
<b>Nassau County Hospitals</b>	<b>259</b>	<b>0.2</b>	<b>66</b>	<b>0.2</b>	<b>128</b>	<b>0.3</b>	<b>3</b>	<b>0.1</b>	<b>27</b>	<b>0.2</b>	<b>22</b>	<b>0.2</b>	<b>13</b>	<b>0.1</b>
North Shore University Hospital	134	0.1	29	0.1	70	0.2	1	0.0	18	0.1	16	0.1	0	0.0
All Other Hospitals	125	0.1	37	0.1	58	0.1	2	0.0	9	0.1	6	0.1	13	0.1
<b>Suffolk County Hospitals</b>	<b>48</b>	<b>0.0</b>	<b>17</b>	<b>0.0</b>	<b>19</b>	<b>0.0</b>	<b>3</b>	<b>0.1</b>	<b>2</b>	<b>0.0</b>	<b>1</b>	<b>0.0</b>	<b>6</b>	<b>0.1</b>
<b>Rockland County Hospitals</b>	<b>332</b>	<b>0.3</b>	<b>154</b>	<b>0.4</b>	<b>58</b>	<b>0.1</b>	<b>5</b>	<b>0.1</b>	<b>18</b>	<b>0.1</b>	<b>18</b>	<b>0.2</b>	<b>79</b>	<b>0.8</b>
Nyack Hospital	222	0.2	59	0.1	53	0.1	5	0.1	16	0.1	16	0.1	73	0.7
All Other Hospitals	110	0.1	95	0.2	5	0.0	0	0.0	2	0.0	2	0.0	6	0.1
<b>Putnam County Hospital(s)</b>	<b>1,115</b>	<b>0.9</b>	<b>375</b>	<b>0.9</b>	<b>437</b>	<b>1.0</b>	<b>6</b>	<b>0.1</b>	<b>61</b>	<b>0.5</b>	<b>47</b>	<b>0.4</b>	<b>189</b>	<b>1.8</b>
Putnam Hospital Center	1,115	0.9	375	0.9	437	1.0	6	0.1	61	0.5	47	0.4	189	1.8
<b>Hospitals North of Putnam and Rockland Counties</b>	<b>408</b>	<b>0.3</b>	<b>135</b>	<b>0.3</b>	<b>142</b>	<b>0.3</b>	<b>9</b>	<b>0.2</b>	<b>12</b>	<b>0.1</b>	<b>10</b>	<b>0.1</b>	<b>100</b>	<b>1.0</b>

(Continued)

**Table 29. Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2005-2006 (cont'd)**

2006														
New York State Hospitals	Total		Medical		Surgical		Pediatric		Obstetrical <sup>1</sup>		Nursery/Newborn		Psychiatric	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
<b>Total</b>	<b>117,163</b>	<b>100.0</b>	<b>40,377</b>	<b>100.0</b>	<b>41,773</b>	<b>100.0</b>	<b>4,483</b>	<b>100.0</b>	<b>11,329</b>	<b>100.0</b>	<b>9,594</b>	<b>100.0</b>	<b>9,607</b>	<b>100.0</b>
<b>Westchester County Acute Care Hospitals</b>	<b>91,120</b>	<b>77.8</b>	<b>34,261</b>	<b>84.9</b>	<b>30,046</b>	<b>71.9</b>	<b>3,351</b>	<b>74.7</b>	<b>9,517</b>	<b>84.0</b>	<b>7,987</b>	<b>83.2</b>	<b>5,958</b>	<b>62.0</b>
Westchester Medical Center	14,333	12.2	3,111	7.7	6,246	15.0	1,758	39.2	890	7.9	626	6.5	1,702	17.7
St. John's Riverside Hospital	14,090	12.0	4,958	12.3	3,297	7.9	385	8.6	1,900	16.8	1,703	17.8	1,847	19.2
White Plains Hospital Center	13,446	11.5	4,975	12.3	5,117	12.2	281	6.3	1,711	15.1	1,260	13.1	102	1.1
Lawrence Hospital Center	9,838	8.4	4,593	11.4	3,100	7.4	185	4.1	1,062	9.4	841	8.8	57	0.6
Sound Shore Medical Center of Westchester	9,808	8.4	3,720	9.2	2,705	6.5	263	5.9	1,534	13.5	1,394	14.5	192	2.0
Phelps Memorial Hospital Center	7,826	6.7	2,743	6.8	2,541	6.1	39	0.9	1,002	8.8	956	10.0	545	5.7
Hudson Valley Hospital Center	5,759	4.9	2,556	6.3	1,736	4.2	36	0.8	779	6.9	623	6.5	29	0.3
St. Joseph's Hospital (Yonkers)	4,932	4.2	2,564	6.4	1,461	3.5	167	3.7	29	0.3	0	0.0	711	7.4
Northern Westchester Hospital	4,851	4.1	1,599	4.0	1,716	4.1	223	5.0	571	5.0	584	6.1	158	1.6
Mount Vernon Hospital	4,683	4.0	2,430	6.0	1,619	3.9	0	0.0	33	0.3	0	0.0	601	6.3
Community Hospital at Dobbs Ferry	1,554	1.3	1,012	2.5	508	1.2	14	0.3	6	0.1	0	0.0	14	0.1
<b>Westchester County Specialty Hospitals</b>	<b>3,879</b>	<b>3.3</b>	<b>1,334</b>	<b>3.3</b>	<b>3</b>	<b>0.0</b>	<b>37</b>	<b>0.8</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>2,505</b>	<b>26.1</b>
SVCMC - St. Vincent's Westchester	1354	1.2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1354	14.1
Winifred Masterson Burke Rehabilitation Hospital	1307	1.1	1303	3.2	3	0.0	1	0.0	0	0.0	0	0.0	0	0.0
New York Presbyterian Hospital at Westchester Division	1169	1.0	18	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1151	12.0
Blythedale Childrens Hospital	49	0.0	13	0.0	0	0.0	36	0.8	0	0.0	0	0.0	0	0.0
<b>New York County (Manhattan) Hospitals</b>	<b>13,425</b>	<b>11.5</b>	<b>2,086</b>	<b>5.2</b>	<b>8,332</b>	<b>19.9</b>	<b>701</b>	<b>15.6</b>	<b>1,035</b>	<b>9.1</b>	<b>976</b>	<b>10.2</b>	<b>295</b>	<b>3.1</b>
New York Presbyterian Hospital at Columbia Presbyterian Center	3,523	3.0	418	1.0	2,227	5.3	340	7.6	253	2.2	241	2.5	44	0.5
Mount Sinai Hospital	2,087	1.8	298	0.7	1,390	3.3	47	1.0	166	1.5	162	1.7	24	0.2
Memorial Hospital for Cancer and Allied Diseases	1,382	1.2	383	0.9	972	2.3	27	0.6	0	0.0	0	0.0	0	0.0
New York Presbyterian Hospital at New York Weill Cornell Center	1,301	1.1	150	0.4	827	2.0	30	0.7	148	1.3	125	1.3	21	0.2
Hospital for Special Surgery	994	0.8	16	0.0	940	2.3	38	0.8	0	0.0	0	0.0	0	0.0
NYU Hospital Center	976	0.8	166	0.4	492	1.2	80	1.8	115	1.0	112	1.2	11	0.1
Lenox Hill Hospital	958	0.8	111	0.3	500	1.2	15	0.3	160	1.4	158	1.6	14	0.1
Beth Israel Medical Center/Petrie Campus	531	0.5	128	0.3	232	0.6	94	2.1	21	0.2	23	0.2	33	0.3
St. Luke's Roosevelt Hospital Center at Roosevelt Hospital Division	493	0.4	68	0.2	184	0.4	13	0.3	113	1.0	105	1.1	10	0.1
St. Luke's Roosevelt Hospital at St. Lukes Hospital Division	243	0.2	38	0.1	144	0.3	2	0.0	11	0.1	9	0.1	39	0.4

(Continued)

**Table 29. Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2005-2006 (cont'd)**

2006														
New York State Hospitals	Total		Medical		Surgical		Pediatric		Obstetrical <sup>1</sup>		Nursery/Newborn		Psychiatric	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
<b>New York County (Manhattan) Hospitals (continued)</b>														
Hospital for Joint Diseases at Orthopaedic Institute Inc.	187	0.2	34	0.1	144	0.3	9	0.2	0	0.0	0	0.0	0	0.0
Bellevue Hospital Center	152	0.1	68	0.2	47	0.1	1	0.0	2	0.0	3	0.0	31	0.3
St. Vincent's Catholic Medical Center	147	0.1	30	0.1	73	0.2	1	0.0	19	0.2	17	0.2	7	0.1
New York Presbyterian Hospital at Allen Pavilion	130	0.1	51	0.1	33	0.1	0	0.0	21	0.2	17	0.2	8	0.1
All Other Hospitals	321	0.3	127	0.3	127	0.3	4	0.1	6	0.1	4	0.0	53	0.6
<b>Bronx County Hospitals</b>	<b>5,987</b>	<b>5.1</b>	<b>1,815</b>	<b>4.5</b>	<b>2,415</b>	<b>5.8</b>	<b>351</b>	<b>7.8</b>	<b>592</b>	<b>5.2</b>	<b>481</b>	<b>5.0</b>	<b>333</b>	<b>3.5</b>
Montefiore Medical Center at Henry & Lucy Moses Division	2,454	2.1	611	1.5	1,540	3.7	282	6.3	5	0.0	3	0.0	13	0.1
Montefiore Medical Center at Jack D. Weiler Hospital of A. Einstein College	1,310	1.1	231	0.6	368	0.9	0	0.0	393	3.5	315	3.3	3	0.0
Our Lady of Mercy Medical Center	770	0.7	247	0.6	188	0.5	30	0.7	121	1.1	107	1.1	77	0.8
Jacobi Medical Center	422	0.4	150	0.4	148	0.4	31	0.7	29	0.3	26	0.3	38	0.4
Calvary Hospital Inc.	389	0.3	362	0.9	27	0.1	0	0.0	0	0.0	0	0.0	0	0.0
St. Barnabas Hospital	285	0.2	71	0.2	35	0.1	6	0.1	7	0.1	5	0.1	161	1.7
New York Westchester Square Medical Center	145	0.1	70	0.2	75	0.2	0	0.0	0	0.0	0	0.0	0	0.0
All Other Hospitals	212	0.2	73	0.2	34	0.1	2	0.0	37	0.3	25	0.3	41	0.4
<b>Queens County Hospitals</b>	<b>274</b>	<b>0.2</b>	<b>64</b>	<b>0.2</b>	<b>76</b>	<b>0.2</b>	<b>14</b>	<b>0.3</b>	<b>35</b>	<b>0.3</b>	<b>32</b>	<b>0.3</b>	<b>53</b>	<b>0.6</b>
<b>Kings County (Brooklyn) Hospitals</b>	<b>129</b>	<b>0.1</b>	<b>43</b>	<b>0.1</b>	<b>39</b>	<b>0.1</b>	<b>4</b>	<b>0.1</b>	<b>16</b>	<b>0.1</b>	<b>13</b>	<b>0.1</b>	<b>14</b>	<b>0.1</b>
<b>Richmond County (Staten Island) Hospitals</b>	<b>42</b>	<b>0.0</b>	<b>7</b>	<b>0.0</b>	<b>9</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>1</b>	<b>0.0</b>	<b>1</b>	<b>0.0</b>	<b>24</b>	<b>0.2</b>
<b>Nassau County Hospitals</b>	<b>296</b>	<b>0.3</b>	<b>81</b>	<b>0.2</b>	<b>141</b>	<b>0.3</b>	<b>7</b>	<b>0.2</b>	<b>34</b>	<b>0.3</b>	<b>27</b>	<b>0.3</b>	<b>6</b>	<b>0.1</b>
North Shore University Hospital	140	0.1	30	0.1	62	0.1	5	0.1	24	0.2	19	0.2	0	0.0
All Other Hospitals	156	0.1	51	0.1	79	0.2	2	0.0	10	0.1	8	0.1	6	0.1
<b>Suffolk County Hospitals</b>	<b>68</b>	<b>0.1</b>	<b>19</b>	<b>0.0</b>	<b>29</b>	<b>0.1</b>	<b>5</b>	<b>0.1</b>	<b>3</b>	<b>0.0</b>	<b>3</b>	<b>0.0</b>	<b>9</b>	<b>0.1</b>
<b>Rockland County Hospitals</b>	<b>378</b>	<b>0.3</b>	<b>156</b>	<b>0.4</b>	<b>66</b>	<b>0.2</b>	<b>1</b>	<b>0.0</b>	<b>23</b>	<b>0.2</b>	<b>21</b>	<b>0.2</b>	<b>111</b>	<b>1.2</b>
Nyack Hospital	248	0.2	49	0.1	54	0.1	1	0.0	20	0.2	18	0.2	106	1.1
All Other Hospitals	130	0.1	107	0.3	12	0.0	0	0.0	3	0.0	3	0.0	5	0.1
<b>Putnam County Hospital(s)</b>	<b>1,109</b>	<b>0.9</b>	<b>383</b>	<b>0.9</b>	<b>431</b>	<b>1.0</b>	<b>2</b>	<b>0.0</b>	<b>62</b>	<b>0.5</b>	<b>47</b>	<b>0.5</b>	<b>184</b>	<b>1.9</b>
Putnam Hospital Center	1,109	0.9	383	0.9	431	1.0	2	0.0	62	0.5	47	0.5	184	1.9
<b>Hospitals North of Putnam and Rockland Counties</b>	<b>456</b>	<b>0.4</b>	<b>128</b>	<b>0.3</b>	<b>186</b>	<b>0.4</b>	<b>10</b>	<b>0.2</b>	<b>11</b>	<b>0.1</b>	<b>6</b>	<b>0.1</b>	<b>115</b>	<b>1.2</b>

<sup>1</sup> The obstetrical service category does not include abortions and complications to childbirth requiring surgery.

<sup>2</sup> New York United Hospital Medical Center closed on January 31, 2005.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.



**Table 30. Number of Hospital Discharges and Average Length of Stay by Age and Sex, Westchester County Residents, 2005-2006**

2005										
Age (years)	Total <sup>2</sup>		Female			Female (excluding obstetric service categories)		Male		
	Number of Discharges	Average Length of Stay (days)	Number of Discharges	%	Average Length of Stay (days)	Number of Discharges	Average Length of Stay (days)	Number of Discharges	%	Average Length of Stay (days)
<b>Total</b>	<b>126,125</b>	<b>6.8</b>	<b>71,804</b>	<b>56.9</b>	<b>6.3</b>	<b>59,027</b>	<b>7.1</b>	<b>54,295</b>	<b>43.0</b>	<b>7.3</b>
Newborn <sup>1</sup>	11,528	4.0	5,654	49.1	3.9	5,654	3.9	5,872	50.9	4.1
<1	1,379	7.0	552	40.0	6.7	552	6.7	827	60.0	7.2
1-2	1,038	4.8	456	43.9	4.0	456	4.0	582	56.1	5.4
3-4	537	3.9	251	46.7	4.5	251	4.5	286	53.3	3.3
5-6	424	4.1	164	38.7	4.2	164	4.2	260	61.3	4.0
7-8	425	5.4	188	44.2	4.5	188	4.5	237	55.8	6.2
9-10	351	7.0	138	39.3	4.2	138	4.2	213	60.7	8.8
11-12	446	9.1	190	42.6	8.2	190	8.2	256	57.4	9.8
13-14	689	10.4	336	48.8	9.8	328	10.0	353	51.2	11.0
15-16	872	8.4	491	56.3	8.0	419	8.9	381	43.7	8.9
17-18	1,118	6.8	682	61.0	5.2	334	7.7	436	39.0	9.3
19-20	1,351	6.0	938	69.4	5.0	381	8.1	413	30.6	8.2
21-22	1,483	5.6	1,066	71.9	4.6	400	7.3	417	28.1	8.2
23-24	1,715	5.3	1,206	70.3	4.2	397	6.5	509	29.7	8.0
25-29	5,058	4.7	3,840	75.9	3.6	1,028	5.4	1,217	24.1	8.4
30-34	6,627	4.7	5,249	79.2	4.0	1,352	6.3	1,377	20.8	7.3
35-39	7,152	5.3	4,974	69.5	4.5	2,123	6.3	2,178	30.5	7.0
40-44	6,779	6.3	3,573	52.7	5.7	2,874	6.2	3,206	47.3	7.0
45-49	6,461	6.6	3,269	50.6	6.1	3,220	6.2	3,188	49.4	7.2
50-54	6,794	6.7	3,193	47.0	6.4	3,189	6.4	3,597	53.0	7.0
55-59	7,225	6.8	3,612	50.0	6.7	3,609	6.7	3,610	50.0	6.9
60-64	6,971	7.5	3,325	47.7	7.9	3,323	7.9	3,643	52.3	7.0
65-69	7,157	7.6	3,501	48.9	7.5	3,501	7.5	3,656	51.1	7.7
70-74	8,678	8.2	4,664	53.8	8.2	4,664	8.2	4,012	46.2	8.2
75-79	10,828	8.2	5,916	54.6	8.3	5,916	8.3	4,911	45.4	8.1
80-84	10,359	8.5	5,912	57.1	8.4	5,912	8.4	4,444	42.9	8.7
85 and above	12,680	8.1	8,464	66.8	7.9	8,464	7.9	4,214	33.2	8.5
<b>Total Excluding Newborns</b>	<b>114,597</b>	<b>7.0</b>	<b>66,150</b>	<b>57.7</b>	<b>6.6</b>	--	--	<b>48,423</b>	<b>42.3</b>	<b>7.6</b>
<b>Total Excluding Newborns &amp; Obstetric</b>	<b>101,820</b>	<b>7.5</b>	<b>53,373</b>	<b>52.4</b>	<b>7.4</b>	--	--	<b>48,423</b>	<b>47.6</b>	<b>7.6</b>

(Continued)

**Table 30. Number of Hospital Discharges and Average Length of Stay by Age and Sex, Westchester County Residents, 2005-2006**  
(*cont'd*)

2006										
Age (years)	Total <sup>2</sup>		Female			Female (excluding obstetric service categories)		Male		
	Number of Discharges	Average Length of Stay (days)	Number of Discharges	%	Average Length of Stay (days)	Number of Discharges	Average Length of Stay (days)	Number of Discharges	%	Average Length of Stay (days)
<b>Total</b>	<b>117,163</b>	<b>6.9</b>	<b>65,752</b>	<b>56.1</b>	<b>6.5</b>	<b>54,423</b>	<b>7.2</b>	<b>51,407</b>	<b>43.9</b>	<b>7.5</b>
Newborn <sup>1</sup>	9,594	4.1	4,678	48.8	3.9	4,678	3.9	4,915	51.2	4.3
<1	1,216	6.3	526	43.3	6.2	526	6.2	689	56.7	6.4
1-2	927	4.7	399	43.0	4.0	399	4.0	528	57.0	5.1
3-4	547	3.2	242	44.2	3.2	242	3.2	305	55.8	3.2
5-6	442	3.7	186	42.1	3.2	185	3.2	256	57.9	4.1
7-8	417	5.7	177	42.4	4.1	177	4.1	240	57.6	6.9
9-10	367	8.1	143	39.0	8.4	143	8.4	224	61.0	8.0
11-12	465	10.1	194	41.7	8.5	192	8.6	271	58.3	11.2
13-14	624	10.4	305	48.9	10.0	301	10.1	319	51.1	10.7
15-16	921	7.2	516	56.0	6.8	424	7.6	405	44.0	7.8
17-18	1,193	6.0	723	60.6	5.4	415	6.8	470	39.4	6.9
19-20	1,354	5.4	904	66.8	4.5	353	7.1	450	33.2	7.4
21-22	1,485	3.4	1,050	70.7	4.4	392	6.6	435	29.3	11.2
23-24	1,667	4.8	1,232	73.9	4.2	382	7.1	435	26.1	6.7
25-29	4,770	4.7	3,565	74.7	4.0	994	6.4	1,205	25.3	6.8
30-34	5,787	4.7	4,447	76.8	4.0	1,220	5.7	1,340	23.2	7.3
35-39	6,398	6.2	4,477	70.0	4.8	2,040	6.6	1,921	30.0	9.3
40-44	6,022	6.7	3,228	53.6	6.1	2,640	6.6	2,794	46.4	7.4
45-49	6,420	7.0	3,147	49.0	6.6	3,110	6.6	3,273	51.0	7.4
50-54	6,611	7.0	3,190	48.3	6.5	3,188	6.5	3,420	51.7	7.3
55-59	6,971	7.3	3,300	47.3	7.3	3,299	7.3	3,671	52.7	7.3
60-64	6,902	7.4	3,346	48.5	7.3	3,346	7.3	3,556	51.5	7.5
65-69	7,021	8.0	3,499	49.8	8.5	3,499	8.5	3,522	50.2	7.5
70-74	7,871	8.2	4,012	51.0	8.2	4,012	8.2	3,859	49.0	8.3
75-79	9,822	8.5	5,259	53.5	8.4	5,259	8.4	4,563	46.5	8.6
80-84	9,449	8.3	5,266	55.7	8.3	5,266	8.3	4,183	44.3	8.4
85 and above	11,900	8.2	7,741	65.1	7.9	7,741	7.9	4,158	34.9	8.7
<b>Total Excluding Newborns</b>	<b>107,569</b>	<b>7.2</b>	<b>61,074</b>	<b>56.8</b>	<b>6.7</b>	--	--	<b>46,492</b>	<b>43.2</b>	<b>7.8</b>
<b>Total Excluding Newborns &amp; Obstetric</b>	<b>96,240</b>	<b>7.6</b>	<b>49,745</b>	<b>51.7</b>	<b>7.5</b>	--	--	<b>46,492</b>	<b>48.3</b>	<b>7.8</b>

<sup>1</sup> Only includes newborns delivered in New York State hospitals.

<sup>2</sup> Totals include unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.

**Table 31. Number of Hospital Discharges and Average Length of Stay by Age and Race/Ethnicity, Westchester County Residents, 2005-2006**

2005										
Age (years)	Total <sup>2</sup>		White		Black		Other <sup>3</sup>		Hispanic <sup>4</sup>	
	N	Average Length of Stay (days)	N	Average Length of Stay (days)	N	Average Length of Stay (days)	N	Average Length of Stay (days)	N	Average Length of Stay (days)
<b>Total</b>	<b>126,125</b>	<b>6.1</b>	<b>80,677</b>	<b>6.1</b>	<b>20,930</b>	<b>6.9</b>	<b>17,619</b>	<b>5.9</b>	<b>15,304</b>	<b>5.3</b>
Newborn <sup>1</sup>	11,528	4.0	6,421	4.0	1,447	4.3	2,599	4.0	2,928	3.9
<1	1,379	7.0	715	6.2	162	8.8	438	7.0	398	5.8
1-2	1,038	4.8	549	4.1	153	5.7	287	4.8	268	3.8
3-4	537	3.9	280	4.5	101	3.2	131	3.9	131	5.8
5-6	424	4.1	202	4.0	57	2.8	142	4.1	65	4.1
7-8	425	5.4	197	4.2	101	7.5	116	5.4	98	5.7
9-10	351	7.0	154	5.7	74	11.3	107	7.0	57	6.1
11-12	446	9.1	210	6.3	78	17.3	140	9.1	92	9.9
13-14	689	10.4	290	7.2	184	15.7	181	10.4	104	8.0
15-16	872	8.4	395	7.2	211	12.3	235	8.4	140	6.4
17-18	1,118	6.8	540	6.7	254	7.3	270	6.8	277	6.7
19-20	1,351	6.0	610	6.7	360	5.8	324	6.0	408	4.6
21-22	1,483	5.6	662	5.4	357	6.6	391	5.6	469	3.5
23-24	1,715	5.3	763	5.0	366	7.7	478	5.3	546	3.8
25-29	5,058	4.7	2,382	4.1	985	6.0	1,349	4.7	1,451	4.2
30-34	6,627	4.7	3,591	4.7	1,170	5.7	1,331	4.7	1,275	5.0
35-39	7,152	5.3	3,855	5.0	1,525	6.1	1,302	5.3	1,193	5.4
40-44	6,779	6.3	3,525	6.0	1,881	7.0	1,025	6.3	932	5.4
45-49	6,461	6.6	3,495	6.6	1,714	7.0	946	6.6	756	5.7
50-54	6,794	6.7	4,043	6.8	1,497	7.2	912	6.7	647	5.7
55-59	7,225	6.8	4,546	6.6	1,448	8.0	832	6.8	553	5.9
60-64	6,971	7.5	4,645	7.5	1,182	8.4	784	7.5	610	7.4
65-69	7,157	7.6	4,749	7.5	1,246	8.7	792	7.6	476	7.6
70-74	8,678	8.2	6,338	8.2	1,231	9.1	711	8.2	434	9.0
75-79	10,828	8.2	8,437	8.1	1,159	9.5	750	8.2	413	8.5
80-84	10,359	8.5	8,463	8.4	929	9.2	544	8.5	298	7.4
85 and above	12,680	8.1	10,620	8.0	1,058	8.9	502	8.1	285	7.6
<b>Total Excluding Newborns</b>	<b>114,597</b>	<b>7.0</b>	<b>74,256</b>	<b>7.1</b>	<b>19,483</b>	<b>7.7</b>	<b>15,020</b>	<b>6.2</b>	<b>12,376</b>	<b>5.7</b>
<b>Total Excluding Newborns &amp; Obstetric</b>	<b>101,820</b>	<b>7.5</b>	<b>67,392</b>	<b>7.5</b>	<b>17,653</b>	<b>8.1</b>	<b>12,127</b>	<b>6.9</b>	<b>9,171</b>	<b>6.6</b>

(Continued)

**Table 31. Number of Hospital Discharges and Average Length of Stay by Age and Race/Ethnicity, Westchester County Residents, 2005-2006 (cont'd)**

2006										
Age (years)	Total <sup>2</sup>		White		Black		Other <sup>3</sup>		Hispanic <sup>4</sup>	
	N	Average Length of Stay (days)	N	Average Length of Stay (days)	N	Average Length of Stay (days)	N	Average Length of Stay (days)	N	Average Length of Stay (days)
<b>Total</b>	<b>117,163</b>	<b>6.9</b>	<b>75,509</b>	<b>6.9</b>	<b>21,113</b>	<b>7.7</b>	<b>16,463</b>	<b>6.2</b>	<b>15,683</b>	<b>5.3</b>
Newborn <sup>1</sup>	9,594	4.1	5,373	3.9	1,412	4.1	2,245	4.1	2,888	3.7
<1	1,216	6.3	632	6.2	155	9.1	392	6.3	384	5.7
1-2	927	4.7	472	4.5	151	8.0	270	4.7	294	5.4
3-4	547	3.2	293	3.3	89	2.6	148	3.2	136	3.3
5-6	442	3.7	211	2.9	106	5.7	108	3.7	90	3.4
7-8	417	5.7	233	4.0	65	12.5	109	5.7	75	4.2
9-10	367	8.1	177	4.8	82	17.3	97	8.1	80	7.4
11-12	465	10.1	203	6.8	117	14.8	130	10.1	89	7.0
13-14	624	10.4	277	7.3	148	17.0	178	10.4	108	11.6
15-16	921	7.2	434	5.2	221	12.1	252	7.2	173	6.1
17-18	1,193	6.0	555	5.5	318	6.8	292	6.0	321	4.4
19-20	1,354	5.4	661	5.1	303	5.3	341	5.4	436	5.1
21-22	1,485	3.4	713	6.3	378	7.1	350	6.4	444	4.6
23-24	1,667	4.8	762	4.6	406	6.5	450	4.8	562	3.3
25-29	4,770	4.7	2,276	4.3	1004	5.7	1,274	4.7	1,441	3.7
30-34	5,787	4.7	3,083	4.2	1,125	6.5	1,265	4.7	1,323	4.1
35-39	6,398	6.2	3,486	5.6	1,466	8.7	1,177	6.2	1,105	6.0
40-44	6,022	6.7	3,284	6.5	1,597	7.3	937	6.7	955	6.3
45-49	6,420	7.0	3,537	6.8	1,759	7.2	905	7.0	820	6.5
50-54	6,611	7.0	4,060	6.8	1,547	7.4	805	6.9	730	6.0
55-59	6,971	7.3	4,443	6.9	1,515	8.4	787	7.3	617	6.3
60-64	6,902	7.4	4,453	7.4	1,432	7.9	811	7.4	643	6.4
65-69	7,021	8.0	4,775	7.8	1,306	8.7	706	8.0	496	7.1
70-74	7,871	8.2	5,638	8.3	1,268	8.1	736	8.2	483	9.3
75-79	9,822	8.5	7,732	8.3	1,122	9.2	696	8.5	432	8.0
80-84	9,449	8.3	7,701	8.2	951	9.1	533	8.3	278	7.2
85 and above	11,900	8.2	10,045	8.0	1,070	9.0	469	8.2	280	7.7
<b>Total Excluding Newborns</b>	<b>107,569</b>	<b>7.2</b>	<b>70,136</b>	<b>7.1</b>	<b>19,701</b>	<b>8.0</b>	<b>14,218</b>	<b>6.5</b>	<b>12,795</b>	<b>5.7</b>
<b>Total Excluding Newborns &amp; Obstetric</b>	<b>96,240</b>	<b>7.6</b>	<b>64,015</b>	<b>7.2</b>	<b>17,909</b>	<b>8.1</b>	<b>11,524</b>	<b>6.8</b>	<b>9,539</b>	<b>5.9</b>

<sup>1</sup> Only includes newborns delivered in New York State hospitals.

<sup>2</sup> Totals include unknown race.

<sup>3</sup> Includes Native Americans, Asian, and Pacific Islanders, and Other.

<sup>4</sup> Hispanic is an ethnic group and may be of any race.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.

**Table 32. Number of Hospital Discharges by Principal Diagnosis and All Related Diagnoses, Westchester County Residents, 2005-2006**

2005				
Diagnosis	Principal Diagnosis <sup>1</sup>		All Related Diagnoses <sup>2</sup>	
	Number	%	Number	%
<b>Total</b>	<b>126,125</b>	<b>100.0</b>	<b>126,125</b>	...
Circulatory System	18,875	15.0	63,398	50.3
Digestive System	10,431	8.3	26,763	21.2
Mental Disorders	10,364	8.2	28,975	23.0
Respiratory System	9,436	7.5	29,729	23.6
<i>Asthma</i>	1,256	1.0	7,012	5.6
Neoplasms	7,925	6.3	16,029 <sup>3</sup>	12.7
<i>Malignant</i>	6,138	4.9	12,274	9.7
<i>Benign</i>	1,431	1.1	2,861	2.3
<i>Carcinoma in Situ &amp; Uncertain</i>	356	0.3	894	0.7
Injury and Poisoning	6,204 <sup>4</sup>	4.9	8,404 <sup>5</sup>	6.7
Musculoskeletal System and Connective Tissue	6,118	4.9	19,790	15.7
Genitourinary System	4,817	3.8	24,683	19.6
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	4,491	3.6	51,998	41.2
<i>Diabetes Mellitus</i>	1,706	1.4	19,925	15.8
Infectious and Parasitic Diseases	3,535	2.8	14,765	11.7
<i>HIV and AIDS</i>	226	0.2	1,282 <sup>6</sup>	1.0
Nervous System and Sensory Organs	1,903	1.5	15,044	11.9
Skin & Subcutaneous Tissue	1,902	1.5	9,181	7.3
Blood and Blood-Forming Organs	1,489	1.2	21,141	16.8
Congenital Anomalies	403	0.3	2,327	1.8
Conditions Originating in the Perinatal Period	309	0.2	4,931	3.9
Symptoms, Signs, and Ill-defined Conditions	7,342	5.8	29,578	23.5
Medical Misadventure, Abnormal Reaction, & Late Effects	3,302 <sup>4</sup>	2.6	8,974 <sup>5</sup>	7.1
Supplementary Classifications - Other	2,890	2.3	57,981	46.0
Complications of Pregnancy, Childbirth and Puerperium	12,861 <sup>7</sup>	10.2	12,895	10.2
Supplementary Classifications - Newborns	11,528	9.1	11,528	9.1

(continued)

**Table 32. Number of Hospital Discharges by Principal Diagnosis and All Related Diagnoses, Westchester County Residents, 2005-2006 (cont'd)**

Diagnosis	2006			
	Principal Diagnosis <sup>1</sup>		All Related Diagnoses <sup>2</sup>	
	Number	%	Number	%
<b>Total</b>	<b>117,163</b>	<b>100.0</b>	<b>117,163</b>	<b>..</b>
Circulatory System	17,946	15.3	60,573	51.7
Digestive System	9,714	8.3	26,695	22.8
Mental Disorders	9,607	8.2	29,036	24.8
Respiratory System	8,538	7.3	28,591	24.4
<i>Asthma</i>	1,344	1.1	7,459	6.4
Neoplasms	7,328	6.3	15,103 <sup>3</sup>	12.9
<i>Malignant</i>	5,718	4.9	11,661	10.0
<i>Benign</i>	1,291	1.1	2,617	2.2
<i>Carcinoma in Situ &amp; Uncertain</i>	319	0.3	825	0.7
Injury and Poisoning	5,947 <sup>4</sup>	5.1	8,049 <sup>5</sup>	6.9
Musculoskeletal System and Connective Tissue	5,864	5.0	18,835	16.1
Genitourinary System	4,581	3.9	26,037	22.2
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	4,145	3.5	50,953	43.5
<i>Diabetes Mellitus</i>	1,564	1.3	19,535	16.7
Infectious and Parasitic Diseases	3,664	3.1	14,375	12.3
<i>HIV and AIDS</i>	270	0.2	1,374 <sup>6</sup>	1.2
Nervous System and Sensory Organs	2,026	1.7	14,922	12.7
Skin & Subcutaneous Tissue	1,889	1.6	8,767	7.5
Blood and Blood-Forming Organs	1,521	1.3	20,206	17.2
Congenital Anomalies	408	0.3	2,214	1.9
Conditions Originating in the Perinatal Period	252	0.2	4,285	3.7
Symptoms, Signs, and Ill-defined Conditions	6,870	5.9	28,494	24.3
Medical Misadventure, Abnormal Reaction, & Late Effects	3,045 <sup>4</sup>	2.6	8,758 <sup>5</sup>	7.5
Supplementary Classifications - Other	2,823	2.4	57,000	48.7
Complications of Pregnancy, Childbirth and Puerperium	11,401 <sup>7</sup>	9.7	11,431	9.8
Supplementary Classifications - Newborns	9,594	8.2	9,594	8.2

<sup>1</sup> The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care, as defined by ICD-9 Numerical Codes. Although the principal diagnosis represents the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. The principal diagnosis reflects clinical findings discovered during the patient's stay, therefore it may differ from admitting diagnosis.

<sup>2</sup> Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. Diagnoses that related to an earlier episode which had no bearing on the current hospital stay were excluded. A patient may be included in more than one category.

<sup>3</sup> Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemo-therapy and radio-therapy is also included). Diagnoses that were related to an earlier episode which had no bearing on the current hospital stay were excluded.

<sup>4</sup> Defined by ICD-9 Numerical Codes and E Codes.

<sup>5</sup> Including cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recording an external code (E-Code) are: a) principal diagnosis of an injury or poisoning, b) other diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis, and c) other diagnosis with an external cause. Only the first E-Code is recorded in this item.

<sup>6</sup> Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. In addition, it included any V-class coding as V0.80 and any of the variables for current, new or past New York State diagnosis-related groupings in the range of 700 to 716 or any current, new or past federal diagnosis-related groupings in the range of 488 to 490.

<sup>7</sup> Defined by ICD-9 numerical codes for pregnancy, childbirth, and puerperium. Includes codes for abortion and complications in childbirth requiring surgery.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.

**Table 33. Number of Hospital Discharges by Principal Diagnosis and Age, Westchester County Residents, 2005-2006**

2005																	
Principal Diagnosis <sup>1</sup>	Total <sup>2</sup>	<1 <sup>3</sup>		1-12		13-17		18-34		35-49		50-64		65-74		75 +	
		N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
<b>Total</b>	<b>126,125</b>	<b>1,379</b>	<b>100.0</b>	<b>3,221</b>	<b>100.0</b>	<b>2,112</b>	<b>100.0</b>	<b>16,801</b>	<b>100.0</b>	<b>20,392</b>	<b>100.0</b>	<b>20,990</b>	<b>100.0</b>	<b>15,835</b>	<b>100.0</b>	<b>33,867</b>	<b>100.0</b>
Circulatory System	18,875	12	0.9	46	1.4	41	1.9	288	1.7	1,458	7.1	4,114	19.6	4,072	25.7	8,844	26.1
Digestive System	10,431	89	6.5	332	10.3	204	9.7	955	5.7	1,768	8.7	2,270	10.8	1,581	10.0	3,232	9.5
Mental Disorders	10,364	0	0.0	191	5.9	661	31.3	2,503	14.9	4,414	21.6	1,755	8.4	383	2.4	457	1.3
Respiratory System	9,436	352	25.5	732	22.7	108	5.1	377	2.2	749	3.7	1,372	6.5	1,483	9.4	4,263	12.6
<i>Asthma</i>	1,256	26	1.9	307	9.5	30	1.4	132	0.8	242	1.2	246	1.2	108	0.7	165	0.5
Neoplasms (including benign)	7,925	4	0.3	82	2.5	36	1.7	240	1.4	1,509	7.4	2,193	10.4	1,569	9.9	2,292	6.8
<i>Malignant Neoplasms</i>	6,138	0	0.0	55	1.7	20	0.9	125	0.7	758	3.7	1,777	8.5	1,378	8.7	2,025	6.0
Injury and Poisoning	6,204	41	3.0	280	8.7	222	10.5	788	4.7	815	4.0	787	3.7	590	3.7	2,681	7.9
Musculoskeletal System and Connective Tissue	6,118	4	0.3	80	2.5	93	4.4	286	1.7	1,021	5.0	1,732	8.3	1,222	7.7	1,680	5.0
Genitourinary System	4,817	60	4.4	104	3.2	58	2.7	436	2.6	831	4.1	924	4.4	699	4.4	1,705	5.0
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	4,491	73	5.3	303	9.4	67	3.2	318	1.9	746	3.7	890	4.2	658	4.2	1,436	4.2
<i>Diabetes Mellitus</i>	1,706	0	0.0	49	1.5	35	1.7	124	0.7	315	1.5	412	2.0	353	2.2	418	1.2
Infectious and Parasitic Diseases	3,535	100	7.3	136	4.2	47	2.2	207	1.2	395	1.9	589	2.8	599	3.8	1,462	4.3
<i>HIV and AIDS</i>	226	0	0.0	4	0.1	6	0.3	20	0.1	116	0.6	71	0.3	9	0.1	0	0.0
Nervous System and Sensory Organs	1,903	43	3.1	196	6.1	71	3.4	198	1.2	308	1.5	308	1.5	257	1.6	522	1.5
Skin & Subcutaneous Tissue	1,902	23	1.7	70	2.2	38	1.8	174	1.0	340	1.7	454	2.2	254	1.6	549	1.6
Blood and Blood-Forming Organs	1,489	6	0.4	109	3.4	50	2.4	209	1.2	188	0.9	242	1.2	171	1.1	514	1.5
Congenital Anomalies	403	120	8.7	129	4.0	31	1.5	30	0.2	38	0.2	30	0.1	15	0.1	10	0.0
Conditions Originating in the Perinatal Period	309	306	22.2	3	0.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Symptoms, Signs, and Ill-defined Conditions	7,342	115	8.3	239	7.4	81	3.8	433	2.6	1,357	6.7	1,813	8.6	1,084	6.8	2,220	6.6
Medical Misadventure, Abnormal Reactions, & Late Effects	3,302	12	0.9	78	2.4	46	2.2	171	1.0	473	2.3	861	4.1	679	4.3	982	2.9
Supplementary Classifications - Other	2,890	19	1.4	111	3.4	31	1.5	184	1.1	361	1.8	647	3.1	519	3.3	1,018	3.0
Complications of Pregnancy, Childbirth and Puerperium	12,861 <sup>4</sup>	0	0.0	0	0.0	227	10.7	9,004	53.6	3,621	17.8	9	0.0	0	0.0	0	0.0
Supplementary Classifications - Newborns	11,528	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

(continued)

**Table 33. Number of Hospital Discharges by Principal Diagnosis and Age, Westchester County Residents, 2005-2006 (cont'd)**

2006																	
Principal Diagnosis <sup>1</sup>	Total <sup>2</sup>	<1 <sup>3</sup>		1-12		13-17		18-34		35-49		50-64		65-74		75 +	
		N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
<b>Total</b>	<b>117,163</b>	<b>1,216</b>	<b>100.0</b>	<b>3,165</b>	<b>100.0</b>	<b>2,123</b>	<b>100.0</b>	<b>15,678</b>	<b>100.0</b>	<b>18,840</b>	<b>100.0</b>	<b>20,484</b>	<b>100.0</b>	<b>14,892</b>	<b>100.0</b>	<b>31,171</b>	<b>100.0</b>
Circulatory System	17,946	8	0.7	30	0.9	21	1.0	282	1.8	1,529	8.1	4,005	19.6	3,837	25.8	8,234	26.4
Digestive System	9,714	75	6.2	272	8.6	244	11.5	920	5.9	1,673	8.9	2,154	10.5	1,355	9.1	3,021	9.7
Mental Disorders	9,607	2	0.2	235	7.4	692	32.6	2,235	14.3	3,861	20.5	1,776	8.7	387	2.6	419	1.3
Respiratory System	8,538	329	27.1	691	21.8	108	5.1	368	2.3	751	4.0	1,429	7.0	1,381	9.3	3,481	11.2
<i>Asthma</i>	1,344	30	2.5	299	9.4	26	1.2	137	0.9	245	1.3	303	1.5	145	1.0	159	0.5
Neoplasms (including benign)	7,328	8	0.7	60	1.9	32	1.5	266	1.7	1,377	7.3	2,095	10.2	1,505	10.1	1,985	6.4
<i>Malignant Neoplasms</i>	5,718	1	0.1	51	1.6	16	0.8	140	0.9	689	3.7	1,737	8.5	1,327	8.9	1,757	5.6
Injury and Poisoning	5,947	19	1.6	264	8.3	227	10.7	868	5.5	796	4.2	774	3.8	603	4.0	2,396	7.7
Musculoskeletal System and Connective Tissue	5,864	0	0.0	86	2.7	84	4.0	322	2.1	930	4.9	1,617	7.9	1,237	8.3	1,588	5.1
Genitourinary System	4,581	61	5.0	92	2.9	67	3.2	363	2.3	755	4.0	859	4.2	687	4.6	1,697	5.4
Endocrine,Nutritional,Metabolic,and Immunologic Disorders	4,145	68	5.6	300	9.5	59	2.8	299	1.9	655	3.5	915	4.5	561	3.8	1,288	4.1
<i>Diabetes Mellitus</i>	1,564	1	0.1	56	1.8	26	1.2	116	0.7	283	1.5	405	2.0	269	1.8	408	1.3
Infectious and Parasitic Diseases	3,664	80	6.6	137	4.3	43	2.0	197	1.3	490	2.6	639	3.1	531	3.6	1,547	5.0
<i>HIV and AIDS</i>	270	0	0.0	1	0.0	4	0.2	36	0.2	133	0.7	79	0.4	12	0.1	5	0.0
Nervous System and Sensory Organs	2,026	40	3.3	252	8.0	67	3.2	206	1.3	311	1.7	342	1.7	230	1.5	578	1.9
Skin & Subcutaneous Tissue	1,889	20	1.6	86	2.7	33	1.6	213	1.4	367	1.9	424	2.1	242	1.6	504	1.6
Blood and Blood-Forming Organs	1,521	8	0.7	104	3.3	45	2.1	265	1.7	223	1.2	255	1.2	194	1.3	427	1.4
Congenital Anomalies	408	111	9.1	130	4.1	32	1.5	40	0.3	42	0.2	41	0.2	4	0.0	8	0.0
Conditions Originating in the Perinatal Period	252	251	20.6	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Symptoms, Signs, and Ill-defined Conditions	6,870	108	8.9	230	7.3	88	4.1	395	2.5	1,204	6.4	1,666	8.1	997	6.7	2,182	7.0
Medical Misadventure, Abnormal Reactions, & Late Effects	3,045	12	1.0	74	2.3	39	1.8	162	1.0	451	2.4	821	4.0	594	4.0	892	2.9
Supplementary Classifications - Other	2,823	16	1.3	118	3.7	27	1.3	181	1.2	341	1.8	669	3.3	547	3.7	924	3.0
Complications of Pregnancy, Childbirth and Puerperium	11,401 <sup>4</sup>	0	0.0	3	0.1	215	10.1	8,096	51.6	3,084	16.4	3	0.0	0	0.0	0	0.0
Supplementary Classifications - Newborns	9,594	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

<sup>1</sup>The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care. Because the principal diagnosis represents the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. Furthermore, the principal diagnosis reflects clinical findings discovered during the patient's stay, therefore it may differ from admitting diagnosis.

<sup>2</sup>Totals include newborns.

<sup>3</sup>"Under one year of age" category excludes newborns.

<sup>4</sup>Defined by ICD-9 numerical codes for pregnancy, childbirth, and puerperium. Includes codes for abortion and complications in childbirth requiring surgery.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.



**Table 34. Number of Hospital Discharges by Principal Diagnosis and Sex, Westchester County Residents, 2005-2006**

<b>2005</b>					
<b>Principal Diagnosis<sup>1</sup></b>	<b>Total<sup>2</sup></b>	<b>Female</b>		<b>Male</b>	
		<b>Number</b>	<b>%</b>	<b>Number</b>	<b>%</b>
<b>Total</b>	<b>126,125</b>	<b>71,804</b>	<b>100.0</b>	<b>54,295</b>	<b>100.0</b>
Circulatory System	18,875	8,949	12.5	9,922	18.3
Digestive System	10,431	5,784	8.1	4,646	8.6
Mental Disorders	10,364	4,177	5.8	6,185	11.4
Respiratory System	9,436	5,003	7.0	4,429	8.2
<i>Asthma</i>	1,256	779	1.1	476	0.9
Neoplasms (including benign)	7,925	4,766	6.6	3,158	5.8
<i>Malignant Neoplasms</i>	6,138	3,332	4.6	2,805	5.2
Injury and Poisoning	6,204	3,421	4.8	2,782	5.1
Musculoskeletal System and Connective Tissue	6,118	3,518	4.9	2,593	4.8
Genitourinary System	4,817	2,790	3.9	2,027	3.7
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	4,491	2,548	3.5	1,942	3.6
<i>Diabetes Mellitus</i>	1,706	798	1.1	908	1.7
Infectious and Parasitic Diseases	3,535	1,881	2.6	1,653	3.0
<i>HIV and AIDS</i>	226	90	0.1	136	0.3
Nervous System and Sensory Organs	1,903	1,054	1.5	849	1.6
Skin & Subcutaneous Tissue	1,902	978	1.4	924	1.7
Blood and Blood-Forming Organs	1,489	871	1.2	618	1.1
Congenital Anomalies	403	177	0.2	226	0.4
Conditions Originating in the Perinatal Period	309	125	0.2	184	0.3
Symptoms, Signs, and Ill-defined Conditions	7,342	4,064	5.7	3,277	6.0
Medical Misadventure, Abnormal Reactions, & Late Effects	3,302	1,689	2.4	1,613	3.0
Supplementary Classifications - Other	2,890	1,494	2.1	1,395	2.6
Complications of Pregnancy, Childbirth and Puerperium <sup>3</sup>	12,861	12,861	17.9	0	0.0
Supplementary Classifications - Newborns	11,528	5,654	7.9	5,872	10.8

(continued)

**Table 34. Number of Hospital Discharges by Principal Diagnosis and Sex, Westchester County Residents, 2005-2006 (cont'd)**

2006					
Principal Diagnosis <sup>1</sup>	Total <sup>2</sup>	Female		Male	
		Number	%	Number	%
<b>Total</b>	<b>117,163</b>	<b>64,043</b>	<b>100.0</b>	<b>50,214</b>	<b>100.0</b>
Circulatory System	17,946	8,283	12.9	9,662	19.2
Digestive System	9,714	5,305	8.3	4,409	8.8
Mental Disorders	9,607	3,934	6.1	5,673	11.3
Respiratory System	8,538	4,439	6.9	4,098	8.2
<i>Asthma</i>	1,344	838	1.3	506	1.0
Neoplasms (including benign)	7,328	4,251	6.6	3,077	6.1
<i>Malignant Neoplasms</i>	5,718	2,944	4.6	2,774	5.5
Injury and Poisoning	5,947	1,484	2.3	1,561	3.1
Musculoskeletal System and Connective Tissue	5,864	3,369	5.3	2,495	5.0
Genitourinary System	4,581	2,651	4.1	1,930	3.8
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	4,145	2,321	3.6	1,824	3.6
<i>Diabetes Mellitus</i>	1,564	728	1.1	836	1.7
Infectious and Parasitic Diseases	3,664	1,918	3.0	1,746	3.5
<i>HIV and AIDS</i>	270	117	0.2	153	0.3
Nervous System and Sensory Organs	2,026	1,104	1.7	921	1.8
Skin & Subcutaneous Tissue	1,889	924	1.4	965	1.9
Blood and Blood-Forming Organs	1,521	901	1.4	620	1.2
Congenital Anomalies	408	186	0.3	222	0.4
Conditions Originating in the Perinatal Period	252	101	0.2	151	0.3
Symptoms, Signs, and Ill-defined Conditions	6,870	3,830	6.0	3,040	6.1
Medical Misadventure, Abnormal Reactions, & Late Effects	3,045	1,484	2.3	1,561	3.1
Supplementary Classifications - Other	2,823	1,479	2.3	1,344	2.7
Complications of Pregnancy, Childbirth and Puerperium <sup>3</sup>	11,401	11,401	17.8	0	0.0
Supplementary Classifications - Newborns	9,594	4,678	7.3	4,915	9.8

<sup>1</sup> The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care. Because the principal diagnosis represents the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. Furthermore, the principal diagnosis reflects clinical findings discovered during the patient's stay, therefore it may differ from admitting diagnosis.

<sup>2</sup> Totals include unknown sex.

<sup>3</sup> Defined by ICD-9 numerical codes for pregnancy, childbirth, and puerperium. Includes codes for abortion and complications in childbirth requiring surgery.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.

**Table 35. Number of Hospital Discharges by Principal Diagnosis and Race/Ethnicity, Westchester County Residents, 2005-2006**

2005									
Principal Diagnosis <sup>1</sup>	Total <sup>2</sup>	White		Black		Other <sup>3</sup>		Hispanic <sup>4</sup>	
		N	%	N	%	N	%	N	%
<b>Total</b>	<b>126,125</b>	<b>80,677</b>	<b>100.0</b>	<b>20,930</b>	<b>100.0</b>	<b>17,709</b>	<b>100.0</b>	<b>15,304</b>	<b>100.0</b>
Circulatory System	18,875	12,872	16.0	2,928	14.0	1,991	11.2	1,089	7.1
Digestive System	10,431	7,233	9.0	1,558	7.4	1,277	7.2	1,197	7.8
Mental Disorders	10,364	5,318	6.6	3,134	15.0	1,672	9.4	1,392	9.1
Respiratory System	9,436	6,544	8.1	1,542	7.4	1,046	5.9	916	6.0
<i>Asthma</i>	<i>1,256</i>	<i>532</i>	<i>0.7</i>	<i>417</i>	<i>2.0</i>	<i>290</i>	<i>1.6</i>	<i>268</i>	<i>1.8</i>
Neoplasms (including benign)	7,925	5,634	7.0	1,137	5.4	845	4.8	464	3.0
<i>Malignant Neoplasms</i>	<i>6,138</i>	<i>4,598</i>	<i>5.7</i>	<i>726</i>	<i>3.5</i>	<i>594</i>	<i>3.4</i>	<i>304</i>	<i>2.0</i>
Injury and Poisoning	6,204	4,371	5.4	696	3.3	847	4.8	523	3.4
Musculoskeletal System and Connective Tissue	6,118	4,266	5.3	707	3.4	520	2.9	346	2.3
Genitourinary System	4,817	3,300	4.1	680	3.2	657	3.7	590	3.9
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	4,491	2,752	3.4	1,005	4.8	520	2.9	442	2.9
<i>Diabetes Mellitus</i>	<i>1,706</i>	<i>910</i>	<i>1.1</i>	<i>560</i>	<i>2.7</i>	<i>206</i>	<i>1.2</i>	<i>209</i>	<i>1.4</i>
Infectious and Parasitic Diseases	3,535	2,337	2.9	684	3.3	394	2.2	350	2.3
<i>HIV and AIDS</i>	<i>226</i>	<i>59</i>	<i>0.1</i>	<i>121</i>	<i>0.6</i>	<i>43</i>	<i>0.2</i>	<i>29</i>	<i>0.2</i>
Nervous System and Sensory Organs	1,903	1,211	1.5	311	1.5	269	1.5	187	1.2
Skin & Subcutaneous Tissue	1,902	1,291	1.6	295	1.4	234	1.3	215	1.4
Blood and Blood-Forming Organs	1,489	838	1.0	469	2.2	139	0.8	119	0.8
Congenital Anomalies	403	233	0.3	42	0.2	96	0.5	57	0.4
Conditions Originating in the Perinatal Period	309	154	0.2	26	0.1	109	0.6	92	0.6
Symptoms, Signs, and Ill-defined Conditions	7,342	4,738	5.9	1,408	6.7	929	5.2	755	4.9
Medical Misadventure, Abnormal Reactions, & Late Effects	3,302	2,198	2.7	650	3.1	292	1.6	228	1.5
Supplementary Classifications - Other	2,890	2,081	2.6	350	1.7	349	2.0	192	1.3
Complications of Pregnancy, Childbirth and Puerperium <sup>5</sup>	12,861	6,885	8.5	1,861	8.9	2,924	16.5	3,222	21.1
Supplementary Classifications - Newborns	11,528	6,421	8.0	1,447	6.9	2,599	14.7	2,928	19.1

(continued)

**Table 35. Number of Hospital Discharges by Principal Diagnosis and Race/Ethnicity, Westchester County Residents, 2005-2006 (cont'd)**

2006									
Principal Diagnosis <sup>1</sup>	Total <sup>2</sup>	White		Black		Other <sup>3</sup>		Hispanic <sup>4</sup>	
		N	%	N	%	N	%	N	%
<b>Total</b>	<b>117,163</b>	<b>75,509</b>	<b>100.0</b>	<b>21,113</b>	<b>100.0</b>	<b>16,772</b>	<b>100.0</b>	<b>15,683</b>	<b>100.0</b>
Circulatory System	17,946	12,373	16.4	2,982	14.1	1,823	10.9	1,144	7.3
Digestive System	9,714	6,708	8.9	1,579	7.5	1,234	7.4	1,310	8.4
Mental Disorders	9,607	5,053	6.7	2,816	13.3	1,613	9.6	1,324	8.4
Respiratory System	8,538	5,763	7.6	1,608	7.6	1,025	6.1	966	6.2
<i>Asthma</i>	<i>1,344</i>	<i>548</i>	<i>0.7</i>	<i>487</i>	<i>2.3</i>	<i>309</i>	<i>1.8</i>	<i>306</i>	<i>2.0</i>
Neoplasms (including benign)	7,328	5,123	6.8	1,210	5.7	995	5.9	547	3.5
<i>Malignant Neoplasms</i>	<i>5,718</i>	<i>4,223</i>	<i>5.6</i>	<i>778</i>	<i>3.7</i>	<i>717</i>	<i>4.3</i>	<i>371</i>	<i>2.4</i>
Injury and Poisoning	5,947	4,146	5.5	717	3.4	935	5.6	558	3.6
Musculoskeletal System and Connective Tissue	5,864	4,365	5.8	789	3.7	445	2.7	343	2.2
Genitourinary System	4,581	3,134	4.2	760	3.6	577	3.4	560	3.6
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	4,145	2,542	3.4	1,060	5.0	438	2.6	447	2.9
<i>Diabetes Mellitus</i>	<i>1,564</i>	<i>775</i>	<i>1.0</i>	<i>591</i>	<i>2.8</i>	<i>198</i>	<i>1.2</i>	<i>186</i>	<i>1.2</i>
Infectious and Parasitic Diseases	3,664	2,443	3.2	771	3.7	365	2.2	344	2.2
<i>HIV and AIDS</i>	<i>270</i>	<i>84</i>	<i>0.1</i>	<i>136</i>	<i>0.6</i>	<i>50</i>	<i>0.3</i>	<i>62</i>	<i>0.4</i>
Nervous System and Sensory Organs	2,026	1,323	1.8	328	1.6	291	1.7	211	1.3
Skin & Subcutaneous Tissue	1,889	1,285	1.7	322	1.5	240	1.4	239	1.5
Blood and Blood-Forming Organs	1,521	810	1.1	533	2.5	144	0.9	128	0.8
Congenital Anomalies	408	242	0.3	59	0.3	84	0.5	73	0.5
Conditions Originating in the Perinatal Period	252	127	0.2	33	0.2	77	0.5	64	0.4
Symptoms, Signs, and Ill-defined Conditions	6,870	4,341	5.7	1,462	6.9	905	5.4	800	5.1
Medical Misadventure, Abnormal Reactions, & Late Effects	3,045	2,129	2.8	498	2.4	306	1.8	261	1.7
Supplementary Classifications - Other	2,823	2,089	2.8	359	1.7	308	1.8	209	1.3
Complications of Pregnancy, Childbirth and Puerperium <sup>5</sup>	11,401	6,140	8.1	1,815	8.6	2,722	16.2	3,267	20.8
Supplementary Classifications - Newborns	9,594	5,373	7.1	1,412	6.7	2,245	13.4	2,888	18.4

<sup>1</sup> The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care. Because the principal diagnosis represents the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. Furthermore, the principal diagnosis reflects clinical findings discovered during the patient's stay, therefore it may differ from admitting diagnosis.

<sup>2</sup> Totals include cases of unknown race.

<sup>3</sup> Includes Native Americans, Asian and Pacific Islanders, and Other.

<sup>4</sup> Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

<sup>5</sup> Defined by ICD-9 numerical codes for pregnancy, childbirth, and puerperium. Includes codes for abortion and complications in childbirth requiring surgery.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.

**Table 36. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age, Westchester County Residents, 2005-2006**

2005																											
Principal Diagnosis	Number of Discharges												Average Length of Stay (days)														
	Total	<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+	
		N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%										
<b>Total</b>	<b>18,875</b>	<b>12</b>	<b>100.0</b>	<b>46</b>	<b>100.0</b>	<b>41</b>	<b>100.0</b>	<b>288</b>	<b>100.0</b>	<b>1,458</b>	<b>100.0</b>	<b>4,114</b>	<b>100.0</b>	<b>4,072</b>	<b>100.0</b>	<b>8,844</b>	<b>100.0</b>	<b>6.1</b>	<b>4.1</b>	<b>5.2</b>	<b>6.5</b>	<b>4.7</b>	<b>4.7</b>	<b>5.1</b>	<b>5.9</b>	<b>7.1</b>	
<b>Diseases of the Heart</b>																											
Ischemic Heart Disease	5,779	0	0.0	0	0.0	0	0.0	24	8.3	495	34.0	1,680	40.8	1,491	36.6	2,089	23.6	4.5	0.0	0.0	0.0	4.0	3.0	3.3	4.5	5.8	
<i>Acute Myocardial Infarction</i>	1,984	0	0.0	0	0.0	0	0.0	14	4.9	139	9.5	479	11.6	416	10.2	936	10.6	6.9	0.0	0.0	0.0	4.9	4.7	4.9	7.4	8.0	
<i>Other Ischemic Heart Disease</i>	3,795	0	0.0	0	0.0	0	0.0	10	3.5	356	24.4	1,201	29.2	1,075	26.4	1,153	13.0	3.3	0.0	0.0	0.0	2.8	2.3	2.7	3.4	4.0	
Hypertension with Heart Disease	315	0	0.0	0	0.0	0	0.0	5	1.7	28	1.9	54	1.3	65	1.6	163	1.8	8.2	0.0	0.0	0.0	3.0	4.8	10.3	8.0	9.6	
Pulmonary Circulation Disease	366	0	0.0	0	0.0	1	2.4	15	5.2	51	3.5	82	2.0	76	1.9	141	1.6	8.1	0.0	0.0	3.0	6.0	8.6	6.7	9.0	8.5	
Chronic Rheumatic Fever	92	0	0.0	0	0.0	1	2.4	1	0.3	4	0.3	12	0.3	15	0.4	59	0.7	10.3	0.0	0.0	12.0	3.0	12.5	12.8	12.7	9.3	
Acute Rheumatic Fever	5	0	0.0	1	2.2	0	0.0	0	0.0	1	0.1	3	0.1	0	0.0	0	0.0	5.8	0.0	3.0	0.0	0.0	8.0	6.0	0.0	0.0	
Other Diseases of the Heart	6,293	3	25.0	13	28.3	21	51.2	97	33.7	379	26.0	1,055	25.6	1,203	29.5	3,522	39.8	6.9	6.0	2.8	7.1	3.2	5.0	6.1	6.7	7.1	
<b>Other Cardiovascular Diseases</b>																											
Cerebrovascular Disease	3,203	2	16.7	10	21.7	4	9.8	32	11.1	166	11.4	616	15.0	665	16.3	1,708	19.3	8.6	5.5	13.3	5.3	7.3	8.0	9.3	7.8	8.7	
Hypertension with or without Renal Disease	677	0	0.0	2	4.3	3	7.3	46	16.0	156	10.7	189	4.6	108	2.7	173	2.0	6.6	0.0	2.5	4.3	5.5	7.6	5.4	7.8	6.6	
Arteriosclerosis	453	0	0.0	0	0.0	0	0.0	2	0.7	7	0.5	67	1.6	122	3.0	255	2.9	11.8	0.0	0.0	1.0	2.5	8.7	12.6	10.1	12.6	
Other Diseases of the Circulatory System	1,692	7	58.3	20	43.5	11	26.8	66	22.9	171	11.7	356	8.7	327	8.0	734	8.3	7.7	2.9	3.2	6.3	5.7	6.8	9.2	7.2	7.8	

(continued)

**Table 36. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age, Westchester County Residents, 2005-2006 (cont'd)**

2006																											
Principal Diagnosis	Number of Discharges														Average Length of Stay (days)												
	Total	<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+	
		N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%										
<b>Total</b>	<b>17,946</b>	<b>8</b>	<b>100.0</b>	<b>30</b>	<b>100.0</b>	<b>21</b>	<b>100.0</b>	<b>282</b>	<b>100.0</b>	<b>1,529</b>	<b>100.0</b>	<b>4,005</b>	<b>100.0</b>	<b>3,837</b>	<b>100.0</b>	<b>8,234</b>	<b>100.0</b>	<b>6.2</b>	<b>3.3</b>	<b>5.8</b>	<b>4.1</b>	<b>5.4</b>	<b>4.6</b>	<b>5.0</b>	<b>6.3</b>	<b>7.2</b>	
<b>Diseases of the Heart</b>																											
Ischemic Heart Disease	5,831	0	0.0	0	0.0	0	0.0	24	8.5	522	34.1	1,752	43.7	1,424	37.1	2,109	25.6	4.7	0.0	0.0	0.0	2.9	3.0	3.7	4.6	6.1	
<i>Acute Myocardial Infarction</i>	1,946	0	0.0	0	0.0	0	0.0	14	5.0	190	12.4	469	11.7	388	10.1	885	10.7	7.7	0.0	0.0	0.0	3.6	4.1	6.6	8.0	9.0	
<i>Other Ischemic Heart Disease</i>	3,885	0	0.0	0	0.0	0	0.0	10	3.5	332	21.7	1,283	32.0	1,036	27.0	1,224	14.9	3.3	0.0	0.0	0.0	2.0	2.3	2.7	3.3	4.1	
Hypertension with Heart Disease	214	0	0.0	0	0.0	0	0.0	4	1.4	19	1.2	42	1.0	28	0.7	121	1.5	8.4	0.0	0.0	0.0	13.0	4.8	5.6	6.6	9.1	
Pulmonary Circulation Disease	402	0	0.0	0	0.0	1	4.8	26	9.2	46	3.0	99	2.5	72	1.9	158	1.9	9.1	0.0	0.0	1.0	7.2	7.5	7.8	8.2	11.0	
Chronic Rheumatic Fever	134	0	0.0	1	3.3	0	0.0	1	0.4	5	0.3	19	0.5	28	0.7	80	1.0	11.0	0.0	2.0	0.0	5.0	5.6	9.3	11.3	11.8	
Acute Rheumatic Fever	4	0	0.0	1	3.3	0	0.0	0	0.0	0	0.0	3	0.1	0	0.0	0	0.0	7.0	0.0	2.0	0.0	0.0	0.0	8.7	0.0	0.0	
Other Diseases of the Heart	5,779	1	12.5	4	13.3	10	47.6	112	39.7	426	27.9	956	23.9	1,122	29.2	3,148	38.2	7.0	3.0	17.3	1.7	4.1	5.7	5.2	8.3	7.2	
<b>Other Cardiovascular Diseases</b>																											
Cerebrovascular Disease	2,917	1	12.5	3	10.0	2	9.5	39	13.8	194	12.7	516	12.9	588	15.3	1,574	19.1	8.3	8.0	8.0	12.0	10.6	8.5	8.6	8.5	8.0	
Hypertension with or without Renal Disease	670	1	12.5	2	6.7	3	14.3	26	9.2	146	9.5	204	5.1	123	3.2	165	2.0	6.2	2.0	4.5	4.0	4.2	4.9	7.0	7.2	6.1	
Arteriosclerosis	451	0	0.0	0	0.0	0	0.0	0	0.0	5	0.3	82	2.0	137	3.6	227	2.8	10.1	0.0	0.0	0.0	0.0	6.0	9.4	9.4	10.9	
Other Diseases of the Circulatory System	1,544	5	62.5	19	63.3	5	23.8	50	17.7	166	10.9	332	8.3	315	8.2	652	7.9	7.7	2.6	3.6	6.2	5.7	6.1	7.9	7.5	8.4	

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.

**Table 37. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Sex, Westchester County Residents, 2005-2006**

2005									
Principal Diagnosis	Number of Discharges						Average Length of Stay (days)		
	Total <sup>1</sup>		Female		Male		Total	Female	Male
	Number	%	Number	%	Number	%			
<b>Total</b>	<b>18,875</b>	<b>100.0</b>	<b>8,949</b>	<b>100.0</b>	<b>9,922</b>	<b>100.0</b>	<b>6.1</b>	<b>6.4</b>	<b>5.9</b>
<b>Diseases of the Heart</b>									
Ischemic Heart Disease	5,779	30.6	2,180	24.4	3,598	36.3	5.8	6.1	5.6
<i>Acute Myocardial Infarction</i>	1,984	10.5	811	9.1	1,173	11.8	6.9	6.7	7.0
<i>Other Ischemic Heart Disease</i>	3,795	20.1	1,369	15.3	2,425	24.4	3.3	3.2	3.3
Hypertension with Heart Disease	315	1.7	170	1.9	145	1.5	8.8	9.0	8.7
Pulmonary Circulation Disease	366	1.9	226	2.5	138	1.4	8.1	8.4	7.5
Chronic Rheumatic Fever	92	0.5	51	0.6	41	0.4	10.4	9.7	11.3
Acute Rheumatic Fever	5	0.0	3	0.0	2	0.0	5.8	6.0	5.5
Other Diseases of the Heart	6,293	33.3	3,161	35.3	3,132	31.6	6.6	6.8	6.4
<b>Other Cardiovascular Diseases</b>									
Cerebrovascular Disease	3,203	17.0	1,753	19.6	1,449	14.6	8.6	8.6	8.6
Hypertension with or without Renal Disease	677	3.6	366	4.1	311	3.1	6.6	5.8	7.5
Arteriosclerosis	453	2.4	188	2.1	265	2.7	11.8	10.6	12.7
Other Diseases of the Circulatory System	1,692	9.0	851	9.5	841	8.5	7.7	7.6	7.8

(continued)

**Table 37. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Sex, Westchester County Residents, 2005-2006 (cont'd)**

2006									
Principal Diagnosis	Number of Discharges						Average Length of Stay (days)		
	Total <sup>1</sup>		Female		Male		Total	Female	Male
	Number	%	Number	%	Number	%			
<b>Total</b>	<b>17,946</b>	<b>100.0</b>	<b>8,283</b>	<b>100.0</b>	<b>9,662</b>	<b>100.0</b>	<b>6.2</b>	<b>6.5</b>	<b>6.0</b>
<b>Diseases of the Heart</b>									
Ischemic Heart Disease	5,831	32.5	2,197	26.5	3,634	37.6	4.7	5.1	4.5
<i>Acute Myocardial Infarction</i>	1,946	10.8	820	9.9	1,126	11.7	7.7	7.9	7.6
<i>Other Ischemic Heart Disease</i>	3,885	21.6	1,377	16.6	2,508	26.0	3.3	3.4	3.2
Hypertension with Heart Disease	214	1.2	114	1.4	100	1.0	8.4	7.7	9.1
Pulmonary Circulation Disease	402	2.2	238	2.9	164	1.7	9.1	9.3	8.7
Chronic Rheumatic Fever	134	0.7	81	1.0	53	0.5	11.0	9.2	13.7
Acute Rheumatic Fever	4	0.0	1	0.0	3	0.0	7.0	2.0	8.7
Other Diseases of the Heart	5,779	32.2	2,858	34.5	2,920	30.2	7.0	7.2	6.7
<b>Other Cardiovascular Diseases</b>									
Cerebrovascular Disease	2,917	16.3	1,540	18.6	1,377	14.3	8.3	8.0	8.6
Hypertension with or without Renal Disease	670	3.7	339	4.1	331	3.4	6.2	5.7	6.7
Arteriosclerosis	451	2.5	195	2.4	256	2.6	10.1	10.1	10.1
Other Diseases of the Circulatory System	1,544	8.6	720	8.7	824	8.5	7.7	7.3	8.1

<sup>1</sup>Total includes cases of unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.



**Table 38. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Race/Ethnicity, Westchester County Residents, 2005-2006**

2005															
Principal Diagnosis	Number of Discharges									Average Length of Stay (days)					
	Total <sup>1</sup>		White		Black		Other <sup>2</sup>		Hispanic <sup>3</sup>		Total	White	Black	Other <sup>2</sup>	Hispanic <sup>3</sup>
	N	%	N	%	N	%	N	%	N	%					
<b>Total</b>	<b>18,875</b>	<b>100.0</b>	<b>12,872</b>	<b>100.0</b>	<b>2,928</b>	<b>100.0</b>	<b>1,991</b>	<b>100.0</b>	<b>1,089</b>	<b>100.0</b>	<b>6.1</b>	<b>6.0</b>	<b>7.3</b>	<b>5.8</b>	<b>6.3</b>
<b>Diseases of the Heart</b>															
Ischemic Heart Disease	5,779	30.6	3,875	30.1	519	17.7	835	41.9	323	29.7	5.8	5.8	6.6	4.8	5.8
<i>Acute Myocardial Infarction</i>	1,984	10.5	1,354	10.5	208	7.1	263	13.2	91	8.4	6.9	7.0	6.7	6.6	8.9
<i>Other Ischemic Heart Disease</i>	3,795	20.1	2,521	19.6	311	10.6	572	28.7	232	21.3	3.3	3.0	3.6	3.9	3.8
Hypertension with Heart Disease	315	1.7	174	1.4	125	4.3	12	0.6	15	1.4	8.8	9.1	8.9	4.2	8.7
Pulmonary Circulation Disease	366	1.9	252	2.0	74	2.5	32	1.6	19	1.7	8.1	7.6	9.4	8.8	9.9
Chronic Rheumatic Fever	92	0.5	77	0.6	5	0.2	3	0.2	4	0.4	10.4	10.1	18.6	11.0	4.5
Acute Rheumatic Fever	5	0.0	4	0.0	0	0.0	1	0.1	0	0.0	5.8	6.5	0.0	3.0	0.0
Other Diseases of the Heart	6,293	33.3	4,560	35.4	996	34.0	477	24.0	328	30.1	6.6	6.7	6.9	5.7	6.0
<b>Other Cardiovascular Diseases</b>															
Cerebrovascular Disease	3,203	17.0	2,233	17.3	548	18.7	303	15.2	187	17.2	8.6	8.1	10.8	8.1	9.4
Hypertension with or without Renal Disease	677	3.6	269	2.1	306	10.5	88	4.4	72	6.6	6.6	6.1	5.5	11.9	5.7
Arteriosclerosis	453	2.4	313	2.4	69	2.4	48	2.4	21	1.9	11.8	12.1	14.2	7.9	10.8
Other Diseases of the Circulatory System	1,692	9.0	1,115	8.7	286	9.8	192	9.6	120	11.0	7.7	7.0	10.1	7.7	6.4

(continued)

**Table 38. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Race/Ethnicity, Westchester County Residents, 2005-2006 (cont'd)**

2006															
Principal Diagnosis	Number of Discharges										Average Length of Stay (days)				
	Total <sup>1</sup>		White		Black		Other <sup>2</sup>		Hispanic <sup>3</sup>		Total	White	Black	Other <sup>2</sup>	Hispanic <sup>3</sup>
	N	%	N	%	N	%	N	%	N	%					
<b>Total</b>	<b>17,946</b>	<b>100.0</b>	<b>12,373</b>	<b>100.0</b>	<b>2,982</b>	<b>100.0</b>	<b>1,823</b>	<b>100.0</b>	<b>1,144</b>	<b>100.0</b>	<b>6.2</b>	<b>6.1</b>	<b>6.7</b>	<b>6.7</b>	<b>5.3</b>
<b>Diseases of the Heart</b>															
Ischemic Heart Disease	5,831	32.5	4,023	32.5	671	22.5	738	40.5	356	31.1	4.7	4.7	4.6	4.5	3.8
<i>Acute Myocardial Infarction</i>	1,946	10.8	1,344	10.9	243	8.1	208	11.4	93	8.1	7.7	7.8	6.2	8.3	5.0
<i>Other Ischemic Heart Disease</i>	3,885	21.6	2,679	21.7	428	14.4	530	29.1	263	23.0	3.3	3.1	3.6	3.1	3.3
Hypertension with Heart Disease	214	1.2	103	0.8	97	3.3	13	0.7	17	1.5	8.4	8.4	7.9	11.5	8.7
Pulmonary Circulation Disease	402	2.2	273	2.2	96	3.2	20	1.1	17	1.5	9.1	8.6	10.3	9.6	8.9
Chronic Rheumatic Fever	134	0.7	108	0.9	6	0.2	5	0.3	8	0.7	11.0	11.7	5.7	6.2	12.4
Acute Rheumatic Fever	4	0.0	3	0.0	0	0.0	0	0.0	0	0.0	7.0	8.7	0.0	0.0	0.0
Other Diseases of the Heart	5,779	32.2	4,128	33.4	956	32.1	509	27.9	347	30.3	7.0	6.9	6.8	7.0	6.1
<b>Other Cardiovascular Diseases</b>															
Cerebrovascular Disease	2,917	16.3	2,080	16.8	531	17.8	248	13.6	186	16.3	8.3	7.8	9.5	10.3	9.2
Hypertension with or without Renal Disease	670	3.7	249	2.0	300	10.1	109	6.0	91	8.0	6.2	6.0	6.1	6.7	5.4
Arteriosclerosis	451	2.5	339	2.7	70	2.3	22	1.2	15	1.3	10.1	9.4	14.9	8.6	8.7
Other Diseases of the Circulatory System	1,544	8.6	1,067	8.6	255	8.6	159	8.7	107	9.4	7.7	7.4	8.5	7.9	4.6

<sup>1</sup> Totals include cases of unknown race.

<sup>2</sup> Includes Native Americans, Asian and Pacific Islanders, and Other.

<sup>3</sup> Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.

**Table 39. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age and Sex, Westchester County Residents, 2005-2006**

2005								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total <sup>1</sup>	Female		Male		Total	Female	Male
		Number	%	Number	%			
<b>Total</b>	<b>18,875</b>	<b>8,949</b>	<b>47.4</b>	<b>9,922</b>	<b>52.6</b>	<b>6.1</b>	<b>6.4</b>	<b>5.9</b>
Less than 1	12	8	66.7	4	33.3	4.1	3.0	6.3
1-2	11	5	45.5	6	54.5	3.5	2.4	4.5
3-4	13	4	30.8	9	69.2	10.0	2.5	13.3
5-6	7	2	28.6	5	71.4	2.3	1.5	2.6
7-8	5	1	20.0	4	80.0	3.8	1.0	4.5
9-10	4	1	25.0	3	75.0	4.8	2.0	5.7
11-12	6	3	50.0	3	50.0	3.0	4.0	2.0
13-14	13	8	61.5	5	38.5	8.8	3.1	18.0
15-16	21	10	47.6	11	52.4	6.0	6.3	5.6
17-18	17	6	35.3	11	64.7	8.3	9.7	7.6
19-20	22	13	59.1	9	40.9	4.8	3.8	6.2
21-22	15	6	40.0	9	60.0	5.0	2.7	6.6
23-24	29	14	48.3	15	51.7	4.9	3.4	6.3
25-29	74	33	44.6	41	55.4	4.3	4.5	4.2
30-34	138	62	44.9	76	55.1	4.5	4.0	4.9
35-39	270	107	39.6	163	60.4	5.5	5.6	5.5
40-44	472	181	38.3	291	61.7	5.2	6.3	4.5
45-49	716	265	37.0	451	63.0	5.3	4.6	5.8
50-54	1,033	358	34.7	675	65.3	5.2	6.4	4.6
55-59	1,422	550	38.7	870	61.2	5.7	5.7	5.7
60-64	1,659	583	35.1	1,076	64.9	6.4	7.0	6.1
65-69	1,792	704	39.3	1,088	60.7	5.8	6.2	5.5
70-74	2,280	1,034	45.4	1,246	54.6	6.8	6.5	7.0
75-79	2,800	1,332	47.6	1,467	52.4	7.1	7.1	7.1
80-84	2,743	1,466	53.4	1,277	46.6	7.6	7.7	7.5
85 and above	3,301	2,193	66.4	1,107	33.5	7.4	7.3	7.7

(continued)

**Table 39. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age and Sex, Westchester County Residents, 2005-2006 (cont'd)**

2006								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total <sup>1</sup>	Female		Male		Total	Female	Male
		Number	%	Number	%			
<b>Total</b>	<b>17,946</b>	<b>8,283</b>	<b>46.2</b>	<b>9,662</b>	<b>53.8</b>	<b>6.2</b>	<b>6.5</b>	<b>6.0</b>
Less than 1	8	5	62.5	3	37.5	3.3	2.8	4.0
1-2	8	5	62.5	3	37.5	6.1	8.4	2.3
3-4	5	3	60.0	2	40.0	2.4	2.7	2.0
5-6	3	1	33.3	2	66.7	3.7	8.0	1.5
7-8	3	1	33.3	2	66.7	2.3	3.0	2.0
9-10	3	2	66.7	1	33.3	3.0	4.0	1.0
11-12	8	7	87.5	1	12.5	10.8	9.9	17.0
13-14	7	2	28.6	5	71.4	5.4	4.0	6.0
15-16	8	5	62.5	3	37.5	3.8	3.6	4.0
17-18	12	4	33.3	8	66.7	2.7	3.0	0.5
19-20	20	8	40.0	12	60.0	11.5	13.8	9.9
21-22	31	23	74.2	8	25.8	6.4	6.2	7.0
23-24	29	11	37.9	18	62.1	3.8	4.4	3.4
25-29	72	26	36.1	46	63.9	5.0	3.3	6.0
30-34	124	38	30.6	86	69.4	5.3	3.7	6.1
35-39	263	116	44.1	147	55.9	5.3	6.0	4.9
40-44	492	181	36.8	311	63.2	5.2	5.1	5.2
45-49	774	278	35.9	496	64.1	5.1	4.8	5.3
50-54	984	353	35.9	631	64.1	5.1	5.5	4.9
55-59	1,386	501	36.1	885	63.9	5.7	7.2	4.8
60-64	1,635	653	39.9	982	60.1	5.7	5.5	5.7
65-69	1,749	730	41.7	1,019	58.3	7.1	8.0	6.5
70-74	2,088	881	42.2	1,207	57.8	6.8	6.4	7.1
75-79	2,535	1,214	47.9	1,321	52.1	7.4	7.6	7.0
80-84	2,560	1,250	48.8	1,310	51.2	7.4	7.2	7.7
85 and above	3,139	1,985	63.2	1,153	36.7	7.4	7.2	7.8

<sup>1</sup> Totals include cases with unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.

**Table 40. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System, by Age and Race/Ethnicity, Westchester County Residents, 2005-2006**

2005														
Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total <sup>1</sup>	White		Black		Other <sup>2</sup>		Hispanic <sup>3</sup>		Total	White	Black	Other <sup>2</sup>	Hispanic <sup>3</sup>
		N	%	N	%	N	%	N	%					
<b>Total</b>	<b>18,875</b>	<b>12,872</b>	<b>68.2</b>	<b>2,928</b>	<b>15.5</b>	<b>1,991</b>	<b>10.5</b>	<b>1,089</b>	<b>4.4</b>	<b>6.2</b>	<b>6.0</b>	<b>7.3</b>	<b>5.8</b>	<b>6.3</b>
Less than 1	12	3	25.0	3	25.0	5	41.7	3	25.0	4.1	5.0	2.7	3.9	3.3
1-2	11	5	45.5	3	27.3	3	27.3	3	27.3	3.5	5.4	2.3	1.7	6.0
3-4	13	9	69.2	1	7.7	3	23.1	1	7.7	10.0	12.0	14.0	2.7	5.0
5-6	7	5	71.4	0	0.0	2	28.6	1	14.3	2.3	2.8	0.0	1.0	7.0
7-8	5	4	80.0	0	0.0	1	20.0	0	0.0	3.8	4.5	0.0	1.0	0.0
9-10	4	2	50.0	0	0.0	2	50.0	1	25.0	4.8	1.5	0.0	8.0	2.0
11-12	6	3	50.0	1	16.7	2	33.3	0	0.0	3.0	4.3	3.0	1.0	0.0
13-14	13	9	69.2	1	7.7	1	7.7	0	0.0	8.8	4.0	18.0	1.0	0.0
15-16	21	10	47.6	4	19.0	7	33.3	5	23.8	6.0	7.6	8.5	2.1	4.8
17-18	17	8	47.1	5	29.4	4	23.5	1	5.9	8.3	6.9	13.6	4.5	2.0
19-20	22	10	45.5	5	22.7	4	18.2	6	27.3	4.8	4.6	6.2	2.0	3.8
21-22	15	3	20.0	7	46.7	3	20.0	2	13.3	5.0	1.7	8.1	3.0	2.5
23-24	29	7	24.1	16	55.2	5	17.2	9	31.0	4.9	5.1	5.8	2.6	4.0
25-29	74	36	48.6	21	28.4	13	17.6	19	25.7	4.3	4.6	4.5	3.6	4.7
30-34	138	54	39.1	53	38.4	28	20.3	21	15.2	4.5	4.4	3.5	6.7	6.4
35-39	270	91	33.7	110	40.7	54	20.0	48	17.8	5.5	4.5	6.0	5.4	5.8
40-44	472	231	48.9	145	30.7	78	16.5	60	12.7	5.2	4.8	6.9	3.9	4.6
45-49	716	340	47.5	203	28.4	131	18.3	58	8.1	5.3	4.2	5.4	8.9	3.6
50-54	1,033	589	57.0	211	20.4	175	16.9	105	10.2	5.2	4.9	7.3	4.1	5.5
55-59	1,422	808	56.8	310	21.8	195	13.7	101	7.1	5.7	4.9	8.2	5.2	7.0
60-64	1,659	995	60.0	323	19.5	224	13.5	133	8.0	6.4	6.1	8.2	4.9	7.7
65-69	1,792	1,083	60.4	355	19.8	230	12.8	105	5.9	5.8	5.4	7.3	6.1	6.2
70-74	2,280	1,601	70.2	321	14.1	229	10.0	132	5.8	6.8	6.6	8.3	6.5	7.4
75-79	2,800	2,029	72.5	346	12.4	259	9.3	118	4.2	7.1	6.7	9.0	7.7	8.4
80-84	2,743	2,195	80.0	223	8.1	177	6.5	85	3.1	7.6	7.6	8.6	6.3	6.0
85 and above	3,301	2,742	83.1	261	7.9	156	4.7	72	2.2	7.4	7.1	9.2	9.5	8.5

(continued)

**Table 40. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System, by Age and Race/Ethnicity, Westchester County Residents, 2005-2006 (cont'd)**

2006														
Age (years)	Number of Discharges								Average Length of Stay (days)					
	Total <sup>1</sup>	White		Black		Other <sup>2</sup>		Hispanic <sup>3</sup>		Total	White	Black	Other <sup>2</sup>	Hispanic <sup>3</sup>
		N	%	N	%	N	%	N	%					
<b>Total</b>	<b>17,946</b>	<b>12,373</b>	<b>68.9</b>	<b>2,982</b>	<b>16.6</b>	<b>1,822</b>	<b>10.2</b>	<b>1,144</b>	<b>6.4</b>	<b>6.2</b>	<b>6.1</b>	<b>6.7</b>	<b>6.2</b>	<b>5.3</b>
Less than 1	8	4	50.0	1	12.5	3	37.5	2	25.0	3.3	4.5	2.0	2.0	5.0
1-2	8	2	25.0	2	25.0	4	50.0	4	50.0	6.1	3.0	4.5	8.5	8.8
3-4	5	4	80.0	0	0.0	0	0.0	0	0.0	2.4	2.5	0.0	0.0	0.0
5-6	3	3	100.0	0	0.0	0	0.0	1	33.3	3.7	3.7	0.0	0.0	2.0
7-8	3	1	33.3	0	0.0	2	66.7	0	0.0	2.3	3.0	0.0	2.0	0.0
9-10	3	1	33.3	0	0.0	2	66.7	1	33.3	3.0	6.0	0.0	1.5	6.0
11-12	8	3	37.5	1	12.5	1	12.5	2	25.0	10.8	8.3	2.0	1.0	9.0
13-14	7	4	57.1	1	14.3	1	14.3	0	0.0	5.4	3.8	4.0	9.5	0.0
15-16	8	6	75.0	2	25.0	0	0.0	0	0.0	3.8	3.8	4.0	0.0	0.0
17-18	12	7	58.3	3	25.0	2	16.7	3	25.0	2.7	2.7	2.3	3.0	2.0
19-20	20	10	50.0	4	20.0	0	0.0	5	25.0	11.5	11.8	3.0	0.0	21.0
21-22	31	13	41.9	10	32.3	7	22.6	4	12.9	6.4	7.6	4.9	6.6	15.8
23-24	29	14	48.3	9	31.0	5	17.2	3	10.3	3.8	4.2	4.2	2.2	2.7
25-29	72	29	40.3	22	30.6	17	23.6	20	27.8	5.0	3.2	8.9	3.0	2.9
30-34	124	56	45.2	42	33.9	21	16.9	23	18.5	5.3	4.9	6.3	5.0	4.1
35-39	263	100	38.0	98	37.3	56	21.3	50	19.0	5.3	5.1	5.9	5.3	6.0
40-44	492	252	51.2	140	28.5	75	15.2	62	12.6	5.2	4.3	5.8	6.2	4.9
45-49	774	394	50.9	207	26.7	131	16.9	99	12.8	5.1	4.5	5.7	5.9	5.7
50-54	984	563	57.2	254	25.8	119	12.1	102	10.4	5.2	4.9	6.5	4.2	4.9
55-59	1,386	822	59.3	319	23.0	172	12.4	106	7.6	5.6	4.8	7.2	6.2	5.6
60-64	1,635	997	61.0	357	21.8	207	12.7	138	8.4	5.7	5.5	7.0	4.5	6.1
65-69	1,749	1,127	64.4	317	18.1	209	11.9	113	6.5	7.1	6.8	8.2	7.8	5.1
70-74	2,088	1,432	68.6	320	15.3	244	11.7	148	7.1	6.8	6.9	6.4	6.6	6.6
75-79	2,535	1,922	75.8	302	11.9	220	8.7	115	4.5	7.4	7.1	7.9	7.1	7.2
80-84	2,560	2,016	78.8	252	9.8	185	7.2	79	3.1	7.4	7.0	8.6	9.8	5.2
85 and above	3,139	2,591	82.5	319	10.2	139	4.4	64	2.0	7.4	7.3	8.2	7.8	5.7

<sup>1</sup> Totals include cases of unknown race.

<sup>2</sup> Includes Native Americans, Asian and Pacific Islanders, and Other.

<sup>3</sup> Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.

**Table 41. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Age, Westchester County Residents, 2005-2006**

2005																											
Principal Diagnosis	Number of Discharges																		Average Length of Stay (days)								
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%									
<b>Total</b>	<b>10,431</b>	<b>100.0</b>	<b>89</b>	<b>100.0</b>	<b>332</b>	<b>100.0</b>	<b>204</b>	<b>100.0</b>	<b>955</b>	<b>100.0</b>	<b>1,768</b>	<b>100.0</b>	<b>2,270</b>	<b>100.0</b>	<b>1,581</b>	<b>100.0</b>	<b>3,232</b>	<b>100.0</b>	<b>6.6</b>	<b>4.3</b>	<b>3.5</b>	<b>3.8</b>	<b>4.5</b>	<b>5.0</b>	<b>6.2</b>	<b>7.6</b>	<b>8.3</b>
Diseases of Esophagus, Stomach, and Duodenum	1,572	15.1	38	42.7	41	12.3	14	6.9	87	9.1	209	11.8	276	12.2	266	16.8	641	19.8	5.7	5.0	3.6	2.4	4.2	3.6	4.6	6.2	7.0
Appendicitis	1,023	9.8	0	0.0	137	41.3	116	56.9	281	29.4	255	14.4	143	6.3	48	3.0	43	1.3	3.7	0.0	3.6	3.2	2.5	3.2	5.1	6.8	8.3
Noninfectious enteritis and colitis	935	9.0	8	9.0	62	18.7	21	10.3	124	13.0	151	8.5	178	7.8	125	7.9	266	8.2	6.5	5.3	2.0	5.3	8.0	4.7	6.4	6.6	8.1
Hernia of Abdominal Cavity	736	7.1	27	30.3	8	2.4	1	0.5	24	2.5	124	7.0	175	7.7	126	8.0	251	7.8	5.6	1.3	2.5	1.0	2.3	3.7	4.5	5.9	8.1
Diseases of Oral Cavity, Salivary Glands, and Jaws	164	1.6	1	1.1	17	5.1	18	8.8	27	2.8	25	1.4	29	1.3	17	1.1	30	0.9	4.5	42.0	2.1	2.6	2.0	3.7	5.6	3.9	7.8
Other Diseases of Digestive System	3,130	30.0	3	3.4	25	7.5	26	12.7	308	32.3	606	34.3	762	33.6	473	29.9	927	28.7	7.0	11.0	4.4	5.5	4.9	5.5	6.8	7.8	8.4
<i>Chronic Liver Disease, including Cirrhosis</i>	282	2.7	0	0.0	1	0.3	0	0.0	9	0.9	61	3.5	121	5.3	55	3.5	35	1.1	8.6	0.0	2.0	0.0	7.0	7.7	8.0	9.0	12.5
Other Diseases of Intestines and Peritoneum	2,871	27.5	12	13.5	42	12.7	8	3.9	104	10.9	398	22.5	707	31.1	526	33.3	1074	33.2	7.7	3.9	4.7	7.1	5.1	6.3	6.4	8.1	9.2
<i>Diverticula of intestine</i>	1,814	17.4	2	2.2	20	6.0	3	1.5	63	6.6	280	15.8	444	19.6	335	21.2	667	20.6	7.3	2.5	5.3	8.7	5.0	5.3	6.3	9.0	8.0
2006																											
<b>Total</b>	<b>9,714</b>	<b>100.0</b>	<b>75</b>	<b>100.0</b>	<b>272</b>	<b>100.0</b>	<b>244</b>	<b>100.0</b>	<b>920</b>	<b>100.0</b>	<b>1,673</b>	<b>100.0</b>	<b>2,154</b>	<b>100.0</b>	<b>1,355</b>	<b>100.0</b>	<b>3,021</b>	<b>100.0</b>	<b>7.3</b>	<b>3.2</b>	<b>3.3</b>	<b>3.6</b>	<b>4.0</b>	<b>5.5</b>	<b>7.6</b>	<b>8.7</b>	<b>9.1</b>
Diseases of Esophagus, Stomach, and Duodenum	1,366	14.1	32	42.7	39	14.3	14	5.7	85	9.2	223	13.3	271	12.6	191	14.1	511	16.9	6.3	4.0	3.3	3.1	3.7	4.3	6.0	6.9	8.0
Appendicitis	910	9.4	0	0.0	115	42.3	110	45.1	258	28.0	196	11.7	141	6.5	45	3.3	45	1.5	3.7	0.0	3.9	2.7	2.5	3.5	4.9	4.8	8.4
Noninfectious enteritis and colitis	903	9.3	18	24.0	51	18.8	44	18.0	126	13.7	160	9.6	160	7.4	114	8.4	230	7.6	6.0	2.6	2.2	5.3	4.4	5.0	7.2	7.5	7.0
Hernia of Abdominal Cavity	590	6.1	15	20.0	5	1.8	1	0.4	25	2.7	98	5.9	134	6.2	109	8.0	203	6.7	6.0	1.4	2.2	1.0	3.4	3.2	4.4	7.8	8.3
Diseases of Oral Cavity, Salivary Glands, and Jaws	116	1.2	0	0.0	10	3.7	8	3.3	22	2.4	18	1.1	22	1.0	12	0.9	24	0.8	3.6	0.0	2.1	1.6	3.8	2.6	3.0	2.1	7.0
Other Diseases of Digestive System	2,997	30.9	1	1.3	18	6.6	51	20.9	299	32.5	582	34.8	763	35.4	425	31.4	858	28.4	6.9	1.0	4.6	4.0	4.8	4.8	0.3	7.5	8.7
<i>Chronic Liver Disease, including Cirrhosis</i>	332	3.4	0	0.0	1	0.4	1	0.4	8	0.9	81	4.8	145	6.7	49	3.6	47	1.6	10.1	0.0	2.0	3.0	4.5	7.5	10.9	13.3	10.1
Other Diseases of Intestines and Peritoneum	2,832	29.2	9	12.0	34	12.5	16	6.6	105	11.4	396	23.7	663	30.8	459	33.9	1150	38.1	9.2	4.8	3.1	4.9	4.9	7.6	9.0	10.0	10.2
<i>Diverticula of intestine</i>	1,787	18.4	3	4.0	14	5.1	9	3.7	63	6.8	272	16.3	442	20.5	299	22.1	685	22.7	8.6	4.0	2.3	5.1	4.7	6.8	7.9	10.2	9.6

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.

**Table 42. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Sex, Westchester County Residents, 2005-2006**

2005								
Principal Diagnosis	Number of Discharges					Average Length of Stay (days)		
	Total <sup>1</sup>	Female		Male		Total	Female	Male
		Number	%	Number	%			
<b>Total</b>	<b>10,431</b>	<b>5,784</b>	<b>100.0</b>	<b>4,646</b>	<b>100.0</b>	<b>6.6</b>	<b>6.7</b>	<b>6.6</b>
Diseases of Esophagus, Stomach, and Duodenum	1,572	884	15.3	688	14.8	5.7	6.0	5.3
Noninfectious enteritis and colitis	1,023	440	7.6	583	12.5	3.7	6.0	7.3
Appendicitis	935	571	9.9	364	7.8	6.5	3.6	3.8
Hernia of Abdominal Cavity	736	362	6.3	374	8.0	5.6	5.7	5.6
Diseases of Oral Cavity, Salivary Glands, and Jaws	164	99	1.7	65	1.4	4.5	5.1	3.5
Other Diseases of Digestive System <sup>1</sup>	3,130	1,765	30.5	1,364	29.4	7.0	6.5	7.6
<i>Chronic Liver Disease, including Cirrhosis</i>	282	119	2.1	163	3.5	8.6	7.9	9.2
Other Diseases of Intestines and Peritoneum	2,871	1,663	28.8	1,208	26.0	7.7	8.0	7.2
<i>Diverticula of intestine</i>	1,814	1,010	17.5	804	17.3	7.3	7.5	6.9
2006								
<b>Total</b>	<b>9,714</b>	<b>5,305</b>	<b>100.0</b>	<b>4,409</b>	<b>100.0</b>	<b>7.3</b>	<b>7.5</b>	<b>7.2</b>
Diseases of Esophagus, Stomach, and Duodenum	1,366	738	13.9	628	14.2	6.3	5.8	6.9
Appendicitis	910	401	7.6	509	11.5	3.7	4.1	3.3
Noninfectious enteritis and colitis	903	527	9.9	376	8.5	6.0	5.9	6.0
Hernia of Abdominal Cavity	590	300	5.7	290	6.6	6.0	6.9	5.1
Diseases of Oral Cavity, Salivary Glands, and Jaws	116	57	1.1	59	1.3	3.6	3.4	3.9
Other Diseases of Digestive System	2,997	1,619	30.5	1,378	31.3	6.9	6.5	7.5
<i>Chronic Liver Disease, including Cirrhosis</i>	332	120	2.3	212	4.8	10.1	11.1	9.6
Other Diseases of Intestines and Peritoneum	2,832	1,663	31.3	1,169	26.5	9.2	9.5	8.7
<i>Diverticula of intestine</i>	1,787	1,057	19.9	730	16.6	8.6	9.1	7.9

<sup>1</sup>Total includes one case with unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.



**Table 43. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Race/Ethnicity, Westchester County Residents, 2005-2006**

2005														
Principal Diagnosis	Number of Discharges									Average Length of Stay (days)				
	Total <sup>1</sup>	White		Black		Other <sup>2</sup>		Hispanic <sup>3</sup>		Total	White	Black	Other <sup>2</sup>	Hispanic <sup>3</sup>
		N	%	N	%	N	%	N	%					
<b>Total</b>	<b>10,431</b>	<b>7,233</b>	<b>100.0</b>	<b>1,558</b>	<b>100.0</b>	<b>1,277</b>	<b>100.0</b>	<b>1,197</b>	<b>100.0</b>	<b>5.7</b>	<b>5.9</b>	<b>6.1</b>	<b>5.6</b>	<b>4.6</b>
Diseases of Esophagus, Stomach, and Duodenum	1,572	1,062	14.7	275	17.7	172	13.5	127	10.6	5.2	5.5	5.2	4.8	3.6
Appendicitis	935	637	8.8	139	8.9	121	9.5	121	10.1	3.4	3.4	4.6	3.3	3.0
Noninfectious enteritis and colitis	1,023	667	9.2	98	6.3	227	17.8	252	21.1	5.5	5.9	4.9	5.0	3.5
Hernia of Abdominal Cavity	736	525	7.3	106	6.8	63	4.9	52	4.3	4.6	4.8	4.3	8.6	4.0
Diseases of Oral Cavity, Salivary Glands, and Jaws	164	94	1.3	23	1.5	36	2.8	20	1.7	3.4	3.9	3.1	4.3	4.8
Other Diseases of Digestive System	3,130	2,124	29.4	474	30.4	438	34.3	444	37.1	6.2	6.2	6.7	6.3	5.5
<i>Chronic Liver Disease, including Cirrhosis</i>	282	183	2.5	38	2.4	59	4.6	61	5.1	7.8	8.9	7.3	7.9	5.4
Other Diseases of Intestines and Peritoneum	2,871	2,124	29.4	443	28.4	220	17.2	181	15.1	6.9	6.9	7.3	6.3	5.4
<i>Diverticula of intestine</i>	1,814	1,345	18.6	275	17.7	132	10.3	131	10.9	6.1	6.1	6.6	5.7	5.1
2006														
<b>Total</b>	<b>9,714</b>	<b>6,708</b>	<b>100.0</b>	<b>1,579</b>	<b>100.0</b>	<b>1,234</b>	<b>100.0</b>	<b>1,310</b>	<b>100.0</b>	<b>7.3</b>	<b>7.5</b>	<b>7.9</b>	<b>5.5</b>	<b>5.8</b>
Diseases of Esophagus, Stomach, and Duodenum	1,366	909	13.6	282	17.9	145	11.8	133	10.2	6.3	6.6	5.8	6.3	3.6
Appendicitis	903	638	9.5	139	8.8	115	9.3	119	9.1	6.0	6.5	5.3	3.9	3.9
Noninfectious enteritis and colitis	910	591	8.8	90	5.7	212	17.2	238	18.2	3.7	3.9	3.4	3.2	3.6
Hernia of Abdominal Cavity	590	446	6.6	66	4.2	69	5.6	56	4.3	6.0	6.3	4.9	4.3	5.1
Diseases of Oral Cavity, Salivary Glands, and Jaws	116	63	0.9	23	1.5	22	1.8	14	1.1	3.6	3.8	4.0	3.1	4.9
Other Diseases of Digestive System	2,997	2,008	29.9	477	30.2	452	36.6	529	40.4	6.9	7.4	6.3	5.9	6.0
<i>Chronic Liver Disease, including Cirrhosis</i>	332	214	3.2	28	1.8	83	6.7	92	7.0	10.1	10.0	10.0	9.2	11.0
Other Diseases of Intestines and Peritoneum	2,832	2,053	30.6	502	31.8	219	17.7	221	16.9	9.2	8.9	11.6	6.4	7.1
<i>Diverticula of intestine</i>	1,787	1,328	19.8	288	18.2	135	10.9	159	12.1	8.6	8.7	9.7	5.3	7.1

<sup>1</sup> Totals include cases of unknown race.

<sup>2</sup> Includes Native Americans, Asian and Pacific Islanders, and Other.

<sup>3</sup> Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.

**Table 44. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Age, Westchester County Residents, 2005-2006**

2005																											
Principal Diagnosis	Number of Discharges																Average Length of Stay (days)										
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%									
<b>Total</b>	<b>9,436</b>	<b>100.0</b>	<b>352</b>	<b>100.0</b>	<b>732</b>	<b>100.0</b>	<b>108</b>	<b>100.0</b>	<b>377</b>	<b>100.0</b>	<b>749</b>	<b>100.0</b>	<b>1,372</b>	<b>100.0</b>	<b>1,483</b>	<b>100.0</b>	<b>4,263</b>	<b>100.0</b>	<b>7.9</b>	<b>6.1</b>	<b>3.6</b>	<b>3.3</b>	<b>4.7</b>	<b>5.2</b>	<b>7.6</b>	<b>9.6</b>	<b>9.4</b>
Pneumonia	3,472	36.8	64	18.2	189	25.8	25	23.1	109	28.9	256	34.2	460	33.5	524	35.3	1,845	43.3	7.4	3.8	3.1	3.4	7.0	6.0	8.6	7.9	7.9
Chronic Obstructive Pulmonary Disease & Allied Conditions	2,711	28.7	27	7.7	307	41.9	32	29.6	139	36.9	281	37.5	514	37.5	475	32.0	936	22.0	5.9	3.1	2.6	3.2	2.9	3.7	5.8	7.5	7.6
<i>Asthma</i>	1,256	13.3	26	7.4	307	41.9	30	27.8	132	35.0	242	32.3	246	17.9	108	7.3	165	3.9	4.1	3.2	2.6	3.2	2.8	3.7	5.0	6.7	5.8
<i>Chronic Bronchitis</i>	1,206	12.8	0	0.0	0	0.0	0	0.0	1	0.3	33	4.4	218	15.9	303	20.4	651	15.3	7.1	0.0	0.0	0.0	2.0	4.5	5.9	7.2	7.6
Acute Respiratory Infections	611	6.5	226	64.2	109	14.9	13	12.0	36	9.5	37	4.9	39	2.8	36	2.4	115	2.7	3.1	2.9	2.2	2.2	2.4	2.5	2.8	4.3	4.5
Other Diseases of the Upper Respiratory Tract	175	1.9	3	0.9	48	6.6	16	14.8	28	7.4	31	4.1	17	1.2	19	1.3	13	0.3	2.6	3.3	2.6	2.0	2.2	2.1	3.1	2.8	4.0
Influenza	71	0.8	10	2.8	7	1.0	1	0.9	0	0.0	5	0.7	5	0.4	14	0.9	29	0.7	4.5	2.7	3.0	2.0	0.0	2.4	3.2	4.5	6.2
Other Respiratory Diseases	2,396	25.4	22	6.3	72	9.8	21	19.4	65	17.2	139	18.6	337	24.6	415	28.0	1,325	31.1	14.8	53.8	16.9	5.4	10.5	11.3	12.7	17.4	14.5
2006																											
<b>Total</b>	<b>8,538</b>	<b>100.0</b>	<b>329</b>	<b>100.0</b>	<b>691</b>	<b>100.0</b>	<b>108</b>	<b>100.0</b>	<b>368</b>	<b>100.0</b>	<b>751</b>	<b>100.0</b>	<b>1,429</b>	<b>100.0</b>	<b>1,381</b>	<b>100.0</b>	<b>3,481</b>	<b>100.0</b>	<b>7.5</b>	<b>4.1</b>	<b>3.7</b>	<b>4.8</b>	<b>4.9</b>	<b>7.8</b>	<b>6.7</b>	<b>8.7</b>	<b>8.8</b>
Pneumonia	2,936	34.4	49	14.9	219	31.7	18	16.7	98	26.6	247	32.9	440	30.8	455	32.9	1,410	40.5	7.6	3.7	3.5	2.3	9.9	6.3	6.7	8.6	8.4
Chronic Obstructive Pulmonary Disease & Allied Conditions	2,812	32.9	30	9.1	301	43.6	31	28.7	139	37.8	287	38.2	585	40.9	523	37.9	916	26.3	5.8	2.7	2.6	3.2	3.0	4.5	5.7	6.8	7.5
<i>Asthma</i>	1,344	15.7	30	9.1	299	43.3	26	24.1	137	37.2	245	32.6	303	21.2	145	10.5	159	4.6	4.1	2.7	2.6	2.8	3.0	4.0	4.8	5.0	6.8
<i>Chronic Bronchitis</i>	1,189	13.9	0	0.0	0	0.0	0	0.0	0	0.0	29	3.9	232	16.2	306	22.2	622	17.9	6.9	0.0	0.0	0.0	0.0	8.0	6.2	6.9	7.1
Acute Respiratory Infections	601	7.0	229	69.6	94	13.6	11	10.2	45	12.2	54	7.2	55	3.8	24	1.7	89	2.6	3.6	3.6	2.9	3.4	3.2	3.6	3.2	3.5	4.7
Other Diseases of the Upper Respiratory Tract	154	1.8	3	0.9	35	5.1	12	11.1	28	7.6	33	4.4	26	1.8	3	0.2	14	0.4	3.1	6.7	2.1	7.1	2.2	1.8	2.6	1.0	7.6
Influenza	29	0.3	7	2.1	2	0.3	0	0.0	1	0.3	1	0.1	6	0.4	5	0.4	7	0.2	7.1	2.9	2.0	0.0	3.0	2.0	3.5	14.8	11.6
Other Respiratory Diseases	2,006	23.5	11	3.3	40	5.8	36	33.3	57	15.5	129	17.2	317	22.2	371	26.9	1,045	30.0	13.6	24.8	23.8	8.4	7.9	28.3	11.9	14.7	12.0

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.

**Table 45. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Sex, Westchester County Residents, 2005-2006**

2005									
Principal Diagnosis	Number of Discharges						Average Length of Stay (days)		
	Total <sup>1</sup>		Female		Male		Total	Female	Male
	N	%	N	%	N	%			
<b>Total</b>	<b>9,436</b>	<b>100.0</b>	<b>5,003</b>	<b>100.0</b>	<b>4,429</b>	<b>100.0</b>	<b>7.9</b>	<b>7.7</b>	<b>8.1</b>
Pneumonia	3,472	36.8	1,831	36.6	1,640	37.0	7.4	7.5	7.4
Chronic Obstructive Pulmonary Disease & Allied Conditions	2,711	28.7	1,613	32.2	1,097	24.8	5.9	6.2	5.5
<i>Asthma</i>	1,256	13.3	779	15.6	476	10.7	4.1	4.7	3.1
<i>Chronic Bronchitis</i>	1,206	12.8	688	13.8	518	11.7	7.1	7.3	6.8
Acute Respiratory Infections	611	6.5	290	5.8	319	7.2	3.1	3.3	2.9
Other Diseases of the Upper Respiratory Tract	175	1.9	82	1.6	93	2.1	2.6	2.2	2.9
Influenza	71	0.8	26	0.5	45	1.0	4.5	4.7	4.4
Other Respiratory Diseases	2,396	25.4	1,161	23.2	1,235	27.9	14.8	14.2	15.5
2006									
<b>Total</b>	<b>8,538</b>	<b>100.0</b>	<b>4,439</b>	<b>100.0</b>	<b>4,098</b>	<b>100.0</b>	<b>7.5</b>	<b>7.1</b>	<b>7.9</b>
Pneumonia	2,936	34.4	1,480	33.3	1,455	35.5	7.6	7.9	7.2
Chronic Obstructive Pulmonary Disease & Allied Conditions	2,812	32.9	1,648	37.1	1,164	28.4	5.8	5.9	5.8
<i>Asthma</i>	1,344	15.7	838	18.9	506	12.3	4.1	4.6	3.4
<i>Chronic Bronchitis</i>	1,189	13.9	668	15.0	521	12.7	6.9	6.8	7.0
Acute Respiratory Infections	601	7.0	286	6.4	315	7.7	3.6	3.8	3.3
Other Diseases of the Upper Respiratory Tract	154	1.8	71	1.6	83	2.0	3.1	3.6	2.7
Influenza	29	0.3	13	0.3	16	0.4	7.1	8.0	6.3
Other Respiratory Diseases	2,006	23.5	941	21.2	1,065	26.0	13.6	11.6	15.4

<sup>1</sup> Totals include cases with unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.

**Table 46. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Race/Ethnicity, Westchester County Residents, 2005-2006**

2005															
Principal Diagnosis	Number of Discharges										Average Length of Stay (days)				
	Total <sup>1</sup>		White		Black		Other <sup>2</sup>		Hispanic <sup>3</sup>		Total	White	Black	Other <sup>2</sup>	Hispanic <sup>3</sup>
	N	%	N	%	N	%	N	%	N	%					
<b>Total</b>	<b>9,436</b>	<b>100.0</b>	<b>6,544</b>	<b>100.0</b>	<b>1,542</b>	<b>100.0</b>	<b>1,046</b>	<b>100.0</b>	<b>916</b>	<b>100.0</b>	<b>7.9</b>	<b>8.5</b>	<b>7.0</b>	<b>6.3</b>	<b>5.4</b>
Pneumonia	3,472	36.8	2,496	38.1	508	32.9	336	32.1	280	30.6	7.4	6.5	6.7	7.5	6.1
Chronic Obstructive Pulmonary Disease & Allied Conditions	2,711	28.7	1,707	26.1	601	39.0	345	33.0	325	35.5	5.9	4.3	5.5	5.4	3.9
<i>Asthma</i>	1,256	13.3	532	8.1	417	27.0	277	26.5	268	29.3	4.1	7.1	4.2	4.2	3.6
<i>Chronic Bronchitis</i>	1,206	12.8	973	14.9	154	10.0	52	5.0	49	5.3	7.1	3.1	7.4	7.0	5.5
Acute Respiratory Infections	611	6.5	365	5.6	100	6.5	123	11.8	135	14.7	3.1	2.7	3.2	3.6	2.8
Other Diseases of the Upper Respiratory Tract	175	1.9	99	1.5	27	1.8	36	3.4	27	2.9	2.6	4.6	2.1	1.9	2.4
Influenza	71	0.8	52	0.8	6	0.4	12	1.1	11	1.2	4.5	14.9	6.2	3.0	2.6
Other Respiratory Diseases	2,396	25.4	1,825	27.9	300	19.5	194	18.5	138	15.1	14.8	7.3	15.8	12.8	14.0
2006															
<b>Total</b>	<b>8,538</b>	<b>100.0</b>	<b>5,763</b>	<b>100.0</b>	<b>1,608</b>	<b>100.0</b>	<b>1,025</b>	<b>100.0</b>	<b>966</b>	<b>100.0</b>	<b>7.5</b>	<b>7.8</b>	<b>7.3</b>	<b>5.8</b>	<b>5.6</b>
Pneumonia	2,936	34.4	2,080	36.1	498	31.0	308	30.0	279	28.9	7.6	7.8	6.9	7.0	5.8
Chronic Obstructive Pulmonary Disease & Allied Conditions	2,812	32.9	1,767	30.7	640	39.8	374	36.5	390	40.4	5.8	6.5	4.7	6.0	4.0
<i>Asthma</i>	1,344	15.7	548	9.5	487	30.3	292	28.5	306	31.7	4.1	4.3	4.1	4.6	3.6
<i>Chronic Bronchitis</i>	1,189	13.9	983	17.1	133	8.3	61	6.0	66	6.8	6.9	7.0	6.3	8.4	5.5
Acute Respiratory Infections	601	7.0	322	5.6	117	7.3	151	14.7	146	15.1	3.6	3.7	3.7	3.3	3.6
Other Diseases of the Upper Respiratory Tract	154	1.8	94	1.6	29	1.8	28	2.7	25	2.6	3.1	3.8	1.9	3.0	2.7
Influenza	29	0.3	19	0.3	6	0.4	3	0.3	2	0.2	7.1	8.4	2.2	1.0	13.5
Other Respiratory Diseases	2,006	23.5	1,481	25.7	318	19.8	161	15.7	124	12.8	13.6	12.4	20.4	10.5	18.2

<sup>1</sup> Totals include cases with unknown race.

<sup>2</sup> Includes Native Americans, Asian and Pacific Islanders, and Other.

<sup>3</sup> Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.

**Table 47. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses<sup>1</sup> by Age, Westchester County Residents, 2005-2006**

2005																											
Principal Diagnosis	Number of Discharges																Average Length of Stay (days)										
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%									
<b>Total</b>	<b>16,029</b>	<b>100</b>	<b>61</b>	<b>100</b>	<b>264</b>	<b>100</b>	<b>98</b>	<b>100</b>	<b>512</b>	<b>100</b>	<b>2,381</b>	<b>100</b>	<b>3,838</b>	<b>100</b>	<b>3,255</b>	<b>100</b>	<b>5,620</b>	<b>100</b>	<b>8.9</b>	<b>5.0</b>	<b>7.2</b>	<b>8.5</b>	<b>6.4</b>	<b>6.4</b>	<b>8.5</b>	<b>10.0</b>	<b>10.0</b>
<b>Malignant Neoplasms</b>	<b>12,274</b>	<b>76.6</b>	<b>0</b>	<b>0.0</b>	<b>216</b>	<b>81.8</b>	<b>75</b>	<b>76.5</b>	<b>271</b>	<b>52.9</b>	<b>1,241</b>	<b>52.1</b>	<b>3,129</b>	<b>81.5</b>	<b>2,764</b>	<b>84.9</b>	<b>4,578</b>	<b>81.5</b>	<b>9.9</b>	<b>0.0</b>	<b>7.8</b>	<b>9.7</b>	<b>8.4</b>	<b>8.8</b>	<b>9.2</b>	<b>10.5</b>	<b>10.4</b>
Digestive Organs and Peritoneum	2,517	15.7	0	0.0	18	6.8	0	0.0	24	4.7	227	9.5	620	16.2	547	16.8	1081	19.2	10.5	0.0	3.3	0.0	10.0	10.0	9.2	11.5	11.2
Lymphatic and Hematopoietic Tissues	2,043	12.7	0	0.0	100	37.9	40	40.8	88	17.2	171	7.2	475	12.4	434	13.3	735	13.1	10.9	0.0	10.3	8.6	11.8	10.5	13.2	10.3	10.1
Genital Organs	1,846	11.5	0	0.0	5	1.9	0	0.0	33	6.4	162	6.8	483	12.6	410	12.6	753	13.4	8.7	0.0	2.2	0.0	3.4	9.1	6.3	10.3	9.4
Respiratory and Intrathoracic Organs	1,780	11.1	0	0.0	12	4.5	0	0.0	8	1.6	124	5.2	432	11.3	519	15.9	685	12.2	10.4	0.0	3.9	0.0	6.5	11.3	10.4	10.2	10.8
Breast (female)	750	4.7	0	0.0	0	0.0	0	0.0	6	1.2	160	6.7	198	5.2	151	4.6	235	4.2	6.7	0.0	0.0	0.0	2.5	4.6	7.1	8.6	6.6
Urinary Organs	704	4.4	0	0.0	0	0.0	2	2.0	10	2.0	55	2.3	158	4.1	168	5.2	311	5.5	8.4	0.0	0.0	7.0	17.3	5.8	7.2	7.6	9.6
Lip, Oral Cavity, Pharynx	179	1.1	0	0.0	3	1.1	7	7.1	4	0.8	19	0.8	70	1.8	37	1.1	39	0.7	9.5	0.0	8.0	5.3	1.3	9.9	8.9	9.0	12.7
Other and Unspecified Sites	2,455	15.3	0	0.0	78	29.5	26	26.5	98	19.1	323	13.6	693	18.1	498	15.3	739	13.1	10.2	0.0	6.6	12.7	6.4	8.4	9.0	11.7	11.7
<b>Carcinoma in Situ<sup>2</sup></b>	<b>146</b>	<b>0.9</b>	<b>0</b>	<b>0.0</b>	<b>1</b>	<b>0.4</b>	<b>0</b>	<b>0.0</b>	<b>6</b>	<b>1.2</b>	<b>29</b>	<b>1.2</b>	<b>36</b>	<b>0.9</b>	<b>36</b>	<b>1.1</b>	<b>38</b>	<b>0.7</b>	<b>4.6</b>	<b>0.0</b>	<b>4.0</b>	<b>0.0</b>	<b>4.3</b>	<b>3.7</b>	<b>3.6</b>	<b>6.5</b>	<b>4.5</b>
<b>Benign</b>	<b>2,861</b>	<b>17.8</b>	<b>59</b>	<b>96.7</b>	<b>31</b>	<b>11.7</b>	<b>20</b>	<b>20.4</b>	<b>209</b>	<b>40.8</b>	<b>1,049</b>	<b>44.1</b>	<b>581</b>	<b>15.1</b>	<b>339</b>	<b>10.4</b>	<b>573</b>	<b>10.2</b>	<b>5.4</b>	<b>5.8</b>	<b>2.9</b>	<b>3.5</b>	<b>4.1</b>	<b>3.8</b>	<b>5.2</b>	<b>7.1</b>	<b>8.4</b>
<b>Uncertain &amp; Unspecified Neoplasms</b>	<b>748</b>	<b>4.7</b>	<b>2</b>	<b>3.3</b>	<b>16</b>	<b>6.1</b>	<b>3</b>	<b>3.1</b>	<b>26</b>	<b>5.1</b>	<b>62</b>	<b>2.6</b>	<b>92</b>	<b>2.4</b>	<b>116</b>	<b>3.6</b>	<b>431</b>	<b>7.7</b>	<b>7.3</b>	<b>11.5</b>	<b>8.5</b>	<b>11.7</b>	<b>5.6</b>	<b>4.9</b>	<b>7.2</b>	<b>7.7</b>	<b>7.6</b>

2006																											
Principal Diagnosis	Number of Discharges																Average Length of Stay (days)										
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%									
<b>Total</b>	<b>15,103</b>	<b>100.0</b>	<b>70</b>	<b>100.0</b>	<b>227</b>	<b>100.0</b>	<b>62</b>	<b>100.0</b>	<b>560</b>	<b>100.0</b>	<b>2,281</b>	<b>100.0</b>	<b>3,823</b>	<b>100.0</b>	<b>3,078</b>	<b>100.0</b>	<b>5,002</b>	<b>100.0</b>	<b>8.9</b>	<b>3.9</b>	<b>8.3</b>	<b>4.6</b>	<b>5.6</b>	<b>6.9</b>	<b>9.0</b>	<b>9.7</b>	<b>9.9</b>
<b>Malignant Neoplasms</b>	<b>11,661</b>	<b>77.2</b>	<b>1</b>	<b>1.4</b>	<b>211</b>	<b>93.0</b>	<b>36</b>	<b>58.1</b>	<b>292</b>	<b>52.1</b>	<b>1,249</b>	<b>54.8</b>	<b>3,116</b>	<b>81.5</b>	<b>2,660</b>	<b>86.4</b>	<b>4,096</b>	<b>81.9</b>	<b>9.8</b>	<b>14.0</b>	<b>8.3</b>	<b>5.3</b>	<b>7.0</b>	<b>9.1</b>	<b>9.7</b>	<b>10.2</b>	<b>10.3</b>
Digestive Organs and Peritoneum	2,369	15.7	0	0.0	9	4.0	0	0.0	54	9.6	234	10.3	697	18.2	525	17.1	850	17.0	11.0	0.0	5.7	0.0	6.0	8.5	10.2	11.0	12.7
Lymphatic and Hematopoietic Tissues	2,060	13.6	1	1.4	99	43.6	17	27.4	63	11.3	240	10.5	424	11.1	411	13.4	805	16.1	11.7	14.0	10.1	4.0	9.7	15.6	13.1	12.7	9.8
Genital Organs	1,744	11.5	0	0.0	2	0.9	0	0.0	35	6.3	112	4.9	529	13.8	411	13.4	655	13.1	7.6	0.0	4.5	0.0	3.9	4.9	6.8	7.8	8.8
Respiratory and Intrathoracic Organs	1,616	10.7	0	0.0	7	3.1	0	0.0	13	2.3	103	4.5	371	9.7	507	16.5	615	12.3	10.5	0.0	8.0	0.0	5.5	11.1	11.0	10.8	10.3
Breast (female)	768	5.1	0	0.0	0	0.0	0	0.0	17	3.0	180	7.9	236	6.2	134	4.4	201	4.0	6.6	0.0	0.0	0.0	2.1	6.6	7.0	6.6	6.7
Urinary Organs	636	4.2	0	0.0	0	0.0	0	0.0	2	0.4	37	1.6	165	4.3	160	5.2	272	5.4	8.7	0.0	0.0	0.0	3.5	7.8	8.0	8.7	9.3
Lip, Oral Cavity, Pharynx	196	1.3	0	0.0	0	0.0	0	0.0	9	1.6	47	2.1	55	1.4	54	1.8	31	0.6	9.2	0.0	0.0	0.0	17.6	7.9	8.2	10.5	9.0
Other and Unspecified Sites	2,272	15.0	0	0.0	94	41.4	19	30.6	99	17.7	296	13.0	639	16.7	458	14.9	667	13.3	9.5	0.0	6.8	6.4	7.0	7.0	10.3	9.8	10.6
<b>Carcinoma in Situ<sup>2</sup></b>	<b>127</b>	<b>0.8</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>6</b>	<b>1.1</b>	<b>37</b>	<b>1.6</b>	<b>24</b>	<b>0.6</b>	<b>31</b>	<b>1.0</b>	<b>29</b>	<b>0.6</b>	<b>5.9</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>2.3</b>	<b>6.8</b>	<b>3.5</b>	<b>5.7</b>	<b>7.8</b>
<b>Benign</b>	<b>2,617</b>	<b>17.3</b>	<b>66</b>	<b>94.3</b>	<b>11</b>	<b>4.8</b>	<b>22</b>	<b>35.5</b>	<b>240</b>	<b>42.9</b>	<b>932</b>	<b>40.9</b>	<b>560</b>	<b>14.6</b>	<b>276</b>	<b>9.0</b>	<b>510</b>	<b>10.2</b>	<b>5.5</b>	<b>3.3</b>	<b>3.9</b>	<b>3.6</b>	<b>3.9</b>	<b>3.8</b>	<b>4.8</b>	<b>6.7</b>	<b>8.5</b>
<b>Uncertain &amp; Unspecified Neoplasms</b>	<b>698</b>	<b>4.6</b>	<b>3</b>	<b>4.3</b>	<b>5</b>	<b>2.2</b>	<b>4</b>	<b>6.5</b>	<b>22</b>	<b>3.9</b>	<b>63</b>	<b>2.8</b>	<b>123</b>	<b>3.2</b>	<b>111</b>	<b>3.6</b>	<b>367</b>	<b>7.3</b>	<b>8.4</b>	<b>1.0</b>	<b>18.0</b>	<b>3.3</b>	<b>6.5</b>	<b>8.1</b>	<b>9.6</b>	<b>8.2</b>	<b>8.1</b>

<sup>1</sup>Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemotherapy and radiotherapy is also included). Diagnoses that were related to an earlier episode which had no bearing on the current hospital stay was excluded.

<sup>2</sup>Carcinoma in Situ may be Benign or Malignant.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.

**Table 48. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses<sup>1</sup> by Sex, Westchester County Residents, 2005-2006**

2005								
Principal Diagnosis	Number of Discharges					Average Length of Stay (days)		
	Total <sup>2</sup>	Female		Male		Total	Female	Male
		Number	%	Number	%			
<b>Total</b>	<b>16,029</b>	<b>8,981</b>	<b>100.0</b>	<b>7,046</b>	<b>100.0</b>	<b>8.9</b>	<b>8.6</b>	<b>9.3</b>
<b>Malignant Neoplasms</b>	<b>12,274</b>	<b>6,280</b>	<b>69.9</b>	<b>5,992</b>	<b>85.0</b>	<b>9.9</b>	<b>10.1</b>	<b>9.6</b>
Digestive Organs and Peritoneum	2,517	1,213	13.5	1,304	18.5	10.5	10.5	10.6
Lymphatic and Hematopoietic Tissues	2,043	989	11.0	1,053	14.9	10.9	11.7	10.2
Genital Organs	1,846	710	7.9	1,136	16.1	8.7	10.4	7.6
Respiratory and Intrathoracic Organs	1,780	928	10.3	851	12.1	10.4	10.1	10.6
Breast (female)	750	750	8.4	0	0.0	6.7	6.7	0.0
Urinary Organs	704	209	2.3	495	7.0	8.4	8.9	8.0
Lip, Oral Cavity, Pharynx	179	69	0.8	110	1.6	9.5	6.9	11.0
Other and Unspecified Sites	2,455	1,412	15.7	1,043	14.8	10.2	10.4	9.3
<b>Carcinoma in Situ<sup>3</sup></b>	<b>146</b>	<b>107</b>	<b>1.2</b>	<b>39</b>	<b>0.6</b>	<b>4.6</b>	<b>3.6</b>	<b>7.3</b>
<b>Benign</b>	<b>2,861</b>	<b>2,253</b>	<b>25.1</b>	<b>608</b>	<b>8.6</b>	<b>5.4</b>	<b>4.9</b>	<b>7.2</b>
<b>Uncertain &amp; Unspecified Neoplasms</b>	<b>748</b>	<b>341</b>	<b>3.8</b>	<b>407</b>	<b>5.8</b>	<b>7.3</b>	<b>7.3</b>	<b>7.4</b>
2006								
<b>Total</b>	<b>15,103</b>	<b>8,277</b>	<b>100.0</b>	<b>6,826</b>	<b>100.0</b>	<b>8.9</b>	<b>8.6</b>	<b>9.4</b>
<b>Malignant Neoplasms</b>	<b>11,661</b>	<b>5,716</b>	<b>69.1</b>	<b>5,945</b>	<b>87.1</b>	<b>9.8</b>	<b>10.0</b>	<b>9.7</b>
Digestive Organs and Peritoneum	2,369	1,123	13.6	1,246	18.3	11.0	12.0	10.1
Lymphatic and Hematopoietic Tissues	2,060	892	10.8	1,168	17.1	11.7	11.6	11.8
Genital Organs	1,744	730	8.8	1,014	14.9	7.6	9.1	6.5
Respiratory and Intrathoracic Organs	1,616	790	9.5	826	12.1	10.5	11.0	10.2
Breast (female)	768	768	9.3	0	0.0	6.6	6.6	0.0
Urinary Organs	636	185	2.2	451	6.6	8.7	9.4	8.4
Lip, Oral Cavity, Pharynx	196	45	0.5	151	2.2	9.2	11.1	8.8
Other and Unspecified Sites	2,272	1,183	14.3	1,089	16.0	9.5	9.1	10.1
<b>Carcinoma in Situ<sup>3</sup></b>	<b>127</b>	<b>98</b>	<b>1.2</b>	<b>29</b>	<b>0.4</b>	<b>5.9</b>	<b>5.4</b>	<b>7.8</b>
<b>Benign</b>	<b>2,617</b>	<b>2,092</b>	<b>25.3</b>	<b>525</b>	<b>7.7</b>	<b>5.5</b>	<b>5.1</b>	<b>7.0</b>
<b>Uncertain &amp; Unspecified Neoplasms</b>	<b>698</b>	<b>371</b>	<b>4.5</b>	<b>327</b>	<b>4.8</b>	<b>8.4</b>	<b>8.0</b>	<b>8.9</b>

<sup>1</sup> Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemotherapy and radiotherapy is also included). Diagnoses that related to an earlier episode which had no bearing on the current hospital stay was excluded.

<sup>2</sup> Total includes cases of unknown sex.

<sup>3</sup> Carcinoma in Situ may be Benign or Malignant.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.

**Table 49. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses<sup>1</sup> by Race/Ethnicity, Westchester County Residents, 2005-2006**

2005														
Principal Diagnosis	Number of Discharges									Average Length of Stay (days)				
	Total <sup>2</sup>	White		Black		Other <sup>3</sup>		Hispanic <sup>4</sup>		Total	White	Black	Other <sup>3</sup>	Hispanic <sup>4</sup>
		N	%	N	%	N	%	N	%					
<b>Total</b>	<b>16,029</b>	<b>11,555</b>	<b>100.0</b>	<b>2,302</b>	<b>100.0</b>	<b>1,414</b>	<b>100.0</b>	<b>909</b>	<b>100.0</b>	<b>8.9</b>	<b>8.9</b>	<b>9.6</b>	<b>8.7</b>	<b>8.5</b>
<b>Malignant Neoplasms</b>	<b>12,274</b>	<b>9,240</b>	<b>85.9</b>	<b>1,530</b>	<b>61.2</b>	<b>997</b>	<b>70.5</b>	<b>600</b>	<b>66.0</b>	<b>9.9</b>	<b>9.7</b>	<b>11.4</b>	<b>10.1</b>	<b>10.3</b>
Digestive Organs and Peritoneum	2,517	1,840	15.9	349	15.2	235	16.6	135	14.9	10.5	10.4	11.8	11.5	11.4
Lymphatic and Hematopoietic Tissues	2,043	1,535	13.3	236	10.3	197	13.9	126	13.9	10.9	11.1	11.1	9.6	11.2
Genital Organs	1,846	1,354	11.7	255	11.1	142	10.0	71	7.8	8.7	8.0	13.1	8.2	9.9
Respiratory and Intrathoracic Organs	1,780	1,380	11.9	223	9.7	119	8.4	56	6.2	10.4	10.3	11.4	13.0	12.7
Breast (female)	750	556	4.8	96	4.2	66	4.7	35	3.9	6.7	6.4	9.1	6.5	4.4
Urinary Organs	704	550	4.8	68	3.0	42	3.0	34	3.7	8.4	8.0	7.9	9.8	10.2
Lip, Oral Cavity, Pharynx	179	117	1.0	39	1.7	14	1.0	13	1.4	9.5	7.9	13.1	13.3	12.5
Other and Unspecified Sites	2,455	1,908	16.5	264	11.5	182	12.9	130	14.3	10.2	10.1	11.1	9.5	8.8
<b>Carcinoma in Situ<sup>5</sup></b>	<b>146</b>	<b>104</b>	<b>0.9</b>	<b>20</b>	<b>0.9</b>	<b>14</b>	<b>1.0</b>	<b>9</b>	<b>1.0</b>	<b>4.6</b>	<b>4.4</b>	<b>7.3</b>	<b>3.8</b>	<b>4.1</b>
<b>Benign</b>	<b>2,861</b>	<b>1,635</b>	<b>14.1</b>	<b>674</b>	<b>29.3</b>	<b>340</b>	<b>24.0</b>	<b>252</b>	<b>27.7</b>	<b>5.4</b>	<b>5.6</b>	<b>5.7</b>	<b>4.9</b>	<b>4.5</b>
<b>Uncertain &amp; Unspecified Neoplasms</b>	<b>748</b>	<b>576</b>	<b>5.0</b>	<b>78</b>	<b>3.4</b>	<b>63</b>	<b>4.5</b>	<b>48</b>	<b>5.3</b>	<b>7.3</b>	<b>6.8</b>	<b>7.8</b>	<b>7.2</b>	<b>7.6</b>
2006														
<b>Total</b>	<b>15,103</b>	<b>10,751</b>	<b>100.0</b>	<b>2,498</b>	<b>100.0</b>	<b>1,018</b>	<b>100.0</b>	<b>1,120</b>	<b>100.0</b>	<b>8.9</b>	<b>8.9</b>	<b>9.0</b>	<b>9.6</b>	<b>8.5</b>
<b>Malignant Neoplasms</b>	<b>11,661</b>	<b>8,665</b>	<b>80.6</b>	<b>1,655</b>	<b>66.3</b>	<b>635</b>	<b>62.4</b>	<b>765</b>	<b>68.3</b>	<b>9.8</b>	<b>9.5</b>	<b>10.7</b>	<b>11.4</b>	<b>10.0</b>
Digestive Organs and Peritoneum	2,369	1,765	16.4	325	13.0	221	21.7	198	17.7	11.0	10.9	11.6	3.0	10.5
Lymphatic and Hematopoietic Tissues	2,060	1,538	14.3	313	12.5	159	15.6	114	10.2	11.7	11.2	11.4	15.2	11.4
Genital Organs	1,744	1,239	11.5	262	10.5	171	16.8	145	12.9	7.6	7.3	9.3	7.8	7.7
Respiratory and Intrathoracic Organs	1,616	1,255	11.7	216	8.6	109	10.7	73	6.5	10.6	10.1	11.1	13.9	10.5
Breast (female)	768	521	4.8	151	6.0	65	6.4	74	6.6	6.6	6.5	7.0	7.9	10.2
Urinary Organs	636	505	4.7	64	2.6	40	3.9	28	2.5	8.7	8.6	9.1	8.8	6.9
Lip, Oral Cavity, Pharynx	196	134	1.2	19	0.8	30	2.9	16	1.4	9.3	10.1	7.6	8.4	9.3
Other and Unspecified Sites	2,272	1,708	15.9	305	12.2	193	19.0	117	10.4	9.5	8.7	12.3	12.1	10.7
<b>Carcinoma in Situ<sup>5</sup></b>	<b>127</b>	<b>93</b>	<b>0.8</b>	<b>19</b>	<b>0.8</b>	<b>12</b>	<b>0.8</b>	<b>10</b>	<b>1.1</b>	<b>5.9</b>	<b>6.1</b>	<b>6.8</b>	<b>3.8</b>	<b>3.9</b>
<b>Benign</b>	<b>2,617</b>	<b>1,469</b>	<b>12.7</b>	<b>718</b>	<b>31.2</b>	<b>319</b>	<b>22.6</b>	<b>296</b>	<b>32.6</b>	<b>5.5</b>	<b>5.9</b>	<b>4.9</b>	<b>5.2</b>	<b>4.9</b>
<b>Uncertain &amp; Unspecified Neoplasms</b>	<b>698</b>	<b>524</b>	<b>4.5</b>	<b>106</b>	<b>4.6</b>	<b>52</b>	<b>3.7</b>	<b>49</b>	<b>5.4</b>	<b>8.4</b>	<b>7.6</b>	<b>9.8</b>	<b>13.7</b>	<b>8.4</b>

<sup>1</sup> Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemotherapy and radiotherapy is also included). Diagnoses that related to an earlier episode which had no bearing on the current hospital stay was excluded.

<sup>2</sup> Total include cases with unknown race.

<sup>3</sup> Includes Native Americans, Asian and Pacific Islanders, and Other.

<sup>4</sup> Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

<sup>5</sup> Carcinoma in Situ may be Benign or Malignant.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.

**Table 50. Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses<sup>1</sup> by Age and Sex, Westchester County Residents, 2005-2006**

2005								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total <sup>2</sup>	Female		Male		Total	Female	Male
		Number	%	Number	%			
<b>Total</b>	<b>12,274</b>	<b>6,280</b>	<b>51.2</b>	<b>5,992</b>	<b>48.8</b>	<b>9.9</b>	<b>10.1</b>	<b>9.6</b>
Less than 1	0	0	0.0	0	0.0	0.0	0.0	0.0
1-2	41	24	58.5	17	41.5	8.6	11.7	4.2
3-4	40	34	85.0	6	15.0	11.9	13.2	4.3
5-6	30	9	30.0	21	70.0	7.5	7.7	7.3
7-8	51	39	76.5	12	23.5	7.3	6.9	8.3
9-10	31	14	45.2	17	54.8	4.7	4.6	4.8
11-12	23	10	43.5	13	56.5	5.0	5.0	4.9
13-14	24	15	62.5	9	37.5	8.3	6.7	11.1
15-16	33	29	87.9	4	12.1	12.8	13.6	7.0
17-18	35	10	28.6	25	71.4	14.1	17.1	13.0
19-20	43	5	11.6	38	88.4	2.8	6.6	2.3
21-22	36	21	58.3	15	41.7	4.7	4.8	4.6
23-24	22	3	13.6	19	86.4	7.7	2.7	8.8
25-29	59	25	42.4	34	57.6	10.9	6.0	14.0
30-34	94	64	68.1	30	31.9	8.2	7.5	9.6
35-39	225	144	64.0	81	36.0	9.6	8.2	12.0
40-44	451	243	53.9	208	46.1	7.5	7.0	8.1
45-49	565	358	63.4	207	36.6	9.4	9.6	9.1
50-54	806	409	50.7	396	49.1	8.5	8.2	8.9
55-59	1,050	582	55.4	468	44.6	9.0	9.0	9.1
60-64	1,273	578	45.4	695	54.6	9.9	11.7	8.4
65-69	1,223	573	46.9	650	53.1	11.0	12.3	9.8
70-74	1,541	775	50.3	766	49.7	10.1	10.1	10.1
75-79	1,821	894	49.1	927	50.9	10.6	10.8	10.4
80-84	1,411	684	48.5	727	51.5	10.6	10.8	10.4
85 and above	1,346	738	54.8	607	45.1	10.0	10.0	10.0

(continued)



**Table 50. Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses<sup>1</sup> by Age and Sex, Westchester County Residents, 2005-2006 (cont'd)**

2006								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
<b>Total</b>	<b>11,661</b>	<b>5,716</b>	<b>49.0</b>	<b>5,945</b>	<b>51.0</b>	<b>9.8</b>	<b>10.0</b>	<b>9.7</b>
Less than 1	1	1	0.0	0	0.0	14.0	14.0	0.0
1-2	20	5	25.0	15	75.0	10.3	5.2	12.0
3-4	21	7	33.3	14	66.7	6.2	5.0	6.8
5-6	48	30	62.5	18	37.5	4.0	3.0	5.8
7-8	53	23	43.4	30	56.6	6.5	6.3	6.6
9-10	52	14	26.9	38	73.1	13.9	16.9	12.8
11-12	17	8	47.1	9	52.9	9.4	14.8	4.7
13-14	15	6	40.0	9	60.0	5.1	3.3	6.2
15-16	16	10	62.5	6	37.5	5.4	4.5	7.0
17-18	7	4	57.1	3	42.9	5.0	4.8	5.3
19-20	31	5	16.1	26	83.9	4.7	3.2	4.9
21-22	32	18	56.3	14	43.8	9.4	9.7	8.9
23-24	40	15	37.5	25	62.5	4.7	5.0	4.5
25-29	86	39	45.3	47	54.7	8.9	8.4	9.3
30-34	101	50	49.5	51	50.5	6.2	3.4	9.0
35-39	197	130	66.0	67	34.0	9.0	8.4	10.1
40-44	403	205	50.9	198	49.1	8.8	8.2	9.4
45-49	649	341	52.5	308	47.5	9.3	8.4	10.4
50-54	813	456	56.1	357	43.9	8.6	8.8	8.4
55-59	1,028	494	48.1	534	51.9	9.6	9.7	9.5
60-64	1,275	636	49.9	639	50.1	10.6	10.5	10.7
65-69	1,323	628	47.5	695	52.5	10.0	10.5	9.6
70-74	1,337	628	47.0	709	53.0	10.3	11.3	9.4
75-79	1,565	724	46.3	841	53.7	10.0	10.2	9.8
80-84	1,304	617	47.3	687	52.7	10.6	11.2	10.1
85 and above	1,227	622	50.7	605	49.3	10.3	10.8	9.7

<sup>1</sup> Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemotherapy and radiotherapy is also included). Diagnoses that related to an earlier episode which had no bearing on the current hospital stay was excluded.

<sup>2</sup> Total includes cases of unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2007.

**Table 51. Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses<sup>1</sup> by Age and Race/Ethnicity, Westchester County Residents, 2005-2006**

2005														
Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total <sup>2</sup>	White		Black		Other <sup>3</sup>		Hispanic <sup>4</sup>		Total	White	Black	Other <sup>3</sup>	Hispanic <sup>4</sup>
		N	%	N	%	N	%	N	%					
<b>Total</b>	<b>12,274</b>	<b>9,240</b>	<b>75.3</b>	<b>1,530</b>	<b>12.5</b>	<b>997</b>	<b>8.1</b>	<b>600</b>	<b>4.9</b>	<b>9.9</b>	<b>9.7</b>	<b>11.4</b>	<b>10.1</b>	<b>10.3</b>
Less than 1	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
1-2	41	21	51.2	9	22.0	11	26.8	4	9.8	8.6	9.4	8.8	6.8	4.5
3-4	40	21	52.5	19	47.5	0	0.0	9	22.5	11.9	19.0	4.2	0.0	33.1
5-6	30	16	53.3	1	3.3	13	43.3	2	6.7	7.5	7.1	2.0	8.3	4.0
7-8	51	15	29.4	23	45.1	13	25.5	1	2.0	7.3	7.2	7.2	7.4	6.0
9-10	31	19	61.3	1	3.2	11	35.5	4	12.9	4.7	6.2	2.0	2.4	5.3
11-12	23	21	91.3	0	0.0	2	8.7	2	8.7	5.0	5.0	0.0	4.5	3.0
13-14	24	13	54.2	11	45.8	0	0.0	2	8.3	8.3	9.1	7.4	0.0	1.5
15-16	33	32	97.0	1	3.0	0	0.0	1	3.0	12.8	13.0	10.0	0.0	4.0
17-18	35	25	71.4	2	5.7	8	22.9	14	40.0	14.1	12.2	60.0	8.8	13.3
19-20	43	35	81.4	0	0.0	7	16.3	8	18.6	2.8	2.6	0.0	1.4	1.5
21-22	36	29	80.6	3	8.3	3	8.3	8	22.2	4.7	4.5	7.3	5.0	1.6
23-24	22	17	77.3	2	9.1	1	4.5	0	0.0	7.7	9.2	3.0	5.0	0.0
25-29	59	28	47.5	17	28.8	14	23.7	10	16.9	10.9	6.6	7.4	23.7	18.7
30-34	94	60	63.8	3	3.2	22	23.4	27	28.7	8.2	7.9	2.0	5.4	10.5
35-39	225	142	63.1	42	18.7	37	16.4	32	14.2	9.6	7.3	18.9	8.2	9.6
40-44	451	287	63.6	79	17.5	65	14.4	45	10.0	7.5	6.2	10.1	10.4	8.4
45-49	565	333	58.9	111	19.6	83	14.7	51	9.0	9.4	8.2	12.6	7.9	8.6
50-54	806	541	67.1	131	16.3	90	11.2	42	5.2	8.5	8.3	10.7	8.2	8.5
55-59	1,050	721	68.7	176	16.8	90	8.6	58	5.5	9.0	8.7	11.3	9.1	7.7
60-64	1,273	961	75.5	159	12.5	108	8.5	72	5.7	9.9	10.0	10.6	10.5	12.5
65-69	1,223	877	71.7	173	14.1	118	9.6	45	3.7	11.0	10.1	14.2	12.8	11.6
70-74	1,541	1,207	78.3	182	11.8	76	4.9	35	2.3	10.1	10.1	10.7	12.3	14.4
75-79	1,821	1,462	80.3	174	9.6	120	6.6	67	3.7	10.6	10.3	11.5	12.7	10.9
80-84	1,411	1,190	84.3	113	8.0	65	4.6	38	2.7	10.6	10.8	11.0	8.4	7.9
85 and above	1,346	1,167	86.7	98	7.3	40	3.0	23	1.7	10.0	9.9	11.0	8.8	10.2

(continued)

**Table 51. Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses<sup>1</sup> by Age and Race/Ethnicity, Westchester County Residents, 2005-2006 (cont'd)**

2006														
Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total <sup>2</sup>	White		Black		Other <sup>3</sup>		Hispanic <sup>4</sup>		Total	White	Black	Other <sup>3</sup>	Hispanic <sup>4</sup>
		N	%	N	%	N	%	N	%					
<b>Total</b>	<b>11,661</b>	<b>8,665</b>	<b>74.3</b>	<b>1,655</b>	<b>14.2</b>	<b>988</b>	<b>8.5</b>	<b>765</b>	<b>6.6</b>	<b>9.8</b>	<b>9.5</b>	<b>10.7</b>	<b>11.4</b>	<b>10.0</b>
Less than 1	1	0	0.0	0	0.0	1	0.0	0	0.0	14.0	0.0	0.0	14.0	0.0
1-2	20	15	75.0	0	0.0	5	25.0	13	65.0	10.3	11.7	0.0	6.0	12.6
3-4	21	16	76.2	0	0.0	5	23.8	1	4.8	6.2	7.0	0.0	3.6	12.0
5-6	48	36	75.0	9	18.8	3	6.3	4	8.3	4.0	3.2	6.1	7.7	8.0
7-8	53	30	56.6	6	11.3	17	32.1	1	1.9	6.5	6.6	6.7	6.1	3.0
9-10	52	19	36.5	27	51.9	6	11.5	0	0.0	13.9	5.1	18.5	20.8	0.0
11-12	17	13	76.5	0	0.0	4	23.5	3	17.6	9.4	10.2	0.0	7.0	3.7
13-14	15	12	80.0	2	13.3	1	6.7	4	26.7	5.1	3.4	1.5	32.0	11.5
15-16	16	11	68.8	4	25.0	1	6.3	0	0.0	5.4	4.2	7.0	13.0	0.0
17-18	7	5	71.4	0	0.0	2	28.6	0	0.0	5.0	5.8	0.0	3.0	0.0
19-20	31	15	48.4	2	6.5	14	45.2	7	22.6	4.7	6.6	3.0	2.8	4.6
21-22	32	16	50.0	16	50.0	0	0.0	0	0.0	9.8	12.3	6.4	0.0	0.0
23-24	40	37	92.5	3	7.5	0	0.0	8	20.0	4.7	4.8	2.7	0.0	6.0
25-29	86	63	73.3	4	4.7	18	20.9	17	19.8	8.9	8.1	6.0	12.3	11.7
30-34	101	53	52.5	11	10.9	33	32.7	36	35.6	6.2	6.1	3.1	7.5	6.1
35-39	197	111	56.3	41	20.8	39	19.8	40	20.3	9.0	8.1	10.4	9.4	7.7
40-44	403	281	69.7	57	14.1	47	11.7	48	11.9	8.8	7.7	14.6	10.1	8.3
45-49	649	391	60.2	144	22.2	87	13.4	94	14.5	9.3	8.2	8.4	12.2	9.8
50-54	813	502	61.7	189	23.2	99	12.2	77	9.5	8.6	8.3	8.8	10.8	12.3
55-59	1,028	750	73.0	143	13.9	99	9.6	65	6.3	9.6	8.8	9.4	13.6	8.3
60-64	1,275	878	68.9	220	17.3	137	10.7	108	8.5	10.6	10.5	10.4	11.1	9.0
65-69	1,323	964	72.9	219	16.6	99	7.5	78	5.9	10.0	9.4	12.4	10.6	10.0
70-74	1,337	1,017	76.1	188	14.1	86	6.4	56	4.2	10.3	9.9	11.2	14.7	12.9
75-79	1,565	1,258	80.4	170	10.9	93	5.9	52	3.3	10.0	9.6	11.8	12.5	14.0
80-84	1,304	1,112	85.3	107	8.2	47	3.6	29	2.2	10.6	10.6	12.1	10.3	10.7
85 and above	1,227	1,060	86.4	93	7.6	45	3.7	24	2.0	10.3	10.1	11.3	12.2	10.1

<sup>1</sup> Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemotherapy and radiotherapy is also included). Diagnoses that related to an earlier episode which had no bearing on the current hospital stay was excluded.

<sup>2</sup> Totals include cases with unknown race.

<sup>3</sup> Includes Native Americans, Asian and Pacific Islanders, and Other.

<sup>4</sup> Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.

**Table 52. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning<sup>1</sup> by Etiology and Age, Westchester County Residents, 2005-2006**

2005																											
Etiology	Number of Discharges																Average Length of Stay (days)										
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%									
<b>Total</b>	<b>8,404</b>	<b>100.0</b>	<b>54</b>	<b>100.0</b>	<b>322</b>	<b>100.0</b>	<b>258</b>	<b>100.0</b>	<b>998</b>	<b>100.0</b>	<b>1,089</b>	<b>100.0</b>	<b>1,076</b>	<b>100.0</b>	<b>870</b>	<b>100.0</b>	<b>3,737</b>	<b>100.0</b>	<b>6.7</b>	<b>7.0</b>	<b>5.5</b>	<b>8.7</b>	<b>5.0</b>	<b>6.1</b>	<b>7.0</b>	<b>7.9</b>	<b>8.3</b>
Falls	4,828	57.4	20	37.0	131	40.7	51	19.8	145	14.5	316	29.0	523	48.6	589	67.7	3053	81.7	7.4	1.2	3.4	5.5	3.7	5.2	8.7	8.1	7.7
Motor Vehicle Accident	641	7.6	0	0.0	9	2.8	29	11.2	220	22.0	134	12.3	121	11.2	51	5.9	77	2.1	7.3	0.0	2.7	5.7	6.8	7.0	9.4	8.5	6.6
Self-Inflicted	328	3.9	0	0.0	3	0.9	33	12.8	121	12.1	107	9.8	38	3.5	10	1.1	16	0.4	4.7	0.0	2.0	5.3	3.6	6.4	3.3	3.8	4.2
Assault	317	3.8	5	9.3	8	2.5	31	12.0	178	17.8	70	6.4	18	1.7	2	0.2	5	0.1	5.7	5.2	8.3	6.9	5.2	6.4	5.1	9.0	3.6
Poisoning	278	3.3	4	7.4	23	7.1	8	3.1	42	4.2	83	7.6	43	4.0	25	2.9	50	1.3	3.6	2.0	3.5	3.9	2.8	3.0	3.3	4.4	4.8
Pedestrian	197	2.3	0	0.0	16	5.0	12	4.7	38	3.8	40	3.7	42	3.9	21	2.4	28	0.7	9.8	0.0	4.6	9.8	5.9	9.2	9.0	22.8	10.5
Struck by Object/Person	180	2.1	2	3.7	21	6.5	30	11.6	31	3.1	35	3.2	18	1.7	9	1.0	34	0.9	9.1	3.5	4.3	17.2	14.3	5.7	4.6	6.0	7.2
Overexertion	122	1.5	0	0.0	2	0.6	6	2.3	10	1.0	22	2.0	28	2.6	19	2.2	35	0.9	6.6	0.0	2.0	2.0	4.6	2.9	9.0	8.2	7.7
Cutting Instrument	101	1.2	0	0.0	4	1.2	4	1.6	33	3.3	31	2.8	17	1.6	6	0.7	6	0.2	7.8	0.0	8.5	1.3	4.3	3.2	4.8	5.5	9.7
Scalds	76	0.9	7	13.0	22	6.8	2	0.8	6	0.6	16	1.5	10	0.9	4	0.5	9	0.2	8.5	5.7	6.8	10.0	4.3	9.1	7.1	6.8	18.4
Bicycle	55	0.7	0	0.0	13	4.0	6	2.3	10	1.0	11	1.0	9	0.8	3	0.3	3	0.1	5.6	0.0	2.9	3.3	3.5	8.6	11.0	1.3	6.7
Machinery	35	0.4	0	0.0	0	0.0	1	0.4	11	1.1	12	1.1	10	0.9	0	0.0	1	0.0	4.5	0.0	0.0	1.0	7.5	3.2	3.6	0.0	1.0
Fire/Flame	30	0.4	0	0.0	4	1.2	1	0.4	6	0.6	8	0.7	7	0.7	2	0.2	2	0.1	14.0	0.0	5.6	14.0	5.2	33.5	6.1	16.0	5.0
Respiratory Interference	28	0.3	2	3.7	4	1.2	0	0.0	1	0.1	1	0.1	1	0.1	4	0.5	15	0.4	11.5	2.0	3.5	0.0	1.0	16.0	6.0	7.5	16.7
Other	1,188	14.1	14	25.9	62	19.3	44	17.1	146	14.6	203	18.6	191	17.8	125	14.4	403	10.8	8.4	2.0	3.1	3.3	7.3	9.1	7.1	10.1	10.0

(continued)

**Table 52. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning<sup>1</sup> by Etiology and Age, Westchester County Residents, 2005-2006 (cont'd)**

2006																											
Etiology	Number of Discharges																Average Length of Stay (days)										
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%									
<b>Total</b>	<b>8,049</b>	<b>100.0</b>	<b>32</b>	<b>100.0</b>	<b>292</b>	<b>100.0</b>	<b>257</b>	<b>100.0</b>	<b>1,042</b>	<b>100.0</b>	<b>1,072</b>	<b>100.0</b>	<b>1,107</b>	<b>100.0</b>	<b>855</b>	<b>100.0</b>	<b>3,392</b>	<b>100.0</b>	<b>6.9</b>	<b>6.3</b>	<b>5.6</b>	<b>7.9</b>	<b>5.0</b>	<b>6.6</b>	<b>7.2</b>	<b>8.1</b>	<b>8.3</b>
Falls	4,390	54.5	10	31.3	114	39.0	44	17.1	156	15.0	280	26.1	542	49.0	549	64.2	2695	79.5	7.8	1.8	4.2	3.8	5.5	7.3	6.9	8.0	8.3
Motor Vehicle Accident	592	7.4	2	6.3	4	1.4	43	16.7	202	19.4	132	12.3	80	7.2	51	6.0	78	2.3	8.3	1.5	6.0	4.8	7.2	7.3	10.7	8.2	12.7
Self-Inflicted	328	4.1	0	0.0	3	1.0	38	14.8	116	11.1	102	9.5	46	4.2	14	1.6	9	0.3	8.4	0.0	12.0	2.7	5.0	5.0	7.2	13.1	3.9
Assault	319	4.0	0	0.0	6	2.1	35	13.6	176	16.9	65	6.1	28	2.5	3	0.4	6	0.2	5.8	0.0	9.8	3.7	5.3	7.3	4.9	31.0	7.0
Poisoning	313	3.9	1	3.1	19	6.5	12	4.7	41	3.9	80	7.5	61	5.5	36	4.2	63	1.9	4.9	1.0	1.8	1.6	3.3	5.9	5.2	5.8	5.7
Struck by Object/Person	204	2.5	2	6.3	23	7.9	25	9.7	48	4.6	51	4.8	21	1.9	8	0.9	26	0.8	5.9	9.0	2.8	3.1	3.0	9.8	4.4	4.6	10.1
Pedestrian	165	2.0	0	0.0	17	5.8	8	3.1	27	2.6	38	3.5	30	2.7	14	1.6	31	0.9	9.5	0.0	3.0	10.9	5.2	7.8	8.4	1.1	20.8
Overexertion	106	1.3	0	0.0	2	0.7	7	2.7	21	2.0	34	3.2	17	1.5	7	0.8	18	0.5	4.2	0.0	2.0	2.0	2.7	4.7	4.9	2.6	5.9
Cutting Instrument	105	1.3	0	0.0	6	2.1	5	1.9	45	4.3	24	2.2	13	1.2	6	0.7	6	0.2	4.3	0.0	3.2	4.6	5.2	1.8	2.5	10.7	6.5
Scalds	77	1.0	1	3.1	25	8.6	2	0.8	11	1.1	15	1.4	14	1.3	2	0.2	7	0.2	8.7	4.0	6.2	9.5	10.6	5.1	15.9	2.5	9.7
Bicycle	61	0.8	0	0.0	12	4.1	2	0.8	10	1.0	13	1.2	14	1.3	9	1.1	1	0.0	4.2	0.0	2.9	1.5	3.6	5.0	5.3	4.7	3.0
Respiratory Interference	52	0.6	2	6.3	3	1.0	0	0.0	0	0.0	5	0.5	12	1.1	4	0.5	26	0.8	16.5	1.5	1.7	0.0	0.0	7.2	22.3	11.8	19.2
Fire/Flame	38	0.5	0	0.0	3	1.0	0	0.0	10	1.0	8	0.7	4	0.4	4	0.5	9	0.3	9.0	0.0	6.3	0.0	5.8	6.8	6.3	16.5	13.1
Machinery	29	0.4	0	0.0	1	0.3	1	0.4	8	0.8	13	1.2	3	0.3	2	0.2	1	0.0	3.4	0.0	1.0	3.0	3.8	3.8	1.7	3.0	4.0
Other	1,270	15.8	14	43.8	54	18.5	35	13.6	171	16.4	212	19.8	222	20.1	146	17.1	416	12.3	9.9	14.4	5.4	4.0	8.3	7.8	10.0	12.8	11.0

<sup>1</sup>Including cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recording an external code (E-Code) are: a) principal diagnosis of an injury or poisoning, b) other diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis, and c) other diagnosis with an external cause. Only the first E-Code is recorded in this item.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.

**Table 53. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning<sup>1</sup> by Etiology and Sex, Westchester County Residents, 2005-2006**

2005									
Etiology	Number of Discharges						Average Length of Stay (days)		
	Total <sup>2</sup>		Female		Male		Total	Female	Male
	Number	%	Number	%	Number	%			
<b>Total</b>	<b>8,404</b>	<b>100.0</b>	<b>4,596</b>	<b>100.0</b>	<b>3,807</b>	<b>100.0</b>	<b>6.7</b>	<b>7.3</b>	<b>8.9</b>
Falls	4,828	57.4	3,124	68.0	1,704	44.8	7.4	7.1	8.0
Motor Vehicle Accident	641	7.6	234	5.1	407	10.7	7.3	5.9	8.1
Self-Inflicted	328	3.9	184	4.0	144	3.8	4.7	4.8	4.5
Assault	317	3.8	49	1.1	268	7.0	5.7	5.3	5.8
Poisoning	278	3.3	135	2.9	143	3.8	3.6	4.1	3.1
Pedestrian	197	2.3	76	1.7	121	3.2	9.1	6.3	10.5
Struck by Object/Person	180	2.1	59	1.3	121	3.2	9.8	9.9	9.8
Overexertion	122	1.5	57	1.2	65	1.7	6.6	5.7	7.4
Cutting Instrument	101	1.2	22	0.5	79	2.1	7.8	4.8	4.4
Scalds	76	0.9	32	0.7	43	1.1	5.6	4.9	5.7
Bicycle	55	0.7	8	0.2	47	1.2	8.5	9.0	3.4
Machinery	35	0.4	3	0.1	32	0.8	11.5	11.9	11.0
Fire/Flame	30	0.4	16	0.3	14	0.4	4.5	2.7	4.7
Respiratory Interference	28	0.3	15	0.3	13	0.3	14.0	17.5	10.0
Other	1,188	14.1	582	12.7	606	15.9	8.4	8.9	7.9
2006									
<b>Total</b>	<b>8,049</b>	<b>100.0</b>	<b>4,288</b>	<b>100.0</b>	<b>3,761</b>	<b>100.0</b>	<b>6.9</b>	<b>6.5</b>	<b>7.5</b>
Falls	4,390	54.5	2,789	65.0	1,601	42.6	7.8	7.7	8.0
Motor Vehicle Accident	592	7.4	229	5.3	363	9.7	8.3	8.3	8.4
Self-Inflicted	328	4.1	201	4.7	127	3.4	8.4	4.9	6.2
Assault	319	4.0	39	0.9	280	7.4	5.8	6.3	5.8
Poisoning	313	3.9	142	3.3	171	4.5	4.9	4.5	5.3
Struck by Object/Person	204	2.5	61	1.4	143	3.8	9.5	10.7	3.8
Pedestrian	165	2.0	71	1.7	94	2.5	5.9	7.3	11.2
Overexertion	106	1.3	38	0.9	68	1.8	4.2	4.1	4.3
Cutting Instrument	105	1.3	23	0.5	82	2.2	4.3	5.5	4.0
Scalds	77	1.0	41	1.0	36	1.0	4.2	9.3	7.9
Bicycle	61	0.8	13	0.3	48	1.3	8.7	4.7	4.1
Respiratory Interference	52	0.6	21	0.5	31	0.8	3.4	16.9	16.2
Fire/Flame	38	0.5	12	0.3	26	0.7	16.5	12.5	7.3
Machinery	29	0.4	2	0.0	27	0.7	9.0	1.5	3.5
Other	1,270	15.8	606	14.1	664	17.7	9.9	9.2	10.5

<sup>1</sup> Including cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recording an external code (E-Code) are: a) principal diagnosis of an injury or poisoning, b) other diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis, and c) other diagnosis with an external cause. Only

<sup>2</sup> Total include cases with unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.

**Table 54. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning<sup>1</sup> by Etiology and Race/Ethnicity, Westchester County Residents, 2005-2006**

2005															
Etiology	Number of Discharges									Average Length of Stay (days)					
	Total <sup>2</sup>		White		Black		Other <sup>3</sup>		Hispanic <sup>4</sup>		Total	White	Black	Other <sup>3</sup>	Hispanic <sup>4</sup>
	N	%	N	%	N	%	N	%	N	%					
<b>Total</b>	<b>8,404</b>	<b>100.0</b>	<b>5,966</b>	<b>100.0</b>	<b>979</b>	<b>100.0</b>	<b>1,129</b>	<b>100.0</b>	<b>696</b>	<b>100.0</b>	<b>6.7</b>	<b>6.8</b>	<b>7.5</b>	<b>6.2</b>	<b>5.3</b>
Falls	4,828	57.4	3,910	65.5	337	34.4	382	33.8	222	31.9	7.4	7.5	7.5	6.9	4.9
Motor Vehicle Accident	641	7.6	354	5.9	77	7.9	192	17.0	85	12.2	7.3	7.7	5.0	7.5	6.1
Self-Inflicted	328	3.9	202	3.4	55	5.6	57	5.0	41	5.9	4.7	4.6	5.8	4.4	4.4
Assault	317	3.8	84	1.4	120	12.3	104	9.2	63	9.1	5.7	4.5	6.3	6.3	5.0
Poisoning	278	3.3	168	2.8	64	6.5	37	3.3	32	4.6	3.6	3.7	3.5	3.7	3.0
Pedestrian	197	2.3	92	1.5	38	3.9	58	5.1	33	4.7	9.8	10.2	10.8	9.2	7.4
Struck by Object/Person	180	2.1	101	1.7	35	3.6	39	3.5	30	4.3	9.1	4.2	23.5	9.6	5.6
Overexertion	122	1.5	87	1.5	10	1.0	13	1.2	10	1.4	6.6	7.9	4.7	3.3	3.8
Cutting Instrument	101	1.2	57	1.0	11	1.1	30	2.7	28	4.0	7.8	4.0	8.3	4.3	4.0
Scalds	76	0.9	45	0.8	11	1.1	20	1.8	18	2.6	8.5	9.6	7.2	6.6	7.7
Bicycle	55	0.7	25	0.4	8	0.8	22	1.9	5	0.7	5.6	7.2	8.4	2.8	4.4
Machinery	35	0.4	18	0.3	3	0.3	12	1.1	10	1.4	4.5	2.8	2.3	8.2	6.4
Fire/Flame	30	0.4	15	0.3	5	0.5	10	0.9	5	0.7	14.0	7.6	15.0	23.1	5.8
Respiratory Interference	28	0.3	22	0.4	1	0.1	5	0.4	2	0.3	11.5	13.4	12.0	2.8	2.0
Other	1,188	14.1	786	13.2	204	20.8	148	13.1	112	16.1	8.4	8.9	7.7	8.9	4.1

(continued)

**Table 54. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning<sup>1</sup> by Etiology and Race/Ethnicity, Westchester County Residents, 2005-2006 (cont'd)**

2006															
Etiology	Number of Discharges								Average Length of Stay (days)						
	Total <sup>2</sup>		White		Black		Other <sup>3</sup>		Hispanic <sup>4</sup>		Total	White	Black	Other <sup>3</sup>	Hispanic <sup>4</sup>
	N	%	N	%	N	%	N	%	N	%					
<b>Total</b>	<b>8,049</b>	<b>100.0</b>	<b>5,636</b>	<b>100.0</b>	<b>1,076</b>	<b>100.0</b>	<b>1,151</b>	<b>100.0</b>	<b>731</b>	<b>100.0</b>	<b>6.9</b>	<b>6.9</b>	<b>7.7</b>	<b>5.8</b>	<b>5.3</b>
Falls	4,390	54.5	3,506	62.2	337	31.3	425	36.9	231	31.6	7.8	7.9	7.9	7.3	6.7
Motor Vehicle Accident	592	7.4	323	5.7	70	6.5	187	16.2	65	8.9	8.3	8.2	5.8	9.6	6.8
Self-Inflicted	328	4.1	195	3.5	68	6.3	62	5.4	50	6.8	8.4	5.0	5.0	7.4	6.9
Assault	319	4.0	88	1.6	114	10.6	116	10.1	74	10.1	5.8	5.1	5.5	6.7	4.3
Poisoning	313	3.9	203	3.6	70	6.5	38	3.3	32	4.4	4.9	5.3	4.9	2.9	2.9
Struck by Object/Person	204	2.5	120	2.1	33	3.1	46	4.0	39	5.3	9.5	7.0	5.9	3.1	3.1
Pedestrian	165	2.0	90	1.6	23	2.1	47	4.1	28	3.8	5.9	11.6	6.2	3.2	9.9
Cutting Instrument	105	1.3	66	1.2	12	1.1	25	2.2	29	4.0	4.3	3.8	4.2	6.1	2.8
Overexertion	106	1.3	63	1.1	26	2.4	14	1.2	10	1.4	4.2	4.0	4.7	4.3	3.2
Scalds	77	1.0	36	0.6	18	1.7	19	1.7	16	2.2	4.2	9.5	8.2	7.8	9.7
Bicycle	61	0.8	44	0.8	4	0.4	11	1.0	8	1.1	8.7	4.0	4.0	2.5	5.9
Respiratory Interference	52	0.6	41	0.7	4	0.4	7	0.6	9	1.2	3.4	14.5	18.8	26.9	20.9
Fire/Flame	38	0.5	19	0.3	8	0.7	9	0.8	7	1.0	16.5	7.6	5.9	15.8	12.0
Machinery	29	0.4	17	0.3	1	0.1	10	0.9	9	1.2	9.0	2.8	2.0	4.4	2.2
Other	1,270	15.8	825	14.6	288	26.8	135	11.7	124	17.0	9.9	10.0	10.2	9.4	10.2

<sup>1</sup> Including cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recording an external code (E-Code) are: a) principal diagnosis of an injury or poisoning, b) other diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis, and c) other diagnosis with an external cause. Only the first E-Code is recorded in this item.

<sup>2</sup> Totals include cases with unknown race.

<sup>3</sup> Includes Native Americans, Asian and Pacific Islanders, and Other.

<sup>4</sup> Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.



**Table 55. Number of Hospital Discharges and Average Length of Stay Due to Diabetes-Related Diagnoses<sup>1</sup> by Age and Sex, Westchester County Residents, 2005-2006**

2005								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total <sup>2</sup>	Female		Male		Total	Female	Male
		Number	%	Number	%			
<b>Total</b>	<b>19,925</b>	<b>10,323</b>	<b>51.8</b>	<b>9,599</b>	<b>48.2</b>	<b>7.9</b>	<b>7.7</b>	<b>8.1</b>
Less than 1	0	0	0.0	0	0.0	0.0	0.0	0.0
1-2	11	7	63.6	4	36.4	3.9	2.7	6.0
3-4	10	3	30.0	7	70.0	5.2	5.7	5.0
5-6	2	1	50.0	1	50.0	2.0	2.0	2.0
7-8	17	12	70.6	5	29.4	4.2	3.6	5.6
9-10	9	5	55.6	4	44.4	9.3	9.2	9.5
11-12	13	6	46.2	7	53.8	7.1	8.2	6.1
13-14	15	5	33.3	10	66.7	2.8	2.8	2.8
15-16	30	17	56.7	13	43.3	5.6	7.0	3.8
17-18	19	9	47.4	10	52.6	9.9	3.1	16.0
19-20	35	27	77.1	8	22.9	4.6	4.0	6.6
21-22	32	28	87.5	4	12.5	2.9	2.5	5.5
23-24	27	18	66.7	9	33.3	7.0	9.2	2.7
25-29	122	67	54.9	55	45.1	5.5	5.0	6.1
30-34	168	102	60.7	66	39.3	4.8	4.8	4.6
35-39	408	231	56.6	177	43.4	7.0	5.4	9.0
40-44	673	276	41.0	397	59.0	7.1	5.7	8.1
45-49	973	415	42.7	557	57.2	7.7	6.0	8.9
50-54	1,223	514	42.0	709	58.0	7.2	7.2	7.1
55-59	1,699	834	49.1	865	50.9	7.0	6.9	7.2
60-64	1,986	949	47.8	1,037	52.2	7.9	8.4	7.5
65-69	2,211	1,024	46.3	1,187	53.7	8.1	7.4	8.7
70-74	2,530	1,331	52.6	1,198	47.4	8.3	8.3	8.4
75-79	2,917	1,553	53.2	1,364	46.8	8.3	8.3	8.3
80-84	2,342	1,304	55.7	1,037	44.3	8.6	8.6	8.6
85 and above	2,453	1,585	64.6	868	35.4	8.0	7.7	8.5

(continued)

**Table 55. Number of Hospital Discharges and Average Length of Stay Due to Diabetes-Related Diagnoses<sup>1</sup> by Age and Sex, Westchester County Residents, 2005-2006 (cont'd)**

2006								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
<b>Total</b>	<b>19,535</b>	<b>9,972</b>	<b>51.0</b>	<b>9,563</b>	<b>49.0</b>	<b>7.9</b>	<b>8.0</b>	<b>7.8</b>
Less than 1	1	0	0.0	1	0.0	4.0	0.0	4.0
1-2	4	2	50.0	2	50.0	2.3	2.0	2.5
3-4	10	3	30.0	7	70.0	4.2	5.7	3.6
5-6	11	8	72.7	3	27.3	4.5	5.0	3.0
7-8	22	12	54.5	10	45.5	10.6	3.3	19.4
9-10	8	2	25.0	6	75.0	4.5	5.5	4.2
11-12	20	13	65.0	7	35.0	10.6	10.3	11.1
13-14	22	9	40.9	13	59.1	11.6	23.0	3.7
15-16	17	12	70.6	5	29.4	5.0	5.5	3.8
17-18	23	14	60.9	9	39.1	6.6	7.6	4.9
19-20	28	16	57.1	12	42.9	4.5	3.4	5.9
21-22	28	18	64.3	10	35.7	3.3	3.1	3.6
23-24	16	10	62.5	6	37.5	3.2	2.3	4.7
25-29	124	58	46.8	66	53.2	7.0	10.9	3.7
30-34	192	107	55.7	85	44.3	6.4	4.9	8.2
35-39	388	217	55.9	171	44.1	9.4	7.5	11.9
40-44	601	273	45.4	328	54.6	6.6	6.4	6.7
45-49	951	449	47.2	502	52.8	6.5	5.5	7.4
50-54	1,234	484	39.2	750	60.8	7.0	6.6	7.3
55-59	1,733	788	45.5	945	54.5	7.6	7.8	7.4
60-64	2,060	1,064	51.7	996	48.3	7.6	8.2	6.9
65-69	2,149	1,063	49.5	1,086	50.5	8.1	8.5	7.7
70-74	2,504	1,249	49.9	1,255	50.1	8.6	8.2	9.0
75-79	2,780	1,479	53.2	1,301	46.8	8.5	9.0	8.0
80-84	2,404	1,203	50.0	1,201	50.0	8.3	8.5	8.2
85 and above	2,205	1,419	64.4	786	35.6	7.9	7.9	7.8

<sup>1</sup> Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay.

<sup>2</sup> Totals include cases with unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.

**Table 56. Number of Hospital Discharges and Average Length of Stay Due to Diabetes-Related Diagnoses<sup>1</sup> by Age and Race/Ethnicity, Westchester County Residents, 2005-2006**

2005														
Age (years)	Number of Discharges								Average Length of Stay (days)					
	Total <sup>2</sup>	White		Black		Other <sup>3</sup>		Hispanic <sup>4</sup>		Total	White	Black	Other <sup>3</sup>	Hispanic <sup>4</sup>
		N	%	N	%	N	%	N	%					
<b>Total</b>	<b>19,925</b>	<b>12,192</b>	<b>61.2</b>	<b>4,700</b>	<b>23.6</b>	<b>2,239</b>	<b>11.2</b>	<b>1,764</b>	<b>8.9</b>	<b>7.9</b>	<b>8.0</b>	<b>8.0</b>	<b>7.6</b>	<b>7.6</b>
Less than 1	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
1-2	11	9	81.8	1	9.1	1	9.1	2	18.2	3.9	4.4	1.0	2.0	2.5
3-4	10	3	30.0	1	10.0	6	60.0	2	20.0	5.2	3.3	8.0	5.7	5.0
5-6	2	1	50.0	0	0.0	1	50.0	0	0.0	2.0	2.0	0.0	2.0	0.0
7-8	17	10	58.8	7	41.2	0	0.0	3	17.6	4.2	4.5	3.7	0.0	4.0
9-10	9	2	22.2	3	33.3	4	44.4	2	22.2	9.3	3.5	22.3	2.5	2.0
11-12	13	1	7.7	4	30.8	6	46.2	1	7.7	7.1	7.0	11.0	5.0	9.0
13-14	15	7	46.7	2	13.3	6	40.0	5	33.3	2.8	2.1	5.5	2.7	3.0
15-16	30	13	43.3	8	26.7	9	30.0	1	3.3	5.6	2.9	6.0	9.3	2.0
17-18	19	10	52.6	6	31.6	2	10.5	3	15.8	9.9	8.3	3.2	3.0	22.7
19-20	35	5	14.3	23	65.7	7	20.0	6	17.1	4.6	7.6	3.3	7.0	3.0
21-22	32	8	25.0	16	50.0	8	25.0	11	34.4	2.9	1.9	2.9	3.9	3.6
23-24	27	7	25.9	12	44.4	7	25.9	5	18.5	7.0	3.1	7.4	3.7	5.0
25-29	122	37	30.3	12	9.8	73	59.8	41	33.6	5.5	4.3	4.6	7.3	6.8
30-34	168	52	31.0	74	44.0	31	18.5	27	16.1	4.8	4.6	5.0	3.5	4.2
35-39	408	163	40.0	156	38.2	72	17.6	84	20.6	7.0	5.4	6.1	13.1	7.0
40-44	673	297	44.1	246	36.6	108	16.0	104	15.5	7.1	6.8	8.4	5.8	5.6
45-49	973	438	45.0	364	37.4	133	13.7	132	13.6	7.7	7.4	7.2	10.9	7.4
50-54	1,223	585	47.8	390	31.9	201	16.4	149	12.2	7.2	7.4	7.2	6.1	7.2
55-59	1,699	845	49.7	528	31.1	238	14.0	175	10.3	7.0	7.2	7.3	6.2	6.9
60-64	1,986	1,123	56.5	501	25.2	276	13.9	268	13.5	7.9	8.3	8.3	6.6	7.4
65-69	2,211	1,265	57.2	577	26.1	272	12.3	217	9.8	8.1	8.3	8.5	7.6	9.0
70-74	2,530	1,527	60.4	640	25.3	272	10.8	193	7.6	8.3	8.1	9.3	8.4	10.1
75-79	2,917	2,064	70.8	457	15.7	271	9.3	154	5.3	8.3	8.2	8.6	9.0	9.2
80-84	2,342	1,799	76.8	330	14.1	140	6.0	113	4.8	8.6	8.6	9.4	7.2	6.0
85 and above	2,453	1,921	78.3	342	13.9	95	3.9	66	2.7	8.0	8.1	7.4	7.5	6.5

(continued)

**Table 56. Number of Hospital Discharges and Average Length of Stay Due to Diabetes-Related Diagnoses<sup>1</sup> by Age and Race/Ethnicity, Westchester County Residents, 2005-2006 (cont'd)**

2006														
Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total <sup>2</sup>	White		Black		Other <sup>3</sup>		Hispanic <sup>4</sup>		Total	White	Black	Other <sup>3</sup>	Hispanic <sup>4</sup>
		N	%	N	%	N	%	N	%					
<b>Total</b>	<b>19,535</b>	<b>11,817</b>	<b>60.5</b>	<b>4,913</b>	<b>25.1</b>	<b>2,235</b>	<b>11.4</b>	<b>1,925</b>	<b>9.9</b>	<b>7.9</b>	<b>7.9</b>	<b>7.9</b>	<b>8.2</b>	<b>7.4</b>
Less than 1	1	1	0.0	0	0.0	0	0.0	0	0.0	4.0	4.0	0.0	0.0	0.0
1-2	4	3	75.0	0	0.0	1	25.0	1	25.0	2.3	2.0	0.0	3.0	3.0
3-4	10	7	70.0	1	10.0	2	20.0	1	10.0	4.2	3.7	5.0	5.5	4.0
5-6	11	7	63.6	3	27.3	1	9.1	0	0.0	4.5	3.3	6.7	6.0	0.0
7-8	22	6	27.3	7	31.8	8	36.4	2	9.1	10.6	4.5	25.7	3.9	3.5
9-10	8	4	50.0	3	37.5	1	12.5	4	50.0	4.5	5.5	4.3	1.0	5.3
11-12	20	13	65.0	5	25.0	2	10.0	2	10.0	10.6	10.5	14.0	2.5	4.5
13-14	22	10	45.5	1	4.5	11	50.0	1	4.5	11.6	14.3	2.0	10.0	2.0
15-16	17	11	64.7	3	17.6	3	17.6	3	17.6	5.0	4.7	4.0	7.0	9.0
17-18	23	9	39.1	12	52.2	2	8.7	1	4.3	6.6	4.6	9.0	1.0	1.0
19-20	28	6	21.4	19	67.9	3	10.7	1	3.6	4.5	6.0	4.3	2.7	2.0
21-22	28	12	42.9	11	39.3	5	17.9	8	28.6	3.3	2.8	3.6	3.6	2.9
23-24	16	6	37.5	5	31.3	5	31.3	4	25.0	3.2	2.3	4.8	2.6	2.5
25-29	124	58	46.8	42	33.9	22	17.7	26	21.0	7.0	10.6	3.6	4.7	2.8
30-34	192	64	33.3	76	39.6	48	25.0	59	30.7	6.4	7.0	6.4	5.7	6.3
35-39	388	158	40.7	158	40.7	63	16.2	77	19.8	9.4	11.8	7.4	9.6	14.3
40-44	601	235	39.1	250	41.6	92	15.3	91	15.1	6.6	5.8	6.6	8.1	8.2
45-49	951	398	41.9	371	39.0	153	16.1	161	16.9	6.5	6.4	6.5	7.3	8.0
50-54	1,234	617	50.0	382	31.0	198	16.0	192	15.6	7.0	7.0	7.1	6.7	6.2
55-59	1,733	893	51.5	555	32.0	237	13.7	203	11.7	7.6	7.1	8.5	7.4	7.0
60-64	2,060	1,094	53.1	619	30.0	294	14.3	264	12.8	7.6	7.8	7.0	7.0	6.4
65-69	2,149	1,228	57.1	599	27.9	263	12.2	210	9.8	8.1	7.7	8.3	9.9	8.0
70-74	2,504	1,489	59.5	633	25.3	305	12.2	245	9.8	8.6	8.8	8.3	8.9	7.8
75-79	2,780	1,980	71.2	494	17.8	223	8.0	154	5.5	8.5	8.4	9.1	9.0	8.0
80-84	2,404	1,783	74.2	360	15.0	188	7.8	139	5.8	8.3	8.1	9.3	8.1	6.5
85 and above	2,205	1,725	78.2	304	13.8	105	4.8	76	3.4	7.9	7.7	8.5	8.3	7.7

<sup>1</sup> Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay.

<sup>2</sup> Totals include cases with unknown race.

<sup>3</sup> Includes Native Americans, Asian and Pacific Islanders, and Other.

<sup>4</sup> Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.

**Table 57. Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses<sup>1</sup> by Age and Sex, Westchester County Residents, 2005-2006**

2005								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
<b>Total</b>	<b>1,282</b>	<b>582</b>	<b>45.4</b>	<b>700</b>	<b>54.6</b>	<b>8.9</b>	<b>8.9</b>	<b>7.7</b>
Less than 1	0	0	0.0	0	0.0	0.0	0.0	0.0
1-2	0	0	0.0	0	0.0	0.0	0.0	0.0
3-4	0	0	0.0	0	0.0	0.0	0.0	0.0
5-6	1	1	0.1	0	0.0	20.0	20.0	0.0
7-8	0	0	0.0	0	0.0	0.0	0.0	0.0
9-10	2	0	0.0	2	0.3	2.0	2.0	2.0
11-12	7	7	0.5	0	0.0	10.6	10.6	0.0
13-14	8	2	0.1	6	0.9	4.5	13.8	16.8
15-16	8	5	0.4	3	0.4	19.0	13.4	4.0
17-18	3	3	0.2	0	0.0	6.7	6.7	0.0
19-20	7	7	0.5	0	0.0	3.7	3.7	0.0
21-22	4	3	0.2	1	0.1	8.3	8.8	10.0
23-24	40	15	1.1	25	3.6	12.0	9.1	7.3
25-29	32	24	1.7	8	1.1	7.2	6.4	4.1
30-34	49	31	2.3	18	2.6	7.2	8.2	9.9
35-39	187	103	7.5	84	12.0	8.1	7.9	7.6
40-44	275	124	9.0	151	21.6	7.9	9.8	11.3
45-49	230	95	6.9	135	19.3	6.3	8.3	9.7
50-54	235	99	7.2	136	19.4	7.7	8.4	8.9
55-59	115	43	3.1	72	10.3	6.5	10.1	12.2
60-64	41	8	0.6	33	4.7	5.4	8.4	9.1
65-69	14	2	0.1	12	1.7	6.0	12.0	13.0
70-74	15	7	0.5	8	1.1	16.1	14.3	13.8
75-79	5	3	0.2	2	0.3	3.7	5.2	7.5
80-84	4	0	0.0	4	0.6	0.0	14.3	14.3
85 and above	0	0	0.0	0	0.0	0.0	0.0	0.0

(continued)

**Table 57. Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses<sup>1</sup> by Age and Sex, Westchester County Residents, 2005-2006 (cont'd)**

2006								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
<b>Total</b>	<b>1,374</b>	<b>575</b>	<b>41.8</b>	<b>799</b>	<b>58.2</b>	<b>10.6</b>	<b>10.3</b>	<b>10.8</b>
Less than 1	0	0	0.0	0	0.0	0.0	0.0	0.0
1-2	0	0	0.0	0	0.0	0.0	0.0	0.0
3-4	0	0	0.0	0	0.0	0.0	0.0	0.0
5-6	5	5	0.9	0	0.0	2.8	2.8	0.0
7-8	0	0	0.0	0	0.0	0.0	0.0	0.0
9-10	0	0	0.0	0	0.0	0.0	0.0	0.0
11-12	2	0	0.0	2	0.3	16.0	0.0	16.0
13-14	6	1	0.2	5	0.6	76.3	22.0	87.2
15-16	13	2	0.3	11	1.4	26.8	106.0	12.4
17-18	10	2	0.3	8	1.0	19.2	3.0	23.3
19-20	4	1	0.2	3	0.4	3.8	6.0	3.0
21-22	5	4	0.7	1	0.1	4.8	5.5	2.0
23-24	14	8	1.4	6	0.8	5.7	6.8	4.3
25-29	56	32	5.6	24	3.0	10.6	9.3	12.3
30-34	48	33	5.7	15	1.9	7.8	7.7	8.1
35-39	139	86	15.0	53	6.6	11.2	10.9	11.9
40-44	269	138	24.0	131	16.4	9.0	7.5	10.7
45-49	257	86	15.0	171	21.4	9.2	7.3	10.2
50-54	274	96	16.7	178	22.3	10.9	13.2	9.7
55-59	151	36	6.3	115	14.4	11.9	18.3	9.8
60-64	51	23	4.0	28	3.5	9.2	12.7	6.3
65-69	42	8	1.4	34	4.3	11.0	4.8	12.5
70-74	16	8	1.4	8	1.0	13.5	11.3	15.8
75-79	8	4	0.7	4	0.5	12.1	7.5	16.8
80-84	2	0	0.0	2	0.3	6.5	0.0	6.5
85 and above	2	2	0.3	0	0.0	16.0	16.0	0.0

<sup>1</sup>Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. In addition, it included any V-class coding as V0.80 and any of the variables for current, new or past New York State diagnosis-related group in the range of 700 to 716 or any current, new or past federal diagnosis-related group in the range of 488 to 490.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.

**Table 58. Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses<sup>1</sup> by Age and Race/Ethnicity, Westchester County Residents, 2005-2006**

2005														
Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total <sup>2</sup>	White		Black		Other <sup>3</sup>		Hispanic <sup>4</sup>		Total	White	Black	Other <sup>3</sup>	Hispanic <sup>4</sup>
		N	%	N	%	N	%	N	%					
<b>Total</b>	<b>1,282</b>	<b>370</b>	<b>28.9</b>	<b>681</b>	<b>53.1</b>	<b>202</b>	<b>15.8</b>	<b>211</b>	<b>16.5</b>	<b>8.9</b>	<b>7.6</b>	<b>8.7</b>	<b>12.1</b>	<b>6.7</b>
Less than 1	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
1-2	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
3-4	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
5-6	1	0	0.0	0	0.0	1	0.5	0	0.0	20.0	0.0	0.0	20.0	0.0
7-8	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
9-10	2	1	0.3	1	0.1	0	0.0	0	0.0	2.0	1.0	3.0	0.0	0.0
11-12	7	0	0.0	7	1.0	0	0.0	0	0.0	10.6	0.0	10.6	0.0	0.0
13-14	8	2	0.5	5	0.7	1	0.5	1	0.5	13.8	4.5	19.6	3.0	3.0
15-16	8	2	0.5	6	0.9	0	0.0	0	0.0	13.4	40.0	4.5	0.0	0.0
17-18	3	0	0.0	2	0.3	1	0.5	1	0.5	6.7	0.0	9.0	2.0	2.0
19-20	7	3	0.8	2	0.3	2	1.0	3	1.4	3.7	3.0	5.0	3.5	3.0
21-22	4	4	1.1	0	0.0	0	0.0	1	0.5	8.8	8.8	0.0	0.0	10.0
23-24	40	15	4.1	16	2.3	9	4.5	4	1.9	9.1	11.3	7.8	7.3	6.0
25-29	32	4	1.1	19	2.8	8	4.0	1	0.5	6.4	2.8	7.7	5.6	4.0
30-34	49	10	2.7	20	2.9	15	7.4	14	6.6	8.2	7.9	8.8	8.7	6.4
35-39	187	50	13.5	90	13.2	40	19.8	43	20.4	7.9	7.5	7.6	9.7	5.7
40-44	275	95	25.7	145	21.3	33	16.3	49	23.2	8.9	6.3	8.4	26.3	5.1
45-49	230	56	15.1	121	17.8	44	21.8	37	17.5	8.3	6.9	7.6	12.0	11.5
50-54	235	66	17.8	147	21.6	20	9.9	28	13.3	8.4	6.1	9.7	5.9	4.9
55-59	115	25	6.8	70	10.3	19	9.4	21	10.0	10.1	9.6	9.9	11.3	8.3
60-64	41	24	6.5	13	1.9	4	2.0	6	2.8	8.4	8.5	9.8	3.0	4.2
65-69	14	3	0.8	7	1.0	1	0.5	0	0.0	12.0	6.7	9.3	3.0	0.0
70-74	15	6	1.6	5	0.7	4	2.0	2	0.9	14.3	24.7	7.0	8.0	8.0
75-79	5	2	0.5	3	0.4	0	0.0	0	0.0	5.2	1.0	8.0	0.0	0.0
80-84	4	2	0.5	2	0.3	0	0.0	0	0.0	14.3	22.0	6.5	0.0	0.0
85 and above	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0

(continued)

**Table 58. Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses<sup>1</sup> by Age and Race/Ethnicity, Westchester County Residents, 2005-2006 (cont'd)**

2006														
Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total <sup>2</sup>	White		Black		Other <sup>3</sup>		Hispanic <sup>4</sup>		Total	White	Black	Other <sup>3</sup>	Hispanic <sup>4</sup>
		N	%	N	%	N	%	N	%					
<b>Total</b>	<b>1,374</b>	<b>423</b>	<b>30.8</b>	<b>742</b>	<b>54.0</b>	<b>192</b>	<b>14.0</b>	<b>241</b>	<b>17.5</b>	<b>10.6</b>	<b>11.0</b>	<b>10.3</b>	<b>10.9</b>	<b>10.9</b>
Less than 1	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
1-2	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
3-4	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
5-6	5	5	0.0	0	0.0	0	0.0	5	2.4	2.8	2.8	0.0	0.0	2.8
7-8	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
9-10	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
11-12	2	0	0.0	1	0.1	1	0.5	1	0.5	16.0	0.0	30.0	2.0	2.0
13-14	6	0	0.0	5	0.7	1	0.5	0	0.0	76.3	0.0	87.2	22.0	0.0
15-16	13	0	0.0	13	1.9	0	0.0	0	0.0	26.8	0.0	26.8	0.0	0.0
17-18	10	3	0.8	6	0.9	1	0.5	3	1.4	19.2	44.3	9.0	5.0	44.3
19-20	4	2	0.5	1	0.1	1	0.5	0	0.0	3.8	4.0	1.0	6.0	0.0
21-22	5	1	0.3	3	0.4	1	0.5	1	0.5	4.8	2.0	5.3	6.0	2.0
23-24	14	5	1.4	9	1.3	0	0.0	3	1.4	5.7	3.8	6.8	0.0	3.0
25-29	56	5	1.4	33	4.8	18	8.9	12	5.7	10.6	14.2	10.6	9.4	11.5
30-34	48	18	4.9	21	3.1	8	4.0	19	9.0	7.8	10.3	5.9	7.3	12.7
35-39	139	41	11.1	81	11.9	15	7.4	19	9.0	11.2	13.9	10.6	8.1	9.0
40-44	269	90	24.3	130	19.1	45	22.3	68	32.2	9.0	10.1	7.0	12.5	12.5
45-49	257	84	22.7	133	19.5	34	16.8	47	22.3	9.2	8.3	8.7	13.0	13.6
50-54	274	90	24.3	158	23.2	25	12.4	31	14.7	10.9	13.0	10.0	8.9	7.6
55-59	151	39	10.5	93	13.7	16	7.9	11	5.2	11.9	10.1	13.0	9.7	7.3
60-64	51	6	1.6	27	4.0	18	8.9	16	7.6	9.2	6.3	7.2	13.0	5.6
65-69	42	22	5.9	15	2.2	5	2.5	5	2.4	11.0	13.4	10.4	2.4	2.2
70-74	16	8	2.2	7	1.0	1	0.5	0	0.0	13.5	10.4	17.9	8.0	0.0
75-79	8	2	0.5	4	0.6	2	1.0	0	0.0	12.1	8.5	7.5	25.0	0.0
80-84	2	0	0.0	2	0.3	0	0.0	0	0.0	6.5	0.0	6.5	0.0	0.0
85 and above	2	2	0.5	0	0.0	0	0.0	0	0.0	16.0	16.0	0.0	0.0	0.0

<sup>1</sup> Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. In addition, it included any V-class coding as V0.80 and any of the variables for current, new or past New York State diagnosis-related group in the range of 700 to 716 or any current, new or past federal diagnosis-related group in the range of 488 to 490.

<sup>2</sup> Totals include cases with unknown race.

<sup>3</sup> Includes Native Americans, Asian and Pacific Islanders, and Other.

<sup>4</sup> Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of July 2007.



**Table 59. Reported Cases and Rates of Reportable Diseases, Westchester County, 2002-2006<sup>1</sup>**

Communicable Disease Category		2006		2005		2004		2003		2002	
		Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
Vaccine-Preventable Diseases	Measles	0	0.0	1	0.1	0	0.0	0	0.0	0	0.0
	Mumps	0	0.0	0	0.0	1	0.1	0	0.0	0	0.0
	Pertussis <sup>2</sup>	10	1.1	62	6.7	81	8.8	71	7.7	5	0.5
	Rubella	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
CNS Diseases and Bacteremias	Encephalitis	3	0.3	4	0.4	8	0.9	11	1.2	5	0.5
	<i>West Nile Encephalitis (lab positive)</i>	2	0.2	2	0.2	1	0.1	2	0.2	2	0.2
	<i>Non-West Nile Encephalitis</i>	1	0.1	2	0.2	7	0.8	9	1.0	3	0.3
	Haemophilus Influenzae Type B	0	0.0	1	0.1	0	0.0	0	0.0	1	0.1
	Listeriosis	4	0.4	8	0.9	10	1.1	6	0.6	7	0.8
	Meningitis	112	12.1	128	13.9	124	13.4	122	13.2	107	11.6
	<i>Aseptic Meningitis</i>	18	1.9	19	2.1	41	4.4	39	4.2	23	2.5
	<i>Meningococcal Diseases</i> <sup>2</sup>	5	0.5	1	0.1	3	0.3	3	0.3	8	0.9
	<i>Other Meningitis/Bacteremias</i> <sup>3</sup>	89	9.6	108	11.7	80	8.7	80	8.7	76	8.2
	<i>Invasive Strep Pneumoniae</i> <sup>4</sup>	75	8.1	88	9.5	70	7.6	79	8.6	49	5.3
<i>Drug-Resistant Strep Pneumoniae</i>	7	0.8	12	1.3	10	1.1	14	1.5	16	1.7	
Enteric Infections	Amebiasis	27	2.9	27	2.9	22	2.4	26	2.8	27	2.9
	Campylobacteriosis	156	16.9	132	14.3	121	13.1	125	13.5	116	12.6
	Cryptosporidiosis	14	1.5	83	9.0	8	0.9	9	1.0	4	0.4
	Cyclosporidiosis	1	0.1	11	1.2	12	1.3	1	0.1	3	0.3
	Giardiasis	119	12.9	124	13.4	132	14.3	110	11.9	152	16.5
	Salmonellosis	112	12.1	126	13.6	133	14.4	138	14.9	135	14.6
	Shigellosis <sup>2</sup>	14	1.5	27	2.9	23	2.5	21	2.3	42	4.5
	STEC (E. Coli 0157) <sup>2,5</sup>	6	0.6	9	1.0	12	1.3	10	1.1	21	2.3
	Hemolytic Uremic Syndrome	0	0.0	0	0.0	1	0.1	3	0.3	3	0.3
	Typhoid	1	0.1	0	0.0	0	0.0	3	0.3	1	0.1
	Vibrio	2	0.2	0	0.0	3	0.3	2	0.2	0	0.0
	Yersiniosis	6	0.6	1	0.1	0	0.0	2	0.2	0	0.0
Viral Hepatitis	Hepatitis A	12	1.3	15	1.6	22	2.4	15	1.6	26	2.8
	Hepatitis B										
	Acute <sup>2</sup>	9	1.0	5	0.5	4	0.4	5	0.5	12	1.3
	Chronic <sup>2,6,7</sup>	256	27.7	179	19.4	245	26.5	104	11.3	22	2.4
	Hepatitis C <sup>7</sup>										
	Acute	1	0.1	0	0.0	0	0.0	0	0.0	2	0.2
	Chronic <sup>2,6</sup>	890	96.4	723	78.3	554	60.0	178	19.3	235	25.4
Other Hepatitis	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	
Sexually Transmitted Diseases	Chlamydia	2,143	232.1	1,676	181.5	1,645	178.1	1,569	169.9	1,357	146.9
	Gonorrhea	435	47.1	396	42.9	432	46.8	587	63.6	458	49.6
	PPNG <sup>8</sup>	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	Syphilis (All Stages) <sup>9</sup>	173	18.7	133	14.4	141	15.3	91	9.9	87	9.4
	<i>Early Syphilis</i>	31	3.4	23	2.5	33	3.6	18	1.9	16	1.7
Congenital Syphilis <sup>10</sup>	3	n/a	2	16.6	3	24.2	1	7.8	1	7.8	
<b>Tuberculosis</b>		72	7.8	53	5.7	63	6.8	57	6.2	63	6.8
Vector-Borne, Zoonoses	Babesiosis <sup>7</sup>	25	2.7	13	1.4	9	1.0	13	1.4	4	0.4
	Ehrlichiosis <sup>2,7</sup>	61	6.6	0	0.0	0	0.0	0	0.0	53	5.7
	Lyme Disease <sup>7</sup>	253	27.4	454	49.2	736	79.7	624	67.6	342	37.0
	<i>Reported by Westchester Medical Ctr</i>	19	2.1	19	2.1	14	1.5	30	3.2	13	1.4
	Malaria	12	1.3	10	1.1	8	0.9	17	1.8	9	1.0
Tularemia	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0	
Other	Legionellosis	18	1.9	41	4.4	8	0.9	10	1.1	6	0.6
	Toxic Shock Syndrome	0	0.0	0	0.0	0	0.0	1	0.1	1	0.1

<sup>1</sup> As of April 25, 2007. Rates are per 100,000 population.

<sup>2</sup> Includes probable cases.

<sup>3</sup> Include Invasive Group A, Group B Strep, Invasive H. Influenzae.

<sup>4</sup> As of January 2000, Invasive Strep Pneumoniae includes Invasive Strep Pneumoniae (Sensitive), Bacteremia and Meningitis.

<sup>5</sup> Shiga toxin producing E. Coli (STEC); may include non-0157 shiga toxin producing strains of E. Coli.

<sup>6</sup> Chronic Hepatitis B and C became reportable in NYS in June 2002. Includes probable cases.

<sup>7</sup> Incomplete data due to surveillance limitations.

<sup>8</sup> Penicillinase producing N. Gonorrhea. PPNG cases are included in Gonorrhea total.

<sup>9</sup> Total Syphilis cases do not include Congenital Syphilis. Early syphilis includes primary, secondary, and early latent Syphilis.

<sup>10</sup> Rates for Congenital Syphilis are per 100,000 live births.

**Table 60. The Top Ten Reported Communicable Diseases in Westchester County Compared to New York State and United States, 2005-2006**

Disease	Geographical Region											
	Westchester <sup>1</sup> (2006)			New York State (exc. New York City) <sup>2</sup> (2005)			New York State <sup>2</sup> (2005)			United States <sup>3</sup> (2006)		
	Number	Rate <sup>4</sup>	Rank	Number	Rate <sup>4</sup>	Rank	Number	Rate <sup>4</sup>	Rank	Number	Rate <sup>4</sup>	Rank
Chlamydia	2,143	232.1	1	25,313	230.8	1	64,528	340.0	1	942,024	334.7	1
Gonorrhea	435	47.1	2	7,316	66.7	2	17,912	94.4	2	327,541	116.4	2
Lyme Disease	253	27.4	3	5,165	47.1	3	5,565	29.3	3	17,002	6.0	4
Syphilis (all stages) <sup>5</sup>	173	18.7	4	660	6.0	11	3,843	20.3	4	n/a	n/a	n/a
Campylobacteriosis <sup>6</sup>	156	16.9	5	1,374	12.5	7	2,245	11.8	8	n/a	n/a	n/a
Giardiasis	119	12.9	6	1,411	12.9	6	2,286	12.0	7	16,919	6.0	5
Salmonellosis	112	12.1	7	1,427	13.0	5	2,625	13.8	6	41,924	14.9	3
Invasive Strep Pneumoniae	75	8.1	8	1,208	11.0	8	2,234	11.8	9	n/a	n/a	n/a
Tuberculosis	72	7.8	9	305	2.8	15	1,289	6.8	10	13,250	4.7	7
Ehrlichiosis	61	6.6	10	308	2.8	14	314	1.7	19	1,453	0.5	18

<sup>1</sup> As of April 25, 2007.

<sup>2</sup> As of September 21, 2006.

<sup>3</sup> As of December 30, 2006, except for Ehrlichiosis which was as of June 30, 2007. Completeness of reporting varies by disease and state. Data from Centers of Disease Control and Prevention, National Notifiable Diseases Surveillance System.

<sup>4</sup> Rate per 100,000 population.

<sup>5</sup> Data for latent stages of syphilis not available for United States.

<sup>6</sup> Disease not reportable for the United States.

Sources: Westchester County Department of Health, Division of Disease Control

New York State Department of Health

Centers of Disease Control and Prevention, National Notifiable Diseases Surveillance System.

**Table 61. Reported Cases and Rates of Chlamydia by Municipality, Westchester County, 2002-2006<sup>1</sup>**

Health Planning Region and Municipality	2006		2005		2004		2003		2002	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
<b>Westchester County</b>	<b>2,143</b>	<b>232.1</b>	<b>1,676</b>	<b>181.5</b>	<b>1,645</b>	<b>178.1</b>	<b>1,569</b>	<b>169.9</b>	<b>1,357</b>	<b>146.9</b>
<b>Northwest</b>	<b>228</b>	<b>162.1</b>	<b>267</b>	<b>189.8</b>	<b>206</b>	<b>146.4</b>	<b>180</b>	<b>128.0</b>	<b>147</b>	<b>104.5</b>
Briarcliff Manor	1	13.0	3	39.0	6	78.0	2	26.0	3	39.0
Buchanan	0	0.0	1	45.7	4	182.7	0	0.0	3	137.0
Cortlandt	10	34.9	18	62.8	20	69.8	19	66.3	11	38.4
Croton on Hudson	3	39.4	6	78.9	4	52.6	6	78.9	2	26.3
Mount Pleasant	69	263.9	78	298.3	25	95.6	19	72.7	29	110.9
Ossining (TOV)	1	18.1	6	108.8	3	54.4	0	0.0	2	36.3
Ossining (V)	59	245.7	46	191.6	45	187.4	53	220.7	30	124.9
Peekskill	54	240.6	76	338.7	77	343.1	55	245.1	52	231.7
Pleasantville	11	153.4	5	69.7	10	139.4	8	111.5	6	83.7
Sleepy Hollow	20	217.1	28	304.0	12	130.3	18	195.4	9	97.7
<b>Northeast</b>	<b>80</b>	<b>60.0</b>	<b>84</b>	<b>63.0</b>	<b>84</b>	<b>63.0</b>	<b>69</b>	<b>51.7</b>	<b>88</b>	<b>66.0</b>
Bedford	10	55.1	11	60.7	8	44.1	17	93.8	39	215.1
Lewisboro	3	24.3	3	24.3	1	8.1	4	32.5	6	48.7
Mount Kisco	14	140.2	10	100.2	20	200.3	16	160.3	13	130.2
New Castle	6	34.3	7	40.0	7	40.0	2	11.4	1	5.7
North Castle	10	92.2	10	92.2	15	138.3	6	55.3	8	73.7
North Salem	0	0.0	3	58.0	1	19.3	0	0.0	0	0.0
Pound Ridge	1	21.2	3	63.5	1	21.2	0	0.0	1	21.2
Somers	11	60.0	8	43.6	5	27.3	8	43.6	3	16.4
Yorktown	25	68.8	29	79.9	26	71.6	16	44.1	17	46.8
<b>West Central</b>	<b>295</b>	<b>187.1</b>	<b>219</b>	<b>138.9</b>	<b>225</b>	<b>142.7</b>	<b>204</b>	<b>129.4</b>	<b>189</b>	<b>119.9</b>
Ardsey	0	0.0	2	46.8	1	23.4	1	23.4	1	23.4
Dobbs Ferry	27	254.2	14	131.8	13	122.4	8	75.3	9	84.7
Elmsford	16	342.2	15	320.8	8	171.1	13	278.0	12	256.6
Greenburgh	80	191.3	51	121.9	59	141.1	61	145.8	46	110.0
Hastings on Hudson	6	78.5	7	91.5	8	104.6	10	130.8	8	104.6
Irvington	6	90.5	2	30.2	3	45.2	1	15.1	0	0.0
Scarsdale	10	56.1	5	28.1	6	33.7	5	28.1	4	22.4
Tarrytown	15	135.3	13	117.2	12	108.2	7	63.1	9	81.2
White Plains	135	254.3	110	207.2	115	216.7	98	184.6	100	188.4
<b>East Central</b>	<b>103</b>	<b>92.0</b>	<b>96</b>	<b>85.7</b>	<b>103</b>	<b>92.0</b>	<b>89</b>	<b>79.5</b>	<b>62</b>	<b>55.4</b>
Harrison	36	149.0	26	107.6	39	161.5	22	91.1	11	45.5
Larchmont	5	77.1	4	61.7	2	30.8	3	46.3	2	30.8
Mamaroneck (TOV)	4	35.9	2	18.0	5	44.9	5	44.9	2	18.0
Mamaroneck (V)	18	96.0	10	53.3	11	58.7	13	69.3	7	37.3
Port Chester	32	114.8	39	140.0	38	136.4	40	143.5	32	114.8
Rye	6	40.1	9	60.2	5	33.4	3	20.1	3	20.1
Rye Brook	2	23.3	6	69.8	3	34.9	3	34.9	5	58.1
<b>Southwest</b>	<b>689</b>	<b>351.4</b>	<b>480</b>	<b>244.8</b>	<b>531</b>	<b>270.8</b>	<b>526</b>	<b>268.2</b>	<b>449</b>	<b>229.0</b>
Yonkers	689	351.4	480	244.8	531	270.8	526	268.2	449	229.0
<b>Southeast</b>	<b>727</b>	<b>395.7</b>	<b>521</b>	<b>283.5</b>	<b>488</b>	<b>265.6</b>	<b>487</b>	<b>265.0</b>	<b>417</b>	<b>226.9</b>
Bronxville	7	107.0	2	30.6	2	30.6	2	30.6	0	0.0
Eastchester	7	37.7	6	32.3	7	37.7	7	37.7	7	37.7
Mount Vernon	500	731.2	349	510.4	325	475.3	350	511.8	295	431.4
New Rochelle	185	256.3	145	200.9	139	192.6	116	160.7	100	138.5
Pelham	12	187.5	11	171.9	6	93.8	5	78.1	5	78.1
Pelham Manor	4	73.2	3	54.9	0	0.0	2	36.6	1	18.3
Tuckahoe	12	193.2	5	80.5	9	144.9	5	80.5	9	144.9
<b>Unknown</b>	<b>21</b>	<b>-</b>	<b>9</b>	<b>-</b>	<b>8</b>	<b>-</b>	<b>14</b>	<b>-</b>	<b>5</b>	<b>-</b>

<sup>1</sup> As of April 25, 2007. All are confirmed cases. Rates are per 100,000 population.

Source: Westchester Department of Health, Division of Disease Control.

**Table 62. Reported Cases and Rates of Gonorrhea by Municipality, Westchester County, 2002-2006<sup>1</sup>**

Health Planning Region and Municipality	2006		2005		2004		2003		2002	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
<b>Westchester County</b>	<b>435</b>	<b>47.1</b>	<b>396</b>	<b>42.9</b>	<b>432</b>	<b>46.8</b>	<b>587</b>	<b>63.6</b>	<b>458</b>	<b>49.6</b>
<b>Northwest</b>	<b>46</b>	<b>32.7</b>	<b>40</b>	<b>28.4</b>	<b>56</b>	<b>39.8</b>	<b>53</b>	<b>37.7</b>	<b>57</b>	<b>40.5</b>
Briarcliff Manor	1	13.0	0	0.0	1	13.0	0	0.0	0	0.0
Buchanan	0	0.0	0	0.0	0	0.0	1	45.7	2	91.4
Cortlandt	2	7.0	4	14.0	6	20.9	2	7.0	4	14.0
Croton on Hudson	0	0.0	0	0.0	0	0.0	0	0.0	2	26.3
Mount Pleasant	18	68.8	15	57.4	10	38.2	10	38.2	12	45.9
Ossining (TOV)	0	0.0	0	0.0	1	18.1	0	0.0	0	0.0
Ossining (V)	8	33.3	9	37.5	12	50.0	18	75.0	9	37.5
Peekskill	14	62.4	8	35.6	22	98.0	20	89.1	21	93.6
Pleasantville	1	13.9	1	13.9	3	41.8	2	27.9	2	27.9
Sleepy Hollow	2	21.7	3	32.6	1	10.9	0	0.0	5	54.3
<b>Northeast</b>	<b>12</b>	<b>9.0</b>	<b>13</b>	<b>9.7</b>	<b>17</b>	<b>12.7</b>	<b>21</b>	<b>15.7</b>	<b>29</b>	<b>21.7</b>
Bedford	1	5.5	2	11.0	2	11.0	5	27.6	13	71.7
Lewisboro	1	8.1	1	8.1	0	0.0	0	0.0	1	8.1
Mount Kisco	1	10.0	2	20.0	3	30.1	4	40.1	3	30.1
New Castle	2	11.4	2	11.4	2	11.4	3	17.2	1	5.7
North Castle	1	9.2	2	18.4	2	18.4	0	0.0	1	9.2
North Salem	1	19.3	1	19.3	3	58.0	0	0.0	0	0.0
Pound Ridge	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Somers	0	0.0	2	10.9	1	5.5	5	27.3	3	16.4
Yorktown	5	13.8	1	2.8	4	11.0	4	11.0	7	19.3
<b>West Central</b>	<b>53</b>	<b>33.6</b>	<b>44</b>	<b>27.9</b>	<b>59</b>	<b>37.4</b>	<b>57</b>	<b>36.2</b>	<b>50</b>	<b>31.7</b>
Ardsey	0	0.0	1	23.4	0	0.0	2	46.8	1	23.4
Dobbs Ferry	6	56.5	4	37.7	3	28.2	4	37.7	2	18.8
Elmsford	0	0.0	2	42.8	2	42.8	4	85.5	4	85.5
Greenburgh	23	55.0	12	28.7	18	43.0	12	28.7	10	23.9
Hastings on Hudson	0	0.0	6	78.5	4	52.3	2	26.2	0	0.0
Irvington	0	0.0	1	15.1	2	30.2	0	0.0	0	0.0
Scarsdale	0	0.0	2	11.2	2	11.2	2	11.2	0	0.0
Tarrytown	1	9.0	3	27.1	2	18.0	4	36.1	1	9.0
White Plains	23	43.3	13	24.5	26	49.0	27	50.9	32	60.3
<b>East Central</b>	<b>10</b>	<b>8.9</b>	<b>18</b>	<b>16.1</b>	<b>10</b>	<b>8.9</b>	<b>21</b>	<b>18.8</b>	<b>24</b>	<b>21.4</b>
Harrison	6	24.8	7	29.0	5	20.7	3	12.4	3	12.4
Larchmont	0	0.0	1	15.4	0	0.0	0	0.0	0	0.0
Mamaroneck (TOV)	1	9.0	0	0.0	0	0.0	3	26.9	1	9.0
Mamaroneck (V)	1	5.3	1	5.3	2	10.7	4	21.3	2	10.7
Port Chester	2	7.2	7	25.1	3	10.8	7	25.1	16	57.4
Rye	0	0.0	1	6.7	0	0.0	3	20.1	1	6.7
Rye Brook	0	0.0	1	11.6	0	0.0	1	11.6	1	11.6
<b>Southwest</b>	<b>149</b>	<b>76.0</b>	<b>121</b>	<b>61.7</b>	<b>135</b>	<b>68.8</b>	<b>242</b>	<b>123.4</b>	<b>154</b>	<b>78.5</b>
Yonkers	149	76.0	121	61.7	135	68.8	242	123.4	154	78.5
<b>Southeast</b>	<b>161</b>	<b>87.6</b>	<b>156</b>	<b>84.9</b>	<b>152</b>	<b>82.7</b>	<b>186</b>	<b>101.2</b>	<b>143</b>	<b>77.8</b>
Bronxville	0	0.0	0	0.0	3	45.9	0	0.0	1	15.3
Eastchester	3	16.2	0	0.0	3	16.2	6	32.3	1	5.4
Mount Vernon	130	190.1	123	179.9	108	157.9	148	216.4	114	166.7
New Rochelle	26	36.0	27	37.4	37	51.3	29	40.2	23	31.9
Pelham	0	0.0	3	46.9	1	15.6	1	15.6	2	31.3
Pelham Manor	0	0.0	1	18.3	0	0.0	1	18.3	1	18.3
Tuckahoe	2	32.2	2	32.2	0	0.0	1	16.1	1	16.1
<b>Unknown</b>	<b>4</b>	<b>-</b>	<b>4</b>	<b>-</b>	<b>3</b>	<b>-</b>	<b>7</b>	<b>-</b>	<b>1</b>	<b>-</b>

<sup>1</sup> As of April 25, 2007. All are confirmed cases. Rates are per 100,000 population.

Source: Westchester Department of Health, Division of Disease Control.

**Table 63. Reported Cases and Rates of Syphilis (All Stages) by Municipality, Westchester County, 2002-2006<sup>1</sup>**

Health Planning Region and Municipality	2006		2005		2004		2003		2002	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
<b>Westchester County</b>	<b>173</b>	<b>18.7</b>	<b>133</b>	<b>14.4</b>	<b>141</b>	<b>15.3</b>	<b>91</b>	<b>9.9</b>	<b>87</b>	<b>9.4</b>
<b>Northwest</b>	<b>19</b>	<b>13.5</b>	<b>9</b>	<b>6.4</b>	<b>27</b>	<b>19.2</b>	<b>20</b>	<b>14.2</b>	<b>12</b>	<b>8.5</b>
Briarcliff Manor	1	13.0	0	0.0	0	0.0	1	13.0	0	0.0
Buchanan	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Cortlandt	3	10.5	0	0.0	1	3.5	0	0.0	1	3.5
Croton on Hudson	0	0.0	2	26.3	0	0.0	0	0.0	0	0.0
Mount Pleasant	0	0.0	0	0.0	6	22.9	12	45.9	6	22.9
Ossining (TOV)	1	18.1	0	0.0	0	0.0	0	0.0	0	0.0
Ossining (V)	6	25.0	4	16.7	12	50.0	3	12.5	1	4.2
Peekskill	4	17.8	2	8.9	6	26.7	1	4.5	1	4.5
Pleasantville	1	13.9	1	13.9	0	0.0	0	0.0	1	13.9
Sleepy Hollow	3	32.6	0	0.0	2	21.7	3	32.6	2	21.7
<b>Northeast</b>	<b>7</b>	<b>5.2</b>	<b>8</b>	<b>6.0</b>	<b>6</b>	<b>4.5</b>	<b>0</b>	<b>0.0</b>	<b>7</b>	<b>5.2</b>
Bedford	0	0.0	0	0.0	0	0.0	0	0.0	2	11.0
Lewisboro	0	0.0	1	8.1	0	0.0	0	0.0	0	0.0
Mount Kisco	2	20.0	1	10.0	4	40.1	0	0.0	0	0.0
New Castle	1	5.7	0	0.0	0	0.0	0	0.0	1	5.7
North Castle	1	9.2	1	9.2	0	0.0	0	0.0	0	0.0
North Salem	0	0.0	1	19.3	0	0.0	0	0.0	0	0.0
Pound Ridge	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Somers	0	0.0	1	5.5	0	0.0	0	0.0	0	0.0
Yorktown	3	8.3	3	8.3	2	5.5	0	0.0	4	11.0
<b>West Central</b>	<b>22</b>	<b>14.0</b>	<b>34</b>	<b>21.6</b>	<b>20</b>	<b>12.7</b>	<b>8</b>	<b>5.1</b>	<b>6</b>	<b>3.8</b>
Ardsey	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Dobbs Ferry	1	9.4	0	0.0	1	9.4	0	0.0	0	0.0
Elmsford	1	21.4	4	85.5	3	64.2	0	0.0	0	0.0
Greenburgh	4	9.6	12	28.7	9	21.5	0	0.0	4	9.6
Hastings on Hudson	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Irvington	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Scarsdale	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Tarrytown	1	9.0	2	18.0	0	0.0	1	9.0	0	0.0
White Plains	15	28.3	16	30.1	7	13.2	7	13.2	2	3.8
<b>East Central</b>	<b>10</b>	<b>8.9</b>	<b>11</b>	<b>9.8</b>	<b>7</b>	<b>6.3</b>	<b>4</b>	<b>3.6</b>	<b>10</b>	<b>8.9</b>
Harrison	3	12.4	0	0.0	1	4.1	0	0.0	2	8.3
Larchmont	0	0.0	0	0.0	1	15.4	0	0.0	0	0.0
Mamaroneck (TOV)	0	0.0	1	9.0	0	0.0	1	9.0	0	0.0
Mamaroneck (V)	0	0.0	2	10.7	1	5.3	0	0.0	1	5.3
Port Chester	6	21.5	7	25.1	4	14.4	3	10.8	6	21.5
Rye	0	0.0	1	6.7	0	0.0	0	0.0	1	6.7
Rye Brook	1	11.6	0	0.0	0	0.0	0	0.0	0	0.0
<b>Southwest</b>	<b>55</b>	<b>28.0</b>	<b>26</b>	<b>13.3</b>	<b>38</b>	<b>19.4</b>	<b>30</b>	<b>15.3</b>	<b>23</b>	<b>11.7</b>
Yonkers	55	28.0	26	13.3	38	19.4	30	15.3	23	11.7
<b>Southeast</b>	<b>59</b>	<b>32.1</b>	<b>45</b>	<b>24.5</b>	<b>41</b>	<b>22.3</b>	<b>29</b>	<b>15.8</b>	<b>28</b>	<b>15.2</b>
Bronxville	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Eastchester	0	0.0	1	5.4	0	0.0	2	10.8	1	5.4
Mount Vernon	38	55.6	29	42.4	27	39.5	18	26.3	19	27.8
New Rochelle	21	29.1	15	20.8	13	18.0	8	11.1	8	11.1
Pelham	0	0.0	0	0.0	0	0.0	1	15.6	0	0.0
Pelham Manor	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Tuckahoe	0	0.0	0	0.0	1	16.1	0	0.0	0	0.0
<b>Unknown</b>	<b>1</b>	<b>-</b>	<b>0</b>	<b>-</b>	<b>2</b>	<b>-</b>	<b>0</b>	<b>-</b>	<b>1</b>	<b>-</b>

<sup>1</sup> As of April 25, 2007. All are confirmed cases. Rates are per 100,000 population.

Source: Westchester Department of Health, Division of Disease Control.

**Table 64. Reported Cases and Rates of Chlamydia by Age Group, Sex, and Race/Ethnicity, Westchester County, 2006<sup>1</sup>**

Sex and Race/Ethnicity	Total		<15		15-19		20-24		25-29		30-34		35-39		40+	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>Total</b>	<b>2,143</b>	<b>232.1</b>	<b>41</b>	<b>20.9</b>	<b>748</b>	<b>1375.9</b>	<b>734</b>	<b>1563.0</b>	<b>322</b>	<b>588.3</b>	<b>136</b>	<b>197.9</b>	<b>96</b>	<b>120.3</b>	<b>66</b>	<b>15.6</b>
White	263	39.9	4	3.1	79	233.9	102	365.9	48	142.5	12	26.6	10	18.1	8	2.4
Black	746	568.9	23	72.8	316	3099.0	234	2890.0	77	913.9	47	450.5	30	253.2	19	37.6
Other	413	309.4	4	11.5	136	1309.7	133	1210.4	75	594.1	37	281.6	18	140.6	10	25.8
Unknown	721	..	10	..	217	..	265	..	122	..	40	..	38	..	29	..
Hispanic <sup>2</sup>	601	417.0	5	13.3	170	1430.7	205	1500.1	124	857.3	41	278.9	34	248.4	22	57.9
<b>Male</b>	<b>520</b>	<b>117.7</b>	<b>5</b>	<b>5.0</b>	<b>129</b>	<b>455.4</b>	<b>208</b>	<b>889.9</b>	<b>91</b>	<b>338.9</b>	<b>35</b>	<b>105.6</b>	<b>32</b>	<b>83.1</b>	<b>20</b>	<b>10.5</b>
White	58	18.4	0	0.0	5	28.4	31	222.7	13	78.3	3	13.6	2	7.4	4	2.6
Black	208	352.6	5	30.9	72	1368.8	76	2032.6	24	645.5	13	289.9	11	218.5	7	34.0
Other	89	133.3	0	0.0	16	292.1	40	699.9	18	275.4	8	121.7	6	94.2	1	5.4
Unknown	165	..	0	..	36	..	61	..	36	..	11	..	13	..	8	..
Hispanic <sup>2</sup>	123	167.6	0	0.0	22	339.0	52	697.6	26	332.6	8	104.6	10	142.4	5	28.3
<b>Female</b>	<b>1,623</b>	<b>336.9</b>	<b>36</b>	<b>37.7</b>	<b>619</b>	<b>2377.5</b>	<b>526</b>	<b>2229.9</b>	<b>231</b>	<b>828.5</b>	<b>101</b>	<b>283.8</b>	<b>64</b>	<b>154.9</b>	<b>46</b>	<b>19.8</b>
White	205	59.8	4	6.3	74	457.0	71	508.7	35	204.8	9	39.0	8	28.5	4	2.2
Black	538	745.7	18	116.8	244	4942.3	158	3625.5	53	1126.0	34	571.7	19	278.8	12	40.0
Other	324	485.9	4	23.5	120	2446.0	93	1763.7	57	936.0	29	441.7	12	186.5	9	44.1
Unknown	556	..	10	..	181	..	204	..	86	..	29	..	25	..	21	..
Hispanic <sup>2</sup>	478	675.9	5	27.2	148	2744.3	153	2463.0	98	1474.3	33	468.0	24	359.9	17	83.5

<sup>1</sup> As of April 25, 2007. All are confirmed cases. Rates are per 100,000 population.

<sup>2</sup> Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: Westchester County Department of Health, Division of Disease Control.

**Table 65. Reported Cases and Rates of Gonorrhea by Age Group, Sex, and Race/Ethnicity, Westchester County, 2006<sup>1</sup>**

Sex and Race/Ethnicity	Total		<15		15-19		20-24		25-29		30-34		35-39		40+	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>Total</b>	<b>435</b>	<b>47.1</b>	<b>5</b>	<b>2.6</b>	<b>139</b>	<b>255.7</b>	<b>131</b>	<b>278.9</b>	<b>64</b>	<b>116.9</b>	<b>35</b>	<b>50.9</b>	<b>30</b>	<b>37.6</b>	<b>31</b>	<b>7.3</b>
White	48	7.3	0	0.0	10	29.6	9	32.3	12	35.6	4	8.9	7	12.7	6	1.8
Black	245	186.8	3	9.5	75	735.5	79	975.7	36	427.3	21	201.3	16	135.0	15	29.7
Other	58	43.5	0	0.0	21	202.2	23	209.3	6	47.5	2	15.2	2	15.6	4	10.3
Unknown	84	..	2	..	33	..	20	..	10	..	8	..	5	..	6	..
Hispanic <sup>2</sup>	66	45.8	1	2.7	23	193.6	22	161.0	12	83.0	3	20.4	4	29.2	1	2.6
<b>Male</b>	<b>196</b>	<b>44.4</b>	<b>1</b>	<b>1.0</b>	<b>38</b>	<b>134.1</b>	<b>66</b>	<b>282.4</b>	<b>31</b>	<b>115.5</b>	<b>20</b>	<b>60.4</b>	<b>17</b>	<b>44.2</b>	<b>23</b>	<b>12.0</b>
White	21	6.6	0	0.0	1	5.7	3	21.6	8	48.2	1	4.5	4	14.8	4	2.6
Black	119	201.7	1	6.2	24	456.3	44	1176.8	15	403.4	14	312.2	10	198.6	11	53.5
Other	20	29.9	0	0.0	4	73.0	9	157.5	3	45.9	1	15.2	1	15.7	2	10.9
Unknown	36	..	0	..	9	..	10	..	5	..	4	..	2	..	6	..
Hispanic <sup>2</sup>	23	31.3	0	0.0	4	61.6	9	120.7	7	89.5	2	26.2	1	14.2	0	0.0
<b>Female</b>	<b>239</b>	<b>49.6</b>	<b>4</b>	<b>4.2</b>	<b>101</b>	<b>387.9</b>	<b>65</b>	<b>275.6</b>	<b>33</b>	<b>118.4</b>	<b>15</b>	<b>42.1</b>	<b>13</b>	<b>31.5</b>	<b>8</b>	<b>3.4</b>
White	27	7.9	0	0.0	9	55.6	6	43.0	4	23.4	3	13.0	3	10.7	2	1.1
Black	126	174.6	2	13.0	51	1033.0	35	803.1	21	446.1	7	117.7	6	88.1	4	13.3
Other	38	57.0	0	0.0	17	346.5	14	265.5	3	49.3	1	15.2	1	15.5	2	9.8
Unknown	48	..	2	..	24	..	10	..	5	..	4	..	3	..	0	..
Hispanic <sup>2</sup>	43	60.8	1	5.4	19	352.3	13	209.3	5	75.2	1	14.2	3	45.0	1	4.9

<sup>1</sup> As of April 25, 2007. All are confirmed cases. Rates are per 100,000 population.

<sup>2</sup> Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: Westchester County Department of Health, Division of Disease Control.

**Table 66. Reported Cases and Rates of Syphilis (All Stages) by Age Group, Sex, and Race/Ethnicity, Westchester County, 2006<sup>1</sup>**

Sex and Race/Ethnicity	Total		<15		15-19		20-24		25-29		30-34		35-39		40+	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>Total</b>	<b>173</b>	<b>18.7</b>	<b>1</b>	<b>0.5</b>	<b>3</b>	<b>5.5</b>	<b>10</b>	<b>21.3</b>	<b>7</b>	<b>12.8</b>	<b>16</b>	<b>23.3</b>	<b>4</b>	<b>5.0</b>	<b>132</b>	<b>31.2</b>
White	28	4.2	1	0.8	0	0.0	3	10.8	3	8.9	3	6.6	1	1.8	17	5.1
Black	54	41.2	0	0.0	1	9.8	3	37.1	2	23.7	2	19.2	1	8.4	45	89.0
Other	45	33.7	0	0.0	1	9.6	1	9.1	2	15.8	7	53.3	1	7.8	33	85.1
Unknown	46	..	0	..	1	..	3	..	0	..	4	..	1	..	37	..
Hispanic <sup>2</sup>	67	46.5	1	2.7	2	16.8	2	14.6	2	13.8	9	61.2	2	14.6	49	128.9
<b>Male</b>	<b>91</b>	<b>20.6</b>	<b>1</b>	<b>1.0</b>	<b>3</b>	<b>10.6</b>	<b>8</b>	<b>34.2</b>	<b>5</b>	<b>18.6</b>	<b>12</b>	<b>36.2</b>	<b>3</b>	<b>7.8</b>	<b>59</b>	<b>30.9</b>
White	18	5.7	1	1.5	0	0.0	3	21.6	2	12.0	2	9.1	1	3.7	9	5.9
Black	22	37.3	0	0.0	1	19.0	2	53.5	1	26.9	2	44.6	0	0.0	16	77.8
Other	25	37.4	0	0.0	1	18.3	1	17.5	2	30.6	4	60.9	1	15.7	16	87.1
Unknown	26	..	0	..	1	..	2	..	0	..	4	..	1	..	18	..
Hispanic <sup>2</sup>	39	53.1	1	5.2	2	30.8	1	13.4	2	25.6	7	91.5	2	28.5	24	135.9
<b>Female</b>	<b>82</b>	<b>17.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>2</b>	<b>8.5</b>	<b>2</b>	<b>7.2</b>	<b>4</b>	<b>11.2</b>	<b>1</b>	<b>2.4</b>	<b>73</b>	<b>31.5</b>
White	10	2.9	0	0.0	0	0.0	0	0.0	1	5.9	1	4.3	0	0.0	8	4.4
Black	32	44.4	0	0.0	0	0.0	1	22.9	1	21.2	0	0.0	1	14.7	29	96.8
Other	20	30.0	0	0.0	0	0.0	0	0.0	0	0.0	3	45.7	0	0.0	17	83.3
Unknown	20	..	0	..	0	..	1	..	0	..	0	..	0	..	19	..
Hispanic <sup>2</sup>	28	39.6	0	0.0	0	0.0	1	16.1	0	0.0	2	28.4	0	0.0	25	122.7

<sup>1</sup> As of April 25, 2007. All are confirmed cases. Rates are per 100,000 population.

<sup>2</sup> Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: Westchester County Department of Health, Division of Disease Control.



**Table 67. Reported Cases and Rates of Lyme Disease by Municipality, Westchester County, 2002-2006<sup>1</sup>**

Health Planning Region and Municipality	2006		2005		2004		2003		2002	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
<b>Westchester County</b>	<b>253</b>	<b>27.4</b>	<b>454</b>	<b>49.2</b>	<b>736</b>	<b>79.7</b>	<b>624</b>	<b>67.6</b>	<b>342</b>	<b>37.0</b>
<b>Northwest</b>	<b>42</b>	<b>29.9</b>	<b>92</b>	<b>65.4</b>	<b>176</b>	<b>125.1</b>	<b>167</b>	<b>118.7</b>	<b>68</b>	<b>48.3</b>
Briarcliff Manor	1	13.0	5	65.0	6	78.0	5	65.0	6	78.0
Buchanan	1	45.7	1	45.7	4	182.7	1	45.7	2	91.4
Cortlandt	9	31.4	29	101.1	56	195.3	47	163.9	13	45.3
Croton on Hudson	2	26.3	3	39.4	20	263.0	17	223.5	11	144.6
Mount Pleasant	9	34.4	23	88.0	39	149.1	29	110.9	11	42.1
Ossining (TOV)	3	54.4	1	18.1	4	72.5	7	126.9	2	36.3
Ossining (V)	10	41.6	13	54.1	14	58.3	18	75.0	8	33.3
Peekskill	4	17.8	7	31.2	21	93.6	24	106.9	8	35.6
Pleasantville	1	13.9	6	83.7	6	83.7	10	139.4	4	55.8
Sleepy Hollow	2	21.7	4	43.4	6	65.1	9	97.7	3	32.6
<b>Northeast</b>	<b>141</b>	<b>105.7</b>	<b>247</b>	<b>185.2</b>	<b>304</b>	<b>228.0</b>	<b>269</b>	<b>201.7</b>	<b>171</b>	<b>128.2</b>
Bedford	30	165.4	57	314.3	43	237.1	44	242.7	27	148.9
Lewisboro	17	137.9	34	275.9	39	316.5	41	332.7	20	162.3
Mount Kisco	11	110.2	15	150.3	17	170.3	19	190.3	10	100.2
New Castle	19	108.6	32	183.0	43	245.8	20	114.3	12	68.6
North Castle	7	64.5	18	165.9	13	119.8	19	175.1	17	156.7
North Salem	10	193.3	10	193.3	12	232.0	23	444.6	7	135.3
Pound Ridge	9	190.4	13	275.1	9	190.4	7	148.1	6	127.0
Somers	28	152.6	34	185.3	55	299.8	44	239.8	26	141.7
Yorktown	10	27.5	34	93.6	73	201.0	52	143.2	46	126.7
<b>West Central</b>	<b>23</b>	<b>14.6</b>	<b>28</b>	<b>17.8</b>	<b>117</b>	<b>74.2</b>	<b>86</b>	<b>54.5</b>	<b>48</b>	<b>30.4</b>
Ardsley	1	23.4	2	46.8	3	70.3	5	117.1	5	117.1
Dobbs Ferry	2	18.8	3	28.2	14	131.8	7	65.9	7	65.9
Elmsford	0	0.0	0	0.0	0	0.0	1	21.4	0	0.0
Greenburgh	7	16.7	4	9.6	24	57.4	24	57.4	4	9.6
Hastings on Hudson	3	39.2	4	52.3	10	130.8	5	65.4	3	39.2
Irvington	2	30.2	1	15.1	11	165.9	6	90.5	7	105.6
Scarsdale	4	22.4	4	22.4	16	89.8	5	28.1	7	39.3
Tarrytown	2	18.0	3	27.1	16	144.3	17	153.3	6	54.1
White Plains	2	3.8	7	13.2	23	43.3	16	30.1	9	17.0
<b>East Central</b>	<b>19</b>	<b>17.0</b>	<b>22</b>	<b>19.7</b>	<b>50</b>	<b>44.7</b>	<b>44</b>	<b>39.3</b>	<b>22</b>	<b>19.7</b>
Harrison	4	16.6	5	20.7	10	41.4	15	62.1	6	24.8
Larchmont	0	0.0	1	15.4	1	15.4	3	46.3	2	30.8
Mamaroneck (TOV)	1	9.0	1	9.0	6	53.9	2	18.0	5	44.9
Mamaroneck (V)	1	5.3	1	5.3	7	37.3	8	42.7	2	10.7
Port Chester	3	10.8	6	21.5	11	39.5	9	32.3	1	3.6
Rye	10	66.9	8	53.5	11	73.6	5	33.4	3	20.1
Rye Brook	0	0.0	0	0.0	4	46.5	2	23.3	3	34.9
<b>Southwest</b>	<b>2</b>	<b>1.0</b>	<b>12</b>	<b>6.1</b>	<b>40</b>	<b>20.4</b>	<b>16</b>	<b>8.2</b>	<b>13</b>	<b>6.6</b>
Yonkers	2	1.0	12	6.1	40	20.4	16	8.2	13	6.6
<b>Southeast</b>	<b>3</b>	<b>1.6</b>	<b>14</b>	<b>7.6</b>	<b>33</b>	<b>18.0</b>	<b>28</b>	<b>15.2</b>	<b>12</b>	<b>6.5</b>
Bronxville	0	0.0	4	61.1	4	61.1	3	45.9	1	15.3
Eastchester	0	0.0	3	16.2	6	32.3	6	32.3	4	21.5
Mount Vernon	0	0.0	3	4.4	7	10.2	7	10.2	2	2.9
New Rochelle	3	4.2	3	4.2	16	22.2	9	12.5	3	4.2
Pelham	0	0.0	0	0.0	0	0.0	1	15.6	1	15.6
Pelham Manor	0	0.0	0	0.0	0	0.0	2	36.6	0	0.0
Tuckahoe	0	0.0	1	16.1	0	0.0	0	0.0	1	16.1
<b>Unknown</b>	<b>23</b>	<b>-</b>	<b>39</b>	<b>-</b>	<b>16</b>	<b>-</b>	<b>14</b>	<b>-</b>	<b>8</b>	<b>-</b>

<sup>1</sup>As of April 25, 2007. Rates per 100,000 population. Data is incomplete due to surveillance limitations, therefore the rates of infection by municipality may be skewed.

Source: Westchester County Department of Health, Division of Disease Control.

**Table 68. Reported Cases and Rates of Ehrlichiosis by Municipality, Westchester County, 2006<sup>1</sup>**

Health Planning Region and Municipality	Ehrlichiosis	
	Cases	Rate
<b>Westchester County</b>	<b>61</b>	<b>6.6</b>
<b>Northwest</b>	<b>20</b>	<b>14.2</b>
Briarcliff Manor	0	0.0
Buchanan	0	0.0
Cortlandt	10	34.9
Croton on Hudson	2	26.3
Mount Pleasant	3	11.5
Ossining (TOV)	1	18.1
Ossining (V)	0	0.0
Peekskill	2	8.9
Pleasantville	2	27.9
Sleepy Hollow	0	0.0
<b>Northeast</b>	<b>22</b>	<b>16.5</b>
Bedford	4	22.1
Lewisboro	4	32.5
Mount Kisco	1	10.0
New Castle	3	17.2
North Castle	1	9.2
North Salem	2	38.7
Pound Ridge	1	21.2
Somers	1	5.5
Yorktown	5	13.8
<b>West Central</b>	<b>8</b>	<b>5.1</b>
Ardsley	0	0.0
Dobbs Ferry	1	9.4
Elmsford	0	0.0
Greenburgh	1	2.4
Hastings on Hudson	1	13.1
Irvington	1	15.1
Scarsdale	1	5.6
Tarrytown	1	9.0
White Plains	2	3.8
<b>East Central</b>	<b>3</b>	<b>2.7</b>
Harrison	2	8.3
Larchmont	0	0.0
Mamaroneck (TOV)	0	0.0
Mamaroneck (V)	0	0.0
Port Chester	0	0.0
Rye	1	6.7
Rye Brook	0	0.0
<b>Southwest</b>	<b>2</b>	<b>1.0</b>
Yonkers	2	1.0
<b>Southeast</b>	<b>0</b>	<b>0.0</b>
Bronxville	0	0.0
Eastchester	0	0.0
Mount Vernon	0	0.0
New Rochelle	0	0.0
Pelham	0	0.0
Pelham Manor	0	0.0
Tuckahoe	0	0.0
<b>Unknown</b>	<b>6</b>	<b>-</b>

<sup>1</sup>As of April 25, 2007. Rates per 100,000 population. Data is incomplete due to surveillance limitations, therefore the rates of infection by municipality may be skewed.

Source: Westchester County Department of Health, Division of Disease Control.

**Table 69. Reported Cases and Rates of Lyme Disease by Age and Sex, Westchester County, 2006<sup>1</sup>**

Age	Total		Male		Female	
	Number	Rate	Number	Rate	Number	Rate
<b>Total</b>	<b>253</b>	<b>27.4</b>	<b>142</b>	<b>32.1</b>	<b>110</b>	<b>22.8</b>
0-9	31	23.4	14	20.7	17	26.3
10-19	38	32.2	24	39.2	14	24.6
20-29	15	14.7	11	21.9	4	7.8
30-39	14	9.4	10	14.0	4	5.2
40-49	45	31.0	24	34.3	21	27.9
50-59	47	42.7	25	48.3	22	37.7
60-69	36	49.7	18	54.9	18	45.4
70+	25	26.3	16	43.9	9	15.4
Unknown <sup>2</sup>	2	-	0	-	1	-

<sup>1</sup> As of April 25, 2007. All are confirmed cases. Rates are per 100,000 population. Data is incomplete due to surveillance limitations, therefore the rates of infection by age and sex may be skewed.

<sup>2</sup> Total includes unknown sex.

Source: Westchester County Department of Health, Division of Disease Control.

**Table 70. Reported Cases and Rates of Major Enteric Infections, Westchester County, 2006<sup>1</sup>**

Health Planning Region and Municipality	Campylobacteriosis		Giardiasis		Salmonellosis	
	Cases	Rate	Cases	Rate	Cases	Rate
<b>Westchester County</b>	<b>156</b>	<b>16.9</b>	<b>119</b>	<b>12.9</b>	<b>112</b>	<b>12.1</b>
<b>Northwest</b>	<b>35</b>	<b>24.9</b>	<b>22</b>	<b>15.6</b>	<b>14</b>	<b>10.0</b>
Briarcliff Manor	4	52.0	2	26.0	1	13.0
Buchanan	0	0.0	0	0.0	0	0.0
Cortlandt	8	27.9	3	10.5	1	3.5
Croton on Hudson	1	13.1	0	0.0	2	26.3
Mount Pleasant	4	15.3	6	22.9	2	7.6
Ossining (TOV)	1	18.1	0	0.0	0	0.0
Ossining (V)	9	37.5	4	16.7	4	16.7
Peekskill	3	13.4	5	22.3	3	13.4
Pleasantville	1	13.9	0	0.0	0	0.0
Sleepy Hollow	4	43.4	2	21.7	1	10.9
<b>Northeast</b>	<b>20</b>	<b>15.0</b>	<b>11</b>	<b>8.2</b>	<b>22</b>	<b>16.5</b>
Bedford	1	5.5	3	16.5	2	11.0
Lewisboro	2	16.2	1	8.1	1	8.1
Mount Kisco	3	30.1	2	20.0	0	0.0
New Castle	5	28.6	2	11.4	1	5.7
North Castle	1	9.2	0	0.0	1	9.2
North Salem	0	0.0	0	0.0	1	19.3
Pound Ridge	2	42.3	1	21.2	1	21.2
Somers	3	16.4	0	0.0	12	65.4
Yorktown	3	8.3	2	5.5	3	8.3
<b>West Central</b>	<b>37</b>	<b>23.5</b>	<b>25</b>	<b>15.9</b>	<b>21</b>	<b>13.3</b>
Ardley	1	23.4	0	0.0	1	23.4
Dobbs Ferry	3	28.2	2	18.8	1	9.4
Elmsford	0	0.0	0	0.0	1	21.4
Greenburgh	15	35.9	6	14.3	6	14.3
Hastings on Hudson	2	26.2	3	39.2	1	13.1
Irvington	1	15.1	1	15.1	1	15.1
Scarsdale	9	50.5	3	16.8	4	22.4
Tarrytown	0	0.0	4	36.1	1	9.0
White Plains	6	11.3	6	11.3	5	9.4
<b>East Central</b>	<b>24</b>	<b>21.4</b>	<b>23</b>	<b>20.5</b>	<b>18</b>	<b>16.1</b>
Harrison	5	20.7	6	24.8	1	4.1
Larchmont	0	0.0	1	15.4	0	0.0
Mamaroneck (TOV)	1	9.0	4	35.9	7	62.8
Mamaroneck (V)	2	10.7	6	32.0	5	26.7
Port Chester	4	14.4	2	7.2	3	10.8
Rye	8	53.5	4	26.7	1	6.7
Rye Brook	4	46.5	0	0.0	1	11.6
<b>Southwest</b>	<b>25</b>	<b>12.7</b>	<b>26</b>	<b>13.3</b>	<b>29</b>	<b>14.8</b>
Yonkers	25	12.7	26	13.3	29	14.8
<b>Southeast</b>	<b>12</b>	<b>6.5</b>	<b>9</b>	<b>4.9</b>	<b>8</b>	<b>4.4</b>
Bronxville	1	15.3	1	15.3	1	15.3
Eastchester	1	5.4	1	5.4	2	10.8
Mount Vernon	2	2.9	2	2.9	1	1.5
New Rochelle	7	9.7	5	6.9	3	4.2
Pelham	1	15.6	0	0.0	1	15.6
Pelham Manor	0	0.0	0	0.0	0	0.0
Tuckahoe	0	0.0	0	0.0	0	0.0
<b>Unknown</b>	<b>3</b>	<b>-</b>	<b>3</b>	<b>-</b>	<b>0</b>	<b>-</b>

<sup>1</sup> As of April 25, 2007. All are confirmed cases. Rates are per 100,000 population.

Source: Westchester County Department of Health, Division of Disease Control.

**Table 71. Reported Cases and Rates of Major Enteric Diseases by Age, Westchester County, 2006<sup>1</sup>**

Age	Campylobacteriosis			Giardiasis			Salmonellosis		
	Number	Rate	% <sup>2</sup>	Number	Rate	% <sup>2</sup>	Number	Rate	% <sup>2</sup>
<b>Total</b>	<b>156</b>	<b>16.9</b>	<b>100.0</b>	<b>119</b>	<b>12.9</b>	<b>100.0</b>	<b>112</b>	<b>12.1</b>	<b>100.0</b>
Under 1	6	47.9	3.9	0	0.0	0.0	6	47.9	5.4
1-4	14	27.1	9.0	20	38.7	17.2	22	42.5	19.8
5-9	8	11.8	5.2	12	17.6	10.3	12	17.6	10.8
10-19	16	13.5	10.3	9	7.6	7.8	13	11.0	11.7
20-29	14	13.8	9.0	11	10.8	9.5	11	10.8	9.9
30-39	25	16.8	16.1	16	10.8	13.8	13	8.8	11.7
40-49	31	21.3	20.0	20	13.8	17.2	9	6.2	8.1
50-59	18	16.3	11.6	12	10.9	10.3	6	5.4	5.4
60+	23	13.7	14.8	16	9.6	13.8	19	11.4	17.1
Unknown	1	-	-	3	-	-	1	-	-

<sup>1</sup> As of April 25, 2007. Rates are per 100,000 population. Percentages are calculated with unknown age excluded from denominator. Note that rates that have a numerator less than 25 are unstable, meaning that a small change in the numerator can lead to a large change in the rate from one year to the next.

<sup>2</sup> Percentages are calculated with unknown age excluded from denominator.

Source: Westchester County Department of Health, Division of Disease Control.

**Table 72. Reported Cases and Rates of Selected Central Nervous System Diseases and Bacteremias, Westchester County, 2006<sup>1</sup>**

Health Planning Region and Municipality	Meningitis		Invasive Strep Pneumoniae	
	Cases	Rate	Cases	Rate
<b>Westchester County</b>	<b>112</b>	<b>12.1</b>	<b>75</b>	<b>8.1</b>
<b>Northwest</b>	<b>23</b>	<b>16.4</b>	<b>12</b>	<b>8.5</b>
Briarcliff Manor	1	13.0	0	0.0
Buchanan	0	0.0	0	0.0
Cortlandt	3	10.5	2	7.0
Croton on Hudson	1	13.1	0	0.0
Mount Pleasant	4	15.3	1	3.8
Ossining (TOV)	1	18.1	0	0.0
Ossining (V)	5	20.8	2	8.3
Peekskill	4	17.8	6	26.7
Pleasantville	3	41.8	0	0.0
Sleepy Hollow	1	10.9	1	10.9
<b>Northeast</b>	<b>14</b>	<b>10.5</b>	<b>2</b>	<b>1.5</b>
Bedford	1	5.5	0	0.0
Lewisboro	1	8.1	0	0.0
Mount Kisco	3	30.1	0	0.0
New Castle	1	5.7	1	5.7
North Castle	2	18.4	0	0.0
North Salem	1	19.3	0	0.0
Pound Ridge	0	0.0	0	0.0
Somers	3	16.4	1	5.5
Yorktown	2	5.5	0	0.0
<b>West Central</b>	<b>18</b>	<b>11.4</b>	<b>15</b>	<b>9.5</b>
Ardsley	1	23.4	1	23.4
Dobbs Ferry	0	0.0	3	28.2
Elmsford	0	0.0	0	0.0
Greenburgh	6	14.3	2	4.8
Hastings on Hudson	1	13.1	1	13.1
Irvington	1	15.1	0	0.0
Scarsdale	1	5.6	0	0.0
Tarrytown	1	9.0	2	18.0
White Plains	7	13.2	6	11.3
<b>East Central</b>	<b>7</b>	<b>6.3</b>	<b>5</b>	<b>4.5</b>
Harrison	0	0.0	2	8.3
Larchmont	1	15.4	0	0.0
Mamaroneck (TOV)	0	0.0	0	0.0
Mamaroneck (V)	4	21.3	2	10.7
Port Chester	2	7.2	1	3.6
Rye	0	0.0	0	0.0
Rye Brook	0	0.0	0	0.0
<b>Southwest</b>	<b>27</b>	<b>13.8</b>	<b>24</b>	<b>12.2</b>
Yonkers	27	13.8	24	12.2
<b>Southeast</b>	<b>21</b>	<b>11.4</b>	<b>17</b>	<b>9.3</b>
Bronxville	0	0.0	1	15.3
Eastchester	2	10.8	2	10.8
Mount Vernon	11	16.1	7	10.2
New Rochelle	7	9.7	7	9.7
Pelham	1	15.6	0	0.0
Pelham Manor	0	0.0	0	0.0
Tuckahoe	0	0.0	0	0.0
<b>Unknown</b>	<b>2</b>	<b>-</b>	<b>0</b>	<b>-</b>

<sup>1</sup> As of April 25, 2007. All are confirmed cases. The meningitis disease category include aseptic meningitis, meningococcal diseases, and other meningitis/bacteremias. Rates are per 100,000 population. Source: Westchester County Department of Health, Division of Disease Control.

**Table 73. Reported Cases and Rates of Meningitis by Age and Sex, Westchester County, 2006<sup>1</sup>**

Age	Total			Male			Female		
	Number	Rate	%	Number	Rate	%	Number	Rate	%
<b>Total</b>	<b>112</b>	<b>12.1</b>	<b>100.0</b>	<b>60</b>	<b>13.6</b>	<b>100.0</b>	<b>52</b>	<b>10.8</b>	<b>100.0</b>
0-9	12	9.1	10.7	6	8.9	10.0	6	9.3	11.5
10-19	8	6.8	7.1	3	4.9	5.0	5	8.8	9.6
20-29	5	4.9	4.5	1	2.0	1.7	4	7.8	7.7
30-39	5	3.4	4.5	3	4.2	5.0	2	2.6	3.8
40-49	12	8.3	10.7	8	11.4	13.3	4	5.3	7.7
50-59	20	18.2	17.9	13	25.1	21.7	7	12.0	13.5
60-69	13	18.0	11.6	6	18.3	10.0	7	17.7	13.5
70-79	11	18.6	9.8	7	28.1	11.7	4	11.6	7.7
80+	26	72.9	23.2	13	113.0	21.7	13	53.8	25.0

<sup>1</sup> As of April 25, 2007. All are confirmed cases. This disease category includes aseptic meningitis, meningococcal diseases, and other meningitis/bacteremias. Rates are per 100,000 population.

Source: Westchester County Department of Health, Division of Disease Control.

**Table 74. Reported Cases and Rates of Invasive Strep Pneumoniae by Age and Sex, Westchester County, 2006<sup>1</sup>**

Age	Total			Male			Female		
	Number	Rate	%	Number	Rate	%	Number	Rate	%
<b>Total</b>	<b>75</b>	<b>8.1</b>	<b>100.0</b>	<b>34</b>	<b>7.7</b>	<b>100.0</b>	<b>41</b>	<b>8.5</b>	<b>100.0</b>
0-9	15	11.3	20.0	5	7.4	14.7	10	15.5	24.4
10-19	1	0.8	1.3	1	1.6	2.9	0	0.0	0.0
20-29	3	2.9	4.0	1	2.0	2.9	2	3.9	4.9
30-39	4	2.7	5.3	1	1.4	2.9	3	3.9	7.3
40-49	11	7.6	14.7	6	8.6	17.6	5	6.6	12.2
50-59	14	12.7	18.7	8	15.5	23.5	6	10.3	14.6
60-69	10	13.8	13.3	6	18.3	17.6	4	10.1	9.8
70-79	10	16.9	13.3	4	16.1	11.8	6	17.5	14.6
80+	7	19.6	9.3	2	17.4	5.9	5	20.7	12.2

<sup>1</sup> As of April 25, 2007. All are confirmed cases. Rates are per 100,000 population.

Source: Westchester County Department of Health, Division of Disease Control.

**Table 75. Number of Tuberculosis Cases and Contacts, Westchester County, 2002-2006**

	2006	2005	2004	2003	2002
<b>New Tuberculosis Cases<sup>1</sup></b>	<b>72</b>	<b>53</b>	<b>63</b>	<b>57</b>	<b>63</b>
<b>Sex</b>					
Male	42	28	33	33	31
Female	30	25	30	24	32
<b>Race</b>					
White	36	33	42	41	40
Black	16	7	12	11	8
Asian	20	13	9	5	15
<b>Ethnicity</b>					
Hispanic	31	27	37	32	31
Non-Hispanic	41	26	26	25	31
<b>Foreign Born<sup>2</sup></b>	53	45	45	42	48
%	74%	85%	71%	74%	76%
<b>U.S. Born</b>	19	8	18	15	15
%	26%	15%	29%	26%	24%
<b>Site of Infection</b>					
Pulmonary	62	41	48	49	53
Extra-Pulmonary-Only <sup>3</sup>	10	12	15	8	10
<b>Drug Resistant</b>					
None Identified <sup>4</sup>	67	47	54	52	59
Drug Resistant (non-MDR) <sup>5</sup>	5	4	7	4	2
Multi-Drug Resistant <sup>6</sup>	0	2	2	1	2
<b>HIV Status</b>					
Negative	50	33	45	35	35
Positive	8	6	4	2	6
Unknown	14	14	14	20	22
<b>Active Cases<sup>7</sup></b>	65	42	55	32	34
<b>Contacts Identified<sup>8</sup></b>	2,550	1,058	2,244	993	496
<b>Incidence Rate (per 100,000 population)</b>	7.8	5.7	6.8	6.2	6.8

<sup>1</sup> As of April 25, 2007. Persons being treated with two or more drugs for Tuberculosis as of December 31st of year shown. The 2004 total case number includes one patient reported by DOCS and followed by NYS DOH. In 2002, the total includes a case with unknown ethnicity.

<sup>2</sup> Among the foreign born cases in 2006 were: 1 from Brazil, 1 from China, 1 from Dominican Republic, 11 from Ecuador, 1 from El Salvador, 1 from France, 1 from Germany, 3 from Guatemala, 1 from Haiti, 1 from Honduras, 7 from India, 2 from Jamaica, 1 from Japan, 2 from Korea, 3 from Mexico, 1 from Mozambique, 3 from Pakistan, 4 from Peru, 6 from the Philippines, 1 from Zambia and 1 from Zimbabwe.

<sup>3</sup> Pulmonary cases may also have extra-pulmonary presentations. Extra-pulmonary-only cases have no pulmonary parenchymal involvement.

<sup>4</sup> Includes culture-confirmed cases and clinical cases without positive cultures.

<sup>5</sup> Resistant to any other drugs, but not the combination of INH + Rifampin.

<sup>6</sup> Resistant to at least INH + Rifampin.

<sup>7</sup> Persons being monitored on December 31st of the year shown.

<sup>8</sup> As of July 12, 2007; contacts included in the year in which survey occurred; includes surveys for index cases that are out of jurisdiction or revoked; year tally may vary due to lag in obtained survey information.

Source: Westchester County Department of Health, Division of Disease Control.



**Table 76. Reported Cases and Rates of Tuberculosis by Age, Westchester County, 2002-2006<sup>1</sup>**

Age	2006			2005			2004			2003			2002		
	Number	Rate	%	Number	Rate	%	Number	Rate	%	Number	Rate	%	Number	Rate	%
<b>Total</b>	<b>72</b>	<b>7.8</b>	<b>100.0</b>	<b>53</b>	<b>5.7</b>	<b>100.0</b>	<b>63</b>	<b>6.8</b>	<b>100.0</b>	<b>57</b>	<b>6.2</b>	<b>100.0</b>	<b>63</b>	<b>6.8</b>	<b>100.0</b>
Under 5	2	3.1	2.8	3	4.7	5.7	1	1.6	1.6	1	1.6	1.8	1	1.6	1.6
5-9	0	0.0	0.0	0	0.0	0.0	2	2.9	3.2	1	1.5	1.8	0	0.0	0.0
10-14	2	3.1	2.8	2	3.1	3.8	0	0.0	0.0	1	1.6	1.8	0	0.0	0.0
15-19	2	3.7	2.8	3	5.5	5.7	2	3.7	3.2	3	5.5	5.3	4	7.4	6.3
20-24	10	21.3	13.9	5	10.6	9.4	9	19.2	14.3	3	6.4	5.3	11	23.4	17.5
25-34	12	9.7	16.7	16	13.0	30.2	19	15.4	30.2	11	8.9	19.3	12	9.7	19.0
35-44	11	7.0	15.3	8	5.1	15.1	9	5.7	14.3	19	12.1	33.3	5	3.2	7.9
45-54	13	10.0	18.1	4	3.1	7.5	8	6.2	12.7	7	5.4	12.3	11	8.5	17.5
55-64	9	10.4	12.5	3	3.5	5.7	8	9.2	12.7	0	0.0	0.0	3	3.5	4.8
65+	11	8.5	15.3	9	7.0	17.0	5	3.9	7.9	11	8.5	19.3	16	12.4	25.4

<sup>1</sup> As of April 25, 2007. Persons being treated with two or more drugs for Tuberculosis as of December 31st of year shown. The 2004 total case number includes one patient reported by DOCS and followed by NYS DOH. Rates are per 100,000 population. Note that rates that have a numerator less than 25 are unstable, meaning that a small change in the numerator can lead to a large change in the rate from one year to the next.

Source: Westchester County Department of Health, Division of Disease Control.

**Table 77. Childhood Lead Poisoning Prevention Program: Total Number of Tests Conducted, Test Results by Blood Lead Level, and Number of Initial Screen Tests by Municipality, Westchester County, 2006**

Health Planning Region and Municipality	Total Tests	Blood Lead Levels (BLLs)					Initial Screen Tests
		<10	10-14	15-19	20+	UC <sup>1</sup>	
<b>Westchester County</b>	<b>31,711</b>	<b>31,063</b>	<b>369</b>	<b>120</b>	<b>156</b>	<b>3</b>	<b>30,702</b>
<b>Northwest</b>	<b>4,207</b>	<b>4,095</b>	<b>64</b>	<b>18</b>	<b>30</b>	<b>0</b>	<b>4,071</b>
Briarcliff Manor	178	178	0	0	0	0	177
Buchanan	43	43	0	0	0	0	43
Cortlandt	566	559	6	1	0	0	557
Croton on Hudson	187	184	3	0	0	0	182
Mount Pleasant	592	585	2	1	4	0	586
Ossining (TOV)	119	119	0	0	0	0	119
Ossining (V)	1,107	1,064	28	8	7	0	1,061
Peekskill	769	744	13	4	8	0	735
Pleasantville	187	177	0	1	9	0	173
Sleepy Hollow	459	442	12	3	2	0	438
<b>Northeast</b>	<b>2,595</b>	<b>2,572</b>	<b>16</b>	<b>5</b>	<b>2</b>	<b>0</b>	<b>2,566</b>
Bedford	370	360	6	3	1	0	361
Lewisboro	165	164	0	0	1	0	163
Mount Kisco	310	304	5	1	0	0	303
New Castle	377	377	0	0	0	0	375
North Castle	231	230	1	0	0	0	229
North Salem	72	71	1	0	0	0	72
Pound Ridge	72	72	0	0	0	0	71
Somers	333	333	0	0	0	0	332
Yorktown	665	661	3	1	0	0	660
<b>West Central</b>	<b>4,627</b>	<b>4,520</b>	<b>63</b>	<b>23</b>	<b>20</b>	<b>1</b>	<b>4,478</b>
Ardsley	90	89	1	0	0	0	89
Dobbs Ferry	233	231	2	0	0	0	231
Elmsford	202	202	0	0	0	0	201
Greenburgh	1,204	1,193	8	2	1	0	1,192
Hastings on Hudson	148	144	2	2	0	0	140
Irvington	159	158	1	0	0	0	157
Scarsdale	522	514	6	1	1	0	515
Tarrytown	351	346	3	1	1	0	341
White Plains	1,718	1,643	40	17	17	1	1,612
<b>East Central</b>	<b>3,418</b>	<b>3,337</b>	<b>38</b>	<b>17</b>	<b>26</b>	<b>0</b>	<b>3,317</b>
Harrison	526	516	8	1	1	0	514
Larchmont	264	257	4	2	1	0	256
Mamaroneck (TOV)	459	450	3	4	2	0	447
Mamaroneck (V)	522	514	6	1	1	0	508
Port Chester	1,119	1,081	13	8	17	0	1,075
Rye	357	349	3	1	4	0	347
Rye Brook	171	170	1	0	0	0	170
<b>Southwest</b>	<b>7,124</b>	<b>6,996</b>	<b>76</b>	<b>15</b>	<b>37</b>	<b>0</b>	<b>6,867</b>
Yonkers	7,124	6,996	76	15	37	0	6,867
<b>Southeast</b>	<b>7,609</b>	<b>7,430</b>	<b>105</b>	<b>40</b>	<b>34</b>	<b>0</b>	<b>7,291</b>
Bronxville	164	161	3	0	0	0	161
Eastchester	450	440	7	2	1	0	435
Mount Vernon	3,039	2,943	52	20	24	0	2,879
New Rochelle	3,301	3,240	38	17	6	0	3,178
Pelham	285	279	3	1	2	0	276
Pelham Manor	193	191	1	0	1	0	189
Tuckahoe	177	176	1	0	0	0	173
<b>Unknown</b>	<b>2,131</b>	<b>2,113</b>	<b>7</b>	<b>2</b>	<b>7</b>	<b>2</b>	<b>2,112</b>

<sup>1</sup> Unable to classify: includes test results which were questionable, clotted, or the result of a lab accident.

Source: Westchester County Department of Health, Division of Community Health Services.

**Table 78. Childhood Lead Poisoning Prevention Program: Total Number of Tests Conducted, Test Results by Blood Lead Level, and Number of Initial Screen Tests by Age, Westchester County, 2006**

Age	Total Tests	Blood Lead Levels (BLL)					Initial Screen Tests
		<10	10-14	15-19	20+	UC <sup>1</sup>	
<b>Total</b>	<b>31,711</b>	<b>31,063</b>	<b>369</b>	<b>120</b>	<b>156</b>	<b>3</b>	<b>30,702</b>
0	3,928	3,870	34	10	14	0	3,895
1	7,945	7,769	90	36	48	2	7,771
2	7,363	7,189	108	35	31	0	7,130
3	3,663	3,578	47	18	20	0	3,494
4	2,888	2,831	32	13	12	0	2,781
5	2,059	2,029	25	1	4	0	1,984
6-9	2,810	2,765	23	7	15	0	2,658
10+	1,024	1,003	9	0	11	1	958
Unknown	31	29	1	0	1	0	31

<sup>1</sup> Unable to classify: includes test results which were questionable, clotted, or the result of a lab accident.

Source: Westchester County Department of Health, Division of Community Health Services.

**Table 79. Childhood Lead Poisoning Prevention Program: Number of Children Tested, Number of Children with Multiple Tests, and Number of Children with Lead Poisoning, and Number of Lead Registry Cases, Westchester County, 2006**

Health Planning Region and Municipality	Number of Children			Lead Registry Cases <sup>2</sup>		
	Tested	With Multiple Tests	With Lead Poisoning <sup>1</sup> (≥20 ug/dL)	Total	New	Continuing
<b>Westchester County</b>	<b>29,990</b>	<b>1,425</b>	<b>43</b>	<b>144</b>	<b>31</b>	<b>113</b>
<b>Northwest</b>	<b>3,954</b>	<b>204</b>	<b>6</b>	<b>13</b>	<b>4</b>	<b>9</b>
Briarcliff Manor	175	3	0	0	0	0
Buchanan	41	2	0	0	0	0
Cortlandt	536	28	0	2	0	2
Croton on Hudson	178	9	0	0	0	0
Mount Pleasant	575	13	1	1	0	1
Ossining (TOV)	106	11	0	0	0	0
Ossining (V)	1,026	63	3	2	2	0
Peekskill	722	37	2	6	1	5
Pleasantville	168	11	0	1	0	1
Sleepy Hollow	427	27	0	1	1	0
<b>Northeast</b>	<b>2,519</b>	<b>67</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>1</b>
Bedford	355	9	1	1	1	0
Lewisboro	160	5	0	0	0	0
Mount Kisco	300	10	0	1	0	1
New Castle	369	8	0	0	0	0
North Castle	224	5	0	0	0	0
North Salem	70	2	0	0	0	0
Pound Ridge	67	5	0	0	0	0
Somers	327	6	0	0	0	0
Yorktown	647	17	0	0	0	0
<b>West Central</b>	<b>4,351</b>	<b>224</b>	<b>6</b>	<b>21</b>	<b>5</b>	<b>16</b>
Ardsley	87	3	0	0	0	0
Dobbs Ferry	225	8	0	1	0	1
Elmsford	197	5	0	0	0	0
Greenburgh	1,160	44	0	2	0	2
Hastings on Hudson	135	9	0	1	0	1
Irvington	150	7	0	0	0	0
Scarsdale	496	26	0	1	0	1
Tarrytown	340	11	0	2	0	2
White Plains	1,561	111	6	14	5	9
<b>East Central</b>	<b>3,232</b>	<b>154</b>	<b>4</b>	<b>14</b>	<b>2</b>	<b>12</b>
Harrison	502	20	1	1	0	1
Larchmont	253	10	0	0	0	0
Mamaroneck (TOV)	436	20	0	0	0	0
Mamaroneck (V)	497	23	0	2	0	2
Port Chester	1,042	58	3	9	2	7
Rye	339	15	0	2	0	2
Rye Brook	163	8	0	0	0	0
<b>Southwest</b>	<b>6,729</b>	<b>334</b>	<b>14</b>	<b>49</b>	<b>10</b>	<b>39</b>
Yonkers	6,729	334	14	49	10	39
<b>Southeast</b>	<b>7,134</b>	<b>390</b>	<b>11</b>	<b>44</b>	<b>9</b>	<b>35</b>
Bronxville	157	6	0	0	0	0
Eastchester	427	17	1	1	0	1
Mount Vernon	2,829	167	7	29	8	21
New Rochelle	3,089	179	3	13	1	12
Pelham	271	14	0	1	0	1
Pelham Manor	187	5	0	0	0	0
Tuckahoe	174	2	0	0	0	0
<b>Unknown</b>	<b>2,071</b>	<b>52</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>1</b>

<sup>1</sup> As of March 1, 2005, a child has lead poisoning if he/she has a blood lead level (bll) greater than or equal to 20ug/dL.

<sup>2</sup> New cases are cases that were admitted into the lead registry during the current year. Continuing cases are cases that were admitted into the registry prior to the current year but were still active at some time during the current year.

**Table 80. Number of Patients Served, Number of Clinic Visits, and Number of Vaccines Administered by District Office, Westchester County Department of Health, 2006**

Clinic/Program	Total	District Office		
		New Rochelle	White Plains	Yonkers
<b>Total</b>				
Patients <sup>1,2</sup>	5,951	512	3,373	2,956
Visits <sup>2</sup>	15,245	958	8,249	6,360
<b>Family Planning<sup>3</sup></b>				
Patients	2,071	0	1,060	1,011
Visits	5,464	0	2,867	2,597
<b>Immunization</b>				
Patients	277	54	120	103
Visits	322	60	143	119
<b>Sexually Transmitted Diseases<sup>3</sup></b>				
Patients	2,025	312	816	903
Visits	3,727	561	1,570	1,596
<b>Tuberculosis<sup>3</sup></b>				
Patients	879	54	589	256
Visits	3,525	231	2,266	1,028
<b>PPD<sup>4</sup></b>				
Patients	779	30	326	154
Visits	1,546	54	633	314
<b>Cancer Screening<sup>5</sup></b>				
Patients	57	28	21	8
Visits	57	28	21	8
<b>Social Work</b>				
Patients	540	3	275	262
Visits	604	3	307	294
<b>HIV Counseling &amp; Testing<sup>6</sup></b>				
Confidential				
Patients	2,985	140	1,543	1,313
Visits	3,730	154	1,985	1,591
Anonymous				
Visits	544	5	289	250
<b>Certified Home Health Program</b>				
Patients	3,421	..	..	..
Visits Received	16,529	..	..	..
<b>Vaccination<sup>7</sup></b>				
Flu Vaccines Administered	4,650	..	..	..
Pneumococcal Vaccines Administered	234	..	..	..
All Other Vaccines Administered	2,115	..	..	..
<i>Immunization Clinics</i>	593	..	..	..
<i>All Other Programs</i>	1,522	..	..	..

<sup>1</sup> Total represents unduplicated patients. Patients may visit one or more clinic programs during the year. Does not include patients who visited the clinics for HIV test and/or counseling anonymously.

<sup>2</sup> District office numbers include confidential HIV counseling & testing.

<sup>3</sup> Does not include patients who visited the clinics only for HIV test and/or counseling services and their visits.

<sup>4</sup> Totals (patients & visits) include PPDs given in clinics and other locations.

<sup>5</sup> Cancer Screening Clinics were closed in March 2006.

<sup>6</sup> Includes patients who visited STD clinics, TB clinics, and Family Planning clinics for HIV tests and/or counseling. Such patients may or may not receive other services in addition to an HIV test and/or counseling. Therefore, a proportion of these patients and visits may also be counted in STD, TB, and Family Planning Clinics. The number of patients who had HIV related services anonymously is not included.

<sup>7</sup> Including vaccines administered in Health Department District Offices as well as special Flu clinics.

Source: Westchester County Department of Health, Division of Community Health Services.

**Table 81. Number of Patients Served at District Offices by Age, Sex, and Race/Ethnicity, Westchester County, 2006**

Demographics	District Office Clinics <sup>1</sup>	
	Number	%
<b>Total<sup>2</sup></b>	<b>5,951</b>	<b>..</b>
<b>Age Group</b>		
<1	10	0.2
1-4	66	1.1
5-9	95	1.6
10 - 14	146	2.5
15 - 19	613	10.3
20 - 24	1,152	19.4
25 - 29	1,194	20.1
30 - 34	925	15.5
35 - 39	671	11.3
40 - 44	449	7.5
45 - 64	550	9.2
65+	80	1.3
<b>Sex</b>		
Female	3,818	64.2
Male	2,131	35.8
<b>Race/Ethnicity</b>		
White - Non Hispanic <sup>3</sup>	960	16.1
Black - Non Hispanic <sup>3</sup>	1,342	22.6
Hispanic - White	1,385	23.3
Hispanic - Black	59	1.0
Hispanic - Race unspecified	881	14.8
Asian	140	2.4
Other	30	0.5
Multicultural	741	12.5

<sup>1</sup>Represents unduplicated patients. Excludes clients receiving influenza and pneumococcal vaccines administered at Westchester County Department of Health influenza and special epidemic clinics.

<sup>2</sup>Total includes unknown sex and race/ethnicity.

<sup>3</sup>White-Non Hispanic includes 42 cases of unknown ethnicity and Black-Non Hispanic includes 24 cases of unknown ethnicity.

Source: Westchester County Department of Health, Division of Community Health Services.

**Table 82. Number of Patients and Visits to Family Planning Clinics by Patient Age Group and Race/Ethnicity, Westchester County, 2006**

Demographics	Total Patients <sup>1</sup>	Total Visits	Visits per Patient
<b>Total<sup>2</sup></b>	<b>2,071</b>	<b>5,464</b>	<b>2.6</b>
<b>Age Group</b>			
<15	5	5	1.0
15 - 19	82	150	1.8
20 - 24	365	1,008	2.8
25 - 29	561	1,489	2.7
30 - 34	531	1,456	2.7
34 - 39	327	846	2.6
40 - 44	160	418	2.6
45+	40	92	2.3
<b>Race/Ethnicity</b>			
White - Non Hispanic	154	389	2.5
Black - Non Hispanic	135	353	2.6
Hispanic - White	752	1,964	2.6
Hispanic - Black	37	80	2.2
Hispanic - Race unspecified	605	1,604	2.7
Asian	14	35	2.5
Other	5	4	0.8
Multicultural	236	682	2.9

<sup>1</sup>Total represents unduplicated patients.

<sup>2</sup>Total includes unknown race/ethnicity.

Source: Westchester County Department of Health, Division of Community Health Services.

**Table 83. Number of Patients and Visits to Sexually Transmitted Diseases Clinics by Patient Age Group, Sex, and Race/Ethnicity, Westchester County, 2006**

<b>Demographics</b>	<b>Total Patients<sup>1</sup></b>	<b>Total Visits</b>	<b>Visits per Patient</b>
<b>Total<sup>2</sup></b>	<b>2,025</b>	<b>3,727</b>	<b>1.8</b>
<b>Age Group</b>			
<15	17	26	1.5
15 - 19	319	521	1.6
20 - 24	554	976	1.8
25 - 29	389	692	1.8
30 - 34	222	394	1.8
34 - 39	166	329	2.0
40 - 44	112	215	1.9
45+	246	574	2.3
<b>Sex</b>			
Female	942	1,703	1.8
Male	1,083	2,024	1.9
<b>Race/Ethnicity</b>			
White - Non Hispanic <sup>3</sup>	440	802	1.8
Black - Non Hispanic <sup>3</sup>	806	1,527	1.9
Hispanic - White	248	427	1.7
Hispanic - Black	20	32	1.6
Hispanic - Race unspecified	224	429	1.9
Asian	46	70	1.5
Other	6	5	0.8
Multicultural	102	198	1.9

<sup>1</sup>Total represents unduplicated patients.

<sup>2</sup>Total includes unknown race/ethnicity.

<sup>3</sup>White-Non Hispanic includes 4 cases of unknown ethnicity and Black-Non Hispanic includes 7 cases of unknown ethnicity.

Source: Westchester County Department of Health, Division of Community Health Services.



**Table 84. Number of Patients and Visits With HIV Tests and/or Counseling<sup>1</sup> by Patient Age Group, Sex, and Race/Ethnicity, Westchester County, 2006**

<b>Demographics</b>	<b>Total Patients<sup>2</sup></b>	<b>Total Visits</b>	<b>Visits per Patient</b>
<b>Total<sup>3</sup></b>	<b>2,985</b>	<b>3,730</b>	<b>1.2</b>
<b>Age Group</b>			
<10	4	4	0.0
10 - 14	16	18	1.1
15 - 19	274	313	1.1
20 - 24	639	804	1.3
25 - 29	680	848	1.2
30 - 34	534	712	1.3
34 - 39	393	492	1.3
40 - 44	217	269	1.2
45+	222	263	1.2
<b>Sex</b>			
Female	2,112	2,755	1.3
Male	869	971	1.1
<b>Race/Ethnicity</b>			
White - Non Hispanic <sup>4</sup>	439	519	1.2
Black - Non Hispanic <sup>4</sup>	656	791	1.2
Hispanic - White	797	1,038	1.3
Hispanic - Black	32	39	1.2
Hispanic - Race unspecified	501	630	1.3
Asian	55	68	1.2
Other	8	11	1.4
Multicultural	308	417	1.4

<sup>1</sup>Including patients who visited STD clinics, TB clinics, and Family Planning clinics for HIV tests and/or counseling. Such patients may or may not receive other services in addition to HIV test and/or counseling. Excluding patients who visited anonymously.

<sup>2</sup>Total represents unduplicated patients.

<sup>3</sup>Total includes unknown age, sex, and race/ethnicity.

<sup>4</sup>White-Non Hispanic includes 1 case of unknown ethnicity and Black-Non Hispanic includes 4 cases of unknown ethnicity.

Source: Westchester County Department of Health, Division of Community Health Services.

**Table 85. Number of Patients and Visits to Tuberculosis Clinics by Patient Age Group, Sex, and Race/Ethnicity, Westchester County, 2006**

Demographics	Total Patients <sup>1</sup>	Total Visits	Visits per Patient
<b>Total<sup>2</sup></b>	<b>879</b>	<b>3,525</b>	<b>4.0</b>
<b>Age Group</b>			
<10	69	245	3.6
10 - 14	59	231	3.9
15 - 19	81	373	4.6
20 - 24	103	442	4.3
25 - 29	148	563	3.8
30 - 34	119	462	3.9
35 - 39	101	384	3.8
40 - 44	74	369	5.0
45 - 64	101	367	3.6
65+	24	89	3.7
<b>Sex</b>			
Female	474	1,924	4.1
Male	405	1,601	4.0
<b>Race/Ethnicity</b>			
White - Non Hispanic <sup>3</sup>	74	262	3.5
Black - Non Hispanic <sup>3</sup>	94	315	3.4
Hispanic - White	265	1,021	3.9
Hispanic - Black	3	13	4.3
Hispanic - Race unspecified	108	503	4.7
Asian	38	153	4.0
Other	5	9	1.8
Multicultural	249	1,065	4.3

<sup>1</sup>Total represents unduplicated patients.

<sup>2</sup>Total includes unknown race/ethnicity.

<sup>3</sup>White-Non Hispanic includes 6 cases of unknown ethnicity and Black-Non Hispanic includes 2 cases of unknown ethnicity.

Source: Westchester County Department of Health, Division of Community Health Services.

**Table 86. Number of Patients Enrolled in Home Health Program and Number of Home Health Visits Received by Patient Age Group, Sex, and Race/Ethnicity, Westchester County, 2006**

<b>Demographics</b>	<b>Total Patients<sup>1</sup></b>	<b>Total Visits Received</b>	<b>Average Visits per Patient</b>
<b>Total<sup>2</sup></b>	<b>3,421</b>	<b>16,529</b>	<b>4.8</b>
<b>Age Group</b>			
<1	387	1,331	3.4
1 - 4	209	1,389	6.6
5 - 9	90	396	4.4
10 - 14	81	440	5.4
15 - 19	108	777	7.2
20 - 24	103	1,205	11.7
25 - 29	80	793	9.9
30 - 34	63	636	10.1
35 - 39	72	810	11.3
40 - 44	106	912	8.6
45 - 49	131	710	5.4
50 - 54	134	849	6.3
55 - 59	134	700	5.2
60 - 64	147	558	3.8
65 - 69	152	534	3.5
70 - 74	203	949	4.7
75 - 79	275	1,028	3.7
80 - 84	314	810	2.6
85 - 89	296	751	2.5
90+	336	951	2.8
<b>Sex</b>			
Female	2,320	9,387	4.0
Male	1,101	7,142	6.5
<b>Race/Ethnicity</b>			
White - Non Hispanic <sup>3</sup>	1,170	3,718	3.2
Black - Non Hispanic <sup>3</sup>	810	3,289	4.1
Hispanic - White	470	3,417	7.3
Hispanic - Black	27	75	2.8
Hispanic - Race unspecified	14	315	22.5
Asian	64	1,346	21.0
Other	16	32	2.0
Multicultural	308	2,446	7.9

<sup>1</sup>Total represents unduplicated patients.

<sup>2</sup>Total includes unknown race/ethnicity.

<sup>3</sup>White-Non Hispanic includes 16 cases of unknown ethnicity and Black-Non Hispanic includes 12 cases of unknown ethnicity.

Source: Westchester County Department of Health, Division of Community Health Services.

**Table 87. Number of Animal Bites Reported to the Westchester County Department of Health, Number of Animals Tested, Number of Animals Confirmed Rabid by Type of Animal and Human Rabies Post-Exposure Prophylaxis, 1991-2006<sup>1</sup>**

	2006	2005	2004	2003	2002	Prior to 2002
<b>Total Animals Bites</b>	1,004	1,027	1,133	1,091	1,273	17,228
<b>Total Animals Tested</b>	724	680	686	669	750	6,856
<b>%</b>	72.1	66.2	60.5	61.3	58.9	39.8
<b>Rabid Animals</b>	<b>51</b>	<b>52</b>	<b>46</b>	<b>30</b>	<b>38</b>	<b>597</b>
Raccoon	32	37	20	16	16	334
Skunk	5	8	6	6	15	161
Bat	12	5	18	6	5	63
Cat	2	2	0	2	0	22
Fox	0	0	1	0	1	6
Woodchuck	0	0	0	0	1	4
Dog	0	0	0	0	0	2
Horse	0	0	0	0	0	2
Deer	0	0	1	0	0	0
Lamb	0	0	0	0	0	1
Opossum	0	0	0	0	0	1
Pig	0	0	0	0	0	1
<i>As % of Total Tested</i>	<i>7.0</i>	<i>7.6</i>	<i>6.7</i>	<i>4.5</i>	<i>5.1</i>	<i>8.7</i>
<b>Human Rabies Post-Exposure Prophylaxis</b>	396	432	433	356	356	4,406

<sup>1</sup> Animals are confirmed rabid after brain tissue samples have been tested by the Wadsworth Laboratory of the New York State Department of Health. The first case of the raccoon strain of rabies was reported in March 1991, confirmed in April 1991, and the raccoon strain has since become endemic in Westchester County. This table also includes bats infected with the bat strain of rabies, which has occurred in Westchester County for decades.

Source: Westchester County Department of Health, Divisions of Environmental Health (1991-1994, 2002-2006) and Disease Control (1995-2006).

**Table 88. Number of Rabies Post-Exposure Treatments Administered by Rabies Status, 2002-2006<sup>1</sup>**

Rabies Status and Type of Animal	2006		2005		2004		2003		2002	
	N	%	N	%	N	%	N	%	N	%
<b>Total</b>	<b>396</b>	<b>100.0</b>	<b>432</b>	<b>100.0</b>	<b>433</b>	<b>100.0</b>	<b>356</b>	<b>100.0</b>	<b>356</b>	<b>100.0</b>
Known	39	9.8	24	5.6	37	8.5	30	8.4	31	8.7
<i>Non-Bat</i>	19	4.8	19	4.4	17	3.9	30	8.4	26	7.3
<i>Bat</i>	20	5.1	5	1.2	20	4.6	0	0.0	5	1.4
Unknown	357	90.2	408	94.4	396	91.5	326	91.6	325	91.3
<i>Non-Bat</i>	74	18.7	100	23.1	91	21.0	81	22.8	84	23.6
<i>Bat</i>	283	71.5	308	71.3	305	70.4	245	68.8	241	67.7

<sup>1</sup> Animals are confirmed rabid after brain tissue samples have been tested by the Wadsworth Laboratory of the New York State Department of Health. The first case of the raccoon strain of rabies was reported in March 1991, confirmed in April 1991, and the raccoon strain has since become endemic in Westchester County. This table also includes bats infected with the bat strain of rabies, which has occurred in Westchester County for decades.

Source: Westchester County Department of Health, Division of Disease Control.

**Table 89. Number of Animals Confirmed Rabid, Westchester County, 1991-2006<sup>1</sup>**

<b>Health Planning Region and Municipality</b>	<b>2006</b>	<b>2005</b>	<b>2004</b>	<b>2003</b>	<b>2002</b>	<b>Prior to 2002</b>
<b>Westchester County</b>	<b>51</b>	<b>52</b>	<b>46</b>	<b>30</b>	<b>38</b>	<b>597</b>
<b>Northwest</b>	<b>6</b>	<b>8</b>	<b>11</b>	<b>10</b>	<b>10</b>	<b>143</b>
Briarcliff Manor	0	0	0	0	1	18
Buchanan	1	0	0	0	0	2
Cortlandt	1	3	5	6	4	50
Croton on Hudson	0	0	0	0	1	8
Mount Pleasant	1	2	2	0	0	20
Ossining (TOV)	2	0	0	0	0	7
Ossining (V)	0	0	0	1	1	14
Peekskill	1	1	2	2	1	17
Pleasantville	0	1	1	0	2	3
Sleepy Hollow	0	1	1	1	0	4
<b>Northeast</b>	<b>20</b>	<b>17</b>	<b>24</b>	<b>14</b>	<b>14</b>	<b>257</b>
Bedford	5	6	4	2	4	45
Lewisboro	2	1	5	1	0	25
Mount Kisco	0	1	0	0	2	9
New Castle	1	1	3	3	2	32
North Castle	3	0	2	2	2	21
North Salem	4	4	1	2	0	14
Pound Ridge	2	2	1	2	1	17
Somers	0	1	3	1	3	35
Yorktown	3	1	5	1	0	59
<b>West Central</b>	<b>11</b>	<b>21</b>	<b>8</b>	<b>1</b>	<b>3</b>	<b>71</b>
Ardsley	0	1	0	0	1	2
Dobbs Ferry	0	1	0	0	0	2
Elmsford	0	0	1	0	0	3
Greenburgh	3	11	3	0	0	19
Hastings on Hudson	2	1	1	0	0	3
Irvington	3	1	0	1	0	9
Scarsdale	2	4	1	0	0	9
Tarrytown	0	1	1	0	1	2
White Plains	1	1	1	0	1	22
<b>East Central</b>	<b>3</b>	<b>3</b>	<b>1</b>	<b>5</b>	<b>8</b>	<b>58</b>
Harrison	2	3	0	1	1	21
Larchmont	0	0	0	1	0	2
Mamaroneck (TOV)	0	0	0	1	0	7
Mamaroneck (V)	0	0	0	0	3	6
Port Chester	0	0	1	0	0	2
Rye	1	0	0	2	4	15
Rye Brook	0	0	0	0	0	5
<b>Southwest</b>	<b>5</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>2</b>	<b>38</b>
Yonkers	5	0	1	0	2	38
<b>Southeast</b>	<b>6</b>	<b>3</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>28</b>
Bronxville	1	0	0	0	1	5
Eastchester	2	0	0	0	0	4
Mount Vernon	0	0	0	0	0	6
New Rochelle	1	2	0	0	0	9
Pelham	1	0	0	0	0	0
Pelham Manor	0	1	0	0	0	3
Tuckahoe	1	0	0	0	0	1
<b>Unknown</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>2</b>

<sup>1</sup> Animals are confirmed rabid after brain tissue samples have been tested by the Wadsworth Laboratory of the New York State Department of Health. The first case of the raccoon strain of rabies was reported in March 1991, confirmed in April 1991, and the raccoon strain has since become endemic in Westchester County. This table also includes bats infected with the bat strain of rabies, which has occurred in Westchester County for decades.

Source: Westchester County Department of Health, Divisions of Environmental Health (1991-1994, 2002-2006) and Disease Control (1995-2006).

**Table 90. Public Health Protection and Environmental Quality: Number of Inspection Related Activities, 2006**

<b>Program</b>	<b>Inspection Related Activities<sup>1</sup></b>
<b>Total</b>	<b>32,762</b>
<b>Air Quality</b>	<b>859</b>
Air Quality Complaint Investigation / Enforcement	306
Industrial Facilities	458
Sampling	69
Fuel Burning Equipment, Motor Vehicles, etc.	26
<b>Water</b>	<b>3,937</b>
Water Supply	1,911
Community Water Supply	1,066
Non-Community Water Supply	833
Other <sup>2</sup>	12
Water Quality	1,316
Investigation on Water Quality Complaints, Identification of Polluters, etc.	910
Waste Water Treatment Facilities, Sewage System	380
Water Quality Surveillance on Bathing Beaches	20
Other <sup>3</sup>	6
Watershed	710
<b>Food</b>	<b>12,533</b>
Food Service Establishments with Indoor Seats	11,497
Food for the Aged and Day Care	226
Other Food Service Establishments <sup>4</sup>	774
Foodborne Illness	36
<b>Housing</b>	<b>1,836</b>
Housing <sup>5</sup>	114
Lead Poisoning Investigation and Lead Inspection <sup>6</sup>	903
Healthy Neighborhoods Programs <sup>6</sup>	819
Injury Control	0
<b>Temporary Residences</b>	<b>863</b>
Hotel, Motel, Rooming House	136
Children's Camps	714
Other Temporary Residences <sup>7</sup>	13
<b>Land Development</b>	<b>571</b>
Additions, Pools and Decks	2
Individual Sewage Disposal Systems	527
Realty Subdivisions	42
<b>Swimming Pools and Beaches</b>	<b>1,111</b>
Swimming Pools, Spas, etc.	1,021
Beaches	90

*continued*

**Table 90. Public Health Protection and Environmental Quality: Number of Inspection Related Activities, 2006 (cont'd)**

<b>Program</b>	<b>Inspection Related Activities<sup>1</sup></b>
<b>Solid Waste</b>	<b>135</b>
<b>Hazardous Waste, Toxic Substance, and Petroleum Bulk Storage (PBS)</b>	<b>2,510</b>
PBS General	250
PBS Facilities and Tanks	1,347
Hazardous Waste	21
Toxic Substance Assessment	892
<b>Radiological</b>	<b>726</b>
X-Ray Facilities	540
Other Radiological <sup>8</sup>	186
<b>Animal Control</b>	<b>3,558</b>
Animal Bites and Rabies Exposure <sup>9</sup>	1,654
Mosquito Control <sup>10</sup>	1,633
Animal Facilities	241
Other <sup>11</sup>	30
<b>Tobacco Control</b>	<b>3,741</b>
Adolescent Tobacco Use Prevention (ATUPA)	3,652
Tobacco Control	18
Clean In-Door Air (In-Door Smoking Restriction)	71
<b>Other</b>	<b>382</b>
Nuisance and Service Request	338
Other <sup>12</sup>	44

<sup>1</sup> Including regular and follow up inspections and investigations, sampling visits, and conferences with clients.

<sup>2</sup> Including individual water supply, bottled and bulk water.

<sup>3</sup> Including water quality management plans and waste water treatment plant operator qualification.

<sup>4</sup> Including caterer, commissary, mobile unit, vending machine, bakeries, frozen desserts, deli, etc.

<sup>5</sup> Including heat, insect pest, rodent control, and housing structure.

<sup>6</sup> Including field activities by Community Health Services' Lead Poisoning Prevention and Healthy Neighborhoods Programs.

<sup>7</sup> Including mobile home, trailer home, migrant labor house, campgrounds, campsites.

<sup>8</sup> Including nuclear facility, radiological emergency.

<sup>9</sup> Including inspections and relevant field activities on animal bites, quarantine of animals, specimen pickups.

<sup>10</sup> Including mosquito larvae and adult control and surveillance, larvicide application, other mosquito control related activities.

<sup>11</sup> Including Lyme disease investigation, and pesticides.

<sup>12</sup> Including asbestos, emergency sanitation, fetal alcohol syndrome, and inspections to institutions licensed by New York State.

Source: Westchester County Department of Health, Division of Environmental Health.



**Table 91. Public Health Complaints Received and Investigated by Program, 2006**

<b>Program</b>	<b>Total</b>	<b>Resolved and Closed</b>	<b>Under Investigation</b>	<b>Referred to Other Agencies</b>	<b>Invalid</b>
<b>Total</b>	<b>6,076</b>	<b>5,040</b>	<b>571</b>	<b>451</b>	<b>14</b>
<b>Air Quality</b>	<b>128</b>	<b>12</b>	<b>115</b>	<b>1</b>	<b>0</b>
Outdoor air quality	101	10	91	0	0
Indoor air quality	27	2	24	1	0
<b>Water</b>	<b>292</b>	<b>163</b>	<b>125</b>	<b>4</b>	<b>0</b>
Water Quality	126	95	31	0	0
Sewage Systems	166	68	94	4	0
<b>Food</b>	<b>547</b>	<b>348</b>	<b>97</b>	<b>95</b>	<b>7</b>
<b>Hazardous Waste, Toxic Substance, Petroleum Spills</b>	<b>1,355</b>	<b>1,353</b>	<b>0</b>	<b>2</b>	<b>0</b>
Hazardous Waste	561	559	0	2	0
Gasoline/Oil Spills	794	794	0	0	0
<b>Animal Control</b>	<b>2,488</b>	<b>2,344</b>	<b>22</b>	<b>122</b>	<b>0</b>
Animal Bites and Rabies Exposure	2,175	2,175	0	0	0
Mosquitoes	0	0	0	0	0
Other <sup>1</sup>	313	169	22	122	0
<b>Tobacco Control</b>	<b>109</b>	<b>89</b>	<b>13</b>	<b>7</b>	<b>0</b>
Adolescent Tobacco Use Prevention (ATUPA)	5	5	0	0	0
Smoking (Clean Indoor Air Act)	104	84	13	7	0
<b>Other</b>	<b>1,157</b>	<b>731</b>	<b>199</b>	<b>220</b>	<b>7</b>
Nuisance <sup>2</sup>	961	589	178	189	5
Other <sup>3</sup>	196	142	21	31	2

<sup>1</sup>Including rodents, insects, pesticides exposure, bat, animal problems other than bites, and unvaccinated cats and dogs.

<sup>2</sup>Including litter, odor, garbage and other declared Public Health Nuisance.

<sup>3</sup>Including health concern and information request.

Source: Westchester County Department of Health, Bureau of Complaint.

**Table 92. Public Health Protection: Facility Permits Issued,  
Westchester County, 2006**

<b>Program</b>	<b>Number of Permits Issued</b>
<b>Total</b>	<b>7,802</b>
<b>Food Sanitation</b>	<b>6,521</b>
Bakeries	154
Caterers	159
Commissaries	99
Delicatessens	323
Eating Places	3,874
Food Vending Machine Operations	22
Frozen Dessert Manufacturers	686
Ice Manufacturers	2
Meals on Wheels Programs	8
Mobile Food Units	369
Public Functions	2
Schools	458
Temporary Food Permits	365
<b>General Environmental</b>	<b>1,035</b>
Children's Summer Camps	268
Hotels/Motels/Rooming Houses	69
Migrant Labor Camps	1
Mobile Home Park	3
Bathing Beaches	41
Swimming Pools	653
<b>Animal Facilities</b>	<b>246</b>
Breeders	7
Grooming Parlors	81
Kennels	41
Pet Shops	40
Shelters	14
Stables	37
Temporary Animal Facilities	7
Trainers	11
Wholesalers	8

Source: Westchester County Department of Health, Division of Environmental Health.

**Table 93. Services For Children With Special Needs: Number of Children Served, Westchester County Department of Health, 2006**

<b>Program</b>	<b>Time Frame</b>
Physically Handicapped Children's Program (PHCP)	2006 Calendar Year
Total - All Services	442
Preschool Educational Advocacy Program, 3-5 Years	2006-2007 Program Year (July-June)
Total Served	3,938
Early Intervention Program, 0-2 Years	2006-2007 Program Year (July-June)
Total Served	5,330

Source: Westchester County Department of Health, Services for Children with Special Needs.

**Table 94. Child Health Plus Enrollment and Family Health Plus/Medicaid Enrollment, Westchester County Department of Health, 2006**

<b>Program</b>	<b>Number of Enrollment</b>
<b>Total</b>	<b>2,095</b>
Child Health Plus A <sup>1</sup>	674
Child Health Plus B	915
Family Health Plus	272
Medicaid (Adults)	234

<sup>1</sup>This program was formerly referred to as Medicaid. The data only represent enrollments through the Westchester County Department of Health's facilitated enrollment program.

Source: New York State Department of Health.

# **Appendices**

## Appendix 1. Data Sources and Definitions

### A. 2000 Census

The population from the 2000 Census is used for calculation of relevant rates in this report. The data are extracted from the Census Summary File 1 (SF 1) and the Census Summary File 3 (SF 3). The Summary File 1 presents basic demographic information collected from all people and housing units (100% characteristics, short form). This information includes age, sex, race, Hispanic or Latino origin, household relationship, whether the residence is owned or rented, and vacancy characteristics.

#### **Race and Ethnicity**

The concept of race, as defined by the U.S. Census Bureau, reflects self-identification by people according to the race or races with which they most closely identify. The categories of race are considered to be socio-political and should not be interpreted as scientific or anthropological in nature.

- *White*: A person having origins in any of the original peoples of Europe, the Middle East, or North Africa. It includes people who indicate their race as “White” or report entries such as Irish, German, Italian, Lebanese, Near Easterner, Arab, or Polish.
- *Black or African American*: A person having origins in any of the Black racial groups of Africa. It includes people who indicate their race as “Black, African American, or Negro,” or provide written entries such as African American, Afro American, Kenyan, Nigerian, or Haitian.
- *American Indian or Alaska Native*: A person having origins in any of the original peoples of North or South America (including Central America) and who maintain tribal affiliation or community attachment.
- *Asian*: A person having origins in any of the original peoples of the Far East, Southeast Asia, or the Indian subcontinent, for example Cambodia, China, India, Japan, Korea, Malaysia, Pakistan, the Philippine Islands, Thailand, and Vietnam.
- *Native Hawaiian or Other Pacific Islander*: A person having origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands. It includes people who indicate their race as “Native Hawaiian,” “Guamanian or Chamorro,” “Samoan,” and “Other Pacific Islander.”
- *Other Race*: Includes all other responses not included in the “White,” “Black or African American,” “American Indian or Alaska Native,” “Asian,” and “Native Hawaiian or Other Pacific Islander” race categories described above. Respondents providing write-in entries such as multiracial, mixed, interracial, or a Hispanic/Latino group (for example, Mexican, Puerto Rican, or Cuban) in the “Some other race” write-in space are included in this category.
- *Hispanic or Latino*: The data on the Hispanic or Latino population were derived from answers to a question on the 2000 census that was asked of all people. The terms “Spanish,” “Hispanic origin,” and “Latino” are used interchangeably. Some respondents identified with all three terms while others identify with only one of these three specific terms. Origin can be viewed as the heritage, nationality group, lineage, or country of birth of the person or the person’s parents or ancestors before their arrival in the United States. People who identify their origin as Spanish, Hispanic, or Latino may be of any race.
- *Two or More Races*: People may have chosen to provide two or more races either by checking two or more race response check boxes, by providing multiple write-in responses, or by some combination of check boxes and write-in responses. The race response categories shown on the questionnaire are collapsed into the five minimum race groups identified by the Office of management and Budget (OMB), and the Census Bureau “Some other race” category. For data product purposes, “Two or more races” refers to combinations of two or more of the following race categories:

1. White
2. Black or African American
3. American Indian or Alaska Native
4. Asian
5. Native Hawaiian or Other Pacific Islander
6. Some other race

**Educational Attainment**

Refers to the highest level of education completed in terms of the highest degree or the highest level of schooling completed.

## **B. Vital Statistics**

The vital statistics presented in this report are based on the certificate records of live births, deaths, and fetal deaths of Westchester County residents in the United States or Canada. The source of this information is the New York State Department of Health (final data as of March 28, 2007).

Beginning on January 1, 2004, the NYSDOH implemented a web-based registration of all live birth certificates for all counties of New York State excluding New York City (NYSENYC). Web-based live birth certificates were revised to incorporate National Center of Health Statistics (NCHS) guidelines. These changes applied only to New York State hospitals exclusive of New York City area. New York City continues to use the older version of the live birth certificate.

- *Race:* For the live birth years 2000-2003, Definitions for “White”, “Black” and “Hispanic” racial or ethnic categories were defined according to the 1990 US Census Bureau. The definition for “Other” race in our vital statistics includes the 1990 US Census Bureau racial categories of “American Indian”, “Asian”, “Native Hawaiian or Other Pacific Islander”, “Other Race”, and “Two or More Races”. Mothers were allowed to select only one race category, even she she identified herself as more than one race due to a multiracial heritage. For the live birth years 2004 onward, racial categories were defined by the 2000 US Census Bureau guidelines. This format allows for more than one race to be selected among multiple race categories, and also has the new categories of White Alone and Black Alone, which are exclusive of any other race categories. All other respondents are included in a race category, Other. This change in the format of race coding is the reason for the apparent decrease of whites and blacks and the increase in people of ‘other’ race in live birth data for 2004 and 2005 (*Vital Statistics of New York State 2004, Technical Notes*, New York State Department of Health).
- *Live Births:* A live birth is defined as "the complete expulsion or extraction from its mother of a product of conception, irrespective of duration of pregnancy, which, after such separation, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached" (*Vital Statistics of New York State 1999*, New York State Department of Health).
- *Live Birth Rate:* Annual number of live births per 1,000 total population.
- *Infant Birthweight:* Infant Birthweight is grouped as very low birthweight (less than 1,500 grams), low birthweight (1,500 to 2,499 grams), and normal birthweight (2,500 grams or more).
- *Gestation Weeks:* Gestation Weeks are grouped as premature birth (less than 37 weeks gestational period), and normal length of gestation (gestational period of 37 weeks or more).
- *Time Starting Prenatal Care:* Time starting prenatal care is measured by the number of months of the pregnancy at the time prenatal care was initiated.
- *Maternal Exposure to Smoking During Pregnancy:* Mother used any tobacco products during pregnancy. This is self-reported.
- *Maternal Exposure to Drug Use During Pregnancy:* Mother used any of the following: cocaine, crack, heroin, methadone, marijuana, amphetamines, or un-prescribed sedatives during pregnancy. This is self-reported.
- *Fetal Deaths:* A fetal death is defined as "the death prior to the complete expulsion or extraction from its mother of a product of conception; the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles" (*Vital Statistics of New York State 1999*, New York State Department of Health). New York State Public Health Law requires the registration of all fetal deaths regardless of the length of gestation of the fetus.
- *Induced Abortions:* Induced abortions include the operative procedures of “dilation and curettage (D&C), suction and curettage, dilation and evacuation (D&E), saline injection, prostaglandin injection, medical

(non-surgical) and other which includes hysterectomy, hysterotomy and other procedures” (*Vital Statistics of New York State 2000*, New York State Department of Health).

- *Mother’s Country/Region of Origin:*
  - The Caribbean Region includes Antigua and Barbuda, the Antilles, the Bahamas, Barbados, Cuba, Dominica, Dominican Republic, Guyana, Haiti, Jamaica, Montserrat, Nevis & St. Christopher, Puerto Rico, St. Lucia, St. Martin, Trinidad, and the Virgin Isles.
  - Central and South America includes the countries of Argentine, Belize, Bolivia, Brazil, Chile, Colombia, Costa Rica, Ecuador, El Salvador, Guatemala, Honduras, Nicaragua, Panama, Paraguay, Peru, Uruguay, and Venezuela.
  - Countries of Asia include Afghanistan, Bangladesh, Cambodia, China, Hong Kong, Indonesia, India, Iran, Israel, Japan, Jordan, North Korea, Kuwait, Laos, Lebanon, Nepal, Pakistan, Palestine, the Phillipines, Saudi Arabia, Sri Lanka, Syria, Taiwan, Thailand, Turkey, Vietnam, and Yemen.
  - The region of Europe, Canada, and Australia includes the countries of Albania, Armenia, Austria, Belarus, Belgium, Bosnia, Bulgaria, Croatia, Czechoslovakia, Denmark, Estonia, Finland, France, Georgia, Germany, Greece, Hungary, Ireland, Italy, Latvia, Lithuania, the Netherlands, Norway, Poland, Portugal, Romania, Russia, Slovakia, Spain, Sweden, Switzerland, Ukraine, the United Kingdom, and Yugoslavia. Canada, Australia, and New Zealand are also included in this geographic region.
  - Africa includes the countries of Algeria, Angola, Burkina Faso, Cameroon, Central African Republic, Chad, Côte D’Ivoire, the Democratic Republic of Congo, Egypt, Ethiopia, Gabon, Gambia, Ghana, Kenya, Liberia, Morocco, Mozambique, Nigeria, Senegal, Sierra Leone, South Africa, Swaziland, Tanzania, Uganda, Zambia, and Zimbabwe.
- *Causes of Deaths:* In this report, the cause of death is the underlying cause classified according to the International Classification of Diseases (ICD), Tenth Revision.
- *Infant Mortality Rate:* Annual number of deaths under one year of age per 1,000 live births occurring during the year.
- *Death Rate:* Annual number of deaths per 100,000 total population.



## **C. The Statewide Planning and Research Cooperatives System (SPARCS)**

Information on hospitalizations comes from the Statewide Planning and Research Cooperative System (SPARCS) data for the years 2005 and 2006. SPARCS was implemented by the New York State Department of Health in 1979, with the cooperation and initial financial support of the U.S. Department of Health and Human Services. SPARCS receives, processes, stores, and analyzes inpatient hospitalization data from hospitals in New York State and ambulatory surgery data from hospital-based ambulatory surgery services and all other facilities providing ambulatory surgery services.

To protect patient privacy, patient names are omitted from the SPARCS data set. The focus of the system is the incidence of diseases or conditions requiring hospitalization rather than individual patients. Therefore, data reported from the SPARCS contain the number of hospitalizations, or incidents, rather than the number of patients, which have occurred during the year. SPARCS data only represent inpatients, i.e., a hospital stay where an individual was admitted to an acute-care facility. Data are also limited to hospitalizations occurring within New York State.

Due to the fact that the SPARCS data is continually being updated, the completeness of reporting by individual facilities varies over time. All SPARCS tables included in this databook reflect the information as of April 2007.

### **Length of Stay**

SPARCS calculates a length of stay for each discharge record by subtracting the date of admission from the date of discharge. If a patient is admitted and discharged the same day, the length of stay is one day.

### **Service Categories**

The service categories are based on categories developed by the New York State Department of Health and are defined in terms of diagnosis and procedure codes from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

- *Nursery:* Including patients whose age equals zero and have an ICD-9-CM code of V30.0, V30.1, V31.0, V31.1, V32.0, V32.1, V33.0, V33.1, V34.0, V34.1, V35.0, V35.1, V36.0, V36.1, V37.0, or V37.1. These codes refer only to live-born infants.
- *Obstetrical:* Including female patients of any age with an ICD-9-CM code within the range of 630 through 634.9 and 640 through 676.9.
- *Psychiatric:* Including patients of any age with an ICD-9-CM code within the range of 290 through 319.
- *Pediatric:* Including patients aged 14 years and younger whose primary diagnosis is neither included in the nursery, obstetrical, or psychiatric categories nor classified by ICD-9-CM codes 614 through 629.9 (gynecological) or 635 through 639.9 (abortion).
- *Medical:* Including patients aged 15 years or older with no reported procedure code or with reported procedure codes greater than 86.99. This category also includes gynecological patients (ICD-9-CM codes 614 through 629.9) of all ages with no reported procedure code or with reported procedure codes greater than 86.99. Newborn, obstetrical, psychiatric, and pediatric patients are excluded.
- *Surgical:* Including patients aged 15 years or older with at least one procedure code in the range 01 through 86.99. This category also include gynecological patients (ICD-9-CM codes 614 through 629.9) of all ages with at least one such procedure code and all patients whose principal diagnoses are codes 635 through 639.9 (abortion). Newborn, obstetrical, psychiatric, pediatric, and medical patients are excluded.

### **Principal Diagnosis and Other Diagnosis**

The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care. Because it represents the reason for the patient's stay and reflects clinical findings discovered

during the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. It may also differ from admitting diagnosis.

There are 14 additional diagnosis codes in the SPARCS discharge record. These additional codes describe the diagnoses that coexist at the time of admission or have developed subsequently, which affect the treatment received and/or length of stay. The diagnoses that are related to an earlier episode which have no bearing on the current hospital stay are not included.

### **Diagnosis-Related Groups**

The Diagnosis-Related Group (DRG) is developed by the U.S. Department of Health and Human Services to categorize patient records for reimbursement and research purposes for the calendar year of the date of discharge. It is based on ICD-9 data in the principal and secondary diagnoses, surgical procedures, age, sex, and discharge disposition within the patient medical record.

### **Classification of Neoplasms**

According to the New York State Department of Health, neoplasm data is categorized by considering the principal diagnosis and other fourteen diagnoses in the SPARCS discharge record on the basis of metastatic nature of cancer. The intent of the logic was to develop a comprehensive categorization of all hospital discharges related to neoplasms. The procedure used to extract and categorize neoplasm-related records is as the following<sup>1</sup>:

1. Extract all records with **any** diagnosis fields containing a three digit ICD-9 code prefix indicating a neoplasm (i.e. between 140 and 239) or Chemo/Radiation therapy encounter (V58).
2. If the principal diagnosis is associated with a primary site (140 through 194 or 200 through 208), the principal diagnosis identifies the primary site of cancer. If the principal diagnosis corresponds to a secondary or ill defined site (195 or 196 through 199), the other diagnosis fields are searched for a primary site. If one is found, that diagnosis identifies the primary site of cancer. If a primary site is not found, the principal diagnosis identifies the secondary site of cancer.
3. If the principal diagnosis does not correspond to a primary nor a secondary site of cancer, the primary or the secondary site of cancer is identified through searching the other 14 diagnoses based on the same logic stated at step 2.
4. If a primary or a secondary site of cancer is not identified by the above 3 steps, an other-than-malignant neoplasm (210 through 239) is identified by checking the principal diagnosis and the 14 other diagnoses.

### **Classification of HIV and AIDS**

Cases of HIV and AIDS were classified by considering the principal diagnosis code and the fourteen other diagnosis codes (ICD-9: 042, 043, 044, 079.51, 079.53, 136.3, 279.10, 279.19, 279.3, 795.71, and V08), as well as the current, new, and prior New York DRG's (in the range of 700-716) and the current, new, and prior Federal DRG's (in the range of 488-490) in the NYS DOH SPARCS discharge record.<sup>2</sup>

### **Classification of Injury**

Injury was classified by considering both the principal diagnosis code, the 14 other diagnosis code, and a separate variable of the external cause of injury, using the E-code supplement of the International Classification of Diseases, Ninth Revision. The priorities for recording the E-code categories are: a) principal diagnosis of an injury or poisoning; b) other diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis; and c) other diagnosis with an external cause. Only the first E-Code is recorded.

---

<sup>1</sup> Archived on the New York State Department Of Health web page at <https://commerce.health.state.ny.us/hpn/ctrldocs/sparcs/deriveneo.html>

<sup>2</sup> Archived on the New York State Department Of Health web page at <https://commerce.health.state.ny.us/hpn/ctrldocs/sparcs/deriveaidsh.html>

## **Appendix 2. Data Analysis and Significance Test**

Basic data analysis was conducted with SPSS and/or SAS. Significance tests for means and averages were performed using the Student's t-test. Significance tests for proportions and percentages were performed using one-sample or two-sample one-sided z-tests. Differences are indicated at the 0.05 significance level.

### Appendix 3. The International Classification of Diseases (ICD-10): Codes for Selected Causes of Death

Disease Category	ICD-10
Accidents	V01-X59, Y85-Y86
AIDS	B20-B24
Certain Conditions Originating in the Perinatal Period	P00-P96
Congenital Anomalies	Q00-Q99
Chronic Liver Diseases including Cirrhosis	K70, K73-K74
Chronic Lower Respiratory Disease (CLRD)	J40-J47
Gastritis, Enteritis, Colitis, Diverticulitis	K29, K50-K52, K57
Diabetes Mellitus	E10-E14
Homicide and Legal Intervention	X85-Y09, Y35, Y87.1, Y89.0
Influenza	J10-J11
Major Cardiovascular Diseases	I00-I99
Diseases of the Heart	I00-I09, I11, I13, I20-I51
Acute Rheumatic Fever	I00-I02
Chronic Rheumatic Fever	I05-I09
Diseases of Pulmonary Circulation	I26-I28
Hypertension with Heart Disease	I11, I13
Ischemic Heart Diseases	I20-I25
<i>Acute Myocardial Infarction</i>	<i>I21-I22</i>
<i>Other Ischemic Heart Diseases</i>	<i>I20, I24-I25</i>
Other Diseases of the Heart	I30-I51
Atherosclerosis	I70
Cerebrovascular Disease	I60-I69
Hypertension with or without Renal Disease	I10, I12
Other Diseases of the Circulatory System	I71-I78, I80-I99
Neoplasms (Malignant)	C00-C97
Breast	C50
Buccal Cavity and Pharynx	C00-C14
Digestive Organs and Peritoneum	C15-C26
Genital Organs	C51-C63
Lymphatic and Hematopoietic Tissues	C81-C96
Respiratory System	C30-C39
Urinary Organs	C64-C68
Other and Unspecified Sites	C40-C49, C69-C80, C97
Nephritis, Nephrotic Syndrome and Nephrosis	N00-N07, N17-N19, N25-N27
Pneumonia	J12-J18
Septicemia	A40-A41
Sudden Infant Death Syndrome	R95
Suicide and Self-Inflicted Injury	X60-X84, Y87.0
Tuberculosis	A16-A19

## Appendix 4. The International Classification of Diseases (ICD-9): Codes for Selected Diseases for Hospitalizations

Disease Category	ICD-9
Infectious and Parasitic Diseases	001-139
AIDS	042
Neoplasms (including benign)	140-239
Breast	174
Buccal Cavity and Pharynx	140-149
Digestive Organs and Peritoneum	150-159
Genital Organs	179-187
Lymphatic and Hematopoietic Tissues	200-208
Respiratory System	160-165
Urinary Organs	188-189
Other and Unspecified Sites	170-173,175,190-199
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	240-279
Diabetes Mellitus	250
Blood and Blood-Forming Organs	280-289
Mental Disorders	290-319
Psychoses	290-299
Alcoholic Psychoses	291
Drug-Induced Psychoses	292
Schizophrenia	295
Other	293-294, 296-299
Neurotic, Personality, & Other Non-Psychotic Mental Disorders	300-316
Alcohol Dependence Syndrome	303
Drug Dependence Syndrome	304
Non-Dependent Drug Abuse	305
Other	300-302, 306-316
Mental Retardation	317-319
Nervous System and Sensory Organs	320-389
Circulatory System	390-459
Diseases of the Heart	390-398,402,404-429
Acute Rheumatic Fever	390-392
Chronic Rheumatic Fever	393-398
Diseases of Pulmonary Circulation	415-417
Hypertension with Heart Disease	402,404
Ischemic Heart Diseases	410-414
<i>Acute Myocardial Infarction</i>	410
<i>Other Ischemic Heart Diseases</i>	411-414
Other Diseases of the Heart	420-429
Atherosclerosis	440
Cerebrovascular Disease	430-438
Hypertension with or without Renal Disease	401,403,405
Other Diseases of the Circulatory System	441-459
Respiratory System	460-519
Acute Respiratory Infections	460-466
Other Diseases of the Upper Respiratory Tract	470-478
Pneumonia	480-486
Influenza	487
Chronic Obstructive Pulmonary Disease	490-496
Chronic Bronchitis	491
Asthma	493
Other Respiratory Diseases	496

(continued)

## Appendix 4. The International Classification of Diseases (ICD-9): Codes for Selected Diseases for Hospitalizations (*cont'd*)

Disease Category	ICD-9
Digestive System	520-579
Diseases of Oral Cavity, Salivary Glands, and Jaws	520-529
Diseases of Esophagus, Stomach, and Duodenum	530-539
Appendicitis	540-543
Hernia of Abdominal Cavity	550-553
Noninfectious Enteritis and Colitis	555-558
Other Disease of Intestines and Peritoneum	560-569
Diverticula of Intestine	562
Other Diseases of Digestive System	570-579
Chronic Liver Diseases and Cirrhosis	571
Genitourinary System	580-629
Pregnancy, Childbirth, and Puerperium	630-679
Skin and Subcutaneous Tissue	680-709
Musculoskeletal System and Connective Tissue	710-739
Congenital Anomalies	740-759
Conditions Originating in the Perinatal Period	760-779
Symptoms, Signs, and Ill-Defined Conditions	780-799
Injury and Poisoning	800-999
Assault	E960-E968.9
Bicycle	E800.3, E801.3, E802.3, E803.3, E804.3, E805.3, E806.3, E807.3, E810.6, E811.6, E812.6, E813.6, E814.6, E815.6, E816.6, E817.6, E818.6, E819.6, E820.6, E821.6, E822.6, E823.6, E824.6, E825.6, E826.1
Cutting Instrument	E920.0-E929.9
Falls	E880.0-E886.9, E888.0-E888.9
Fire/Flame	E890.0-E899.9
Machinery	E919.0-E919.9
Motor Vehicle Crash	E810.0-E810.3, E810.8-E810.9, E811.0-E811.3, E811.8-E811.9, E812.0-E812.3, E812.8-E812.9, E813.0-E813.3, E813.8-E813.9, E814.0-E814.3, E814.8-E814.9, E815.0-E815.3, E815.8-E815.9, E816.0-E816.3, E816.8-E816.9, E819.0-E819.3, E819.8-E819.9, E822.0-E822.3, E822.8-E822.9, E823.0-E823.3, E823.8-E823.9, E825.0-E825.3, E825.8-E825.9
Overexertion	E927
Pedestrian	E810.7, E811.7, E812.7, E813.7, E814.7, E815.7, E816.7, E817.7, E818.7, E819.7, E820.7, E821.7, E822.7, E823.7, E824.7, E825.7
Poisonings	E850.0-E858.9, E860.0-E869.9
Respiratory Interference	E911-E913
Scalds	E924.0, E924.8-E924.9
Self-Inflicted	E950.0-E959.9
Struck by Object / Person	E916.0-E918.9
Submersion	E910.0-E919.9, E830, E832
Unintentional Firearms	E922
Other	
Railway	E800.0-E800.2, E800.8-E800.9, E801.0-E801.2, E801.8-E801.9, E802.0-E802.2, E802.8-E802.9, E803.0-E803.2, E803.8-E803.9, E804.0-E804.2, E804.8-E804.9, E805.0-E805.2, E805.8-E805.9, E806.0-E806.2, E806.8-E806.9, E807.0-E807.2, E807.8-E807.9
Motor Vehicle / Traffic	E810.4-E810.5, E811.4-E811.5, E812.4-E812.5, E813.4-E813.5, E814.4-E814.5, E816.4-E816.5, E817.0-E817.5, E817.8-E817.9, E818.0-E818.5, E818.8-E818.9, E819.4-E819.5
Motor Vehicle / Non-traffic	E820.0-E820.9, E821.0-E821.9, E822.4-E822.5, E823.4-E823.5, E824.0-E824.5, E824.8-E824.9, E825.4-E825.5

(continued)

## Appendix 4. The International Classification of Diseases (ICD-9): Codes for Selected Diseases for Hospitalizations (*cont'd*)

Diseases	ICD-9
Injury and Poisoning ( <i>cont'd</i> )	800-999
Other ( <i>cont'd</i> )	
Water Transport	E831, E833.0-E838.9
Air and Space Transport	E840.0-E845.9
Vehicle, Not Elsewhere Classified	E846.0-E848.9
Falls (other)	E887
Natural and Environmental	E900.0-E909.9
Submersion, Suffocation, Foreign Body	E914.0-E915.9
Other Road Vehicle	E826.0, E826.2-826.9, E827.0-E829.9
Explosion of a Pressure Vessel	E921.0-E921.9
Explosive Material	E923
Caustic and Corrosive Substances	E924.1
Other Unintentional	E925.0-E926.9, E928
Legal Intervention	E970.0-E976.9, E978
Injury, Undetermined Whether Accidentally or Purposefully Inflicted	E980.0-E988.9
Medical Misadventures, Adverse Reactions, and Late Effects	800-999
Medical Misadventures	E870-E876
Abnormal Reactions to Medical Procedures	E878-E879
Adverse Effects of Therapeutic Substances	E930-E949
Late Effects of Injuries	E929, E959,E969,E977,E989,E999
War	E990-E998
Medical Misadventures (late effects)	905-909, 996-999
Reasons for Hospitalization that are not Disease or Injury	V01-V71.2, V71.7-V82.9
Certain Adverse Effects, Not Elsewhere Classified	995
Supplementary Classifications - Newborns	V30-V39
Supplementary Classifications - Other	V01-V29, V40-V83

## Appendix 5. Westchester County Department of Health, Communicable Disease Reporting Requirements

Reporting of suspected or confirmed communicable diseases is mandated under the New York Sanitary Code (10NYCRR 2.10) and Westchester County Sanitary Code Article IV, Section 873.402. The primary responsibility for reporting rests with the physician; moreover, laboratories (PHL 2102), school nurses (10NYCRR 2.12), day care center directors, nursing homes/hospitals (10NYCRR 405.3d) and state institutions (10NYCRR 2.10a) or other locations providing health services (10NYCRR 2.12) are also required to report the diseases listed below.

Amebiasis	Listeriosis	Group B strep
( <b>Animal bites for which rabies prophylaxis is given</b> <sup>1</sup>	Lyme disease	Streptococcus pneumoniae
( <b>Anthrax</b> <sup>2</sup>	( Lymphogranuloma venereum	( <b>Syphilis, specify stage</b> <sup>7</sup>
( <b>Arboviral Infection</b> <sup>3</sup>	( Malaria	Tetanus
Babesiosis	<b>Measles</b>	Toxic shock syndrome
( <b>Botulism</b> <sup>2</sup>	<b>Melioidosis</b> <sup>2</sup>	Transmissible spongiform encephalopathies <sup>8</sup>
( <b>Brucellosis</b> <sup>2</sup>	Meningitis	( Trichinosis
Campylobacteriosis	Aseptic or viral	( <b>Tuberculosis current disease (specify site)</b>
Chancroid	( <b>Haemophilus</b>	( <b>Tularemia</b> <sup>2</sup>
Chlamydia trachomatis infection	( ( <b>Meningococcal</b>	<b>Typhoid</b>
( <b>Cholera</b>	( Other (specify type)	( <b>Vibriosis</b> <sup>6</sup>
Cryptosporidiosis	<b>Meningococcemia</b>	( <b>Vaccinia Disease</b> <sup>9</sup>
Cyclosporiasis	<b>Monkeypox</b>	<b>Viral hemorrhagic fever</b> <sup>2</sup>
( <b>Diphtheria</b>	( Mumps	Yellow Fever
E. coli O157:H7 infection <sup>4</sup>	( Pertussis	Yersiniosis
Ehrlichiosis	<b>Plague</b> <sup>2</sup>	
( <b>Encephalitis</b>	( <b>Poliomyelitis</b>	
( <b>Foodborne illness</b>	( Psittacosis	
Giardiasis	<b>Q Fever</b> <sup>2</sup>	
( <b>Glanders</b> <sup>2</sup>	( <b>Rabies</b>	
Gonococcal infection	Rocky Mountain spotted fever	
Haemophilus influenzae <sup>5</sup>	<b>Rubella</b> (including congenital	
(invasive disease)	( rubella syndrome)	
( <b>Hantavirus Disease</b>	Salmonellosis	
Hemolytic uremic syndrome (HUS)	<b>Severe Acute Respiratory</b>	
Hepatitis A	<b>Syndrome (SARS)</b>	
( <b>Hepatitis A in a food handler</b>	( Shigatoxin-producing infection <sup>4</sup>	
Hepatitis B, C	Shigellosis <sup>4</sup>	
(specify acute or chronic)	<b>Smallpox</b> <sup>2</sup>	
Pregnant Hepatitis B carrier	Staphylococcus aureus <sup>6</sup>	
Herpes Infection, infants age 60 days or younger	(due to strains showing reduced	
Hospital associated infections	(susceptibility or resistance to	
(as defined in section 2.2	vancomycin)	
10NYCRR)	<b>Staphylococcal</b>	
Influenza, laboratory confirmed	<b>enterotoxin B poisoning</b> <sup>2</sup>	
Legionellosis	Streptococcal infection	
	(invasive disease) <sup>5</sup>	
	Group A beta-hemolytic strep	

1. Local health department must be notified prior to initiating rabies prophylaxis.
2. Diseases that are possible indicators of bioterrorism.
3. Including, but not limited to, infections caused by eastern equine encephalitis virus, western equine encephalitis virus, West Nile virus, St. Louis encephalitis virus, La Crosse virus, Powassan virus, and Jamestown Canyon virus.
4. Positive shigatoxin test results should be reported as presumptive evidence of disease.
5. Only report cases with positive cultures from blood, CSF, joint, peritoneal or pleural fluid. Do not report cases with positive cultures from skin, saliva, sputum or throat.
6. Proposed addition to list.
7. Any non-treponemal test  $\geq$  1:16 or any positive primary or secondary stage disease or prenatal or delivery test result regardless of titer should be reported by phone; all others may be reported by mail.
8. Including Creutzfeldt-Jakob disease. Cases should be reported directly to the New York State Department of Health Alzheimer's Disease and Other Dementias Registry at (518) 473-7817 upon suspicion of disease. In NYC, Cases should be reported to the NYCDOHMH
9. Persons with vaccinia infection due to contact transmission, and persons with the following complications from vaccination: eczema vaccinatum, erythema multiforme major or Stevens-Johnson syndrome, fetal vaccinia, generalized vaccinia, inadvertent inoculation, ocular vaccinia, post-vaccinal encephalitis or encephalomyelitis, progressive vaccinia, pyogenic infection of the vaccination site, and any other serious adverse events.

### SPECIAL NOTES

- Diseases listed in **bold type (t)** warrant prompt action and should be reported **immediately** to local health departments by phone followed by submission of the confidential case report form (DOH-389). In NYC use case report form 395V.
- In addition to the diseases listed above, any unusual disease (defined as a newly apparent or emerging disease or syndrome that could possibly be caused by a transmissible infectious agent or microbial toxin) is reportable.
- Outbreaks: while individual cases of some diseases (e.g., streptococcal sore throat, head lice, impetigo, scabies, and pneumonia) are not reportable, a cluster or outbreak of cases of any communicable disease is a reportable event.
- **Cases of HIV infection, HIV-related illness and AIDS are reportable to:**  
 Division of Epidemiology  
 P.O. Box 2073, ESP Station  
 Albany, New York 12220-2073  
 (518) 474-4284  
 In New York City: New York City Department of Health  
 For HIV/AIDS reporting, call:  
 (212) 442-3388

For more information on disease reporting,  
 call Westchester County Department of Health  
 Division of Disease Control at (914) 813-5159, or  
 New York State Department of Health  
 Bureau of Communicable Disease Control at (518)-473-4439.  
 In New York City 1(866) NYC-DOH1.  
 To obtain reporting forms (DOH-389), call (518) 474-0548

### WHO SHOULD REPORT?

Physicians, nurses, laboratory directors, infection control practitioners, health care facilities, state institutions, schools.

### WHERE SHOULD REPORT BE MADE?

Report to local health department where patient resides.

Name/Address: **Westchester County**  
**Department of Health – DDC**  
**145 Huguenot Street – 8<sup>th</sup> Floor**  
**New Rochelle, New York 10801**

Phone: **(914) 813-5159 [M-F 8:30-4:30]**  
**(914) 813-5000 [After Hours & Weekends]**

Fax: **(914) 813-5182**

### WHEN SHOULD REPORT BE MADE?

Within 24 hours of diagnosis:

- phone or fax diseases in bold type,
- mail case report, DOH-389, for all other diseases,
- in New York City use form 395V.




## Appendix 6. Westchester County Hospitals

Name	Address	Telephone
<b>Acute Hospitals</b>		
Community Hospital at Dobbs Ferry	128 Ashford Avenue, Dobbs Ferry, NY 10522	914-693-0700
Hudson Valley Hospital Center	1980 Crompond Road, Cortlandt Manor, NY 10567	914-737-9000
Lawrence Hospital Center	55 Palmer Avenue, Bronxville, NY 10708	914-787-1000
Mount Vernon Hospital	12 North Seventh Avenue, Mount Vernon, NY 10550	914-664-8000
New York United Hospital Medical Center <sup>1</sup>	406 Boston Post Road, Port Chester, NY 10573	914-934-3100
Northern Westchester Hospital	400 Main Street, Mount Kisco, NY 10549	914-666-1303
Phelps Memorial Hospital Association	701 North Broadway, Sleepy Hollow, NY 10591	914-366-3000
Sound Shore Medical Center of Westchester	16 Guion Place, New Rochelle, NY 10802	914-632-5000
St. John's Riverside Hospital - Andrus Pavilion	967 North Broadway, Yonkers, NY 10701	914-964-4200
<i>Park Care Pavilion Division<sup>1</sup></i>	<i>2 Park Avenue, Yonkers, New York 10703</i>	<i>914-964-7300</i>
St. Joseph's Hospital	127 South Broadway, Yonkers, NY 10701	914-378-7000
Westchester Medical Center	95 Grasslands Road, Valhalla, NY 10595	914-493-7000
White Plains Hospital Center	14 East Post Road, White Plains, NY 10604	914-681-0600
<b>Specialty Hospitals</b>		
Blythedale Children's Hospital	Bradhurst Avenue, Valhalla, NY 10595	914-592-7555
W.M. Burke Rehabilitation Hospital	785 Mamaroneck Avenue, White Plains, NY 10605	914-597-2500
Four Winds Hospital	800 Cross River Road, Katonah, NY 10536	914-763-8151
New York Presbyterian Hospital - Westchester Division	21 Bloomingdale Road, White Plains, NY 10605	914-682-9100
Rye Hospital Center	754 Boston Post Road, Rye, NY 10580	914-967-4567
St. Vincent's Westchester Catholic Medical Center - St. Vincent's Westchester	275 North Street, Harrison, NY 10528	914-967-6500
Stony Lodge Hospital	40 Croton Dam Road, Ossining, NY 10562	914-941-7400
VA Hudson Valley Health Care System	2094 Albany Post Road, Montrose, NY 10548	914-737-4400

<sup>1</sup>As of 11/01/2001, Yonkers General Hospital has been merged with St. John's Riverside Hospital. The original Yonkers General Hospital is currently an urgent care center that is open 24 hours a day, 7 days a week. The center is limited to walk-in detoxification and rehabilitation patients only and is known as the Park Care Pavilion. Patients in need of hospital care are admitted to St. John's Riverside Hospital.

Source: New York State Department of Health, July 2007.

# Hospitals in Westchester County, 2007



## Appendix 7. Westchester County Nursing Homes

Name	Address	Telephone	Number of Beds in 2007
Andrus on Hudson	185 Old Broadway, Hastings-on-Hudson, NY 10706	914-478-3700	247
Bayberry Nursing Home	40 Keogh Lane, New Rochelle, NY 10805	914-636-3947	60
Bethel Nursing & Rehabilitation Center	67 Springvale Road, Croton-on-Hudson, NY 10520	914-739-6700	200
Bethel Nursing Home Company Inc.	17 Narragansett Avenue, Ossining, NY 10562	914-941-7300	78
Cedar Manor Nursing Home and Rehabilitation Center	Cedar Lane, Ossining, NY 10562	914-762-1600	153
Cortlandt Healthcare LLC	110 Oregon Road, Peekskill, NY 10566	914-739-9150	120
Dumont Masonic Home	676 Pelham Road, New Rochelle, NY 10805	914-632-9600	196
Elant at Brandywine, Inc.	620 Sleepy Hollow Road, Briarcliff Manor, NY 10510	914-291-3700	131
Field Home-Holy Comforter	2300 Catherine Street, Cortlandt Manor, NY 10567	914-739-2244	200
Glen Island Care Center for Nursing and Rehabilitation	490 Pelham Road, New Rochelle, NY 10805	914-636-2800	182
Hebrew Hospital Home of Westchester Inc.	61 Grasslands Road, Valhalla, NY 10595	914-681-8400	160
Helen and Michael Schaffer Extended Care Center	16 Guion Place, New Rochelle, NY 10802	914-637-1200	150
Home for Aged Blind	75 Stratton Street South, Yonkers, NY 10701	914-963-4661	219
Kendal on Hudson	1 Kendal Way, Sleepy Hollow, NY 10591	914-922-1000	42
King Street Home Inc.	787 King Street, Port Chester, NY 10573	914-937-5800	120
Michael Malotz Skilled Nursing Pavilion	120 Odell Avenue, Yonkers, NY 10701	914-964-3333	120
Nathan Miller Center For Nursing Care	37 Dekalb Avenue, White Plains, NY 10605	914-686-8239	65
New Sans Souci Nursing Home	115 Park Avenue, Yonkers, NY 10703	914-423-9800	120
New York State Veterans Home at Montrose	2090 Albany Post Road, Montrose, NY 10548	914-788-6000	252
Port Chester Nursing and Rehabilitation Centre	1000 High Street, Port Chester, NY 10573	914-937-1200	160
Regency Extended Care Center	65 Ashburton Avenue, Yonkers, NY 10701	914-963-4000	315
Rosary Hill Home	600 Linda Avenue, Hawthorne, NY 10532	914-769-0114	72
Salem Hills Rehabilitation and Nursing Center	539 Route 22, Purdys, NY 10578	914-277-3626	126
Sarah Neuman Center for Healthcare and Rehabilitation	845 Palmer Avenue, Mamaroneck, NY 10543	914-698-6005	300
Schnurmacher Center for Rehabilitation and Nursing	12 Tibbits Avenue, White Plains, NY 10606	914-428-0910	245
Sky View Rehabilitation and Health Care Center, LLC	1280 Albany Post Road, Croton-on-Hudson, NY 10520	914-271-5151	192
Somers Manor Nursing Home Inc.	Route 100, Somers, NY 10589	914-232-5101	300
Sprain Brook Manor Nursing Home	77 Jackson Avenue, Scarsdale, NY 10583	914-472-3200	121
St. Cabrini Nursing Home Inc.	115 Broadway, Dobbs Ferry, NY 10522	914-693-6800	304
St. Josephs Hospital Nursing Home of Yonkers NY Inc.	127 South Broadway, Yonkers, NY 10701	914-378-7358	200
St. Mary's Rehabilitation Center for Children	15 Spring Valley Road, Ossining, NY 10562	914-333-7000	44


(continued)

## Appendix 7. Westchester County Nursing Homes (cont'd)

Name	Address	Telephone	Number of Beds in 2007
Sutton Park Center for Nursing and Rehabilitation	31 Lockwood Avenue, New Rochelle, NY 10801	914-576-0600	160
Tarrytown Hall Care Center	Wood Court, Tarrytown, NY 10591	914-631-2600	120
Taylor Care Center at Westchester	25 Bradhurst Avenue, Hawthorne, NY 10532	914-493-7762	321
The Osborn	101 Theall Road, Rye, NY 10580	914-967-4100	84
The Wartburg Home	Bradley Avenue, Mount Vernon, NY 10552	914-699-0800	240
Treetops Rehabilitation and Care Center, LLC	3550 Lexington Avenue, Mohegan Lake, NY 10547	914-528-2000	120
United Hebrew Geriatric Center	60 Willow Drive, New Rochelle, NY 10805	914-632-2804	150
United Nursing Home for the Aged Inc.	391 Pelham Road, New Rochelle, NY 10805	914-632-2804	120
Victoria Home	25 North Malcolm Street, Ossining, NY 10562	914-941-2450	49
Waterview Hills Rehabilitation and Nursing Center	537 Route 22, P.O. Box 257, Purdys Station, NY 10578	914-277-3691	130
West Ledge Health Care Facility Inc.	2000 East Main Street, Peekskill, NY 10566	914-737-8400	100
Westchester Center for Rehabilitation and Nursing	10 Claremont Avenue, Mount Vernon, NY 10550	914-699-1600	240
Westchester Meadows	55 Grasslands Road, Valhalla, NY 10595	914-989-7800	20
White Plains Center for Nursing Care, LLC	220 West Post Road, White Plains, NY 10606	914-686-8880	88

Source: New York State Department of Health, July 2007.

# Nursing Homes Located in Westchester County, 2007



## **Appendix 8. Westchester County Department of Health District Offices**

### **Mount Kisco District Office<sup>1</sup>**

118 North Bedford Suite, Suite 100  
Mount Kisco, New York 10549  
(914) 864-7358

### **New Rochelle District Office**

420 North Avenue  
New Rochelle, New York 10801  
(914) 813-5525

### **Port Chester WIC Program**

One Gateway Plaza, 1st Floor  
South Main Street  
Port Chester, New York 10573  
(914) 813-7244

### **White Plains District Office**

134 Court Street, 1st Floor  
White Plains, New York 10601  
(914) 995-5800

### **White Plains WIC Program**

112 East Post Road, 1st Floor  
White Plains, New York 10601  
(914) 995-6350

### **Yonkers District Office**

20 South Broadway  
Yonkers, New York 10701  
Clinical Health Services: (914) 231-2500  
Public Health Protection: (914) 231-2975  
WIC Program: (914) 231-2510

<sup>1</sup> Environmental Only

**Westchester County Board of Health  
2007**

**Douglas G. Aspros, D.V.M., President**

**James E. Carnicelli, Vice President**

**Harold Adel, M.D.**

**Robert H. Baker, M.D.**

**Jeffrey M. Brensilver, M.D.**

**William Davis**

**Judith Myers**

**Richard Klein, M.D.**

**Peter Liebert, M.D.**

**Anthony M. Maddalena**

**Mary Ellen McGurty**

**Ruth Merkatz, R.N., Ph.D.**

**Nancy Seligson**

**Westchester County Department of Health  
Administrative Staff  
2007**

**Joshua Lipsman, M.D., J.D., M.P.H.**  
Commissioner

**Patsy Yang, Dr.P.H.**  
First Deputy Commissioner

.....

<b>Cheryl Archbald, M.D., M.P.H.</b>	Deputy Commissioner, Community Health Services
<b>Lorraine Chun, B.S.</b>	Director, Services for Children with Special Needs
<b>Irwin Cohen, M.B.A.</b>	Director, Fiscal Operations
<b>Donna Dyke, R.N.</b>	Assistant Commissioner, Nursing Services and Community Health Services
<b>Richard Gruffi, D.D.S.</b>	Chief Section, Dental Health Services
<b>Frank Guido, M.P.A., R.S.</b>	Assistant Commissioner, Public Health Protection Services
<b>Ada Huang, M.D.</b>	Deputy Commissioner, Disease Control Services
<b>Mark Johnston, M.D., M.P.H.</b>	Chief of Section, Clinical Services
<b>Paul Kutzy, P.E.</b>	Assistant Commissioner, Environmental Quality Services
<b>Heather McGill, B.A.</b>	Acting Director, Public Health Information and Communication
<b>Leonard Meyerson, P.E.</b>	Deputy Commissioner, Environmental Health Services
<b>Belinda Ostrowsky, M.D., M.P.H.</b>	Chief of Section, Communicable Diseases
<b>Alyse Portera, M.S.</b>	Deputy Commissioner, Administration
<b>Renee Recchia, M.P.H.</b>	Assistant Commissioner, Planning and Evaluation



## Project Staff Planning and Evaluation

**Renee Recchia, M.P.H.**  
Assistant Commissioner

**Jiali Li, Ph.D.**  
Director of Research and Evaluation

.....

<b>Christopher Benitto, B.A.</b>	Staff Assistant (GIS)
<b>Mary Ellen Bubnis</b>	Senior Control Clerk
<b>Maggie Chang, M.P.H.</b>	Medical Data Analyst I
<b>Stanley Cho, M.P.H.</b>	Program Specialist
<b>Emma Hoy, M.P.H.</b>	Medical Data Analyst II
<b>Rosemary James, M.P.H.</b>	Assistant Statistician
<b>Rosemarie Linton, M.P.H.</b>	Research Analyst
<b>Segun Okunoye, M.P.H.</b>	Management Analyst