

# Westchester County 2019 Community Health Assessment



## Supplemental Data Report II: Vital Statistics

Westchester  
gov.com

George Latimer, County Executive  
Sherlita Amler, MD, Commissioner  
Department of Health

---

Project Director	Jiali Li, PhD, Director of Research & Evaluation Renee Recchia, MPH, Acting Deputy Commissioner of Administration
Project Staff	Kevin Morrison, Medical Data Analyst
Contact	Jiali Li, PhD Westchester County Department of Health, Planning & Evaluation 10 County Center Road, 2 <sup>nd</sup> Floor, White Plains, New York, 10607

---

## FOREWORD

The Westchester County Department of Health (WCDH) plays a leading role in promoting health, preventing disease, and prolonging meaningful life for Westchester County residents. The WCDH's ongoing mission involves monitoring and controlling the spread of diseases, regulating air and water quality, enforcing state and local sanitary codes, promoting and endorsing local public health activities, and ensuring the availability of community health services.

To comply with New York State Public Health Law, WCDH has collaborated with local hospitals and other community health partners to complete a *Community Health Assessment (CHA) Survey*, which describes the current health status of Westchester County residents, identifies existing gaps and health care barriers, assesses the availability and accessibility of health care services, and specifies public health priorities in the county. In addition, a *Community Health Improvement Plan (CHIP)* has been crafted to lay out the specific objectives, goals, and actions of the Health Department which address the public health priorities identified in the Community Health Assessment.

Supplementing the *Westchester County Community Health Assessment (CHA) and Community Health Improvement Plan (CHIP), 2019-2021*, six additional data reports are compiled to provide detailed data addressing specific areas relevant to the county's public health. These reports are:

- Westchester County Community Health Assessment Supplemental Data Report 1. Population (2013-2017 ACS)
- Westchester County Community Health Assessment Supplemental Data Report 2. Vital Statistics (2011-2017)
- Westchester County Community Health Assessment Supplemental Data Report 3. Communicable Diseases (2013-2018)
- Westchester County Community Health Assessment Supplemental Data Report 4. Cancer (2012-2016)
- Westchester County Community Health Assessment Supplemental Data Report 5. Emergency Room Visits (2012-2016)
- Westchester County Community Health Assessment Supplemental Data Report 6. Hospitalizations (2012-2016)

This report for Vital Statistics over the period 2011-2017 presents information on births and deaths among Westchester residents. Due to the fact that the 2017 data are incomplete, we report 2016 data for detailed information when the 2017 data are not available. Birth information is presented on: birth rates by municipality, births by mother's age, region of origin, educational level, prenatal care activities, the infant's birthweight, delivery method, insurance coverage, feeding method in hospital and gestational age. The number of deaths among Westchester County residents is presented by age, sex, race/ethnicity and major causes of death. Information for this report was from the New York State Department of Health – Vital Statistics Section.

## TABLE OF CONTENTS

<b>Highlights</b>	<b>1</b>
<b>Births</b>	<b>3</b>
Race and Ethnicity	5
County of Origin	6
Maternal Age	7
Residential Areas	12
Birthweight	13
Prenatal Care	15
Gestational Age	19
Insurance Coverage	20
Delivery Method	24
Infant: Milk Feed Type	26
<b>Deaths</b>	<b>28</b>
Residential Areas	29
Infant Mortality	31
Major Causes of Death	32
Leading Causes of Death by Age, Sex, Race and Ethnicity	34
Diseases of the Circulatory System	36
Neoplasms	37
<b>Tables</b>	<b>38</b>
<b>Appendices</b>	<b>169</b>

## Figures

### Births

1	Number of Births, Westchester County, 2011-2017.	3
2	Percent Distribution of Births by Birthplace, Westchester County, 2016.	4
3	Number of Births by Mother's Race/Ethnicity, Westchester County, 2016.	5
4	Percent Distribution of Births by Mother's Region of Origin, Westchester County, 2016.	6
5	Percent Distribution of Births by Maternal Age, Westchester County, 2016-2017.	7
6	Percent Distribution of Births by Maternal Age and Race/Ethnicity, Westchester County, 2016.	8
7	Average Maternal Age by Race/Ethnicity, Westchester County, 2016.	9
8	Average Maternal Age by Mother's Region of Origin, Westchester County, 2016.	10
9	Average Maternal Age by Mother's Educational Level, Westchester County, 2016.	11
10	Birth Rates by Municipality, Westchester County, 2016.	12
11	Percent of Infants with Low Birthweight by Mother's Race/Ethnicity, Westchester County, 2016	13
12	Average Birthweight of Infants by Mother's Risk Behavior During Pregnancy, Westchester County, 2016.	14
13	Percent of Infants Born to Mothers Who Delayed or Did Not Seek Prenatal Care by Maternal Age, Westchester County, 2016.	15
14	Percent of Infants Born to Mothers Who Delayed or Did Not Seek Prenatal Care by Race/Ethnicity, Westchester County, 2016.	16
15	Percent of Infants Born to Mothers Who Delayed or Did Not Seek Prenatal Care by Mother's Educational Level, Westchester County, 2016.	17
16	Percent of Infants Born to Mothers Who Delayed or Did Not Seek Prenatal Care by Mother's Geographical Region of Origin, Westchester County, 2016.	18
17	Percent of Preterm Birth by Maternal Race/Ethnicity, Westchester County, 2016.	19
18	Percent Distribution of Births by Mother's Insurance Coverage for Delivery, Westchester County, 2016-2017.	20
19	Percent of Births by Mother's Insurance Coverage and Age, Westchester County, 2016.	21
20	Percent of Births by Mother's Insurance Coverage and Race/Ethnicity, Westchester County, 2016.	22

21	Percent of Births by Mother’s Insurance Coverage and Geographical Region of Origin, Westchester County, 2016.	23
22	Percent of Births Delivered by Cesarean Section by Age, Westchester County, 2016.	24
23	Percent of Births Delivered by Cesarean Section by Race/Ethnicity, Westchester County, 2016.	25
24	Percent of Births by Milk Type in Hospital by Age, Westchester County, 2016.	26
25	Percent of Births by Milk Type in Hospital by Race/Ethnicity, Westchester County, 2016.	27

**Deaths**

26	Death Rates and Average Ages at Death by Sex, Race/Ethnicity, Westchester County 2016.	28
27	Death Rates by Municipality, Westchester County 2016.	29
28	Distribution of Death Rates by Municipality, Westchester County, 2016.	30
29	Infant Mortality per 1,000 Births by Race/Ethnicity, Westchester County, 2011-2014 and 2016.	31
30	Percent Distribution of Leading Causes of Death, Westchester County, 2016.	32
31	Percent Distribution of Selected Causes of Deaths by Age, Westchester County, 2016.	33
32	Percent Distribution of Selected Causes of Deaths by Sex, Westchester County, 2016.	34
33	Percent Distribution of Selected Causes of Deaths by Race/Ethnicity, Westchester County, 2016.	35
34	Percent Distribution of Selected Causes of Deaths Due to Diseases of the Circulatory System, Westchester County, 2016.	36
35	Number and Percent Distribution of Deaths Due to Malignant Neoplasms by Sex, Westchester County, 2016.	37

**Tables**

**Births**

1	Summary Statistics of Live Births, Westchester County, 2011-2017.	39
2	Total Number of Births and Birth Rates by Municipality, Westchester County, 2011-2017.	41
3	Average Maternal Age and Number of Births by Mother’s Age and Municipality, Westchester County, 2011-2016.	42

4	Percentage of Infants with Low Birthweight, Less Than 37 Gestation Weeks, and Delayed or No Prenatal Care by Municipality, Westchester County, 2011-2016.	48
5	Number of Births by Mother's Age and Race/Ethnicity, Westchester County, 2011-2016.	50
6	Number of Births by Mother's Age and Mother's Region of Origin, Westchester County, 2011-2016.	53
7	Number of Births by Mother's Age and Educational Level, Westchester County, 2011-2016.	56
8	Number of Births by Birthweight and Mother's Race/Ethnicity and Age, Westchester County, 2011-2016.	59
9	Average Birthweight by Maternal Exposure to Smoking and Drug Use During Pregnancy by Mother's Race/Ethnicity, Westchester County, 2011-2016.	65
10	Number of Births by Time Starting Prenatal Care and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016.	68
11	Number of Births by Start of Prenatal Care and Mother's Region of Origin, Westchester County, 2011-2016.	74
12	Number of Births by Start of Prenatal Care and Mother's Educational Level and Race/Ethnicity, Westchester County, 2011-2016.	77
13	Number of Births by Gestational Age and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016.	83
14	Number of Births by Insurance Coverage and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016.	89
15	Number of Births by Insurance Coverage and Mother's Region of Origin, Westchester County, 2011-2016.	95
16	Number of Births by Delivery Method and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016.	98
17	Number of Births by Milk Type Consumed (in Hospital) and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016.	104

## Deaths

18	Summary Statistics of Deaths, Westchester County, 2011-2017.	110
19	Total Number of Deaths and Infant Deaths, Death Rate and Infant Mortality Rate, Westchester County, 2011-2017.	112
20	Number of Deaths and Death Rates by Age Group and Sex, and Average Age of Death by Sex, Westchester County, 2011-2017.	114
21	Number of Deaths and Death Rates by Age Group and Race/Ethnicity, and Average Age of Death by Race/Ethnicity, Westchester County, 2011-2016	115



22	Number of Infant Deaths and Infant Mortality Rates by Race/Ethnicity, Westchester County, 2011-2014 and 2016.	117
23	Ten Leading Causes of Death and Death Rates, Westchester County, New York State (NYS), and the United States, 2011-2017.	118
24	Number of Deaths and Death Rates by Selected Causes and Sex, Westchester County, 2011-2016.	119
25	Number of Deaths and Death Rates by Selected Causes and Age Group, Westchester County, 2011-2016.	123
26	Number of Deaths and Death Rates by Selected Causes and Race/Ethnicity, Westchester County, 2011-2016.	129
27	Number and Percentage of Deaths Due to Diseases of the Circulatory System by Age Group, Westchester County, 2011-2016.	135
28	Number and Percentage of Deaths Due to Diseases of the Circulatory System by Sex, Westchester County, 2011-2016.	141
29	Number and Percentage of Deaths Due to Diseases of the Circulatory System by Race/Ethnicity, Westchester County, 2011-2014 and 2016.	147
30	Number and Percentage of Deaths Due to Neoplasms by Age, Westchester County, 2011-2016.	152
31	Number and Percentage of Deaths Due to Neoplasms by Sex, Westchester County, 2011-2016.	158
32	Number and Percentage of Deaths Due to Neoplasms by Race/Ethnicity, Westchester County, 2011-2016.	164

## Appendices

A1	Data Sources and Definition for Vital Statistics	170
A2	The International Classification of Diseases (ICD-10): Codes for Selected Causes of Death.	173
A3	The International Classification of Diseases (ICD-10): Codes for Selected Causes of Death Due to Diseases of the Circulatory System.	174
A4	The International Classification of Diseases (ICD-10 Codes): Codes for Selected Causes of Death Due to Neoplasms.	175
A5	Westchester County Municipalities, Health Planning Regions and Map	176

## HIGHLIGHTS

Due to the incompleteness of the 2017 vital statistics data, 2016 data are reported when the 2017 data are not available.

In 2017, 10,429 infants were born to Westchester County residents and 10,273 for 2016. The birth rate was 10.7 and 10.6 per 1,000 respectively. The number of births in Westchester County has shown an overall decrease of 2.7% over the period 2011 to 2017.

Of the infants who were born to Westchester County residents in 2016, 68.7% were actually born within the county, 14.9% were born in New York City, and 15.4% were born outside of New York State. The rest were born in other counties of New York State.

In 2016, 54.5% of infants were born to white women, 16.2% to black women, and 29.2% to women of other races. Thirty-five percent were born to Hispanic women. Over forty percent (41.8%) of the infants were born to mothers of foreign national origin in 2016.

In 2016, the average maternal age was 31.6 years: 32.5 years among whites, 30.0 years among blacks, and 29.6 years among Hispanics.

Approximately eight percent of the infants were born with low birthweight in 2016: 6.9% among whites, 11.3% among blacks, and 7.0% among Hispanics.

Over eight percent (8.9%) of the infants were born prematurely in 2016.

In 2016, 19.9% of the infants were born to mothers who delayed prenatal care (until the second or third trimester) or sought no prenatal care at all. The percent of mothers who delayed or did not seek prenatal care was higher among teenage mothers, black and Hispanic women, and women with less than a high school education.

There were 910 cases of preterm births with the overall rate being 8.8%. For black women 10.8% of births were preterm compared to 8.2% for their white counterparts.

In 2016, 40.9% of infants were born to women who used Medicaid as their primary insurance coverage at the time of delivery: 28.4% among whites, 56.3% among blacks, and 65.9% among Hispanics.

In 2016, 37.4% of infants were delivered by Cesarean section in 2016 compared to 33.7% in 2015.

Over half (52.6%) of all infants were fed exclusively by breastmilk (in hospital) in 2016. Milk type feeding varied by maternal age and race and ethnicity. Over 30.0% of mothers under 20 years fed their infants exclusively by breast milk compared to almost 60.0 per cent of mothers aged 30 years and older. White mothers had higher rates (58.0%) of exclusive breast milk feeding of their infants compared to their black counterparts (38.3%). Hispanic women had a rate of 43.8%.

There were 7,163 deaths registered in Westchester County in 2017 with a death rate of 734.4 per 100,000 population. There were 7,094 deaths registered in 2016 with a death rate of 731.9 per 100,000 population.

The average age of death was 77.6 years in 2016: 79.2 years for whites, 69.6 for blacks and 69.0 for Hispanics.


Infant mortality was 3.2 per 1,000 live births in 2017 compared to 3.3 per 1,000 live births in 2016. Blacks had the highest infant mortality rate compared to other racial groups.

The three (3) leading causes of death were diseases of the circulatory system (36.3%), neoplasms (24.2%) and diseases of the respiratory system (9.2%). Circulatory system diseases and neoplasms were especially dominant in the 30-64 years age group and those 65 years and older. Respiratory system diseases as a cause of death was relatively prominent among those 65 years and older and those 1-29 years old.

The leading causes of deaths among infants in 2016 were perinatal conditions (55.9%), congenital malformations (11.8%) and abnormal clinical and laboratory findings (8.8%).


## BIRTHS

- A total of 10,429 infants were born to Westchester County residents in 2017, with a birth rate of 10.7 live births per 1,000 people. This is similar to 2016, where a total of 10,273 infants were born to Westchester County residents: a birth rate of 10.6 live births per 1,000 people. In 2011, a total of 10,719 infants were born to Westchester County residents: with a birth rate of 11.4 live births per 1,000 people.
- The number of births has decreased by 2.7% since 2011 from 10,719 to 10,429 births (Figure 1).



- Among the infants born in 2016, the majority were born within the county (68.7%), almost 15.0% were born in New York City (NYC), and approximately 1.0% were born in other counties of New York State (Figure 2).

Figure 2. Percent Distribution of Births by Birthplace, Westchester County, 2016.




Source: New York State Department of Health. Vital Statistics Section. 2019.

- There were 5,562 male infants and 5,011 female infants born in 2016. The ratio of males to females was 1.11 to 1.
- In 2016, 4,138 of the infants were first-born (40.3%), 3,743 were the second child (36.4%), and 2,389 were third or higher order births (23.3%).
- There were 9,835 infants born as singleton births (95.7%); 435 infants were born as twins (3.0%) and three (3) infants were born in multiple births in 2016.

## Race and Ethnicity

- In 2016, 5,606 infants were born to white women (54.5%), 1,667 were born to black women (16.2%), and 2,997 (29.2%) were born to women of other races and 35.0% of infants were born to Hispanics (Figure 3).

Figure 3. Number of Births by Mother's Race/Ethnicity, Westchester County, 2016.




\*Hispanic may be of any race.

Source: New York State Department of Health. Vital Statistics Section. 2019

## Country of Origin

- Over 40.0% of the infants born in 2016 had mothers of foreign national origin. Over 13.0% were born to mothers who came from Central or South America, 5.7% were born women from Mexico, 8.5% were born to women of the Caribbean nations, 7.1% were born to women from Asia or the Middle East, 5.2% were born to women from Canada, Australia, or the European countries and 2.1% were born to women from African countries (Figure 4).

Figure 4. Percent Distribution of Births by Mother's Region of Origin, Westchester County, 2016.





Source: New York State Department of Health. Vital Statistics Section. 2019.

## Maternal Age

- Most children were born to women between 25 and 39 years of age in both 2016 and 2017 (80.5% and 80.8%, respectively). Approximately one-fifth were born to women of ages 25-29, and over one-third were born to women of ages 30-34. Approximately one tenth were born to women ages 20-24 (9.8% for both years). Less than 3.0% were born to mothers under 20 years of age, and about 7.0% were born to mothers of 40 years and older (Figure 5).

Figure 5. Percent Distribution of Births by Maternal Age, Westchester County, 2016-2017.




Source: New York State Department of Health. Vital Statistics Section. 2019



- Among children born to white women in 2016: 6.2% were born to women aged 20-24, 16.5% were born to women aged 25-29, 37.6% were born to women aged 30-34, 27.9% were born to women aged 35-39 and 7.8% were born to women aged 40 and over. Less than 2.0% were born to women under the age of 20 years (Figure 6).
- Among children born to black women in 2016: 17.2% were born to women aged 20-24, 26.5% were born to women aged 25-29, 26.0% were born to women aged 30-34 and 19.9% were born to women aged 35-39. Approximately 7.0% were born to women aged 40 and over and 3.7% of children were born to women younger than 20 years
- Among children born to Hispanic women in 2016: 16.2% were born to women aged 20-24, 26.9% were born to women aged 25-29; 28.2% were born to women aged 30-34, 17.9% were born to women aged 35-39, 5.1% were born to women aged 40 and over and 5.8% of children were born to women younger than 20 years.


**Figure 6. Percent Distribution of Births by Maternal Age and Race/Ethnicity, Westchester County, 2016.**



\*Hispanic may be of any race.


Source: New York State Department of Health. Vital Statistics Section. 2019.

- The average maternal age at birth in 2016 was 31.6 years. The average maternal age was higher among infants born to white women (32.5 years) than those born to black women (30.0 years) or Hispanic women, 29.6 years (Figure 7).



- The average maternal age for U.S.-born women was 31.7 years. Average maternal ages were higher among women of European, Canadian, Russian, or Australian national origin (33.3 years), and women from Asian or Middle Eastern nations (32.6 years). The maternal ages were lower among women from Mexico, the Caribbean and Central America and South America, 30.4 years, 30.6 years and 30.7 years, respectively, (Figure 8).


**Figure 8. Average Maternal Age by Mother's Region of Origin, Westchester County, 2016.**



\*Cases from Central/South America do not include cases from Mexico.


Source: New York State Department of Health. Vital Statistics Section. 2019.

- Average maternal ages increased with educational level. Women with less than a high school education and those with a high school diploma/GED had the lowest average maternal age (28.5 and 28.8 years respectively). Women with a bachelors or an advanced degree were more likely to give birth after age 30 years (Figure 9).



## Residential Areas

- About 46.0% of the infants were born to women living in the Southwest and Southeast Health Planning Regions.
- Some municipalities had significantly<sup>1</sup> higher birth rates than the county average such as Elmsford, Sleepy Hollow and Peekskill. Municipalities significantly below the county average include Pound Ridge, Scarsdale and Somers (Figure 10).




<sup>1</sup> With a significance level of  $p = 0.05$ .

## Birthweight

- In 2016, 6.4% of infants were born with a birthweight between 1,550 to 2,499 grams (“low birthweight”), and 1.5% were born with a birthweight below 1,500 grams (“very low birthweight”). (Figure 11). The overall low birthweight was 7.9%.
- The proportion of infants born with low birthweight (less than 2,500 grams) varied by race and ethnicity. In 2016, blacks had the greatest proportion of low birthweight babies. Hispanics had a slightly lower proportion of infants with low birthweights than whites.


Figure 11. Percent of Infants with Low Birthweight by Mother’s Race/Ethnicity, Westchester County, 2016.



\*Hispanic may be of any race.

Source: New York State Department of Health. Vital Statistics Section. 2019.

- With respect to maternal behavior during pregnancy in 2016, the average birthweight for infants born to women who did not smoke or use illicit drugs during pregnancy was 3,260 grams. Among women who smoked during pregnancy, the average birthweight among infants was 3,112 grams<sup>2</sup> (Figure 12).
- Among infants born to mothers who reported using illicit drugs without smoking, the average birthweight was 2,816 grams. Among infants born to mothers who both smoked and used illicit drugs, the average birthweight was 2,943 grams. All mothers who used drugs, smoked or both had significantly lower average birthweight for infants compared to those who did not smoke or use illicit drugs during pregnancy in 2016.




<sup>2</sup> Figures are rounded to the nearest unit.

## Prenatal Care

- Among infants born in 2016, 19.9% were born to women who delayed or sought no prenatal care (excluding cases with incomplete prenatal care information), 15.8% of infants were born to mothers who started their prenatal care during the second trimester, 3.7% were born to mothers who started prenatal care during the third trimester, and 0.4% were born to mothers who did not seek prenatal care at all (Figure 13).

Figure 13. Percent of Infants Born to Mothers Who Delayed or Did Not Seek Prenatal Care by Maternal Age, Westchester County, 2016.



Excluding cases with incomplete information on prenatal care.


Source: New York State Department of Health. Vital Statistics Section. 2019.

- Young women were more likely to delay prenatal care. Among the infants born to mothers aged 10-17 years of age, over half (53.5%) were born to mothers who never sought or delayed prenatal care until the second or third trimester. Among those infants born to mothers 18-19 years of age, 37.2% were born to mothers who delayed or sought no prenatal care. In comparison, the




percentage of infants born to mothers aged 25-39 who delayed or did not seek prenatal care was only 17.6%.

- Black women were more likely to delay prenatal care until the second or third trimester compared to white women. Over 15.0% of infants born to white women had delayed or no prenatal care, compared to 30.8% of infants born to black mothers. Women of Hispanic ethnicity were more likely to delay or have no prenatal care compared to white women. Among infants born to Hispanic mothers, 19.8% were born to mothers who did not seek prenatal care until the second trimester, 3.9% were born to mothers who did not seek care until the third trimester, and 0.2% were born to mothers without prenatal care (Figure 14).



- As level of education increased, the overall percentage of mothers who delayed or did not seek prenatal care in 2016 decreased (Figure 15). Among infants born to women with less than a high school education, 30.2% were born to mothers who sought no prenatal care or prenatal care in the second or third trimester. This percentage decreased to 13.9% among those infants born to women with a degree beyond college.

**Figure 15. Percent of Infants Born to Mothers Who Delayed or Did Not Seek Prenatal Care by Mother's Educational Level, Westchester County, 2016.**




Excludes cases with incomplete information on educational attainment or prenatal care.

Source: New York State Department of Health. Vital Statistics Section. 2019.

- Prenatal care varied by mother’s geographical region of origin in 2016. Women born in the USA were less likely to delay or have no prenatal care (16.6%); this was similar to women born in Europe/Canada/Australia/Russia (18.4%). Women from Central/South America, the Caribbean and Africa were more likely to delay or have no prenatal care (24.2%, 31.2%, and 33.5%, respectively (Figure 16).

**Figure 16. Percent of Infants Born to Mothers Who Delayed or Did Not Seek Prenatal Care by Mother’s Geographical Region of Origin, Westchester County, 2016.**



Excludes cases with incomplete information on prenatal care.


\*Cases from Central/South America do not include cases from Mexico.

Source: New York State Department of Health. Vital Statistics Section. 2019.

## Gestational Age

- Nine hundred and ten infants (8.8%) were born preterm<sup>3</sup> in 2016. Over eight percent of births among white women and 8.9% of births among Hispanic women were preterm births. Black women had the highest percentage of preterm births 10.8% (Figure 17).

Figure 17. Percent of Preterm Birth by Maternal Race/Ethnicity, Westchester County, 2016.



Preterm birth defined as <37 weeks gestation.

\*Hispanics may be of any race.


Source: New York State Department of Health. Vital Statistics Section. 2019.

<sup>3</sup> Less than 37 weeks of gestation.

## Insurance Coverage

- Among births in 2016, more than one-third of infants were born to women with Medicaid as their primary insurer. More than half were born to women who had either private insurance or some other form of financial coverage. Less than one percent of women paid for delivery out-of-pocket (Figure 18).

Figure 18. Percent Distribution of Births by Mother's Insurance Coverage for Delivery, Westchester County, 2016.




Source: New York State Department of Health. Vital Statistics Section. 2019.

Excludes cases with unknown insurance coverage information.

- Use of Medicaid for insurance coverage was the dominant method of coverage for younger mothers in 2016. Over 78.0% of women under the age of 25 years were more likely to have Medicaid for insurance coverage of childbirth (Figure 19). Whereas, 27.2% of women over 30 years used Medicaid as coverage of childbirth.

**Figure 19. Percent of Births by Mother's Insurance Coverage and Age, Westchester County, 2016.**




Excludes cases with unknown insurance coverage information.

Source: New York State Department of Health. Vital Statistics Section. 2019.

- Insurance coverage for childbirth varied by race and ethnicity, 28.4% of white women had Medicaid, compared to 56.3% of black women and 65.9% of Hispanic women (Figure 20).

**Figure 20. Percent of Births by Mother's Insurance Coverage and Race/Ethnicity, Westchester County, 2016.**




Excludes cases with unknown insurance coverage information.

\*Hispanics may be of any race.

Source: New York State Department of Health. Vital Statistics Section. 2019.

- Insurance coverage for childbirth varied by mother’s region of origin. 27.3% of the women born in the United States had Medicaid coverage for childbirth, compared to 77.8% of women born in Mexico, 71.7% from Central or South America, 62.3% of women from the Caribbean, 50.0% from Africa. Women from either Asia and the Middle East or Europe, Canada, Australia, and Russia were less likely to have Medicaid, 26.9% and 30.6%, respectively (Figure 21).

**Figure 21. Percent of Births by Mother’s Insurance Coverage and Geographical Region of Origin, Westchester County, 2016.**



Excludes cases with unknown insurance coverage information.

\*Cases from Central/South America do not include cases from Mexico.


Source: New York State Department of Health. Vital Statistics Section. 2019.



## Delivery Method

- Over thirty-five per cent (37.4%) of all births were delivered by Cesarean section in 2016 (Figure 22), of which 20.0% were primary Cesarean deliveries and 17.4% which were repeat Cesarean sections.

Figure 22. Percent of Births Delivered by Cesarean Section by Age, Westchester County, 2016.




Excludes cases with unknown delivery method.

Source: New York State Department of Health. Vital Statistics Section. 2019.

- The percentage of births delivered by Cesarean section increased by maternal age (Figure 22). Almost twenty percent (19.7%) of young mothers under 20 years of age delivered by Cesarean section, compared to 52.9% of women aged 40 and over.

- The percentage of births delivered by Cesarean section in 2016 varied by race and ethnicity. Over thirty five percent (37.6%) of white women had births by Cesarean section, compared to 40.7% of black women and 36.3% of Hispanic women (Figure 23).

**Figure 23. Percent of Births Delivered by Cesarean Section by Race/Ethnicity, Westchester County, 2016.**



Excludes cases with unknown delivery method.


\*Hispanics may be of any race.

Source: New York State Department of Health. Vital Statistics Section. 2019.

## Infant Feeding: Milk Type

- Over half (52.6%) of all births were fed exclusively by breast milk in the hospital after birth in 2016. Over 8.0% were fed by formula alone and 38.4% were fed by both formula and breast milk (Figure 24).

Figure 24. Percent of Births by Milk Type in Hospital by Age, Westchester County, 2016.




Excludes cases with unknown milk type information.

Source: New York State Department of Health. Vital Statistics Section. 2019.

- The percentage of births that were fed by breast milk alone varied by maternal age (Figure 24). Over thirty percent (35.2%) of mothers under 20 years of age fed their children exclusively by breast milk, increasing to almost 60.0% for mothers ages 30 years and over.

- The percentage of births that were fed by breastmilk alone varied by race and ethnicity. Fifty eight percent of white women fed their infants by breastfeeding alone during their hospital stay, compared to 38.3% of black women and 43.8% of Hispanic women (Figure 25).

**Figure 25. Percent of Births by Milk Type in Hospital by Race/Ethnicity, Westchester County, 2016.**



Excludes cases with unknown milk type information.


\*Hispanics may be of any race.

Source: New York State Department of Health. Vital Statistics Section. 2019.

## DEATHS

- Due to the incompleteness of the 2017 vital statistics data, 2016 data are reported when the 2017 data are not available.
- There were 7,163 deaths registered in Westchester County in 2017 with a death rate of 734.4 per 100,000. There were 7,094 deaths registered in 2016, 3,373 males and 3,721 females. The overall death rate was 731.9 per 100,000.
- The average overall age of death was 77.6 years in 2016. The average age of death for females was 80.9 years compared to 74.0 years for males in 2016. The average age at death was 79.2 for whites, 69.6 for blacks and 69.0 for Hispanics in 2016 (Figure 26).
- The 2016 death rate was 917.9 per 100,000 for whites, 662.1 for blacks and 173.0 for Hispanics.

Figure 26. Death Rates and Average Ages at Death by Sex, Race/Ethnicity, Westchester County, 2016.




Source: New York State Department of Health.

## Residential Areas

- Compared to the county average, death rates were significantly higher in areas such as Ossining (Town), Somers and Cortlandt. Municipalities whose death rates are significantly below the county average include; Pound Ridge, New Castle and Scarsdale (Figures 27 and 28).


Figure 27. Death Rates by Municipality, Westchester County, 2016.

Westchester County Death Rate: 731.9 per 100,000



Source: New York State Department of Health- Vital Statistics Section 2019.

Figure 28. Distribution of Death Rates by Municipality, Westchester County, 2016.




Source: New York State Department of Health – Vital Statistics Section 2019.

## Infant Mortality

- There were 36 infant deaths in 2017 with an infant mortality rate of 3.5 per 1,000 live births. In 2016 there were 34 infant deaths with an infant mortality rate of 3.3 deaths per 1,000 live births (Figure 29).<sup>4</sup>
- The infant mortality rate for white infants was 2.1 per 1,000 live births in 2016. The rate for black infants was 7.8 per 1,000 live births over the same period.
- Blacks have the highest infant mortality rate compared with other racial groups.

Figure 29. Infant Mortality Rate per 1,000 Births, by Race/Ethnicity, Westchester County, 2011-2014 and 2016.



\*Hispanic may be of any race.

+Data for race/ethnicity not yet available for the 2015 year.

Source: New York State Department of Health - Vital Statistics Section 2019.


<sup>4</sup> The data for 2015 does not yet have detailed information on race and ethnicity.



## Major Causes of Death

- Over thirty-six percent of total deaths were due to diseases of the circulatory system in 2016. Approximately one quarter (24.2%) were due to neoplasms and 9.2% were due to diseases of the respiratory system (Figure 30).


Figure 30. Percent Distribution of Leading Causes of Death, Westchester County, 2016.



Source: New York State Department of Health - Vital Statistics Section. 2019.

- Diseases of the circulatory system (39.1%) and neoplasms (23.1%) were the most common causes of death in the 65 years and older age group in 2016 (Figure 31).
- The two major causes of death for residents 30-64 years were neoplasms (32.4%) and diseases of the circulatory system (26.8%).
- Accidents and related incidents (external causes of morbidity and mortality) accounted for the greatest number of deaths in the 1-29 year age group (60.2%), followed by other causes (14.3%), neoplasms (8.3%) and diseases of the respiratory system (5.3%).
- The death rate was the lowest for infants (3.3 per 1,000 live births) and represented less than one percent of total deaths. Over three quarters (76.5%) of the deaths to infants were related to other causes. These included deaths related to: perinatal conditions (55.9%), congenital malformations (11.8%) and abnormal clinical and laboratory findings (8.8%).

Figure 31. Percent Distribution of Selected Causes of Death by Age, Westchester County, 2016.




Source: New York State Department of Health - Vital Statistics Section. 2019.

## Leading Causes of Death by Age, Sex, Race and Ethnicity

- In 2016, there were more deaths among women (3,721) than men (3,373) in Westchester County. The death rates were 720.2 and 742.9 per 100,000 for women and men respectively.
- Diseases of the circulatory system, neoplasms, and diseases of the respiratory system were the three leading causes of death among both women and men (Figure 32).
- Other leading causes of deaths for men included deaths from external causes of morbidity and mortality (8.3%), diseases of the nervous system (4.1%) and certain infectious and parasitic diseases (4.0%)
- Other causes of death for women included diseases of the nervous (5.0%), deaths from external causes of morbidity and mortality (3.4%) and certain parasitic and infectious diseases (3.3%).


**Figure 32. Percent Distribution of Selected Causes of Death by Sex, Westchester County, 2016.**



Source: New York State Department of Health - Vital Statistics Section. 2019.

- Diseases of the circulatory system, and neoplasms and were the two leading causes of death across all races. Circulatory system diseases and neoplasms were the leading causes for Hispanics but the third leading cause for this group was external causes of morbidity and mortality (Figure 33).

**Figure 33. Percent Distribution of Selected Causes of Death by Race/Ethnicity, Westchester County, 2016.**



- [A] Diseases of the circulatory system
- [B] Neoplasms
- [C] Diseases of the respiratory system
- [D] External causes of morbidity and mortality
- [E] Diseases of the nervous system
- [F] Certain infectious and parasitic diseases
- [G] Diseases of the digestive system
- [H] Endocrine, nutritional and metabolic diseases
- [I] All other causes


\*Hispanic may be of any race.

Source: New York State Department of Health - Vital Statistics Section. 2019.

## Diseases of the Circulatory System

- Over thirty six per cent (2,572 cases) of deaths in the county in 2016 were due to diseases of the circulatory system.
- Diseases of the heart (2,091 cases) accounted for the majority of (81.3%) of circulatory system deaths with cerebrovascular diseases (11.4%) is the second and hypertension with or without renal disease third with 4.5% (Figure 34).

Figure 34. Percent Distribution of Deaths Due to Diseases of the Circulatory System, Westchester County, 2016.




Source: New York State Department of Health - Vital Statistics Section. 2019.

## Neoplasms

- Neoplasms were the second leading cause of death among Westchester county residents in 2016, responsible for 1,717 deaths (24.2%). Almost all (1,665) of these deaths were caused by malignant neoplasms. (Figure 35).
- More women than men died of malignant neoplasms (847 versus 818 deaths). The three leading causes of death by malignant neoplasms were lung and bronchial cancer (19.2%), colorectal cancer (8.9%), pancreatic cancer (8.5%) and breast (6.9%)

Figure 35. Number and Percent Distribution of Deaths Due to Malignant Neoplasms by Sex, Westchester County, 2016.



Source: New York State Department of Health - Vital Statistics Section. 2019.

# Tables

Table 1. Summary Statistics of Live Births, Westchester County, 2011-2017<sup>1</sup>.

Live Births	2011		2012		2013		2014		2015		2016		2017	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
<b>Total</b>	10,719	100.0	10,439	100.0	10,549	100.0	10,628	100.0	10,628	100.0	10,273	100.0	10,429	100.0
Birth Rate (per 1,000)	11.4	--	11.0	--	11.0	--	11.0	--	11.0	--	10.6	--	10.7	--
<b>Maternal Age</b>														
10-14	7	0	3	0	0	0	5	0	1	0	2	0	1	0
15-17	119	1.1	113	1.1	103	1.0	89	0.8	76	0.7	72	0.7	57	0.5
18-19	299	2.8	280	2.7	256	2.4	244	2.3	174	1.6	205	2.0	166	1.6
20-24	1,312	12.2	1,284	12.3	1,261	12.0	1,201	11.3	1,136	10.7	1,004	9.8	1,019	9.8
25-29	2,351	21.9	2,230	21.4	2,176	20.6	2,194	20.6	2,255	21.2	2,115	20.6	2,064	19.8
30-34	3,621	33.8	3,477	33.3	3,515	33.3	3,707	34.9	3,724	35.0	3,604	35.1	3,607	34.6
35-39	2,359	22.0	2,356	22.6	2,520	23.9	2,511	23.6	2,543	23.9	2,549	24.8	2,749	26.4
40-44	601	5.6	650	6.2	655	6.2	624	5.9	656	6.2	649	6.3	690	6.6
45+	49	0	45	0	61	0.6	53	0.5	63	0.6	73	0.7	76	0.7
Unknown	1	--	1	--	2	--	--	--	0	--	0	--	0	--
<b>Sex</b>														
Male	5,541	51.7	5,291	50.7	5,465	51.8	5,455	51.3	5,532	52.1	5,262	51.2	--	--
Female	5,178	48.3	5,148	49.3	5,084	48.2	5,173	48.7	5,096	47.9	5,011	48.8	--	--
Unknown	0	--	0	--	0	--	0	--	0	--	0	--	--	--
<b>Race/Ethnicity</b>														
White	5,929	55.3	5,565	53.3	5,593	53.0	4,598	43.3	4,616	43.4	5,606	54.6	5,597	53.7
Black	1,641	15.3	1,586	15.2	1,657	15.7	1,649	15.5	1,576	14.8	1,667	16.2	1,583	15.2
Other	3,145	29.3	3,236	31.0	3,233	30.6	2,935	27.6	2,939	27.7	2,997	29.2	3,249	31.2
Hispanic <sup>2</sup>	3,725	34.8	3,669	35.1	3,702	35.1	3,714	34.9	3,806	35.8	3,597	35.0	3,717	35.6
Unknown	4	--	52	0.5	66	0.6	1,446	13.6	1,497	14.1	3	0	0	--

(continue)



**Table 1. Summary Statistics of Live Births, Westchester County, 2011-2017<sup>1</sup> (continued).**

Live Births	2011		2012		2013		2014		2015		2016		2017	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
<b>Low Birthweight</b>														
2500+ grams	9,843	91.8	9,647	92.5	9,726	92.3	9,738	91.6	9,747	91.7	9,464	92.1	9,609	92.1
1500-2499 grams	702	6.5	620	5.9	659	6.3	740	7.0	724	6.8	660	6.4	702	6.7
<1500 grams	173	1.6	163	1.6	155	1.5	150	1.4	157	1.5	149	1.5	118	1.1
Unknown	1	--	9	--	9	--	0	--	0	--	0	--	0	--
<b>Gestation Weeks</b>														
37+ Weeks	9,742	90.9	9,287	91.4	9,029	90.9	9,613	90.5	9,646	90.8	9,359	91.1	9,281	891.0
34-36 Weeks	554	5.2	493	4.9	525	5.3	580	5.5	562	5.3	539	5.2	864	8.3
<34 Weeks	419	3.9	380	3.7	382	3.8	432	4.1	414	3.9	371	3.6	276	2.6
Unknown	4	0	279	--	613	--	3	--	6	--	4	--	8	--
<b>Prenatal Care</b>														
First Trimester (1st-3rd Month)	6,508	73.0	6,752	75.0	6,933	75.7	6,684	75.1	6,823	78.2	7,963	80.1	8,280	81.4
Second Trimester (4th-6th Month)	1,966	22.1	1,869	20.8	1,775	19.4	1,778	20.0	1,527	17.5	1,568	15.8	1,503	14.8
Third Trimester (7th-9th Month)	391	4.4	348	3.9	395	4.3	394	4.4	348	4.0	370	3.7	349	3.4
No Prenatal Care	50	0.6	38	0.4	50	0.5	47	0.5	32	0.4	41	0.4	40	0.4
Unknown	1,804	--	1,432	--	1,396	--	1,725	--	1,898	--	331	--	257	--
<b>White</b>														
First Trimester (1st-3rd Month)	3,610	78.9	3,624	80.0	3,834	83.1	3,666	81.9	3,696	82.8	4,637	84.4	--	--
Second Trimester (4th-6th Month)	812	17.7	772	17.0	658	14.3	663	14.8	626	14.0	707	12.9	--	--
Third Trimester (7th-9th Month)	132	2.9	121	2.7	105	2.3	130	2.9	128	2.9	131	2.4	--	--
No Prenatal Care	21	0.5	12	0.3	17	0.4	17	0.4	13	0.3	16	0.3	--	--
Unknown	1,354	--	1,036	--	979	--	122	--	157	--	115	--	--	--
<b>Black</b>														
First Trimester (1st-3rd Month)	878	78.9	927	64.2	922	61.4	986	63.9	974	67.4	1,068	69.2	--	--
Second Trimester (4th-6th Month)	393	17.7	401	27.8	419	27.9	402	26.1	353	24.4	338	21.9	--	--
Third Trimester (7th-9th Month)	104	2.9	101	7.0	134	8.9	136	8.8	105	7.3	120	7.8	--	--
No Prenatal Care	20	0.5	15	1.0	27	1.8	18	1.2	13	0.9	18	1.2	--	--
Unknown	246	--	142	--	155	--	107	--	134	--	123	--	--	--
<b>Hispanic<sup>2</sup></b>														
First Trimester (1st-3rd Month)	2,098	65.5	2,402	71.3	2,381	70.1	2,292	68.0	2,430	72.2	2,630	75.9	--	--
Second Trimester (4th-6th Month)	919	28.7	815	24.2	839	24.7	882	26.2	778	23.1	687	19.8	--	--
Third Trimester (7th-9th Month)	165	5.15	140	4.2	166	4.9	175	5.2	148	4.4	134	3.9	--	--
No Prenatal Care	21	0.66	14	0.4	9	0.3	20	0.6	9	0.3	15	0.4	--	--
Unknown	522	--	298	--	307	--	345	--	433	--	131	--	--	--
<b>Delivery Method</b>														
Vaginal Delivery	6,209	58.0	5,996	58.8	5,633	56.9	5,437	59.3	5,415	59.2	6,251	60.9	6,304	60.1
Vaginal Birth After Cesarean	115	1.1	111	1.1	166	1.7	137	1.5	145	1.6	179	1.7	179	1.7
Primary Cesarean Section	2,678	25.0	2,360	23.1	2,333	23.6	1,919	20.9	1,865	20.4	2,051	20.0	2,102	20.2
Repeat Cesarean Section	1,712	16.0	1,736	17.0	1,770	17.9	1,680	18.3	1,721	18.8	1,791	17.4	1,838	17.6
Unknown	5	--	236	--	647	--	1,455	--	1,482	--	1	--	6	--
<b>Insurance Coverage</b>														
Medicaid/Family Health Plus	3,951	41.0	3,970	42.5	3,689	37.7	3,722	40.6	3,766	41.2	3,587	40.9	3,472	38.8
Private or Other Insurance	5,628	58.4	5,310	56.8	6,020	61.4	5,396	58.9	5,329	58.3	5,145	58.7	5,431	60.8
Self-Pay	55	0.6	63	0.7	89	0.9	50	0.5	48	0.5	34	0.4	34	0.4
Unknown	1,085	--	1,096	--	751	--	1,460	--	1,485	--	1,507	--	1,492	--

<sup>1</sup>Data not yet available for 2017.

<sup>2</sup>Hispanic is an ethnic group and may be of any race.

Source: New York State Department of Health.

**Table 2. Total Number of Births and Birth Rates by Municipality, Westchester County, 2011-2017<sup>1</sup> (continued)**

Health Planning Region and Municipality	Number of Births and Birth Rate (per 1,000 pop)													
	2011		2012		2013		2014		2015		2016		2017	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>Westchester County</b>	<b>10,719</b>	<b>11.4</b>	<b>10,439</b>	<b>11.0</b>	<b>10,549</b>	<b>11.0</b>	<b>10,628</b>	<b>11.0</b>	<b>10,628</b>	<b>11.0</b>	<b>10,273</b>	<b>10.6</b>	<b>10,429</b>	<b>10.7</b>
<b>Northwest</b>	<b>1,555</b>	<b>10.3</b>	<b>1,566</b>	<b>10.7</b>	<b>1,568</b>	<b>10.6</b>	<b>1,544</b>	<b>10.4</b>	<b>1,644</b>	<b>11.0</b>	<b>1,538</b>	<b>10.3</b>	--	--
Briarcliff Manor (V)	42	5.1	43	5.2	65	8.2	45	5.8	70	9.0	55	7.1	53	6.7
Buchanan (V)	28	11.7	24	10.3	25	11.1	14	6.0	20	9.0	23	10.2	18	8.0
Cortlandt (TOV)	271	8.8	262	8.4	241	7.6	241	6.9	249	7.8	249	7.8	182	5.6
Croton-on-Hudson (V)	59	7.4	73	9.1	68	8.4	76	9.3	90	11.0	70	8.5	92	11.1
Mount Pleasant (TOV)	162	5.1	181	7.0	204	7.7	207	8.8	185	6.9	237	8.8	--	--
Ossining (TOV)	43	8.0	46	8.5	49	9.0	42	7.6	66	11.9	33	5.9	--	--
Ossining (V)	384	15.4	378	15.1	351	14.0	373	14.8	385	15.2	338	13.4	352	13.9
Peekskill (C)	390	16.7	355	15.1	370	15.6	363	15.2	354	14.8	328	13.7	323	13.4
Pleasantville (V)	58	8.3	54	7.7	64	9.1	57	8.0	91	12.8	61	8.6	59	8.1
Sleepy Hollow (V)	118	12.1	150	15.2	131	13.2	126	12.6	134	13.3	144	14.2	120	11.8
<b>Northeast</b>	<b>1,032</b>	<b>7.6</b>	<b>983</b>	<b>7.2</b>	<b>1,052</b>	<b>7.6</b>	<b>1,110</b>	<b>8.0</b>	<b>1,036</b>	<b>7.4</b>	<b>1,105</b>	<b>7.9</b>	<b>1,115</b>	<b>7.9</b>
Bedford (T)	143	8.2	161	9.2	161	9.2	179	10.1	203	11.4	185	10.4	204	11.4
Lewisboro (T)	73	5.9	67	5.4	76	6.1	71	5.6	78	6.2	81	6.4	80	6.3
Mount Kisco (T/V)	151	14.0	157	14.5	130	11.9	141	12.8	187	16.9	131	11.8	115	10.5
New Castle (T)	129	7.4	117	6.6	126	7.1	140	7.9	88	4.9	136	7.6	114	6.3
North Castle (T)	92	7.9	68	5.7	87	7.3	102	8.5	63	5.2	94	7.7	102	8.3
North Salem (T)	31	6.1	31	6.1	50	9.7	36	7.0	36	6.9	43	8.3	31	6.0
Pound Ridge (T)	34	6.7	25	4.9	31	6.0	28	5.4	30	5.8	26	5.0	25	4.8
Somers (T)	107	5.3	105	5.1	117	5.7	122	5.8	86	4.1	115	5.4	129	6.0
Yorktown (T)	272	7.6	252	7.0	274	7.5	291	8.0	265	7.2	294	8.0	315	8.5
<b>West Central</b>	<b>1,750</b>	<b>11.2</b>	<b>1,686</b>	<b>10.4</b>	<b>1,732</b>	<b>10.6</b>	<b>1,736</b>	<b>10.5</b>	<b>1,912</b>	<b>11.5</b>	<b>1,642</b>	<b>9.8</b>	--	--
Ardsley (V)	25	5.7	29	6.5	27	6.0	31	6.9	45	9.9	33	7.2	31	6.8
Dobbs Ferry (V)	94	8.7	76	7.0	89	8.1	89	8.1	90	8.1	94	8.5	112	10.1
Elmsford (V)	77	16.5	76	16.3	71	15.1	86	18.2	99	20.8	97	20.1	101	20.4
Greenburgh (TOV)	451	12.3	446	10.3	465	10.7	445	10.1	200	4.5	425	9.5	--	--
Hastings-on-Hudson (V)	58	7.4	43	5.5	53	6.7	58	7.3	56	7.0	75	9.4	61	7.6
Irvington (V)	55	8.6	35	5.4	57	8.8	59	9.1	59	9.0	50	7.6	44	6.7
Scarsdale (T/V)	109	6.4	124	7.2	83	4.8	91	5.2	260	14.8	92	5.2	106	5.9
Tarrytown (V)	134	11.9	131	11.6	120	10.6	109	9.5	154	13.4	109	9.5	117	10.1
White Plains (C)	747	13.3	726	12.8	767	13.4	768	13.4	949	16.4	667	11.5	716	12.3
<b>East Central</b>	<b>1,331</b>	<b>11.3</b>	<b>1,261</b>	<b>10.7</b>	<b>1,201</b>	<b>10.1</b>	<b>1,296</b>	<b>10.8</b>	<b>1,188</b>	<b>9.9</b>	<b>1,153</b>	<b>9.6</b>	--	--
Harrison (T/V)	216	8.0	226	8.3	207	7.5	242	8.7	233	8.3	204	7.3	186	6.6
Larchmont (V)	68	11.6	70	11.9	48	8.1	69	11.6	140	23.3	66	10.9	62	10.1
Mamaroneck (TOV)	116	9.7	109	9.1	120	10.0	120	9.9	105	8.6	116	9.5	--	--
Mamaroneck (V)	244	13.0	224	11.8	199	10.5	232	12.1	121	6.3	193	10.0	190	9.8
Port Chester (V)	441	15.3	427	14.8	409	14.1	445	15.2	403	13.7	386	13.1	392	13.2
Rye (C)	157	10.1	135	8.6	138	8.7	116	7.3	138	8.7	107	6.7	121	7.6
Rye Brook (V)	89	9.6	70	7.5	80	8.5	72	7.6	48	5.0	81	8.5	80	8.4
<b>Southwest</b>	<b>2,793</b>	<b>14.3</b>	<b>2,710</b>	<b>13.8</b>	<b>2,776</b>	<b>14.1</b>	<b>2,729</b>	<b>13.7</b>	<b>2,574</b>	<b>12.9</b>	<b>2,583</b>	<b>12.9</b>	<b>2,623</b>	<b>13.0</b>
Yonkers (C)	2,793	14.3	2,710	13.8	2,776	14.1	2,729	13.7	2,574	12.9	2,583	12.9	2,623	13.0
<b>Southeast</b>	<b>2,258</b>	<b>12.0</b>	<b>2,233</b>	<b>11.8</b>	<b>2,220</b>	<b>11.7</b>	<b>2,213</b>	<b>11.5</b>	<b>2,270</b>	<b>11.8</b>	<b>2,250</b>	<b>11.7</b>	--	--
Bronxville (V)	49	7.8	65	10.2	54	8.5	56	8.8	146	22.8	48	7.5	62	9.6
Eastchester (TOV)	205	10.6	175	9.0	160	8.1	197	9.9	114	5.7	201	10.1	--	--
Mount Vernon (C)	919	13.7	905	13.4	905	13.4	910	13.4	908	13.3	897	13.1	911	13.3
New Rochelle (C)	898	11.8	896	11.6	913	11.7	869	11.1	890	11.3	897	11.3	910	11.4
Pelham (V)	71	10.4	68	9.9	55	7.9	65	9.3	86	12.3	80	11.4	81	11.5
Pelham Manor (V)	36	6.6	43	7.8	44	8.0	40	7.2	39	7.0	42	7.5	56	9.9
Tuckahoe (V)	80	12.4	81	12.5	89	13.7	76	11.6	87	13.2	85	12.9	71	10.7
Unknown	0	--	0	--	0	--	0	--	4	--	2	--	0	--

<sup>1</sup>Data for 2017 not yet fully available. Information in this table represent summaries taken directly from the New York State Department of Health.

[https://www.health.ny.gov/statistics/vital\\_statistics/2017/](https://www.health.ny.gov/statistics/vital_statistics/2017/)

Source: New York State Department of Health.

**Table 3. Average Maternal Age and Number of Births by Mother's Age and Municipality, Westchester County, 2011-2016.**

Health Planning Region and Municipality - 2011	Average Maternal Age	Mother's Age (Years)								
		Total	10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Westchester County</b>	<b>30.8</b>	<b>10,719</b>	<b>126</b>	<b>299</b>	<b>1,312</b>	<b>2,351</b>	<b>3,621</b>	<b>2,359</b>	<b>601</b>	<b>49</b>
<b>Northwest</b>	<b>30.7</b>	<b>1,555</b>	<b>18</b>	<b>43</b>	<b>204</b>	<b>334</b>	<b>506</b>	<b>380</b>	<b>63</b>	<b>6</b>
Briarcliff Manor (V)	34.4	42	0	0	1	4	17	14	5	1
Buchanan (V)	30.8	28	2	1	0	4	15	6	0	0
Cortlandt (TOV)	31.7	271	1	6	24	49	97	82	12	0
Croton-on-Hudson (V)	32.5	59	0	1	6	4	28	15	4	1
Mount Pleasant (TOV)	33.8	162	1	1	4	19	63	58	13	2
Ossining (TOV)	31.9	43	0	1	2	8	16	16	0	0
Ossining (V)	29.0	384	7	13	72	110	110	63	8	1
Peekskill (C)	29.4	390	7	16	70	97	108	80	12	0
Pleasantville (V)	32.5	58	0	0	4	12	19	20	3	0
Sleepy Hollow (V)	30.7	118	0	4	21	27	33	26	6	1
<b>Northeast</b>	<b>33.3</b>	<b>1,032</b>	<b>1</b>	<b>5</b>	<b>43</b>	<b>160</b>	<b>403</b>	<b>318</b>	<b>97</b>	<b>5</b>
Bedford (T)	32.7	143	0	2	8	32	48	36	17	0
Lewisboro (T)	34.2	73	0	0	1	7	32	24	9	0
Mount Kisco (T/V)	31.3	151	1	1	13	39	58	33	4	2
New Castle (T)	34.4	129	0	0	6	9	48	52	11	3
North Castle (T)	33.8	92	0	0	2	12	38	27	13	0
North Salem (T)	32.8	31	0	0	0	7	13	9	2	0
Pound Ridge (T)	36.4	34	0	0	0	3	9	13	9	0
Somers (T)	33.8	107	0	0	3	12	44	38	10	0
Yorktown (T)	33.1	272	0	2	10	39	113	86	22	0
<b>West Central</b>	<b>32.0</b>	<b>1,750</b>	<b>11</b>	<b>27</b>	<b>155</b>	<b>320</b>	<b>677</b>	<b>428</b>	<b>119</b>	<b>13</b>
Ardley (V)	34.9	25	0	0	0	1	14	5	4	1
Dobbs Ferry (V)	32.7	94	0	1	5	17	40	25	5	1
Elmsford (V)	29.0	77	1	2	14	22	24	12	2	0
Greenburgh (TOV)	32.1	451	1	7	37	78	184	116	25	3
Hastings-on-Hudson (V)	34.4	58	0	1	2	5	20	20	9	1
Irvington (V)	34.7	55	0	0	0	5	21	23	6	0
Scarsdale (T/V)	35.0	109	0	0	1	3	49	43	11	2
Tarrytown (V)	32.2	134	2	0	8	28	51	36	8	1
White Plains (C)	31.1	747	7	16	88	161	274	148	49	4
<b>East Central</b>	<b>31.9</b>	<b>1,331</b>	<b>5</b>	<b>22</b>	<b>99</b>	<b>279</b>	<b>499</b>	<b>338</b>	<b>80</b>	<b>9</b>
Harrison (T/V)	31.9	216	0	0	13	52	88	52	10	1
Larchmont (V)	34.6	68	0	0	1	6	24	32	4	1
Mamaroneck (TOV)	34.4	116	0	0	0	10	56	38	11	1
Mamaroneck (V)	31.5	244	1	2	24	52	91	57	17	0
Port Chester (V)	29.8	441	4	20	58	132	135	74	14	4
Rye (C)	34.5	157	0	0	2	13	59	66	16	1
Rye Brook (V)	33.4	89	0	0	1	14	46	19	8	1
<b>Southwest</b>	<b>29.0</b>	<b>2,793</b>	<b>53</b>	<b>122</b>	<b>514</b>	<b>742</b>	<b>835</b>	<b>424</b>	<b>94</b>	<b>9</b>
Yonkers (C)	29.0	2,793	53	122	514	742	835	424	94	9
<b>Southeast</b>	<b>30.5</b>	<b>2,258</b>	<b>38</b>	<b>80</b>	<b>297</b>	<b>516</b>	<b>701</b>	<b>471</b>	<b>148</b>	<b>7</b>
Bronxville (V)	34.5	49	0	0	0	8	16	22	3	0
Eastchester (TOV)	33.3	205	0	0	4	31	94	62	14	0
Mount Vernon (C)	29.2	919	21	43	170	234	242	161	46	2
New Rochelle (C)	30.4	898	16	35	116	210	284	173	61	3
Pelham (V)	34.2	71	0	1	4	8	27	21	9	1
Pelham Manor (V)	33.9	36	0	0	0	5	15	14	1	1
Tuckahoe (V)	32.8	80	1	1	3	20	23	18	14	0
<b>Unknown</b>	<b>--</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>

(continue)

**Table 3. Average Maternal Age and Number of Births by Mother's Age and Municipality, Westchester County, 2011-2016 (continued).**

Health Planning Region and Municipality 2012	Average Maternal Age	Mother's Age (Years)								
		Total	10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Westchester County</b>	<b>30.9</b>	<b>10,439</b>	<b>116</b>	<b>280</b>	<b>1,284</b>	<b>2,230</b>	<b>3,477</b>	<b>2,356</b>	<b>650</b>	<b>45</b>
<b>Northwest</b>	<b>31.2</b>	<b>1,566</b>	<b>12</b>	<b>40</b>	<b>164</b>	<b>328</b>	<b>581</b>	<b>348</b>	<b>86</b>	<b>7</b>
Briarcliff Manor (V)	33.4	43	0	0	0	4	22	15	2	0
Buchanan (V)	30.6	24	1	1	2	5	10	2	3	0
Cortlandt (TOV)	31.7	262	2	10	13	50	111	63	13	0
Croton-on-Hudson (V)	33.3	73	0	0	4	9	29	24	5	2
Mount Pleasant (TOV)	33.3	181	0	0	4	33	72	59	11	2
Ossining (TOV)	32.6	46	0	0	1	9	23	11	2	0
Ossining (V)	30.0	378	3	12	50	104	134	55	19	1
Peekskill (C)	29.7	355	5	10	66	82	115	61	16	0
Pleasantville (V)	33.2	54	0	2	3	7	21	13	8	0
Sleepy Hollow (V)	31.3	150	1	5	21	25	44	45	7	2
<b>Northeast</b>	<b>32.6</b>	<b>983</b>	<b>1</b>	<b>10</b>	<b>69</b>	<b>156</b>	<b>379</b>	<b>285</b>	<b>78</b>	<b>5</b>
Bedford (T)	31.4	161	0	1	23	37	51	40	8	1
Lewisboro (T)	34.5	67	0	1	2	8	17	28	11	0
Mount Kisco (T/V)	31.2	157	1	5	17	33	52	37	12	0
New Castle (T)	34.0	117	0	0	4	11	54	35	12	1
North Castle (T)	33.4	68	0	0	2	5	36	19	6	0
North Salem (T)	32.9	31	0	0	2	5	12	7	5	0
Pound Ridge (T)	33.8	25	0	0	1	1	12	10	1	0
Somers (T)	34.1	105	0	1	3	10	38	43	8	2
Yorktown (T)	32.4	252	0	2	15	46	107	66	15	1
<b>West Central</b>	<b>32.0</b>	<b>1,686</b>	<b>10</b>	<b>31</b>	<b>141</b>	<b>298</b>	<b>639</b>	<b>425</b>	<b>134</b>	<b>7</b>
Ardsley (V)	34.5	29	0	0	1	3	9	12	4	0
Dobbs Ferry (V)	34.1	76	0	0	0	8	35	24	9	0
Elmsford (V)	29.3	76	2	0	15	25	19	13	2	0
Greenburgh (TOV)	32.0	446	3	3	41	72	185	111	29	2
Hastings-on-Hudson (V)	33.2	43	2	0	2	3	16	16	4	0
Irvington (V)	34.4	35	0	0	1	5	13	8	7	1
Scarsdale (T/V)	35.6	124	0	0	1	2	43	57	20	1
Tarrytown (V)	32.0	131	0	3	9	28	45	35	11	0
White Plains (C)	31.2	726	3	25	71	152	274	149	48	3
<b>East Central</b>	<b>32.1</b>	<b>1,261</b>	<b>4</b>	<b>28</b>	<b>107</b>	<b>225</b>	<b>443</b>	<b>362</b>	<b>87</b>	<b>5</b>
Harrison (T/V)	33.1	226	0	0	8	38	94	74	12	0
Larchmont (V)	34.4	70	0	0	1	9	25	27	8	0
Mamaroneck (TOV)	34.8	109	0	0	1	5	46	46	10	1
Mamaroneck (V)	32.2	224	0	4	18	42	78	66	15	1
Port Chester (V)	29.7	427	4	23	66	116	116	84	16	2
Rye (C)	34.8	135	0	0	3	8	54	47	22	1
Rye Brook (V)	31.6	70	0	1	10	7	30	18	4	0
<b>Southwest</b>	<b>29.4</b>	<b>2,710</b>	<b>58</b>	<b>107</b>	<b>465</b>	<b>708</b>	<b>763</b>	<b>476</b>	<b>126</b>	<b>7</b>
Yonkers (C)	29.4	2,710	58	107	465	708	763	476	126	7
<b>Southeast</b>	<b>30.4</b>	<b>2,233</b>	<b>31</b>	<b>64</b>	<b>338</b>	<b>515</b>	<b>672</b>	<b>460</b>	<b>139</b>	<b>14</b>
Bronxville (V)	34.3	65	0	0	0	12	17	29	7	0
Eastchester (TOV)	33.8	175	0	0	5	24	68	60	18	0
Mount Vernon (C)	29.2	905	16	35	192	230	234	138	52	8
New Rochelle (C)	30.1	896	14	29	136	212	281	173	46	5
Pelham (V)	33.4	68	1	0	2	11	20	28	5	1
Pelham Manor (V)	34.7	43	0	0	0	2	23	12	6	0
Tuckahoe (V)	32.1	81	0	0	3	24	29	20	5	0
<b>Unknown</b>	--	-	-	-	-	-	-	-	-	-

(continue)

**Table 3. Average Maternal Age and Number of Births by Mother's Age and Municipality, Westchester County, 2011-2016 (continued)**

Health Planning Region and Municipality - 2013	Average Maternal Age	Mother's Age (Years)								
		Total	10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Westchester County</b>	<b>31.2</b>	<b>10,549</b>	<b>103</b>	<b>256</b>	<b>1,261</b>	<b>2,176</b>	<b>3,515</b>	<b>2,520</b>	<b>655</b>	<b>61</b>
<b>Northwest</b>	<b>31.3</b>	<b>1,568</b>	<b>19</b>	<b>38</b>	<b>158</b>	<b>347</b>	<b>517</b>	<b>376</b>	<b>105</b>	<b>8</b>
Briarcliff Manor (V)	33.6	65	0	0	2	9	27	23	4	0
Buchanan (V)	33.9	25	0	0	2	6	5	6	5	1
Cortlandt (TOV)	32.3	241	0	3	16	44	95	58	24	1
Croton-on-Hudson (V)	34.0	68	0	0	3	11	20	24	10	0
Mount Pleasant (TOV)	33.4	204	0	1	8	28	82	63	20	2
Ossining (TOV)	32.8	49	0	0	1	12	19	15	2	0
Ossining (V)	30.1	351	2	13	47	98	105	70	16	0
Peekskill (C)	29.7	370	13	16	53	86	118	69	13	2
Pleasantville (V)	32.9	64	0	0	2	17	18	20	5	2
Sleepy Hollow (V)	29.2	131	4	5	24	36	28	28	6	0
<b>Northeast</b>	<b>32.8</b>	<b>1,052</b>	<b>0</b>	<b>7</b>	<b>66</b>	<b>184</b>	<b>392</b>	<b>315</b>	<b>75</b>	<b>12</b>
Bedford (T)	32.0	161	0	2	13	35	58	43	8	2
Lewisboro (T)	34.1	76	0	0	2	11	28	27	4	4
Mount Kisco (T/V)	31.0	130	0	1	15	35	45	27	7	0
New Castle (T)	34.1	126	0	1	4	14	40	55	11	0
North Castle (T)	33.0	87	0	0	3	13	39	26	5	1
North Salem (T)	32.5	50	0	0	3	11	18	13	5	0
Pound Ridge (T)	34.6	31	0	0	0	2	16	9	4	0
Somers (T)	32.6	117	0	2	7	22	42	36	8	0
Yorktown (T)	32.9	274	0	1	19	41	106	79	23	5
<b>West Central</b>	<b>32.2</b>	<b>1,732</b>	<b>10</b>	<b>21</b>	<b>134</b>	<b>309</b>	<b>663</b>	<b>464</b>	<b>118</b>	<b>13</b>
Ardsey (V)	35.0	27	0	0	0	4	10	8	4	1
Dobbs Ferry (V)	33.5	89	0	1	2	11	40	25	10	0
Elmsford (V)	29.5	71	0	1	14	21	19	13	3	0
Greenburgh (TOV)	32.6	465	0	2	25	87	193	127	26	5
Hastings-on-Hudson (V)	33.9	53	1	0	1	5	24	18	3	1
Irvington (V)	34.6	57	0	0	2	3	24	22	6	0
Scarsdale (T/V)	35.5	83	0	0	0	4	31	38	10	0
Tarrytown (V)	33.2	120	1	1	5	15	48	43	7	0
White Plains (C)	31.2	767	8	16	85	159	274	170	49	6
<b>East Central</b>	<b>32.3</b>	<b>1,201</b>	<b>1</b>	<b>14</b>	<b>93</b>	<b>227</b>	<b>434</b>	<b>342</b>	<b>85</b>	<b>5</b>
Harrison (T/V)	33.0	207	0	0	12	32	80	67	16	0
Larchmont (V)	35.2	48	0	0	1	4	16	18	8	1
Mamaroneck (TOV)	34.6	120	0	0	1	7	56	42	14	0
Mamaroneck (V)	32.0	199	1	3	15	37	76	61	6	0
Port Chester (V)	30.1	409	0	11	58	123	122	77	16	2
Rye (C)	34.7	138	0	0	3	9	52	54	19	1
Rye Brook (V)	33.0	80	0	0	3	15	32	23	6	1
<b>Southwest</b>	<b>29.5</b>	<b>2,776</b>	<b>51</b>	<b>115</b>	<b>510</b>	<b>660</b>	<b>791</b>	<b>520</b>	<b>123</b>	<b>6</b>
Yonkers (C)	29.5	2,776	51	115	510	660	791	520	123	6
<b>Southeast</b>	<b>30.9</b>	<b>2,220</b>	<b>22</b>	<b>61</b>	<b>300</b>	<b>449</b>	<b>718</b>	<b>503</b>	<b>149</b>	<b>17</b>
Bronxville (V)	34.8	54	0	0	1	3	20	26	4	0
Eastchester (TOV)	33.7	160	0	0	2	19	74	50	13	2
Mount Vernon (C)	29.5	905	13	33	161	247	232	171	42	6
New Rochelle (C)	31.0	913	9	27	128	168	312	192	69	7
Pelham (V)	34.4	55	0	0	2	6	22	15	9	1
Pelham Manor (V)	34.4	44	0	1	2	1	17	18	4	1
Tuckahoe (V)	33.8	89	0	0	4	5	41	31	8	0
<b>Unknown</b>	--	-	-	-	-	-	-	-	-	-

(continue)

**Table 3. Average Maternal Age and Number of Births by Mother's Age and Municipality, Westchester County, 2011-2016 (continued)**

Health Planning Region and Municipality - 2014	Average Maternal Age	Mother's Age (Years)								
		Total	10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Westchester County</b>	<b>31.2</b>	<b>10,628</b>	<b>94</b>	<b>244</b>	<b>1,201</b>	<b>2,194</b>	<b>3,707</b>	<b>2,511</b>	<b>624</b>	<b>53</b>
<b>Northwest</b>	<b>31.3</b>	<b>1,544</b>	<b>13</b>	<b>36</b>	<b>169</b>	<b>313</b>	<b>542</b>	<b>364</b>	<b>98</b>	<b>9</b>
Briarcliff Manor (V)	34.4	45	0	0	1	5	19	13	5	2
Buchanan (V)	30.3	14	0	0	1	4	7	2	0	0
Cortlandt (TOV)	32.3	241	0	3	18	41	103	62	12	2
Croton-on-Hudson (V)	33.5	76	0	0	5	10	23	32	6	0
Mount Pleasant (TOV)	33.4	207	0	1	5	28	94	61	16	2
Ossining (TOV)	33.5	42	0	0	0	7	18	11	6	0
Ossining (V)	30.4	373	4	10	46	96	118	80	18	1
Peekskill (C)	29.6	363	6	16	65	91	97	61	26	1
Pleasantville (V)	33.0	57	0	0	5	6	27	14	4	1
Sleepy Hollow (V)	29.7	126	3	6	23	25	36	28	5	0
<b>Northeast</b>	<b>32.8</b>	<b>1,110</b>	<b>0</b>	<b>8</b>	<b>56</b>	<b>175</b>	<b>471</b>	<b>318</b>	<b>74</b>	<b>8</b>
Bedford (T)	32.3	179	0	1	14	27	78	46	11	2
Lewisboro (T)	33.8	71	0	0	1	10	29	24	7	0
Mount Kisco (T/V)	31.0	141	0	4	13	31	56	34	3	0
New Castle (T)	33.8	140	0	0	4	12	65	50	9	0
North Castle (T)	34.0	102	0	1	2	12	40	34	12	1
North Salem (T)	31.4	36	0	0	6	6	14	7	3	0
Pound Ridge (T)	35.6	28	0	0	0	2	11	11	2	2
Somers (T)	33.5	122	0	0	1	20	56	37	5	3
Yorktown (T)	32.5	291	0	2	15	55	122	75	22	0
<b>West Central</b>	<b>32.3</b>	<b>1,736</b>	<b>10</b>	<b>26</b>	<b>113</b>	<b>286</b>	<b>695</b>	<b>482</b>	<b>117</b>	<b>7</b>
Ardsley (V)	33.9	31	0	0	0	2	16	10	3	0
Dobbs Ferry (V)	33.4	89	1	0	2	10	39	28	9	0
Elmsford (V)	29.9	86	0	2	13	24	32	11	4	0
Greenburgh (TOV)	32.9	445	0	5	20	72	186	134	26	2
Hastings-on-Hudson (V)	35.0	58	0	1	0	3	25	18	10	1
Irvington (V)	35.6	59	0	0	0	8	15	22	12	2
Scarsdale (T/V)	34.8	91	0	0	0	3	39	43	6	0
Tarrytown (V)	33.2	109	0	0	5	16	44	38	6	0
White Plains (C)	31.3	768	9	18	73	148	299	178	41	2
<b>East Central</b>	<b>32.1</b>	<b>1,296</b>	<b>8</b>	<b>19</b>	<b>103</b>	<b>240</b>	<b>469</b>	<b>368</b>	<b>81</b>	<b>8</b>
Harrison (T/V)	33.1	242	0	2	13	41	80	92	10	4
Larchmont (V)	34.4	69	0	0	0	8	24	33	4	0
Mamaroneck (TOV)	34.2	120	0	0	1	11	54	40	13	1
Mamaroneck (V)	31.7	232	0	3	21	45	88	62	11	2
Port Chester (V)	30.1	445	7	14	62	117	142	73	29	1
Rye (C)	34.5	116	0	0	1	8	49	47	11	0
Rye Brook (V)	32.5	72	1	0	5	10	32	21	3	0
<b>Southwest</b>	<b>29.6</b>	<b>2,729</b>	<b>36</b>	<b>98</b>	<b>463</b>	<b>721</b>	<b>794</b>	<b>498</b>	<b>108</b>	<b>11</b>
Yonkers (C)	29.6	2,729	36	98	463	721	794	498	108	11
<b>Southeast</b>	<b>30.9</b>	<b>2,213</b>	<b>27</b>	<b>57</b>	<b>297</b>	<b>459</b>	<b>736</b>	<b>481</b>	<b>146</b>	<b>10</b>
Bronxville (V)	35.2	56	0	0	1	2	24	19	10	0
Eastchester (TOV)	33.6	197	0	0	5	21	95	59	15	2
Mount Vernon (C)	29.6	910	15	28	183	232	234	163	54	1
New Rochelle (C)	30.9	869	12	28	103	181	299	187	52	7
Pelham (V)	32.8	65	0	0	3	10	31	15	6	0
Pelham Manor (V)	34.0	40	0	0	0	5	21	11	3	0
Tuckahoe (V)	33.6	76	0	1	2	8	32	27	6	0
<b>Unknown</b>	-	-	-	-	-	-	-	-	-	-

(continue)

**Table 3. Average Maternal Age and Number of Births by Mother's Age and Municipality, Westchester County, 2011-2016 (continued)**

Health Planning Region and Municipality - 2015	Average Maternal Age	Mother's Age (Years)								
		Total	10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Westchester County</b>	<b>31.1</b>	<b>10,628</b>	<b>77</b>	<b>174</b>	<b>1,136</b>	<b>2,255</b>	<b>3,724</b>	<b>2,543</b>	<b>656</b>	<b>63</b>
<b>Northwest</b>	<b>31.4</b>	<b>1,634</b>	<b>11</b>	<b>29</b>	<b>160</b>	<b>334</b>	<b>591</b>	<b>407</b>	<b>92</b>	<b>10</b>
Briarcliff Manor (V)	34.5	61	0	0	0	3	27	24	6	1
Buchanan (V)	30.0	20	0	1	3	4	8	4	0	0
Cortlandt (TOV)	31.7	250	1	6	18	48	99	64	13	1
Croton-on-Hudson (V)	34.1	92	0	0	2	10	41	29	9	1
Mount Pleasant (TOV)	33.1	184	0	0	4	25	88	53	12	2
Ossining (TOV)	30.9	59	1	0	2	17	26	11	2	0
Ossining (V)	30.9	393	3	8	45	93	136	89	18	1
Peekskill (C)	29.7	348	5	11	63	87	94	69	17	2
Pleasantville (V)	34.1	91	0	0	1	12	33	36	9	0
Sleepy Hollow (V)	30.4	136	1	3	22	35	39	28	6	2
<b>Northeast</b>	<b>32.6</b>	<b>1,033</b>	<b>2</b>	<b>2</b>	<b>68</b>	<b>163</b>	<b>422</b>	<b>294</b>	<b>74</b>	<b>8</b>
Bedford (T)	31.7	198	1	0	23	34	68	56	14	2
Lewisboro (T)	32.7	77	0	0	2	15	32	22	6	0
Mount Kisco (T/V)	31.3	188	1	1	22	48	64	41	10	1
New Castle (T)	34.7	89	0	0	0	6	39	37	6	1
North Castle (T)	33.9	64	0	0	1	3	29	26	5	0
North Salem (T)	33.9	35	0	0	0	5	16	12	1	1
Pound Ridge (T)	34.0	29	0	0	0	5	12	8	4	0
Somers (T)	33.5	87	0	0	5	9	38	27	7	1
Yorktown (T)	32.7	266	0	1	15	38	124	65	21	2
<b>West Central</b>	<b>32.6</b>	<b>1,888</b>	<b>9</b>	<b>11</b>	<b>110</b>	<b>332</b>	<b>725</b>	<b>523</b>	<b>160</b>	<b>18</b>
Ardsey (V)	34.4	41	0	0	1	3	17	14	6	0
Dobbs Ferry (V)	33.4	89	0	0	2	17	31	34	5	0
Elmsford (V)	31.0	95	0	0	11	26	31	18	8	1
Greenburgh (TOV)	34.0	202	0	0	6	28	78	65	21	4
Hastings-on-Hudson (V)	35.1	57	0	0	2	3	19	20	13	0
Irvington (V)	35.0	58	0	0	1	6	20	26	4	1
Scarsdale (T/V)	34.5	254	0	0	3	28	111	85	25	2
Tarrytown (V)	32.5	154	0	1	10	32	63	32	13	3
White Plains (C)	31.6	938	9	10	74	189	355	229	65	7
<b>East Central</b>	<b>31.4</b>	<b>1,188</b>	<b>4</b>	<b>13</b>	<b>103</b>	<b>208</b>	<b>427</b>	<b>346</b>	<b>81</b>	<b>6</b>
Harrison (T/V)	32.6	233	0	3	9	35	89	80	16	1
Larchmont (V)	34.6	141	0	0	3	9	52	62	15	0
Mamaroneck (TOV)	32.2	105	0	1	2	17	47	29	9	0
Mamaroneck (V)	30.1	120	2	1	21	30	35	24	7	0
Port Chester (V)	30.1	402	2	7	62	98	121	90	21	1
Rye (C)	33.9	39	0	0	3	2	18	14	0	2
Rye Brook (V)	33.1	148	0	1	3	17	65	47	13	2
<b>Southwest</b>	<b>29.5</b>	<b>2,531</b>	<b>25</b>	<b>66</b>	<b>416</b>	<b>711</b>	<b>762</b>	<b>437</b>	<b>108</b>	<b>6</b>
Yonkers (C)	29.5	2,531	25	66	416	711	762	437	108	6
<b>Southeast</b>	<b>30.6</b>	<b>2,354</b>	<b>26</b>	<b>53</b>	<b>279</b>	<b>507</b>	<b>797</b>	<b>536</b>	<b>141</b>	<b>15</b>
Bronxville (V)	33.7	150	0	1	1	17	67	46	16	2
Eastchester (TOV)	34.2	110	0	0	1	13	42	41	13	0
Mount Vernon (C)	29.8	896	13	25	145	233	245	186	45	4
New Rochelle (C)	29.9	881	13	26	115	206	308	163	45	5
Pelham (V)	33.9	107	0	0	3	12	48	34	8	2
Pelham Manor (V)	35.6	11	0	0	0	1	5	5	0	0
Tuckahoe (V)	33.2	94	0	1	2	11	43	32	4	1
<b>Unknown</b>	<b>--</b>	<b>105</b>	<b>0</b>	<b>0</b>	<b>12</b>	<b>14</b>	<b>39</b>	<b>29</b>	<b>10</b>	<b>1</b>

(continue)

**Table 3. Average Maternal Age and Number of Births by Mother's Age and Municipality, Westchester County, 2011-2016 (continued).**

Health Planning Region and Municipality - 2016	Average Maternal Age	Mother's Age (Years)								
		Total	10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Westchester County</b>	<b>31.6</b>	<b>10,273</b>	<b>74</b>	<b>205</b>	<b>1,004</b>	<b>2,115</b>	<b>3,604</b>	<b>2,549</b>	<b>649</b>	<b>73</b>
<b>Northwest</b>	<b>31.8</b>	<b>1,538</b>	<b>7</b>	<b>26</b>	<b>147</b>	<b>300</b>	<b>556</b>	<b>398</b>	<b>96</b>	<b>8</b>
Briarcliff Manor (V)	34.7	55	0	0	1	4	23	21	5	1
Buchanan (V)	32.1	23	0	0	2	4	9	7	1	0
Cortlandt (TOV)	32.4	249	1	4	16	51	89	67	17	4
Croton-on-Hudson (V)	34.0	70	0	1	1	9	21	32	6	0
Mount Pleasant (TOV)	33.4	237	2	1	4	30	104	76	20	0
Ossining (TOV)	31.6	33	0	1	1	9	14	7	1	0
Ossining (V)	31.1	338	1	6	36	81	115	79	18	2
Peekskill (C)	30.1	328	2	7	62	70	111	58	18	0
Pleasantville (V)	33.6	61	0	0	3	6	28	21	3	0
Sleepy Hollow (V)	30.2	144	1	6	21	36	42	30	7	1
<b>Northeast</b>	<b>33.2</b>	<b>1,105</b>	<b>6</b>	<b>7</b>	<b>42</b>	<b>155</b>	<b>460</b>	<b>334</b>	<b>84</b>	<b>17</b>
Bedford (T)	33.1	185	0	1	13	30	67	50	19	5
Lewisboro (T)	33.1	81	0	1	3	9	38	23	7	0
Mount Kisco (T/V)	31.8	131	1	2	11	26	52	28	6	5
New Castle (T)	34.5	136	0	1	3	10	49	57	15	1
North Castle (T)	34.1	94	0	0	1	9	40	37	5	2
North Salem (T)	31.8	43	1	0	2	7	22	8	3	0
Pound Ridge (T)	34.7	26	1	0	0	3	5	13	3	1
Somers (T)	33.3	115	1	1	2	10	59	36	6	0
Yorktown (T)	32.9	294	2	1	7	51	128	82	20	3
<b>West Central</b>	<b>32.7</b>	<b>1,642</b>	<b>9</b>	<b>23</b>	<b>79</b>	<b>271</b>	<b>650</b>	<b>481</b>	<b>113</b>	<b>16</b>
Ardsley (V)	34.6	33	0	0	0	4	11	14	3	1
Dobbs Ferry (V)	34.1	94	0	1	1	14	38	29	10	1
Elmsford (V)	32.1	97	0	0	6	24	31	31	4	1
Greenburgh (TOV)	32.7	425	2	1	21	66	188	115	25	7
Hastings-on-Hudson (V)	35.2	75	0	0	1	4	27	30	13	0
Irvington (V)	34.7	50	0	0	1	4	15	27	3	0
Scarsdale (T/V)	35.5	92	0	0	0	3	32	49	8	0
Tarrytown (V)	32.7	109	1	1	3	19	48	28	8	1
White Plains (C)	31.6	667	6	20	46	133	260	158	39	5
<b>East Central</b>	<b>32.5</b>	<b>1,153</b>	<b>7</b>	<b>24</b>	<b>77</b>	<b>156</b>	<b>473</b>	<b>328</b>	<b>78</b>	<b>10</b>
Harrison (T/V)	33.2	204	0	1	6	29	89	65	12	2
Larchmont (V)	34.5	66	0	0	1	5	32	20	6	2
Mamaroneck (TOV)	34.4	116	0	0	1	5	55	48	6	1
Mamaroneck (V)	31.9	193	1	4	20	28	73	53	13	1
Port Chester (V)	30.5	386	5	18	46	74	143	79	17	4
Rye (C)	35.0	107	0	0	2	6	42	40	17	0
Rye Brook (V)	33.2	81	1	1	1	9	39	23	7	0
<b>Southwest</b>	<b>30.1</b>	<b>2,583</b>	<b>31</b>	<b>70</b>	<b>362</b>	<b>736</b>	<b>776</b>	<b>467</b>	<b>131</b>	<b>10</b>
Yonkers (C)	30.1	2,583	31	70	362	736	776	467	131	10
<b>Southeast</b>	<b>31.0</b>	<b>2,250</b>	<b>14</b>	<b>55</b>	<b>297</b>	<b>496</b>	<b>689</b>	<b>541</b>	<b>146</b>	<b>12</b>
Bronxville (V)	34.7	48	0	0	1	2	18	24	3	0
Eastchester (TOV)	33.9	201	0	1	6	22	78	76	17	1
Mount Vernon (C)	29.8	897	8	23	165	246	226	169	57	3
New Rochelle (C)	30.8	897	6	30	116	194	293	205	46	7
Pelham (V)	34.0	80	0	1	2	10	32	23	11	1
Pelham Manor (V)	35.5	42	0	0	1	4	7	24	6	0
Tuckahoe (V)	32.3	85	0	0	6	18	35	20	6	0
<b>Unknown</b>	<b>35.5</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>

Source: New York State Department of Health



**Table 4. Percentage of Infants with Low Birthweight, Less than 37 Gestation Weeks, and Delayed or No Prenatal Care, by Municipality, Westchester County, 2011-2016.**

Health Planning Region and Municipality	2011			2012			2013		
	Percentage of infants born with:			Percentage of infants born with:			Percentage of infants born with:		
	Low Birthweight <sup>1</sup>	<37 Weeks Gestation	Delayed or No Prenatal Care <sup>2</sup>	Low Birthweight <sup>1</sup>	<37 Weeks Gestation	Delayed or No Prenatal Care <sup>2</sup>	Low Birthweight <sup>1</sup>	<37 Weeks Gestation	Delayed or No Prenatal Care <sup>2</sup>
<b>Westchester County</b>	<b>8.1</b>	<b>9.1</b>	<b>27.1</b>	<b>7.5</b>	<b>8.6</b>	<b>25.1</b>	<b>7.8</b>	<b>9.1</b>	<b>24.2</b>
<b>Northwest</b>	<b>6.8</b>	<b>7.1</b>	<b>17.9</b>	<b>6.3</b>	<b>7.3</b>	<b>21.6</b>	<b>6.6</b>	<b>8.7</b>	<b>19.8</b>
Briarcliff Manor (V)	4.8	2.4	21.4	9.3	4.7	16.3	6.2	12.3	10.8
Buchanan (V)	0	0	7.1	4.2	4.2	41.7	8.0	12.0	16.0
Cortlandt (TOV)	8.5	7.4	13.3	7.6	8.8	20.2	5.8	5.4	17.4
Croton-on-Hudson (V)	5.1	7	10.2	4.1	5.5	17.8	10.3	19.1	19.1
Mount Pleasant (TOV)	3.7	5.6	11.1	7.7	10.5	14.4	6.4	6.9	8.8
Ossining (TOV)	7.0	11.6	14.0	6.5	4.3	13.0	8.2	14.3	8.2
Ossining (V)	5.5	6.5	21.1	5.0	6.6	25.7	5.7	8.0	23.9
Peekskill (C)	9.0	8.7	20.8	8.2	8.2	21.7	7.0	7.8	26.8
Pleasantville (V)	10.3	6.9	17.2	0	1.9	14.8	7.8	17.2	14.1
Sleepy Hollow (V)	5.1	7.6	25.4	4.0	5.3	28.0	6.1	8.4	22.9
<b>Northeast</b>	<b>7.5</b>	<b>9.9</b>	<b>19.0</b>	<b>7.9</b>	<b>9.9</b>	<b>18.5</b>	<b>7.1</b>	<b>7.4</b>	<b>10.8</b>
Bedford (T)	8.4	11.2	22.4	6.2	10.6	26.1	7.5	7.5	14.3
Lewisboro (T)	2.7	1.4	15.1	7.5	9.0	13.4	5.3	7.9	7.9
Mount Kisco (T/V)	5.3	7.9	29.8	8.9	12.7	26.1	4.6	4.6	10.0
New Castle (T)	7.8	9.3	10.1	6.8	6.8	19.7	7.1	7.1	12.7
North Castle (T)	8.7	8.7	15.2	2.9	4.4	10.3	4.6	3.4	10.3
North Salem (T)	3.2	12.9	19.4	6.5	6.5	9.7	2.0	2.0	8.0
Pound Ridge (T)	14.7	32.4	17.6	20.0	24.0	20.0	0	3.2	3.2
Somers (T)	8.4	8.4	16.8	8.6	7.6	14.3	10.3	12.0	10.3
Yorktown (T)	8.1	10.7	18.8	9.1	10.7	14.7	9.9	9.5	10.9
<b>West Central</b>	<b>7.8</b>	<b>8.2</b>	<b>18.6</b>	<b>7.3</b>	<b>8.1</b>	<b>16.5</b>	<b>9.1</b>	<b>9.2</b>	<b>17.0</b>
Ardley (V)	0	0	4.0	0	6.9	17.2	7.4	3.7	11.1
Dobbs Ferry (V)	9.6	10.6	8.5	6.6	9.2	13.2	9.0	10.1	14.6
Elmsford (V)	5.2	5.2	23.4	9.2	10.5	17.1	2.8	7.0	33.8
Greenburgh (TOV)	7.3	6.2	17.1	6.3	9.0	17.0	12.5	11.6	13.8
Hastings-on-Hudson (V)	8.6	10.3	20.7	11.6	7.0	18.6	7.5	9.4	17.0
Irvington (V)	20.0	20.0	16.4	11.4	11.4	5.7	3.5	7.0	12.3
Scarsdale (T/V)	1.8	4.6	12.8	3.2	4.8	12.1	3.6	3.6	4.8
Tarrytown (V)	10.4	10.4	20.9	10.7	11.5	18.3	15.8	13.3	13.3
White Plains (C)	7.8	8.7	21.3	7.7	7.0	17.2	7.7	8.2	20.1
<b>East Central</b>	<b>7.8</b>	<b>9.4</b>	<b>18.2</b>	<b>5.9</b>	<b>6.6</b>	<b>14.1</b>	<b>6.3</b>	<b>7.0</b>	<b>15.0</b>
Harrison (T/V)	8.8	11.6	14.4	6.2	5.8	12.4	6.3	7.7	10.6
Larchmont (V)	10.3	4.4	17.6	5.7	7.1	7.1	2.1	0	12.5
Mamaroneck (TOV)	11.2	11.2	13.8	4.6	4.6	8.3	7.5	9.2	5.8
Mamaroneck (V)	5.7	7.8	18.9	6.3	5.8	18.8	10.1	1.0	19.6
Port Chester (V)	7.7	9.5	25.6	6.1	8.0	18.7	5.1	5.4	21.8
Rye (C)	8.3	10.2	6.4	5.9	5.2	5.2	8.0	7.2	5.8
Rye Brook (V)	4.5	7.9	15.7	4.3	8.6	10.0	1.3	6.3	11.3
<b>Southwest</b>	<b>9.2</b>	<b>9.9</b>	<b>25.7</b>	<b>7.7</b>	<b>9.2</b>	<b>24.2</b>	<b>8.2</b>	<b>9.3</b>	<b>25.5</b>
Yonkers (C)	9.2	9.9	25.7	7.7	9.2	24.2	8.2	9.3	25.5
<b>Southeast</b>	<b>8.6</b>	<b>9.6</b>	<b>28.6</b>	<b>8.9</b>	<b>8.6</b>	<b>27.9</b>	<b>7.9</b>	<b>8.6</b>	<b>27.7</b>
Bronxville (V)	14.3	18.4	4.1	4.6	9.2	18.5	9.3	14.8	11.1
Eastchester (TOV)	4.9	10.2	16.1	4.6	7.4	10.3	4.4	6.9	8.1
Mount Vernon (C)	11.3	10.7	37.2	9.8	9.9	35.5	8.5	9.2	37.7
New Rochelle (C)	6.9	8.6	27.8	10.2	8.7	27.1	8.1	7.9	24.5
Pelham (V)	9.9	8.5	4.2	4.4	5.9	20.6	3.6	9.1	21.8
Pelham Manor (V)	2.8	2.8	16.7	2.3	0	11.6	6.8	6.8	9.1
Tuckahoe (V)	5.0	5.0	12.5	4.9	2.5	12.3	7.9	10.1	16.9

(continue)

**Table 4. Percentage of Infants with Low Birthweight, Less than 37 Gestation Weeks, and Delayed or No Prenatal Care, by Municipality, Westchester County, 2011-2016 (continued).**

Health Planning Region and Municipality	2014			2015			2016		
	Percentage of infants born with:			Percentage of infants born with:			Percentage of infants born with:		
	Low Birthweight <sup>1</sup>	<37 Weeks Gestation	Delayed or No Prenatal Care <sup>2</sup>	Low Birthweight <sup>1</sup>	<37 Weeks Gestation	Delayed or No Prenatal Care <sup>2</sup>	Low Birthweight <sup>1</sup>	<37 Weeks Gestation	Delayed or No Prenatal Care <sup>2</sup>
<b>Westchester County</b>	<b>8.4</b>	<b>9.5</b>	<b>24.9</b>	<b>8.3</b>	<b>9.2</b>	<b>21.9</b>	<b>7.9</b>	<b>8.8</b>	<b>19.9</b>
<b>Northwest</b>	<b>9.6</b>	<b>10.5</b>	<b>21.4</b>	<b>8.2</b>	<b>9.2</b>	<b>17.1</b>	<b>7.9</b>	<b>9.2</b>	<b>18.3</b>
Briarcliff Manor (V)	6.7	13.3	11.1	11.4	11.4	7.1	9.1	10.9	9.1
Buchanan (V)	7.1	0	42.9	5.0	15.0	15.0	8.7	13.0	17.4
Cortlandt (TOV)	9.5	10.0	18.7	9.2	10.8	15.3	7.2	8.0	17.3
Croton-on-Hudson (V)	9.2	11.8	17.1	7.8	7.8	17.8	14.3	14.3	5.7
Mount Pleasant (TOV)	9.2	11.6	13.5	4.3	7.0	10.8	9.7	11.8	8.9
Ossining (TOV)	16.7	19.0	16.7	6.1	6.1	16.7	0	3.0	9.1
Ossining (V)	9.7	10.7	22.0	7.0	9.1	18.7	9.8	11.5	18.9
Peekskill (C)	9.9	9.4	30.3	9.9	9.3	25.1	7.0	6.7	28.4
Pleasantville (V)	8.8	5.3	15.8	6.6	6.6	3.3	3.3	3.3	16.4
Sleepy Hollow (V)	8.7	11.1	19.8	11.9	11.2	17.9	3.5	6.9	24.3
<b>Northeast</b>	<b>7.3</b>	<b>7.7</b>	<b>12.6</b>	<b>6.9</b>	<b>8.4</b>	<b>10.8</b>	<b>5.9</b>	<b>8.1</b>	<b>11.5</b>
Bedford (T)	3.9	6.1	18.4	6.4	8.9	12.3	6.5	8.6	12.4
Lewisboro (T)	7.0	4.2	5.6	9.0	12.8	3.8	8.6	9.9	12.3
Mount Kisco (T/V)	7.8	11.3	29.1	3.7	5.9	19.8	6.1	9.2	15.3
New Castle (T)	10.7	8.6	11.4	6.8	4.5	4.5	8.1	11.8	7.4
North Castle (T)	11.8	8.8	3.9	4.8	11.1	3.2	3.2	6.4	9.6
North Salem (T)	0.0	2.8	11.1	11.1	8.3	11.1	7.0	9	9.3
Pound Ridge (T)	7.1	7.1	7.1	13.3	10.0	6.7	0	0	15.4
Somers (T)	5.7	7.4	8.2	5.8	7.0	9.3	5.2	9.6	7.8
Yorktown (T)	7.6	7.9	8.9	8.3	9.4	10.2	5.1	5.4	12.9
<b>West Central</b>	<b>7.6</b>	<b>8.9</b>	<b>15.7</b>	<b>7.8</b>	<b>8.7</b>	<b>12.6</b>	<b>7.3</b>	<b>7.4</b>	<b>13.6</b>
Ardsley (V)	6.5	0	3.2	11.1	11.1	15.6	6.1	6.1	12.1
Dobbs Ferry (V)	5.6	9.0	14.6	5.6	6.7	15.6	3.2	3.2	13.8
Elmsford (V)	10.5	9.3	31.4	4.0	7.1	18.2	4.1	6.2	9.3
Greenburgh (TOV)	7.4	8.8	12.1	9.0	10.5	11.0	8.7	8.7	10.6
Hastings-on-Hudson (V)	6.9	6.9	13.8	8.9	7.1	10.7	5.3	6.7	17.3
Irvington (V)	10.2	11.9	16.9	6.8	5.1	11.9	0	4.0	12.0
Scarsdale (T/V)	6.6	8.8	12.1	6.2	7.3	8.1	8.7	7.6	12.0
Tarrytown (V)	11.0	11.9	9.2	10.4	9.1	14.3	10.1	10.1	15.6
White Plains (C)	7.2	8.9	18.0	8.0	9.3	13.1	7.6	7.3	15.7
<b>East Central</b>	<b>6.3</b>	<b>7.6</b>	<b>16.5</b>	<b>6.6</b>	<b>7.9</b>	<b>11.7</b>	<b>7.3</b>	<b>8.0</b>	<b>14.2</b>
Harrison (T/V)	9.5	9.5	10.3	9.0	8.6	12.0	6.4	7.8	11.8
Larchmont (V)	4.3	7.2	14.5	5.0	6.4	5.7	3.0	3.0	15.2
Mamaroneck (TOV)	5.0	5.8	4.2	2.9	10.5	5.7	6.0	6.0	11.2
Mamaroneck (V)	6.9	6.9	20.7	9.9	7.4	15.7	7.3	6.7	14.0
Port Chester (V)	7.2	8.5	26.3	6.0	7.2	17.4	8.8	9.8	16.3
Rye (C)	0	4.3	3.4	1.4	4.3	4.3	6.5	7.5	10.3
Rye Brook (V)	2.8	6.9	6.9	18.8	20.8	4.2	8.6	9.9	19.8
<b>Southwest</b>	<b>9.3</b>	<b>10.3</b>	<b>25.2</b>	<b>8.9</b>	<b>9.3</b>	<b>23.8</b>	<b>9.7</b>	<b>10.2</b>	<b>23.9</b>
Yonkers (C)	9.3	10.3	25.2	8.9	9.3	23.8	9.7	10.2	23.9
<b>Southeast</b>	<b>8.7</b>	<b>10.4</b>	<b>25.9</b>	<b>8.9</b>	<b>9.9</b>	<b>22.0</b>	<b>7.4</b>	<b>8.9</b>	<b>25.1</b>
Bronxville (V)	3.6	8.9	12.5	8.9	8.9	5.5	12.5	12.5	18.8
Eastchester (TOV)	8.6	9.1	11.2	5.3	7.9	10.5	8.0	8.5	9.0
Mount Vernon (C)	11.6	14.1	33.4	11.1	12.3	28.2	10.0	10.5	32.0
New Rochelle (C)	7.0	8.5	24.5	7.0	7.6	22.7	5.5	8.0	24.4
Pelham (V)	3.1	1.5	15.4	10.5	14.0	15.1	3.8	10.0	16.3
Pelham Manor (V)	7.5	2.5	12.5	0	0	2.6	2.4	2.4	11.9
Tuckahoe (V)	2.6	3.9	17.1	11.5	12.6	8.0	2.4	3.5	15.3

<sup>1</sup>Low birthweight is defined as less than 2,500 grams at birth. Cases with no information on birthweight are excluded.

<sup>2</sup>Delayed or no prenatal care is defined as prenatal care begun at the second or third trimester, or no prenatal care throughout pregnancy. Those cases with incomplete information on prenatal care are excluded.

Source: New York State Department of Health.

**Table 5. Number of Births by Mother's Age and Race/Ethnicity, Westchester County, 2011-2016.**

Mother's Age - 2011	Total <sup>1</sup>		White		Black		Other <sup>2</sup>		Hispanic <sup>3</sup>	
	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Total<sup>1</sup></b>	<b>10,719</b>	<b>100.0</b>	<b>5,929</b>	<b>100.0</b>	<b>1,641</b>	<b>100.0</b>	<b>3,145</b>	<b>100.0</b>	<b>3,725</b>	<b>100.0</b>
10-14	7	0.1	5	0	1	0.1	1	0	5	0.1
15-17	119	1.1	39	0.7	48	2.9	32	1.0	59	1.6
18-19	299	2.8	89	1.5	103	6.3	107	3.4	177	4.8
20-24	1,312	12.2	469	7.9	348	21.2	495	15.7	776	20.8
25-29	2,351	21.9	1,084	18.3	415	25.3	852	27.1	1,040	27.9
30-34	3,621	33.8	2,281	38.5	398	24.3	942	30.0	978	26.3
35-39	2,359	22.0	1,534	25.9	241	14.7	584	18.6	557	15.0
40-44	601	5.6	390	6.6	79	4.8	128	4.1	124	3.3
45+	49	0.5	38	0.6	7	0	4	0.1	9	0.2
Unknown	1	0	0	0	1	0	0	0	0	0
<b>Average Age</b>	<b>30.8</b>	<b>--</b>	<b>32.0</b>	<b>--</b>	<b>28.5</b>	<b>--</b>	<b>29.8</b>	<b>--</b>	<b>28.7</b>	<b>--</b>

Mother's Age - 2012	Total <sup>1</sup>		White		Black		Other <sup>2</sup>		Hispanic <sup>3</sup>	
	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Total<sup>1</sup></b>	<b>10,439</b>	<b>100.0</b>	<b>5,565</b>	<b>100.0</b>	<b>1,586</b>	<b>100.0</b>	<b>3,236</b>	<b>100.0</b>	<b>3,669</b>	<b>100.0</b>
10-14	3	0	2	0	0	0	1	0	3	0.1
15-17	113	1.1	46	0.8	33	2.1	34	1.1	72	2.0
18-19	280	2.7	86	1.5	75	4.7	119	3.7	183	5.0
20-24	1,284	12.3	448	8.1	328	20.7	505	15.6	729	19.9
25-29	2,230	21.4	1,013	18.2	401	25.3	804	24.8	999	27.2
30-34	3,477	33.3	2,054	36.9	403	25.4	1,002	31.0	956	26.1
35-39	2,356	22.6	1,471	26.4	261	16.5	610	18.9	562	15.3
40-44	650	6.2	417	7.5	83	5.2	145	4.5	155	4.2
45+	45	0	27	0	2	0	16	0.5	10	0.3
Unknown	1	0	1	0	0	0	0	0	0	0
<b>Average Age</b>	<b>30.9</b>	<b>--</b>	<b>32.1</b>	<b>--</b>	<b>29.0</b>	<b>--</b>	<b>30.0</b>	<b>--</b>	<b>28.8</b>	<b>--</b>

(continue)

**Table 5. Number of Births by Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 ( *continued* ).**

Mother's Age - 2013	Total <sup>1</sup>		White		Black		Other <sup>2</sup>		Hispanic <sup>3</sup>	
	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Total<sup>1</sup></b>	<b>10,549</b>	<b>100.0</b>	<b>5,593</b>	<b>100.0</b>	<b>1,657</b>	<b>100.0</b>	<b>3,233</b>	<b>100.0</b>	<b>3,702</b>	<b>100.0</b>
10-14	0	0	0	0	0	0	0	0	0	0
15-17	103	1.0	32	0.6	33	2.0	38	1.2	67	1.8
18-19	256	2.4	84	1.5	70	4.2	102	3.2	156	4.2
20-24	1,261	12.0	448	8.0	311	18.8	496	15.3	735	19.9
25-29	2,176	20.6	966	17.3	416	25.1	781	24.2	970	26.2
30-34	3,515	33.3	2,089	37.4	423	25.5	971	30.0	991	26.8
35-39	2,520	23.9	1,552	27.7	294	17.7	663	20.5	603	16.3
40-44	655	6.2	380	6.8	100	6.0	171	5.3	166	4.5
45+	61	1	40	1	10	0.6	11	0	13	0.4
Unknown	2	0	2	0	0	0	0	0	1	0
<b>Average Age</b>	31.2	--	32.2	--	29.5	--	30.2	--	29.2	--

Mother's Age - 2014	Total <sup>1</sup>		White		Black		Other <sup>2</sup>		Hispanic <sup>3</sup>	
	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Total<sup>1</sup></b>	<b>10,628</b>	<b>100.0</b>	<b>4,598</b>	<b>100</b>	<b>1,649</b>	<b>100</b>	<b>2,935</b>	<b>100</b>	<b>3,714</b>	<b>100</b>
10-14	5	0	2	0	0	0	3	0.1	4	0.1
15-17	89	0.8	25	0.5	29	1.8	34	1.2	57	1.5
18-19	244	2.3	59	1.3	87	5.3	94	3.2	146	3.9
20-24	1,201	11.3	402	8.7	333	20.2	429	14.6	694	18.7
25-29	2,194	20.6	854	18.6	395	24.0	730	24.9	975	26.3
30-34	3,707	34.9	1,747	38.0	424	25.7	917	31.2	1,028	27.7
35-39	2,511	23.6	1,190	25.9	291	17.6	568	19.4	634	17.1
40-44	624	6	292	6.4	85	5.2	149	5.1	163	4.4
45+	53	0	27	0.6	5	0.3	11	0.4	13	0.4
Unknown	0	0	0	0	0	0	0	0	0	0
<b>Average Age</b>	31.2	--	32.0	--	29.3	--	30.2	--	29.3	--

(*continue*)

Table 5. Number of Births by Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 (*continued*).

Mother's Age - 2015	Total <sup>1</sup>		White		Black		Other <sup>2</sup>		Hispanic <sup>3</sup>	
	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Total<sup>1</sup></b>	<b>10,628</b>	<b>100.0</b>	<b>4,620</b>	<b>100</b>	<b>1,579</b>	<b>100.0</b>	<b>2,937</b>	<b>100.0</b>	<b>3,798</b>	<b>100.0</b>
10-14	1	0	1	0	0	0	0	0	1	0
15-17	76	0.7	25	0.5	18	1.1	32	1.1	58	1.5
18-19	174	1.6	62	1.3	38	2.4	73	2.5	120	3.2
20-24	1,136	10.7	406	8.8	273	17.3	399	13.6	671	17.7
25-29	2,255	21.2	889	19.2	429	27.2	695	23.7	1,005	26.5
30-34	3,724	35.0	1,739	37.6	439	27.8	923	31.4	1,077	28.4
35-39	2,543	23.9	1,169	25.3	296	18.7	619	21.1	653	17.2
40-44	656	6.2	302	6.5	77	4.9	184	6.3	204	5.4
45+	63	0.6	27	0.6	9	0.6	12	0.4	9	0.2
Unknown	0	0	0	0	0	0	0	0	0	0
<b>Average Age</b>	<b>31.1</b>	<b>--</b>	<b>31.9</b>	<b>--</b>	<b>29.8</b>	<b>--</b>	<b>30.6</b>	<b>--</b>	<b>29.4</b>	<b>--</b>

Mother's Age - 2016	Total <sup>1</sup>		White		Black		Other <sup>2</sup>		Hispanic <sup>3</sup>	
	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Total<sup>1</sup></b>	<b>10,273</b>	<b>100.0</b>	<b>5,606</b>	<b>100.0</b>	<b>1,667</b>	<b>100.0</b>	<b>2,997</b>	<b>100.0</b>	<b>3,597</b>	<b>100.0</b>
10-14	2	0	0	0	1	0.1	1	0	1	0
15-17	72	0.7	23	0.4	17	1.0	32	1.1	54	1.5
18-19	205	2.0	70	1.2	43	2.6	92	3.1	154	4.3
20-24	1,004	9.8	349	6.2	286	17.2	367	12.2	581	16.2
25-29	2,115	20.6	925	16.5	442	26.5	747	24.9	966	26.9
30-34	3,604	35.1	2,237	39.9	434	26.0	933	31.1	1,013	28.2
35-39	2,549	24.8	1,563	27.9	331	19.9	655	21.9	643	17.9
40-44	649	6.3	396	7.1	104	6.2	149	5.0	164	4.6
45+	73	0.7	43	0.8	9	0.5	21	0.7	21	0.6
Unknown	0	0	0	0	0	0	0	0	0	0
<b>Average Age</b>	<b>31.6</b>	<b>--</b>	<b>32.5</b>	<b>--</b>	<b>30.0</b>	<b>--</b>	<b>30.6</b>	<b>--</b>	<b>29.6</b>	<b>--</b>

<sup>1</sup>Total includes cases with unknown age or race.

<sup>2</sup>"Other" includes other races as well as multi-racial categories.

<sup>3</sup>Hispanic is an ethnic group and may be of any race.

Source: New York State Department of Health.

Table 6. Number of Births by Maternal Age and Mother's Region of Origin, Westchester County, 2011-2016.

Mother's Age - 2011	Total <sup>1</sup>		Mothers Region of Origin													
			USA		Mexico		Central/South America <sup>2</sup>		Caribbean		Asia/Oceania/Middle East		Europe/Canada/Australia/Russia		Africa	
<b>Total<sup>1</sup></b>	<b>10,719</b>	<b>100.0</b>	<b>6,150</b>	<b>100.0</b>	<b>822</b>	<b>100.0</b>	<b>1,439</b>	<b>100.0</b>	<b>798</b>	<b>100.0</b>	<b>729</b>	<b>100.0</b>	<b>605</b>	<b>100.0</b>	<b>161</b>	<b>100.0</b>
10-14	7	0.1	3	0	1	0.1	1	0.1	1	0.1	0	0	0	0	1	0.6
15-17	119	1.1	83	1.3	11	1.3	13	0.9	9	1.1	3	0.4	0	0	0	0
18-19	299	2.8	206	3.3	22	2.7	42	2.9	24	3.0	2	0.3	0	0	3	1.9
20-24	1,312	12.2	712	11.6	182	22.1	213	14.8	132	16.5	31	4.3	30	5.0	10	6.2
25-29	2,351	21.9	1,163	18.9	256	31.1	422	29.3	207	25.9	149	20.4	92	15.2	55	34.2
30-34	3,621	33.8	2,154	35.0	225	27.4	441	30.6	221	27.7	295	40.5	235	38.8	45	28.0
35-39	2,359	22.0	1,441	23.4	101	12.3	251	17.4	159	19.9	192	26.3	177	29.3	37	23.0
40-44	601	5.6	353	5.7	24	2.9	51	3.5	40	5.0	56	7.7	69	11.4	8	5.0
45+	49	0.5	34	0.6	0	0	5	0.3	5	0.6	1	0.1	2	0.3	2	1.2
Unknown	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>Average Age</b>	<b>30.8</b>	<b>--</b>	<b>31.0</b>	<b>--</b>	<b>28.5</b>	<b>--</b>	<b>29.8</b>	<b>--</b>	<b>30.0</b>	<b>--</b>	<b>32.6</b>	<b>--</b>	<b>33.4</b>	<b>--</b>	<b>31.2</b>	<b>--</b>

Mother's Age - 2012	Total <sup>1</sup>		Mothers Region of Origin													
			USA		Mexico		Central/South America <sup>2</sup>		Caribbean		Asia/Oceania/Middle East		Europe/Canada/Australia/Russia		Africa	
<b>Total<sup>1</sup></b>	<b>10,439</b>	<b>100.0</b>	<b>5,912</b>	<b>100.0</b>	<b>741</b>	<b>100.0</b>	<b>1,410</b>	<b>100.0</b>	<b>842</b>	<b>100.0</b>	<b>778</b>	<b>100.0</b>	<b>572</b>	<b>100.0</b>	<b>176</b>	<b>100.0</b>
10-14	3	0	2	0	1	0.1	0	0	0	0	0	0	0	0	0	0
15-17	113	1.1	78	1.3	12	1.6	7	0.5	10	1.2	3	0.4	2	0.3	1	0.6
18-19	280	2.7	183	3.1	30	4.0	38	2.7	23	2.7	4	0.5	2	0.3	0	0
20-24	1,284	12.3	711	12.0	143	19.3	210	14.9	140	16.6	35	4.5	33	5.8	9	5.1
25-29	2,230	21.4	1,068	18.1	251	33.9	375	26.6	218	25.9	163	21.0	105	18.4	48	27.3
30-34	3,477	33.3	2,065	34.9	175	23.6	458	32.5	236	28.0	314	40.4	175	30.6	52	29.5
35-39	2,356	22.6	1,384	23.4	104	14.0	242	17.2	158	18.8	205	26.3	208	36.4	54	30.7
40-44	650	6.2	393	6.6	22	3.0	75	5.3	56	6.7	46	5.9	47	8.2	11	6.3
45+	45	0.4	27	0.5	3	0.4	5	0.4	1	0.1	8	1.0	0	0	1	0.6
Unknown	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>Average Age</b>	<b>30.9</b>	<b>--</b>	<b>31.1</b>	<b>--</b>	<b>28.7</b>	<b>--</b>	<b>30.1</b>	<b>--</b>	<b>30.0</b>	<b>--</b>	<b>32.4</b>	<b>--</b>	<b>33.2</b>	<b>--</b>	<b>32.3</b>	<b>--</b>

(continue)

Table 6. Number of Births by Maternal Age and Mother's Region of Origin, Westchester County, 2011-2016 (continued).

Mother's Age - 2013	Total <sup>1</sup>		Mothers Region of Origin													
			USA		Mexico		Central/South America <sup>2</sup>		Caribbean		Asia/Oceania/Middle East		Europe/Canada/Australia/Russia		Africa	
<b>Total<sup>1</sup></b>	<b>10,549</b>	<b>100.0</b>	<b>6,083</b>	<b>100.0</b>	<b>754</b>	<b>100</b>	<b>1,443</b>	<b>100.0</b>	<b>846</b>	<b>100.0</b>	<b>685</b>	<b>100.0</b>	<b>551</b>	<b>100.0</b>	<b>173</b>	<b>100.0</b>
10-14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15-17	103	1.0	80	1.3	8	1.1	10	0.7	5	0.6	0	0	0	0	0	0
18-19	256	2.4	163	2.7	22	2.9	33	2.3	27	3.2	4	0.6	6	1.1	1	0.6
20-24	1,261	12.0	683	11.2	152	20.2	214	14.8	121	14.3	39	5.7	37	6.7	12	6.9
25-29	2,176	20.6	1,071	17.6	217	28.8	386	26.7	238	28.1	129	18.8	86	15.6	45	26.0
30-34	3,515	33.3	2,136	35.1	213	28.2	420	29.1	223	26.4	272	39.7	180	32.7	67	38.7
35-39	2,520	23.9	1,538	25.3	113	15.0	292	20.2	167	19.7	189	27.6	187	33.9	32	18.5
40-44	655	6.2	369	6.1	27	3.6	81	5.6	62	7.3	48	7.0	53	9.6	15	8.7
45+	61	1	42	0.7	2	0	7	0.5	3	0.4	4	0.6	2	0.4	1	0.6
Unknown	2	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>Average Age</b>	<b>31.2</b>	<b>--</b>	<b>31.4</b>	<b>--</b>	<b>29.1</b>	<b>--</b>	<b>30.4</b>	<b>--</b>	<b>30.5</b>	<b>--</b>	<b>32.5</b>	<b>--</b>	<b>33.1</b>	<b>--</b>	<b>31.7</b>	<b>--</b>

Mother's Age - 2014	Total <sup>1</sup>		Mothers Region of Origin													
			USA		Mexico		Central/South America <sup>2</sup>		Caribbean		Asia/Oceania/Middle East		Europe/Canada/Australia/Russia		Africa	
<b>Total<sup>1</sup></b>	<b>10,628</b>	<b>100.0</b>	<b>5,122</b>	<b>100.0</b>	<b>596</b>	<b>100.0</b>	<b>1,389</b>	<b>100.0</b>	<b>824</b>	<b>100.0</b>	<b>610</b>	<b>100.0</b>	<b>445</b>	<b>100.0</b>	<b>181</b>	<b>100.0</b>
10-14	5	0	3	0	1	0.2	1	0.1	0	0	0	0	0	0	0	0
15-17	89	0.7	54	1.1	6	1.0	16	1.2	11	1.3	0	0	1	0.2	0	0
18-19	244	1.6	142	2.8	17	2.9	46	3.3	27	3.3	5	0.8	2	0.4	1	0.6
20-24	1,201	10.7	657	12.8	84	14.1	210	15.1	142	17.2	30	4.9	33	7.4	6	3.3
25-29	2,194	21.3	999	19.5	188	31.5	340	24.5	198	24.0	133	21.8	77	17.3	42	23.2
30-34	3,707	35.0	1,756	34.3	181	30.4	420	30.2	237	28.8	245	40.2	166	37.3	76	42.0
35-39	2,511	23.9	1,190	23.2	94	15.8	268	19.3	165	20.0	156	25.6	130	29.2	41	22.7
40-44	624	6.1	299	5.8	24	4.0	78	5.6	43	5.2	38	6.2	33	7.4	12	6.6
45+	53	0.6	22	0.4	1	0.2	10	0.7	1	0.1	3	0.5	3	0.7	3	1.7
Unknown	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>Average Age</b>	<b>31.2</b>	<b>--</b>	<b>31.1</b>	<b>--</b>	<b>30.1</b>	<b>--</b>	<b>30.3</b>	<b>--</b>	<b>30.7</b>	<b>--</b>	<b>32.8</b>	<b>--</b>	<b>33.3</b>	<b>--</b>	<b>31.8</b>	<b>--</b>

(continue)

Table 6. Number of Births by Maternal Age and Mother's Region of Origin, Westchester County, 2011-2016 (*continued*).

Mother's Age - 2015	Total <sup>1</sup>		Mothers Region of Origin													
			USA		Mexico		Central/South America <sup>2</sup>		Caribbean		Asia/Oceania/Middle East		Europe/Canada/Australia/Russia		Africa	
<b>Total<sup>1</sup></b>	<b>10,628</b>	<b>100.0</b>	<b>4,909</b>	<b>100.0</b>	<b>637</b>	<b>100.0</b>	<b>1,428</b>	<b>100.0</b>	<b>835</b>	<b>100</b>	<b>692</b>	<b>100</b>	<b>441</b>	<b>100.0</b>	<b>192</b>	<b>100.0</b>
10-14	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
15-17	76	0.7	47	1.0	4	0.6	20	1.4	3	0	1	0.1	0	0	0	0
18-19	174	1.6	97	2.0	16	2.5	41	2.9	17	2.0	2	0.3	0	0	0	0
20-24	1,136	10.7	612	12.5	84	13.2	193	13.5	121	14.5	32	4.6	25	5.7	11	5.7
25-29	2,255	21.2	982	20.0	178	27.9	368	25.8	219	26.2	128	18.5	86	19.5	52	27.1
30-34	3,724	35.0	1,723	35.1	217	34.1	423	29.6	239	28.6	277	40.0	147	33.3	76	39.6
35-39	2,543	23.9	1,139	23.2	108	17.0	280	19.6	174	20.8	192	27.7	146	33.1	41	21.4
40-44	656	6.2	281	5.7	29	4.6	97	6.8	56	6.7	54	7.8	35	7.9	11	5.7
45+	63	0.6	27	0.6	1	0.2	6	0.4	6	0.7	6	0.9	2	0.5	1	0.5
Unknown	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>Average Age</b>	31.1	--	31.1	--	30.1	--	30.4	--	30.7	--	32.8	--	33.0	--	32.5	--

Mother's Age - 2016	Total <sup>1</sup>		Mothers Region of Origin													
			USA		Mexico		Central/South America <sup>2</sup>		Caribbean		Asia/Oceania/Middle East		Europe/Canada/Australia/Russia		Africa	
<b>Total<sup>1</sup></b>	<b>10,273</b>	<b>100.0</b>	<b>5,977</b>	<b>100.0</b>	<b>589</b>	<b>100.0</b>	<b>1,363</b>	<b>100.0</b>	<b>869</b>	<b>100.0</b>	<b>727</b>	<b>100.0</b>	<b>532</b>	<b>100.0</b>	<b>213</b>	<b>100.0</b>
10-14	2	0	1	0	0	0	1	0.1	0	0	0	0	0	0	0	0
15-17	72	0.7	41	0.7	3	0.5	17	1.2	9	1.0	2	0	0	0	0	0
18-19	205	2.0	137	2.3	15	2.5	34	2.5	17	2.0	1	0	0	0	1	0.5
20-24	1,004	9.8	541	9.1	71	12.1	176	12.9	139	16.0	35	4.8	31	5.8	11	5.2
25-29	2,115	20.6	1,115	18.7	168	28.5	322	23.6	221	25.4	150	20.6	89	16.7	49	23.0
30-34	3,604	35.1	2,207	36.9	189	32.1	437	32.1	233	26.8	278	38.2	187	35.2	71	33.3
35-39	2,549	24.8	1,542	25.8	113	19.2	289	21.2	187	21.5	202	27.8	159	29.9	57	26.8
40-44	649	6.3	352	5.9	27	4.6	75	5.5	56	6.4	54	7.4	64	12.0	21	9.9
45+	73	0.7	41	0.7	3	0.5	12	0.9	7	0.8	5	0.7	2	0	3	1.4
Unknown	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>Average Age</b>	31.6	--	31.7	--	30.4	--	30.7	--	30.6	--	32.6	--	33.3	--	32.7	--

<sup>1</sup>Total includes unknown age and regions of origin.

<sup>2</sup>Cases from Central and South America do not include cases from Mexico.

Source: New York State Department of Health.



**Table 7. Number of Births by Mother's Age and Educational Level, Westchester County, 2011-2016.**

Mother's Age - 2011	Total <sup>1</sup>		Less than HS		High School/GED		Some College/Associate Degree		Bachelors Degree		Graduate or Professional Degree	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Total<sup>1</sup></b>	<b>10,719</b>	<b>100.0</b>	<b>1,802</b>	<b>100.0</b>	<b>1,692</b>	<b>100.0</b>	<b>2,141</b>	<b>100.0</b>	<b>2,565</b>	<b>100.0</b>	<b>2,495</b>	<b>100.0</b>
10-14	7	0	7	0.4	0	0	0	0	0	0	0	0
15-17	119	1.1	94	5.2	22	1.3	3	0.1	0	0	0	0
18-19	299	2.8	131	7.3	118	7.0	49	2.3	1	0	0	0
20-24	1,312	12.2	415	23.0	389	23.0	412	19.2	88	3.4	5	0.2
25-29	2,351	21.9	505	28.0	437	25.8	583	27.2	507	19.8	318	12.7
30-34	3,621	33.8	399	22.1	440	26.0	599	28.0	1,035	40.4	1,139	45.7
35-39	2,359	22.0	209	11.6	228	13.5	375	17.5	747	29.1	797	31.9
40-44	601	5.6	38	2.1	54	3.2	114	5.3	173	6.7	214	8.6
45+	49	0	4	0.2	4	0.2	6	0.3	14	0.5	21	0.8
Unknown	1	0	0	0	0	0	0	0	0	0	1	0
<b>Average Age</b>	30.8	--	27.2	--	28.2	--	29.8	--	32.9	--	34.0	--

Mother's Age - 2012	Total <sup>1</sup>		Less than HS		High School/GED		Some College/Associate Degree		Bachelors Degree		Graduate or Professional Degree	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Total<sup>1</sup></b>	<b>10,439</b>	<b>100.0</b>	<b>1,801</b>	<b>100.0</b>	<b>1,636</b>	<b>100.0</b>	<b>1,976</b>	<b>100.0</b>	<b>2,677</b>	<b>100.0</b>	<b>2,324</b>	<b>100.0</b>
10-14	3	0	3	0.2	0	0	0	0	0	0	0	0
15-17	113	1.1	103	5.7	9	0.6	1	0.1	0	0	0	0
18-19	280	2.7	129	7.2	110	6.7	40	2.0	1	0	0	0
20-24	1,284	12.3	364	20.2	414	25.3	417	21.1	78	2.9	9	0
25-29	2,230	21.4	464	25.8	455	27.8	528	26.7	487	18.2	293	12.6
30-34	3,477	33.3	429	23.8	366	22.4	515	26.1	1,115	41.7	1,044	44.9
35-39	2,356	22.6	232	12.9	226	13.8	362	18.3	766	28.6	763	32.8
40-44	650	6.2	71	3.9	53	3.2	107	5.4	213	8.0	202	8.7
45+	45	0.4	6	0.3	3	0.2	6	0.3	16	0.6	13	0.6
Unknown	1	0	0	0	0	0	0	0	1	0	0	0
<b>Average Age</b>	30.9	--	27.8	--	28.0	--	29.7	--	33.1	--	33.9	--

(continue)

Table 7. Number of Births by Mother's Age and Educational Level, Westchester County, 2011-2016 (*continued*).

Mother's Age - 2013	Total <sup>1</sup>		Less than HS		High School/GED		Some College/Associate Degree		Bachelors Degree		Graduate or Professional Degree	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Total<sup>1</sup></b>	<b>10,549</b>	<b>100.0</b>	<b>1,778</b>	<b>100.0</b>	<b>1,561</b>	<b>100.0</b>	<b>2,065</b>	<b>100.0</b>	<b>2,931</b>	<b>100.0</b>	<b>2,178</b>	<b>100.0</b>
10-14	0	0	0	0	0	0	0	0	0	0	0	0
15-17	103	1.0	91	5.1	11	0.7	0	0	0	0	0	0
18-19	256	2.4	117	6.6	100	6.4	38	1.8	0	0	0	0
20-24	1,261	12.0	348	19.6	397	25.4	413	20.0	88	3.0	7	0.3
25-29	2,176	20.6	456	25.6	398	25.5	539	26.1	507	17.3	265	12.2
30-34	3,515	33.3	422	23.7	362	23.2	571	27.7	1,193	40.7	965	44.3
35-39	2,520	23.9	268	15.1	213	13.6	398	19.3	889	30.3	743	34.1
40-44	655	6.2	69	3.9	74	4.7	97	4.7	228	7.8	183	8.4
45+	61	0.6	7	0.4	5	0.3	9	0	25	0.9	15	0.7
Unknown	2	0	0	0	1	0.1	0	0	1	0	0	0
<b>Average Age</b>	<b>31.2</b>	<b>--</b>	<b>28.2</b>	<b>--</b>	<b>28.4</b>	<b>--</b>	<b>29.9</b>	<b>--</b>	<b>33.3</b>	<b>--</b>	<b>34.0</b>	<b>--</b>

Mother's Age - 2014	Total <sup>1</sup>		Less than HS		High School/GED		Some College/Associate Degree		Bachelors Degree		Graduate or Professional Degree	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Total<sup>1</sup></b>	<b>10,628</b>	<b>100.0</b>	<b>1,670</b>	<b>100.0</b>	<b>1,619</b>	<b>100.0</b>	<b>2,025</b>	<b>100.0</b>	<b>2,494</b>	<b>100.0</b>	<b>2,797</b>	<b>100.0</b>
10-14	5	0	5	0.3	0	0	0	0	0	0	0	0
15-17	89	0.8	74	4.4	13	0.8	1	0	0	0	0	0
18-19	244	2.3	116	6.9	95	5.9	32	1.6	0	0	0	0
20-24	1,201	11.3	342	20.5	404	25.0	370	18.3	72	2.9	8	0.3
25-29	2,194	20.6	407	24.4	420	25.9	542	26.8	481	19.3	343	12.3
30-34	3,707	34.9	404	24.2	394	24.3	592	29.2	1,053	42.2	1,259	45.0
35-39	2,511	23.6	242	14.5	218	13.5	395	19.5	697	27.9	951	34.0
40-44	624	5.9	77	4.6	71	4.4	84	4.1	172	6.9	218	7.8
45+	53	0.5	3	0.2	4	0.2	9	0.4	19	0.8	18	0.6
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Average Age</b>	<b>31.2</b>	<b>--</b>	<b>28.2</b>	<b>--</b>	<b>28.5</b>	<b>--</b>	<b>30.0</b>	<b>--</b>	<b>33.0</b>	<b>--</b>	<b>33.9</b>	<b>--</b>

(*continue*)

Table 7. Number of Births by Mother's Age and Educational Level, Westchester County, 2011-2016 ( *continued*).

Mother's Age - 2015	Total <sup>1</sup>		Less than HS		High School/GED		Some College/Associate Degree		Bachelors Degree		Graduate or Professional Degree	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Total<sup>1</sup></b>	<b>10,628</b>	<b>100.0</b>	<b>1,591</b>	<b>100.0</b>	<b>1,559</b>	<b>100.0</b>	<b>2,010</b>	<b>100.0</b>	<b>2,598</b>	<b>100.0</b>	<b>2,845</b>	<b>100.0</b>
10-14	1	0	1	0.1	0	0	0	0	0	0	0	0
15-17	76	0.7	64	4.0	11	0.7	1	0	0	0	0	0
18-19	174	1.6	82	5.2	66	4.2	26	1	0	0	0	0
20-24	1,136	10.7	289	18.2	373	23.9	378	19	80	3.1	14	0.5
25-29	2,255	21.2	411	25.8	404	25.9	593	30	498	19.2	342	12.0
30-34	3,724	35.0	413	26.0	404	25.9	566	28	1,072	41.3	1,262	44.4
35-39	2,543	23.9	250	15.7	222	14.2	353	18	740	28.5	972	34.2
40-44	656	6.2	77	4.8	73	4.7	84	4	188	7.2	232	8.2
45+	63	0.6	4	0.3	6	0.4	9	0	20	0.8	23	0.8
Unknown	0	0	0	0	0	0	0	0	0	0	0	0.0
<b>Average Age</b>	31.1	--	28.8	--	28.6	--	29.6	--	32.9	--	34.1	--

Mother's Age - 2016	Total <sup>1</sup>		Less than HS		High School/GED		Some College/Associate Degree		Bachelors Degree		Graduate or Professional Degree	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Total<sup>1</sup></b>	<b>10,273</b>	<b>100.0</b>	<b>1,401</b>	<b>100.0</b>	<b>1,513</b>	<b>100.0</b>	<b>1,988</b>	<b>100.0</b>	<b>2,649</b>	<b>100.0</b>	<b>2,700</b>	<b>100.0</b>
10-14	2	0	2	0.1	0	0	0	0	0	0	0	0
15-17	72	0.7	65	4.6	7	0.5	0	0	0	0	0	0
18-19	205	2.0	84	6.0	85	5.6	36	1.8	0	0	0	0
20-24	1,004	9.8	264	18.8	331	21.9	315	15.8	78	2.9	13	0.5
25-29	2,115	20.6	354	25.3	427	28.2	584	29.4	477	18.0	266	9.9
30-34	3,604	35.1	358	25.6	377	24.9	534	26.9	1,117	42.2	1,209	44.8
35-39	2,549	24.8	214	15.3	219	14.5	395	19.9	756	28.5	963	35.7
40-44	649	6.3	57	4.1	61	4.0	109	5.5	201	7.6	221	8.2
45+	73	0.7	3	0.2	6	0.4	15	0.8	20	0.8	28	1.0
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Average Age</b>	31.6	--	28.5	--	28.8	--	30.3	--	33.0	--	34.2	--

<sup>1</sup>Total includes cases with unknown age or education level.

Source: New York State Department of Health.

**Table 8. Number of Births by Birthweight and Mother's Race/Ethnicity and Age, Westchester County, 2011-2016.**

Race/Ethnicity and Birthweight - 2011	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,719</b>	<b>100.0</b>	<b>126</b>	<b>299</b>	<b>1,312</b>	<b>2,351</b>	<b>3,621</b>	<b>2,359</b>	<b>601</b>	<b>49</b>
<1500 grams	173	1.6	3	3	24	34	40	57	11	1
1500-2499 grams	702	6.5	8	24	90	137	228	156	46	13
2500+ grams	9,843	91.8	115	272	1,198	2,179	3,353	2,146	544	35
Unknown	1	--	0	0	0	1	0	0	0	0
<b>White</b>	<b>5,929</b>	<b>100</b>	<b>44</b>	<b>89</b>	<b>469</b>	<b>1,084</b>	<b>2,281</b>	<b>1,534</b>	<b>390</b>	<b>38</b>
<1500 grams	79	1.3	2	2	7	12	20	29	7	0
1500-2499 grams	378	6.4	1	13	32	65	139	89	29	10
2500+ grams	5,471	92.3	41	74	430	1,006	2,122	1,416	354	28
Unknown	1	--	0	0	0	1	0	0	0	0
<b>Black</b>	<b>1,641</b>	<b>100</b>	<b>49</b>	<b>103</b>	<b>348</b>	<b>415</b>	<b>398</b>	<b>241</b>	<b>79</b>	<b>7</b>
<1500 grams	50	3.0	0	1	9	11	12	14	2	1
1500-2499 grams	160	9.8	6	9	31	40	42	21	8	3
2500+ grams	1,431	87.2	43	93	308	364	344	206	69	3
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Other<sup>2</sup></b>	<b>3,145</b>	<b>100</b>	<b>33</b>	<b>107</b>	<b>495</b>	<b>852</b>	<b>942</b>	<b>584</b>	<b>128</b>	<b>4</b>
<1500 grams	44	1.4	1	0	8	11	8	14	2	0
1500-2499 grams	162	5.2	1	2	27	32	47	46	7	0
2500+ grams	2,939	93.4	31	105	460	809	887	524	119	4
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Hispanic<sup>3</sup></b>	<b>3,725</b>	<b>100</b>	<b>64</b>	<b>177</b>	<b>776</b>	<b>1,040</b>	<b>978</b>	<b>557</b>	<b>124</b>	<b>9</b>
<1500 grams	67	1.8	3	1	14	15	13	17	4	0
1500-2499 grams	203	5.4	2	15	49	42	53	27	12	3
2500+ grams	3,455	92.8	59	161	713	983	912	513	108	6
Unknown	0	--	0	0	0	0	0	0	0	0

(continue)

**Table 8. Number of Births by Birthweight and Mother's Race/Ethnicity and Age, Westchester County, 2011-2016 (*continued*).**

Race/Ethnicity and Birthweight - 2012	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,439</b>	<b>100.0</b>	<b>116</b>	<b>280</b>	<b>1,284</b>	<b>2,230</b>	<b>3,477</b>	<b>2,356</b>	<b>650</b>	<b>45</b>
<1500 grams	163	1.6	2	7	28	38	49	26	12	1
1500-2499 grams	620	5.9	8	21	79	128	185	152	42	5
2500+ grams	9,647	92.5	106	252	1,177	2,062	3,240	2,175	595	39
Unknown	9	--	0	0	0	2	3	3	1	0
<b>White</b>	<b>5,565</b>	<b>100.0</b>	<b>48</b>	<b>86</b>	<b>448</b>	<b>1,013</b>	<b>2,054</b>	<b>1,471</b>	<b>417</b>	<b>27</b>
<1500 grams	64	1.2	0	0	9	11	20	14	10	0
1500-2499 grams	292	5.3	4	4	20	50	98	88	25	3
2500+ grams	5,203	93.6	44	82	419	951	1,934	1,367	381	24
Unknown	6	--	0	0	0	1	2	2	1	0
<b>Black</b>	<b>1,586</b>	<b>100.0</b>	<b>33</b>	<b>75</b>	<b>328</b>	<b>401</b>	<b>403</b>	<b>261</b>	<b>83</b>	<b>2</b>
<1500 grams	57	3.6	2	2	14	18	13	7	1	0
1500-2499 grams	143	9.0	3	8	39	40	27	16	10	0
2500+ grams	1,386	87.4	28	65	275	343	363	238	72	2
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Other<sup>2</sup></b>	<b>3,236</b>	<b>100.0</b>	<b>35</b>	<b>119</b>	<b>505</b>	<b>804</b>	<b>1,002</b>	<b>610</b>	<b>145</b>	<b>16</b>
<1500 grams	40	1.2	0	5	5	9	14	5	1	1
1500-2499 grams	179	5.5	1	9	20	37	59	44	7	2
2500+ grams	3,017	93.2	34	105	480	758	929	561	137	13
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Hispanic<sup>3</sup></b>	<b>3,669</b>	<b>100.0</b>	<b>75</b>	<b>183</b>	<b>729</b>	<b>999</b>	<b>956</b>	<b>562</b>	<b>155</b>	<b>10</b>
<1500 grams	51	1.4	1	4	12	13	11	7	2	1
1500-2499 grams	191	5.2	6	13	33	44	38	48	9	0
2500+ grams	3,423	93.4	68	166	684	941	906	506	143	9
Unknown	4	--	0	0	0	1	1	1	1	0

(*continue*)

**Table 8. Number of Births by Birthweight and Mother's Race/Ethnicity and Age, Westchester County, 2011-2016 (*continued*).**

Race/Ethnicity and Birthweight - 2013	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,549</b>	<b>100.0</b>	<b>103</b>	<b>256</b>	<b>1,261</b>	<b>2,176</b>	<b>3,515</b>	<b>2,520</b>	<b>655</b>	<b>61</b>
<1500 grams	155	1.5	1	6	24	36	37	38	12	1
1500-2499 grams	659	6.3	3	14	74	108	207	179	63	11
2500+ grams	9,726	92.3	99	236	1,163	2,030	3,268	2,300	579	49
Unknown	9	--	0	0	0	2	3	3	1	0
<b>White</b>	<b>5,593</b>	<b>100.0</b>	<b>32</b>	<b>84</b>	<b>448</b>	<b>966</b>	<b>2,089</b>	<b>1,552</b>	<b>380</b>	<b>40</b>
<1500 grams	47	0.8	1	0	4	8	11	16	6	1
1500-2499 grams	338	6.0	1	4	29	47	114	101	37	5
2500+ grams	5,202	93.1	30	80	415	910	1,962	1,433	336	34
Unknown	6	--	0	0	0	1	2	2	1	0
<b>Black</b>	<b>1,657</b>	<b>100.0</b>	<b>33</b>	<b>70</b>	<b>311</b>	<b>416</b>	<b>423</b>	<b>294</b>	<b>100</b>	<b>10</b>
<1500 grams	54	3.3	0	2	9	16	10	13	4	0
1500-2499 grams	144	8.7	1	8	23	31	40	28	9	4
2500+ grams	1,459	88.1	32	60	279	369	373	253	87	6
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Other<sup>2</sup></b>	<b>3,233</b>	<b>100.0</b>	<b>38</b>	<b>102</b>	<b>496</b>	<b>781</b>	<b>971</b>	<b>663</b>	<b>171</b>	<b>11</b>
<1500 grams	54	1.7	0	4	11	12	16	9	2	0
1500-2499 grams	173	5.4	1	2	22	30	51	49	16	2
2500+ grams	3,004	93.0	37	96	463	739	903	604	153	9
Unknown	2	--	0	0	0	0	1	1	0	0
<b>Hispanic<sup>3</sup></b>	<b>3,702</b>	<b>100.0</b>	<b>67</b>	<b>156</b>	<b>735</b>	<b>970</b>	<b>991</b>	<b>603</b>	<b>166</b>	<b>13</b>
<1500 grams	49	1.3	0	4	13	11	13	6	2	0
1500-2499 grams	187	5.1	2	6	38	36	54	37	11	3
2500+ grams	3,462	93.6	65	146	684	921	923	559	153	10
Unknown	4	--	0	0	0	2	1	1	0	0

(*continue*)

**Table 8. Number of Births by Birthweight and Mother's Race/Ethnicity and Age, Westchester County, 2011-2016 (*continued*).**

Race/Ethnicity and Birthweight - 2014	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,628</b>	<b>100.0</b>	<b>94</b>	<b>244</b>	<b>1,201</b>	<b>2,194</b>	<b>3,707</b>	<b>2,511</b>	<b>624</b>	<b>53</b>
<1500 grams	150	1.4	3	5	25	26	41	39	10	1
1500-2499 grams	740	7.0	2	16	86	145	239	185	51	16
2500+ grams	9,738	91.6	89	223	1,090	2,023	3,427	2,287	563	36
Unknown	0	--	0	0	0	0	0	0	0	0
<b>White</b>	<b>4,598</b>	<b>100.0</b>	<b>27</b>	<b>59</b>	<b>402</b>	<b>854</b>	<b>1,747</b>	<b>1,190</b>	<b>292</b>	<b>27</b>
<1500 grams	39	0.8	1	0	4	3	13	16	1	1
1500-2499 grams	309	6.7	1	4	27	48	97	103	24	5
2500+ grams	4,250	92.4	25	55	371	803	1,637	1,071	267	21
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Black</b>	<b>1,649</b>	<b>100.0</b>	<b>29</b>	<b>87</b>	<b>333</b>	<b>395</b>	<b>424</b>	<b>291</b>	<b>85</b>	<b>5</b>
<1500 grams	67	4.1	0	3	16	15	16	11	6	0
1500-2499 grams	154	9.3	1	4	35	36	39	27	10	2
2500+ grams	1,428	86.6	28	80	282	344	369	253	69	3
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Other<sup>2</sup></b>	<b>2,935</b>	<b>100.0</b>	<b>37</b>	<b>94</b>	<b>429</b>	<b>730</b>	<b>917</b>	<b>568</b>	<b>149</b>	<b>11</b>
<1500 grams	31	1.1	2	2	4	7	8	7	1	0
1500-2499 grams	196	6.7	0	7	22	49	67	31	13	7
2500+ grams	2,708	92.3	35	85	403	674	842	530	135	4
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Hispanic<sup>3</sup></b>	<b>3,714</b>	<b>100.3</b>	<b>61</b>	<b>146</b>	<b>694</b>	<b>975</b>	<b>1,028</b>	<b>634</b>	<b>163</b>	<b>13</b>
<1500 grams	40	1.1	3	3	8	8	7	9	1	1
1500-2499 grams	236	6.4	0	11	44	57	66	34	18	6
2500+ grams	3,438	92.9	58	132	642	910	955	591	144	6
Unknown	0	--	0	0	0	0	0	0	0	0

(*continue*)

**Table 8. Number of Births by Birthweight and Mother's Race/Ethnicity and Age, Westchester County, 2011-2016 (*continued*).**

Race/Ethnicity and Birthweight - 2015	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,628</b>	<b>100.0</b>	<b>77</b>	<b>174</b>	<b>1,136</b>	<b>2,255</b>	<b>3,724</b>	<b>2,543</b>	<b>656</b>	<b>63</b>
<1500 grams	157	1.5	1	5	11	33	45	52	9	1
1500-2499 grams	724	6.8	3	12	84	133	257	176	49	10
2500+ grams	9,747	91.7	73	157	1,041	2,089	3,422	2,315	598	52
Unknown	0	--	0	0	0	0	0	0	0	0
<b>White</b>	<b>4,620</b>	<b>100.0</b>	<b>26</b>	<b>62</b>	<b>406</b>	<b>889</b>	<b>1,739</b>	<b>1,169</b>	<b>302</b>	<b>27</b>
<1500 grams	33	0.7	1	2	3	5	9	10	3	0
1500-2499 grams	291	6.3	1	4	23	46	106	83	24	4
2500+ grams	4,296	93.0	24	56	380	838	1,624	1,076	275	23
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Black</b>	<b>1,579</b>	<b>100.0</b>	<b>18</b>	<b>38</b>	<b>273</b>	<b>429</b>	<b>439</b>	<b>296</b>	<b>77</b>	<b>9</b>
<1500 grams	48	3.0	0	1	5	10	12	18	2	0
1500-2499 grams	155	9.8	1	5	32	34	48	28	5	2
2500+ grams	1,376	87.1	17	32	236	385	379	250	70	7
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Other<sup>2</sup></b>	<b>2,937</b>	<b>100.0</b>	<b>32</b>	<b>73</b>	<b>399</b>	<b>695</b>	<b>923</b>	<b>619</b>	<b>184</b>	<b>12</b>
<1500 grams	64	2.2	0	2	2	14	21	21	3	1
1500-2499 grams	190	6.5	1	3	25	39	68	41	11	2
2500+ grams	2,683	91.4	31	68	372	642	834	557	170	9
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Hispanic<sup>3</sup></b>	<b>3,798</b>	<b>100.0</b>	<b>59</b>	<b>120</b>	<b>671</b>	<b>1,005</b>	<b>1,077</b>	<b>653</b>	<b>204</b>	<b>9</b>
<1500 grams	50	1.3	1	2	3	14	13	14	2	1
1500-2499 grams	226	6.0	3	6	41	48	70	47	10	1
2500+ grams	3,522	92.7	55	112	627	943	994	592	192	7
Unknown	0	--	0	0	0	0	0	0	0	0

(*continue*)



**Table 8. Number of Births by Birthweight and Mother's Race/Ethnicity and Age, Westchester County, 2011-2016 (*continued*).**

Race/Ethnicity and Birthweight - 2016	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,273</b>	<b>100.0</b>	<b>74</b>	<b>205</b>	<b>1,004</b>	<b>2,115</b>	<b>3,604</b>	<b>2,549</b>	<b>649</b>	<b>73</b>
<1500 grams	149	1.5	2	8	15	27	47	34	14	2
1500-2499 grams	660	6.4	7	18	63	118	216	187	42	9
2500+ grams	9,464	92.1	65	179	926	1,970	3,341	2,328	593	62
Unknown	0	--	0	0	0	0	0	0	0	0
<b>White</b>	<b>5,606</b>	<b>100.0</b>	<b>23</b>	<b>70</b>	<b>349</b>	<b>925</b>	<b>2,237</b>	<b>1,563</b>	<b>396</b>	<b>43</b>
<1500 grams	51	0.9	1	3	3	4	20	17	3	0
1500-2499 grams	334	6.0	3	8	16	49	131	101	20	6
2500+ grams	5,221	93.1	19	59	330	872	2,086	1,445	373	37
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Black</b>	<b>1,667</b>	<b>100.0</b>	<b>18</b>	<b>43</b>	<b>286</b>	<b>442</b>	<b>434</b>	<b>331</b>	<b>104</b>	<b>9</b>
<1500 grams	46	2.8	1	2	5	10	13	7	7	1
1500-2499 grams	142	8.5	2	2	29	30	38	29	11	1
2500+ grams	1,479	88.7	15	39	252	402	383	295	86	7
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Other<sup>2</sup></b>	<b>2,997</b>	<b>100.0</b>	<b>33</b>	<b>92</b>	<b>367</b>	<b>747</b>	<b>933</b>	<b>655</b>	<b>149</b>	<b>21</b>
<1500 grams	52	1.7	0	3	7	13	14	10	4	1
1500-2499 grams	182	6.1	2	8	17	38	47	57	11	2
2500+ grams	2,763	92.2	31	81	343	696	872	588	134	18
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Hispanic<sup>3</sup></b>	<b>3,597</b>	<b>100.0</b>	<b>55</b>	<b>154</b>	<b>581</b>	<b>966</b>	<b>1,013</b>	<b>643</b>	<b>164</b>	<b>21</b>
<1500 grams	55	1.5	1	6	8	10	15	11	3	1
1500-2499 grams	197	5.5	5	13	27	52	43	44	9	4
2500+ grams	3,345	93.0	49	135	546	904	955	588	152	16
Unknown	0	--	0	0	0	0	0	0	0	0

<sup>1</sup>Total includes cases with unknown age or race.

<sup>2</sup>"Other" includes all other races, as well as multi-racial categories.

<sup>3</sup>Hispanic is an ethnic group and may be of any race.

Source: New York State Department of Health.

**Table 9. Average Birthweight by Maternal Exposure to Smoking and Drug Use During Pregnancy by Mother's Race/Ethnicity, Westchester County, 2011-2016.**

Mother's Race/Ethnicity - 2011		No Smoking and No Drug Use	Smoking Only <sup>1</sup>	Drug Use Only <sup>2</sup>	Both Smoking and Drug Use
Total <sup>3</sup>	Birthweight (g)	3,257.2	3,070.6*	3,168.3	2,677.9*
	n	9,366	227	10	23
White	Birthweight (g)	3,293.6	3,167.6*	3,321.3	2,610.8*
	n	4,881	130	6	8
Black	Birthweight (g)	3,121.3	2,882.6*	2,825.0	2,658.1*
	n	1,493	64	3	12
Hispanic <sup>4</sup>	Birthweight (g)	3,264.3	3,011.2*	3,110.8	2,351.6*
	n	3,473	64	5	5
Mother's Race/Ethnicity - 2012		No Smoking and No Drug Use	Smoking Only <sup>1</sup>	Drug Use Only <sup>2</sup>	Both Smoking and Drug Use
Total <sup>3</sup>	Birthweight (g)	3,262.0	3,097.0*	3,201.7	3,233.4
	n	9,097	200	19	20
White	Birthweight (g)	3,309.5	3,202.3	3,099.4	2,740.9*
	n	4,605	120	8	8
Black	Birthweight (g)	3,118.4	2,872.8*	3,184.1	3,560.7*
	n	1,440	56	8	11
Hispanic <sup>4</sup>	Birthweight (g)	3,275.0	3,090.7*	3,171.4	3,000.8
	n	3,429	56	9	5

(continue)

**Table 9. Average Birthweight by Maternal Exposure to Smoking and Drug Use During Pregnancy by Mother' s Race/Ethnicity, Westchester County, 2011-2016 (*continued*).**

<b>Mother's Race/Ethnicity - 2013</b>		<b>No Smoking and No Drug Use</b>	<b>Smoking Only<sup>1</sup></b>	<b>Drug Use Only<sup>2</sup></b>	<b>Both Smoking and Drug Use</b>
Total <sup>3</sup>	Birthweight (g)	3,266.7	3,010.7*	3,187.5	3,081.6
	n	9,203	203	18	33
White	Birthweight (g)	3,316.9*	3,179.3	2,984.1	3,071.3
	n	4,661	104	8	9
Black	Birthweight (g)	3,145.7	2,798.21*	3,330.4	3,089.2
	n	1,491	72	7	19
Hispanic <sup>4</sup>	Birthweight (g)	3,287.7	3,146.6	3,216.0	2,819.8
	n	3,440	55	10	5
<b>Mother's Race/Ethnicity - 2014</b>		<b>No Smoking and No Drug Use</b>	<b>Smoking Only<sup>1</sup></b>	<b>Drug Use Only<sup>2</sup></b>	<b>Both Smoking and Drug Use</b>
Total <sup>3</sup>	Birthweight (g)	3,261.6	3,144.43*	2,622.0*	2,804.1*
	n	8,933	175	31	21
White	Birthweight (g)	3,315.9	3,229.5	3,420.3	3,065.3
	n	4,469	96	8	12
Black	Birthweight (g)	3,117.5	3,034.0	2,288.6*	2,542.3*
	n	1,541	70	21	7
Hispanic <sup>4</sup>	Birthweight (g)	3,273.3	3,203.5	2,978.0	2,051.0*
	n	3,414	42	8	5

(*continue*)

**Table 9. Average Birthweight by Maternal Exposure to Smoking and Drug Use During Pregnancy by Mother's Race/Ethnicity, Westchester County, 2011-2016**  
(continued).

Mother's Race/Ethnicity - 2015		No Smoking and No Drug Use	Smoking Only <sup>1</sup>	Drug Use Only <sup>2</sup>	Both Smoking and Drug Use
Total <sup>3</sup>	Birthweight (g)	3,255.3	3,101.7*	2,761.3*	2,823.0*
	n	8,880	170	24	24
White	Birthweight (g)	3,314.4	3,304.1	2,993.8	2884.0*
	n	4,501	83	8	8
Black	Birthweight (g)	3,133.4	2838.5*	2645.13*	2,796.1
	n	1,477	63	16	12
Hispanic <sup>4</sup>	Birthweight (g)	3,274.1	3,150.2	2,757.0*	3,148.0
	n	3,498	39	4	5
Mother's Race/Ethnicity - 2016		No Smoking and No Drug Use	Smoking Only <sup>1</sup>	Drug Use Only <sup>2</sup>	Both Smoking and Drug Use
Total <sup>3</sup>	Birthweight (g)	3,260.1	3,111.6*	2,815.7*	2,942.9*
	n	8,489	176	35	25
White	Birthweight (g)	3,315.8	3,268.5	2,788.8*	2,797.6*
	n	4,301	92	12	11
Black	Birthweight (g)	3,146.8	2,901.7*	2,765.0*	2,983.6
	n	1,461	58	21	11
Hispanic <sup>4</sup>	Birthweight (g)	3,256.3	3,159.6	3,079.6	2,898.0
	n	3,257	48	9	4

<sup>1</sup>Any use of tobacco products during pregnancy.

<sup>2</sup>Any illegal use of drugs during pregnancy. Alcohol is not included.

<sup>3</sup>Total includes 'other' and 'unknown' racial categories. Individuals without birthweight information are excluded.

<sup>4</sup>Hispanic is an ethnic group and may be of any race.

\* significance level at  $\alpha=0.05$ . Statistical significance is determined by a Student t-test. All comparisons are between the risk groups and the non-risk group ("no smoking" and "no drugs" group).

**Table 10. Number of Births by Start of Prenatal Care and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016**

Mother's Race/Ethnicity and Start of Prenatal Care - 2011	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,719</b>	<b>100.0</b>	<b>126</b>	<b>299</b>	<b>1,312</b>	<b>2,351</b>	<b>3,621</b>	<b>2,359</b>	<b>601</b>	<b>49</b>
First Trimester (1st-3rd Month)	6,508	73.0	36	129	663	1,397	2,326	1,540	393	24
Second Trimester (4th-6th Month)	1,966	22.1	41	97	363	489	543	327	91	15
Third Trimester (7th-9th Month)	391	4.4	20	29	81	104	99	45	13	0
No Prenatal Care	50	0.6	5	1	18	9	10	5	2	0
Unknown	1,804	--	24	43	187	352	643	442	102	10
<b>White</b>	<b>5,929</b>	<b>100.0</b>	<b>44</b>	<b>89</b>	<b>469</b>	<b>1,084</b>	<b>2,281</b>	<b>1,534</b>	<b>390</b>	<b>38</b>
First Trimester (1st-3rd Month)	3,610	78.9	15	33	210	615	1,452	1,015	252	18
Second Trimester (4th-6th Month)	812	17.7	14	32	107	185	260	152	50	12
Third Trimester (7th-9th Month)	132	2.9	3	5	23	36	45	14	6	0
No Prenatal Care	21	0.5	2	0	7	4	4	2	2	0
Unknown	1,354	--	10	19	122	244	520	351	80	8
<b>Black</b>	<b>1,641</b>	<b>100.0</b>	<b>49</b>	<b>103</b>	<b>348</b>	<b>415</b>	<b>398</b>	<b>241</b>	<b>79</b>	<b>7</b>
First Trimester (1st-3rd Month)	878	62.9	11	48	164	233	237	139	42	4
Second Trimester (4th-6th Month)	393	28.2	12	27	102	100	88	44	19	1
Third Trimester (7th-9th Month)	104	7.5	11	10	31	20	18	9	5	0
No Prenatal Care	20	1.4	2	1	6	4	4	3	0	0
Unknown	246	--	13	17	45	58	51	46	13	2
<b>Other<sup>2</sup></b>	<b>3,145</b>	<b>100.0</b>	<b>33</b>	<b>107</b>	<b>495</b>	<b>852</b>	<b>942</b>	<b>584</b>	<b>128</b>	<b>4</b>
First Trimester (1st-3rd Month)	2,017	68.6	10	48	289	549	637	386	96	2
Second Trimester (4th-6th Month)	760	25.8	15	38	154	204	195	131	21	2
Third Trimester (7th-9th Month)	155	5.3	6	14	27	48	36	22	2	0
No Prenatal Care	9	0.3	1	0	5	1	2	0	0	0
Unknown	204	--	1	7	20	50	72	45	9	0
<b>Hispanic<sup>3</sup></b>	<b>3,725</b>	<b>100.0</b>	<b>64</b>	<b>177</b>	<b>776</b>	<b>1,040</b>	<b>978</b>	<b>557</b>	<b>124</b>	<b>9</b>
First Trimester (1st-3rd Month)	2,098	65.5	22	73	390	610	580	342	78	3
Second Trimester (4th-6th Month)	919	28.7	22	66	220	252	214	120	23	2
Third Trimester (7th-9th Month)	165	5.2	7	16	39	40	41	17	5	0
No Prenatal Care	21	0.7	3	1	11	3	1	2	0	0
Unknown	522	--	10	21	116	135	142	76	18	4

(continue)

**Table 10. Number of Births by Start of Prenatal Care and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 (*continued*).**

Mother's Race/Ethnicity and Start of Prenatal Care - 2012	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,439</b>	<b>100.0</b>	<b>116</b>	<b>280</b>	<b>1,284</b>	<b>2,230</b>	<b>3,477</b>	<b>2,356</b>	<b>650</b>	<b>45</b>
First Trimester (1st-3rd Month)	6,752	75.0	42	144	729	1,461	2,353	1,557	436	30
Second Trimester (4th-6th Month)	1,869	20.8	46	95	368	429	496	343	84	8
Third Trimester (7th-9th Month)	348	3.9	18	26	80	85	77	45	17	0
No Prenatal Care	38	0.4	3	3	11	8	7	4	2	0
Unknown	1,432	--	7	12	96	247	544	407	111	7
<b>White</b>	<b>5,565</b>	<b>100.0</b>	<b>48</b>	<b>86</b>	<b>448</b>	<b>1,013</b>	<b>2,054</b>	<b>1,471</b>	<b>417</b>	<b>27</b>
First Trimester (1st-3rd Month)	3,624	80.0	17	47	249	666	1,382	962	284	17
Second Trimester (4th-6th Month)	772	17.0	21	26	117	148	238	181	38	3
Third Trimester (7th-9th Month)	121	2.7	4	7	27	36	26	15	6	0
No Prenatal Care	12	0.3	0	0	4	5	2	0	1	0
Unknown	1,036	--	6	6	51	158	406	313	88	7
<b>Black</b>	<b>1,586</b>	<b>100.0</b>	<b>33</b>	<b>75</b>	<b>328</b>	<b>401</b>	<b>403</b>	<b>261</b>	<b>83</b>	<b>2</b>
First Trimester (1st-3rd Month)	927	64.2	12	31	169	228	257	170	60	0
Second Trimester (4th-6th Month)	401	27.8	13	28	97	109	92	50	10	2
Third Trimester (7th-9th Month)	101	7.0	6	8	27	28	16	10	6	0
No Prenatal Care	15	1.0	2	2	4	3	2	2	0	0
Unknown	142	--	0	6	31	33	36	29	7	0
<b>Other<sup>2</sup></b>	<b>3,236</b>	<b>100.0</b>	<b>35</b>	<b>119</b>	<b>505</b>	<b>804</b>	<b>1,002</b>	<b>610</b>	<b>145</b>	<b>16</b>
First Trimester (1st-3rd Month)	2,197	72.6	13	66	311	567	714	421	92	13
Second Trimester (4th-6th Month)	694	22.9	12	41	154	172	164	112	36	3
Third Trimester (7th-9th Month)	126	4.2	8	11	26	21	35	20	5	0
No Prenatal Care	11	0.4	1	1	3	0	3	2	1	0
Unknown	208	--	1	0	11	44	86	55	11	0
<b>Hispanic<sup>3</sup></b>	<b>3,669</b>	<b>100.0</b>	<b>75</b>	<b>183</b>	<b>729</b>	<b>999</b>	<b>956</b>	<b>562</b>	<b>155</b>	<b>10</b>
First Trimester (1st-3rd Month)	2,402	71.3	28	103	434	681	658	388	102	8
Second Trimester (4th-6th Month)	815	24.2	28	63	215	205	171	106	26	1
Third Trimester (7th-9th Month)	140	4.2	13	10	33	33	31	15	5	0
No Prenatal Care	14	0.4	1	1	4	1	3	2	2	0
Unknown	298	--	5	6	43	79	93	51	20	1

(*continue*)

**Table 10. Number of Births by Start of Prenatal Care and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 (*continued*).**

Mother's Race/Ethnicity and Start of Prenatal Care - 2013	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,549</b>	<b>100.0</b>	<b>103</b>	<b>256</b>	<b>1,261</b>	<b>2,176</b>	<b>3,515</b>	<b>2,520</b>	<b>655</b>	<b>61</b>
First Trimester (1st-3rd Month)	6,933	75.7	39	112	753	1,407	2,424	1,724	439	35
Second Trimester (4th-6th Month)	1,775	19.4	39	80	335	435	437	348	89	12
Third Trimester (7th-9th Month)	395	4.3	21	34	80	95	86	60	19	0
No Prenatal Care	50	0.5	0	6	15	9	13	4	3	0
Unknown	1,396	--	4	24	78	230	555	384	105	14
<b>White</b>	<b>5,593</b>	<b>100.0</b>	<b>32</b>	<b>84</b>	<b>448</b>	<b>966</b>	<b>2,089</b>	<b>1,552</b>	<b>380</b>	<b>40</b>
First Trimester (1st-3rd Month)	3,834	83.1	14	40	278	651	1,491	1,078	262	20
Second Trimester (4th-6th Month)	658	14.3	13	23	107	149	160	161	36	9
Third Trimester (7th-9th Month)	105	2.3	2	6	24	27	25	20	1	0
No Prenatal Care	17	0.4	0	4	3	2	3	3	2	0
Unknown	979	--	3	11	36	137	410	290	79	11
<b>Black</b>	<b>1,657</b>	<b>100.0</b>	<b>33</b>	<b>70</b>	<b>311</b>	<b>416</b>	<b>423</b>	<b>294</b>	<b>100</b>	<b>10</b>
First Trimester (1st-3rd Month)	922	61.4	10	22	159	233	245	185	62	6
Second Trimester (4th-6th Month)	419	27.9	16	24	98	102	94	64	19	2
Third Trimester (7th-9th Month)	134	8.9	6	13	24	37	29	16	9	0
No Prenatal Care	27	1.8	0	2	6	7	10	1	1	0
Unknown	155	--	1	9	24	37	45	28	9	2
<b>Other<sup>2</sup></b>	<b>3,233</b>	<b>100.0</b>	<b>38</b>	<b>102</b>	<b>496</b>	<b>781</b>	<b>971</b>	<b>663</b>	<b>171</b>	<b>11</b>
First Trimester (1st-3rd Month)	2,172	71.7	15	50	315	523	686	459	115	9
Second Trimester (4th-6th Month)	695	23.0	10	33	129	184	181	123	34	1
Third Trimester (7th-9th Month)	155	5.1	13	15	32	31	32	23	9	0
No Prenatal Care	6	0.2	0	0	6	0	0	0	0	0
Unknown	205	--	0	4	14	43	72	58	13	1
<b>Hispanic<sup>3</sup></b>	<b>3,702</b>	<b>100.0</b>	<b>67</b>	<b>156</b>	<b>735</b>	<b>970</b>	<b>991</b>	<b>603</b>	<b>166</b>	<b>13</b>
First Trimester (1st-3rd Month)	2,381	70.1	30	72	459	640	666	391	114	9
Second Trimester (4th-6th Month)	839	24.7	22	52	188	224	185	131	35	2
Third Trimester (7th-9th Month)	166	4.9	13	16	43	37	25	25	7	0
No Prenatal Care	9	0.3	0	2	7	0	0	0	0	0
Unknown	307	--	2	14	38	69	115	56	10	2

(*continue*)

**Table 10. Number of Births by Start of Prenatal Care and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 (*continued*).**

Mother's Race/Ethnicity and Start of Prenatal Care - 2014	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,628</b>	<b>100.0</b>	<b>94</b>	<b>244</b>	<b>1,201</b>	<b>2,194</b>	<b>3,707</b>	<b>2,511</b>	<b>624</b>	<b>53</b>
First Trimester (1st-3rd Month)	6,684	75.1	38	111	672	1,358	2,412	1,651	411	31
Second Trimester (4th-6th Month)	1,778	20.0	40	89	332	433	486	308	83	7
Third Trimester (7th-9th Month)	394	4.4	10	25	81	111	109	41	16	1
No Prenatal Care	47	0.5	1	2	20	9	11	0	4	0
Unknown	1,725	--	5	17	96	283	689	511	110	14
<b>White</b>	<b>4,598</b>	<b>100.0</b>	<b>27</b>	<b>59</b>	<b>402</b>	<b>854</b>	<b>1,747</b>	<b>1,190</b>	<b>292</b>	<b>27</b>
First Trimester (1st-3rd Month)	3,666	81.9	10	27	236	630	1,479	1,017	246	21
Second Trimester (4th-6th Month)	663	14.8	11	23	119	154	185	134	35	2
Third Trimester (7th-9th Month)	130	2.9	3	3	25	43	39	13	3	1
No Prenatal Care	17	0.4	0	1	5	4	5	0	2	0
Unknown	122	--	3	5	17	23	39	26	6	3
<b>Black</b>	<b>1,649</b>	<b>100.0</b>	<b>29</b>	<b>87</b>	<b>333</b>	<b>395</b>	<b>424</b>	<b>291</b>	<b>85</b>	<b>5</b>
First Trimester (1st-3rd Month)	986	63.9	11	39	182	240	253	198	59	4
Second Trimester (4th-6th Month)	402	26.1	12	30	83	99	106	60	12	0
Third Trimester (7th-9th Month)	136	8.8	4	11	28	25	42	18	8	0
No Prenatal Care	18	1.2	1	1	8	3	3	0	2	0
Unknown	107	--	1	6	32	28	20	15	4	1
<b>Other<sup>2</sup></b>	<b>2,935</b>	<b>100.0</b>	<b>37</b>	<b>94</b>	<b>429</b>	<b>730</b>	<b>917</b>	<b>568</b>	<b>149</b>	<b>11</b>
First Trimester (1st-3rd Month)	2,029	70.5	17	45	253	488	679	436	105	6
Second Trimester (4th-6th Month)	708	24.6	17	36	127	180	194	113	36	5
Third Trimester (7th-9th Month)	128	4.4	3	11	28	43	28	10	5	0
No Prenatal Care	12	0.4	0	0	7	2	3	0	0	0
Unknown	58	--	0	2	14	17	13	9	3	0
<b>Hispanic<sup>3</sup></b>	<b>3,714</b>	<b>100.0</b>	<b>61</b>	<b>146</b>	<b>694</b>	<b>975</b>	<b>1,028</b>	<b>634</b>	<b>163</b>	<b>13</b>
First Trimester (1st-3rd Month)	2,292	68.0	23	71	388	595	681	426	102	6
Second Trimester (4th-6th Month)	882	26.2	28	52	204	240	204	120	31	3
Third Trimester (7th-9th Month)	175	5.2	6	13	47	59	32	13	5	0
No Prenatal Care	20	0.6	0	1	10	3	5	0	1	0
Unknown	345	--	4	9	45	78	106	75	24	4

(*continue*)



**Table 10. Number of Births by Start of Prenatal Care and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 (*continued*).**

Mother's Race/Ethnicity and Start of Prenatal Care - 2015	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,628</b>	<b>100.0</b>	<b>77</b>	<b>174</b>	<b>1,136</b>	<b>2,255</b>	<b>3,724</b>	<b>2,543</b>	<b>656</b>	<b>63</b>
First Trimester (1st-3rd Month)	6,823	78.2	31	76	662	1,437	2,449	1,692	436	40
Second Trimester (4th-6th Month)	1,527	17.5	25	49	246	387	452	275	87	6
Third Trimester (7th-9th Month)	348	4.0	8	23	71	86	94	48	18	0
No Prenatal Care	32	0.4	1	1	13	6	5	3	2	1
Unknown	1,898	--	12	25	144	339	724	525	113	16
<b>White</b>	<b>4,620</b>	<b>100.0</b>	<b>26</b>	<b>62</b>	<b>406</b>	<b>889</b>	<b>1,739</b>	<b>1,169</b>	<b>302</b>	<b>27</b>
First Trimester (1st-3rd Month)	3,696	82.8	12	31	262	653	1,445	1,017	254	22
Second Trimester (4th-6th Month)	626	14.0	8	13	89	164	205	112	32	3
Third Trimester (7th-9th Month)	128	2.9	2	8	24	32	39	18	5	0
No Prenatal Care	13	0.3	1	0	4	2	4	1	0	1
Unknown	157	--	3	10	27	38	46	21	11	1
<b>Black</b>	<b>1,579</b>	<b>100.0</b>	<b>18</b>	<b>38</b>	<b>267</b>	<b>432</b>	<b>441</b>	<b>296</b>	<b>76</b>	<b>11</b>
First Trimester (1st-3rd Month)	974	67.4	4	11	148	268	293	193	50	7
Second Trimester (4th-6th Month)	353	24.4	7	11	60	92	94	69	18	2
Third Trimester (7th-9th Month)	105	7.3	3	7	21	27	29	14	4	0
No Prenatal Care	13	0.9	0	0	0	6	3	1	1	2
Unknown	134	--	4	9	38	39	22	19	3	0
<b>Other<sup>2</sup></b>	<b>2,937</b>	<b>100.0</b>	<b>32</b>	<b>73</b>	<b>399</b>	<b>695</b>	<b>923</b>	<b>619</b>	<b>184</b>	<b>12</b>
First Trimester (1st-3rd Month)	2,145	76.3	15	34	249	514	709	481	132	11
Second Trimester (4th-6th Month)	546	19.4	10	25	97	131	151	94	37	1
Third Trimester (7th-9th Month)	113	4.0	3	8	26	25	26	16	9	0
No Prenatal Care	6	0.2	0	1	3	1	0	1	0	0
Unknown	127	--	4	5	24	24	37	27	6	0
<b>Hispanic<sup>3</sup></b>	<b>3,798</b>	<b>100.0</b>	<b>59</b>	<b>120</b>	<b>671</b>	<b>1,005</b>	<b>1,077</b>	<b>653</b>	<b>204</b>	<b>9</b>
First Trimester (1st-3rd Month)	2,430	72.2	25	58	407	656	695	446	138	5
Second Trimester (4th-6th Month)	778	23.1	21	34	160	218	205	102	37	1
Third Trimester (7th-9th Month)	148	4.4	5	15	34	28	33	22	11	0
No Prenatal Care	9	0.3	1	1	3	2	1	1	0	0
Unknown	433	--	7	12	67	101	143	82	18	3

(*continue*)

**Table 10. Number of Births by Start of Prenatal Care and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 (*continued*).**

Mother's Race/Ethnicity and Start of Prenatal Care - 2016	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,273</b>	<b>100.0</b>	<b>74</b>	<b>205</b>	<b>1,004</b>	<b>2,115</b>	<b>3,604</b>	<b>2,549</b>	<b>649</b>	<b>73</b>
First Trimester (1st-3rd Month)	7,963	80.1	33	121	614	1,549	2,944	2,127	516	59
Second Trimester (4th-6th Month)	1,568	15.8	22	46	245	376	462	301	103	13
Third Trimester (7th-9th Month)	370	3.7	12	18	69	91	97	65	17	1
No Prenatal Care	41	0.4	4	8	6	12	2	9	0	0
Unknown	331	--	3	12	70	87	99	47	13	0
<b>White</b>	<b>5,606</b>	<b>100.0</b>	<b>23</b>	<b>70</b>	<b>349</b>	<b>925</b>	<b>2,237</b>	<b>1,563</b>	<b>396</b>	<b>43</b>
First Trimester (1st-3rd Month)	4,637	84.4	10	39	228	728	1,917	1,355	325	35
Second Trimester (4th-6th Month)	707	12.9	7	21	78	142	231	162	58	8
Third Trimester (7th-9th Month)	131	2.4	3	2	21	27	44	28	6	0
No Prenatal Care	16	0.3	2	3	3	4	1	3	0	0
Unknown	115	--	1	5	19	24	44	15	7	0
<b>Black</b>	<b>1,667</b>	<b>100.0</b>	<b>18</b>	<b>43</b>	<b>286</b>	<b>442</b>	<b>434</b>	<b>331</b>	<b>104</b>	<b>9</b>
First Trimester (1st-3rd Month)	1,068	69.2	9	21	149	276	297	236	72	8
Second Trimester (4th-6th Month)	338	21.9	2	7	78	97	79	54	20	1
Third Trimester (7th-9th Month)	120	7.8	3	7	27	30	26	21	6	0
No Prenatal Care	18	1.2	2	3	1	6	1	5	0	0
Unknown	123	--	2	5	31	33	31	15	6	0
<b>Other<sup>2</sup></b>	<b>2,997</b>	<b>100.0</b>	<b>33</b>	<b>92</b>	<b>367</b>	<b>747</b>	<b>933</b>	<b>655</b>	<b>149</b>	<b>21</b>
First Trimester (1st-3rd Month)	2,257	77.7	14	61	236	545	730	536	119	16
Second Trimester (4th-6th Month)	521	17.9	13	18	88	136	152	85	25	4
Third Trimester (7th-9th Month)	119	4.1	6	9	21	34	27	16	5	1
No Prenatal Care	7	0.2	0	2	2	2	0	1	0	0
Unknown	93	--	0	2	20	30	24	17	0	0
<b>Hispanic<sup>3</sup></b>	<b>3,597</b>	<b>100.0</b>	<b>55</b>	<b>154</b>	<b>581</b>	<b>966</b>	<b>1,013</b>	<b>643</b>	<b>164</b>	<b>21</b>
First Trimester (1st-3rd Month)	2,630	75.9	26	97	368	717	772	506	127	17
Second Trimester (4th-6th Month)	687	19.8	18	35	151	178	171	98	33	3
Third Trimester (7th-9th Month)	134	3.9	8	12	32	32	27	19	3	1
No Prenatal Care	15	0.4	2	4	3	5	0	1	0	0
Unknown	131	--	1	6	27	34	43	19	1	0

<sup>1</sup>Total includes cases with unknown age or race.

<sup>2</sup>"Other" includes all other races, as well as multi-racial categories.

<sup>3</sup>Hispanic is an ethnic group and may be of any race.

Source: New York State Department of Health.

Table 11. Number of Births by Start of Prenatal Care and Mother's Region of Origin, Westchester County, 2011-2016.

Start of Prenatal Care - 2011	Total		USA		Mexico		Central/South America		Caribbean		Asia/Oceania/Middle East		Europe/Canada/Australia/Russia		Africa	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Total</b>	<b>10,719</b>	<b>100.0</b>	<b>6,150</b>	<b>100.0</b>	<b>822</b>	<b>100.0</b>	<b>1,439</b>	<b>100.0</b>	<b>798</b>	<b>100.0</b>	<b>729</b>	<b>100.0</b>	<b>605</b>	<b>100.0</b>	<b>161</b>	<b>100.0</b>
First Trimester (1st-3rd Month)	6,508	73.0	3,802	76.4	431	60.8	873	67.8	440	63.2	479	77.6	399	82.3	76	56.7
Second Trimester (4th-6th Month)	1,966	22.1	969	19.5	232	32.7	358	27.8	185	26.6	107	17.3	73	15.1	40	29.9
Third Trimester (7th-9th Month)	391	4.4	173	3.5	42	5.9	52	4.0	66	9.5	31	5.0	11	2.3	16	11.9
No Prenatal Care	50	0.6	32	0.6	4	0.6	5	0.4	5	0.7	0	0	2	0.4	2	1.5
Unknown	1,804	--	1,174	--	113	--	151	--	102	--	112	--	120	--	27	--

Start of Prenatal Care - 2012	Total		USA		Mexico		Central/South America		Caribbean		Asia/Oceania/Middle East		Europe/Canada/Australia/Russia		Africa	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Total</b>	<b>10,439</b>	<b>100.0</b>	<b>5,912</b>	<b>100.0</b>	<b>741</b>	<b>100.0</b>	<b>1,410</b>	<b>100.0</b>	<b>842</b>	<b>100.0</b>	<b>778</b>	<b>100.0</b>	<b>572</b>	<b>100.0</b>	<b>176</b>	<b>100.0</b>
First Trimester (1st-3rd Month)	6,752	75.0	3,799	77.3	486	69.9	948	72.2	528	68.7	521	77.0	367	77.3	98	63.2
Second Trimester (4th-6th Month)	1,869	20.8	932	19.0	173	24.9	313	23.8	195	25.4	121	17.9	95	20.0	39	25.2
Third Trimester (7th-9th Month)	348	3.9	158	3.2	35	5.0	47	3.6	43	5.6	34	5.0	13	2.7	18	11.6
No Prenatal Care	38	0.4	27	0.5	1	0.1	5	0.4	3	0.4	1	0	0	0	0	0
Unknown	1,432	--	996	--	46	--	97	--	73	--	101	--	97	--	21	--

(continue)

Table 11. Number of Births by Start of Prenatal Care and Mother's Region of Origin, Westchester County, 2011-2016 ( *continued* ).

Start of Prenatal Care - 2013	Total		USA		Mexico		Central/South America		Caribbean		Asia/Oceania/Middle East		Europe/Canada/Australia/Russia		Africa	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Total</b>	<b>10,549</b>	<b>100.0</b>	<b>6,083</b>	<b>100.0</b>	<b>754</b>	<b>100.0</b>	<b>1,443</b>	<b>100.0</b>	<b>846</b>	<b>100.0</b>	<b>685</b>	<b>100.0</b>	<b>551</b>	<b>100.0</b>	<b>173</b>	<b>100.0</b>
First Trimester (1st-3rd Month)	6,933	75.7	4,037	78.8	473	66.8	976	72.6	521	66.7	452	77.5	375	84.1	92	59.7
Second Trimester (4th-6th Month)	1,775	19.4	873	17.0	198	28.0	312	23.2	187	23.9	105	18.0	63	14.1	33	21.4
Third Trimester (7th-9th Month)	395	4.3	178	3.5	35	4.9	53	3.9	69	8.8	26	4.5	7	1.6	27	17.5
No Prenatal Care	50	0.5	38	0.7	2	0.3	3	0.2	4	0.5	0	0	1	0	2	1
Unknown	1,396	--	957	--	46	--	99	--	65	--	102	--	105	--	19	--

Start of Prenatal Care - 2014	Total		USA		Mexico		Central/South America		Caribbean		Asia/Oceania/Middle East		Europe/Canada/Australia/Russia		Africa	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Total</b>	<b>10,628</b>	<b>100.0</b>	<b>5,122</b>	<b>100.0</b>	<b>596</b>	<b>100.0</b>	<b>1,389</b>	<b>100.0</b>	<b>824</b>	<b>100.0</b>	<b>610</b>	<b>100.0</b>	<b>445</b>	<b>100.0</b>	<b>181</b>	<b>100.0</b>
First Trimester (1st-3rd Month)	6,684	75.1	3,976	80.2	391	67.6	939	68.3	499	63.5	452	76.1	324	74.3	99	58.2
Second Trimester (4th-6th Month)	1,778	20.0	798	16.1	162	28.0	356	25.9	214	27.2	113	19.0	93	21.3	40	23.5
Third Trimester (7th-9th Month)	394	4.4	153	3.1	24	4.2	69	5.0	70	8.9	28	4.7	16	3.7	31	18.2
No Prenatal Care	47	0.5	29	0.6	1	0.2	10	0.7	3	0.4	1	0	3	0.7	0	0.0
Unknown	1,725	--	166	--	18	--	15	--	38	--	16	--	9	--	11	--

(*continue*)

**Table 11. Number of Births by Start of Prenatal Care and Mother's Region of Origin, Westchester County, 2011-2016 ( *continued* ).**

Start of Prenatal Care - 2015	Total		USA		Mexico		Central/South America		Caribbean		Asia/Oceania/Middle East		Europe/Canada/Australia/Russia		Africa	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Total</b>	<b>10,628</b>	<b>100.0</b>	<b>4,909</b>	<b>100.0</b>	<b>637</b>	<b>101.3</b>	<b>1,428</b>	<b>100.0</b>	<b>835</b>	<b>100.0</b>	<b>692</b>	<b>100.0</b>	<b>441</b>	<b>104.3</b>	<b>192</b>	<b>100.0</b>
First Trimester (1st-3rd Month)	6,823	78.2	3,900	82.9	419	69.5	997	72.7	513	66.9	539	80.8	337	79.7	109	60.6
Second Trimester (4th-6th Month)	1,527	17.5	666	14.2	159	27.5	315	23.0	190	24.8	85	12.7	67	15.8	41	22.8
Third Trimester (7th-9th Month)	348	4.0	123	2.6	22	3.8	56	4.1	61	8.0	40	6.0	17	4.0	29	16.1
No Prenatal Care	32	0.4	17	0.4	3	0.5	3	0.2	3	0.4	3	0.4	2	0.5	1	1
Unknown	1,898	--	203	--	34	--	57	--	68	--	25	--	18	4.3	12	--

Start of Prenatal Care - 2016	Total		USA		Mexico		Central/South America		Caribbean		Asia/Oceania/Middle East		Europe/Canada/Australia/Russia		Africa	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Total</b>	<b>10,273</b>	<b>100.0</b>	<b>5,977</b>	<b>100.0</b>	<b>589</b>	<b>100.0</b>	<b>1,363</b>	<b>100.0</b>	<b>869</b>	<b>100.0</b>	<b>727</b>	<b>100.0</b>	<b>532</b>	<b>104.7</b>	<b>213</b>	<b>100.0</b>
First Trimester (1st-3rd Month)	7,963	80.1	4,857	83.4	437	78.6	1,008	75.8	558	68.8	554	77.7	418	81.6	131	66.5
Second Trimester (4th-6th Month)	1,568	15.8	809	13.9	95	17.1	260	19.6	176	21.7	121	17.0	72	14.1	34	17.3
Third Trimester (7th-9th Month)	370	3.7	127	2.2	22	4.0	58	4.4	73	9.0	37	5.2	22	4.3	31	15.7
No Prenatal Care	41	0.4	30	0.5	2	0.4	3	0.2	4	0.5	1	0.1	0	0	1	0.5
Unknown	331	--	154	--	33	--	34	--	58	--	14	--	20	4.7	16	--

<sup>1</sup>Total includes unknown region of origin.

<sup>2</sup>Cases from Central and South America do not include cases from Mexico.

Source: New York State Department of Health.

**Table 12. Number of Births by Start of Prenatal Care and Mother's Educational Level and Race/Ethnicity, Westchester County, 2011-2016.**

Mother's Race/Ethnicity and Start of Prenatal Care - 2011	Total <sup>1</sup>	%	Mother's Educational Level				
			Less than High School	High School/ GED	Some College or Associate's Degree	Bachelor's Degree	Graduate or Professional Degree
<b>Total<sup>1</sup></b>	<b>10,719</b>	<b>100.0</b>	<b>1,802</b>	<b>1,692</b>	<b>2,141</b>	<b>2,565</b>	<b>2,495</b>
First Trimester (1st-3rd Month)	6,508	73.0	900	912	1,276	1,730	1,680
Second Trimester (4th-6th Month)	1,966	22.1	513	429	444	311	263
Third Trimester (7th-9th Month)	391	4.4	113	86	92	57	42
No Prenatal Care	50	0.6	20	13	11	3	0
Unknown	1,804	--	256	252	318	464	510
<b>White</b>	<b>5,929</b>	<b>100.0</b>	<b>543</b>	<b>697</b>	<b>1,055</b>	<b>1,732</b>	<b>1,892</b>
First Trimester (1st-3rd Month)	3,610	78.9	199	344	626	1,160	1,278
Second Trimester (4th-6th Month)	812	17.7	128	157	182	169	175
Third Trimester (7th-9th Month)	132	2.9	29	26	26	28	23
No Prenatal Care	21	0.5	8	4	5	2	0
Unknown	1,354	--	179	166	216	373	416
<b>Black</b>	<b>1,641</b>	<b>100.0</b>	<b>252</b>	<b>372</b>	<b>559</b>	<b>267</b>	<b>186</b>
First Trimester (1st-3rd Month)	878	62.9	100	174	315	179	108
Second Trimester (4th-6th Month)	393	28.2	72	98	145	42	35
Third Trimester (7th-9th Month)	104	7.5	33	27	27	7	9
No Prenatal Care	20	1.4	5	7	6	1	0
Unknown	246	--	42	66	66	38	34
<b>Other<sup>2</sup></b>	<b>3,145</b>	<b>100.0</b>	<b>1,007</b>	<b>623</b>	<b>527</b>	<b>566</b>	<b>416</b>
First Trimester (1st-3rd Month)	2,017	68.6	601	394	335	391	293
Second Trimester (4th-6th Month)	760	25.8	313	174	117	100	53
Third Trimester (7th-9th Month)	155	5.3	51	33	39	22	10
No Prenatal Care	9	0.3	7	2	0	0	0
Unknown	204	--	35	20	36	53	60
<b>Hispanic<sup>3</sup></b>	<b>3,725</b>	<b>100.0</b>	<b>1,422</b>	<b>906</b>	<b>803</b>	<b>376</b>	<b>208</b>
First Trimester (1st-3rd Month)	2,098	65.5	748	492	470	244	140
Second Trimester (4th-6th Month)	919	28.7	414	241	175	57	27
Third Trimester (7th-9th Month)	165	5.2	63	49	37	12	4
No Prenatal Care	21	0.7	14	5	1	1	0
Unknown	522	--	183	119	120	62	37

(continue)

**Table 12. Number of Births by Start of Prenatal Care and Mother's Educational Level and Race/Ethnicity, Westchester County, 2011-2016 (*continued*).**

Mother's Race/Ethnicity and Start of Prenatal Care - 2012	Total <sup>1</sup>	%	Mother's Educational Level				
			Less than High School	High School/ GED	Some College or Associate's Degree	Bachelor's Degree	Graduate or Professional Degree
<b>Total<sup>1</sup></b>	<b>10,439</b>	<b>100.0</b>	<b>1,801</b>	<b>1,636</b>	<b>1,976</b>	<b>2,677</b>	<b>2,324</b>
First Trimester (1st-3rd Month)	6,752	75.0	1,089	1,024	1,278	1,576	1,773
Second Trimester (4th-6th Month)	1,869	20.8	496	387	368	346	272
Third Trimester (7th-9th Month)	348	3.9	96	100	79	38	35
No Prenatal Care	38	0.4	15	9	8	2	0
Unknown	1,432	--	105	116	243	715	244
<b>White</b>	<b>5,565</b>	<b>100.0</b>	<b>518</b>	<b>602</b>	<b>951</b>	<b>1,822</b>	<b>1,663</b>
First Trimester (1st-3rd Month)	3,624	80.0	283	380	645	1,034	1,278
Second Trimester (4th-6th Month)	772	17.0	144	119	135	202	172
Third Trimester (7th-9th Month)	121	2.7	21	36	24	19	21
No Prenatal Care	12	0.3	3	3	3	1	0
Unknown	1,036	--	67	64	144	566	192
<b>Black</b>	<b>1,586</b>	<b>100.0</b>	<b>230</b>	<b>375</b>	<b>491</b>	<b>273</b>	<b>212</b>
First Trimester (1st-3rd Month)	927	64.2	114	189	300	171	152
Second Trimester (4th-6th Month)	401	27.8	69	118	120	56	38
Third Trimester (7th-9th Month)	101	7.0	24	40	21	7	9
No Prenatal Care	15	1.0	7	4	2	0	0
Unknown	142	--	16	24	48	39	13
<b>Other<sup>2</sup></b>	<b>3,236</b>	<b>100.0</b>	<b>1,040</b>	<b>653</b>	<b>523</b>	<b>568</b>	<b>446</b>
First Trimester (1st-3rd Month)	2,197	72.6	692	455	332	371	342
Second Trimester (4th-6th Month)	694	22.9	283	150	113	88	60
Third Trimester (7th-9th Month)	126	4.2	51	24	34	12	5
No Prenatal Care	11	0.4	0	5	2	3	1
Unknown	208	--	14	19	42	94	38
<b>Hispanic<sup>3</sup></b>	<b>3,669</b>	<b>100.0</b>	<b>1,414</b>	<b>911</b>	<b>744</b>	<b>388</b>	<b>202</b>
First Trimester (1st-3rd Month)	2,402	71.3	893	618	486	245	154
Second Trimester (4th-6th Month)	815	24.2	391	197	141	62	24
Third Trimester (7th-9th Month)	140	4.2	58	41	32	5	4
No Prenatal Care	14	0.4	7	4	3	0	0
Unknown	298	--	65	51	82	76	20

(*continue*)

**Table 12. Number of Births by Start of Prenatal Care and Mother's Educational Level and Race/Ethnicity, Westchester County, 2011-2016 (*continued*).**

Mother's Race/Ethnicity and Start of Prenatal Care - 2013	Total <sup>1</sup>	%	Mother's Educational Level				
			Less than High School	High School/ GED	Some College or Associate's Degree	Bachelor's Degree	Graduate or Professional Degree
<b>Total<sup>1</sup></b>	<b>10,549</b>	<b>100.0</b>	<b>1,778</b>	<b>1,561</b>	<b>2,065</b>	<b>2,931</b>	<b>2,178</b>
First Trimester (1st-3rd Month)	6,933	75.7	1,052	956	1,336	1,693	1,878
Second Trimester (4th-6th Month)	1,775	19.4	499	386	398	271	214
Third Trimester (7th-9th Month)	395	4.3	120	84	79	67	42
No Prenatal Care	50	0.5	19	17	10	1	3
Unknown	1,396	--	88	118	242	899	41
<b>White</b>	<b>5,593</b>	<b>100.0</b>	<b>479</b>	<b>565</b>	<b>945</b>	<b>2,002</b>	<b>1,590</b>
First Trimester (1st-3rd Month)	3,834	83.1	275	377	628	1,128	1,418
Second Trimester (4th-6th Month)	658	14.3	126	108	150	147	126
Third Trimester (7th-9th Month)	105	2.3	22	23	15	23	22
No Prenatal Care	17	0.4	6	2	6	0	3
Unknown	979	--	50	55	146	704	21
<b>Black</b>	<b>1,657</b>	<b>100.0</b>	<b>219</b>	<b>359</b>	<b>544</b>	<b>325</b>	<b>200</b>
First Trimester (1st-3rd Month)	922	61.4	88	174	322	190	144
Second Trimester (4th-6th Month)	419	27.9	77	111	139	56	34
Third Trimester (7th-9th Month)	134	8.9	32	29	39	22	10
No Prenatal Care	27	1.8	10	12	4	1	0
Unknown	155	--	12	33	40	56	12
<b>Other<sup>2</sup></b>	<b>3,233</b>	<b>100.0</b>	<b>1,070</b>	<b>623</b>	<b>562</b>	<b>581</b>	<b>384</b>
First Trimester (1st-3rd Month)	2,172	71.7	689	404	386	374	314
Second Trimester (4th-6th Month)	695	23.0	296	167	108	68	52
Third Trimester (7th-9th Month)	155	5.1	65	32	25	22	10
No Prenatal Care	6	0.2	3	3	0	0	0
Unknown	205	--	17	17	43	117	8
<b>Hispanic<sup>3</sup></b>	<b>3,702</b>	<b>100.0</b>	<b>1,407</b>	<b>854</b>	<b>779</b>	<b>465</b>	<b>190</b>
First Trimester (1st-3rd Month)	2,381	70.1	875	542	513	290	156
Second Trimester (4th-6th Month)	839	24.7	386	217	156	59	20
Third Trimester (7th-9th Month)	166	4.9	81	37	27	12	9
No Prenatal Care	9	0.3	6	3	0	0	0
Unknown	307	--	59	55	83	104	5

(*continue*)



**Table 12. Number of Births by Start of Prenatal Care and Mother's Educational Level and Race/Ethnicity, Westchester County, 2011-2016 (*continued*).**

Mother's Race/Ethnicity and Start of Prenatal Care - 2014	Total <sup>1</sup>	%	Mother's Educational Level				
			Less than High School	High School/ GED	Some College or Associate's Degree	Bachelor's Degree	Graduate or Professional Degree
<b>Total<sup>1</sup></b>	<b>10,628</b>	<b>100.0</b>	<b>1,670</b>	<b>1,619</b>	<b>2,025</b>	<b>2,494</b>	<b>2,797</b>
First Trimester (1st-3rd Month)	6,684	75.1	974	934	1,259	1,641	1,863
Second Trimester (4th-6th Month)	1,778	20.0	477	418	404	266	209
Third Trimester (7th-9th Month)	394	4.4	97	102	85	77	32
No Prenatal Care	47	0.5	22	10	6	1	6
Unknown	1,725	--	100	155	271	509	687
<b>White</b>	<b>4,598</b>	<b>100.0</b>	<b>460</b>	<b>517</b>	<b>797</b>	<b>1,269</b>	<b>1,545</b>
First Trimester (1st-3rd Month)	3,666	81.9	271	336	591	1,092	1,368
Second Trimester (4th-6th Month)	663	14.8	127	130	151	122	131
Third Trimester (7th-9th Month)	130	2.9	27	30	26	32	15
No Prenatal Care	17	0.4	6	3	3	0	5
Unknown	122	--	29	18	26	23	26
<b>Black</b>	<b>1,649</b>	<b>100.0</b>	<b>225</b>	<b>426</b>	<b>541</b>	<b>272</b>	<b>180</b>
First Trimester (1st-3rd Month)	986	63.9	110	229	338	172	137
Second Trimester (4th-6th Month)	402	26.1	50	132	133	60	26
Third Trimester (7th-9th Month)	136	8.8	27	42	32	23	11
No Prenatal Care	18	1.2	12	2	1	1	0
Unknown	107	--	26	21	37	16	6
<b>Other<sup>2</sup></b>	<b>2,935</b>	<b>100.0</b>	<b>955</b>	<b>568</b>	<b>493</b>	<b>492</b>	<b>421</b>
First Trimester (1st-3rd Month)	2,029	70.5	592	369	330	376	357
Second Trimester (4th-6th Month)	708	24.6	299	154	119	84	51
Third Trimester (7th-9th Month)	128	4.4	43	30	27	22	6
No Prenatal Care	12	0.4	4	5	2	0	1
Unknown	58	--	17	10	15	10	6
<b>Hispanic<sup>3</sup></b>	<b>3,714</b>	<b>100.0</b>	<b>1,335</b>	<b>862</b>	<b>806</b>	<b>423</b>	<b>283</b>
First Trimester (1st-3rd Month)	2,292	68.0	816	514	489	271	197
Second Trimester (4th-6th Month)	882	26.2	385	223	186	64	24
Third Trimester (7th-9th Month)	175	5.2	62	47	40	23	3
No Prenatal Care	20	0.6	10	6	2	0	2
Unknown	345	--	62	72	89	65	57

(*continue*)

**Table 12. Number of Births by Start of Prenatal Care and Mother's Educational Level and Race/Ethnicity, Westchester County, 2011-2016 (*continued*).**

Mother's Race/Ethnicity and Start of Prenatal Care - 2015	Total <sup>1</sup>	%	Mother's Educational Level				
			Less than High School	High School/ GED	Some College or Associate's Degree	Bachelor's Degree	Graduate or Professional Degree
<b>Total<sup>1</sup></b>	<b>10,628</b>	<b>100.0</b>	<b>1,591</b>	<b>1,559</b>	<b>2,010</b>	<b>2,598</b>	<b>2,845</b>
First Trimester (1st-3rd Month)	6,823	78.2	996	962	1,275	1,716	1,859
Second Trimester (4th-6th Month)	1,527	17.5	376	325	349	265	207
Third Trimester (7th-9th Month)	348	4.0	90	83	71	69	35
No Prenatal Care	32	0.4	8	7	10	4	2
Unknown	1,898	--	121	182	305	544	742
<b>White</b>	<b>4,620</b>	<b>100.0</b>	<b>516</b>	<b>533</b>	<b>748</b>	<b>1,315</b>	<b>1,502</b>
First Trimester (1st-3rd Month)	3,696	82.8	308	345	561	1,138	1,339
Second Trimester (4th-6th Month)	626	14.0	137	122	124	122	120
Third Trimester (7th-9th Month)	128	2.9	34	27	21	27	19
No Prenatal Care	13	0.3	2	3	4	2	2
Unknown	157	--	35	36	38	26	22
<b>Black</b>	<b>1,579</b>	<b>100.0</b>	<b>184</b>	<b>346</b>	<b>542</b>	<b>294</b>	<b>207</b>
First Trimester (1st-3rd Month)	974	67.4	91	187	350	186	157
Second Trimester (4th-6th Month)	353	24.4	41	91	119	68	32
Third Trimester (7th-9th Month)	105	7.3	15	28	32	25	5
No Prenatal Care	13	0.9	6	3	2	1	0
Unknown	134	--	31	37	39	14	13
<b>Other<sup>2</sup></b>	<b>2,937</b>	<b>100.0</b>	<b>869</b>	<b>592</b>	<b>518</b>	<b>506</b>	<b>441</b>
First Trimester (1st-3rd Month)	2,145	76.3	597	425	362	392	362
Second Trimester (4th-6th Month)	546	19.4	198	111	106	74	55
Third Trimester (7th-9th Month)	113	4.0	41	27	17	17	11
No Prenatal Care	6	0.2	0	1	4	1	0
Unknown	127	--	33	28	29	22	13
<b>Hispanic<sup>3</sup></b>	<b>3,798</b>	<b>100.0</b>	<b>1,298</b>	<b>873</b>	<b>854</b>	<b>468</b>	<b>297</b>
First Trimester (1st-3rd Month)	2,430	72.2	835	563	548	302	176
Second Trimester (4th-6th Month)	778	23.1	320	178	180	65	34
Third Trimester (7th-9th Month)	148	4.4	60	40	23	16	9
No Prenatal Care	9	0.3	2	2	4	1	0
Unknown	433	--	81	90	99	84	78

(*continue*)

**Table 12. Number of Births by Start of Prenatal Care and Mother's Educational Level and Race/Ethnicity, Westchester County, 2011-2016 (*continued*).**

Mother's Race/Ethnicity and Start of Prenatal Care - 2016	Total <sup>1</sup>	%	Mother's Educational Level				
			Less than High School	High School/ GED	Some College or Associate's Degree	Bachelor's Degree	Graduate or Professional Degree
<b>Total<sup>1</sup></b>	<b>10,273</b>	<b>100.0</b>	<b>1,401</b>	<b>1,513</b>	<b>1,988</b>	<b>2,649</b>	<b>2,700</b>
First Trimester (1st-3rd Month)	7,963	80.1	910	1,042	1,479	2,159	2,360
Second Trimester (4th-6th Month)	1,568	15.8	327	294	359	341	243
Third Trimester (7th-9th Month)	370	3.7	74	77	70	88	59
No Prenatal Care	41	0.4	16	14	7	3	0
Unknown	331	--	74	86	73	58	38
<b>White</b>	<b>5,606</b>	<b>100.0</b>	<b>434</b>	<b>547</b>	<b>919</b>	<b>1,732</b>	<b>1,966</b>
First Trimester (1st-3rd Month)	4,637	84.4	282	393	739	1,470	1,748
Second Trimester (4th-6th Month)	707	12.9	108	102	131	200	163
Third Trimester (7th-9th Month)	131	2.4	20	23	22	36	30
No Prenatal Care	16	0.3	5	7	3	1	0
Unknown	115	--	19	22	24	25	25
<b>Black</b>	<b>1,667</b>	<b>100.0</b>	<b>196</b>	<b>379</b>	<b>489</b>	<b>358</b>	<b>242</b>
First Trimester (1st-3rd Month)	1,068	69.2	94	211	318	251	193
Second Trimester (4th-6th Month)	338	21.9	49	98	105	55	31
Third Trimester (7th-9th Month)	120	7.8	24	28	26	29	13
No Prenatal Care	18	1.2	9	4	3	1	0
Unknown	123	--	20	38	37	22	5
<b>Other<sup>2</sup></b>	<b>2,997</b>	<b>100.0</b>	<b>770</b>	<b>587</b>	<b>579</b>	<b>558</b>	<b>492</b>
First Trimester (1st-3rd Month)	2,257	77.7	533	438	422	438	419
Second Trimester (4th-6th Month)	521	17.9	170	94	122	85	49
Third Trimester (7th-9th Month)	119	4.1	30	26	22	23	16
No Prenatal Care	7	0.2	2	3	1	1	0
Unknown	93	--	35	26	12	11	8
<b>Hispanic<sup>3</sup></b>	<b>3,597</b>	<b>100.0</b>	<b>1,101</b>	<b>853</b>	<b>856</b>	<b>483</b>	<b>295</b>
First Trimester (1st-3rd Month)	2,630	75.9	754	626	625	378	242
Second Trimester (4th-6th Month)	687	19.8	252	142	179	77	36
Third Trimester (7th-9th Month)	134	3.9	41	36	27	16	12
No Prenatal Care	15	0.4	6	6	3	0	0
Unknown	131	--	48	43	22	12	5

<sup>1</sup>Total includes cases with unknown age or educational level.

<sup>2</sup>"Other" includes all other races, as well as multi-racial categories.

<sup>3</sup>Hispanic is an ethnic group and may be of any race.

Source: New York State Department of Health.

**Table 13. Number of Births by Gestational Age and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016.**

Mother's Race/Ethnicity and Gestational Age - 2011	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,719</b>	<b>100.0</b>	<b>126</b>	<b>299</b>	<b>1,312</b>	<b>2,351</b>	<b>3,621</b>	<b>2,359</b>	<b>601</b>	<b>49</b>
37+ Weeks Gestation	9,742	90.9	111	280	1,199	2,155	3,302	2,118	538	38
35-36 Weeks Gestation	554	5.2	7	11	58	115	189	135	34	5
Less than 35 Weeks Gestation	419	3.9	8	8	55	80	128	106	28	6
Unknown	4	0	0	0	0	1	2	0	1	0
<b>Average Gestational Age (Weeks)</b>	<b>38.5</b>	<b>--</b>								
<b>White</b>	<b>5,929</b>	<b>100.0</b>	<b>44</b>	<b>89</b>	<b>469</b>	<b>1,084</b>	<b>2,281</b>	<b>1,534</b>	<b>390</b>	<b>38</b>
37+ Weeks Gestation	5,381	90.8	40	80	431	983	2,076	1,395	348	28
35-36 Weeks Gestation	331	5.6	2	5	23	60	129	86	21	5
Less than 35 Weeks Gestation	214	3.6	2	4	15	40	74	53	21	5
Unknown	3	--	0	0	0	1	2	0	0	0
<b>Average Gestational Age (Weeks)</b>	<b>38.6</b>	<b>--</b>								
<b>Black</b>	<b>1,641</b>	<b>100.0</b>	<b>49</b>	<b>103</b>	<b>350</b>	<b>413</b>	<b>398</b>	<b>241</b>	<b>79</b>	<b>7</b>
37+ Weeks Gestation	1,446	88.1	41	96	311	372	346	204	69	6
35-36 Weeks Gestation	95	5.8	4	4	17	20	26	17	7	0
Less than 35 Weeks Gestation	100	6.1	4	3	22	21	26	20	3	1
Unknown	0	-	0	0	0	0	0	0	0	0
<b>Average Gestational Age (Weeks)</b>	<b>38.2</b>	<b>--</b>								
<b>Other<sup>2</sup></b>	<b>3,145</b>	<b>100.0</b>	<b>33</b>	<b>107</b>	<b>496</b>	<b>851</b>	<b>942</b>	<b>584</b>	<b>128</b>	<b>4</b>
37+ Weeks Gestation	2,914	92.7	30	104	457	800	880	519	120	4
35-36 Weeks Gestation	128	4.1	1	2	21	32	34	32	6	0
Less than 35 Weeks Gestation	103	3.3	2	1	18	19	28	33	2	0
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Average Gestational Age (Weeks)</b>	<b>38.6</b>	<b>--</b>								
<b>Hispanic<sup>3</sup></b>	<b>3,725</b>	<b>100.0</b>	<b>64</b>	<b>177</b>	<b>777</b>	<b>1,039</b>	<b>978</b>	<b>557</b>	<b>124</b>	<b>9</b>
37+ Weeks Gestation	3,406	91.5	58	165	709	973	893	496	107	5
35-36 Weeks Gestation	159	4.3	2	8	38	34	45	24	6	2
Less than 35 Weeks Gestation	159	4.3	4	4	30	32	39	37	11	2
Unknown	1	--	0	0	0	0	1	0	0	0
<b>Average Gestational Age (Weeks)</b>	<b>38.5</b>	<b>--</b>								

(continue)

**Table 13. Number of Births by Gestational Age and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 (continued).**

Mother's Race/Ethnicity and Gestational Age - 2012	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,439</b>	<b>100.0</b>	<b>116</b>	<b>280</b>	<b>1,284</b>	<b>2,230</b>	<b>3,477</b>	<b>2,356</b>	<b>650</b>	<b>45</b>
37+ Weeks Gestation	9,287	91.4	104	249	1,153	2,015	3,097	2,073	559	36
35-36 Weeks Gestation	493	4.9	7	19	71	84	153	120	32	7
Less than 35 Weeks Gestation	380	3.7	4	11	54	86	110	87	27	1
Unknown	279	--	1	1	6	45	117	76	32	1
<b>Average Gestational Age (Weeks)</b>	<b>38.6</b>									
<b>White</b>	<b>5,565</b>	<b>100.0</b>	<b>48</b>	<b>86</b>	<b>448</b>	<b>1,013</b>	<b>2,054</b>	<b>1,471</b>	<b>417</b>	<b>27</b>
37+ Weeks Gestation	4,937	92.1	42	80	405	913	1,822	1,293	357	24
35-36 Weeks Gestation	255	4.8	5	4	23	44	93	67	17	2
Less than 35 Weeks Gestation	168	3.1	1	1	17	28	54	49	18	0
Unknown	205	--	0	1	3	28	85	62	25	1
<b>Average Gestational Age (Weeks)</b>	<b>38.7</b>									
<b>Black</b>	<b>1,586</b>	<b>98.7</b>	<b>33</b>	<b>75</b>	<b>328</b>	<b>401</b>	<b>403</b>	<b>261</b>	<b>83</b>	<b>2</b>
37+ Weeks Gestation	1,367	86.2	29	68	275	344	354	228	67	2
35-36 Weeks Gestation	87	5.5	1	3	25	14	18	16	10	0
Less than 35 Weeks Gestation	112	7.1	3	4	25	37	26	13	4	0
Unknown	20	--	0	0	3	6	5	4	2	0
<b>Average Gestational Age (Weeks)</b>	<b>38.2</b>									
<b>Other<sup>2</sup></b>	<b>3,236</b>	<b>98.5</b>	<b>35</b>	<b>119</b>	<b>505</b>	<b>804</b>	<b>1,002</b>	<b>610</b>	<b>145</b>	<b>16</b>
37+ Weeks Gestation	2,943	90.9	33	101	470	748	908	543	130	10
35-36 Weeks Gestation	149	4.6	1	12	23	26	42	35	5	5
Less than 35 Weeks Gestation	95	2.9	0	6	12	21	27	23	5	1
Unknown	49	--	1	0	0	9	25	9	5	0
<b>Average Gestational Age (Weeks)</b>	<b>38.6</b>									
<b>Hispanic<sup>3</sup></b>	<b>3,669</b>	<b>100.0</b>	<b>75</b>	<b>183</b>	<b>729</b>	<b>999</b>	<b>956</b>	<b>562</b>	<b>155</b>	<b>10</b>
37+ Weeks Gestation	3,325	91.7	68	163	668	915	867	497	140	7
35-36 Weeks Gestation	170	4.7	3	13	35	38	48	28	4	1
Less than 35 Weeks Gestation	131	3.6	3	6	24	33	26	29	9	1
Unknown	43	--	1	1	2	13	15	8	2	1
<b>Average Gestational Age (Weeks)</b>	<b>38.6</b>									

(continue)

**Table 13. Number of Births by Gestational Age and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 (continued).**

Mother's Race/Ethnicity and Gestational Age - 2013	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,549</b>	<b>100.0</b>	<b>103</b>	<b>256</b>	<b>1,261</b>	<b>2,176</b>	<b>3,515</b>	<b>2,520</b>	<b>655</b>	<b>61</b>
37+ Weeks Gestation	9,029	90.9	96	237	1,148	1,920	2,978	2,087	521	41
35-36 Weeks Gestation	525	5.3	4	8	56	85	159	149	56	8
Less than 35 Weeks Gestation	382	3.8	3	11	45	72	118	103	25	5
Unknown	613	--	0	0	12	99	260	181	53	7
<b>Average Gestational Age (Weeks)</b>	<b>38.6</b>									
<b>White</b>	<b>5,593</b>	<b>100.0</b>	<b>32</b>	<b>84</b>	<b>448</b>	<b>966</b>	<b>2,089</b>	<b>1,552</b>	<b>380</b>	<b>40</b>
37+ Weeks Gestation	4,688	91.2	27	79	414	844	1,734	1,269	291	29
35-36 Weeks Gestation	272	5.3	3	2	17	34	91	85	37	3
Less than 35 Weeks Gestation	181	3.5	2	3	14	27	61	59	12	3
Unknown	452	--	0	0	3	61	203	139	40	5
<b>Average Gestational Age (Weeks)</b>	<b>38.7</b>									
<b>Black</b>	<b>1,657</b>	<b>100.0</b>	<b>33</b>	<b>70</b>	<b>311</b>	<b>416</b>	<b>423</b>	<b>294</b>	<b>100</b>	<b>10</b>
37+ Weeks Gestation	1,446	89.1	33	65	279	367	371	242	85	4
35-36 Weeks Gestation	92	5.7	0	2	16	21	23	21	6	3
Less than 35 Weeks Gestation	85	5.2	0	3	12	21	20	21	6	2
Unknown	34	--	0	0	4	7	9	10	3	1
<b>Average Gestational Age (Weeks)</b>	<b>38.3</b>									
<b>Other<sup>2</sup></b>	<b>3,233</b>	<b>100.0</b>	<b>38</b>	<b>102</b>	<b>496</b>	<b>781</b>	<b>971</b>	<b>663</b>	<b>171</b>	<b>11</b>
37+ Weeks Gestation	2,853	91.2	36	93	450	702	852	568	144	8
35-36 Weeks Gestation	160	5.1	1	4	23	29	45	43	13	2
Less than 35 Weeks Gestation	115	3.7	1	5	19	24	36	23	7	0
Unknown	105	--	0	0	4	26	38	29	7	1
<b>Average Gestational Age (Weeks)</b>	<b>38.6</b>									
<b>Hispanic<sup>3</sup></b>	<b>3,702</b>	<b>100.0</b>	<b>67</b>	<b>156</b>	<b>735</b>	<b>970</b>	<b>991</b>	<b>603</b>	<b>166</b>	<b>13</b>
37+ Weeks Gestation	3,282	91.4	61	143	668	883	858	516	143	9
35-36 Weeks Gestation	184	5.1	4	5	35	33	46	45	14	2
Less than 35 Weeks Gestation	126	3.5	2	8	25	25	40	20	5	1
Unknown	110	--	0	0	7	29	47	22	4	1
<b>Average Gestational Age (Weeks)</b>	<b>38.6</b>									

(continue)

**Table 13. Number of Births by Gestational Age and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 (continued).**

Mother's Race/Ethnicity and Gestational Age -2014	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,628</b>	<b>100.0</b>	<b>94</b>	<b>244</b>	<b>1,201</b>	<b>2,194</b>	<b>3,707</b>	<b>2,511</b>	<b>624</b>	<b>53</b>
37+ Weeks Gestation	9,613	90.5	87	223	1,088	1,989	3,375	2,262	553	36
35-36 Weeks Gestation	580	5.5	4	10	51	124	192	157	30	12
Less than 35 Weeks Gestation	432	4.1	3	11	62	81	138	91	41	5
Unknown	3	--	0	0	0	0	2	1	0	0
<b>Average Gestational Age (Weeks)</b>	<b>38.6</b>									
<b>White</b>	<b>4,598</b>	<b>100.0</b>	<b>27</b>	<b>59</b>	<b>402</b>	<b>854</b>	<b>1,747</b>	<b>1,190</b>	<b>292</b>	<b>27</b>
37+ Weeks Gestation	4,189	91.2	24	56	366	797	1,598	1,061	266	21
35-36 Weeks Gestation	253	5.5	2	3	19	37	93	82	13	4
Less than 35 Weeks Gestation	153	3.3	1	0	17	20	54	46	13	2
Unknown	3	--	0	0	0	0	2	1	0	0
<b>Average Gestational Age (Weeks)</b>	<b>38.7</b>									
<b>Black</b>	<b>1,649</b>	<b>100.0</b>	<b>29</b>	<b>87</b>	<b>333</b>	<b>395</b>	<b>424</b>	<b>291</b>	<b>85</b>	<b>5</b>
37+ Weeks Gestation	1,420	86.1	28	81	284	338	367	250	69	3
35-36 Weeks Gestation	114	6.9	1	1	20	29	32	25	5	1
Less than 35 Weeks Gestation	115	7.0	0	5	29	28	25	16	11	1
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Average Gestational Age (Weeks)</b>	<b>38.2</b>									
<b>Other<sup>2</sup></b>	<b>2,935</b>	<b>100.0</b>	<b>37</b>	<b>94</b>	<b>429</b>	<b>730</b>	<b>917</b>	<b>568</b>	<b>149</b>	<b>11</b>
37+ Weeks Gestation	2,672	91.0	34	83	403	658	831	521	137	5
35-36 Weeks Gestation	143	4.9	1	5	12	46	42	29	4	4
Less than 35 Weeks Gestation	120	4.1	2	6	14	26	44	18	8	2
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Average Gestational Age (Weeks)</b>	<b>38.6</b>									
<b>Hispanic<sup>3</sup></b>	<b>3,714</b>	<b>100.0</b>	<b>61</b>	<b>46</b>	<b>694</b>	<b>975</b>	<b>1,028</b>	<b>634</b>	<b>163</b>	<b>13</b>
37+ Weeks Gestation	3,290	89.7	56	30	637	895	945	578	142	7
35-36 Weeks Gestation	171	4.7	2	8	27	50	37	36	7	4
Less than 35 Weeks Gestation	153	4.2	3	8	30	30	46	20	14	2
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Average Gestational Age (Weeks)</b>	<b>38.6</b>									

(continue)

**Table 13. Number of Births by Gestational Age and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 (*continued*).**

Mother's Race/Ethnicity and Gestational Age - 2015	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,628</b>	<b>100.0</b>	<b>77</b>	<b>174</b>	<b>1,136</b>	<b>2,255</b>	<b>3,724</b>	<b>2,543</b>	<b>656</b>	<b>63</b>
37+ Weeks Gestation	9,646	90.8	71	163	1,045	2,066	3,397	2,270	587	47
35-36 Weeks Gestation	562	5.3	4	4	61	105	182	150	45	11
Less than 35 Weeks Gestation	414	3.9	2	7	30	84	142	120	24	5
Unknown	6	--	0	0	0	0	3	3	0	0
<b>Average Gestational Age (Weeks)</b>	<b>38.6</b>									
<b>White</b>	<b>4,620</b>	<b>99.9</b>	<b>26</b>	<b>62</b>	<b>406</b>	<b>889</b>	<b>1,739</b>	<b>1,169</b>	<b>302</b>	<b>27</b>
37+ Weeks Gestation	4,231	91.6	24	57	376	825	1,607	1,054	268	20
35-36 Weeks Gestation	241	5.2	1	3	20	40	77	70	23	7
Less than 35 Weeks Gestation	144	3.1	1	2	10	24	52	44	11	0
Unknown	4	--	0	0	0	0	3	1	0	0
<b>Average Gestational Age (Weeks)</b>	<b>38.7</b>									
<b>Black</b>	<b>1,579</b>	<b>100.0</b>	<b>18</b>	<b>38</b>	<b>273</b>	<b>429</b>	<b>439</b>	<b>296</b>	<b>77</b>	<b>9</b>
37+ Weeks Gestation	1,377	87.3	17	34	244	389	379	240	68	6
35-36 Weeks Gestation	95	6.0	1	1	17	16	29	25	5	1
Less than 35 Weeks Gestation	106	6.7	0	3	12	24	31	30	4	2
Unknown	1	--	0	0	0	0	0	1	0	0
<b>Average Gestational Age (Weeks)</b>	<b>38.2</b>									
<b>Other<sup>2</sup></b>	<b>2,937</b>	<b>100.0</b>	<b>32</b>	<b>73</b>	<b>399</b>	<b>695</b>	<b>923</b>	<b>619</b>	<b>184</b>	<b>12</b>
37+ Weeks Gestation	2,668	90.8	29	71	374	632	832	554	168	8
35-36 Weeks Gestation	142	4.8	2	0	19	37	43	29	9	3
Less than 35 Weeks Gestation	127	4.3	1	2	6	26	48	36	7	1
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Average Gestational Age (Weeks)</b>	<b>38.5</b>									
<b>Hispanic<sup>3</sup></b>	<b>3,798</b>	<b>100.0</b>	<b>59</b>	<b>120</b>	<b>671</b>	<b>1,005</b>	<b>1,077</b>	<b>653</b>	<b>204</b>	<b>9</b>
37+ Weeks Gestation	3,484	91.8	53	115	620	932	989	581	187	7
35-36 Weeks Gestation	184	4.8	4	3	38	44	46	36	12	1
Less than 35 Weeks Gestation	127	3.3	2	2	13	29	41	34	5	1
Unknown	3	--	0	0	0	0	1	2	0	0
<b>Average Gestational Age (Weeks)</b>	<b>38.6</b>									

(*continue*)



**Table 13. Number of Births by Gestational Age and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 (continued).**

Mother's Race/Ethnicity and Gestational Age - 2016	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,273</b>	<b>100.0</b>	<b>74</b>	<b>205</b>	<b>1,004</b>	<b>2,115</b>	<b>3,604</b>	<b>2,549</b>	<b>649</b>	<b>73</b>
37+ Weeks Gestation	9,359	91.1	66	177	906	1,963	3,298	2,307	588	54
35-36 Weeks Gestation	539	5.2	5	15	66	77	188	141	32	15
Less than 35 Weeks Gestation	371	3.6	3	13	32	75	116	99	29	4
Unknown	4	--	0	0	0	0	2	2	0	0
<b>Average Gestational Age (Weeks)</b>	<b>38.6</b>									
<b>White</b>	<b>5,606</b>	<b>100.0</b>	<b>23</b>	<b>70</b>	<b>349</b>	<b>925</b>	<b>2,237</b>	<b>1,563</b>	<b>396</b>	<b>43</b>
37+ Weeks Gestation	5,143	91.8	20	58	318	869	2,058	1,415	375	30
35-36 Weeks Gestation	291	5.2	1	7	22	31	118	90	11	11
Less than 35 Weeks Gestation	168	3.0	2	5	9	25	59	56	10	2
Unknown	4	--	0	0	0	0	2	2	0	0
<b>Average Gestational Age (Weeks)</b>	<b>38.7</b>									
<b>Black</b>	<b>1,667</b>	<b>100.0</b>	<b>18</b>	<b>43</b>	<b>286</b>	<b>442</b>	<b>434</b>	<b>331</b>	<b>104</b>	<b>9</b>
37+ Weeks Gestation	1,491	89.4	15	39	256	409	383	299	83	7
35-36 Weeks Gestation	88	5.3	2	1	16	13	25	20	10	1
Less than 35 Weeks Gestation	88	5.3	1	3	14	20	26	12	11	1
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Average Gestational Age (Weeks)</b>	<b>38.4</b>									
<b>Other<sup>2</sup></b>	<b>2,997</b>	<b>100.0</b>	<b>33</b>	<b>92</b>	<b>367</b>	<b>747</b>	<b>933</b>	<b>655</b>	<b>149</b>	<b>21</b>
37+ Weeks Gestation	2,723	90.9	31	80	330	685	857	593	130	17
35-36 Weeks Gestation	160	5.3	2	7	28	33	45	31	11	3
Less than 35 Weeks Gestation	114	3.8	0	5	9	29	31	31	8	1
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Average Gestational Age (Weeks)</b>	<b>38.5</b>									
<b>Hispanic<sup>3</sup></b>	<b>3,597</b>	<b>100.0</b>	<b>55</b>	<b>154</b>	<b>581</b>	<b>966</b>	<b>1,013</b>	<b>643</b>	<b>164</b>	<b>21</b>
37+ Weeks Gestation	3,275	91.1	50	131	523	896	938	579	144	14
35-36 Weeks Gestation	187	5.2	3	13	44	36	45	31	10	5
Less than 35 Weeks Gestation	134	3.7	2	10	14	34	30	32	10	2
Unknown	1	--	0	0	0	0	0	1	0	0
<b>Average Gestational Age (Weeks)</b>	<b>38.5</b>									

<sup>1</sup>Total includes cases with unknown race or age.

<sup>2</sup>"Other" includes all other races, as well as multi-racial categories.

<sup>3</sup>Hispanic is an ethnic group and may be of any race.

Source: New York State Department of Health.

**Table 14. Number of Births by Insurance Coverage and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016.**

Mother's Race/Ethnicity and Financial Coverage - 2011	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,719</b>	<b>100.0</b>	<b>126</b>	<b>299</b>	<b>1,312</b>	<b>2,351</b>	<b>3,621</b>	<b>2,359</b>	<b>601</b>	<b>49</b>
Medicaid/Family Health Plus	3,951	41.0	108	240	1,014	1,143	896	441	103	6
Private or Other Insurance <sup>2</sup>	5,628	58.4	17	51	256	1,025	2,239	1,581	420	38
Self-Pay	55	0.6	1	3	13	15	12	10	1	0
Unknown	1,085	--	0	5	29	168	474	327	77	5
<b>White</b>	<b>5,929</b>	<b>100.0</b>	<b>44</b>	<b>89</b>	<b>469</b>	<b>1,084</b>	<b>2,281</b>	<b>1,534</b>	<b>390</b>	<b>38</b>
Medicaid/Family Health Plus	1,312	26.1	43	71	352	352	323	138	29	4
Private or Other Insurance <sup>2</sup>	3,695	73.5	0	16	95	602	1,544	1,116	293	29
Self-Pay	20	0.4	1	1	4	3	7	3	1	0
Unknown	902	--	0	1	18	127	407	277	67	5
<b>Black</b>	<b>1,641</b>	<b>100.0</b>	<b>49</b>	<b>103</b>	<b>348</b>	<b>415</b>	<b>398</b>	<b>241</b>	<b>79</b>	<b>7</b>
Medicaid/Family Health Plus	860	54.6	34	79	263	232	155	75	20	2
Private or Other Insurance <sup>2</sup>	702	44.6	15	22	75	163	224	143	54	5
Self-Pay	13	0.8	0	0	4	4	3	2	0	0
Unknown	66	--	0	2	6	16	16	21	5	0
<b>Other<sup>3</sup></b>	<b>3,145</b>	<b>100.0</b>	<b>33</b>	<b>107</b>	<b>495</b>	<b>852</b>	<b>942</b>	<b>584</b>	<b>128</b>	<b>4</b>
Medicaid/Family Health Plus	1,779	58.8	31	90	399	559	418	228	54	0
Private or Other Insurance <sup>2</sup>	1,227	40.5	2	13	86	260	471	322	69	4
Self-Pay	22	0.7	0	2	5	8	2	5	0	0
Unknown	117	--	0	2	5	25	51	29	5	0
<b>Hispanic<sup>4</sup></b>	<b>3,725</b>	<b>100.0</b>	<b>64</b>	<b>177</b>	<b>776</b>	<b>1,040</b>	<b>978</b>	<b>557</b>	<b>124</b>	<b>9</b>
Medicaid/Family Health Plus	2,562	72.2	62	153	652	736	592	302	61	4
Private or Other Insurance <sup>2</sup>	961	27.1	2	18	97	256	317	216	52	3
Self-Pay	25	0.7	0	3	9	7	1	5	0	0
Unknown	177	--	0	3	18	41	68	34	11	2

(continue)

**Table 14. Number of Births by Insurance Coverage and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 (*continued*).**

Mother's Race/Ethnicity and Financial Coverage - 2012	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,439</b>	<b>100.0</b>	<b>116</b>	<b>280</b>	<b>1,284</b>	<b>2,230</b>	<b>3,477</b>	<b>2,356</b>	<b>650</b>	<b>45</b>
Medicaid/Family Health Plus	3,970	42.5	102	233	979	1,138	903	479	128	8
Private or Other Insurance <sup>2</sup>	5,310	56.8	10	43	261	910	2,112	1,520	423	31
Self-Pay	63	0.7	3	3	12	18	12	12	3	0
Unknown	1,096	--	1	1	32	164	450	345	96	6
<b>White</b>	<b>5,565</b>	<b>100.0</b>	<b>48</b>	<b>86</b>	<b>448</b>	<b>1,013</b>	<b>2,054</b>	<b>1,471</b>	<b>417</b>	<b>27</b>
Medicaid/Family Health Plus	1,259	26.5	44	70	310	368	269	152	45	1
Private or Other Insurance <sup>2</sup>	3,470	73.1	3	13	120	529	1,445	1,044	296	20
Self-Pay	16	0.3	1	2	3	4	3	2	1	0
Unknown	820	--	0	1	15	112	337	273	75	6
<b>Black</b>	<b>1,586</b>	<b>100.0</b>	<b>33</b>	<b>75</b>	<b>328</b>	<b>401</b>	<b>403</b>	<b>261</b>	<b>83</b>	<b>2</b>
Medicaid/Family Health Plus	851	56.1	25	59	259	234	165	79	28	2
Private or Other Insurance <sup>2</sup>	649	42.8	7	15	58	147	214	159	49	0
Self-Pay	18	1.2	1	1	2	7	1	5	1	0
Unknown	68	--	0	0	9	13	23	18	5	0
<b>Other<sup>3</sup></b>	<b>3,236</b>	<b>100.0</b>	<b>35</b>	<b>119</b>	<b>505</b>	<b>804</b>	<b>1,002</b>	<b>610</b>	<b>145</b>	<b>16</b>
Medicaid/Family Health Plus	1,860	60.5	33	104	410	536	469	248	55	5
Private or Other Insurance <sup>2</sup>	1,187	38.6	0	15	83	234	451	315	78	11
Self-Pay	27	0.9	1	0	7	7	8	3	1	0
Unknown	162	--	1	0	5	27	74	44	11	0
<b>Hispanic<sup>4</sup></b>	<b>3,669</b>	<b>100.0</b>	<b>75</b>	<b>183</b>	<b>729</b>	<b>999</b>	<b>956</b>	<b>562</b>	<b>155</b>	<b>10</b>
Medicaid/Family Health Plus	2,561	73.1	68	163	614	732	589	308	81	6
Private or Other Insurance <sup>2</sup>	911	26.0	4	18	92	215	305	212	61	4
Self-Pay	30	0.9	2	1	8	7	6	5	1	0
Unknown	167	--	1	1	15	45	56	37	12	0

(*continue*)

**Table 14. Number of Births by Insurance Coverage and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 (continued).**

Mother's Race/Ethnicity and Financial Coverage - 2013	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,549</b>	<b>100.0</b>	<b>103</b>	<b>256</b>	<b>1,261</b>	<b>2,176</b>	<b>3,515</b>	<b>2,520</b>	<b>655</b>	<b>61</b>
Medicaid/Family Health Plus	3,689	37.7	86	211	881	1,052	841	493	121	4
Private or Other Insurance <sup>2</sup>	6,020	61.4	15	41	346	989	2,327	1,782	470	50
Self-Pay	89	0.9	2	3	14	17	29	21	3	0
Unknown	751	--	0	1	20	118	318	224	61	7
<b>White</b>	<b>5,593</b>	<b>100.0</b>	<b>32</b>	<b>84</b>	<b>448</b>	<b>966</b>	<b>2,089</b>	<b>1,552</b>	<b>380</b>	<b>40</b>
Medicaid/Family Health Plus	1,198	23.8	28	73	318	333	252	156	36	2
Private or Other Insurance <sup>2</sup>	3,821	75.8	4	10	121	555	1,585	1,215	298	33
Self-Pay	19	0.4	0	0	3	4	4	8	0	0
Unknown	555	--	0	1	6	74	248	173	46	5
<b>Black</b>	<b>1,657</b>	<b>100.0</b>	<b>33</b>	<b>70</b>	<b>311</b>	<b>416</b>	<b>423</b>	<b>294</b>	<b>100</b>	<b>10</b>
Medicaid/Family Health Plus	776	48.1	27	54	203	234	155	77	26	0
Private or Other Insurance <sup>2</sup>	806	49.9	6	15	98	168	238	203	69	9
Self-Pay	32	2.0	0	1	3	7	16	4	1	0
Unknown	43	--	0	0	7	7	14	10	4	1
<b>Other<sup>3</sup></b>	<b>3,233</b>	<b>100.0</b>	<b>38</b>	<b>102</b>	<b>496</b>	<b>781</b>	<b>971</b>	<b>663</b>	<b>171</b>	<b>11</b>
Medicaid/Family Health Plus	1,710	55.1	31	84	358	485	432	259	59	2
Private or Other Insurance <sup>2</sup>	1,355	43.7	5	16	124	258	485	357	102	8
Self-Pay	37	1.2	2	2	8	6	8	9	2	0
Unknown	131	--	0	0	6	32	46	38	8	1
<b>Hispanic<sup>4</sup></b>	<b>3,702</b>	<b>100.0</b>	<b>67</b>	<b>156</b>	<b>735</b>	<b>970</b>	<b>991</b>	<b>603</b>	<b>166</b>	<b>13</b>
Medicaid/Family Health Plus	2,380	66.8	57	139	570	663	544	323	81	3
Private or Other Insurance <sup>2</sup>	1,158	32.5	8	16	145	266	384	250	80	9
Self-Pay	27	0.8	2	1	9	5	6	4	0	0
Unknown	137	--	0	0	11	36	57	26	5	1

(continue)

**Table 14. Number of Births by Insurance Coverage and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 (*continued*).**

Mother's Race/Ethnicity and Financial Coverage - 2014	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,628</b>	<b>100.0</b>	<b>94</b>	<b>244</b>	<b>1,201</b>	<b>2,194</b>	<b>3,707</b>	<b>2,511</b>	<b>624</b>	<b>53</b>
Medicaid/Family Health Plus	3,722	40.6	73	195	887	1,045	912	484	120	6
Private or Other Insurance <sup>2</sup>	5,396	58.9	19	42	274	919	2,149	1,549	407	37
Self-Pay	50	0.5	1	3	7	12	17	10	0	0
Unknown	1,460	--	1	4	33	218	629	468	97	10
<b>White</b>	<b>4,598</b>	<b>100.0</b>	<b>27</b>	<b>59</b>	<b>402</b>	<b>854</b>	<b>1,747</b>	<b>1,190</b>	<b>292</b>	<b>27</b>
Medicaid/Family Health Plus	1,263	27.6	22	53	311	364	306	163	42	2
Private or Other Insurance <sup>2</sup>	3,305	72.1	5	6	87	482	1,429	1,021	250	25
Self-Pay	15	0.3	0	0	4	7	3	1	0	0
Unknown	15	--	0	0	0	1	9	5	0	0
<b>Black</b>	<b>1,649</b>	<b>100.0</b>	<b>29</b>	<b>87</b>	<b>333</b>	<b>395</b>	<b>424</b>	<b>291</b>	<b>85</b>	<b>5</b>
Medicaid/Family Health Plus	914	55.6	24	70	247	253	201	96	22	1
Private or Other Insurance <sup>2</sup>	711	43.2	4	16	86	139	212	187	63	4
Self-Pay	19	1.2	1	1	0	2	8	7	0	0
Unknown	5	--	0	0	0	1	3	1	0	0
<b>Other<sup>3</sup></b>	<b>2,935</b>	<b>100.0</b>	<b>37</b>	<b>94</b>	<b>429</b>	<b>730</b>	<b>917</b>	<b>568</b>	<b>149</b>	<b>11</b>
Medicaid/Family Health Plus	1,542	52.6	27	72	326	428	405	225	56	3
Private or Other Insurance <sup>2</sup>	1,376	46.9	10	20	101	298	506	340	93	8
Self-Pay	15	0.5	0	2	2	3	6	2	0	0
Unknown	2	--	0	0	0	1	0	1	0	0
<b>Hispanic<sup>4</sup></b>	<b>3,714</b>	<b>100.0</b>	<b>61</b>	<b>146</b>	<b>694</b>	<b>975</b>	<b>1,028</b>	<b>634</b>	<b>163</b>	<b>13</b>
Medicaid/Family Health Plus	2,309	66.5	47	117	551	650	564	299	77	4
Private or Other Insurance <sup>2</sup>	1,148	33.1	13	24	122	267	373	275	66	8
Self-Pay	14	0.4	0	2	3	3	5	1	0	0
Unknown	243	--	1	3	18	55	86	59	20	1

(*continue*)

**Table 14. Number of Births by Insurance Coverage and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 (*continued*).**

Mother's Race/Ethnicity and Financial Coverage - 2015	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,628</b>	<b>100.0</b>	<b>77</b>	<b>174</b>	<b>1,135</b>	<b>2,255</b>	<b>3,724</b>	<b>2,543</b>	<b>656</b>	<b>63</b>
Medicaid/Family Health Plus	3,766	41.2	60	144	803	1,133	962	508	148	8
Private or Other Insurance <sup>2</sup>	5,329	58.3	16	28	267	875	2,122	1,569	411	41
Self-Pay	48	0.5	0	1	11	9	16	7	4	0
Unknown	1,485	--	1	1	54	238	624	459	93	14
<b>White</b>	<b>4,620</b>	<b>100.0</b>	<b>26</b>	<b>62</b>	<b>406</b>	<b>889</b>	<b>1,739</b>	<b>1,169</b>	<b>302</b>	<b>27</b>
Medicaid/Family Health Plus	1,385	30.0	23	55	303	431	357	161	52	3
Private or Other Insurance <sup>2</sup>	3,213	69.6	3	6	97	455	1,375	1,003	250	24
Self-Pay	18	0.4	0	1	6	3	4	4	0	0
Unknown	4	--	0	0	0	0	3	1	0	0
<b>Black</b>	<b>1,579</b>	<b>100.0</b>	<b>18</b>	<b>38</b>	<b>273</b>	<b>429</b>	<b>439</b>	<b>296</b>	<b>77</b>	<b>9</b>
Medicaid/Family Health Plus	868	55.0	16	30	197	286	194	110	32	3
Private or Other Insurance <sup>2</sup>	693	43.9	2	8	72	139	236	185	45	6
Self-Pay	16	1.0	0	0	4	4	7	1	0	0
Unknown	2	--	0	0	0	0	2	0	0	0
<b>Other<sup>3</sup></b>	<b>2,937</b>	<b>100.0</b>	<b>32</b>	<b>73</b>	<b>399</b>	<b>695</b>	<b>923</b>	<b>619</b>	<b>184</b>	<b>12</b>
Medicaid/Family Health Plus	1,504	51.2	21	59	300	413	408	237	64	2
Private or Other Insurance <sup>2</sup>	1,419	48.3	11	14	98	280	510	380	116	10
Self-Pay	14	0.5	0	0	1	2	5	2	4	0
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Hispanic<sup>4</sup></b>	<b>3,798</b>	<b>100.0</b>	<b>59</b>	<b>120</b>	<b>670</b>	<b>1,005</b>	<b>1,077</b>	<b>653</b>	<b>204</b>	<b>9</b>
Medicaid/Family Health Plus	2,355	66.3	45	106	516	674	603	309	100	2
Private or Other Insurance <sup>2</sup>	1,183	33.3	13	14	125	271	380	285	91	4
Self-Pay	13	0.4	0	0	4	1	4	2	2	0
Unknown	247	--	1	0	25	59	90	57	11	3

(*continue*)

**Table 14. Number of Births by Insurance Coverage and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 (continued).**

Mother's Race/Ethnicity and Financial Coverage - 2016	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,273</b>	<b>100.0</b>	<b>74</b>	<b>205</b>	<b>1,004</b>	<b>2,115</b>	<b>3,604</b>	<b>2,549</b>	<b>649</b>	<b>73</b>
Medicaid/Family Health Plus	3,587	40.9	55	156	761	1,088	872	501	143	11
Private or Other Insurance <sup>2</sup>	5,145	58.7	17	42	204	818	2,069	1,565	380	50
Self-Pay	34	0.4	0	2	1	9	14	7	1	0
Unknown	1,507	--	2	5	38	200	649	476	125	12
<b>White</b>	<b>5,606</b>	<b>100.0</b>	<b>23</b>	<b>70</b>	<b>349</b>	<b>925</b>	<b>2,237</b>	<b>1,563</b>	<b>396</b>	<b>43</b>
Medicaid/Family Health Plus	1,253	28.4	23	56	253	369	314	174	61	3
Private or Other Insurance <sup>2</sup>	3,154	71.4	0	9	76	410	1,375	1,015	237	32
Self-Pay	12	0.3	0	1	0	4	4	2	1	0
Unknown	1,187	--	0	4	20	142	544	372	97	8
<b>Black</b>	<b>1,667</b>	<b>100.0</b>	<b>18</b>	<b>43</b>	<b>286</b>	<b>442</b>	<b>434</b>	<b>331</b>	<b>104</b>	<b>9</b>
Medicaid/Family Health Plus	875	56.3	13	31	223	289	180	104	34	1
Private or Other Insurance <sup>2</sup>	668	43.0	4	11	55	132	211	189	60	6
Self-Pay	12	0.8	0	0	1	2	7	2	0	0
Unknown	112	--	1	1	7	19	36	36	10	2
<b>Other<sup>3</sup></b>	<b>2,997</b>	<b>100.0</b>	<b>33</b>	<b>92</b>	<b>367</b>	<b>747</b>	<b>933</b>	<b>655</b>	<b>149</b>	<b>21</b>
Medicaid/Family Health Plus	1,456	52.2	19	69	283	429	378	223	48	7
Private or Other Insurance <sup>2</sup>	1,323	47.4	13	22	73	276	483	361	83	12
Self-Pay	10	0.4	0	1	0	3	3	3	0	0
Unknown	208	--	1	0	11	39	69	68	18	2
<b>Hispanic<sup>4</sup></b>	<b>3,597</b>	<b>100.0</b>	<b>55</b>	<b>154</b>	<b>581</b>	<b>966</b>	<b>1,013</b>	<b>643</b>	<b>164</b>	<b>21</b>
Medicaid/Family Health Plus	2,192	65.9	43	125	472	640	524	307	73	8
Private or Other Insurance <sup>2</sup>	1,125	33.8	11	26	86	256	381	275	78	12
Self-Pay	7	0.2	0	1	0	3	3	0	0	0
Unknown	273	--	1	2	23	67	105	61	13	1

<sup>1</sup>Total includes cases with unknown race or age.

<sup>2</sup>"Other insurance" includes all other forms of private or government insurance.

<sup>3</sup>"Other" includes all other races, as well as multi-racial categories.

<sup>4</sup>Hispanic is an ethnic group and may be of any race.

Source: New York State Department of Health.

Table 15. Number of Births by Insurance Coverage and Mother's Region of Origin, Westchester County 2011-2016.

Financial Coverage - 2011	Total <sup>1</sup>		USA		Mexico		Central/South America <sup>2</sup>		Caribbean		Asia/Oceania/Middle East		Europe/Canada/Australia/Russia		Africa	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Total<sup>1</sup></b>	<b>10,719</b>	<b>100.0</b>	<b>6,150</b>	<b>100.0</b>	<b>822</b>	<b>100.0</b>	<b>1,439</b>	<b>100.0</b>	<b>798</b>	<b>100.0</b>	<b>729</b>	<b>100.0</b>	<b>605</b>	<b>100.0</b>	<b>161</b>	<b>100.0</b>
Medicaid/Family Health Plus	3,951	41.0	1,429	26.6	686	86.3	1,074	78.2	449	58.3	131	19.9	85	16.9	87	57.6
Private or Other Insurance	5,628	58.4	3,919	73.0	107	13.5	286	20.8	318	41.3	523	79.4	416	82.5	55	36.4
Self-Pay	55	0.6	20	0.4	2	0.3	13	0.9	3	0.4	5	0.8	3	0.6	9	6.0
Unknown	1,085	--	782	--	27	--	66	--	28	--	70	--	101	--	10	--

Financial Coverage - 2012	Total <sup>1</sup>		USA		Mexico		Central/South America <sup>2</sup>		Caribbean		Asia/Oceania/Middle East		Europe/Canada/Australia/Russia		Africa	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Total<sup>1</sup></b>	<b>10,439</b>	<b>100.0</b>	<b>5,912</b>	<b>100.0</b>	<b>741</b>	<b>100.0</b>	<b>1,410</b>	<b>100.0</b>	<b>842</b>	<b>100.0</b>	<b>778</b>	<b>100.0</b>	<b>572</b>	<b>100.0</b>	<b>176</b>	<b>100.0</b>
Medicaid/Family Health Plus	3,970	42.5	1,432	28.0	645	89.7	1,080	80.6	478	58.9	159	22.7	99	20.2	72	44.2
Private or Other Insurance	5,310	56.8	3,662	71.6	68	9.5	247	18.4	327	40.3	535	76.5	387	79.0	82	50.3
Self-Pay	63	0.7	19	0.4	6	0.8	13	1.0	6	0.7	5	0.7	4	0.8	9	5.5
Unknown	1,096	--	799	--	22	--	70	--	31	--	79	--	82	--	13	--

(continue)



Table 15. Number of Births by Insurance Coverage and Mother's Region of Origin, Westchester County 2011-2016 (continued).

Financial Coverage - 2013	Total <sup>1</sup>		USA		Mexico		Central/South America <sup>2</sup>		Caribbean		Asia/Oceania/Middle East		Europe/Canada/Australia/Russia		Africa	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Total<sup>1</sup></b>	<b>10,549</b>	<b>100.0</b>	<b>6,083</b>	<b>100.0</b>	<b>754</b>	<b>100.0</b>	<b>1,443</b>	<b>100.0</b>	<b>846</b>	<b>100.6</b>	<b>685</b>	<b>100.0</b>	<b>551</b>	<b>100.0</b>	<b>173</b>	<b>100.0</b>
Medicaid/Family Health Plus	3,689	37.7	1,337	24.1	611	83.2	994	71.5	434	52.8	129	20.6	100	20.2	75	44.9
Private or Other Insurance	6,020	61.4	4,187	75.4	120	16.3	382	27.5	370	45.6	490	78.1	388	78.4	80	47.9
Self-Pay	89	0.9	27	0.5	3	0.4	14	1.0	18	2.2	8	1.3	7	1.4	12	7.2
Unknown	751	--	532	--	20	--	53	--	24	--	58	--	56	--	6	--

Financial Coverage - 2014	Total <sup>1</sup>		USA		Mexico		Central/South America <sup>2</sup>		Caribbean		Asia/Oceania/Middle East		Europe/Canada/Australia/Russia		Africa	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Total<sup>1</sup></b>	<b>10,628</b>	<b>100.0</b>	<b>5,122</b>	<b>100.0</b>	<b>596</b>	<b>100.0</b>	<b>1,389</b>	<b>100.0</b>	<b>824</b>	<b>100.0</b>	<b>610</b>	<b>100.0</b>	<b>445</b>	<b>100.0</b>	<b>181</b>	<b>100.0</b>
Medicaid/Family Health Plus	3,722	40.6	1,396	27.3	471	79.2	1,007	72.5	513	62.4	133	21.8	106	23.9	87	48.3
Private or Other Insurance	5,396	58.9	3,712	72.5	121	20.3	377	27.1	300	36.5	469	76.9	335	75.6	82	45.6
Self-Pay	50	0.5	12	0.2	3	0.5	5	0.4	9	1.1	8	1.3	2	0.5	11	6.1
Unknown	1,460	--	2	--	1	--	0	--	2	--	0	--	2	--	1	--

(continue)

Table 15. Number of Births by Insurance Coverage and Mother's Region of Origin, Westchester County 2011-2016 (continued).

Financial Coverage - 2015	Total <sup>1</sup>		USA		Mexico		Central/South America <sup>2</sup>		Caribbean		Asia/Oceania/Middle East		Europe/Canada/Australia/Russia		Africa	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
Total <sup>1</sup>	10,628	100.0	4,909	100.0	637	100.0	1,428	100.0	835	100.0	692	100.0	441	100.0	192	100.0
Medicaid/Family Health Plus	3,766	41.2	1,360	27.7	491	77.1	1,035	72.5	515	61.7	151	21.8	103	23.4	103	54.2
Private or Other Insurance	5,329	58.3	3,528	71.9	145	22.8	390	27.3	312	37.4	532	76.9	335	76.0	79	41.6
Self-Pay	48	0.5	16	0.3	1	0.2	3	0.2	8	1.0	9	1.3	3	0.7	8	4.2
Unknown	1,485	--	5	--	0	--	0	--	0	--	0	--	0	--	2	--

Financial Coverage - 2016	Total <sup>1</sup>		USA		Mexico		Central/South America <sup>2</sup>		Caribbean		Asia/Oceania/Middle East		Europe/Canada/Australia/Russia		Africa	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
Total <sup>1</sup>	10,273	100.0	5,977	100.0	589	100.0	1,363	100.0	869	100.0	727	100.0	532	100.0	213	100.0
Medicaid/Family Health Plus	3,587	40.9	1,326	27.3	428	77.8	923	71.7	510	62.3	170	26.9	129	30.6	98	50.0
Private or Other Insurance	5,145	58.7	3,525	72.5	122	22.2	357	27.7	305	37.3	454	71.9	293	69.4	89	45.4
Self-Pay	34	0.4	8	0.2	0	0	7	0.5	3	0.4	7	1.1	0	0	9	4.6
Unknown	1,507	--	1,118	--	39	--	76	--	51	--	96	--	110	--	17	--

<sup>1</sup>Total includes unknown region of origin.

<sup>2</sup>Cases from Central and South America do not include cases from Mexico.

Source: New York State Department of Health.

**Table 16. Number of Births by Delivery Method and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016.**

Mother's Race/Ethnicity and Delivery Method - 2011	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,719</b>	<b>100.0</b>	<b>126</b>	<b>299</b>	<b>1,312</b>	<b>2,351</b>	<b>3,621</b>	<b>2,359</b>	<b>601</b>	<b>49</b>
Vaginal Delivery	6,209	58.0	96	204	829	1,462	2,134	1,205	267	11
Vaginal Birth After Cesarean	115	1.1	0	1	18	21	43	26	6	0
Primary Cesarean Section	2,678	25.0	29	84	322	538	877	602	196	30
Repeat Cesarean Section	1,712	16.0	1	10	142	328	567	525	131	8
Unknown	5	--	0	0	1	2	0	1	1	0
<b>White</b>	<b>5,929</b>	<b>100.0</b>	<b>44</b>	<b>89</b>	<b>469</b>	<b>1,084</b>	<b>2,281</b>	<b>1,534</b>	<b>390</b>	<b>38</b>
Vaginal Delivery	3,392	57.2	32	54	292	679	1,361	799	167	8
Vaginal Birth After Cesarean	62	1.0	0	0	8	8	27	15	4	0
Primary Cesarean Section	1,515	25.6	12	31	111	273	558	373	134	23
Repeat Cesarean Section	957	16.1	0	4	58	123	335	346	84	7
Unknown	3	--	0	0	0	1	0	1	1	0
<b>Black</b>	<b>1,641</b>	<b>100.0</b>	<b>49</b>	<b>103</b>	<b>348</b>	<b>415</b>	<b>398</b>	<b>241</b>	<b>79</b>	<b>7</b>
Vaginal Delivery	900	54.8	36	71	202	240	209	101	38	2
Vaginal Birth After Cesarean	17	1.0	0	0	4	2	6	5	0	0
Primary Cesarean Section	480	29.3	12	30	114	104	110	84	21	5
Repeat Cesarean Section	244	14.9	1	2	28	69	73	51	20	0
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Other<sup>2</sup></b>	<b>3,145</b>	<b>100.0</b>	<b>33</b>	<b>107</b>	<b>495</b>	<b>852</b>	<b>942</b>	<b>584</b>	<b>128</b>	<b>4</b>
Vaginal Delivery	1,915	60.9	28	79	335	543	564	305	60	1
Vaginal Birth After Cesarean	36	1.1	0	1	6	11	10	6	2	0
Primary Cesarean Section	681	21.7	5	23	97	161	209	145	39	2
Repeat Cesarean Section	511	16.3	0	4	56	136	159	128	27	1
Unknown	2	--	0	0	1	1	0	0	0	0
<b>Hispanic<sup>3</sup></b>	<b>3,725</b>	<b>100.0</b>	<b>64</b>	<b>177</b>	<b>776</b>	<b>1,040</b>	<b>978</b>	<b>557</b>	<b>124</b>	<b>9</b>
Vaginal Delivery	2,214	59.5	51	125	492	643	558	283	59	3
Vaginal Birth After Cesarean	62	1.7	0	1	11	16	16	14	4	0
Primary Cesarean Section	795	21.4	13	44	171	198	210	117	36	6
Repeat Cesarean Section	652	17.5	0	7	101	182	194	143	25	0
Unknown	2	--	0	0	1	1	0	0	0	0

(continue)

**Table 16. Number of Births by Delivery Method and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 (continued).**

Mother's Race/Ethnicity and Delivery Method - 2012	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,439</b>	<b>100.0</b>	<b>116</b>	<b>280</b>	<b>1,284</b>	<b>2,230</b>	<b>3,477</b>	<b>2,356</b>	<b>650</b>	<b>45</b>
Vaginal Delivery	5,996	58.8	90	206	836	1,370	1,990	1,227	264	12
Vaginal Birth After Cesarean	111	1.1	0	2	16	32	38	19	3	1
Primary Cesarean Section	2,360	23.1	23	62	284	477	749	542	199	24
Repeat Cesarean Section	1,736	17.0	3	9	143	314	602	502	155	8
Unknown	236	--	0	1	5	37	98	66	29	0
<b>White</b>	<b>5,565</b>	<b>100.0</b>	<b>48</b>	<b>86</b>	<b>448</b>	<b>1,013</b>	<b>2,054</b>	<b>1,471</b>	<b>417</b>	<b>27</b>
Vaginal Delivery	3,127	58.0	36	63	289	640	1,163	763	164	8
Vaginal Birth After Cesarean	55	1.0	0	1	6	14	24	7	2	1
Primary Cesarean Section	1,311	24.3	10	16	102	226	471	343	130	13
Repeat Cesarean Section	895	16.6	2	5	48	109	326	303	97	5
Unknown	177	--	0	1	3	24	70	55	24	0
<b>Black</b>	<b>1,586</b>	<b>100.0</b>	<b>33</b>	<b>75</b>	<b>328</b>	<b>401</b>	<b>403</b>	<b>261</b>	<b>83</b>	<b>2</b>
Vaginal Delivery	887	56.4	24	50	206	225	223	124	33	2
Vaginal Birth After Cesarean	14	0.9	0	0	6	3	3	2	0	0
Primary Cesarean Section	387	24.6	8	24	72	97	91	67	28	0
Repeat Cesarean Section	285	18.1	1	1	42	72	83	65	21	0
Unknown	13	--	0	0	2	4	3	3	1	0
<b>Other<sup>2</sup></b>	<b>52</b>	<b>100.0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>12</b>	<b>18</b>	<b>14</b>	<b>5</b>	<b>0</b>
Vaginal Delivery	30	66.7	0	0	2	7	11	8	2	0
Vaginal Birth After Cesarean	0	0.0	0	0	0	0	0	0	0	0
Primary Cesarean Section	14	31.1	0	0	1	3	4	4	2	0
Repeat Cesarean Section	1	2.2	0	0	0	0	0	1	0	0
Unknown	7	-	0	0	0	2	3	1	1	0
<b>Hispanic<sup>3</sup></b>	<b>3,669</b>	<b>100.0</b>	<b>75</b>	<b>183</b>	<b>729</b>	<b>999</b>	<b>956</b>	<b>562</b>	<b>155</b>	<b>10</b>
Vaginal Delivery	2,167	59.6	58	138	472	613	534	287	64	1
Vaginal Birth After Cesarean	60	1.7	0	1	7	25	16	9	1	1
Primary Cesarean Section	745	20.5	15	36	165	164	185	126	47	7
Repeat Cesarean Section	663	18.2	2	7	83	186	209	135	40	1
Unknown	34	--	0	1	2	11	12	5	3	0

(continue)

**Table 16. Number of Births by Delivery Method and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 (*continued*).**

Mother's Race/Ethnicity and Delivery Method - 2013	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,549</b>	<b>100.0</b>	<b>103</b>	<b>256</b>	<b>1,261</b>	<b>2,176</b>	<b>3,515</b>	<b>2,520</b>	<b>655</b>	<b>61</b>
Vaginal Delivery	5,633	56.9	80	190	793	1,284	1,790	1,224	260	12
Vaginal Birth After Cesarean	166	1.7	0	0	22	36	63	35	9	1
Primary Cesarean Section	2,333	23.6	22	59	298	439	794	511	181	29
Repeat Cesarean Section	1,770	17.9	1	7	135	309	594	563	149	12
Unknown	647	--	0	0	13	108	274	187	56	7
<b>White</b>	<b>5,593</b>	<b>100.0</b>	<b>32</b>	<b>84</b>	<b>448</b>	<b>966</b>	<b>2,089</b>	<b>1,552</b>	<b>380</b>	<b>40</b>
Vaginal Delivery	2,895	56.6	24	70	277	567	1,045	767	140	5
Vaginal Birth After Cesarean	72	1.4	0	0	8	12	29	18	4	1
Primary Cesarean Section	1,252	24.5	8	11	109	201	503	289	113	18
Repeat Cesarean Section	900	17.6	0	3	51	120	298	334	83	11
Unknown	474	--	0	0	3	66	214	144	40	5
<b>Black</b>	<b>1,657</b>	<b>100.0</b>	<b>33</b>	<b>70</b>	<b>311</b>	<b>416</b>	<b>423</b>	<b>294</b>	<b>100</b>	<b>10</b>
Vaginal Delivery	843	52.0	24	48	196	219	197	112	45	2
Vaginal Birth After Cesarean	21	1.3	0	0	4	7	5	4	1	0
Primary Cesarean Section	417	25.7	8	21	78	100	93	81	29	7
Repeat Cesarean Section	339	20.9	1	1	29	82	117	87	22	0
Unknown	37	--	0	0	4	8	11	10	3	1
<b>Other<sup>2</sup></b>	<b>3,233</b>	<b>100.0</b>	<b>38</b>	<b>102</b>	<b>496</b>	<b>781</b>	<b>971</b>	<b>663</b>	<b>171</b>	<b>11</b>
Vaginal Delivery	1,872	59.9	32	72	318	493	536	341	75	5
Vaginal Birth After Cesarean	73	2.3	0	0	10	17	29	13	4	0
Primary Cesarean Section	651	20.8	6	27	110	138	189	138	39	4
Repeat Cesarean Section	528	16.9	0	3	54	107	178	141	44	1
Unknown	109	--	0	0	4	26	39	30	9	1
<b>Hispanic<sup>3</sup></b>	<b>3,702</b>	<b>100.0</b>	<b>67</b>	<b>156</b>	<b>735</b>	<b>970</b>	<b>991</b>	<b>603</b>	<b>166</b>	<b>13</b>
Vaginal Delivery	2,099	57.7	51	122	474	573	510	296	68	5
Vaginal Birth After Cesarean	87	2.4	0	0	17	22	29	15	4	0
Primary Cesarean Section	743	20.4	16	28	152	181	197	119	45	5
Repeat Cesarean Section	652	17.9	0	6	84	161	205	151	43	2
Unknown	121	--	0	0	8	33	50	22	6	1

(*continue*)

**Table 16. Number of Births by Delivery Method and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 (*continued*).**

Mother's Race/Ethnicity and Delivery Method - 2014	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,628</b>	<b>100.0</b>	<b>94</b>	<b>244</b>	<b>1,201</b>	<b>2,194</b>	<b>3,707</b>	<b>2,511</b>	<b>624</b>	<b>53</b>
Vaginal Delivery	5,437	59.3	74	179	780	1,207	1,832	1,095	260	10
Vaginal Birth After Cesarean	137	1.5	0	1	12	44	41	31	8	0
Primary Cesarean Section	1,919	20.9	17	53	242	402	638	427	116	24
Repeat Cesarean Section	1,680	18.3	2	7	134	323	570	492	143	9
Unknown	1,455	--	1	4	33	218	626	466	97	10
<b>White</b>	<b>4,598</b>	<b>100.0</b>	<b>27</b>	<b>59</b>	<b>402</b>	<b>854</b>	<b>1,747</b>	<b>1,190</b>	<b>292</b>	<b>27</b>
Vaginal Delivery	2,757	60.1	20	50	287	541	1,063	644	145	7
Vaginal Birth After Cesarean	61	1.3	0	0	5	17	21	16	2	0
Primary Cesarean Section	967	21.1	6	8	70	175	376	250	70	12
Repeat Cesarean Section	801	17.5	1	1	40	120	280	276	75	8
Unknown	12	--	0	0	0	1	7	4	0	0
<b>Black</b>	<b>1,649</b>	<b>100.0</b>	<b>29</b>	<b>87</b>	<b>333</b>	<b>395</b>	<b>424</b>	<b>291</b>	<b>85</b>	<b>5</b>
Vaginal Delivery	870	52.9	25	59	190	201	221	135	39	0
Vaginal Birth After Cesarean	18	1.1	0	0	2	8	3	5	0	0
Primary Cesarean Section	409	24.8	4	24	89	100	97	73	17	5
Repeat Cesarean Section	349	21.2	0	4	52	85	101	78	29	0
Unknown	3	--	0	0	0	1	2	0	0	0
<b>Other<sup>2</sup></b>	<b>2,935</b>	<b>100.0</b>	<b>37</b>	<b>94</b>	<b>429</b>	<b>730</b>	<b>917</b>	<b>568</b>	<b>149</b>	<b>11</b>
Vaginal Delivery	1,806	61.6	29	70	300	465	547	316	76	3
Vaginal Birth After Cesarean	58	2.0	0	1	5	19	17	10	6	0
Primary Cesarean Section	542	18.5	7	21	83	127	164	104	29	7
Repeat Cesarean Section	527	18.0	1	2	41	118	189	137	38	1
Unknown	2	--	0	0	0	1	0	1	0	0
<b>Hispanic<sup>3</sup></b>	<b>3,714</b>	<b>100.0</b>	<b>61</b>	<b>146</b>	<b>694</b>	<b>975</b>	<b>1,028</b>	<b>634</b>	<b>163</b>	<b>13</b>
Vaginal Delivery	2,104	60.6	46	109	457	567	549	306	67	3
Vaginal Birth After Cesarean	76	2.2	0	1	7	31	22	10	5	0
Primary Cesarean Section	631	18.2	13	30	136	142	158	107	38	7
Repeat Cesarean Section	662	19.1	1	3	76	181	214	152	33	2
Unknown	241	--	1	3	18	54	85	59	20	1

(*continue*)

**Table 16. Number of Births by Delivery Method and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 (continued).**

Mother's Race/Ethnicity and Delivery Method - 2015	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,628</b>	<b>100.0</b>	<b>77</b>	<b>174</b>	<b>1,136</b>	<b>2,255</b>	<b>3,724</b>	<b>2,543</b>	<b>656</b>	<b>63</b>
Vaginal Delivery	5,415	59.2	59	130	764	1,287	1,805	1,105	254	11
Vaginal Birth After Cesarean	145	1.6	0	0	11	34	54	41	5	0
Primary Cesarean Section	1,865	20.4	17	35	206	391	644	399	146	27
Repeat Cesarean Section	1,721	18.8	0	8	101	304	599	540	158	11
Unknown	1,482	--	1	1	54	239	622	458	93	14
<b>White</b>	<b>4,620</b>	<b>100.0</b>	<b>26</b>	<b>62</b>	<b>406</b>	<b>889</b>	<b>1,739</b>	<b>1,169</b>	<b>302</b>	<b>27</b>
Vaginal Delivery	2,756	59.7	22	41	292	592	1,032	639	131	7
Vaginal Birth After Cesarean	67	1.5	0	0	4	14	27	20	2	0
Primary Cesarean Section	947	20.5	4	17	74	173	369	212	82	16
Repeat Cesarean Section	846	18.3	0	4	36	109	308	298	87	4
Unknown	4	--	0	0	0	1	3	0	0	0
<b>Black</b>	<b>1,579</b>	<b>100.0</b>	<b>18</b>	<b>38</b>	<b>273</b>	<b>429</b>	<b>439</b>	<b>296</b>	<b>77</b>	<b>9</b>
Vaginal Delivery	883	55.9	11	30	170	247	249	139	34	3
Vaginal Birth After Cesarean	25	1.6	0	0	2	6	10	7	0	0
Primary Cesarean Section	360	22.8	7	8	75	92	87	70	17	4
Repeat Cesarean Section	311	19.7	0	0	26	84	93	80	26	2
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Other<sup>2</sup></b>	<b>2,937</b>	<b>100.0</b>	<b>32</b>	<b>73</b>	<b>399</b>	<b>695</b>	<b>923</b>	<b>619</b>	<b>184</b>	<b>12</b>
Vaginal Delivery	1,768	60.2	26	59	299	446	522	326	89	1
Vaginal Birth After Cesarean	53	1.8	0	0	5	14	17	14	3	0
Primary Cesarean Section	554	18.9	6	10	56	124	187	117	47	7
Repeat Cesarean Section	562	19.1	0	4	39	111	197	162	45	4
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Hispanic<sup>3</sup></b>	<b>3,798</b>	<b>100.0</b>	<b>59</b>	<b>120</b>	<b>671</b>	<b>1,005</b>	<b>1,077</b>	<b>653</b>	<b>204</b>	<b>9</b>
Vaginal Delivery	2,147	60.4	47	90	469	599	550	294	97	1
Vaginal Birth After Cesarean	71	2.0	0	0	8	19	23	18	3	0
Primary Cesarean Section	634	17.8	11	23	105	154	179	111	47	4
Repeat Cesarean Section	700	19.7	0	7	64	174	235	173	46	1
Unknown	246	--	1	0	25	59	90	57	11	3

(continue)

**Table 16. Number of Births by Delivery Method and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 (*continued*).**

Mother's Race/Ethnicity and Delivery Method - 2016	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,273</b>	<b>100.0</b>	<b>74</b>	<b>205</b>	<b>1,004</b>	<b>2,115</b>	<b>3,604</b>	<b>2,549</b>	<b>649</b>	<b>73</b>
Vaginal Delivery	6,251	60.9	65	158	683	1,351	2,238	1,433	301	22
Vaginal Birth After Cesarean	179	1.7	0	1	6	42	66	47	15	2
Primary Cesarean Section	2,051	20.0	8	42	216	399	688	485	177	36
Repeat Cesarean Section	1,791	17.4	1	4	99	323	611	584	156	13
Unknown	1	--	0	0	0	0	1	0	0	0
<b>White</b>	<b>5,606</b>	<b>100.0</b>	<b>23</b>	<b>70</b>	<b>349</b>	<b>925</b>	<b>2,237</b>	<b>1,563</b>	<b>396</b>	<b>43</b>
Vaginal Delivery	3,418	61.0	18	53	240	611	1,400	896	189	11
Vaginal Birth After Cesarean	81	1.4	0	0	1	9	33	28	9	1
Primary Cesarean Section	1,159	20.7	5	16	73	185	461	296	99	24
Repeat Cesarean Section	948	16.9	0	1	35	120	343	343	99	7
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Black</b>	<b>1,667</b>	<b>100.0</b>	<b>18</b>	<b>43</b>	<b>286</b>	<b>442</b>	<b>434</b>	<b>331</b>	<b>104</b>	<b>9</b>
Vaginal Delivery	955	57.3	17	33	199	246	260	160	35	5
Vaginal Birth After Cesarean	35	2.1	0	1	2	15	11	5	1	0
Primary Cesarean Section	361	21.7	0	7	62	97	77	73	43	2
Repeat Cesarean Section	316	19.0	1	2	23	84	86	93	25	2
Unknown	0	--	0	0	0	0	0	0	0	0
<b>Other<sup>2</sup></b>	<b>2,997</b>	<b>100.0</b>	<b>33</b>	<b>92</b>	<b>367</b>	<b>747</b>	<b>933</b>	<b>655</b>	<b>149</b>	<b>21</b>
Vaginal Delivery	1,877	62.7	30	72	243	494	578	377	77	6
Vaginal Birth After Cesarean	62	2.1	0	0	2	18	22	14	5	1
Primary Cesarean Section	531	17.7	3	19	81	117	150	116	35	10
Repeat Cesarean Section	526	17.6	0	1	41	118	182	148	32	4
Unknown	1	--	0	0	0	0	1	0	0	0
<b>Hispanic<sup>4</sup></b>	<b>3,597</b>	<b>100.0</b>	<b>55</b>	<b>154</b>	<b>581</b>	<b>966</b>	<b>1,013</b>	<b>643</b>	<b>164</b>	<b>21</b>
Vaginal Delivery	2,220	61.7	47	117	379	622	609	361	82	3
Vaginal Birth After Cesarean	69	1.9	0	0	4	23	22	16	3	1
Primary Cesarean Section	650	18.1	8	35	134	136	163	116	46	12
Repeat Cesarean Section	657	18.3	0	2	64	185	218	150	33	5
Unknown	1	--	0	0	0	0	1	0	0	0

<sup>1</sup>Total includes cases with unknown race or age.

<sup>2</sup>"Other" includes all other races, as well as multi-racial categories.

<sup>3</sup>Hispanic is an ethnic group and may be of any race.

Source: New York State Department of Health.



**Table 17. Number of Births by Milk Type Consumed (in Hospital) and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016.**

Mother's Race/Ethnicity and Milk Type Consumed (in Hospital) - 2011	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,719</b>	<b>100.0</b>	<b>126</b>	<b>299</b>	<b>1,312</b>	<b>2,351</b>	<b>3,621</b>	<b>2,359</b>	<b>601</b>	<b>49</b>
Breast Milk Only	4,682	48.9	49	114	553	1,059	1,618	1,018	249	22
Formula Only	1,258	13.1	35	50	201	267	368	256	72	9
Both Breast Milk and Formula	3,528	36.9	40	127	503	830	1,117	706	194	11
Neither Breast Milk or Formula	101	1.1	2	2	19	18	19	35	5	1
Unknown	1,150	--	0	6	36	177	499	344	81	6
<b>White</b>	<b>5,929</b>	<b>100.0</b>	<b>44</b>	<b>89</b>	<b>469</b>	<b>1,084</b>	<b>2,281</b>	<b>1,534</b>	<b>390</b>	<b>38</b>
Breast Milk Only	2,437	48.8	11	34	152	436	994	636	159	15
Formula Only	763	15.3	15	16	98	145	243	185	53	8
Both Breast Milk and Formula	1,757	35.2	16	36	194	362	618	413	109	9
Neither Breast Milk or Formula	35	0.7	2	2	5	7	6	11	2	0
Unknown	937	--	0	1	20	134	420	289	67	6
<b>Black</b>	<b>1,641</b>	<b>100.0</b>	<b>49</b>	<b>103</b>	<b>348</b>	<b>415</b>	<b>398</b>	<b>241</b>	<b>79</b>	<b>7</b>
Breast Milk Only	519	33.4	15	25	105	130	135	80	24	5
Formula Only	346	22.3	16	29	78	85	79	42	16	1
Both Breast Milk and Formula	658	42.4	18	46	150	174	151	87	32	0
Neither Breast Milk or Formula	30	1.9	0	0	7	7	6	8	1	1
Unknown	88	--	0	3	8	19	27	24	6	0
<b>Other<sup>2</sup></b>	<b>3,145</b>	<b>100.0</b>	<b>33</b>	<b>107</b>	<b>495</b>	<b>852</b>	<b>942</b>	<b>584</b>	<b>128</b>	<b>4</b>
Breast Milk Only	1,724	57.0	23	55	296	493	489	302	64	2
Formula Only	149	4.9	4	5	25	37	46	29	3	0
Both Breast Milk and Formula	1,113	36.8	6	45	159	294	348	206	53	2
Neither Breast Milk or Formula	36	1.2	0	0	7	4	7	16	2	0
Unknown	123	--	0	2	8	24	52	31	6	0
<b>Hispanic<sup>3</sup></b>	<b>3,725</b>	<b>100.0</b>	<b>64</b>	<b>177</b>	<b>776</b>	<b>1,040</b>	<b>978</b>	<b>557</b>	<b>124</b>	<b>9</b>
Breast Milk Only	1,731	49.1	26	82	357	512	450	249	53	2
Formula Only	357	10.1	15	16	97	84	81	53	9	2
Both Breast Milk and Formula	1,391	39.4	21	75	290	395	362	202	44	2
Neither Breast Milk or Formula	48	1.4	2	1	10	6	9	16	4	0
Unknown	198	--	0	3	22	43	76	37	14	3

(continue)

**Table 17. Number of Births by Milk Type Consumed (in Hospital) and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 (*continued*).**

Mother's Race/Ethnicity and Milk Type Consumed (in Hospital) - 2012	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,439</b>	<b>100.0</b>	<b>116</b>	<b>280</b>	<b>1,284</b>	<b>2,230</b>	<b>3,477</b>	<b>2,356</b>	<b>650</b>	<b>45</b>
Breast Milk Only	4,713	50.7	29	109	521	1,012	1,695	1,040	289	18
Formula Only	1,085	11.7	30	37	172	233	332	220	57	4
Both Breast Milk and Formula	3,368	36.2	55	125	532	778	957	711	194	16
Neither Breast Milk or Formula	136	1.5	1	3	20	36	38	29	9	0
Unknown	1,137	-	1	6	39	171	455	356	101	7
<b>White</b>	<b>5,565</b>	<b>100.0</b>	<b>48</b>	<b>86</b>	<b>448</b>	<b>1,013</b>	<b>2,054</b>	<b>1,471</b>	<b>417</b>	<b>27</b>
Breast Milk Only	2,394	50.7	6	20	131	422	995	622	187	11
Formula Only	686	14.5	14	15	97	139	220	159	40	2
Both Breast Milk and Formula	1,591	33.7	28	49	195	326	482	396	107	8
Neither Breast Milk or Formula	49	1.0	0	0	6	11	19	11	2	0
Unknown	845	-	0	2	19	115	338	283	81	6
<b>Black</b>	<b>1,586</b>	<b>100.0</b>	<b>33</b>	<b>75</b>	<b>328</b>	<b>401</b>	<b>403</b>	<b>261</b>	<b>83</b>	<b>2</b>
Breast Milk Only	542	35.9	8	21	91	129	163	99	31	0
Formula Only	264	17.5	13	17	59	66	64	36	9	0
Both Breast Milk and Formula	657	43.5	12	32	158	178	141	100	34	2
Neither Breast Milk or Formula	47	3.1	0	3	9	12	12	8	3	0
Unknown	76	--	0	2	11	16	23	18	6	0
<b>Other<sup>2</sup></b>	<b>3,236</b>	<b>100.0</b>	<b>35</b>	<b>119</b>	<b>505</b>	<b>804</b>	<b>1,002</b>	<b>610</b>	<b>145</b>	<b>16</b>
Breast Milk Only	1,773	57.8	15	68	299	461	536	316	71	7
Formula Only	134	4.4	3	5	16	28	48	25	7	2
Both Breast Milk and Formula	1,118	36.5	15	44	179	274	333	214	53	6
Neither Breast Milk or Formula	40	1.3	1	0	5	13	7	10	4	0
Unknown	171	--	1	2	6	28	78	45	10	1
<b>Hispanic<sup>3</sup></b>	<b>3,669</b>	<b>100.0</b>	<b>75</b>	<b>183</b>	<b>729</b>	<b>999</b>	<b>956</b>	<b>562</b>	<b>155</b>	<b>10</b>
Breast Milk Only	1,668	47.8	20	77	327	451	464	266	59	4
Formula Only	332	9.5	17	19	79	82	74	41	19	1
Both Breast Milk and Formula	1,433	41.1	37	83	292	396	352	205	64	4
Neither Breast Milk or Formula	56	1.6	0	0	12	21	7	13	3	0
Unknown	180	--	1	4	19	49	59	37	10	1

(*continue*)

**Table 17. Number of Births by Milk Type Consumed (in Hospital) and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 (*continued*).**

Mother's Race/Ethnicity and Milk Type Consumed (in Hospital) - 2013	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,549</b>	<b>100.0</b>	<b>103</b>	<b>256</b>	<b>1,261</b>	<b>2,176</b>	<b>3,515</b>	<b>2,520</b>	<b>655</b>	<b>61</b>
Breast Milk Only	5,059	53.6	32	98	516	1,077	1,806	1,214	291	25
Formula Only	1,183	12.5	25	59	201	231	336	260	64	7
Both Breast Milk and Formula	3,117	33.1	45	98	500	675	881	698	201	19
Neither Breast Milk or Formula	71	0.8	0	1	12	15	23	17	3	0
Unknown	1,119	--	1	0	32	178	469	331	96	10
<b>White</b>	<b>5,593</b>	<b>100.0</b>	<b>32</b>	<b>84</b>	<b>448</b>	<b>966</b>	<b>2,089</b>	<b>1,552</b>	<b>380</b>	<b>40</b>
Breast Milk Only	2,574	53.9	4	20	124	424	1,077	740	168	17
Formula Only	730	15.3	11	26	112	141	204	186	44	6
Both Breast Milk and Formula	1,448	30.3	16	38	195	284	445	367	94	9
Neither Breast Milk or Formula	21	0.4	0	0	5	4	8	3	1	0
Unknown	820	--	1	0	12	113	355	256	73	8
<b>Black</b>	<b>1,657</b>	<b>100.0</b>	<b>33</b>	<b>70</b>	<b>311</b>	<b>416</b>	<b>423</b>	<b>294</b>	<b>100</b>	<b>10</b>
Breast Milk Only	642	40.7	6	18	109	165	164	134	42	4
Formula Only	299	18.9	12	27	69	62	83	37	9	0
Both Breast Milk and Formula	610	38.6	15	25	120	162	143	99	41	5
Neither Breast Milk or Formula	28	1.8	0	0	4	9	7	7	1	0
Unknown	78	--	0	0	9	18	26	17	7	1
<b>Other<sup>2</sup></b>	<b>3,233</b>	<b>100.0</b>	<b>38</b>	<b>102</b>	<b>496</b>	<b>781</b>	<b>971</b>	<b>663</b>	<b>171</b>	<b>11</b>
Breast Milk Only	1,840	60.0	22	60	283	488	564	338	81	4
Formula Only	153	5.0	2	6	20	28	49	36	11	1
Both Breast Milk and Formula	1,054	34.3	14	35	183	229	290	232	66	5
Neither Breast Milk or Formula	22	0.7	0	1	3	2	8	7	1	0
Unknown	164	--	0	0	7	34	60	50	12	1
<b>Hispanic<sup>3</sup></b>	<b>3,702</b>	<b>100.0</b>	<b>67</b>	<b>156</b>	<b>735</b>	<b>970</b>	<b>991</b>	<b>603</b>	<b>166</b>	<b>13</b>
Breast Milk Only	1,706	48.8	24	62	309	481	472	286	68	4
Formula Only	437	12.5	14	28	107	99	98	65	25	1
Both Breast Milk and Formula	1,336	38.2	29	65	299	338	325	209	64	7
Neither Breast Milk or Formula	17	0.5	0	1	3	2	8	2	1	0
Unknown	206	--	0	0	17	50	88	41	8	1

(*continue*)

**Table 17. Number of Births by Milk Type Consumed (in Hospital) and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 (continued).**

Mother's Race/Ethnicity and Milk Type Consumed (in Hospital) - 2014	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,628</b>	<b>100.0</b>	<b>94</b>	<b>244</b>	<b>1,201</b>	<b>2,194</b>	<b>3,707</b>	<b>2,511</b>	<b>624</b>	<b>53</b>
Breast Milk Only	4,728	51.7	27	92	442	948	1,779	1,135	286	19
Formula Only	995	10.9	20	47	183	255	266	168	52	4
Both Breast Milk and Formula	3,265	35.7	43	91	509	739	979	706	179	19
Neither Breast Milk or Formula	158	1.7	1	7	28	27	54	32	8	1
Unknown	1,482	--	3	7	39	225	629	470	99	10
<b>White</b>	<b>4,598</b>	<b>100.0</b>	<b>27</b>	<b>59</b>	<b>402</b>	<b>854</b>	<b>1,747</b>	<b>1,190</b>	<b>292</b>	<b>27</b>
Breast Milk Only	2,466	53.9	4	13	116	390	1,080	683	168	12
Formula Only	582	12.7	7	13	89	143	183	110	33	4
Both Breast Milk and Formula	1,491	32.6	15	33	193	314	457	379	89	11
Neither Breast Milk or Formula	39	0.9	0	0	3	5	18	13	0	0
Unknown	20	--	1	0	1	2	9	5	2	0
<b>Black</b>	<b>1,649</b>	<b>100.0</b>	<b>29</b>	<b>87</b>	<b>333</b>	<b>395</b>	<b>424</b>	<b>291</b>	<b>85</b>	<b>5</b>
Breast Milk Only	544	33.3	4	26	85	134	150	113	30	2
Formula Only	298	18.2	11	29	77	76	52	38	15	0
Both Breast Milk and Formula	746	45.7	14	29	155	171	206	133	36	2
Neither Breast Milk or Formula	46	2.8	0	0	14	9	13	5	4	1
Unknown	15	--	0	3	2	5	3	2	0	0
<b>Other<sup>2</sup></b>	<b>2,935</b>	<b>100.0</b>	<b>37</b>	<b>94</b>	<b>429</b>	<b>730</b>	<b>917</b>	<b>568</b>	<b>149</b>	<b>11</b>
Breast Milk Only	1,714	58.6	19	53	241	424	547	338	87	5
Formula Only	115	3.9	2	5	17	36	31	20	4	0
Both Breast Milk and Formula	1,024	35.0	14	29	157	254	316	194	54	6
Neither Breast Milk or Formula	73	2.5	1	7	11	13	23	14	4	0
Unknown	9	--	1	0	3	3	0	2	0	0
<b>Hispanic<sup>3</sup></b>	<b>3,714</b>	<b>100.0</b>	<b>61</b>	<b>146</b>	<b>694</b>	<b>975</b>	<b>1,028</b>	<b>634</b>	<b>163</b>	<b>13</b>
Breast Milk Only	1,619	46.8	20	60	286	416	473	286	75	3
Formula Only	316	9.1	8	16	75	100	71	34	12	0
Both Breast Milk and Formula	1,453	42.0	29	57	299	391	377	239	52	9
Neither Breast Milk or Formula	70	2.0	1	7	12	12	20	14	4	0
Unknown	256	--	3	6	22	56	87	61	20	1

(continue)

**Table 17. Number of Births by Milk Type Consumed (in Hospital) and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 (continued).**

Mother's Race/Ethnicity and Milk Type Consumed (in Hospital) - 2015	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,628</b>	<b>100</b>	<b>77</b>	<b>174</b>	<b>1,136</b>	<b>2,255</b>	<b>3,724</b>	<b>2,543</b>	<b>656</b>	<b>63</b>
Breast Milk Only	4,515	49.7	26	56	399	919	1,712	1,116	271	16
Formula Only	828	9.1	11	21	133	177	240	183	59	4
Both Breast Milk and Formula	3,581	39.4	37	91	518	873	1,089	732	215	26
Neither Breast Milk or Formula	169	1.9	2	5	24	38	45	40	14	1
Unknown	1,535	--	1	1	62	248	638	472	97	16
<b>White</b>	<b>4,620</b>	<b>100.0</b>	<b>26</b>	<b>62</b>	<b>406</b>	<b>889</b>	<b>1,739</b>	<b>1,169</b>	<b>302</b>	<b>27</b>
Breast Milk Only	2,470	53.7	8	14	130	412	1,072	680	145	9
Formula Only	502	10.9	3	12	75	94	150	131	35	2
Both Breast Milk and Formula	1,589	34.6	14	35	196	371	497	345	116	15
Neither Breast Milk or Formula	36	0.8	1	1	5	8	7	10	4	0
Unknown	23	--	0	0	0	4	13	3	2	1
<b>Black</b>	<b>1,579</b>	<b>100.0</b>	<b>18</b>	<b>38</b>	<b>273</b>	<b>429</b>	<b>439</b>	<b>296</b>	<b>77</b>	<b>9</b>
Breast Milk Only	587	37.4	3	13	87	152	174	124	30	4
Formula Only	208	13.2	6	6	46	61	52	27	10	0
Both Breast Milk and Formula	727	46.3	9	19	130	206	195	129	34	5
Neither Breast Milk or Formula	48	3.1	0	0	8	9	16	12	3	0
Unknown	9	--	0	0	2	1	2	4	0	0
<b>Other<sup>2</sup></b>	<b>2,937</b>	<b>100.0</b>	<b>32</b>	<b>73</b>	<b>399</b>	<b>695</b>	<b>923</b>	<b>619</b>	<b>184</b>	<b>12</b>
Breast Milk Only	1,456	49.9	15	29	182	355	465	311	96	3
Formula Only	118	4.0	2	3	12	22	38	25	14	2
Both Breast Milk and Formula	1,256	43.1	14	37	189	293	394	258	65	6
Neither Breast Milk or Formula	85	2.9	1	4	11	21	22	18	7	1
Unknown	22	--	0	0	5	4	4	7	2	0
<b>Hispanic<sup>3</sup></b>	<b>3,798</b>	<b>100.0</b>	<b>59</b>	<b>120</b>	<b>671</b>	<b>1,005</b>	<b>1,077</b>	<b>653</b>	<b>204</b>	<b>9</b>
Breast Milk Only	1,485	41.9	22	38	232	390	455	257	90	1
Formula Only	259	7.3	5	12	60	65	59	38	18	2
Both Breast Milk and Formula	1,712	48.3	29	65	337	466	451	283	79	2
Neither Breast Milk or Formula	86	2.4	2	5	13	23	22	15	5	1
Unknown	256	--	1	0	29	61	90	60	12	3

(continue)

**Table 17. Number of Births by Milk Type Consumed (in Hospital) and Mother's Age and Race/Ethnicity, Westchester County, 2011-2016 (continued).**

Mother's Race/Ethnicity and Milk Type Consumed (in Hospital) - 2016	Total <sup>1</sup>	%	Mother's Age (Years)							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
<b>Total<sup>1</sup></b>	<b>10,273</b>	<b>100.0</b>	<b>74</b>	<b>205</b>	<b>1,004</b>	<b>2,115</b>	<b>3,604</b>	<b>2,549</b>	<b>649</b>	<b>73</b>
Breast Milk Only	4,577	52.6	16	79	336	897	1,765	1,184	279	21
Formula Only	721	8.3	11	17	102	182	216	158	28	7
Both Breast Milk and Formula	3,345	38.4	41	98	517	807	948	700	210	24
Neither Breast Milk or Formula	60	0.7	4	4	8	15	13	13	2	1
Unknown	1,570	--	2	7	41	214	662	494	130	20
<b>White</b>	<b>5,606</b>	<b>100.0</b>	<b>23</b>	<b>70</b>	<b>349</b>	<b>925</b>	<b>2,237</b>	<b>1,563</b>	<b>396</b>	<b>43</b>
Breast Milk Only	2,541	58.0	2	17	98	388	1,103	747	173	13
Formula Only	417	9.5	6	4	43	88	144	108	17	7
Both Breast Milk and Formula	1,401	32.0	12	42	185	296	434	318	104	10
Neither Breast Milk or Formula	22	0.5	3	3	0	3	6	7	0	0
Unknown	1,225	--	0	4	23	150	550	383	102	13
<b>Black</b>	<b>1,667</b>	<b>100.0</b>	<b>18</b>	<b>43</b>	<b>286</b>	<b>442</b>	<b>434</b>	<b>331</b>	<b>104</b>	<b>9</b>
Breast Milk Only	592	38.3	0	18	85	152	176	124	34	3
Formula Only	198	12.8	3	11	38	65	43	30	8	0
Both Breast Milk and Formula	739	47.8	13	13	151	198	174	137	51	2
Neither Breast Milk or Formula	17	1.1	1	0	5	6	2	2	1	0
Unknown	121	--	1	1	7	21	39	38	10	4
<b>Other<sup>2</sup></b>	<b>2,997</b>	<b>100.0</b>	<b>33</b>	<b>92</b>	<b>367</b>	<b>747</b>	<b>933</b>	<b>655</b>	<b>149</b>	<b>21</b>
Breast Milk Only	1,444	52.1	14	44	153	357	486	313	72	5
Formula Only	105	3.8	2	2	20	29	29	20	3	0
Both Breast Milk and Formula	1,204	43.4	16	43	180	313	340	245	55	12
Neither Breast Milk or Formula	21	0.8	0	1	3	6	5	4	1	1
Unknown	223	--	1	2	11	42	73	73	18	3
<b>Hispanic<sup>3</sup></b>	<b>3,597</b>	<b>100.0</b>	<b>55</b>	<b>154</b>	<b>581</b>	<b>966</b>	<b>1,013</b>	<b>643</b>	<b>164</b>	<b>21</b>
Breast Milk Only	1,450	43.8	15	57	188	386	447	274	78	5
Formula Only	213	6.4	10	6	51	56	49	35	4	2
Both Breast Milk and Formula	1,618	48.9	26	83	316	446	403	265	68	11
Neither Breast Milk or Formula	29	0.9	3	4	2	7	8	3	1	1
Unknown	287	--	1	4	24	71	106	66	13	2

<sup>1</sup>Total includes cases with unknown race or age.

<sup>2</sup>"Other" includes all other races, as well as multi-racial categories.

<sup>3</sup>Hispanic is an ethnic group and may be of any race.

Source: New York State Department of Health.

**Table 18. Summary Statistics of Deaths, Westchester County, 2011-2017. <sup>1</sup>**

Deaths	2011			2012			2013		
	N	%	Rate (per 1,000)	N	%	Rate (per 1,000)	N	%	Rate (per 1,000)
<b>Total</b>	<b>6,971</b>	<b>100.0</b>	<b>7.4</b>	<b>6,860</b>	<b>100.0</b>	<b>7.2</b>	<b>7,015</b>	<b>100.0</b>	<b>7.3</b>
Infant Deaths <sup>2</sup>	50	0.7	4.7	44	0.6	4.2	49	0.7	4.6
<b>Age</b>									
1-9	19	0.3	0.2	10	0.1	0.1	11	0.2	0.1
10-19	14	0.2	0.1	31	0.5	0.2	24	0.3	0.2
20-24	43	0.6	0.8	46	0.7	0.9	32	0.5	0.6
25-34	66	0.9	0.6	69	1.0	0.6	68	1.0	0.6
35-44	143	2.1	1.1	131	1.9	1.0	108	1.5	0.8
45-54	345	4.9	2.3	314	4.6	2.1	367	5.2	2.5
55-64	655	9.4	5.8	701	10.2	6.1	660	9.4	5.6
65-74	936	13.4	13.9	915	13.3	13.2	1,046	14.9	14.6
75-84	1,786	25.6	37.2	1,678	24.5	35.3	1,673	23.8	35.0
85+	2,913	41.8	131.6	2,921	42.6	127.3	2,973	42.4	127.5
Unknown	1	0	--	0	0	--	4	0.1	--
<b>Sex</b>									
Male	3,213	46.1	7.1	3,197	46.6	7.0	3,344	47.7	7.3
Female	3,756	53.9	7.6	3,663	53.4	7.4	3,671	52.3	7.4
Unknown	2	0	--	0	0	--	0	0	--
<b>Race/Ethnicity</b>									
White	5,759	82.6	9.0	5,710	83.2	8.9	5,825	83.0	9.1
Black	935	13.4	6.9	934	13.6	6.8	985	14.0	7.2
Other	265	3.8	1.6	214	3.1	1.3	182	2.6	1.0
Hispanic <sup>3</sup>	444	6.4	2.2	461	6.7	2.2	485	6.9	2.3
Unknown	12	0.2	--	2	0	--	23	0.3	--
<b>Selected Causes of Death</b>									
Diseases of the Heart	2,049	29.4	2.2	2,112	30.8	2.2	2,155	30.7	2.3
Malignant neoplasms	1,715	24.6	1.8	1,601	23.3	1.7	1,675	23.9	1.8
Cerebrovascular diseases	322	4.6	0.3	309	4.5	0.3	296	4.2	0.3
Chronic lower respiratory diseases	287	4.1	0.3	276	4.0	0.3	302	4.3	0.3
Pneumonia	197	2.8	0.2	173	2.5	0.2	206	2.9	0.2
Accidents	210	3.0	0.2	225	3.3	0.2	257	3.7	0.3
Septicemia	177	2.5	0.2	195	2.8	0.2	165	2.4	0.2
Diabetes mellitus	150	2.2	0.2	127	1.9	0.1	129	1.8	0.1
Suicide	59	0.8	0.1	76	1.1	0.1	65	0.9	0.1
Homicide	29	0.4	0	19	0.3	0	12	0.2	0
HIV	26	0.4	0	23	0.3	0	10	0.1	0

(continued)

**Table 18. Summary Statistics of Deaths, Westchester County, 2011-2017<sup>1</sup> (continued).**

Deaths	2014			2015			2016			2017		
	N	%	Rate (per 1,000)	N	%	Rate (per 1000)	N	%	Rate (per 1000)	N	%	Rate (per 1000)
<b>Total</b>	<b>6,868</b>	<b>100.0</b>	<b>7.1</b>	<b>7,025</b>	<b>100.0</b>	<b>7.3</b>	<b>7,094</b>	<b>100.0</b>	<b>7.3</b>	<b>7,163</b>	<b>100.0</b>	<b>7.3</b>
Infant Deaths <sup>2</sup>	52	0.8	4.9	29	0.4	2.7	34	0.5	3.3	36	0.5	3.5
<b>Age</b>												
1-9	11	0.2	0.1	12	0.2	0.1	11	0.2	0.1	8	0.1	0.1
10-19	13	0.2	0.1	17	0.2	0.1	22	0.3	0.2	33	0.5	0.3
20-24	35	0.5	0.6	39	0.6	0.7	40	0.6	0.7	38	0.5	0.6
25-34	75	1.1	0.7	79	1.1	0.7	110	1.6	1.0	107	1.5	1.0
35-44	108	1.6	0.8	102	1.5	0.8	117	1.6	0.9	142	2.0	1.1
45-54	322	4.7	2.2	338	4.8	2.3	319	4.5	2.2	337	4.7	2.3
55-64	656	9.6	5.4	685	9.8	5.5	672	9.5	5.4	677	9.5	5.3
65-74	1,018	14.8	13.7	998	14.2	13.0	1,084	15.3	13.6	1,019	14.2	12.3
75-84	1,565	22.8	32.9	1,611	22.9	34.3	1,588	22.4	33.3	1,545	21.6	32.2
85+	3,009	43.8	125.6	3,115	44.3	126.5	3,097	43.7	126.0	3,221	45.0	126.3
Unknown	4	0.1	--	0	0	--	0	0	--	0	0	--
<b>Sex</b>												
Male	3,152	45.9	6.8	3,360	47.8	7.2	3,373	47.5	7.2	--	--	--
Female	3,714	54.1	7.5	3,663	52.1	7.3	3,721	52.5	7.4	--	--	--
Unknown	2	0	--	2	0	--	0	0	--	--	--	--
<b>Race/Ethnicity</b>												
White	5,612	81.7	8.8	--	--	--	5,884	82.9	9.2	5,831	81.4	9.1
Black	1,048	15.3	7.6	--	--	--	927	13.1	6.6	978	13.7	6.9
Other	178	2.6	1.0	--	--	--	215	3.0	1.1	340	4.7	1.7
Hispanic <sup>3</sup>	476	6.9	2.2	--	--	--	396	5.6	1.7	599	8.4	2.6
Unknown	30	0.4	--	--	--	--	68	1.0	--	14	0.2	--
<b>Selected Causes of Death</b>												
Diseases of the Heart	1,917	27.9	2.0	1,972	28.1	2.0	2,091	29.5	2.2	2,064	28.8	2.1
Malignant neoplasms	1,640	23.9	1.7	1,618	23.0	1.7	1,665	23.5	1.7	1,496	20.9	1.5
Cerebrovascular diseases	283	4.1	0.3	302	4.3	0.3	294	4.1	0.3	300	4.2	0.3
Chronic lower respiratory diseases	276	4.0	0.3	279	4.0	0.3	256	3.6	0.3	264	3.7	0.3
Pneumonia	214	3.1	0.2	194	2.8	0.2	200	2.8	0.2	185	2.6	0.2
Accidents	241	3.5	0.3	271	3.9	0.3	303	4.3	0.3	301	4.2	0.3
Septicemia	153	2.2	0.2	172	2.4	0.2	182	2.6	0.2	--	--	--
Diabetes mellitus	132	1.9	0.1	145	2.1	0.1	133	1.9	0.1	134	1.9	0.1
Suicide	64	0.9	0.1	59	0.8	0.1	65	0.9	0.1	71	1.0	0.1
Homicide	18	0.3	0	20	0.3	0	21	0.3	0	26	0.4	0
HIV	15	0.2	0	10	0.1	0	14	0.2	0	12	0.2	0

<sup>1</sup>Data on race/ethnicity not available for 2015 year and data on gender not available for the 2017 year.

<sup>2</sup>Infant Deaths is per 1,000 live births.

<sup>3</sup>Hispanic is an ethnic group and may be of any race. Therefore Hispanics are also reported in the race categories.

Source: New York State Department of Health.



**Table 19. Total Number of Deaths and Infant Deaths, Death Rate and Infant Mortality Rate, Westchester County, 2011-2017.<sup>1</sup>**

Health Planning Region and Municipality	2011				2012				2013			
	Number of Deaths	Number of Infant Deaths	Death Rate <sup>2</sup>	Infant Mortality Rate <sup>3</sup>	Number of Deaths	Number of Infant Deaths	Death Rate <sup>2</sup>	Infant Mortality Rate <sup>3</sup>	Number of Deaths	Number of Infant Deaths	Death Rate <sup>2</sup>	Infant Mortality Rate <sup>3</sup>
<b>Westchester County</b>	<b>6,971</b>	<b>50</b>	<b>738.3</b>	<b>4.7</b>	<b>6,860</b>	<b>44</b>	<b>721.9</b>	<b>4.2</b>	<b>7,015</b>	<b>49</b>	<b>733.6</b>	<b>4.6</b>
<b>Northwest</b>	<b>1,118</b>	<b>12</b>	<b>738.1</b>	<b>7.7</b>	<b>1,063</b>	<b>5</b>	<b>725.0</b>	<b>3.2</b>	<b>1,180</b>	<b>12</b>	<b>799.3</b>	<b>7.7</b>
Briarcliff Manor (V)	66	0	808.1	0	63	0	759.5	0	56	1	705.0	15.4
Buchanan (V)	19	0	794.3	0	15	0	645.2	0	17	0	756.9	0
Cortlandt (TOV)	255	0	827.1	0	259	1	829.6	3.8	326	0	1,031.7	0
Croton-on-Hudson (V)	93	0	1,165.0	0	80	0	996.1	0	61	0	751.9	0
Mount Pleasant (TOV)	183	6	579.6	37.0	155	1	600.3	5.5	171	6	647.2	29.4
Ossining (TOV)	110	1	2,043.5	23.3	107	0	1,976.0	0	147	1	2,685.9	20.4
Ossining (V)	100	1	400.9	2.6	106	0	422.6	0	101	2	401.5	5.7
Peekskill (C)	186	2	795.1	5.1	170	2	721.3	5.6	172	2	725.7	5.4
Pleasantville (V)	42	0	598.5	0	38	0	540.8	0	61	0	864.6	0
Sleepy Hollow (V)	64	2	653.9	16.9	70	1	711.4	6.7	68	0	685.9	0
<b>Northeast</b>	<b>912</b>	<b>6</b>	<b>700.2</b>	<b>5.8</b>	<b>870</b>	<b>4</b>	<b>635.0</b>	<b>4.1</b>	<b>924</b>	<b>4</b>	<b>670.2</b>	<b>3.8</b>
Bedford (T)	81	1	465.9	7.0	81	0	465.2	0	86	0	491.4	0
Lewisboro (T)	65	0	525.3	0	43	1	345.7	14.9	47	0	376.3	0
Mount Kisco (T/V)	83	2	771.4	13.2	77	1	709.4	6.4	80	1	731.5	7.7
New Castle (T)	58	0	495.6	0	52	0	295.3	0	70	0	395.3	0
North Castle (T)	46	0	393.0	0	46	0	388.8	0	49	0	410.4	0
North Salem (T)	63	0	1,236.3	0	60	0	1,171.9	0	53	0	1,030.5	0
Pound Ridge (T)	12	0	237.4	0	26	0	509.5	0	21	0	408.2	0
Somers (T)	203	1	1,006.6	9.3	198	1	967.9	9.5	213	1	1,031.2	8.5
Yorktown (T)	301	2	836.0	7.4	287	1	793.4	4.0	305	2	838.8	7.3
<b>West Central</b>	<b>1,189</b>	<b>3</b>	<b>736.1</b>	<b>1.7</b>	<b>1,230</b>	<b>12</b>	<b>755.9</b>	<b>7.1</b>	<b>1,296</b>	<b>5</b>	<b>790.7</b>	<b>2.9</b>
Ardley (V)	39	0	881.6	0	40	0	897.9	0	45	0	1,006.5	0
Dobbs Ferry (V)	102	0	941.7	0	95	0	872.4	0	114	0	1,041.3	0
Elmsford (V)	29	0	623.1	0	17	0	364.2	0	33	0	700.8	0
Greenburgh (TOV)	251	0	588.4	0	289	4	670.3	9.0	291	2	667.7	4.3
Hastings-on-Hudson (V)	78	0	997.8	0	73	0	929.3	0	83	0	1,053.3	0.0
Irvington (V)	33	0	513.3	0	34	0	527.5	0	34	1	524.0	17.5
Scarsdale (T/V)	128	0	746.9	0	155	1	899.4	8.1	122	0	703.7	0
Tarrytown (V)	82	0	730.1	0	80	0	708.0	0	92	0	811.1	0
White Plains (C)	447	3	793.4	4.0	447	7	787.4	9.6	482	2	843.4	2.6
<b>East Central</b>	<b>743</b>	<b>3</b>	<b>628.7</b>	<b>2.3</b>	<b>755</b>	<b>3</b>	<b>638.9</b>	<b>2.4</b>	<b>695</b>	<b>1</b>	<b>584.4</b>	<b>0.8</b>
Harrison (T/V)	121	0	442.0	0	129	0	471.2	0	137	0	495.7	0
Larchmont (V)	34	0	578.1	0	46	1	782.2	14.3	49	0	830.8	0
Mamaroneck (TOV)	59	0	491.8	0	44	0	366.8	0	59	0	489.7	0
Mamaroneck (V)	160	1	845.1	4.1	176	0	929.6	0	127	0	667.2	0
Port Chester (V)	165	2	570.0	4.5	166	0	573.4	0	134	1	460.4	2.4
Rye (C)	124	0	789.2	0	119	0	757.3	0	92	0	582.1	0
Rye Brook (V)	80	0	857.9	0	75	2	804.3	28.6	97	0	1,032.9	0
<b>Southwest</b>	<b>1,447</b>	<b>11</b>	<b>736.5</b>	<b>3.9</b>	<b>1,491</b>	<b>10</b>	<b>758.9</b>	<b>3.7</b>	<b>1,467</b>	<b>12</b>	<b>742.8</b>	<b>4.3</b>
Yonkers (C)	1,447	11	736.5	3.9	1,491	10	758.9	3.7	1,467	12	742.8	4.3
<b>Southeast</b>	<b>1,562</b>	<b>15</b>	<b>830.2</b>	<b>6.6</b>	<b>1,451</b>	<b>10</b>	<b>766.8</b>	<b>4.5</b>	<b>1,453</b>	<b>15</b>	<b>762.9</b>	<b>6.8</b>
Bronxville (V)	71	0	1,123.1	0	43	0	677.7	0	66	0	1,039.0	0
Eastchester (TOV)	143	0	736.3	0	124	0	634.6	0	106	0	538.7	0
Mount Vernon (C)	553	11	822.5	12.0	535	5	793.6	5.5	525	10	776.0	11.0
New Rochelle (C)	670	4	876.9	4.5	644	4	835.6	4.5	627	5	805.7	5.5
Pelham (V)	38	0	555.8	0	22	1	319.1	14.7	41	0	592.5	0
Pelham Manor (V)	32	0	583.8	0	23	0	419.3	0	26	0	471.1	0
Tuckahoe (V)	49	0	760.9	0	57	0	879.0	0	52	0	797.7	0
Unknown	6	0	--	--	3	0	--	--	10	0	--	--

(continue)

**Table 19. Total Number of Deaths and Infant Deaths, Death Rate and Infant Mortality Rate, Westchester County, 2011-2017<sup>1</sup> (continued).**

Health Planning Region and Municipality	2014				2016				2017	
	Number of Deaths	Number of Infant Deaths	Death Rate <sup>2</sup>	Infant Mortality Rate <sup>3</sup>	Number of Deaths	Number of Infant Deaths	Death Rate <sup>2</sup>	Infant Mortality Rate <sup>3</sup>	Number of Deaths	Infant Mortality Rate <sup>3</sup>
<b>Westchester County</b>	<b>6,868</b>	<b>52</b>	<b>713.7</b>	<b>4.9</b>	<b>7,094</b>	<b>34</b>	<b>731.9</b>	<b>3.3</b>	<b>7,163</b>	<b>734.4</b>
<b>Northwest</b>	<b>1,146</b>	<b>13</b>	<b>772.4</b>	<b>8.4</b>	<b>1,153</b>	<b>5</b>	<b>772.8</b>	<b>3.3</b>	--	--
Briarcliff Manor (V)	52	0	668.1	0	68	0	879.5	0	--	--
Buchanan (V)	19	0	815.5	0	18	1	801.4	43.5	--	--
Cortlandt (TOV)	286	1	900.8	4.1	311	0	968.2	0	223	690.3
Croton-on-Hudson (V)	91	1	1,114.1	13.2	79	1	962.4	14.3	--	--
Mount Pleasant (TOV)	157	8	589.4	38.6	147	0	548.2	0	--	--
Ossining (TOV)	144	0	2,617.2	0.0	60	0	1,080.1	0	--	--
Ossining (V)	92	0	364.6	0.0	160	3	632.4	8.9	176	693.3
Peekskill (C)	190	3	795.8	8.3	192	0	800.8	0	183	759.0
Pleasantville (V)	49	0	691.1	0	51	0	714.9	0	--	--
Sleepy Hollow (V)	66	0	659.9	0	67	0	662.3	0	76	745.8
<b>Northeast</b>	<b>921</b>	<b>2</b>	<b>663.3</b>	<b>1.8</b>	<b>898</b>	<b>1</b>	<b>641.4</b>	<b>0.9</b>	--	--
Bedford (T)	98	0	555.5	0	84	0	471.9	0	--	--
Lewisboro (T)	41	0	326.0	0	63	1	497.3	12.3	--	--
Mount Kisco (T/V)	72	1	653.6	7.1	63	0	569.5	0	72	654.9
New Castle (T)	60	1	337.3	7.1	74	0	412.2	0	--	--
North Castle (T)	66	0	547.5	0	55	0	450.9	0	--	--
North Salem (T)	48	0	929.9	0	48	0	927.0	0	--	--
Pound Rigde (T)	20	0	386.8	0	14	0	268.5	0	--	--
Somers (T)	213	0	1,020.3	0	206	0	974.9	0	--	--
Yorktown (T)	303	0	828.6	0	291	0	790.5	0	--	--
<b>West Central</b>	<b>1,215</b>	<b>5</b>	<b>735.9</b>	<b>2.9</b>	<b>1,144</b>	<b>7</b>	<b>685.5</b>	<b>4.3</b>	--	--
Ardley (V)	40	0	885.2	0	39	0	853.4	0	--	--
Dobbs Ferry (V)	104	0	945.4	0	86	0	777.7	0	94	843.7
Elmsford (V)	30	0	635.7	0	31	0	644.0	0	--	--
Greenburgh (TOV)	263	0	596.9	0	304	1	677.6	2.4	--	--
Hastings-on-Hudson (V)	70	0	885.5	0	64	0	804.1	0	--	--
Irvington (V)	44	1	676.3	16.9	31	0	472.6	0	--	--
Scarsdale (T/V)	115	0	658.2	0.0	73	0	412.8	0	88	492.8
Tarrytown (V)	93	2	814.1	18.3	89	0	776.6	0	94	815.0
White Plains (C)	456	2	793.0	2.6	427	6	737.2	9.0	445	761.9
<b>East Central</b>	<b>602</b>	<b>4</b>	<b>503.2</b>	<b>3.1</b>	<b>805</b>	<b>2</b>	<b>668.5</b>	<b>1.7</b>	--	--
Harrison (T/V)	117	0	420.5	0	168	0	598.2	0	187	660.3
Larchmont (V)	43	0	722.4	0	36	0	596.9	0	--	--
Mamaroneck (TOV)	54	1	446.0	8.3	74	0	608.6	0	--	--
Mamaroneck (V)	152	1	794.4	4.3	163	0	846.2	0	146	755.4
Port Chester (V)	94	2	321.1	4.5	166	1	564.3	2.6	117	395.0
Rye (C)	75	0	471.9	0	110	0	689.7	0	125	781.1
Rye Brook (V)	67	0	708.5	0	88	1	925.0	12.3	--	--
<b>Southwest</b>	<b>1,488</b>	<b>17</b>	<b>749.0</b>	<b>5.9</b>	<b>1,563</b>	<b>11</b>	<b>782.6</b>	<b>4.3</b>	<b>1,557</b>	<b>774.6</b>
Yonkers (C)	1,488	17	749.0	5.9	1,563	11	782.6	4.3	1,557	774.6
<b>Southeast</b>	<b>1,496</b>	<b>11</b>	<b>780.4</b>	<b>4.5</b>	<b>1,531</b>	<b>8</b>	<b>793.4</b>	<b>3.6</b>	--	--
Bronxville (V)	73	0	1,144.6	0	51	0	797.5	0	--	--
Eastchester (TOV)	127	0	641.4	0	156	1	783.4	5.0	--	--
Mount Vernon (C)	525	4	772.5	4.4	483	6	708.0	6.7	522	760.1
New Rochelle (C)	649	5	827.0	5.8	677	1	853.7	1.1	627	785.0
Pelham (V)	35	1	501.1	0	35	0	500.3	0	--	--
Pelham Manor (V)	29	0	523.6	0	37	0	665.0	0	--	--
Tuckahoe (V)	56	1	853.8	13.2	46	0	697.4	0	--	--
Unknown	2	0	--	--	46	--	--	--	--	--

<sup>1</sup>Data not yet available for 2015 year and information for 2017 is only available summary data for cities and villages over 10,000 population.

<sup>2</sup>Death rate per 100,000 population.

<sup>3</sup>Infant mortality rate per 1,000 live births.

Source: New York State Department of Health.

Table 20. Number of Deaths and Death Rates by Age Group and Sex, and Average Age of Death by Sex, Westchester County, 2011-2016.

Age Group	Number of Deaths and Death Rate (per 100,000 pop)																	
	2011						2012						2013					
	Total <sup>1</sup>	Rate	Male	Rate	Female	Rate	Total <sup>1</sup>	Rate	Male	Rate	Female	Rate	Total <sup>1</sup>	Rate	Male	Rate	Female	Rate
<b>Total<sup>1</sup></b>	<b>6,971</b>	<b>738.3</b>	<b>3,213</b>	<b>707.4</b>	<b>3,756</b>	<b>766.4</b>	<b>6,860</b>	<b>721.9</b>	<b>3,197</b>	<b>698.9</b>	<b>3,633</b>	<b>737.2</b>	<b>7,015</b>	<b>733.6</b>	<b>3,344</b>	<b>725.7</b>	<b>3,671</b>	<b>740.9</b>
<1 <sup>2</sup>	50	4.7	29	5.2	21	4.1	44	4.2	27	5.1	17	3.3	49	4.6	24	4.4	25	4.9
1-9	19	15.8	13	21.4	6	10.1	10	8.4	7	11.6	3	5.1	11	9.2	4	6.6	7	11.9
10-19	14	10.6	9	13.2	5	7.9	31	23.4	24	35.0	7	11.0	24	18.2	12	17.7	12	18.7
20-24	43	82.0	34	126.6	9	35.2	46	86.3	37	135.5	9	34.7	32	58.8	21	75.4	11	41.3
25-34	66	61.6	47	88.5	19	35.2	69	63.8	58	108.0	11	20.2	68	62.4	52	95.6	16	29.3
35-44	143	105.2	84	128.1	59	83.9	131	98.2	85	131.9	46	66.7	108	82.5	70	110.4	38	56.2
45-54	345	234.3	211	298.3	134	175.1	314	211.8	204	286.2	110	142.9	367	246.4	220	307.2	147	190.2
55-64	655	582.3	386	729.5	269	451.5	701	607.8	406	747.0	295	483.8	660	558.2	394	705.1	266	426.5
65-74	936	1,393.3	512	1,722.9	424	1,131.8	915	1,317.3	491	1,593.2	424	1,097.2	1,046	1,457.8	585	1,827.0	461	1,160.3
75-84	1,786	3,723.4	871	4,514.8	915	3,190.9	1,678	3,527.7	845	4,418.1	833	2,928.9	1,673	3,504.9	834	4,322.8	839	2,950.1
85+	2,913	13,164.9	1,016	14,366.5	1,895	12,587.2	2,921	12,731.6	1,013	13,586.4	1,908	12,320.0	2,973	12,750.4	1,125	15,014.0	1,848	11,678.5
Unknown	1	--	1	--	--	--	--	--	--	--	--	--	4	--	3	--	1	--
<b>Average Age at Death</b>	<b>77.3</b>	<b>--</b>	<b>73.4</b>	<b>--</b>	<b>80.6</b>	<b>--</b>	<b>77.3</b>	<b>--</b>	<b>73.2</b>	<b>--</b>	<b>80.9</b>	<b>--</b>	<b>77.5</b>	<b>--</b>	<b>74.4</b>	<b>--</b>	<b>80.4</b>	<b>--</b>

Age Group	Number of Deaths and Death Rate (per 100,000 pop)																	
	2014						2015						2016					
	Total <sup>1</sup>	Rate	Male	Rate	Female	Rate	Total <sup>1</sup>	Rate	Male	Rate	Female	Rate	Total <sup>1</sup>	Rate	Male	Rate	Female	Rate
<b>Total<sup>1</sup></b>	<b>6,868</b>	<b>713.7</b>	<b>3,152</b>	<b>679.2</b>	<b>3,714</b>	<b>745.4</b>	<b>7,025</b>	<b>726.2</b>	<b>3,360</b>	<b>719.5</b>	<b>3,663</b>	<b>732.1</b>	<b>7,094</b>	<b>731.9</b>	<b>3,373</b>	<b>720.2</b>	<b>3,721</b>	<b>742.9</b>
<1 <sup>2</sup>	52	4.9	19	3.5	33	6.4	29	2.7	14	2.5	15	2.9	34	3.3	16	3.0	18	3.6
1-9	11	9.2	7	11.5	4	6.9	12	10.2	5	8.3	7	12.3	11	9.5	6	10.0	5	8.9
10-19	13	9.8	8	11.8	5	7.7	17	12.8	11	16.2	6	9.2	22	16.6	15	22.2	7	10.7
20-24	35	62.6	25	87.8	10	36.4	39	68.1	36	123.8	3	10.6	40	67.8	34	114.2	6	20.5
25-34	75	68.4	52	95.0	23	41.9	79	71.7	51	92.4	28	50.9	110	99.9	73	132.2	37	67.5
35-44	108	83.4	58	92.4	50	74.8	102	79.4	65	104.2	37	55.9	117	92.2	82	133.0	35	53.7
45-54	322	216.1	183	255.1	139	180.0	338	227.3	208	290.3	130	168.7	319	216.7	199	280.3	120	157.4
55-64	656	541.9	396	690.2	260	408.2	685	554.3	416	708.4	268	413.3	672	535.6	420	703.1	252	383.4
65-74	1,018	1,371.7	551	1,657.1	467	1,140.0	998	1,301.7	553	1,602.2	444	1,053.3	1,084	1,364.4	591	1,646.1	493	1,132.2
75-84	1,565	3,294.5	786	4,070.6	778	2,759.5	1,611	3,432.3	805	4,195.3	806	2,904.7	1,588	3,334.2	806	4,120.9	782	2,786.1
85+	3,009	12,556.9	1,065	13,811.4	1,943	11,955.5	3,115	12,647.2	1,196	15,059.2	1,919	11,499.3	3,097	12,600.2	1,131	14,424.2	1,966	11,745.7
Unknown	4	--	2	--	2	--	--	--	--	--	--	--	--	--	--	--	--	--
<b>Average Age at Death</b>	<b>77.9</b>	<b>--</b>	<b>74.6</b>	<b>--</b>	<b>80.4</b>	<b>--</b>	<b>78.0</b>	<b>--</b>	<b>74.9</b>	<b>--</b>	<b>80.8</b>	<b>--</b>	<b>77.6</b>	<b>--</b>	<b>74.0</b>	<b>--</b>	<b>80.9</b>	<b>--</b>

<sup>1</sup>Total may include deaths for which no sex or age was specified.

<sup>2</sup>Infant Deaths are per 1,000 live births.

Source: New York State Department of Health.

Table 21. Number of Deaths and Death Rates by Age Group and Race/Ethnicity, and Average Age of Death by Race/Ethnicity, Westchester County, 2011-2016<sup>1</sup>.

Age Group	Number of Deaths and Death Rate (per 100,000 pop)																			
	2011										2012									
	Total <sup>2</sup> Rate	White Rate	Black Rate	Other Rate	Hispanic <sup>4</sup> Rate	Total <sup>1</sup> Rate	White Rate	Black Rate	Other Rate	Hispanic <sup>4</sup> Rate										
<b>Total<sup>2</sup></b>	<b>6,971</b>	<b>738.3</b>	<b>5,759</b>	<b>902.3</b>	<b>935</b>	<b>690.6</b>	<b>265</b>	<b>155.3</b>	<b>444</b>	<b>221.9</b>	<b>6,860</b>	<b>721.9</b>	<b>5,710</b>	<b>888.5</b>	<b>934</b>	<b>682.1</b>	<b>214</b>	<b>125.4</b>	<b>461</b>	<b>222.5</b>
<1 <sup>3</sup>	50	4.7	22	3.7	22	13.4	5	1.6	15	4.0	44	4.2	23	4.1	14	8.8	7	2.2	16	4.4
1-9	19	15.8	14	18.7	4	24.4	1	3.5	3	8.8	10	8.4	6	8.0	4	24.0	0	0	2	8.6
10-19	14	10.6	8	9.5	3	13.7	3	11.5	4	12.3	31	23.4	23	27.3	6	28.0	2	7.5	13	12.0
20-24	43	82.0	34	112.6	8	82.7	1	7.9	6	36.3	46	86.3	32	104.3	12	120.1	2	15.9	12	35.1
25-34	66	61.6	39	64.8	21	123.9	6	20.0	12	33.0	69	63.8	55	90.3	13	74.5	1	3.4	22	32.5
35-44	143	105.2	94	108.1	38	193.2	11	37.6	32	97.0	131	98.2	74	86.6	47	245.0	10	34.7	24	94.2
45-54	345	234.3	224	213.3	94	461.3	26	118.9	42	173.1	314	211.8	231	219.3	70	334.7	13	59.0	45	164.5
55-64	655	582.3	493	578.6	124	831.3	35	282.8	63	477.2	701	607.8	511	588.0	153	1,007.6	36	272.0	68	445.7
65-74	936	1,393.3	694	1,326.6	195	2,193.7	46	769.6	67	1,050.8	915	1,317.3	696	1,284.2	182	1,993.0	37	603.2	79	977.8
75-84	1,786	3,723.4	1,494	3,715.1	221	4,519.4	69	2,410.1	102	3,124.0	1,678	3,527.7	1,403	3,531.0	219	4,432.3	55	1,901.8	88	2,918.5
85+	2,913	13,164.9	2,643	13,540.0	205	11,183.9	62	8,010.3	97	12,696.3	2,921	12,731.6	2,656	13,233.0	214	10,646.8	51	5,916.5	92	11,358.3
Unknown	1	--	0	--	0	--	0	--	1	--	0	--	0	--	0	--	0	--	0	--
<b>Average Age at Death</b>	<b>77.3</b>	<b>--</b>	<b>79.1</b>	<b>--</b>	<b>68.8</b>	<b>--</b>	<b>69.4</b>	<b>--</b>	<b>65.9</b>	<b>--</b>	<b>77.3</b>	<b>--</b>	<b>78.9</b>	<b>--</b>	<b>69.4</b>	<b>--</b>	<b>69.9</b>	<b>--</b>	<b>63.4</b>	<b>--</b>

Age Group	Number of Deaths and Death Rate (per 100,000 pop)																			
	2013										2014									
	Total <sup>2</sup> Rate	White Rate	Black Rate	Other Rate	Hispanic <sup>4</sup> Rate	Total <sup>2</sup> Rate	White Rate	Black Rate	Other Rate	Hispanic <sup>4</sup> Rate										
<b>Total<sup>1</sup></b>	<b>7,015</b>	<b>733.6</b>	<b>5,825</b>	<b>908.8</b>	<b>985</b>	<b>724.8</b>	<b>182</b>	<b>101.4</b>	<b>485</b>	<b>227.0</b>	<b>6,868</b>	<b>713.7</b>	<b>5,612</b>	<b>876.6</b>	<b>1,048</b>	<b>763.4</b>	<b>178</b>	<b>96.3</b>	<b>476</b>	<b>216.6</b>
<1 <sup>3</sup>	49	4.6	27	4.8	18	10.9	1	0.3	20	5.4	52	4.9	26	5.7	21	12.7	2	0.7	15	4.0
1-9	11	9.2	5	6.8	4	24.8	2	6.7	3	8.2	11	9.2	8	11.2	3	18.5	0	0	4	10.7
10-19	24	18.2	15	17.9	4	19.3	5	18.2	9	26.6	13	9.8	9	10.7	4	20.1	0	0	3	8.7
20-24	32	58.8	26	82.7	4	38.9	2	15.7	7	40.1	35	62.6	23	71.9	10	94.8	2	14.9	8	44.7
25-34	68	62.4	49	80.9	15	85.8	3	9.7	17	45.7	75	68.4	59	97.5	10	55.1	4	12.9	26	69.7
35-44	108	82.5	77	93.6	24	130.1	6	19.8	22	63.1	108	83.4	70	87.3	30	164.6	8	25.7	25	69.8
45-54	367	246.4	266	253.4	86	407.5	14	61.3	58	217.5	322	216.1	214	204.6	98	466.1	9	38.5	46	165.4
55-64	660	558.2	486	547.6	140	903.7	30	214.3	64	423.4	656	541.9	456	503.4	169	1,049.5	25	173.8	67	414.9
65-74	1,046	1,457.8	796	1,434.8	207	2,260.3	39	548.1	72	977.9	1,018	1,371.7	776	1,361.7	196	2,028.8	41	541.8	63	796.5
75-84	1,673	3,504.9	1,418	3,598.3	218	4,259.5	35	1,091.0	109	2,966.8	1,565	3,294.5	1,286	3,318.5	235	4,251.1	40	1,241.5	99	2,572.1
85+	2,973	12,750.4	2,657	13,036.7	265	13,184.1	45	4,859.6	103	9,671.4	3,009	12,556.9	2,683	12,712.6	271	14,538.6	47	4,728.4	120	9,287.9
Unknown	4	--	3	--	0	--	0	--	1	--	4	--	2	--	1	--	0	--	0	--
<b>Average Age at Death</b>	<b>77.5</b>	<b>--</b>	<b>81.4</b>	<b>--</b>	<b>70.4</b>	<b>--</b>	<b>71.8</b>	<b>--</b>	<b>65.9</b>	<b>--</b>	<b>77.9</b>	<b>--</b>	<b>79.5</b>	<b>--</b>	<b>70.8</b>	<b>--</b>	<b>72.1</b>	<b>--</b>	<b>66.3</b>	<b>--</b>

(continue)

**Table 21. Number of Deaths and Death Rates by Age Group and Race/Ethnicity, and Average Age of Death by Race/Ethnicity, Westchester County, 2011-2016<sup>1</sup> (*continued*).**

Age Group	Number of Deaths and Death Rate ( <i>per 100,000 pop</i> )									
	2016									
	Total <sup>2</sup>	Rate	White	Rate	Black	Rate	Other	Rate	Hispanic <sup>4</sup>	Rate
<b>Total<sup>2</sup></b>	<b>7,094</b>	<b>731.9</b>	<b>5,884</b>	<b>917.9</b>	<b>927</b>	<b>662.1</b>	<b>215</b>	<b>114.2</b>	<b>396</b>	<b>173.0</b>
<1 <sup>3</sup>	34	3.3	12	2.1	13	7.8	7	2.3	9	2.5
1-9	11	9.5	5	7.2	5	30.1	1	3.3	1	10.6
10-19	22	16.6	16	19.0	4	20.5	2	6.9	3	8.2
20-24	40	67.8	30	87.5	9	82.0	1	7.3	4	44.4
25-34	110	99.9	82	133.8	22	117.5	5	16.6	16	70.6
35-44	117	92.2	89	116.2	19	103.2	8	25.1	22	67.1
45-54	319	216.7	214	210.9	87	411.7	13	52.8	41	155.1
55-64	672	535.6	471	504.4	167	1,000.4	29	188.3	40	367.6
65-74	1,084	1,364.4	830	1,362.0	196	1,915.4	35	423.0	61	704.9
75-84	1,588	3,334.2	1,348	3,537.9	184	3,130.3	43	1,179.1	89	2,210.8
85+	3,097	12,600.2	2,787	12,835.6	221	11,805.6	71	7,142.9	110	8,427.0
Unknown	0	--	0	--	0	--	0	--	0	--
<b>Average Age at Death</b>	77.6	--	79.2	--	69.6	--	70.7	--	69.0	--

<sup>1</sup>Data not yet available for 2015 year.

<sup>2</sup>Total may include deaths for which no age or race/ethnicity was specified.

<sup>3</sup>Infant Deaths are per 1,000 live births.

<sup>4</sup>Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

**Table 22. Number of Infant Deaths and Infant Mortality by Race/Ethnicity, Westchester County, 2011-2014 and 2016.**

Race/Ethnicity	Number of Infant Deaths and Infant Mortality Rate ( <i>per 1,000 live births</i> )*									
	2011		2012		2013		2014		2016	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
<b>Total</b> <sup>1</sup>	50	4.7	44	4.2	49	4.6	52	4.9	34	3.3
White	22	3.7	23	4.1	27	4.8	26	5.7	12	2.1
Black	22	13.4	14	8.8	18	10.9	21	12.7	13	7.8
Other	5	1.6	7	2.2	1	0.3	2	0.7	7	2.3
Hispanic <sup>2</sup>	15	4.0	15	4.1	20	5.4	15	4.0	9	2.5

\* Data not yet available for 2015 year.

<sup>1</sup> Total may include deaths for which no race/ethnicity was specified.

<sup>2</sup> Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

**Table 23. Ten Leading Causes of Death and Death Rates, Westchester County, New York State (NYS), and the United States, 2011-2017.<sup>1</sup>**

Causes of Death	Westchester County						New York State		New York City		New York State exc. NYC		USA	
	2011	2012	2013	2014	2015	2016	2016	2017	2016	2017	2016	2017	2016	2017
<b>Total</b>	<b>6,971</b>	<b>6,860</b>	<b>7,015</b>	<b>6,868</b>	<b>7,025</b>	<b>7,094</b>	<b>153,684</b>	<b>155,191</b>	<b>53,891</b>	<b>53,806</b>	<b>99,793</b>	<b>101,385</b>	<b>2,744,248</b>	<b>2,813,503</b>
<b>Rate<sup>2</sup></b>	<b>738.3</b>	<b>721.9</b>	<b>733.6</b>	<b>713.7</b>	<b>726.2</b>	<b>731.9</b>	<b>780.2</b>	<b>783.9</b>	<b>636.9</b>	<b>628.6</b>	<b>888.2</b>	<b>902.1</b>	<b>861.5</b>	<b>876.5</b>
<b>Diseases of the Heart</b>														
Number	2,049	2,112	2,155	1,917	1,972	2,091	43,869	43,823	17,300	17,543	26,569	26,280	635,260	647,457
Rate	217.0	222.3	225.4	199.2	203.9	215.7	222.7	221.3	204.4	204.9	236.5	233.8	199.4	201.7
Rank	[1]	[1]	[1]	[1]	[1]	[1]	[1]	[1]	[1]	[1]	[1]	[1]	[1]	[1]
<b>Malignant Neoplasms</b>														
Number	1,715	1,601	1,675	1,640	1,618	1,665	35,170	34,648	12,748	12,503	22,422	22,145	598,038	599,108
Rate	181.6	168.5	175.2	170.4	167.3	171.8	178.6	175.0	150.7	146.1	199.6	197.1	187.7	186.6
Rank	[2]	[2]	[2]	[2]	[2]	[2]	[2]	[2]	[2]	[2]	[2]	[2]	[2]	[2]
<b>Cerebrovascular Disease</b>														
Number	322	309	296	283	302	294	6,197	6,183	1,907	1,932	4,290	4,251	142,142	146,383
Rate	34.1	32.5	31.0	29.4	31.2	30.3	31.5	31.2	22.5	22.6	38.2	37.8	44.6	45.6
Rank	[3]	[3]	[4]	[3]	[3]	[4]	[5]	[5]	[5]	[4]	[5]	[5]	[5]	[5]
<b>Chronic Lower Respiratory Diseases</b>														
Number	287	276	302	276	279	256	6,808	7,220	1,671	1,774	5,137	5,446	154,596	160,201
Rate	30.4	29.0	31.6	28.7	28.8	26.4	34.6	36.5	19.7	20.7	45.7	48.5	48.5	49.9
Rank	[4]	[4]	[3]	[4]	[4]	[5]	[4]	[4]	[7]	[7]	[3]	[3]	[4]	[4]
<b>Accidents</b>														
Number	210	225	257	241	271	303	7,338	7,617	2,295	2,362	5,043	5,255	161,374	169,936
Rate	22.2	23.7	26.9	25.0	28.0	31.3	37.3	38.5	27.1	27.6	44.9	46.8	50.7	52.9
Rank	[5]	[5]	[5]	[5]	[5]	[3]	[3]	[3]	[3]	[3]	[4]	[4]	[3]	[3]
<b>Pneumonia &amp; Influenza</b>														
Number	197	175	215	221	213	210	4,295	4,179	2,004	1,881	2,291	2,298	51,537	55,672
Rate	20.9	18.4	22.5	23.0	22.0	21.7	21.8	21.1	23.7	22.0	20.4	20.4	16.2	17.3
Rank	[6]	[7]	[6]	[6]	[6]	[6]	[6]	[6]	[4]	[5]	[6]	[8]	[8]	[8]
<b>Septicemia</b>														
Number	177	195	165	153	172	182	2,529	-	534	-	1,995	1,706	-	-
Rate	18.7	20.5	17.3	15.9	17.8	18.8	12.8	-	6.3	-	17.8	15.2	-	-
Rank	[7]	[6]	[7]	[7]	[7]	[7]	[9]	-	[10]	-	[9]	[10]	-	-
<b>Diabetes Mellitus</b>														
Number	150	127	129	150	145	133	4,006	4,148	1,747	1,783	2,259	2,365	80,058	83,564
Rate	15.9	13.4	13.5	15.6	15.0	13.7	20.3	21.0	20.6	20.8	20.1	21.0	25.1	26.0
Rank	[8]	[8]	[9]	[8]	[8]	[9]	[7]	[7]	[6]	[6]	[7]	[6]	[7]	[7]
<b>Nephritis, Neph Syndrome et al</b>														
Number	123	117	108	110	126	122	-	2,265	-	-	1,884	1,836	50,046	50,633
Rate	13.0	12.3	11.3	11.4	13.0	12.6	-	11	-	-	16.8	16.3	15.7	15.8
Rank	[9]	[10]	[10]	[10]	[9]	[10]	-	[10]	-	-	[10]	[9]	[9]	[9]
<b>Alzheimer's Disease</b>														
Number	115	124	131	129	119	173	3,320	3,471	1,113	1,135	2,207	2,336	116,103	121,404
Rate	12.2	13.0	13.7	13.4	12.3	17.8	16.9	17.5	13.2	13.3	19.6	20.8	36.4	37.8
Rank	[10]	[9]	[8]	[9]	[10]	[8]	[8]	[8]	[9]	[9]	[8]	[7]	[6]	[6]

<sup>1</sup>Data for 2017 for Westchester County not yet available.

<sup>2</sup>Death rates are per 100,000 population.

Source: New York State Department of Health, Annual Vital Statistics Tables at: [https://www.health.ny.gov/statistics/vital\\_statistics/2017/](https://www.health.ny.gov/statistics/vital_statistics/2017/) and Centers for Disease Control and Prevention: National Vital Statistics Reports, Volume 67, Number 6, July 2018.

**Table 24. Number of Deaths and Death Rates by Selected Causes and Sex, Westchester County, 2011-2016.**

Cause of Death	Number of Deaths and Death Rates ( <i>per 100,000 pop</i> )																	
	2011						2012						2013					
	Total <sup>1</sup>	Rate	Male	Rate	Female	Rate	Total <sup>1</sup>	Rate	Male	Rate	Female	Rate	Total <sup>1</sup>	Rate	Male	Rate	Female	Rate
<b>Total<sup>1</sup></b>	<b>6,971</b>	<b>738.3</b>	<b>3,213</b>	<b>707.4</b>	<b>3,756</b>	<b>766.4</b>	<b>6,860</b>	<b>721.9</b>	<b>3,197</b>	<b>698.9</b>	<b>3,663</b>	<b>737.2</b>	<b>7,015</b>	<b>733.6</b>	<b>3,344</b>	<b>725.7</b>	<b>3,671</b>	<b>740.9</b>
<b>Diseases of the circulatory system</b>	<b>2,554</b>	<b>270.5</b>	<b>1,127</b>	<b>248.1</b>	<b>1,425</b>	<b>290.8</b>	<b>2,620</b>	<b>275.7</b>	<b>1,197</b>	<b>261.7</b>	<b>1,423</b>	<b>288.8</b>	<b>2,646</b>	<b>276.7</b>	<b>1,236</b>	<b>268.2</b>	<b>1,410</b>	<b>284.6</b>
Diseases of the Heart	2,049	217.0	921	202.8	1,127	230.0	2,112	222.3	975	213.1	1,137	230.7	2,155	225.4	1,021	221.6	1,134	228.9
Cerebrovascular Diseases	322	34.1	123	27.1	198	40.4	309	32.5	132	28.9	177	35.9	296	31.0	124	26.9	172	34.7
Other	183	19.4	83	18.3	100	20.4	199	20.9	90	19.7	109	22.1	195	20.4	91	19.7	104	21.0
<b>Neoplasms</b>	<b>1,760</b>	<b>186.4</b>	<b>824</b>	<b>181.4</b>	<b>936</b>	<b>191.0</b>	<b>1,640</b>	<b>172.6</b>	<b>756</b>	<b>165.3</b>	<b>884</b>	<b>179.4</b>	<b>1,720</b>	<b>179.9</b>	<b>857</b>	<b>186.0</b>	<b>863</b>	<b>174.2</b>
Malignant neoplasms	1,715	181.6	797	175.5	918	187.3	1,601	168.5	737	161.1	864	175.3	1,675	175.2	833	180.8	842	169.9
Benign neoplasms	5	0.5	2	0.4	3	0.6	4	0.4	2	0.4	2	0.4	8	0.8	2	0.4	6	1.2
Neoplasms of uncertain or unknown behaviour	40	4.2	25	5.5	15	3.1	35	3.7	17	3.7	18	3.7	37	3.9	22	4.8	15	3.0
<b>Diseases of the respiratory system</b>	<b>694</b>	<b>73.5</b>	<b>310</b>	<b>68.3</b>	<b>384</b>	<b>78.4</b>	<b>647</b>	<b>68.1</b>	<b>288</b>	<b>63.0</b>	<b>359</b>	<b>72.9</b>	<b>677</b>	<b>70.8</b>	<b>308</b>	<b>66.8</b>	<b>369</b>	<b>74.5</b>
Influenza	0	0	0	0	0	0	2	0.2	0	0	2	0.4	9	0.9	2	0.4	7	1.4
Pneumonia	197	20.9	100	22.0	97	19.8	173	18.2	91	19.9	82	16.6	206	21.5	105	22.8	101	20.4
Chronic lower respiratory diseases	287	30.4	123	27.1	164	33.5	276	29.0	112	24.5	164	33.3	302	31.6	132	28.6	170	34.3
Other	210	22.2	87	19.2	123	25.1	196	20.6	85	18.6	111	22.5	160	16.7	69	15.0	91	18.4
<b>External causes of morbidity and mortality</b>	<b>310</b>	<b>32.8</b>	<b>209</b>	<b>46.0</b>	<b>101</b>	<b>20.6</b>	<b>332</b>	<b>34.9</b>	<b>230</b>	<b>50.3</b>	<b>102</b>	<b>20.7</b>	<b>346</b>	<b>36.2</b>	<b>229</b>	<b>49.7</b>	<b>117</b>	<b>23.6</b>
Accidents	210	22.2	126	27.7	84	17.1	225	23.7	154	33.7	71	14.4	257	26.9	170	36.9	87	17.6
Intentional self-harm (Suicide)	59	6.2	52	11.4	7	1.4	76	8.0	55	12.0	21	4.3	65	6.8	44	9.5	21	4.2
Assault (Homicide)	29	3.1	24	5.3	5	1.0	19	2.0	17	3.7	2	0.4	12	1.3	7	1.5	5	1.0
Complications of medical and surgical care	0	0	0	0	0	0	2	0.2	1	0.2	1	0.2	7	0.7	3	0.7	4	0.8
Other	12	1.3	7	1.5	5	1.0	10	1.1	3	0.7	7	1.4	5	0.5	5	1.1	0	0
<b>Diseases of the nervous system</b>	<b>267</b>	<b>28.3</b>	<b>127</b>	<b>28.0</b>	<b>140</b>	<b>28.6</b>	<b>269</b>	<b>28.3</b>	<b>111</b>	<b>24.3</b>	<b>158</b>	<b>32.1</b>	<b>277</b>	<b>29.0</b>	<b>115</b>	<b>25.0</b>	<b>162</b>	<b>32.7</b>
Parkinson's disease	65	6.9	40	8.8	25	5.1	66	6.9	38	8.3	28	5.7	60	6.3	39	8.5	21	4.2
Alzheimer's disease	115	12.2	37	8.1	78	15.9	124	13.0	29	6.3	95	19.3	131	13.7	39	8.5	92	18.6
Other	87	9.2	50	11.0	37	7.6	79	8.3	44	9.6	35	7.1	86	9.0	37	8.0	49	9.9
<b>Certain infectious and parasitic diseases</b>	<b>258</b>	<b>27.3</b>	<b>133</b>	<b>29.3</b>	<b>125</b>	<b>25.5</b>	<b>278</b>	<b>29.3</b>	<b>128</b>	<b>28.0</b>	<b>150</b>	<b>30.4</b>	<b>238</b>	<b>24.9</b>	<b>128</b>	<b>27.8</b>	<b>110</b>	<b>22.2</b>
Tuberculosis	2	0.2	1	0.2	1	0.2	0	0	0	0	0	0	1	0.1	1	0.2	0	0
Septicemia	177	18.7	80	17.6	97	19.8	195	20.5	87	19.0	108	21.9	165	17.3	87	18.9	78	15.7
Viral hepatitis	13	1.4	11	2.4	2	0.4	17	1.8	13	2.8	4	0.8	18	1.9	12	2.6	6	1.2

(continue)



Table 24. Number of Deaths and Death Rates by Selected Causes and Sex, Westchester County, 2011-2016 ( *continued* ).

Cause of Death	Number of Deaths and Death Rates ( <i>per 100,000 pop</i> )																	
	2011						2012						2013					
	Total <sup>1</sup>	Rate	Male	Rate	Female	Rate	Total <sup>1</sup>	Rate	Male	Rate	Female	Rate	Total <sup>1</sup>	Rate	Male	Rate	Female	Rate
Human immunodeficiency virus [HIV] disease	26	2.8	18	4.0	8	1.6	23	2.4	14	3.1	9	1.8	10	1.0	6	1.3	4	0.8
Other	40	4.2	23	5.1	17	3.5	43	4.5	14	3.1	29	5.9	44	4.6	23	5.0	21	4.2
<b>Diseases of the digestive system</b>	<b>198</b>	<b>21.0</b>	<b>103</b>	<b>22.7</b>	<b>95</b>	<b>19.4</b>	<b>218</b>	<b>22.9</b>	<b>117</b>	<b>25.6</b>	<b>101</b>	<b>20.5</b>	<b>182</b>	<b>19.0</b>	<b>96</b>	<b>20.8</b>	<b>86</b>	<b>17.4</b>
Gastritis, Enteritis, Colitis, Diverticulitis	3	0.3	1	0.2	2	0.4	3	0.3	1	0.2	2	0.4	6	0.6	2	0.4	4	0.8
Diseases of the liver	74	7.8	49	10.8	25	5.1	85	8.9	53	11.6	32	6.5	75	7.8	49	10.6	26	5.2
<i>Chronic liver diseases, including Cirrhosis</i>	65	6.9	45	9.9	20	4.1	81	8.5	51	11.1	30	6.1	63	6.6	43	9.3	20	4.0
<i>Other (Diseases of the Liver)</i>	9	1.0	4	0.9	5	1.0	4	0.4	2	0.4	2	0.4	12	1.3	6	1.3	6	1.2
Other	121	12.8	53	11.7	68	13.9	130	13.7	63	13.8	67	13.6	101	10.6	45	9.8	56	11.3
<b>Endocrine, nutritional and metabolic diseases</b>	<b>217</b>	<b>23.0</b>	<b>97</b>	<b>21.4</b>	<b>120</b>	<b>24.5</b>	<b>181</b>	<b>19.0</b>	<b>100</b>	<b>21.9</b>	<b>81</b>	<b>16.4</b>	<b>191</b>	<b>20.0</b>	<b>100</b>	<b>21.7</b>	<b>91</b>	<b>18.4</b>
Diabetes mellitus	150	15.9	73	16.1	77	15.7	127	13.4	68	14.9	59	12.0	129	13.5	67	14.5	62	12.5
Other	67	7.1	24	5.3	43	8.8	54	5.7	32	7.0	22	4.5	62	6.5	33	7.2	29	5.9
<b>Diseases of the genitourinary system</b>	<b>188</b>	<b>19.9</b>	<b>95</b>	<b>20.9</b>	<b>93</b>	<b>19.0</b>	<b>170</b>	<b>17.9</b>	<b>74</b>	<b>16.2</b>	<b>96</b>	<b>19.5</b>	<b>157</b>	<b>16.4</b>	<b>67</b>	<b>14.5</b>	<b>90</b>	<b>18.2</b>
Kidney diseases	127	13.4	68	15.0	59	12.0	130	13.7	66	14.4	64	13.0	108	11.3	50	10.9	58	11.7
<i>Nephritis, Nephrotic Syndrome and Nephrosis</i>	123	13.0	66	14.5	57	11.6	117	12.3	66	14.4	64	13.0	108	11.3	50	10.9	58	11.7
<i>Other (Kidney Diseases)</i>	4	0.4	2	0.4	2	0.4	3	0.3	0	0	0	0	0	0	0	0	0	0
Other	61	6.5	27	5.9	34	6.9	50	5.3	18	3.9	32	6.5	49	5.1	17	3.7	32	6.5
<b>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</b>	<b>63</b>	<b>6.7</b>	<b>33</b>	<b>7.3</b>	<b>30</b>	<b>6.1</b>	<b>86</b>	<b>9.1</b>	<b>41</b>	<b>9.0</b>	<b>45</b>	<b>9.1</b>	<b>69</b>	<b>7.2</b>	<b>35</b>	<b>7.6</b>	<b>34</b>	<b>6.9</b>
<b>Congenital malformations, deformations and chromosomal abnormalities</b>	<b>16</b>	<b>1.7</b>	<b>5</b>	<b>1.1</b>	<b>11</b>	<b>2.2</b>	<b>15</b>	<b>1.6</b>	<b>8</b>	<b>1.7</b>	<b>7</b>	<b>1.4</b>	<b>23</b>	<b>2.4</b>	<b>13</b>	<b>2.8</b>	<b>10</b>	<b>2.0</b>
<b>Certain conditions originating in the perinatal period</b>	<b>35</b>	<b>3.7</b>	<b>24</b>	<b>5.3</b>	<b>11</b>	<b>2.2</b>	<b>25</b>	<b>2.6</b>	<b>17</b>	<b>3.7</b>	<b>8</b>	<b>1.6</b>	<b>26</b>	<b>2.7</b>	<b>12</b>	<b>2.6</b>	<b>14</b>	<b>2.8</b>
<b>Other</b>	<b>411</b>	<b>43.5</b>	<b>126</b>	<b>27.7</b>	<b>285</b>	<b>58.2</b>	<b>379</b>	<b>39.9</b>	<b>130</b>	<b>28.4</b>	<b>249</b>	<b>50.5</b>	<b>463</b>	<b>48.4</b>	<b>148</b>	<b>32.1</b>	<b>315</b>	<b>63.6</b>

( *continue* )

**Table 24. Number of Deaths and Death Rates by Selected Causes and Sex, Westchester County, 2011-2016 (continued).**

Cause of Death	Number of Deaths (per 100,000 pop)																	
	2014						2015						2016					
	Total <sup>1</sup>	Rate	Male	Rate	Female	Rate	Total <sup>1</sup>	Rate	Male	Rate	Female	Rate	Total <sup>1</sup>	Rate	Male	Rate	Female	Rate
<b>Total<sup>1</sup></b>	<b>6,868</b>	<b>713.7</b>	<b>3,151</b>	<b>679.2</b>	<b>3,715</b>	<b>745.4</b>	<b>7,025</b>	<b>726.2</b>	<b>3,359</b>	<b>719.5</b>	<b>3,663</b>	<b>732.1</b>	<b>7,094</b>	<b>731.9</b>	<b>3,373</b>	<b>720.2</b>	<b>3,721</b>	<b>742.9</b>
<b>Diseases of the circulatory system</b>	<b>2,403</b>	<b>249.7</b>	<b>1,064</b>	<b>229.3</b>	<b>1,339</b>	<b>268.7</b>	<b>2,454</b>	<b>253.7</b>	<b>1,169</b>	<b>250.3</b>	<b>1,283</b>	<b>256.4</b>	<b>2,572</b>	<b>265.4</b>	<b>1,176</b>	<b>251.1</b>	<b>1,396</b>	<b>278.7</b>
Diseases of the Heart	1,917	199.2	872	187.9	1,045	209.7	1,972	203.9	947	202.8	1,023	204.5	2,091	215.7	968	206.7	1,123	224.2
Cerebrovascular Diseases	283	29.4	106	22.8	177	35.5	302	31.2	141	30.2	161	32.2	294	30.3	120	25.6	174	34.7
Other	203	21.1	86	18.5	117	23.5	180	18.6	81	17.3	99	19.8	187	19.3	88	18.8	99	19.8
<b>Neoplasms</b>	<b>1,689</b>	<b>175.5</b>	<b>822</b>	<b>177.1</b>	<b>866</b>	<b>173.8</b>	<b>1,648</b>	<b>170.4</b>	<b>763</b>	<b>163.4</b>	<b>885</b>	<b>176.9</b>	<b>1,717</b>	<b>177.2</b>	<b>841</b>	<b>179.6</b>	<b>876</b>	<b>174.9</b>
Malignant neoplasms	1,640	170.4	799	172.2	840	168.6	1,618	167.3	744	159.3	874	174.7	1,665	171.8	818	174.7	847	169.1
Benign neoplasms	8	0.8	3	0.6	5	1.0	2	0.2	0	0	2	0.4	2	0.2	1	0.2	1	0.2
Neoplasms of uncertain or unknown behaviour	41	4.3	20	4.3	21	4.2	28	2.9	19	4.1	9	1.8	50	5.2	22	4.7	28	5.6
<b>Diseases of the respiratory system</b>	<b>706</b>	<b>73.4</b>	<b>315</b>	<b>67.9</b>	<b>391</b>	<b>78.5</b>	<b>676</b>	<b>69.9</b>	<b>303</b>	<b>64.9</b>	<b>373</b>	<b>74.6</b>	<b>654</b>	<b>67.5</b>	<b>285</b>	<b>60.9</b>	<b>369</b>	<b>73.7</b>
Influenza	7	0.7	5	1.1	2	0.4	19	2.0	13	2.8	6	1.2	10	1.0	7	1.5	3	0.6
Pneumonia	214	22.2	96	20.7	118	23.7	194	20.1	86	18.4	108	21.6	200	20.6	93	19.9	107	21.4
Chronic lower respiratory diseases	276	28.7	111	23.9	165	33.1	279	28.8	116	24.8	163	32.6	256	26.4	93	19.9	163	32.5
Other	209	21.7	103	22.2	106	21.3	184	19.0	88	18.8	96	19.2	188	19.4	92	19.6	96	19.2
<b>External causes of morbidity and mortality</b>	<b>339</b>	<b>35.2</b>	<b>223</b>	<b>48.1</b>	<b>116</b>	<b>23.3</b>	<b>360</b>	<b>37.2</b>	<b>257</b>	<b>55.0</b>	<b>103</b>	<b>20.6</b>	<b>409</b>	<b>42.2</b>	<b>281</b>	<b>60.0</b>	<b>128</b>	<b>25.6</b>
Accidents	241	25.0	147	31.7	94	18.9	271	28.0	192	41.1	79	15.8	303	31.3	201	42.9	102	20.4
Intentional self-harm (Suicide)	64	6.7	50	10.8	14	2.8	59	6.1	44	9.4	15	3.0	65	6.7	52	11.1	13	2.6
Assault (Homicide)	18	1.9	15	3.2	3	0.6	20	2.1	14	3.0	6	1.2	21	2.2	15	3.2	6	1.2
Complications of medical and surgical care	4	0.4	2	0.4	2	0.4	5	0.5	4	0.9	1	0.2	9	0.9	4	0.9	5	1.0
Other	12	1.2	9	1.9	3	0.6	5	0.5	3	0.6	2	0.4	11	1.1	9	1.9	2	0.4
<b>Diseases of the nervous system</b>	<b>304</b>	<b>31.6</b>	<b>122</b>	<b>26.3</b>	<b>182</b>	<b>36.5</b>	<b>267</b>	<b>27.6</b>	<b>122</b>	<b>26.1</b>	<b>145</b>	<b>29.0</b>	<b>326</b>	<b>33.6</b>	<b>139</b>	<b>29.7</b>	<b>187</b>	<b>37.3</b>
Parkinson's disease	80	8.3	42	9.1	38	7.6	60	6.2	39	8.4	21	4.2	62	6.4	39	8.3	23	4.6
Alzheimer's disease	129	13.4	39	8.4	90	18.1	119	12.3	36	7.7	83	16.6	173	17.8	51	10.9	122	24.4
Other	95	9.9	41	8.8	54	10.8	88	9.1	47	10.1	41	8.2	91	9.4	49	10.5	42	8.4
<b>Certain infectious and parasitic diseases</b>	<b>236</b>	<b>24.5</b>	<b>111</b>	<b>23.9</b>	<b>125</b>	<b>25.1</b>	<b>236</b>	<b>24.4</b>	<b>114</b>	<b>24.4</b>	<b>122</b>	<b>24.4</b>	<b>255</b>	<b>26.3</b>	<b>134</b>	<b>28.6</b>	<b>121</b>	<b>24.2</b>
Tuberculosis	2	0.2	2	0.4	0	0	1	0.1	0	0	1	0.2	1	0.1	1	0.2	0	0
Septicemia	153	15.9	72	15.5	81	16.3	172	17.8	79	16.9	93	18.6	182	18.8	87	18.6	95	19.0
Viral hepatitis	15	1.6	10	2.2	5	1.0	10	1.0	7	1.5	3	0.6	13	1.3	5	1.1	8	1.6

(continue)

**Table 24. Number of Deaths and Death Rates by Selected Causes and Sex, Westchester County, 2011-2016 (continued).**

Cause of Death	Number of Deaths (per 100,000 pop)																	
	2014						2015						2016					
	Total <sup>1</sup>	Rate	Male	Rate	Female	Rate	Total <sup>1</sup>	Rate	Male	Rate	Female	Rate	Total <sup>1</sup>	Rate	Male	Rate	Female	Rate
Human immunodeficiency virus [HIV] disease	15	1.6	9	1.9	6	1.2	10	1.0	7	1.5	3	0.6	14	1.4	13	2.8	1	0.2
Other	51	5.3	18	3.9	33	6.6	43	4.4	20	4.3	20	4.0	45	4.6	28	6.0	17	3.4
<b>Diseases of the digestive system</b>	<b>197</b>	<b>20.5</b>	<b>101</b>	<b>21.8</b>	<b>96</b>	<b>19.3</b>	<b>222</b>	<b>23.0</b>	<b>111</b>	<b>23.8</b>	<b>111</b>	<b>22.2</b>	<b>196</b>	<b>20.2</b>	<b>90</b>	<b>19.2</b>	<b>106</b>	<b>21.2</b>
Gastritis, Enteritis, Colitis, Diverticulitis	6	0.6	3	0.6	3	0.6	4	0.4	2	0.4	2	0.4	5	0.5	0	0	5	1.0
Diseases of the liver	68	7.1	40	8.6	28	5.6	72	7.4	45	9.6	27	5.4	70	7.2	45	9.6	25	5.0
<i>Chronic liver diseases, including Cirrhosis</i>	63	6.5	38	8.2	25	5.0	60	6.2	39	8.4	21	4.2	63	6.5	40	8.5	23	4.6
<i>Other (Diseases of the Liver)</i>	5	0.5	2	0.4	3	0.6	12	1.2	6	1.3	6	1.2	7	0.7	5	1.1	2	0.4
Other	123	12.8	58	12.5	65	13.0	146	15.1	64	13.7	82	16.4	121	12.5	45	9.6	76	15.2
<b>Endocrine, nutritional and metabolic diseases</b>	<b>218</b>	<b>22.7</b>	<b>108</b>	<b>23.3</b>	<b>109</b>	<b>21.9</b>	<b>226</b>	<b>23.4</b>	<b>107</b>	<b>22.9</b>	<b>119</b>	<b>23.8</b>	<b>230</b>	<b>23.7</b>	<b>113</b>	<b>24.1</b>	<b>117</b>	<b>23.4</b>
Diabetes mellitus	132	13.7	71	15.3	60	12.0	145	15.0	72	15.4	73	14.6	133	13.7	67	14.3	66	13.2
Other	86	8.9	38	8.2	48	9.6	81	8.4	35	7.5	46	9.2	97	10.0	46	9.8	51	10.2
<b>Diseases of the genitourinary system</b>	<b>164</b>	<b>17.0</b>	<b>70</b>	<b>15.1</b>	<b>94</b>	<b>18.9</b>	<b>174</b>	<b>18.0</b>	<b>84</b>	<b>18.0</b>	<b>90</b>	<b>18.0</b>	<b>189</b>	<b>19.5</b>	<b>92</b>	<b>19.6</b>	<b>97</b>	<b>19.4</b>
Kidney diseases	116	12.1	54	11.6	62	12.4	134	13.9	67	14.3	67	13.4	132	13.6	74	15.8	58	11.6
<i>Nephritis, Nephrotic Syndrome and Nephrosis</i>	110	11.4	52	11.2	58	11.6	126	13.0	65	13.9	61	12.2	122	12.6	66	14.1	56	11.2
<i>Other (Kidney Diseases)</i>	6	0.6	2	0.4	4	0.8	8	0.8	2	0.4	6	1.2	10	1.0	8	1.7	2	0.4
Other	48	5.0	16	3.4	32	6.4	40	4.1	17	3.6	23	4.6	57	5.9	18	3.8	39	7.8
<b>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</b>	<b>85</b>	<b>8.8</b>	<b>42</b>	<b>9.1</b>	<b>43</b>	<b>8.6</b>	<b>68</b>	<b>7.0</b>	<b>30</b>	<b>6.4</b>	<b>38</b>	<b>7.6</b>	<b>84</b>	<b>8.7</b>	<b>41</b>	<b>8.8</b>	<b>43</b>	<b>8.6</b>
<b>Congenital malformations, deformations and chromosomal abnormalities</b>	<b>30</b>	<b>3.1</b>	<b>11</b>	<b>2.4</b>	<b>19</b>	<b>3.8</b>	<b>12</b>	<b>1.2</b>	<b>8</b>	<b>1.7</b>	<b>4</b>	<b>0.8</b>	<b>12</b>	<b>1.2</b>	<b>7</b>	<b>1.5</b>	<b>5</b>	<b>1.0</b>
<b>Certain conditions originating in the perinatal period</b>	<b>32</b>	<b>3.3</b>	<b>11</b>	<b>2.4</b>	<b>21</b>	<b>4.2</b>	<b>22</b>	<b>2.3</b>	<b>13</b>	<b>2.8</b>	<b>9</b>	<b>1.8</b>	<b>22</b>	<b>2.3</b>	<b>7</b>	<b>1.5</b>	<b>15</b>	<b>3.0</b>
<b>Other</b>	<b>465</b>	<b>48.3</b>	<b>151</b>	<b>32.5</b>	<b>314</b>	<b>63.0</b>	<b>660</b>	<b>68.2</b>	<b>278</b>	<b>59.5</b>	<b>381</b>	<b>76.2</b>	<b>428</b>	<b>44.2</b>	<b>167</b>	<b>35.7</b>	<b>261</b>	<b>52.1</b>

<sup>1</sup>Total may include deaths for which no cause or sex was specified.

Source: New York State Department of Health.

Table 25. Number of Deaths and Death Rates by Selected Causes and Race/Ethnicity, Westchester County, 2011-2016.<sup>1</sup>

Cause of Death	Number of Deaths and Death Rate (per 100,000 pop)																			
	2011									2012										
	Total <sup>2</sup>	Rate	White	Rate	Black	Rate	Other	Rate	Hispanic <sup>3</sup>	Rate	Total <sup>2</sup>	Rate	White	Rate	Black	Rate	Other	Rate	Hispanic <sup>3</sup>	Rate
<b>Total<sup>2</sup></b>	<b>6,971</b>	<b>738.3</b>	<b>5,759</b>	<b>902.3</b>	<b>935</b>	<b>690.6</b>	<b>265</b>	<b>155.3</b>	<b>444</b>	<b>221.9</b>	<b>6,860</b>	<b>721.9</b>	<b>5,710</b>	<b>888.5</b>	<b>934</b>	<b>682.1</b>	<b>214</b>	<b>125.4</b>	<b>461</b>	<b>222.5</b>
<b>Diseases of the circulatory system</b>	<b>2,554</b>	<b>270.5</b>	<b>2,135</b>	<b>334.5</b>	<b>324</b>	<b>239.3</b>	<b>91</b>	<b>53.3</b>	<b>149</b>	<b>74.5</b>	<b>2,620</b>	<b>275.7</b>	<b>2,206</b>	<b>343.3</b>	<b>349</b>	<b>254.9</b>	<b>65</b>	<b>38.1</b>	<b>130</b>	<b>62.7</b>
Diseases of the Heart	2,049	217.0	1,724	270.1	250	184.6	73	42.8	109	54.5	2,112	222.3	1,787	278.1	275	200.8	50	29.3	99	47.8
Cerebrovascular Diseases	322	34.1	268	42.0	42	31.0	11	6.4	28	14.0	309	32.5	255	39.7	44	32.1	10	5.9	16	7.7
Other	183	19.4	143	22.4	32	23.6	7	4.1	12	6.0	199	20.9	164	25.5	30	21.9	5	2.9	15	7.2
<b>Neoplasms</b>	<b>1,760</b>	<b>186.0</b>	<b>1,463</b>	<b>229.2</b>	<b>228</b>	<b>168.4</b>	<b>68</b>	<b>39.9</b>	<b>113</b>	<b>56.5</b>	<b>1,640</b>	<b>172.6</b>	<b>1,336</b>	<b>207.9</b>	<b>234</b>	<b>170.9</b>	<b>70</b>	<b>41.0</b>	<b>108</b>	<b>52.1</b>
Malignant neoplasms	1,715	181.6	1,420	222.5	246	181.7	67	39.3	111	55.5	1,601	168.5	1,304	202.9	230	168.0	67	39.3	107	51.6
Benign neoplasms	5	0.5	4	0.6	1	0.7	0	0	0	0	4	0.4	3	0.5	0	0	1	0.6	0	0.0
Neoplasms of uncertain or unknown behaviour	40	4.2	39	6.1	0	0	1	0.6	2	1.0	35	3.7	29	4.5	4	2.9	2	1.2	1	0.5
<b>Diseases of the respiratory system</b>	<b>694</b>	<b>73.5</b>	<b>592</b>	<b>92.8</b>	<b>76</b>	<b>56.1</b>	<b>25</b>	<b>14.7</b>	<b>35</b>	<b>17.5</b>	<b>647</b>	<b>68.1</b>	<b>577</b>	<b>89.8</b>	<b>56</b>	<b>40.9</b>	<b>14</b>	<b>8.2</b>	<b>28</b>	<b>13.5</b>
Influenza	0	0	0	0	0	0	0	0	0	0	2	0.2	2	0.3	0	0	0	0	0	0.0
Pneumonia	197	20.9	160	25.1	26	19.2	11	6.4	13	6.5	173	18.2	158	24.6	11	8.0	4	2.3	11	5.3
Chronic lower respiratory diseases	287	30.4	252	39.5	28	20.7	7	4.1	12	6.0	276	29.0	245	38.1	26	19.0	5	2.9	7	3.4
Other	210	22.2	180	28.2	22	16.2	7	4.1	10	5.0	196	20.6	172	26.8	19	13.9	5	2.9	10	4.8
<b>External causes of morbidity and mortality</b>	<b>310</b>	<b>32.8</b>	<b>244</b>	<b>38.2</b>	<b>53</b>	<b>39.1</b>	<b>11</b>	<b>6.4</b>	<b>35</b>	<b>17.5</b>	<b>332</b>	<b>34.9</b>	<b>275</b>	<b>42.8</b>	<b>44</b>	<b>32.1</b>	<b>13</b>	<b>7.6</b>	<b>57</b>	<b>27.5</b>
Accidents	210	22.2	169	26.5	34	25.1	7	4.1	19	9.5	225	23.7	192	29.9	25	18.3	8	4.7	40	19.3
Intentional self-harm (Suicide)	59	6.2	55	8.6	2	1.5	1	0.6	6	3.0	76	8.0	68	10.6	4	2.9	4	2.3	12	5.8
Assault (Homicide)	29	3.1	10	1.6	15	11.1	3	1.8	8	4.0	19	2.0	5	0.8	14	10.2	0	0	2	1.0
Complications of medical and surgical care	0	0	0	0	0	0	0	0	0	0	2	0.2	2	0.3	0	0	0	0	0	0.0
Other	12	1.3	10	1.6	2	1.5	0	0	2	1.0	10	1.1	8	1.2	1	0.7	1	0.6	3	1.4
<b>Diseases of the nervous system</b>	<b>267</b>	<b>28.3</b>	<b>233</b>	<b>36.5</b>	<b>22</b>	<b>16.2</b>	<b>11</b>	<b>6.4</b>	<b>18</b>	<b>9.0</b>	<b>269</b>	<b>28.3</b>	<b>233</b>	<b>36.3</b>	<b>31</b>	<b>22.6</b>	<b>5</b>	<b>2.9</b>	<b>15</b>	<b>7.2</b>
Parkinson's disease	65	6.9	59	9.2	1	0.7	5	2.9	7	3.5	66	6.9	55	8.6	11	8.0	0	0	1	0.5
Alzheimer's disease	115	12.2	108	16.9	6	4.4	0	0.0	5	2.5	124	13.0	111	17.3	10	7.3	3	1.8	6	2.9
Other	87	9.2	66	10.3	15	11.1	6	3.5	6	3.0	79	8.3	67	10.4	10	7.3	2	1.2	8	3.9

(continue)

Table 25. Number of Deaths and Death Rates by Selected Causes and Race/Ethnicity, Westchester County, 2011-2016<sup>1</sup> (continued).

Cause of Death	Number of Deaths and Death Rate (per 100,000 pop)																			
	2011								2012											
	Total <sup>2</sup>	Rate	White	Rate	Black	Rate	Other	Rate	Hispanic <sup>3</sup>	Rate	Total <sup>2</sup>	Rate	White	Rate	Black	Rate	Other	Rate	Hispanic <sup>3</sup>	Rate
<b>Certain infectious and parasitic diseases</b>	<b>258</b>	<b>27.3</b>	<b>177</b>	<b>27.7</b>	<b>68</b>	<b>50.2</b>	<b>13</b>	<b>7.6</b>	<b>17</b>	<b>8.5</b>	<b>278</b>	<b>29.3</b>	<b>218</b>	<b>33.9</b>	<b>52</b>	<b>38.0</b>	<b>8</b>	<b>4.7</b>	<b>27</b>	<b>13.0</b>
Tuberculosis	2	0.2	2	0.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Septicemia	177	18.7	130	20.4	39	28.8	8	4.7	9	4.5	195	20.5	162	25.2	28	20.4	5	2.9	19	9.2
Viral hepatitis	13	1.4	6	0.9	7	5.2	0	0	1	0.5	17	1.8	10	1.6	5	3.7	2	1.2	3	1.4
Human immunodeficiency virus [HIV] disease	26	2.8	8	1.3	16	11.8	2	1.2	5	2.5	23	2.4	7	1.1	15	11.0	1	0.6	5	2.4
Other	40	4.2	31	4.9	6	4.4	3	1.8	2	1.0	43	4.5	39	6.1	4	2.9	0	0	0	0
<b>Diseases of the digestive system</b>	<b>198</b>	<b>21.0</b>	<b>168</b>	<b>26.3</b>	<b>22</b>	<b>16.2</b>	<b>8</b>	<b>4.7</b>	<b>20</b>	<b>10.0</b>	<b>218</b>	<b>22.9</b>	<b>181</b>	<b>28.2</b>	<b>28</b>	<b>20.4</b>	<b>8</b>	<b>4.7</b>	<b>23</b>	<b>11.1</b>
Gastritis, Enteritis, Colitis, Diverticulitis	3	0.3	2	0.3	1	0.7	0	0	0	0	3	0.3	2	0.3	1	0.7	0	0	0	0
Diseases of the liver	74	7.8	56	8.8	12	8.9	6	3.5	17	8.5	85	8.9	74	11.5	7	5.1	3	1.8	14	6.8
Chronic liver diseases, including Cirrhosis	65	6.9	49	7.7	11	8.1	5	2.9	14	7.0	81	8.5	70	10.9	7	5.1	3	1.8	13	6.3
Other (Diseases of the Liver)	9	1.0	7	1.1	1	0.7	1	0.6	3	1.5	4	0.4	4	0.6	0	0	0	0	1	0.5
Other	121	12.8	110	17.2	9	6.6	2	1.2	3	1.5	130	13.7	105	16.3	20	14.6	5	2.9	9	4.3
<b>Endocrine, nutritional and metabolic diseases</b>	<b>217</b>	<b>23.0</b>	<b>159</b>	<b>24.9</b>	<b>44</b>	<b>32.5</b>	<b>14</b>	<b>8.2</b>	<b>16</b>	<b>8.0</b>	<b>181</b>	<b>19.0</b>	<b>126</b>	<b>19.6</b>	<b>43</b>	<b>31.4</b>	<b>12</b>	<b>7.0</b>	<b>19</b>	<b>9.2</b>
Diabetes mellitus	150	15.9	103	16.1	36	26.6	11	6.4	13	6.5	127	13.4	83	12.9	32	23.4	12	7.0	14	6.8
Other	67	7.1	56	8.8	3	2.2	0	0	3	1.5	54	5.7	43	6.7	11	8.0	0	0	5	2.4
<b>Diseases of the genitourinary system</b>	<b>188</b>	<b>19.9</b>	<b>149</b>	<b>23.3</b>	<b>32</b>	<b>23.6</b>	<b>7</b>	<b>4.1</b>	<b>9</b>	<b>4.5</b>	<b>170</b>	<b>17.9</b>	<b>137</b>	<b>21.3</b>	<b>26</b>	<b>19.0</b>	<b>7</b>	<b>4.1</b>	<b>15</b>	<b>7.2</b>
Kidney diseases	127	13.4	95	14.9	28	20.7	4	2.3	9	4.5	120	12.6	93	14.5	22	16.1	5	2.9	8	3.9
Nephritis, Nephrotic Syndrome and Nephrosis	123	13.0	91	14.3	28	20.7	4	2.3	9	4.5	117	12.3	90	14.0	22	16.1	5	2.9	8	3.9
Other (Kidney Diseases)	4	0.4	4	0.6	0	0	0	0	0	0	3	0.3	3	0.5	0	0	0	0	0	0
Other	61	6.5	54	8.5	4	3.0	3	1.8	0	0	50	5.3	44	6.8	4	2.9	2	1.2	7	3.4
<b>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</b>	<b>63</b>	<b>6.7</b>	<b>53</b>	<b>8.3</b>	<b>9</b>	<b>6.6</b>	<b>1</b>	<b>0.6</b>	<b>5</b>	<b>2.5</b>	<b>86</b>	<b>9.1</b>	<b>74</b>	<b>11.5</b>	<b>10</b>	<b>7.3</b>	<b>2</b>	<b>1.2</b>	<b>11</b>	<b>5.3</b>
<b>Congenital malformations, deformations and chromosomal abnormalities</b>	<b>16</b>	<b>1.7</b>	<b>11</b>	<b>1.7</b>	<b>3</b>	<b>2.2</b>	<b>2</b>	<b>1.2</b>	<b>6</b>	<b>3.0</b>	<b>15</b>	<b>1.6</b>	<b>11</b>	<b>1.7</b>	<b>2</b>	<b>1.5</b>	<b>2</b>	<b>1.2</b>	<b>2</b>	<b>1.0</b>
<b>Certain conditions originating in the perinatal period</b>	<b>35</b>	<b>3.7</b>	<b>14</b>	<b>2.2</b>	<b>17</b>	<b>12.6</b>	<b>3</b>	<b>1.8</b>	<b>6</b>	<b>3.0</b>	<b>25</b>	<b>2.6</b>	<b>12</b>	<b>1.9</b>	<b>8</b>	<b>5.8</b>	<b>5</b>	<b>2.9</b>	<b>12</b>	<b>5.8</b>
Other	411	43.5	361	56.6	37	27.3	11	6.4	15	7.5	379	39.9	324	50.4	51	37.2	3	1.8	14	6.8

(continue)

Table 25. Number of Deaths and Death Rates by Selected Causes and Race/Ethnicity, Westchester County, 2011-2016<sup>1</sup> (continued).

Cause of Death	Number of Deaths and Death Rate (per 100,000 pop)																			
	2013								2014											
	Total <sup>2</sup>	Rate	White	Rate	Black	Rate	Other	Rate	Hispanic <sup>3</sup>	Rate	Total <sup>2</sup>	Rate	White	Rate	Black	Rate	Other	Rate	Hispanic <sup>3</sup>	Rate
<b>Total<sup>2</sup></b>	<b>7,015</b>	<b>733.6</b>	<b>5,825</b>	<b>908.8</b>	<b>985</b>	<b>724.8</b>	<b>182</b>	<b>101.4</b>	<b>485</b>	<b>227.0</b>	<b>6,868</b>	<b>713.7</b>	<b>5,612</b>	<b>876.6</b>	<b>1,048</b>	<b>763.4</b>	<b>178</b>	<b>96.3</b>	<b>476</b>	<b>216.6</b>
<b>Diseases of the circulatory system</b>	<b>2,646</b>	<b>276.7</b>	<b>2,175</b>	<b>339.4</b>	<b>381</b>	<b>280.3</b>	<b>77</b>	<b>42.9</b>	<b>149</b>	<b>69.7</b>	<b>2,403</b>	<b>249.7</b>	<b>1,983</b>	<b>309.7</b>	<b>360</b>	<b>262.2</b>	<b>51</b>	<b>27.6</b>	<b>131</b>	<b>59.6</b>
Diseases of the Heart	2,155	225.4	1,788	279.0	309	227.4	57	31.8	114	53.4	1,917	199.2	1,586	247.7	288	209.8	36	19.5	89	40.5
Cerebrovascular Diseases	296	31.0	244	38.1	37	27.2	14	7.8	27	12.6	283	29.4	223	34.8	49	35.7	11	6.0	22	10.0
Other	195	20.4	153	23.9	35	25.8	6	3.3	8	3.7	203	21.1	174	27.2	23	16.8	4	2.2	20	9.1
<b>Neoplasms</b>	<b>1,720</b>	<b>179.9</b>	<b>1,423</b>	<b>222.0</b>	<b>244</b>	<b>179.5</b>	<b>50</b>	<b>27.9</b>	<b>124</b>	<b>58.0</b>	<b>1,689</b>	<b>175.5</b>	<b>1,381</b>	<b>215.7</b>	<b>257</b>	<b>187.2</b>	<b>45</b>	<b>24.3</b>	<b>120</b>	<b>54.6</b>
Malignant neoplasms	1,675	175.2	1,388	216.6	237	174.4	48	26.7	121	56.6	1,640	170.4	1,345	210.1	246	179.2	44	23.8	117	53.2
Benign neoplasms	8	0.8	5	0.8	1	0.7	2	1.1	3	1.4	8	0.8	5	0.8	3	2.2	0	0	1	0.5
Neoplasms of uncertain or unknown behaviour	37	3.9	30	4.7	6	4.4	0	0	0	0	41	4.3	31	4.8	8	5.8	1	0.5	2	0.9
<b>Diseases of the respiratory system</b>	<b>677</b>	<b>70.8</b>	<b>608</b>	<b>94.9</b>	<b>54</b>	<b>39.7</b>	<b>15</b>	<b>8.4</b>	<b>42</b>	<b>19.7</b>	<b>706</b>	<b>73.4</b>	<b>593</b>	<b>92.6</b>	<b>92</b>	<b>67.0</b>	<b>17</b>	<b>9.2</b>	<b>44</b>	<b>20.0</b>
Influenza	7	0.7	7	1.1	0	0	0	0	1	0.5	7	0.7	7	1.1	0	0	0	0	1	0.5
Pneumonia	206	21.5	182	28.4	21	15.5	3	1.7	17	8.0	214	22.2	180	28.1	31	22.6	2	1.1	13	5.9
Chronic lower respiratory diseases	302	31.6	269	42.0	26	19.1	7	3.9	12	5.6	276	28.7	240	37.5	29	21.1	7	3.8	7	3.2
Other	160	16.7	149	23.2	7	5.2	4	2.2	12	5.6	209	21.7	166	25.9	32	23.3	8	4.3	23	10.5
<b>External causes of morbidity and mortality</b>	<b>346</b>	<b>36.2</b>	<b>287</b>	<b>44.8</b>	<b>46</b>	<b>33.8</b>	<b>12</b>	<b>6.7</b>	<b>49</b>	<b>22.9</b>	<b>339</b>	<b>35.2</b>	<b>268</b>	<b>41.9</b>	<b>56</b>	<b>40.8</b>	<b>14</b>	<b>7.6</b>	<b>49</b>	<b>22.3</b>
Accidents	257	26.9	219	34.2	31	22.8	6	3.3	38	17.8	241	25.0	199	31.1	34	24.8	7	3.8	33	15.0
Intentional self-harm (Suicide)	65	6.8	55	8.6	4	2.9	6	3.3	8	3.7	64	6.7	53	8.3	5	3.6	6	3.2	10	4.6
Assault (Homicide)	12	1.3	5	0.8	7	5.2	0	0	2	0.9	18	1.9	6	0.9	12	8.7	0	0	2	0.9
Complications of medical and surgical care	7	0.7	5	0.8	2	1.5	0	0	0	0	4	0.4	3	0.5	1	0.7	0	0	1	0.5
Other	5	0.5	3	0.5	2	1.5	0	0	1	0.5	12	1.2	7	1.1	4	2.9	1	0.5	3	1.4
<b>Diseases of the nervous system</b>	<b>277</b>	<b>29.0</b>	<b>244</b>	<b>38.1</b>	<b>27</b>	<b>19.9</b>	<b>6</b>	<b>3.3</b>	<b>13</b>	<b>6.1</b>	<b>304</b>	<b>31.6</b>	<b>262</b>	<b>40.9</b>	<b>32</b>	<b>23.3</b>	<b>8</b>	<b>4.3</b>	<b>17</b>	<b>7.7</b>
Parkinson's disease	60	6.3	54	8.4	3	2.2	3	1.7	3	1.4	80	8.3	71	11.1	4	2.9	4	2.2	5	2.3
Alzheimer's disease	131	13.7	115	17.9	14	10.3	2	1.1	6	2.8	129	13.4	112	17.5	15	10.9	2	1.1	3	1.4
Other	86	9.0	75	11.7	10	7.4	1	0.6	4	1.9	95	9.9	79	12.3	13	9.5	2	1.1	9	4.1

(continue)

Table 25. Number of Deaths and Death Rates by Selected Causes and Race/Ethnicity, Westchester County, 2011-2016<sup>1</sup> (continued).

Cause of Death	Number of Deaths and Death Rate (per 100,000 pop)																			
	2013								2014											
	Total <sup>2</sup> Rate	White Rate	Black Rate	Other Rate	Hispanic <sup>3</sup> Rate	Total <sup>2</sup> Rate	White Rate	Black Rate	Other Rate	Hispanic <sup>3</sup> Rate										
<b>Certain infectious and parasitic diseases</b>	<b>238</b>	<b>24.9</b>	<b>192</b>	<b>30.0</b>	<b>41</b>	<b>30.2</b>	<b>5</b>	<b>2.8</b>	<b>23</b>	<b>10.8</b>	<b>236</b>	<b>24.5</b>	<b>173</b>	<b>27.0</b>	<b>55</b>	<b>40.1</b>	<b>7</b>	<b>3.8</b>	<b>18</b>	<b>8.2</b>
Tuberculosis	1	0.1	1	0.2	0	0	0	0	1	0.5	2	0.2	1	0.2	0	0	1	0.5	1	0.5
Septicemia	165	17.3	138	21.5	24	17.7	3	1.7	14	6.6	153	15.9	115	18.0	33	24.0	4	2.2	13	5.9
Viral hepatitis	18	1.9	15	2.3	3	2.2	0	0	3	1.4	15	1.6	14	2.2	1	0.7	0	0	0	0
Human immunodeficiency virus [HIV] disease	10	1.0	4	0.6	5	3.7	1	0.6	4	1.9	15	1.6	3	0.5	11	8.0	1	0.5	2	0.9
Other	44	4.6	34	5.3	9	6.6	1	0.6	1	0.5	51	5.3	40	6.2	10	7.3	1	0.5	2	0.9
<b>Diseases of the digestive system</b>	<b>182</b>	<b>19.0</b>	<b>155</b>	<b>24.2</b>	<b>27</b>	<b>19.9</b>	<b>0</b>	<b>0</b>	<b>17</b>	<b>8.0</b>	<b>197</b>	<b>20.5</b>	<b>165</b>	<b>25.8</b>	<b>24</b>	<b>17.5</b>	<b>8</b>	<b>4.3</b>	<b>23</b>	<b>10.5</b>
Gastritis, Enteritis, Colitis, Diverticulitis	6	0.6	5	0.8	1	0.7	0	0	0	0	6	0.6	4	0.6	1	0.7	1	0.5	1	0.5
Diseases of the liver	75	7.8	64	10.0	11	8.1	0	0	11	5.1	68	7.1	56	8.7	9	6.6	3	1.6	13	5.9
Chronic liver diseases, including Cirrhosis	63	6.6	55	8.6	8	5.9	0	0	11	5.1	63	6.5	54	8.4	6	4.4	3	1.6	12	5.5
Other (Diseases of the Liver)	12	1.3	9	1.4	3	2.2	0	0	0	0	5	0.5	2	0.3	3	2.2	0	0	1	0.5
Other	101	10.6	86	13.4	15	11.0	0	0	6	2.8	123	12.8	105	16.4	14	10.2	4	2.2	9	4.1
<b>Endocrine, nutritional and metabolic diseases</b>	<b>191</b>	<b>20.0</b>	<b>142</b>	<b>22.2</b>	<b>45</b>	<b>33.1</b>	<b>3</b>	<b>1.7</b>	<b>15</b>	<b>7.0</b>	<b>218</b>	<b>22.7</b>	<b>161</b>	<b>25.1</b>	<b>50</b>	<b>36.4</b>	<b>6</b>	<b>3.2</b>	<b>22</b>	<b>10.0</b>
Diabetes mellitus	129	13.5	92	14.4	35	25.8	1	0.6	13	6.1	132	13.7	91	14.2	37	27.0	3	1.6	14	6.4
Other	62	6.5	50	7.8	10	7.4	2	1.1	2	0.9	86	8.9	70	10.9	13	9.5	3	1.6	8	3.6
<b>Diseases of the genitourinary system</b>	<b>157</b>	<b>16.4</b>	<b>122</b>	<b>19.0</b>	<b>31</b>	<b>22.8</b>	<b>4</b>	<b>2.2</b>	<b>11</b>	<b>5.1</b>	<b>164</b>	<b>17.0</b>	<b>129</b>	<b>20.1</b>	<b>31</b>	<b>22.6</b>	<b>3</b>	<b>1.6</b>	<b>10</b>	<b>4.6</b>
Kidney diseases	108	11.3	79	12.3	25	18.4	4	2.2	6	2.8	116	12.1	85	13.3	27	19.7	3	1.6	7	3.2
Nephritis, Nephrotic Syndrome and Nephrosis	108	11.3	79	12.3	25	18.4	4	2.2	6	2.8	110	11.4	80	12.5	26	18.9	3	1.6	7	3.2
Other (Kidney Diseases)	0	0	0	0	0	0	0	0	0	0	6	0.6	5	0.8	1	0.7	0	0	0	0
Other	49	5.1	43	6.7	6	4.4	0	0	5	2.3	48	5.0	44	6.9	4	2.9	0	0	3	1.4
<b>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</b>	<b>69</b>	<b>7.2</b>	<b>54</b>	<b>8.4</b>	<b>11</b>	<b>8.1</b>	<b>3</b>	<b>1.7</b>	<b>6</b>	<b>2.8</b>	<b>85</b>	<b>8.8</b>	<b>73</b>	<b>11.4</b>	<b>8</b>	<b>5.8</b>	<b>4</b>	<b>2.2</b>	<b>5</b>	<b>2.3</b>
<b>Congenital malformations, deformations and chromosomal abnormalities</b>	<b>23</b>	<b>2.4</b>	<b>15</b>	<b>2.3</b>	<b>7</b>	<b>5.2</b>	<b>1</b>	<b>0.6</b>	<b>8</b>	<b>3.7</b>	<b>30</b>	<b>3.1</b>	<b>22</b>	<b>3.4</b>	<b>7</b>	<b>5.1</b>	<b>0</b>	<b>0</b>	<b>6</b>	<b>2.7</b>
<b>Certain conditions originating in the perinatal period</b>	<b>26</b>	<b>2.7</b>	<b>15</b>	<b>2.3</b>	<b>8</b>	<b>5.9</b>	<b>1</b>	<b>0.6</b>	<b>10</b>	<b>4.7</b>	<b>32</b>	<b>3.3</b>	<b>15</b>	<b>2.3</b>	<b>13</b>	<b>9.5</b>	<b>1</b>	<b>0.5</b>	<b>8</b>	<b>3.6</b>
<b>Other</b>	<b>463</b>	<b>48.4</b>	<b>393</b>	<b>61.3</b>	<b>63</b>	<b>46.4</b>	<b>5</b>	<b>2.8</b>	<b>18</b>	<b>8.4</b>	<b>465</b>	<b>48.3</b>	<b>387</b>	<b>60.4</b>	<b>63</b>	<b>45.9</b>	<b>14</b>	<b>7.6</b>	<b>23</b>	<b>10.5</b>

(continue)

**Table 25. Number of Deaths and Death Rates by Selected Causes and Race/Ethnicity, Westchester County, 2011-2016<sup>1</sup> (continued).**

Cause of Death	Number of Deaths and Death Rate ( <i>per 100,000 pop</i> )									
	2016									
	Total <sup>2</sup>	Rate	White	Rate	Black	Rate	Other	Rate	Hispanic <sup>3</sup>	Rate
<b>Total<sup>2</sup></b>	<b>7,094</b>	<b>731.9</b>	<b>5,884</b>	<b>917.9</b>	<b>927</b>	<b>662.1</b>	<b>215</b>	<b>114.2</b>	<b>396</b>	<b>173.0</b>
<b>Diseases of the circulatory system</b>	<b>2,572</b>	<b>265.4</b>	<b>2,158</b>	<b>336.6</b>	<b>316</b>	<b>225.7</b>	<b>81</b>	<b>43.0</b>	<b>147</b>	<b>64.2</b>
Diseases of the Heart	2,091	215.7	1,762	274.9	258	184.3	57	30.3	118	51.6
Cerebrovascular Diseases	294	30.3	251	39.2	28	20.0	14	7.4	22	9.6
Other	187	19.3	145	22.6	30	21.4	10	5.3	7	3.1
<b>Neoplasms</b>	<b>1,717</b>	<b>177.2</b>	<b>1,424</b>	<b>222.1</b>	<b>219</b>	<b>156.4</b>	<b>54</b>	<b>28.7</b>	<b>78</b>	<b>34.1</b>
Malignant neoplasms	1,665	171.8	1,382	215.6	213	152.1	52	27.6	77	33.6
Benign neoplasms	2	0.2	1	0.2	1	0.7	0	0	0	0
Neoplasms of uncertain or unknown behaviour	50	5.2	41	6.4	5	3.6	2	1.1	1	0.4
<b>Diseases of the respiratory system</b>	<b>654</b>	<b>67.5</b>	<b>564</b>	<b>88.0</b>	<b>71</b>	<b>50.7</b>	<b>14</b>	<b>7.4</b>	<b>28</b>	<b>12.2</b>
Influenza	10	1.0	9	1.4	1	0.7	0	0	0	0
Pneumonia	200	20.6	172	26.8	20	14.3	5	2.7	10	4.4
Chronic lower respiratory diseases	256	26.4	217	33.9	33	23.6	4	2.1	11	4.8
Other	188	19.4	166	25.9	17	12.1	5	2.7	7	3.1
<b>External causes of morbidity and mortality</b>	<b>409</b>	<b>42.2</b>	<b>320</b>	<b>49.9</b>	<b>71</b>	<b>50.7</b>	<b>15</b>	<b>8.0</b>	<b>43</b>	<b>18.8</b>
Accidents	303	31.3	246	38.4	46	32.9	9	4.8	37	16.2
Intentional self-harm (Suicide)	65	6.7	52	8.1	9	6.4	4	2.1	4	1.7
Assault (Homicide)	21	2.2	6	0.9	13	9.3	2	1.1	1	0.4
Complications of medical and surgical care	9	0.9	8	1.2	1	0.7	0	0	1	0.4
Other	11	1.1	8	1.2	2	1.4	0	0	0	0
<b>Diseases of the nervous system</b>	<b>326</b>	<b>33.6</b>	<b>297</b>	<b>46.3</b>	<b>21</b>	<b>15.0</b>	<b>5</b>	<b>2.7</b>	<b>19</b>	<b>8.3</b>
Parkinson's disease	62	6.4	59	9.2	1	0.7	2	1.1	5	2.2
Alzheimer's disease	173	17.8	159	24.8	11	7.9	1	0.5	5	2.2
Other	91	9.4	79	12.3	9	6.4	2	1.1	9	3.9

(continue)



**Table 25. Number of Deaths and Death Rates by Selected Causes and Race/Ethnicity, Westchester County, 2011-2016<sup>1</sup> (continued).**

Cause of Death	Number of Deaths and Death Rate ( <i>per 100,000 pop</i> )									
	2016									
	Total <sup>2</sup>	Rate	White	Rate	Black	Rate	Other	Rate	Hispanic <sup>3</sup>	Rate
<b>Certain infectious and parasitic diseases</b>	<b>255</b>	<b>26.3</b>	<b>197</b>	<b>30.7</b>	<b>45</b>	<b>32.1</b>	<b>8</b>	<b>4.3</b>	<b>14</b>	<b>6.1</b>
Tuberculosis	1	0.1	1	0.2	0	0	0	0	0	0
Septicemia	182	18.8	148	23.1	28	20.0	5	2.7	11	4.8
Viral hepatitis	13	1.3	5	0.8	6	4.3	0	0	0	0
Human immunodeficiency virus [HIV] disease	14	1.4	3	0.5	9	6.4	0	0	1	0.4
Other	45	4.6	40	6.2	2	1.4	3	1.6	2	0.9
<b>Diseases of the digestive system</b>	<b>196</b>	<b>20.2</b>	<b>161</b>	<b>25.1</b>	<b>31</b>	<b>22.1</b>	<b>3</b>	<b>1.6</b>	<b>15</b>	<b>6.6</b>
Gastritis, Enteritis, Colitis, Diverticulitis	5	0.5	5	0.8	0	0	0	0	0	0
Diseases of the liver	70	7.2	58	9.0	11	7.9	0	0	0	0
<i>Chronic liver diseases, including Cirrhosis</i>	<i>63</i>	<i>6.5</i>	<i>51</i>	<i>8.0</i>	<i>11</i>	<i>7.9</i>	<i>0</i>	<i>0</i>	<i>8</i>	<i>3.5</i>
<i>Other (Diseases of the Liver)</i>	<i>7</i>	<i>0.7</i>	<i>7</i>	<i>1.1</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>
Other	121	12.5	98	15.3	20	14.3	3	1.6	7	3.1
<b>Endocrine, nutritional and metabolic diseases</b>	<b>230</b>	<b>23.7</b>	<b>170</b>	<b>26.5</b>	<b>47</b>	<b>33.6</b>	<b>8</b>	<b>4.3</b>	<b>13</b>	<b>5.7</b>
Diabetes mellitus	133	13.7	87	13.6	36	25.7	6	3.2	6	2.6
Other	97	10.0	83	12.9	11	7.9	2	1.1	7	3.1
<b>Diseases of the genitourinary system</b>	<b>189</b>	<b>19.5</b>	<b>153</b>	<b>23.9</b>	<b>26</b>	<b>18.6</b>	<b>7</b>	<b>3.7</b>	<b>11</b>	<b>4.8</b>
Kidney diseases	132	13.6	106	16.5	17	12.1	7	3.7	10	4.4
<i>Nephritis, Nephrotic Syndrome and Nephrosis</i>	<i>122</i>	<i>12.6</i>	<i>97</i>	<i>15.1</i>	<i>16</i>	<i>11.4</i>	<i>7</i>	<i>3.7</i>	<i>10</i>	<i>4.4</i>
<i>Other (Kidney Diseases)</i>	<i>10</i>	<i>1.0</i>	<i>9</i>	<i>1.4</i>	<i>1</i>	<i>0.7</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>
Other	57	5.9	47	7.3	9	6.4	0	0	1	0.4
<b>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</b>	<b>84</b>	<b>8.7</b>	<b>71</b>	<b>11.1</b>	<b>11</b>	<b>7.9</b>	<b>2</b>	<b>1.1</b>	<b>6</b>	<b>2.6</b>
<b>Congenital malformations, deformations and chromosomal abnormalities</b>	<b>12</b>	<b>1.2</b>	<b>9</b>	<b>1.4</b>	<b>2</b>	<b>1.4</b>	<b>1</b>	<b>0.5</b>	<b>2</b>	<b>0.9</b>
<b>Certain conditions originating in the perinatal period</b>	<b>22</b>	<b>2.3</b>	<b>9</b>	<b>1.4</b>	<b>8</b>	<b>5.7</b>	<b>4</b>	<b>2.1</b>	<b>4</b>	<b>1.7</b>
<b>Other</b>	<b>428</b>	<b>44.2</b>	<b>351</b>	<b>54.8</b>	<b>59</b>	<b>42.1</b>	<b>13</b>	<b>6.9</b>	<b>16</b>	<b>7.0</b>

<sup>1</sup>Data not yet available for 2015 year.

<sup>2</sup>Total may include unknown cause of death or race.

<sup>3</sup>Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

**Table 26. Number of Deaths and Death Rates by Selected Causes and Age Group, Westchester County, 2011-2016.**

Cause of Death	Number of Deaths and Death Rate ( <i>per 100,000 pop</i> )													
	2011													
	Total <sup>1</sup>	Rate	<1 <sup>2</sup>	Rate	1-29	Rate	30-49	Rate	50-64	Rate	65-79	Rate	80+	Rate
<b>Total<sup>1</sup></b>	<b>6,971</b>	<b>738.3</b>	<b>51</b>	<b>4.8</b>	<b>110</b>	<b>30.9</b>	<b>306</b>	<b>114.7</b>	<b>869</b>	<b>472.7</b>	<b>1,664</b>	<b>1,796.7</b>	<b>3,971</b>	<b>8,891.6</b>
<b>Diseases of the circulatory system</b>	<b>2,554</b>	<b>270.5</b>	<b>0</b>	<b>0</b>	<b>5</b>	<b>1.4</b>	<b>67</b>	<b>25.1</b>	<b>239</b>	<b>130.0</b>	<b>493</b>	<b>532.3</b>	<b>1,750</b>	<b>3,918.5</b>
Diseases of the Heart	2,049	217.0	0	0	3	0.8	50	18.7	190	103.4	386	416.8	1,420	3,179.6
Cerebrovascular Diseases	322	34.1	0	0	1	0.3	9	3.4	25	13.6	72	77.7	215	481.4
Other	183	19.4	0	0	1	0.3	8	3.0	24	13.1	35	37.8	115	257.5
<b>Neoplasms</b>	<b>1,760</b>	<b>186.4</b>	<b>0</b>	<b>0</b>	<b>16</b>	<b>4.5</b>	<b>85</b>	<b>31.9</b>	<b>334</b>	<b>181.7</b>	<b>631</b>	<b>681.3</b>	<b>694</b>	<b>1,554.0</b>
Malignant neoplasms	1,715	181.6	0	0	16	4.5	80	30.0	328	178.4	618	667.3	673	1,506.9
Benign neoplasms	5	0.5	0	0	0	0	1	0.4	1	0.5	2	2.2	1	2.2
Neoplasms of uncertain or unknown behaviour	40	4.2	0	0	0	0	4	1.5	5	2.7	11	11.9	20	44.8
<b>Diseases of the respiratory system</b>	<b>694</b>	<b>73.5</b>	<b>0</b>	<b>0</b>	<b>9</b>	<b>2.5</b>	<b>14</b>	<b>5.2</b>	<b>41</b>	<b>22.3</b>	<b>169</b>	<b>182.5</b>	<b>461</b>	<b>1,032.2</b>
Influenza	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pneumonia	197	20.9	0	0	5	1.4	6	2.2	12	6.5	40	43.2	134	300.0
Chronic lower respiratory diseases	287	30.4	0	0	1	0.3	2	0.7	14	7.6	87	93.9	183	409.8
Other	210	22.2	0	0	3	0.8	6	2.2	15	8.2	42	45.3	144	322.4
<b>External causes of morbidity and mortality</b>	<b>310</b>	<b>32.8</b>	<b>2</b>	<b>0.2</b>	<b>60</b>	<b>16.8</b>	<b>65</b>	<b>24.4</b>	<b>70</b>	<b>38.1</b>	<b>42</b>	<b>45.3</b>	<b>71</b>	<b>159.0</b>
Accidents	210	22.2	0	0	30	8.4	40	15.0	43	23.4	33	35.6	64	143.3
Intentional self-harm (Suicide)	59	6.2	0	0	12	3.4	16	6.0	21	11.4	6	6.5	4	9.0
Assault (Homicide)	29	3.1	1	0.1	14	3.9	8	3.0	3	1.6	2	2.2	1	2.2
Complications of medical and surgical care	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other	12	1.3	1	0.1	4	1.1	1	0.4	3	1.6	1	1.1	2	4.5
<b>Diseases of the nervous system</b>	<b>267</b>	<b>28.3</b>	<b>2</b>	<b>0.2</b>	<b>6</b>	<b>1.7</b>	<b>6</b>	<b>2.2</b>	<b>29</b>	<b>15.8</b>	<b>54</b>	<b>58.3</b>	<b>170</b>	<b>380.7</b>
Parkinson's disease	65	6.9	0	0	0	0	0	0	2	1.1	14	15.1	49	109.7
Alzheimer's disease	115	12.2	0	0	0	0	0	0	0	0	12	13.0	103	230.6
Other	87	9.2	2	0.2	6	1.7	6	2.2	27	14.7	28	30.2	18	40.3
<b>Certain infectious and parasitic diseases</b>	<b>258</b>	<b>27.3</b>	<b>1</b>	<b>0.1</b>	<b>0</b>	<b>0</b>	<b>22</b>	<b>8.2</b>	<b>40</b>	<b>21.8</b>	<b>69</b>	<b>74.5</b>	<b>126</b>	<b>282.1</b>
Tuberculosis	2	0.2	0	0	0	0	0	0	0	0	1	1.1	1	2.2
Septicemia	177	18.7	0	0	0	0	8	3.0	16	8.7	51	55.1	102	228.4
Viral hepatitis	13	1.4	0	0	0	0	1	0.4	11	6.0	0	0	1	2.2
Human immunodeficiency virus [HIV] disease	26	2.8	0	0	0	0	12	4.5	10	5.4	4	4.3	0	0
Other	40	4.2	1	0.1	0	0	1	0.4	3	1.6	13	14.0	22	49.3
<b>Diseases of the digestive system</b>	<b>198</b>	<b>21.0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>16</b>	<b>6.0</b>	<b>47</b>	<b>26</b>	<b>40</b>	<b>43.2</b>	<b>94</b>	<b>210.5</b>
Gastritis, Enteritis, Colitis, Diverticulitis	3	0.3	0	0	0	0	0	0	0	0	0	0	3	6.7
Diseases of the liver	74	7.8	0	0	0	0	12	4.5	32	17.4	18	19.4	12	26.9
<i>Chronic liver diseases, including Cirrhosis</i>	65	6.9	0	0	0	0	11	4.1	27	14.7	16	17.3	11	24.6
<i>Other (Diseases of the Liver)</i>	9	1.0	0	0	0	0	1	0	5	2.7	2	2.2	1	2.2
Other	121	12.8	0	0	1	0	4	1.5	15	8.2	22	23.8	79	176.9
<b>Endocrine, nutritional and metabolic diseases</b>	<b>217</b>	<b>23.0</b>	<b>2</b>	<b>0.2</b>	<b>4</b>	<b>1</b>	<b>3</b>	<b>1.1</b>	<b>28</b>	<b>15.2</b>	<b>63</b>	<b>68.0</b>	<b>117</b>	<b>262.0</b>
Diabetes mellitus	150	15.9	0	0	1	0	3	1.1	22	12.0	49	52.9	75	167.9
Other	67	7.1	2	0.2	3	1	0	0	6	3.3	14	15.1	42	94.0
<b>Diseases of the genitourinary system</b>	<b>188</b>	<b>19.9</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>4</b>	<b>1.5</b>	<b>14</b>	<b>7.6</b>	<b>41</b>	<b>44.3</b>	<b>129</b>	<b>288.8</b>
Kidney diseases	127	13.4	0	0	0	0	3	1.1	10	5.4	32	34.6	82	183.6
<i>Nephritis, Nephrotic Syndrome and Nephrosis</i>	123	13.0	0	0	0	0	3	1.1	10	5.4	29	31.3	81	181.4
<i>Other (Kidney Diseases)</i>	4	0.4	0	0	0	0	0	0	0	0	3	3.2	1	2.2
Other	61	6.5	0	0	0	0	1	0	4	2.2	9	9.7	47	105.2
<b>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</b>	<b>63</b>	<b>6.7</b>	<b>3</b>	<b>0</b>	<b>7</b>	<b>2.0</b>	<b>8</b>	<b>3.0</b>	<b>11</b>	<b>6.0</b>	<b>6</b>	<b>6.5</b>	<b>28</b>	<b>62.7</b>
<b>Congenital malformations, deformations and chromosomal abnormalities</b>	<b>16</b>	<b>1.7</b>	<b>7</b>	<b>0.7</b>	<b>1</b>	<b>0.3</b>	<b>2</b>	<b>0.7</b>	<b>5</b>	<b>2.7</b>	<b>1</b>	<b>1.1</b>	<b>0</b>	<b>0</b>
<b>Certain conditions originating in the perinatal period</b>	<b>35</b>	<b>3.7</b>	<b>34</b>	<b>3.2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1.1</b>	<b>0</b>	<b>0</b>
<b>Other</b>	<b>411</b>	<b>43.5</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.3</b>	<b>14</b>	<b>5.2</b>	<b>11</b>	<b>6.0</b>	<b>54</b>	<b>58.3</b>	<b>331</b>	<b>741.2</b>

(continue)

**Table 26. Number of Deaths and Death Rates by Selected Causes and Age Group, Westchester County, 2011-2016 (continued).**

Cause of Death	Number of Deaths and Death Rate (per 100,000 pop)													
	2012													
	Total	Rate	<1 <sup>2</sup>	Rate	1-29	Rate	30-49	Rate	50-64	Rate	65-79	Rate	80+	Rate
<b>Total<sup>1</sup></b>	<b>6,860</b>	<b>721.9</b>	<b>44</b>	<b>4.1</b>	<b>128</b>	<b>35.8</b>	<b>289</b>	<b>109.3</b>	<b>885</b>	<b>471.0</b>	<b>1,600</b>	<b>1,688.3</b>	<b>3,914</b>	<b>8,658.9</b>
<b>Diseases of the circulatory system</b>	<b>2,620</b>	<b>275.7</b>	<b>1</b>	<b>0.1</b>	<b>5</b>	<b>1.4</b>	<b>65</b>	<b>24.6</b>	<b>261</b>	<b>138.9</b>	<b>513</b>	<b>541.3</b>	<b>1,775</b>	<b>3,926.8</b>
Diseases of the Heart	2,112	222.3	1	0.1	5	1.4	47	17.8	213	113.3	395	416.8	1,451	3,210.0
Cerebrovascular Diseases	309	32.5	0	0	0	0	7	2.6	29	15.4	71	74.9	202	446.9
Other	199	20.9	0	0	0	0	11	4.2	19	10.1	47	49.6	122	269.9
<b>Neoplasms</b>	<b>1,640</b>	<b>172.6</b>	<b>1</b>	<b>0.1</b>	<b>13</b>	<b>3.6</b>	<b>69</b>	<b>26.1</b>	<b>322</b>	<b>171.4</b>	<b>600</b>	<b>633.1</b>	<b>635</b>	<b>1,404.8</b>
Malignant neoplasms	1,601	168.5	0	0	11	3.1	68	25.7	318	169.2	591	623.6	613	1,356.1
Benign neoplasms	4	0.4	0	0	1	0.3	1	0.4	1	0.5	0	0	1	2.2
Neoplasms of uncertain or unknown behaviour	35	3.7	1	0.1	1	0.3	0	0	3	1.6	9	9.5	21	46.5
<b>Diseases of the respiratory system</b>	<b>647</b>	<b>68.1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.3</b>	<b>13</b>	<b>4.9</b>	<b>48</b>	<b>25.5</b>	<b>143</b>	<b>150.9</b>	<b>442</b>	<b>977.8</b>
Influenza	2	0.2	0	0	1	0.3	0	0	0	0	0	0	1	2.2
Pneumonia	173	18.2	0	0	0	0	6	2.3	12	6.4	33	34.8	149	329.6
Chronic lower respiratory diseases	276	29.0	0	0	0	0	5	1.9	24	12.8	73	77.0	174	384.9
Other	196	20.6	0	0	0	0	2	0.8	12	6.4	37	39.0	118	261.1
<b>External causes of morbidity and mortality</b>	<b>332</b>	<b>34.9</b>	<b>2</b>	<b>0.2</b>	<b>76</b>	<b>21.2</b>	<b>67</b>	<b>25.3</b>	<b>74</b>	<b>39.4</b>	<b>45</b>	<b>47.5</b>	<b>68</b>	<b>150.4</b>
Accidents	225	23.7	0	0	48	13.4	40	15.1	46	24.5	34	35.9	57	126.1
Intentional self-harm (Suicide)	76	8.0	0	0	18	5.0	18	6.8	23	12.2	11	11.6	6	13.3
Assault (Homicide)	19	2.0	2	0.2	8	2.2	8	3.0	1	0.5	0	0	0	0
Complications of medical and surgical care	2	0.2	0	0	0	0	0	0	0	0	0	0	2	4.4
Other	10	1.1	0	0	2	0.6	1	0.4	4	2.1	0	0	3	6.6
<b>Diseases of the nervous system</b>	<b>269</b>	<b>28.3</b>	<b>1</b>	<b>0.1</b>	<b>7</b>	<b>2.0</b>	<b>5</b>	<b>1.9</b>	<b>15</b>	<b>8.0</b>	<b>44</b>	<b>46.4</b>	<b>197</b>	<b>435.8</b>
Parkinson's disease	66	6.9	0	0	0	0	0	0	1	0.5	11	11.6	54	119.5
Alzheimer's disease	124	13.0	0	0	0	0	0	0	2	1.1	8	8.4	114	252.2
Other	79	8.3	1	0.1	7	2.0	5	1.9	12	6.4	25	26.4	29	64.2
<b>Certain infectious and parasitic diseases</b>	<b>278</b>	<b>29.3</b>	<b>2</b>	<b>0.2</b>	<b>3</b>	<b>0.8</b>	<b>17</b>	<b>6.4</b>	<b>43</b>	<b>22.9</b>	<b>70</b>	<b>73.9</b>	<b>143</b>	<b>316.4</b>
Tuberculosis	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Septicemia	195	20.5	0	0	3	0.8	8	3.0	16	8.5	55	58.0	113	250.0
Viral hepatitis	17	1.8	0	0	0	0	1	0.4	10	5.3	5	5.3	1	2.2
Human immunodeficiency virus [HIV] disease	23	2.4	0	0	0	0	8	3.0	12	6.4	2	2.1	1	2.2
Other	43	4.5	2	0.2	0	0	0	0	5	2.7	8	8.4	28	61.9
<b>Diseases of the digestive system</b>	<b>218</b>	<b>22.9</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0.6</b>	<b>20</b>	<b>7.6</b>	<b>55</b>	<b>29.3</b>	<b>53</b>	<b>55.9</b>	<b>88</b>	<b>194.7</b>
Gastritis, Enteritis, Colitis, Diverticulitis	3	0.3	0	0	0	0	0	0	1	0.5	1	1.1	1	2.2
Diseases of the liver	85	8.9	0	0	0	0	16	6.1	41	21.8	17	17.9	11	24.3
Chronic liver diseases, including Cirrhosis	81	8.5	0	0	0	0	16	6.1	39	20.8	17	17.9	9	19.9
Other (Diseases of the Liver)	4	0.4	0	0	0	0	0	0	2	1.1	0	0.0	2	4.4
Other	130	13.7	0	0	1	0.3	4	1.5	13	6.9	35	36.9	76	168.1
<b>Endocrine, nutritional and metabolic diseases</b>	<b>181</b>	<b>19.0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.3</b>	<b>8</b>	<b>3.0</b>	<b>24</b>	<b>12.8</b>	<b>56</b>	<b>59.1</b>	<b>92</b>	<b>203.5</b>
Diabetes mellitus	127	13	0	0	0	0	6	2.3	15	8.0	44	46.4	62	137.2
Other	54	6	0	0	1	0.3	2	0.8	9	4.8	12	12.7	30	66.4
<b>Diseases of the genitourinary system</b>	<b>170</b>	<b>17.9</b>	<b>1</b>	<b>0.1</b>	<b>1</b>	<b>0.3</b>	<b>4</b>	<b>1.5</b>	<b>17</b>	<b>9.0</b>	<b>33</b>	<b>34.8</b>	<b>114</b>	<b>252.2</b>
Kidney diseases	120	12.6	1	0.1	1	0.3	2	0.8	13	6.9	27	28.5	77	170.3
Nephritis, Nephrotic Syndrome and Nephrosis	117	12.3	1	0	0	0	2	0.8	13	6.9	26	27.4	75	165.9
Other (Kidney Diseases)	3	0.3	0	0	0	0	0	0	0	0	1	1.1	2	4.4
Other	50	5.3	0	0	1	0.3	2	0.8	4	2.1	6	6.3	37	81.9
<b>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</b>	<b>86</b>	<b>9.1</b>	<b>2</b>	<b>0.2</b>	<b>9</b>	<b>2.5</b>	<b>16</b>	<b>6.1</b>	<b>15</b>	<b>8.0</b>	<b>5</b>	<b>5.3</b>	<b>39</b>	<b>86.3</b>
<b>Congenital malformations, deformations and chromosomal abnormalities</b>	<b>15</b>	<b>1.6</b>	<b>8</b>	<b>0.8</b>	<b>1</b>	<b>0.3</b>	<b>2</b>	<b>0.8</b>	<b>2</b>	<b>1.1</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>4.4</b>
<b>Certain conditions originating in the perinatal period</b>	<b>25</b>	<b>2.6</b>	<b>25</b>	<b>2.4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Other</b>	<b>379</b>	<b>39.9</b>	<b>1</b>	<b>0.1</b>	<b>9</b>	<b>2.5</b>	<b>3</b>	<b>1.1</b>	<b>9</b>	<b>4.8</b>	<b>38</b>	<b>40.1</b>	<b>319</b>	<b>705.7</b>

(continue)

**Table 26. Number of Deaths and Death Rates by Selected Causes and Age Group, Westchester County, 2011-2016**  
(continued).

Cause of Death	Number of Deaths and Death Rate (per 100,000 pop)													
	2013													
	Total <sup>1</sup>	Rate	<1 <sup>2</sup>	Rate	1-29	Rate	30-49	Rate	50-64	Rate	65-79	Rate	80+	Rate
<b>Total<sup>1</sup></b>	<b>7,015</b>	<b>733.6</b>	<b>52</b>	<b>4.9</b>	<b>100</b>	<b>27.8</b>	<b>272</b>	<b>103.9</b>	<b>898</b>	<b>467.9</b>	<b>1,711</b>	<b>1,760.8</b>	<b>3,982</b>	<b>8,726.7</b>
<b>Diseases of the circulatory system</b>	<b>2,646</b>	<b>276.7</b>	<b>3</b>	<b>0.3</b>	<b>11</b>	<b>3.1</b>	<b>62</b>	<b>23.7</b>	<b>252</b>	<b>131.3</b>	<b>553</b>	<b>569.1</b>	<b>1,765</b>	<b>3,868.1</b>
Diseases of the Heart	2,155	225.4	2	0.2	8	2.2	45	17.2	200	104.2	446	459.0	1,454	3,186.5
Cerebrovascular Diseases	296	31.0	1	0.1	2	0.6	11	4.2	28	14.6	61	62.8	193	423.0
Other	195	20.4	0	0	1	0.3	6	2.3	24	12.5	46	47.3	118	258.6
<b>Neoplasms</b>	<b>1,720</b>	<b>179.9</b>	<b>0</b>	<b>0</b>	<b>14</b>	<b>3.9</b>	<b>74</b>	<b>28.3</b>	<b>341</b>	<b>177.7</b>	<b>645</b>	<b>663.8</b>	<b>646</b>	<b>1,415.7</b>
Malignant neoplasms	1,675	175.2	0	0	13	3.6	73	27.9	341	177.7	631	649.4	617	1,352.2
Benign neoplasms	8	0.8	0	0	0	0	0	0	0	0	2	2.1	6	13.1
Neoplasms of uncertain or unknown behaviour	37	3.9	0	0	1	0.3	1	0.4	0	0	12	12.3	23	50.4
<b>Diseases of the respiratory system</b>	<b>677</b>	<b>70.8</b>	<b>3</b>	<b>0.3</b>	<b>2</b>	<b>0.6</b>	<b>8</b>	<b>3.1</b>	<b>43</b>	<b>22.4</b>	<b>149</b>	<b>153.3</b>	<b>472</b>	<b>1,034.4</b>
Influenza	9	0.9	0	0	0	0	0	0	0	0	2	2.1	7	15.3
Pneumonia	206	21.5	1	0.1	1	0.3	3	1.1	13	6.8	43	44.3	145	317.8
Chronic lower respiratory diseases	302	31.6	0	0	0	0	3	1.1	16	8.3	79	81.3	204	447.1
Other	160	16.7	2	0.2	1	0.3	2	0.8	14	7.3	25	25.7	116	254.2
<b>External causes of morbidity and mortality</b>	<b>346</b>	<b>36.2</b>	<b>2</b>	<b>0.2</b>	<b>56</b>	<b>15.6</b>	<b>73</b>	<b>27.9</b>	<b>90</b>	<b>46.9</b>	<b>40</b>	<b>41.2</b>	<b>85</b>	<b>186.3</b>
Accidents	257	26.9	1	0.1	36	10.0	54	20.6	63	32.8	25	25.7	78	170.9
Intentional self-harm (Suicide)	65	6.8	0	0	14	3.9	13	5.0	22	11.5	10	10.3	6	13.1
Assault (Homicide)	12	1.3	1	0.1	4	1.1	5	1.9	1	0.5	1	1.0	0	0
Complications of medical and surgical care	7	0.7	0	0	0	0	1	0.4	3	1.6	2	2.1	1	2.2
Other	5	0.5	0	0	2	0.6	0	0	1	0.5	2	2.1	0	0
<b>Diseases of the nervous system</b>	<b>277</b>	<b>29.0</b>	<b>0</b>	<b>0</b>	<b>5</b>	<b>1.4</b>	<b>10</b>	<b>3.8</b>	<b>16</b>	<b>8.3</b>	<b>49</b>	<b>50.4</b>	<b>197</b>	<b>431.7</b>
Parkinson's disease	60	6.3	0	0	0	0	1	0.4	2	1.0	9	9.3	48	105.2
Alzheimer's disease	131	13.7	0	0	0	0	0	0	3	1.6	8	8.2	120	263.0
Other	86	9.0	0	0	5	1.4	9	3.4	11	5.7	32	32.9	29	63.6
<b>Certain infectious and parasitic diseases</b>	<b>238</b>	<b>24.9</b>	<b>2</b>	<b>0.2</b>	<b>2</b>	<b>0.6</b>	<b>9</b>	<b>3.4</b>	<b>42</b>	<b>21.9</b>	<b>68</b>	<b>70.0</b>	<b>115</b>	<b>252.0</b>
Tuberculosis	1	0.1	0	0	0	0	0	0	0	0	0	0	1	2.2
Septicemia	165	17.3	0	0	0	0	4	1.5	21	10.9	52	53.5	88	192.9
Viral hepatitis	18	1.9	0	0	0	0	0	0	11	5.7	5	5.1	2	4.4
Human immunodeficiency virus [HIV] disease	10	1.0	0	0	0	0	5	1.9	4	2.1	1	1.0	0	0
Other	44	4.6	2	0.2	2	0.6	0	0	6	3.1	10	10.3	24	52.6
<b>Diseases of the digestive system</b>	<b>182</b>	<b>19.0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.3</b>	<b>15</b>	<b>5.7</b>	<b>49</b>	<b>25.5</b>	<b>47</b>	<b>48.4</b>	<b>70</b>	<b>153.4</b>
Gastritis, Enteritis, Colitis, Diverticulitis	6	0.6	0	0	0	0	0	0	1	0.5	2	2.1	3	6.6
Diseases of the liver	75	7.8	0	0	1	0.3	11	4.2	32	16.7	23	23.7	8	17.5
<i>Chronic liver diseases, including Cirrhosis</i>	63	6.6	0	0	1	0.3	10	3.8	28	14.6	17	17.5	7	15.3
<i>Other (Diseases of the Liver)</i>	12	1.3	0	0	0	0	1	0.4	4	2.1	6	6.2	1	2.2
Other	101	10.6	0	0	0	0	4	1.5	16	8.3	22	22.6	59	129.3
<b>Endocrine, nutritional and metabolic diseases</b>	<b>191</b>	<b>20.0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.3</b>	<b>3</b>	<b>1.1</b>	<b>27</b>	<b>14.1</b>	<b>59</b>	<b>60.7</b>	<b>101</b>	<b>221.3</b>
Diabetes mellitus	129	13.5	0	0	0	0	3	1.1	20	10.4	42	43.2	64	140.3
Other	62	6.5	0	0	1	0.3	0	0	7	3.6	17	17.5	37	81.1
<b>Diseases of the genitourinary system</b>	<b>157</b>	<b>16.4</b>	<b>1</b>	<b>0.1</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>1.1</b>	<b>13</b>	<b>6.8</b>	<b>38</b>	<b>39.1</b>	<b>102</b>	<b>223.5</b>
Kidney diseases	108	11.3	1	0.1	0	0	3	1.1	13	6.8	27	27.8	64	140.3
<i>Nephritis, Nephrotic Syndrome and Nephrosis</i>	108	11.3	1	0.1	0	0	3	1.1	13	6.8	27	27.8	64	140.3
<i>Other (Kidney Diseases)</i>	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other	49	5.1	0	0	0	0	0	0	0	0	11	11.3	38	83.3
<b>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</b>	<b>69</b>	<b>7.2</b>	<b>3</b>	<b>0.3</b>	<b>2</b>	<b>0.6</b>	<b>6</b>	<b>2.3</b>	<b>9</b>	<b>4.7</b>	<b>9</b>	<b>9.3</b>	<b>40</b>	<b>87.7</b>
<b>Congenital malformations, deformations and chromosomal abnormalities</b>	<b>23</b>	<b>2.4</b>	<b>12</b>	<b>1.1</b>	<b>1</b>	<b>0.3</b>	<b>2</b>	<b>0.8</b>	<b>3</b>	<b>1.6</b>	<b>5</b>	<b>5.1</b>	<b>0</b>	<b>0</b>
<b>Certain conditions originating in the perinatal period</b>	<b>26</b>	<b>2.7</b>	<b>26</b>	<b>2.4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Other</b>	<b>463</b>	<b>48.4</b>	<b>0</b>	<b>0</b>	<b>5</b>	<b>1.4</b>	<b>7</b>	<b>2.7</b>	<b>13</b>	<b>6.8</b>	<b>49</b>	<b>50.4</b>	<b>389</b>	<b>852.5</b>

(continue)

**Table 26. Number of Deaths and Death Rates by Selected Causes and Age Group, Westchester County, 2011-2016 (continued).**

Cause of Death	Number of Deaths and Death Rate (per 100,000 pop)													
	2014													
	Total <sup>1</sup>	Rate	<1 <sup>2</sup>	Rate	1-29	Rate	30-49	Rate	50-64	Rate	65-79	Rate	80+	Rate
<b>Total<sup>1</sup></b>	<b>6,868</b>	<b>713.7</b>	<b>56</b>	<b>5.3</b>	<b>98</b>	<b>27.1</b>	<b>262</b>	<b>100.8</b>	<b>860</b>	<b>439.8</b>	<b>1,653</b>	<b>1,659.4</b>	<b>3,939</b>	<b>8,550.8</b>
<b>Diseases of the circulatory system</b>	<b>2,403</b>	<b>249.7</b>	<b>4</b>	<b>0.4</b>	<b>11</b>	<b>3.0</b>	<b>49</b>	<b>18.8</b>	<b>222</b>	<b>113.5</b>	<b>476</b>	<b>477.8</b>	<b>1,641</b>	<b>3,562.3</b>
Diseases of the Heart	1,917	199.2	3	0.3	7	1.9	41	15.8	177	90.5	365	366.4	1,324	2,874.1
Cerebrovascular Diseases	283	29.4	0	0	3	0.8	4	1.5	24	12.3	64	64.2	188	408.1
Other	203	21.1	1	0.1	1	0.3	4	1.5	21	10.7	47	47.2	129	280.0
<b>Neoplasms</b>	<b>1,689</b>	<b>175.5</b>	<b>0</b>	<b>0</b>	<b>8</b>	<b>2.2</b>	<b>59</b>	<b>22.7</b>	<b>314</b>	<b>160.6</b>	<b>638</b>	<b>640.5</b>	<b>670</b>	<b>1,454.4</b>
Malignant neoplasms	1,640	170.4	0	0	7	1.9	58	22.3	311	159.0	629	631.4	635	1,378.5
Benign neoplasms	8	0.8	0	0	1	0.3	1	0.4	0	0	1	1.0	5	10.9
Neoplasms of uncertain or unknown behaviour	41	4.3	0	0	0	0	0	0	3	1.5	8	8.0	30	65.1
<b>Diseases of the respiratory system</b>	<b>706</b>	<b>73.4</b>	<b>3</b>	<b>0.3</b>	<b>3</b>	<b>0.8</b>	<b>17</b>	<b>6.5</b>	<b>57</b>	<b>29.1</b>	<b>175</b>	<b>175.7</b>	<b>451</b>	<b>979.0</b>
Influenza	7	0.7	0	0	0	0	0	0	0	0	2	2.0	5	10.9
Pneumonia	214	22.2	1	0.1	1	0.3	5	1.9	17	8.7	45	45.2	145	314.8
Chronic lower respiratory diseases	276	28.7	0	0	2	0.6	6	2.3	23	11.8	80	80.3	165	358.2
Other	209	21.7	2	0.2	0	0	6	2.3	17	8.7	48	48.2	136	295.2
<b>External causes of morbidity and mortality</b>	<b>339</b>	<b>35.2</b>	<b>0</b>	<b>0</b>	<b>56</b>	<b>15.5</b>	<b>76</b>	<b>29.2</b>	<b>74</b>	<b>37.8</b>	<b>43</b>	<b>43.2</b>	<b>90</b>	<b>195.4</b>
Accidents	241	25.0	0	0	34	9.4	50	19.2	46	23.5	30	30.1	81	175.8
Intentional self-harm (Suicide)	64	6.7	0	0	12	3.3	18	6.9	19	9.7	10	10.0	5	10.9
Assault (Homicide)	18	1.9	0	0	9	2.5	4	1.5	2	1.0	2	2.0	1	2.2
Complications of medical and surgical care	4	0.4	0	0	0	0	0	0	1	0.5	1	1.0	2	4.3
Other	12	1.2	0	0	1	0.3	4	1.5	6	3.1	0	0	1	2.2
<b>Diseases of the nervous system</b>	<b>304</b>	<b>31.6</b>	<b>1</b>	<b>0.1</b>	<b>2</b>	<b>0.6</b>	<b>15</b>	<b>5.8</b>	<b>22</b>	<b>11.2</b>	<b>51</b>	<b>51.2</b>	<b>213</b>	<b>462.4</b>
Parkinson's disease	80	8.3	0	0	0	0	0	0	1	0.5	15	15.1	64	138.9
Alzheimer's disease	129	13.4	0	0	0	0	0	0	1	0.5	10	10.0	118	256.2
Other	95	9.9	1	0.1	2	0.6	15	5.8	20	10.2	26	26.1	31	67.3
<b>Certain infectious and parasitic diseases</b>	<b>236</b>	<b>24.5</b>	<b>1</b>	<b>0.1</b>	<b>2</b>	<b>0.6</b>	<b>10</b>	<b>3.8</b>	<b>43</b>	<b>22.0</b>	<b>56</b>	<b>56.2</b>	<b>124</b>	<b>269.2</b>
Tuberculosis	2	0.2	0	0	0	0	0	0	2	1.0	0	0	0	0
Septicemia	153	15.9	1	0.1	1	0.3	3	1.2	20	10.2	30	30.1	98	212.7
Viral hepatitis	15	1.6	0	0	0	0	1	0.4	7	3.6	4	4.0	3	6.5
Human immunodeficiency virus [HIV] disease	15	1.6	0	0	0	0	6	2.3	7	3.6	2	2.0	0	0
Other	51	5.3	0	0	1	0.3	0	0	7	3.6	20	20.1	23	49.9
<b>Diseases of the digestive system</b>	<b>197</b>	<b>20.5</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.3</b>	<b>9</b>	<b>3.5</b>	<b>40</b>	<b>20.5</b>	<b>51</b>	<b>51.2</b>	<b>96</b>	<b>208.4</b>
Gastritis, Enteritis, Colitis, Diverticulitis	6	0.6	0	0	0	0	0	0	0	0	3	3.0	3	6.5
Diseases of the liver	68	7.1	0	0	0	0	8	3.1	29	14.8	18	18.1	13	28.2
Chronic liver diseases, including Cirrhosis	63	6.5	0	0	0	0	8	3.1	26	13.3	17	17.1	12	26.0
Other (Diseases of the Liver)	5	0.5	0	0	0	0	0	0	3	1.5	1	1.0	1	2.2
Other	123	12.8	0	0	1	0.3	1	0.4	11	5.6	30	30.1	80	173.7
<b>Endocrine, nutritional and metabolic diseases</b>	<b>218</b>	<b>22.7</b>	<b>2</b>	<b>0.2</b>	<b>1</b>	<b>0.3</b>	<b>7</b>	<b>2.7</b>	<b>36</b>	<b>18.4</b>	<b>58</b>	<b>58.2</b>	<b>114</b>	<b>247.5</b>
Diabetes mellitus	132	13.7	0	0	0	0	5	1.9	24	12.3	43	43.2	60	130.2
Other	86	6.5	2	0	1	0.3	2	0	12	3.6	15	17.5	54	81.1
<b>Diseases of the genitourinary system</b>	<b>164</b>	<b>17.0</b>	<b>0</b>	<b>0.1</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>1.1</b>	<b>13</b>	<b>6.8</b>	<b>41</b>	<b>39.1</b>	<b>108</b>	<b>223.5</b>
Kidney diseases	116	12.1	0	0.1	0	0	2	1.1	10	6.8	33	27.8	71	140.3
Nephritis, Nephrotic Syndrome and Nephrosis	110	11.4	0	0.1	0	0	2	1.1	10	6.8	31	27.8	67	140.3
Other (Kidney Diseases)	6	1	0	0	0	0	0	0	0	0	2	0	4	0
Other	48	5.0	0	0	0	0	0	0	3	0	8	11.3	37	83.3
<b>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</b>	<b>85</b>	<b>8.8</b>	<b>3</b>	<b>0.3</b>	<b>9</b>	<b>0.6</b>	<b>4</b>	<b>2.3</b>	<b>5</b>	<b>4.7</b>	<b>12</b>	<b>9.3</b>	<b>52</b>	<b>87.7</b>
<b>Congenital malformations, deformations and chromosomal abnormalities</b>	<b>30</b>	<b>3.1</b>	<b>10</b>	<b>1.1</b>	<b>3</b>	<b>0.3</b>	<b>5</b>	<b>0.8</b>	<b>10</b>	<b>1.6</b>	<b>2</b>	<b>5.1</b>	<b>0</b>	<b>0</b>
<b>Certain conditions originating in the perinatal period</b>	<b>32</b>	<b>3.3</b>	<b>32</b>	<b>2.4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
Other	465	48.3	0	0	2	1.4	9	2.7	24	6.8	50	50.4	380	852.5

(continue)

**Table 26. Number of Deaths and Death Rates by Selected Causes and Age Group, Westchester County, 2011-2016**  
(*continued*).

Cause of Death	Number of Deaths and Death Rate ( <i>per 100,000 pop</i> )													
	2015													
	Total <sup>1</sup>	Rate	<1 <sup>2</sup>	Rate	1-29	Rate	30-49	Rate	50-64	Rate	65-79	Rate	80+	Rate
<b>Total<sup>1</sup></b>	<b>7,025</b>	<b>726.2</b>	<b>29</b>	<b>2.7</b>	<b>114</b>	<b>31.5</b>	<b>251</b>	<b>97.0</b>	<b>906</b>	<b>456.5</b>	<b>1,675</b>	<b>1,636.8</b>	<b>4,049</b>	<b>8,821</b>
<b>Diseases of the circulatory system</b>	<b>2,454</b>	<b>253.7</b>	<b>0</b>	<b>0</b>	<b>6</b>	<b>1.7</b>	<b>46</b>	<b>17.8</b>	<b>220</b>	<b>110.9</b>	<b>490</b>	<b>478.8</b>	<b>1,692</b>	<b>3,686</b>
Diseases of the Heart	1,972	203.9	0	0	4	1.1	36	13.9	180	90.7	387	378.2	1,365	2,974
Cerebrovascular Diseases	302	31.2	0	0	1	0.3	6	2.3	21	10.6	61	59.6	213	464
Other	180	18.6	0	0	1	0.3	4	1.5	19	9.6	42	41.0	114	248
<b>Neoplasms</b>	<b>1,648</b>	<b>170.4</b>	<b>0</b>	<b>0</b>	<b>6</b>	<b>1.7</b>	<b>60</b>	<b>23.2</b>	<b>357</b>	<b>179.9</b>	<b>602</b>	<b>588.3</b>	<b>623</b>	<b>1,357</b>
Malignant neoplasms	1,618	167.3	0	0	6	1.7	58	22.4	352	177.4	592	578.5	610	1,329
Benign neoplasms	2	0.2	0	0	0	0	0	0	0	0	1	1.0	1	2
Neoplasms of uncertain or unknown behaviour	28	2.9	0	0	0	0	2	0.8	5	2.5	9	8.8	12	26
<b>Diseases of the respiratory system</b>	<b>676</b>	<b>69.9</b>	<b>1</b>	<b>0.1</b>	<b>4</b>	<b>1.1</b>	<b>2</b>	<b>0.8</b>	<b>45</b>	<b>22.7</b>	<b>169</b>	<b>165.1</b>	<b>455</b>	<b>991</b>
Influenza	19	2.0	0	0	1	0.3	0	0	0	0	1	1.0	17	37
Pneumonia	194	20.1	0	0	1	0.3	1	0.4	12	6.0	32	31.3	148	322
Chronic lower respiratory diseases	279	28.8	0	0	1	0.3	1	0.4	22	11.1	84	82.1	171	373
Other	184	19.0	1	0.1	1	0.3	0	0	11	5.5	52	50.8	119	259
<b>External causes of morbidity and mortality</b>	<b>360</b>	<b>37.2</b>	<b>0</b>	<b>0.0</b>	<b>72</b>	<b>19.9</b>	<b>87</b>	<b>33.6</b>	<b>84</b>	<b>42.3</b>	<b>40</b>	<b>39.1</b>	<b>77</b>	<b>168</b>
Accidents	271	28.0	0	0	46	12.7	67	25.9	58	29.2	31	30.3	69	150
Intentional self-harm (Suicide)	59	6.1	0	0	13	3.6	15	5.8	23	11.6	6	5.9	2	4
Assault (Homicide)	20	2.1	0	0	11	3.0	4	1.5	2	1.0	0	0	3	7
Complications of medical and surgical care	5	0.5	0	0	1	0.3	0	0	0	0	2	2.0	2	4
Other	5	0.5	0	0	1	0.3	1	0.4	1	0.5	1	1.0	1	2
<b>Diseases of the nervous system</b>	<b>267</b>	<b>27.6</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>0.8</b>	<b>3</b>	<b>1.2</b>	<b>21</b>	<b>10.6</b>	<b>50</b>	<b>48.9</b>	<b>190</b>	<b>414</b>
Parkinson's disease	60	6.2	0	0	0	0	0	0	0	0	14	13.7	46	100
Alzheimer's disease	119	12.3	0	0	0	0	0	0	1	0.5	6	5.9	112	244
Other	88	9.1	0	0	3	0.8	3	1.2	20	10.1	30	29.3	32	70
<b>Certain infectious and parasitic diseases</b>	<b>236</b>	<b>24.4</b>	<b>1</b>	<b>0.1</b>	<b>2</b>	<b>0.6</b>	<b>5</b>	<b>1.9</b>	<b>39</b>	<b>19.7</b>	<b>64</b>	<b>62.5</b>	<b>125</b>	<b>272</b>
Tuberculosis	1	0.1	0	0	0	0	0	0	0	0	0	0	1	2
Septicemia	172	17.8	0	0	0	0	2	0.8	26	13.1	40	39.1	104	227
Viral hepatitis	10	1.0	0	0	0	0	2	0.8	1	0.5	6	5.9	1	2
Human immunodeficiency virus [HIV] disease	10	1.0	0	0	0	0	0	0	6	3.0	4	3.9	0	0
Other	43	4.4	1	0.1	2	0.6	1	0.4	6	3.0	14	13.7	19	41
<b>Diseases of the digestive system</b>	<b>222</b>	<b>23.0</b>	<b>1</b>	<b>0.1</b>	<b>1</b>	<b>0.3</b>	<b>10</b>	<b>3.9</b>	<b>42</b>	<b>21.2</b>	<b>59</b>	<b>57.7</b>	<b>109</b>	<b>237</b>
Gastritis, Enteritis, Colitis, Diverticulitis	4	0.4	1	0.1	0	0	0	0.0	1	0.5	1	1.0	1	2
Diseases of the liver	72	7.4	0	0	0	0	8	3.1	32	16.1	23	22.5	9	20
<i>Chronic liver diseases, including Cirrhosis</i>	60	6.2	0	0	0	0	7	2.7	30	15.1	17	16.6	6	13
<i>Other (Diseases of the Liver)</i>	12	1.2	0	0	0	0	1	0.4	2	1.0	6	5.9	3	7
Other	146	15.1	0	0	1	0.3	2	0.8	9	4.5	35	34.2	99	216
<b>Endocrine, nutritional and metabolic diseases</b>	<b>226</b>	<b>23.4</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0.6</b>	<b>11</b>	<b>4.3</b>	<b>36</b>	<b>18.1</b>	<b>61</b>	<b>59.6</b>	<b>116</b>	<b>253</b>
Diabetes mellitus	145	15.0	0	0	0	0	6	2.3	19	9.6	47	45.9	73	159
Other	81	8.4	0	0	2	0.6	5	1.9	17	8.6	14	13.7	43	93.7
<b>Diseases of the genitourinary system</b>	<b>174</b>	<b>18.0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.3</b>	<b>3</b>	<b>1.2</b>	<b>11</b>	<b>5.5</b>	<b>41</b>	<b>40.1</b>	<b>118</b>	<b>257.1</b>
Kidney diseases	134	13.9	0	0	1	0.3	3	1.2	10	5.0	31	30.3	89	193.9
<i>Nephritis, Nephrotic Syndrome and Nephrosis</i>	126	13.0	0	0	1	0.3	2	0.8	9	4.5	31	30.3	83	180.8
<i>Other (Kidney Diseases)</i>	8	0.8	0	0	0	0	1	0.4	1	0.5	0	0	6	13.1
Other	40	4.1	0	0	0	0	0	0	1	0.5	10	9.8	29	63.2
<b>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</b>	<b>68</b>	<b>7.0</b>	<b>3</b>	<b>0</b>	<b>4</b>	<b>1.1</b>	<b>8</b>	<b>3.1</b>	<b>6</b>	<b>3.0</b>	<b>6</b>	<b>5.9</b>	<b>41</b>	<b>89.3</b>
<b>Congenital malformations, deformations and chromosomal abnormalities</b>	<b>12</b>	<b>1.2</b>	<b>1</b>	<b>0</b>	<b>3</b>	<b>0.8</b>	<b>2</b>	<b>0.8</b>	<b>5</b>	<b>2.5</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>2.2</b>
<b>Certain conditions originating in the perinatal period</b>	<b>22</b>	<b>2.3</b>	<b>21</b>	<b>2</b>	<b>1</b>	<b>0.3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Other</b>	<b>660</b>	<b>68.2</b>	<b>1</b>	<b>0</b>	<b>9</b>	<b>2.5</b>	<b>14</b>	<b>5.4</b>	<b>40</b>	<b>20.2</b>	<b>93</b>	<b>90.9</b>	<b>502</b>	<b>1,093.7</b>

(*continue*)

**Table 26. Number of Deaths and Death Rates by Selected Causes and Age Group, Westchester County, 2011-2016**  
(continued).

Cause of Death	Number of Deaths and Death Rate (per 100,000 pop)													
	2016													
	Total <sup>1</sup>	Rate	<1 <sup>2</sup>	Rate	1-29	Rate	30-49	Rate	50-64	Rate	65-79	Rate	80+	Rate
<b>Total<sup>1</sup></b>	<b>7,094</b>	<b>731.9</b>	<b>34</b>	<b>3.2</b>	<b>133</b>	<b>36.8</b>	<b>291</b>	<b>113.7</b>	<b>867</b>	<b>433.6</b>	<b>1,760</b>	<b>1,657.7</b>	<b>4,009</b>	<b>8,814.7</b>
<b>Diseases of the circulatory system</b>	<b>2,572</b>	<b>265.4</b>	<b>1</b>	<b>0.1</b>	<b>3</b>	<b>0.8</b>	<b>74</b>	<b>28.9</b>	<b>236</b>	<b>118.0</b>	<b>540</b>	<b>508.6</b>	<b>1,718</b>	<b>3,777.4</b>
Diseases of the Heart	2,091	215.7	1	0.1	2	0.6	56	21.9	187	93.5	433	407.8	1,412	3,104.6
Cerebrovascular Diseases	294	30.3	0	0	0	0	11	4.3	22	11.0	66	62.2	195	428.8
Other	187	19.3	0	0	1	0.3	7	2.7	27	13.5	41	38.6	111	244.1
<b>Neoplasms</b>	<b>1,717</b>	<b>177.2</b>	<b>1</b>	<b>0.1</b>	<b>11</b>	<b>3.0</b>	<b>55</b>	<b>21.5</b>	<b>320</b>	<b>160.0</b>	<b>641</b>	<b>603.7</b>	<b>689</b>	<b>1,514.9</b>
Malignant neoplasms	1,665	171.8	1	0.1	11	3.0	54	21.1	315	157.5	633	596.2	651	1,431.4
Benign neoplasms	2	0.2	0	0	0	0	0	0	0	0	0	0	2	4.4
Neoplasms of uncertain or unknown behaviour	50	5.2	0	0	0	0	1	0.4	5	2.5	8	7.5	36	79.2
<b>Diseases of the respiratory system</b>	<b>654</b>	<b>67.5</b>	<b>1</b>	<b>0.1</b>	<b>7</b>	<b>1.9</b>	<b>7</b>	<b>2.7</b>	<b>39</b>	<b>19.5</b>	<b>172</b>	<b>162.0</b>	<b>428</b>	<b>941.1</b>
Influenza	10	1.0	0	0	2	0.6	0	0	1	0.5	3	2.8	4	8.8
Pneumonia	200	20.6	0	0	1	0.3	3	1.2	11	5.5	47	44.3	138	303.4
Chronic lower respiratory diseases	256	26.4	0	0	2	0.6	1	0.4	16	8.0	84	79.1	153	336.4
Other	188	19.4	1	0.1	2	0.6	3	1.2	11	5.5	47	44.3	138	303.4
<b>External causes of morbidity and mortality</b>	<b>409</b>	<b>42.2</b>	<b>2</b>	<b>0.2</b>	<b>80</b>	<b>22.1</b>	<b>102</b>	<b>39.9</b>	<b>101</b>	<b>50.5</b>	<b>48</b>	<b>45.2</b>	<b>76</b>	<b>167.1</b>
Accidents	303	31.3	1	0.1	52	14.4	71	27.7	74	37.0	37	34.8	68	149.5
Intentional self-harm (Suicide)	65	6.7	0	0	15	4.1	23	9.0	19	9.5	6	5.7	2	4.4
Assault (Homicide)	21	2.2	0	0	11	3.0	5	2.0	3	1.5	2	1.9	0	0
Complications of medical and surgical care	9	0.9	0	0	1	0.3	1	0.4	1	0.5	2	1.9	4	8.8
Other	11	1.1	1	0.1	1	0.3	2	0.8	4	2.0	1	0.9	2	4.4
<b>Diseases of the nervous system</b>	<b>326</b>	<b>33.6</b>	<b>0</b>	<b>0</b>	<b>6</b>	<b>1.7</b>	<b>6</b>	<b>2.3</b>	<b>17</b>	<b>8.5</b>	<b>64</b>	<b>60.3</b>	<b>233</b>	<b>512.3</b>
Parkinson's disease	62	6.4	0	0	0	0	1	0.4	0	0	14	13.2	47	103.3
Alzheimer's disease	173	17.8	0	0	0	0	0	0	1	0.5	20	18.8	152	334.2
Other	91	9.4	0	0	6	1.7	5	2.0	16	8.0	30	28.3	34	74.8
<b>Certain infectious and parasitic diseases</b>	<b>255</b>	<b>26.3</b>	<b>2</b>	<b>0.2</b>	<b>3</b>	<b>0.8</b>	<b>3</b>	<b>1.2</b>	<b>38</b>	<b>19.0</b>	<b>71</b>	<b>66.9</b>	<b>138</b>	<b>303.4</b>
Tuberculosis	1	0.1	0	0	0	0	0	0	0	0	0	0.0	1	2.2
Septicemia	182	18.8	1	0.1	2	0.6	1	0.4	17	8.5	48	45.2	113	248.5
Viral hepatitis	13	1.3	0	0	0	0	1	0.4	6	3.0	4	3.8	2	4.4
Human immunodeficiency virus [HIV] disease	14	1.4	0	0	0	0	0	0	1	0.5	9	8.5	4	8.8
Other	45	4.6	1	0.1	1	0.3	0	0	6	3.0	15	14.1	22	48.4
<b>Diseases of the digestive system</b>	<b>196</b>	<b>20.2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>17</b>	<b>6.6</b>	<b>41</b>	<b>20.5</b>	<b>46</b>	<b>43.3</b>	<b>92</b>	<b>202.3</b>
Gastritis, Enteritis, Colitis, Diverticulitis	5	0.5	0	0	0	0	0	0	2	1.0	1	0.9	2	4.4
Diseases of the liver	70	7.2	0	0	0	0	14	5.5	30	15.0	18	17.0	8	17.6
<i>Chronic liver diseases, including Cirrhosis</i>	63	6.5	0	0	0	0	13	5.1	28	14.0	16	15.1	6	13.2
<i>Other (Diseases of the Liver)</i>	7	0.7	0	0	0	0	1	0.4	2	1.0	2	1.9	2	4.4
Other	121	12.5	0	0	0	0	3	1.2	9	4.5	27	25.4	82	180.3
<b>Endocrine, nutritional and metabolic diseases</b>	<b>230</b>	<b>23.7</b>	<b>1</b>	<b>0.1</b>	<b>4</b>	<b>1.1</b>	<b>8</b>	<b>3.1</b>	<b>34</b>	<b>17.0</b>	<b>77</b>	<b>72.5</b>	<b>106</b>	<b>233.1</b>
Diabetes mellitus	133	13.7	0	0	1	0.3	2	0.8	21	10.5	51	48.0	58	127.5
Other	97	10.0	1	0.1	3	0.8	6	2.3	13	6.5	26	24.5	48	105.5
<b>Diseases of the genitourinary system</b>	<b>189</b>	<b>19.5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>13</b>	<b>6.5</b>	<b>44</b>	<b>41.4</b>	<b>132</b>	<b>290.2</b>
Kidney diseases	132	13.6	0	0	0	0	0	0	9	4.5	33	31.1	90	197.9
<i>Nephritis, Nephrotic Syndrome and Nephrosis</i>	122	12.6	0	0	0	0	0	0	8	4.0	31	29.2	83	182.5
<i>Other (Kidney Diseases)</i>	10	1.0	0	0	0	0	0	0	1	0.5	2	1.9	7	15.4
Other	57	5.9	0	0	0	0	0	0	4	2.0	11	10.4	42	92.3
<b>Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified</b>	<b>84</b>	<b>8.7</b>	<b>3</b>	<b>0.3</b>	<b>7</b>	<b>2</b>	<b>2</b>	<b>0.8</b>	<b>6</b>	<b>3.0</b>	<b>11</b>	<b>10.4</b>	<b>55</b>	<b>120.9</b>
<b>Congenital malformations, deformations and chromosomal abnormalities</b>	<b>12</b>	<b>1.2</b>	<b>4</b>	<b>0.4</b>	<b>3</b>	<b>1</b>	<b>1</b>	<b>0.4</b>	<b>4</b>	<b>2.0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Certain conditions originating in the perinatal period</b>	<b>22</b>	<b>2.3</b>	<b>19</b>	<b>1.8</b>	<b>2</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>2.2</b>
<b>Other</b>	<b>428</b>	<b>44.2</b>	<b>0</b>	<b>0</b>	<b>7</b>	<b>2</b>	<b>16</b>	<b>6.3</b>	<b>18</b>	<b>9.0</b>	<b>46</b>	<b>43.3</b>	<b>341</b>	<b>749.8</b>

<sup>1</sup>Table may include unknown causes of death or age

<sup>2</sup>For infants under one year of age, the rate is calculated as per 1,000 live births (defined as infant mortality).

Totals include deaths for which no age was specified.

Source: New York State Department of Health.

**Table 27. Number and (Percentage) of Deaths Due to Diseases of the Circulatory System by Age Group, Westchester County, 2011-2016.**

Disease Category	Age Group (Years) and Percentages									
	2011									
	Total <sup>1</sup>	%	0-49	%	50-64	%	65-79	%	80+	%
<b>Total<sup>1</sup></b>	<b>2,554</b>	<b>100.0</b>	<b>72</b>	<b>100.0</b>	<b>239</b>	<b>100.0</b>	<b>493</b>	<b>100.0</b>	<b>1,750</b>	<b>100.0</b>
<b>Diseases of the Heart</b>	<b>2,049</b>	<b>80.2</b>	<b>53</b>	<b>73.6</b>	<b>190</b>	<b>79.5</b>	<b>386</b>	<b>78.3</b>	<b>1,420</b>	<b>81.1</b>
<b>Ischaemic heart diseases</b>	<b>1,473</b>	<b>57.7</b>	<b>22</b>	<b>30.6</b>	<b>129</b>	<b>54.0</b>	<b>289</b>	<b>58.6</b>	<b>1,033</b>	<b>59.0</b>
Acute myocardial infarction (Heart attack)	338	13.2	2	2.8	33	13.8	72	14.6	231	13.2
Chronic ischaemic heart disease (Coronary heart disease)	1,128	44.2	20	27.8	95	39.7	216	43.8	797	45.5
Other	7	0.3	0	0	1	0.4	1	0.2	5	0.3
<b>Other forms of heart disease</b>	<b>456</b>	<b>17.9</b>	<b>25</b>	<b>34.7</b>	<b>54</b>	<b>22.6</b>	<b>72</b>	<b>14.6</b>	<b>305</b>	<b>17.4</b>
Nonrheumatic aortic valve disorders	46	1.8	0	0.0	4	1.7	6	1.2	36	2.1
Cardiomyopathy	46	1.8	9	12.5	11	4.6	9	1.8	17	1.0
Cardiac arrest	65	2.5	3	4.2	5	2.1	11	2.2	46	2.6
Atrial fibrillation and flutter	54	2.1	0	0	1	0.4	7	1.4	46	2.6
Heart failure	140	5.5	0	0	1	0.4	20	4.1	119	6.8
Other	105	4.1	13	18.1	32	13.4	19	3.9	41	2.3
<b>Hypertension with Heart Disease</b>	<b>78</b>	<b>3.1</b>	<b>3</b>	<b>4.2</b>	<b>5</b>	<b>2.1</b>	<b>15</b>	<b>3.0</b>	<b>55</b>	<b>3.1</b>
<b>Pulmonary heart disease and diseases of pulmonary circulation</b>	<b>30</b>	<b>1.2</b>	<b>3</b>	<b>4.2</b>	<b>0</b>	<b>0</b>	<b>7</b>	<b>1.4</b>	<b>20</b>	<b>1.1</b>
<b>Chronic rheumatic heart diseases</b>	<b>12</b>	<b>0.5</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0.8</b>	<b>3</b>	<b>0.6</b>	<b>7</b>	<b>0.4</b>
<b>Acute rheumatic fever</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Cerebrovascular diseases</b>	<b>322</b>	<b>12.6</b>	<b>10</b>	<b>13.9</b>	<b>25</b>	<b>10.5</b>	<b>72</b>	<b>14.6</b>	<b>215</b>	<b>12.3</b>
Intracerebral haemorrhage	53	2.1	3	4.2	5	2.1	15	3.0	30	1.7
Stroke, not specified as haemorrhage or infarction	154	6.0	1	1.4	10	4.2	32	6.5	111	6.3
Other	115	4.5	6	8.3	10	4.2	25	5.1	74	4.2
<b>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</b>	<b>15</b>	<b>0.6</b>	<b>5</b>	<b>6.9</b>	<b>6</b>	<b>2.5</b>	<b>2</b>	<b>0.4</b>	<b>2</b>	<b>0.1</b>
<b>Hypertension with or without Renal Disease</b>	<b>87</b>	<b>3.4</b>	<b>0</b>	<b>0</b>	<b>11</b>	<b>4.6</b>	<b>21</b>	<b>4.3</b>	<b>55</b>	<b>3.1</b>
<b>Diseases of arteries, arterioles and capillaries</b>	<b>78</b>	<b>3.1</b>	<b>4</b>	<b>5.6</b>	<b>7</b>	<b>2.9</b>	<b>11</b>	<b>2.2</b>	<b>56</b>	<b>3.2</b>
Atherosclerosis	40	1.6	0	0	1	0.4	5	1.0	34	1.9
Aortic aneurysm and dissection	22	0.9	4	5.6	3	1.3	5	1.0	10	0.6
Other	16	0.6	0	0	3	1.3	1	0.2	12	0.7
<b>Other and unspecified disorders of the circulatory system</b>	<b>3</b>	<b>0.1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.2</b>	<b>2</b>	<b>0.1</b>

(continue)



**Table 27. Number and (Percentage) of Deaths Due to Diseases of the Circulatory System by Age Group, Westchester County, 2011-2016 (*continued*).**

Disease Category	Age Group (Years) and Percentages									
	2012									
	Total <sup>1</sup>	%	0-49	%	50-64	%	65-79	%	80+	%
<b>Total<sup>1</sup></b>	<b>2,620</b>	<b>100.0</b>	<b>71</b>	<b>100.0</b>	<b>261</b>	<b>100.0</b>	<b>513</b>	<b>100.0</b>	<b>1,775</b>	<b>100.0</b>
<b>Diseases of the Heart</b>	<b>2,112</b>	<b>80.6</b>	<b>53</b>	<b>74.6</b>	<b>213</b>	<b>81.6</b>	<b>395</b>	<b>77.0</b>	<b>1,451</b>	<b>81.7</b>
<b>  Ischaemic heart diseases</b>	<b>1,500</b>	<b>57.3</b>	<b>29</b>	<b>40.8</b>	<b>144</b>	<b>55.2</b>	<b>301</b>	<b>58.7</b>	<b>1,026</b>	<b>57.8</b>
Acute myocardial infarction (Heart attack)	299	11.4	4	5.6	19	7.3	67	13.1	209	11.8
Chronic ischaemic heart disease (Coronary heart disease)	1,189	45.4	25	35.2	124	47.5	232	45.2	808	45.5
Other	12	0.5	0	0	1	0.4	2	0.4	9	0.5
<b>  Other forms of heart disease</b>	<b>506</b>	<b>19.3</b>	<b>21</b>	<b>29.6</b>	<b>55</b>	<b>21.1</b>	<b>74</b>	<b>14.4</b>	<b>356</b>	<b>20.1</b>
Nonrheumatic aortic valve disorders	49	1.9	1	1.4	3	1.1	5	1.0	40	2.3
Cardiomyopathy	55	2.1	0	0.0	11	4.2	18	3.5	26	1.5
Cardiac arrest	46	1.8	1	1.4	3	1.1	14	2.7	28	1.6
Atrial fibrillation and flutter	75	2.9	0	0.0	2	0.8	7	1.4	66	3.7
Heart failure	168	6.4	1	1.4	3	1.1	15	2.9	149	8.4
Other	113	4.3	18	25.4	33	12.6	15	2.9	47	2.6
<b>  Hypertension with Heart Disease</b>	<b>66</b>	<b>2.5</b>	<b>0</b>	<b>0</b>	<b>9</b>	<b>3.4</b>	<b>12</b>	<b>2.3</b>	<b>45</b>	<b>2.5</b>
<b>  Pulmonary heart disease and diseases of pulmonary circulation</b>	<b>33</b>	<b>1.3</b>	<b>3</b>	<b>4.2</b>	<b>3</b>	<b>1.1</b>	<b>8</b>	<b>1.6</b>	<b>19</b>	<b>1.1</b>
<b>  Chronic rheumatic heart diseases</b>	<b>7</b>	<b>0.3</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0.8</b>	<b>0</b>	<b>0</b>	<b>5</b>	<b>0.3</b>
<b>  Acute rheumatic fever</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Cerebrovascular diseases</b>	<b>309</b>	<b>11.8</b>	<b>7</b>	<b>9.9</b>	<b>29</b>	<b>11.1</b>	<b>71</b>	<b>13.8</b>	<b>202</b>	<b>11.4</b>
Intracerebral haemorrhage	48	1.8	3	4.2	11	4.2	14	2.7	20	1.1
Stroke, not specified as haemorrhage or infarction	147	5.6	0	0	6	2.3	30	5.8	111	6.3
Other	114	4.4	4	5.6	12	4.6	27	5.3	71	4.0
<b>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</b>	<b>14</b>	<b>0.5</b>	<b>6</b>	<b>8.5</b>	<b>3</b>	<b>1.1</b>	<b>1</b>	<b>0.2</b>	<b>4</b>	<b>0.2</b>
<b>Hypertension with or without Renal Disease</b>	<b>93</b>	<b>3.5</b>	<b>3</b>	<b>4.2</b>	<b>7</b>	<b>2.7</b>	<b>25</b>	<b>4.9</b>	<b>58</b>	<b>3.3</b>
<b>Diseases of arteries, arterioles and capillaries</b>	<b>89</b>	<b>3.4</b>	<b>2</b>	<b>2.8</b>	<b>9</b>	<b>3.4</b>	<b>20</b>	<b>3.9</b>	<b>58</b>	<b>3.3</b>
Atherosclerosis	36	1.4	0	0	1	0.4	3	0.6	32	1.8
Aortic aneurysm and dissection	28	1.1	1	1.4	6	2.3	8	1.6	13	0.7
Other	25	1.0	1	1.4	2	0.8	9	1.8	13	0.7
<b>Other and unspecified disorders of the circulatory system</b>	<b>3</b>	<b>0.1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.2</b>	<b>2</b>	<b>0.1</b>

(*continue*)

**Table 27. Number and Percentage of Deaths Due to Diseases of the Circulatory System by Age Group, Westchester County, 2011-2016 (continued).**

Disease Category	Age Group (Years) and Percentages									
	2013									
	Total <sup>1</sup>	%	0-49	%	50-64	%	65-79	%	80+	%
<b>Total<sup>1</sup></b>	<b>2,646</b>	<b>100.0</b>	<b>76</b>	<b>100.0</b>	<b>252</b>	<b>100.0</b>	<b>553</b>	<b>100.0</b>	<b>1,765</b>	<b>100.0</b>
<b>Diseases of the Heart</b>	<b>2,155</b>	<b>81.4</b>	<b>55</b>	<b>72.4</b>	<b>200</b>	<b>79.4</b>	<b>446</b>	<b>80.7</b>	<b>1,454</b>	<b>82.4</b>
<b>  Ischaemic heart diseases</b>	<b>1,480</b>	<b>55.9</b>	<b>23</b>	<b>30.3</b>	<b>137</b>	<b>54.4</b>	<b>339</b>	<b>61.3</b>	<b>981</b>	<b>55.6</b>
Acute myocardial infarction (Heart attack)	321	12.1	6	7.9	34	13.5	64	11.6	217	12.3
Chronic ischaemic heart disease (Coronary heart disease)	1,147	43.3	17	22.4	102	40.5	274	49.5	754	42.7
Other	12	0.5	0	0	1	0.4	1	0.2	10	0.6
<b>  Other forms of heart disease</b>	<b>553</b>	<b>20.9</b>	<b>24</b>	<b>31.6</b>	<b>49</b>	<b>19.4</b>	<b>77</b>	<b>13.9</b>	<b>403</b>	<b>22.8</b>
Nonrheumatic aortic valve disorders	39	1.5	0	0	0	0.0	3	0.5	36	2.0
Cardiomyopathy	43	1.6	2	2.6	9	3.6	11	2.0	21	1.2
Cardiac arrest	80	3.0	1	1.3	5	2.0	17	3.1	57	3.2
Atrial fibrillation and flutter	72	2.7	1	1.3	3	1.2	9	1.6	59	3.3
Heart failure	196	7.4	2	2.6	6	2.4	20	3.6	168	9.5
Other	123	4.6	18	23.7	26	10.3	17	3.1	62	3.5
<b>Hypertension with Heart Disease</b>	<b>78</b>	<b>2.9</b>	<b>2</b>	<b>2.6</b>	<b>9</b>	<b>3.6</b>	<b>20</b>	<b>3.6</b>	<b>47</b>	<b>2.7</b>
<b>Pulmonary heart disease and diseases of pulmonary circulation</b>	<b>39</b>	<b>1.5</b>	<b>6</b>	<b>7.9</b>	<b>5</b>	<b>2.0</b>	<b>10</b>	<b>1.8</b>	<b>18</b>	<b>1.0</b>
<b>Chronic rheumatic heart diseases</b>	<b>4</b>	<b>0.2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>4</b>	<b>0.2</b>
<b>Acute rheumatic fever</b>	<b>1</b>	<b>0.0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.1</b>
<b>Cerebrovascular diseases</b>	<b>296</b>	<b>11.2</b>	<b>14</b>	<b>18.4</b>	<b>28</b>	<b>11.1</b>	<b>61</b>	<b>11.0</b>	<b>193</b>	<b>10.9</b>
Intracerebral haemorrhage	60	2.3	8	10.5	10	4.0	18	3.3	24	1.4
Stroke, not specified as haemorrhage or infarction	124	4.7	1	1.3	3	1.2	21	3.8	99	5.6
Other	112	4.2	5	6.6	15	6.0	22	4.0	70	4.0
<b>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</b>	<b>19</b>	<b>0.7</b>	<b>3</b>	<b>3.9</b>	<b>10</b>	<b>4.0</b>	<b>5</b>	<b>0.9</b>	<b>1</b>	<b>0.1</b>
<b>Hypertension with or without Renal Disease</b>	<b>85</b>	<b>3.2</b>	<b>0</b>	<b>0</b>	<b>12</b>	<b>4.8</b>	<b>20</b>	<b>3.6</b>	<b>53</b>	<b>3.0</b>
<b>Diseases of arteries, arterioles and capillaries</b>	<b>81</b>	<b>3.1</b>	<b>4</b>	<b>5.3</b>	<b>2</b>	<b>0.8</b>	<b>18</b>	<b>3.3</b>	<b>57</b>	<b>3.2</b>
Atherosclerosis	45	1.7	2	2.6	0	0	9	1.6	34	1.9
Aortic aneurysm and dissection	21	0.8	1	1.3	2	0.8	4	0.7	14	0.8
Other	15	0.6	1	1.3	0	0	5	0.9	9	0.5
<b>Other and unspecified disorders of the circulatory system</b>	<b>10</b>	<b>0.4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>0.5</b>	<b>7</b>	<b>0.4</b>

(continue)

**Table 27. Number and Percentage of Deaths Due to Diseases of the Circulatory System by Age Group, Westchester County, 2011-2016 (*continued*).**

Disease Category	Age Group (Years) and Percentages									
	2014									
	Total <sup>1</sup>	%	0-49	%	50-64	%	65-79	%	80+	%
<b>Total<sup>1</sup></b>	<b>2,403</b>	<b>100.0</b>	<b>64</b>	<b>100.0</b>	<b>222</b>	<b>100.0</b>	<b>456</b>	<b>100.0</b>	<b>1,610</b>	<b>100.0</b>
<b>Diseases of the Heart</b>	<b>1,917</b>	<b>79.8</b>	<b>51</b>	<b>79.7</b>	<b>177</b>	<b>79.7</b>	<b>365</b>	<b>80.0</b>	<b>1,324</b>	<b>82.2</b>
<b>Ischaemic heart diseases</b>	<b>1,352</b>	<b>56.3</b>	<b>22</b>	<b>34.4</b>	<b>111</b>	<b>50.0</b>	<b>279</b>	<b>61.2</b>	<b>940</b>	<b>58.4</b>
Acute myocardial infarction (Heart attack)	301	12.5	6	9.4	30	13.5	56	12.3	209	13.0
Chronic ischaemic heart disease (Coronary heart disease)	1,043	43.4	16	25.0	80	36.0	220	48.2	727	45.2
Other	8	0.3	0	0	1	0.5	3	0.7	4	0.2
<b>Other forms of heart disease</b>	<b>455</b>	<b>18.9</b>	<b>24</b>	<b>37.5</b>	<b>52</b>	<b>23.4</b>	<b>63</b>	<b>13.8</b>	<b>316</b>	<b>19.6</b>
Nonrheumatic aortic valve disorders	47	2.0	1	1.6	3	1.4	3	0.7	40	2.5
Cardiomyopathy	35	1.5	1	1.6	7	3.2	9	2.0	18	1.1
Cardiac arrest	60	2.5	0	0	6	2.7	14	3.1	40	2.5
Atrial fibrillation and flutter	53	2.2	0	0	3	1.4	7	1.5	43	2.7
Heart failure	156	6.5	1	1.6	7	3.2	15	3.3	133	8.3
Other	104	4.3	21	32.8	26	11.7	15	3.3	42	2.6
<b>Hypertension with Heart Disease</b>	<b>71</b>	<b>3.0</b>	<b>1</b>	<b>1.6</b>	<b>9</b>	<b>4.1</b>	<b>13</b>	<b>2.9</b>	<b>48</b>	<b>3.0</b>
<b>Pulmonary heart disease and diseases of pulmonary circulation</b>	<b>32</b>	<b>1.3</b>	<b>3</b>	<b>4.7</b>	<b>4</b>	<b>1.8</b>	<b>8</b>	<b>1.8</b>	<b>17</b>	<b>1.1</b>
<b>Chronic rheumatic heart diseases</b>	<b>7</b>	<b>0.3</b>	<b>1</b>	<b>1.6</b>	<b>1</b>	<b>0.5</b>	<b>2</b>	<b>0.4</b>	<b>3</b>	<b>0.2</b>
<b>Acute rheumatic fever</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Cerebrovascular diseases</b>	<b>283</b>	<b>11.8</b>	<b>7</b>	<b>10.9</b>	<b>24</b>	<b>10.8</b>	<b>64</b>	<b>14.0</b>	<b>188</b>	<b>11.7</b>
Intracerebral haemorrhage	49	2.0	3	4.7	8	3.6	16	3.5	22	1.4
Stroke, not specified as haemorrhage or infarction	128	5.3	0	0	9	4.1	23	5.0	96	6.0
Other	106	4.4	4	6.3	7	3.2	25	5.5	70	4.3
<b>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</b>	<b>13</b>	<b>0.5</b>	<b>2</b>	<b>3.1</b>	<b>6</b>	<b>2.7</b>	<b>3</b>	<b>0.7</b>	<b>2</b>	<b>0.1</b>
<b>Hypertension with or without Renal Disease</b>	<b>123</b>	<b>5.1</b>	<b>2</b>	<b>3.1</b>	<b>9</b>	<b>4.1</b>	<b>13</b>	<b>2.9</b>	<b>48</b>	<b>3.0</b>
<b>Diseases of arteries, arterioles and capillaries</b>	<b>65</b>	<b>2.7</b>	<b>2</b>	<b>3.1</b>	<b>5</b>	<b>2.3</b>	<b>11</b>	<b>2.4</b>	<b>47</b>	<b>2.9</b>
Atherosclerosis	25	1.0	0	0	0	0.0	0	0.0	25	1.6
Aortic aneurysm and dissection	21	0.9	1	1.6	4	1.8	5	1.1	11	0.7
Other	19	0.8	1	1.6	1	0.5	6	1.3	11	0.7
<b>Other and unspecified disorders of the circulatory system</b>	<b>2</b>	<b>0.1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.5</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.1</b>

(*continue*)

**Table 27. Number and Percentage of Deaths Due to Diseases of the Circulatory System by Age Group, Westchester County, 2011-2016 (*continued*).**

Disease Category	Age Group (Years) and Percentages									
	2015									
	Total <sup>1</sup>	%	0-49	%	50-64	%	65-79	%	80+	%
<b>Total<sup>1</sup></b>	<b>2,454</b>	<b>100.0</b>	<b>54</b>	<b>100.0</b>	<b>217</b>	<b>100.0</b>	<b>493</b>	<b>100.0</b>	<b>1,723</b>	<b>100.0</b>
<b>Diseases of the Heart</b>	<b>1,972</b>	<b>80.4</b>	<b>40</b>	<b>74.1</b>	<b>180</b>	<b>82.9</b>	<b>387</b>	<b>78.5</b>	<b>1,365</b>	<b>79.2</b>
<b>Ischaemic heart diseases</b>	<b>1,319</b>	<b>53.7</b>	<b>18</b>	<b>33.3</b>	<b>122</b>	<b>56.2</b>	<b>267</b>	<b>54.2</b>	<b>912</b>	<b>52.9</b>
Acute myocardial infarction (Heart attack)	259	10.6	6	11.1	24	11.1	51	10.3	178	10.3
Chronic ischaemic heart disease (Coronary heart disease)	1,047	42.7	12	22.2	98	45.2	213	43.2	724	42.0
Other	13	0.5	0	0	0	0	3	0.6	10	0.6
<b>Other forms of heart disease</b>	<b>530</b>	<b>21.6</b>	<b>19</b>	<b>35.2</b>	<b>45</b>	<b>20.7</b>	<b>85</b>	<b>17.2</b>	<b>381</b>	<b>22.1</b>
Nonrheumatic aortic valve disorders	37	1.5	0	0.0	3	1.4	3	0.6	31	1.8
Cardiomyopathy	43	1.8	3	5.6	7	3.2	11	2.2	22	1.3
Cardiac arrest	84	3.4	0	0	7	3.2	15	3.0	62	3.6
Atrial fibrillation and flutter	79	3.2	0	0	2	0.9	15	3.0	62	3.6
Heart failure	172	7.0	2	3.7	6	2.8	20	4.1	144	8.4
Other	115	4.7	14	25.9	20	9.2	21	4.3	60	3.5
<b>Hypertension with Heart Disease</b>	<b>80</b>	<b>3.3</b>	<b>3</b>	<b>5.6</b>	<b>7</b>	<b>3.2</b>	<b>19</b>	<b>3.9</b>	<b>51</b>	<b>3.0</b>
<b>Pulmonary heart disease and diseases of pulmonary circulation</b>	<b>40</b>	<b>1.6</b>	<b>0</b>	<b>0</b>	<b>5</b>	<b>2.3</b>	<b>16</b>	<b>3.2</b>	<b>19</b>	<b>1.1</b>
<b>Chronic rheumatic heart diseases</b>	<b>3</b>	<b>0.1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.5</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0.1</b>
<b>Acute rheumatic fever</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Cerebrovascular diseases</b>	<b>302</b>	<b>12.3</b>	<b>7</b>	<b>13.0</b>	<b>21</b>	<b>9.7</b>	<b>61</b>	<b>12.4</b>	<b>213</b>	<b>12.4</b>
Intracerebral haemorrhage	38	1.5	1	1.9	9	4.1	11	2.2	17	1.0
Stroke, not specified as haemorrhage or infarction	143	5.8	1	1.9	3	1.4	22	4.5	117	6.8
Other	121	4.9	5	9.3	9	4.1	28	5.7	79	4.6
<b>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</b>	<b>14</b>	<b>0.6</b>	<b>3</b>	<b>5.6</b>	<b>5</b>	<b>2.3</b>	<b>2</b>	<b>0.4</b>	<b>4</b>	<b>0.2</b>
<b>Hypertension with or without Renal Disease</b>	<b>112</b>	<b>4.6</b>	<b>1</b>	<b>1.9</b>	<b>6</b>	<b>2.8</b>	<b>25</b>	<b>5.1</b>	<b>80</b>	<b>4.6</b>
<b>Diseases of arteries, arterioles and capillaries</b>	<b>52</b>	<b>2.1</b>	<b>3</b>	<b>5.6</b>	<b>5</b>	<b>2.3</b>	<b>16</b>	<b>3.2</b>	<b>61</b>	<b>3.5</b>
Atherosclerosis	12	0.5	2	3.7	0	0	9	1.8	34	2.0
Aortic aneurysm and dissection	21	0.9	1	1.9	2	0.9	4	0.8	14	0.8
Other	19	0.8	0	0	3	1.4	3	0.6	13	0.8
<b>Other and unspecified disorders of the circulatory system</b>	<b>2</b>	<b>0.1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0.4</b>	<b>0</b>	<b>0</b>

(*continue*)

**Table 27. Number and Percentage of Deaths Due to Diseases of the Circulatory System by Age Group, Westchester County, 2011-2016 (*continued*).**

Disease Category	Age Group (Years) and Percentages									
	2016									
	Total <sup>1</sup>	%	0-49	%	50-64	%	65-79	%	80+	%
<b>Total<sup>1</sup></b>	<b>2,572</b>	<b>100.0</b>	<b>78</b>	<b>100.0</b>	<b>236</b>	<b>100.0</b>	<b>540</b>	<b>100.0</b>	<b>1,718</b>	<b>100.0</b>
<b>Diseases of the Heart</b>	<b>2,091</b>	<b>81.3</b>	<b>59</b>	<b>75.6</b>	<b>187</b>	<b>79.2</b>	<b>433</b>	<b>80.2</b>	<b>1,412</b>	<b>82.2</b>
<b>Ischaemic heart diseases</b>	<b>1,341</b>	<b>52.1</b>	<b>22</b>	<b>28.2</b>	<b>106</b>	<b>44.9</b>	<b>311</b>	<b>57.6</b>	<b>902</b>	<b>52.5</b>
Acute myocardial infarction (Heart attack)	243	9.4	3	3.8	20	8.5	54	10.0	166	9.7
Chronic ischaemic heart disease (Coronary heart disease)	1,088	42.3	18	23.1	85	36.0	256	47.4	729	42.4
Other	10	0.4	1	1.3	1	0.4	1	0.2	7	0.4
<b>Other forms of heart disease</b>	<b>607</b>	<b>23.6</b>	<b>29</b>	<b>37.2</b>	<b>66</b>	<b>28.0</b>	<b>91</b>	<b>16.9</b>	<b>421</b>	<b>24.5</b>
Nonrheumatic aortic valve disorders	38	1.5	0	0	1	0.4	5	0.9	32	1.9
Cardiomyopathy	42	1.6	8	10.3	4	1.7	7	1.3	23	1.3
Cardiac arrest	99	3.8	2	2.6	9	3.8	28	5.2	60	3.5
Atrial fibrillation and flutter	74	2.9	0	0	1	0.4	5	0.9	68	4.0
Heart failure	217	8.4	1	1.3	8	3.4	24	4.4	184	10.7
Other	137	5.3	18	23.1	43	18.2	22	4.1	54	3.1
<b>Hypertension with Heart Disease</b>	<b>103</b>	<b>4.0</b>	<b>4</b>	<b>5.1</b>	<b>10</b>	<b>4.2</b>	<b>24</b>	<b>4.4</b>	<b>65</b>	<b>3.8</b>
<b>Pulmonary heart disease and diseases of pulmonary circulation</b>	<b>32</b>	<b>1.2</b>	<b>3</b>	<b>3.8</b>	<b>5</b>	<b>2.1</b>	<b>7</b>	<b>1.3</b>	<b>17</b>	<b>1.0</b>
<b>Chronic rheumatic heart diseases</b>	<b>8</b>	<b>0.3</b>	<b>1</b>	<b>1.3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>7</b>	<b>0.4</b>
<b>Acute rheumatic fever</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Cerebrovascular diseases</b>	<b>294</b>	<b>11.4</b>	<b>11</b>	<b>14.1</b>	<b>22</b>	<b>9.3</b>	<b>66</b>	<b>12.2</b>	<b>195</b>	<b>11.4</b>
Intracerebral haemorrhage	40	1.6	3	3.8	7	3.0	11	2.0	19	1.1
Stroke, not specified as haemorrhage or infarction	128	5.0	1	1.3	5	2.1	25	4.6	97	5.6
Other	126	4.9	7	9.0	10	4.2	30	5.6	79	4.6
<b>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</b>	<b>15</b>	<b>0.6</b>	<b>3</b>	<b>3.8</b>	<b>7</b>	<b>3.0</b>	<b>2</b>	<b>0.4</b>	<b>3</b>	<b>0.2</b>
<b>Hypertension with or without Renal Disease</b>	<b>115</b>	<b>4.5</b>	<b>4</b>	<b>5.1</b>	<b>11</b>	<b>4.7</b>	<b>21</b>	<b>3.9</b>	<b>79</b>	<b>4.6</b>
<b>Diseases of arteries, arterioles and capillaries</b>	<b>55</b>	<b>2.1</b>	<b>1</b>	<b>1.3</b>	<b>9</b>	<b>3.8</b>	<b>18</b>	<b>3.3</b>	<b>27</b>	<b>1.6</b>
Atherosclerosis	14	0.5	0	0	2	0.8	3	0.6	9	0.5
Aortic aneurysm and dissection	20	0.8	0	0	3	1.3	12	2.2	5	0.3
Other	21	0.8	1	1.3	4	1.7	3	0.6	13	0.8
<b>Other and unspecified disorders of the circulatory system</b>	<b>2</b>	<b>0.1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0.1</b>

<sup>1</sup>Totals may include unknown circulatory disorder or age.

Source: New York State Department of Health.

**Table 28. Number of Deaths Due to Diseases of the Circulatory System by Sex, Westchester County, 2011-2016.**

Disease Category	Number of Deaths and Percentages					
	2011					
	Total <sup>1</sup>	%	Male	%	Female	%
<b>Total<sup>1</sup></b>	<b>2,554</b>	<b>100.0</b>	<b>1,127</b>	<b>100.0</b>	<b>1,425</b>	<b>100.0</b>
<b>Diseases of the Heart</b>	<b>2,049</b>	<b>80.2</b>	<b>921</b>	<b>81.7</b>	<b>1,127</b>	<b>79.1</b>
<b>Ischaemic heart diseases</b>	<b>1,473</b>	<b>57.7</b>	<b>682</b>	<b>60.5</b>	<b>791</b>	<b>55.5</b>
Acute myocardial infarction (Heart attack)	338	13.2	152	13.5	186	13.1
Chronic ischaemic heart disease (Coronary heart disease)	1,128	44.2	526	46.7	602	42.2
Other	7	0.3	4	0.4	3	0.2
<b>Other forms of heart disease:</b>	<b>456</b>	<b>17.9</b>	<b>204</b>	<b>18.1</b>	<b>251</b>	<b>17.6</b>
Nonrheumatic aortic valve disorders	46	1.8	16	1.4	30	2.1
Cardiomyopathy	46	1.8	32	2.8	14	1.0
Cardiac arrest	65	2.5	32	2.8	33	2.3
Atrial fibrillation and flutter	54	2.1	19	1.7	35	2.5
Heart failure	140	5.5	50	4.4	89	6.2
Other	105	4.1	55	4.9	50	3.5
<b>Hypertension with Heart Disease</b>	<b>78</b>	<b>3.1</b>	<b>24</b>	<b>2.1</b>	<b>54</b>	<b>3.8</b>
<b>Pulmonary heart disease and diseases of pulmonary circulation</b>	<b>30</b>	<b>1.2</b>	<b>7</b>	<b>0.6</b>	<b>23</b>	<b>1.6</b>
<b>Chronic rheumatic heart diseases</b>	<b>12</b>	<b>0.5</b>	<b>4</b>	<b>0.4</b>	<b>8</b>	<b>0.6</b>
<b>Acute rheumatic fever</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Cerebrovascular diseases</b>	<b>322</b>	<b>12.6</b>	<b>123</b>	<b>10.9</b>	<b>198</b>	<b>13.9</b>
Intracerebral haemorrhage	53	2.1	25	2.2	28	2.0
Stroke, not specified as haemorrhage or infarction	154	6.0	54	4.8	100	7.0
Other	115	4.5	44	3.9	70	4.9
<b>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</b>	<b>15</b>	<b>0.6</b>	<b>8</b>	<b>0.7</b>	<b>7</b>	<b>0.5</b>
<b>Hypertension with or without Renal Disease</b>	<b>87</b>	<b>3.4</b>	<b>39</b>	<b>3.5</b>	<b>48</b>	<b>3.4</b>
<b>Diseases of arteries, arterioles and capillaries</b>	<b>78</b>	<b>3.1</b>	<b>35</b>	<b>3.1</b>	<b>43</b>	<b>3.0</b>
Atherosclerosis	40	1.6	13	1.2	27	1.9
Aortic aneurysm and dissection	22	0.9	15	1.3	7	0.5
Other	16	0.6	7	0.6	9	0.6
<b>Other and unspecified disorders of the circulatory system</b>	<b>3</b>	<b>0.1</b>	<b>1</b>	<b>0.1</b>	<b>2</b>	<b>0.1</b>

(continue)

**Table 28. Number of Deaths Due to Diseases of the Circulatory System by Sex, Westchester County, 2011-2016.**

Disease Category	Number of Deaths and Percentages					
	2012					
	Total <sup>1</sup>	%	Male	%	Female	%
<b>Total<sup>1</sup></b>	<b>2,620</b>	<b>100.0</b>	<b>1,197</b>	<b>100.0</b>	<b>1,423</b>	<b>100.0</b>
<b>Diseases of the Heart</b>	<b>2,112</b>	<b>80.6</b>	<b>975</b>	<b>81.5</b>	<b>1,137</b>	<b>79.9</b>
<b>Ischaemic heart diseases</b>	<b>1,500</b>	<b>57.3</b>	<b>711</b>	<b>59.4</b>	<b>789</b>	<b>55.4</b>
Acute myocardial infarction (Heart attack)	299	11.4	127	10.6	172	12.1
Chronic ischaemic heart disease (Coronary heart disease)	1,189	45.4	578	48.3	611	42.9
Other	12	0.5	6	0.5	6	0.4
<b>Other forms of heart disease:</b>	<b>506</b>	<b>19.3</b>	<b>231</b>	<b>19.3</b>	<b>275</b>	<b>19.3</b>
Nonrheumatic aortic valve disorders	49	1.9	22	1.8	27	1.9
Cardiomyopathy	55	2.1	37	3.1	18	1.3
Cardiac arrest	46	1.8	19	1.6	27	1.9
Atrial fibrillation and flutter	75	2.9	24	2.0	51	3.6
Heart failure	168	6.4	66	5.5	102	7.2
Other	113	4.3	63	5.3	50	3.5
<b>Hypertension with Heart Disease</b>	<b>66</b>	<b>2.5</b>	<b>22</b>	<b>1.8</b>	<b>44</b>	<b>3.1</b>
<b>Pulmonary heart disease and diseases of pulmonary circulation</b>	<b>33</b>	<b>1.3</b>	<b>10</b>	<b>0.8</b>	<b>23</b>	<b>1.6</b>
<b>Chronic rheumatic heart diseases</b>	<b>7</b>	<b>0.3</b>	<b>1</b>	<b>0.1</b>	<b>6</b>	<b>0.4</b>
<b>Acute rheumatic fever</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Cerebrovascular diseases</b>	<b>309</b>	<b>11.8</b>	<b>132</b>	<b>11.0</b>	<b>177</b>	<b>12.4</b>
Intracerebral haemorrhage	48	1.8	30	2.5	18	1.3
Stroke, not specified as haemorrhage or infarction	147	5.6	56	4.7	91	6.4
Other	114	4.4	46	3.8	68	4.8
<b>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</b>	<b>14</b>	<b>0.5</b>	<b>4</b>	<b>0.3</b>	<b>10</b>	<b>0.7</b>
<b>Hypertension with or without Renal Disease</b>	<b>93</b>	<b>3.5</b>	<b>37</b>	<b>3.1</b>	<b>56</b>	<b>3.9</b>
<b>Diseases of arteries, arterioles and capillaries</b>	<b>89</b>	<b>3.4</b>	<b>47</b>	<b>3.9</b>	<b>42</b>	<b>3.0</b>
Atherosclerosis	36	1.4	17	1.4	19	1.3
Aortic aneurysm and dissection	28	1.1	18	1.5	10	0.7
Other	25	1.0	12	1.0	13	0.9
<b>Other and unspecified disorders of the circulatory system</b>	<b>3</b>	<b>0.1</b>	<b>2</b>	<b>0.2</b>	<b>1</b>	<b>0.1</b>

(continue)

**Table 28. Number of Deaths Due to Diseases of the Circulatory System by Sex, Westchester County, 2011-2016 (*continued*).**

Disease Category	Number of Deaths and Percentages					
	2013					
	Total <sup>1</sup>	%	Male	%	Female	%
<b>Total<sup>1</sup></b>	<b>2,646</b>	<b>100.0</b>	<b>1,236</b>	<b>100.0</b>	<b>1,410</b>	<b>100.0</b>
<b>Diseases of the Heart</b>	<b>2,155</b>	<b>81.4</b>	<b>1,021</b>	<b>82.6</b>	<b>1,134</b>	<b>80.4</b>
<b>Ischaemic heart diseases</b>	<b>1,480</b>	<b>55.9</b>	<b>725</b>	<b>58.7</b>	<b>755</b>	<b>53.5</b>
Acute myocardial infarction (Heart attack)	321	12.1	149	12.1	172	12.2
Chronic ischaemic heart disease (Coronary heart disease)	1,147	43.3	572	46.3	575	40.8
Other	12	0.5	4	0.3	8	0.6
<b>Other forms of heart disease:</b>	<b>553</b>	<b>20.9</b>	<b>249</b>	<b>20.1</b>	<b>304</b>	<b>21.6</b>
Nonrheumatic aortic valve disorders	39	1.5	12	1.0	27	1.9
Cardiomyopathy	43	1.6	23	1.9	20	1.4
Cardiac arrest	80	3.0	32	2.6	48	3.4
Atrial fibrillation and flutter	72	2.7	25	2.0	47	3.3
Heart failure	196	7.4	87	7.0	109	7.7
Other	123	4.6	70	5.7	53	3.8
<b>Hypertension with Heart Disease</b>	<b>78</b>	<b>2.9</b>	<b>34</b>	<b>2.8</b>	<b>44</b>	<b>3.1</b>
<b>Pulmonary heart disease and diseases of pulmonary circulation</b>	<b>39</b>	<b>1.5</b>	<b>11</b>	<b>0.9</b>	<b>28</b>	<b>2.0</b>
<b>Chronic rheumatic heart diseases</b>	<b>4</b>	<b>0.2</b>	<b>1</b>	<b>0.1</b>	<b>3</b>	<b>0.2</b>
<b>Acute rheumatic fever</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0.1</b>	<b>0</b>	<b>0</b>
<b>Cerebrovascular diseases</b>	<b>296</b>	<b>11.2</b>	<b>124</b>	<b>10.0</b>	<b>172</b>	<b>12.2</b>
Intracerebral haemorrhage	60	2.3	25	2.0	35	2.5
Stroke, not specified as haemorrhage or infarction	124	4.7	45	3.6	79	5.6
Other	112	4.2	54	4.4	58	4.1
<b>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</b>	<b>19</b>	<b>0.7</b>	<b>11</b>	<b>0.9</b>	<b>8</b>	<b>0.6</b>
<b>Hypertension with or without Renal Disease</b>	<b>85</b>	<b>3.2</b>	<b>36</b>	<b>2.9</b>	<b>49</b>	<b>3.5</b>
<b>Diseases of arteries, arterioles and capillaries</b>	<b>81</b>	<b>3.1</b>	<b>43</b>	<b>3.5</b>	<b>38</b>	<b>2.7</b>
Atherosclerosis	45	1.7	23	1.9	22	1.6
Aortic aneurysm and dissection	21	0.8	13	1.1	8	0.6
Other	15	0.6	7	0.6	8	0.6
<b>Other and unspecified disorders of the circulatory system</b>	<b>10</b>	<b>0.4</b>	<b>1</b>	<b>0.1</b>	<b>9</b>	<b>0.6</b>

(*continue*)



**Table 28. Number of Deaths Due to Diseases of the Circulatory System by Sex, Westchester County, 2011-2016 (*continued*).**

Disease Category	Number of Deaths and Percentages					
	2014					
	Total <sup>1</sup>	%	Male	%	Female	%
<b>Total<sup>1</sup></b>	<b>2,403</b>	<b>100.0</b>	<b>1,064</b>	<b>100.0</b>	<b>1,339</b>	<b>100.0</b>
<b>Diseases of the Heart</b>	<b>1,917</b>	<b>79.8</b>	<b>872</b>	<b>82.0</b>	<b>1,045</b>	<b>78.0</b>
<b>Ischaemic heart diseases</b>	<b>1,352</b>	<b>56.3</b>	<b>629</b>	<b>59.1</b>	<b>723</b>	<b>54.0</b>
Acute myocardial infarction (Heart attack)	301	12.5	139	13.1	162	12.1
Chronic ischaemic heart disease (Coronary heart disease)	1,043	43.4	487	45.8	556	41.5
Other	8	0.3	3	0.3	5	0.4
<b>Other forms of heart disease:</b>	<b>455</b>	<b>18.9</b>	<b>205</b>	<b>19.3</b>	<b>250</b>	<b>18.7</b>
Nonrheumatic aortic valve disorders	47	2.0	18	1.7	29	2.2
Cardiomyopathy	35	1.5	23	2.2	12	0.9
Cardiac arrest	60	2.5	27	2.5	33	2.5
Atrial fibrillation and flutter	53	2.2	19	1.8	34	2.5
Heart failure	156	6.5	63	5.9	93	6.9
Other	104	4.3	55	5.2	49	3.7
<b>Hypertension with Heart Disease</b>	<b>71</b>	<b>3.0</b>	<b>24</b>	<b>2.3</b>	<b>47</b>	<b>3.5</b>
<b>Pulmonary heart disease and diseases of pulmonary circulation</b>	<b>32</b>	<b>1.3</b>	<b>11</b>	<b>1.0</b>	<b>21</b>	<b>1.6</b>
<b>Chronic rheumatic heart diseases</b>	<b>7</b>	<b>0.3</b>	<b>3</b>	<b>0.3</b>	<b>4</b>	<b>0.3</b>
<b>Acute rheumatic fever</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Cerebrovascular diseases</b>	<b>283</b>	<b>11.8</b>	<b>106</b>	<b>10.0</b>	<b>177</b>	<b>13.2</b>
Intracerebral haemorrhage	49	2.0	25	2.3	24	1.8
Stroke, not specified as haemorrhage or infarction	128	5.3	45	4.2	83	6.2
Other	106	4.4	36	3.4	70	5.2
<b>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</b>	<b>13</b>	<b>0.5</b>	<b>6</b>	<b>0.6</b>	<b>7</b>	<b>0.5</b>
<b>Hypertension with or without Renal Disease</b>	<b>123</b>	<b>5.1</b>	<b>46</b>	<b>4.3</b>	<b>77</b>	<b>5.8</b>
<b>Diseases of arteries, arterioles and capillaries</b>	<b>65</b>	<b>2.7</b>	<b>32</b>	<b>3.0</b>	<b>33</b>	<b>2.5</b>
Atherosclerosis	25	1.0	10	0.9	15	1.1
Aortic aneurysm and dissection	21	0.9	13	1.2	8	0.6
Other	19	0.8	9	0.8	10	0.7
<b>Other and unspecified disorders of the circulatory system</b>	<b>2</b>	<b>0.1</b>	<b>2</b>	<b>0.2</b>	<b>0</b>	<b>0</b>

(*continue*)

**Table 28. Number of Deaths Due to Diseases of the Circulatory System by Sex, Westchester County, 2011-2016 (*continued*).**

Disease Category	Number of Deaths and Percentages					
	2015					
	Total <sup>1</sup>	%	Male	%	Female	%
<b>Total<sup>1</sup></b>	<b>2,454</b>	<b>100.0</b>	<b>1,169</b>	<b>100.0</b>	<b>1,283</b>	<b>100.0</b>
<b>Diseases of the Heart</b>	<b>1,972</b>	<b>80.4</b>	<b>947</b>	<b>81.0</b>	<b>1,023</b>	<b>79.7</b>
<b>Ischaemic heart diseases</b>	<b>1,319</b>	<b>53.7</b>	<b>649</b>	<b>55.5</b>	<b>670</b>	<b>52.2</b>
Acute myocardial infarction (Heart attack)	259	10.6	133	11.4	126	9.8
Chronic ischaemic heart disease (Coronary heart disease)	1,047	42.7	513	43.9	534	41.6
Other	13	0.5	3	0.3	10	0.8
<b>Other forms of heart disease:</b>	<b>530</b>	<b>21.6</b>	<b>257</b>	<b>22.0</b>	<b>271</b>	<b>21.1</b>
Nonrheumatic aortic valve disorders	37	1.5	17	1.5	20	1.6
Cardiomyopathy	43	1.8	30	2.6	13	1.0
Cardiac arrest	84	3.4	40	3.4	44	3.4
Atrial fibrillation and flutter	79	3.2	27	2.3	52	4.1
Heart failure	172	7.0	85	7.3	85	6.6
Other	115	4.7	58	5.0	57	4.4
<b>Hypertension with Heart Disease</b>	<b>80</b>	<b>3.3</b>	<b>26</b>	<b>2.2</b>	<b>54</b>	<b>4.2</b>
<b>Pulmonary heart disease and diseases of pulmonary circulation</b>	<b>40</b>	<b>1.6</b>	<b>14</b>	<b>1.2</b>	<b>26</b>	<b>2.0</b>
<b>Chronic rheumatic heart diseases</b>	<b>3</b>	<b>0.1</b>	<b>1</b>	<b>0.1</b>	<b>2</b>	<b>0.2</b>
<b>Acute rheumatic fever</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Cerebrovascular diseases</b>	<b>302</b>	<b>12.3</b>	<b>141</b>	<b>12.1</b>	<b>161</b>	<b>12.5</b>
Intracerebral haemorrhage	38	1.5	19	1.6	19	1.5
Stroke, not specified as haemorrhage or infarction	143	5.8	58	5.0	85	6.6
Other	121	4.9	64	5.5	57	4.4
<b>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</b>	<b>14</b>	<b>0.6</b>	<b>6</b>	<b>0.5</b>	<b>8</b>	<b>0.6</b>
<b>Hypertension with or without Renal Disease</b>	<b>112</b>	<b>4.6</b>	<b>49</b>	<b>4.2</b>	<b>63</b>	<b>4.9</b>
<b>Diseases of arteries, arterioles and capillaries</b>	<b>52</b>	<b>2.1</b>	<b>25</b>	<b>2.1</b>	<b>27</b>	<b>2.1</b>
Atherosclerosis	12	0.5	5	0.4	7	0.5
Aortic aneurysm and dissection	21	0.9	13	1.1	8	0.6
Other	19	0.8	7	0.6	12	0.9
<b>Other and unspecified disorders of the circulatory system</b>	<b>2</b>	<b>0.1</b>	<b>1</b>	<b>0.1</b>	<b>1</b>	<b>0.1</b>

(*continue*)

**Table 28. Number of Deaths Due to Diseases of the Circulatory System by Sex, Westchester County, 2011-2016 (*continued*).**

Disease Category	Number of Deaths and Percentages					
	2016					
	Total <sup>1</sup>	%	Male	%	Female	%
<b>Total<sup>1</sup></b>	<b>2,572</b>	<b>100.0</b>	<b>1,176</b>	<b>100.0</b>	<b>1,396</b>	<b>100.0</b>
<b>Diseases of the Heart</b>	<b>2,091</b>	<b>81.3</b>	<b>968</b>	<b>82.3</b>	<b>1,123</b>	<b>80.4</b>
<b>Ischaemic heart diseases</b>	<b>1,341</b>	<b>52.1</b>	<b>640</b>	<b>54.4</b>	<b>701</b>	<b>50.2</b>
Acute myocardial infarction (Heart attack)	243	9.4	125	10.6	118	8.5
Chronic ischaemic heart disease (Coronary heart disease)	1,088	42.3	509	43.3	579	41.5
Other	10	0.4	6	0.5	4	0.3
<b>Other forms of heart disease:</b>	<b>607</b>	<b>23.6</b>	<b>268</b>	<b>22.8</b>	<b>339</b>	<b>24.3</b>
Nonrheumatic aortic valve disorders	38	1.5	12	1.0	26	1.9
Cardiomyopathy	42	1.6	21	1.8	21	1.5
Cardiac arrest	99	3.8	41	3.5	58	4.2
Atrial fibrillation and flutter	74	2.9	25	2.1	49	3.5
Heart failure	217	8.4	95	8.1	122	8.7
Other	137	5.3	74	6.3	63	4.5
<b>Hypertension with Heart Disease</b>	<b>103</b>	<b>4.0</b>	<b>47</b>	<b>4.0</b>	<b>56</b>	<b>4.0</b>
<b>Pulmonary heart disease and diseases of pulmonary circulation</b>	<b>32</b>	<b>1.2</b>	<b>9</b>	<b>0.8</b>	<b>23</b>	<b>1.6</b>
<b>Chronic rheumatic heart diseases</b>	<b>8</b>	<b>0.3</b>	<b>4</b>	<b>0.3</b>	<b>4</b>	<b>0.3</b>
<b>Acute rheumatic fever</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Cerebrovascular diseases</b>	<b>294</b>	<b>11.4</b>	<b>120</b>	<b>10.2</b>	<b>174</b>	<b>12.5</b>
Intracerebral haemorrhage	40	1.6	17	1.4	23	1.6
Stroke, not specified as haemorrhage or infarction	128	5.0	45	3.8	83	5.9
Other	126	4.9	58	4.9	68	4.9
<b>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</b>	<b>15</b>	<b>0.6</b>	<b>9</b>	<b>0.8</b>	<b>6</b>	<b>0.4</b>
<b>Hypertension with or without Renal Disease</b>	<b>115</b>	<b>4.5</b>	<b>44</b>	<b>3.7</b>	<b>71</b>	<b>5.1</b>
<b>Diseases of arteries, arterioles and capillaries</b>	<b>55</b>	<b>2.1</b>	<b>34</b>	<b>2.9</b>	<b>21</b>	<b>1.5</b>
Atherosclerosis	14	0.5	9	0.8	5	0.4
Aortic aneurysm and dissection	20	0.8	12	1.0	8	0.6
Other	21	0.8	13	1.1	8	0.6
<b>Other and unspecified disorders of the circulatory system</b>	<b>2</b>	<b>0.1</b>	<b>1</b>	<b>0.1</b>	<b>1</b>	<b>0.1</b>

<sup>1</sup>Totals may also include unknown circulatory disorder or sex.

Source: New York State Department of Health.

**Table 29. Number of Deaths Due to Diseases of the Circulatory System by Race/Ethnicity, Westchester County, 2011-2016<sup>1</sup>.**

Disease Category	Number of Deaths and Percentages									
	2011									
	Total <sup>2</sup>	%	White	%	Black	%	Other	%	Hispanic <sup>3</sup>	%
<b>Total<sup>2</sup></b>	<b>2,554</b>	<b>100.0</b>	<b>2,135</b>	<b>100.0</b>	<b>324</b>	<b>100.0</b>	<b>91</b>	<b>100.0</b>	<b>149</b>	<b>100.0</b>
<b>Diseases of the Heart</b>	<b>2,049</b>	<b>80.2</b>	<b>1,724</b>	<b>80.7</b>	<b>250</b>	<b>77.2</b>	<b>73</b>	<b>80.2</b>	<b>114</b>	<b>76.5</b>
<b>  Ischaemic heart diseases</b>	<b>1,473</b>	<b>57.7</b>	<b>1,243</b>	<b>58.2</b>	<b>184</b>	<b>56.8</b>	<b>45</b>	<b>49.5</b>	<b>71</b>	<b>47.7</b>
Acute myocardial infarction (Heart attack)	338	13.2	285	13.3	37	11.4	16	17.6	17	11.4
Chronic ischaemic heart disease (Coronary heart disease)	1,128	44.2	952	44.6	146	45.1	29	31.9	54	36.2
Other	7	0.3	6	0.3	1	0.3	0	0	0	0
<b>  Other forms of heart disease</b>	<b>456</b>	<b>17.9</b>	<b>387</b>	<b>18.1</b>	<b>49</b>	<b>15.1</b>	<b>19</b>	<b>20.9</b>	<b>29</b>	<b>19.5</b>
Nonrheumatic aortic valve disorders	46	1.8	44	2.1	0	0.0	2	2.2	3	2.0
Cardiomyopathy	46	1.8	34	1.6	10	3.1	1	1.1	4	2.7
Cardiac arrest	65	2.5	56	2.6	6	1.9	3	3.3	2	1.3
Atrial fibrillation and flutter	54	2.1	49	2.3	4	1.2	1	1.1	2	1.3
Heart failure	140	5.5	126	5.9	11	3.4	3	3.3	5	3.4
Other	105	4.1	78	3.7	18	5.6	9	9.9	13	8.7
<b>  Hypertension with Heart Disease</b>	<b>78</b>	<b>3.1</b>	<b>58</b>	<b>2.7</b>	<b>13</b>	<b>4.0</b>	<b>7</b>	<b>7.7</b>	<b>10</b>	<b>6.7</b>
<b>  Pulmonary heart disease and diseases of pulmonary circulation</b>	<b>30</b>	<b>1.2</b>	<b>25</b>	<b>1.2</b>	<b>3</b>	<b>0.9</b>	<b>2</b>	<b>2.2</b>	<b>1</b>	<b>0.7</b>
<b>  Chronic rheumatic heart diseases</b>	<b>12</b>	<b>0.5</b>	<b>11</b>	<b>0.5</b>	<b>1</b>	<b>0.3</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>2.0</b>
<b>  Acute rheumatic fever</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Cerebrovascular diseases</b>	<b>322</b>	<b>12.6</b>	<b>268</b>	<b>12.6</b>	<b>42</b>	<b>13.0</b>	<b>11</b>	<b>12.1</b>	<b>28</b>	<b>18.8</b>
Intracerebral haemorrhage	53	2.1	44	2.1	6	1.9	3	3.3	4	2.7
Stroke, not specified as haemorrhage or infarction	154	6.0	127	5.9	22	6.8	5	5.5	15	10.1
Other	115	4.5	97	4.5	14	4.3	3	3.3	9	6.0
<b>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</b>	<b>15</b>	<b>0.6</b>	<b>11</b>	<b>0.5</b>	<b>3</b>	<b>0.9</b>	<b>1.0</b>	<b>1.1</b>	<b>1</b>	<b>0.7</b>
<b>Hypertension with or without Renal Disease</b>	<b>87</b>	<b>3.4</b>	<b>64</b>	<b>3.0</b>	<b>18</b>	<b>5.6</b>	<b>4</b>	<b>4.4</b>	<b>3</b>	<b>2.0</b>
<b>Diseases of arteries, arterioles and capillaries</b>	<b>78</b>	<b>3.1</b>	<b>65</b>	<b>3.0</b>	<b>11</b>	<b>3.4</b>	<b>2</b>	<b>2.2</b>	<b>3</b>	<b>2.0</b>
Atherosclerosis	40	1.6	35	1.6	4	1.2	1	1	2	1.3
Aortic aneurysm and dissection	22	0.9	18	0.8	4	1.2	0	0	0	0
Other	16	0.6	12	0.6	3	0.9	1	1.1	1	0.7
<b>Other and unspecified disorders of the circulatory system</b>	<b>3</b>	<b>0.1</b>	<b>3</b>	<b>0.1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

(continue)

**Table 29. Number of Deaths Due to Diseases of the Circulatory System by Race/Ethnicity, Westchester County, 2011-2016<sup>1</sup> (continued).**

Disease Category	Number of Deaths and Percentages									
	2012									
	Total <sup>2</sup>	%	White	%	Black	%	Other	%	Hispanic <sup>3</sup>	%
<b>Total<sup>2</sup></b>	<b>2,620</b>	<b>100.0</b>	<b>2,206</b>	<b>100.0</b>	<b>349</b>	<b>100.0</b>	<b>65</b>	<b>100.0</b>	<b>130</b>	<b>100.0</b>
<b>Diseases of the Heart</b>	<b>2,112</b>	<b>80.6</b>	<b>1,787</b>	<b>80.2</b>	<b>275</b>	<b>78.8</b>	<b>50</b>	<b>76.9</b>	<b>100</b>	<b>76.9</b>
<b>  Ischaemic heart diseases</b>	<b>1,500</b>	<b>57.3</b>	<b>1,266</b>	<b>57.7</b>	<b>198</b>	<b>56.7</b>	<b>36</b>	<b>55.4</b>	<b>73</b>	<b>56.2</b>
Acute myocardial infarction (Heart attack)	299	11.4	252	13.2	43	12.3	4	6.2	15	11.5
Chronic ischaemic heart disease (Coronary heart disease)	1,189	45.4	1,002	44.2	155	44.4	32	49.2	57	43.8
Other	12	0.5	12	0.3	0	0	0	0	1	0.8
<b>  Other forms of heart disease</b>	<b>506</b>	<b>19.3</b>	<b>435</b>	<b>17.9</b>	<b>58</b>	<b>16.6</b>	<b>13</b>	<b>20.0</b>	<b>19</b>	<b>14.6</b>
Nonrheumatic aortic valve disorders	49	1.9	42	1.8	7	2.0	0	0	2	1.5
Cardiomyopathy	55	2.1	42	1.8	12	3.4	1	1.5	3	2.3
Cardiac arrest	46	1.8	40	2.5	3	0.9	3	4.6	1	0.8
Atrial fibrillation and flutter	75	2.9	71	2.1	3	0.9	1	1.5	3	2.3
Heart failure	168	6.4	150	5.5	12	3.4	6	9.2	5	3.8
Other	113	4.3	90	4.1	21	6.0	2	3.1	5	3.8
<b>  Hypertension with Heart Disease</b>	<b>66</b>	<b>2.5</b>	<b>53</b>	<b>3.1</b>	<b>12</b>	<b>3.4</b>	<b>1</b>	<b>1.5</b>	<b>6</b>	<b>4.6</b>
<b>  Pulmonary heart disease and diseases of pulmonary circulation</b>	<b>33</b>	<b>1.3</b>	<b>26</b>	<b>1.2</b>	<b>7</b>	<b>2.0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>1.5</b>
<b>  Chronic rheumatic heart diseases</b>	<b>7</b>	<b>0.3</b>	<b>7</b>	<b>0.5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>  Acute rheumatic fever</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Cerebrovascular diseases</b>	<b>309</b>	<b>11.8</b>	<b>255</b>	<b>12.6</b>	<b>44</b>	<b>12.6</b>	<b>10</b>	<b>15.4</b>	<b>16</b>	<b>12.3</b>
Intracerebral haemorrhage	48	1.8	35	2.1	10	2.9	3	4.6	4	3.1
Stroke, not specified as haemorrhage or infarction	147	5.6	123	6.0	20	5.7	4	6.2	3	2.3
Other	114	4.4	97	4.5	14	4.0	3	4.6	9	6.9
<b>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</b>	<b>14</b>	<b>0.5</b>	<b>8</b>	<b>0.4</b>	<b>4</b>	<b>1.1</b>	<b>2</b>	<b>3.1</b>	<b>3</b>	<b>2.3</b>
<b>Hypertension with or without Renal Disease</b>	<b>93</b>	<b>3.5</b>	<b>71</b>	<b>3.2</b>	<b>20</b>	<b>5.7</b>	<b>2</b>	<b>3.1</b>	<b>5</b>	<b>3.8</b>
<b>Diseases of arteries, arterioles and capillaries</b>	<b>89</b>	<b>3.4</b>	<b>82</b>	<b>3.7</b>	<b>6</b>	<b>1.7</b>	<b>1</b>	<b>1.5</b>	<b>5</b>	<b>3.8</b>
Atherosclerosis	36	1.4	35	1.6	1	0.3	0	0	2	1.5
Aortic aneurysm and dissection	28	1.1	25	1.1	2	0.6	1	1.5	1	0.8
Other	25	1.0	22	1.0	3	0.9	0	0	2	1.5
<b>Other and unspecified disorders of the circulatory system</b>	<b>3</b>	<b>0.1</b>	<b>3</b>	<b>0.1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.8</b>

(continue)

Table 29. Number of Deaths Due to Diseases of the Circulatory System by Race/Ethnicity, Westchester County, 2011-2016<sup>1</sup> (continued).

Disease Category	Number of Deaths and Percentages									
	2013									
	Total <sup>2</sup>	%	White	%	Black	%	Other	%	Hispanic <sup>3</sup>	%
<b>Total<sup>2</sup></b>	<b>2,646</b>	<b>100.0</b>	<b>2,175</b>	<b>100.0</b>	<b>381</b>	<b>100.0</b>	<b>77</b>	<b>100.0</b>	<b>149</b>	<b>100.0</b>
<b>Diseases of the Heart</b>	<b>2,155</b>	<b>81.4</b>	<b>1,778</b>	<b>81.7</b>	<b>309</b>	<b>81.1</b>	<b>57</b>	<b>74.0</b>	<b>114</b>	<b>76.5</b>
<b>Ischaemic heart diseases</b>	<b>1,480</b>	<b>55.9</b>	<b>1,223</b>	<b>56.2</b>	<b>208</b>	<b>54.6</b>	<b>41</b>	<b>53.2</b>	<b>84</b>	<b>56.4</b>
Acute myocardial infarction (Heart attack)	321	12.1	267	12.3	42	11.0	10	13.0	26	17.4
Chronic ischaemic heart disease (Coronary heart disease)	1,147	43.3	946	43.5	164	43.0	31	40.3	58	38.9
Other	12	0.5	10	0.5	2	0.5	0	0	0	0
<b>Other forms of heart disease</b>	<b>553</b>	<b>20.9</b>	<b>468</b>	<b>21.5</b>	<b>73</b>	<b>19.2</b>	<b>11</b>	<b>14.3</b>	<b>26</b>	<b>17.4</b>
Nonrheumatic aortic valve disorders	39	1.5	37	1.7	2	0.5	0	0	2	1.3
Cardiomyopathy	43	1.6	31	1.4	11	2.9	1	1.3	5	3.4
Cardiac arrest	80	3.0	70	3.2	8	2.1	2	2.6	1	0.7
Atrial fibrillation and flutter	72	2.7	67	3.1	5	1.3	0	0	3	2.0
Heart failure	196	7.4	171	7.9	20	5.2	5	6.5	7	4.7
Other	123	4.6	92	4.2	27	7.1	3	3.9	8	5.4
<b>Hypertension with Heart Disease</b>	<b>78</b>	<b>2.9</b>	<b>54</b>	<b>2.5</b>	<b>21</b>	<b>5.5</b>	<b>1</b>	<b>1.3</b>	<b>2</b>	<b>1.3</b>
<b>Pulmonary heart disease and diseases of pulmonary circulation</b>	<b>39</b>	<b>1.5</b>	<b>28</b>	<b>1.3</b>	<b>7</b>	<b>1.8</b>	<b>4</b>	<b>5.2</b>	<b>2</b>	<b>1.3</b>
<b>Chronic rheumatic heart diseases</b>	<b>4</b>	<b>0.2</b>	<b>4</b>	<b>0.2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Acute rheumatic fever</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Cerebrovascular diseases</b>	<b>296</b>	<b>11.2</b>	<b>244</b>	<b>11.2</b>	<b>37</b>	<b>9.7</b>	<b>14</b>	<b>18.2</b>	<b>27</b>	<b>18.1</b>
Intracerebral haemorrhage	60	2.3	52	2.4	6	1.6	1	1.3	7	4.7
Stroke, not specified as haemorrhage or infarction	124	4.7	101	4.6	18	4.7	5	6.5	8	5.4
Other	112	4.2	91	4.2	13	3.4	8	10.4	12	8.1
<b>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</b>	<b>19</b>	<b>0.7</b>	<b>11</b>	<b>0.5</b>	<b>8</b>	<b>2.1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Hypertension with or without Renal Disease</b>	<b>85</b>	<b>3.2</b>	<b>60</b>	<b>2.8</b>	<b>19</b>	<b>5.0</b>	<b>5</b>	<b>6.5</b>	<b>4</b>	<b>2.7</b>
<b>Diseases of arteries, arterioles and capillaries</b>	<b>81</b>	<b>3.1</b>	<b>72</b>	<b>3.3</b>	<b>8</b>	<b>2.1</b>	<b>1</b>	<b>1.3</b>	<b>3</b>	<b>2.0</b>
Atherosclerosis	45	1.7	43	2.0	1	0.3	1	1.3	0	0
Aortic aneurysm and dissection	21	0.8	16	0.7	5	1.3	0	0	2	1.3
Other	15	0.6	13	0.6	2	0.5	0	0	1	0.7
<b>Other and unspecified disorders of the circulatory system</b>	<b>10</b>	<b>0.4</b>	<b>10</b>	<b>0.5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.7</b>

(continue)

Table 29. Number of Deaths Due to Diseases of the Circulatory System by Race/Ethnicity, Westchester County, 2011-2016<sup>1</sup> (continued).

Disease Category	Number of Deaths and Percentages									
	2014									
	Total <sup>2</sup>	%	White	%	Black	%	Other	%	Hispanic <sup>3</sup>	%
<b>Total<sup>2</sup></b>	<b>2,403</b>	<b>100.0</b>	<b>1,983</b>	<b>100.0</b>	<b>360</b>	<b>100.0</b>	<b>51</b>	<b>100.0</b>	<b>131</b>	<b>100.0</b>
<b>Diseases of the Heart</b>	<b>1,917</b>	<b>79.8</b>	<b>1,586</b>	<b>80.0</b>	<b>288</b>	<b>80.0</b>	<b>36</b>	<b>70.6</b>	<b>89</b>	<b>67.9</b>
<b>Ischaemic heart diseases</b>	<b>1,352</b>	<b>56.3</b>	<b>1,132</b>	<b>57.1</b>	<b>189</b>	<b>52.5</b>	<b>27</b>	<b>52.9</b>	<b>76</b>	<b>58.0</b>
Acute myocardial infarction (Heart attack)	301	12.5	260	13.1	35	9.7	4	7.8	17	13.0
Chronic ischaemic heart disease (Coronary heart disease)	1,043	43.4	866	43.7	152	42.2	23	45.1	59	45.0
Other	8	0.3	6	0.3	2	0.6	0	0	0	0
<b>Other forms of heart disease</b>	<b>455</b>	<b>18.9</b>	<b>382</b>	<b>19.3</b>	<b>65</b>	<b>18.1</b>	<b>6</b>	<b>11.8</b>	<b>12</b>	<b>9.2</b>
Nonrheumatic aortic valve disorders	47	2.0	41	2.1	6	1.7	0	0	0	0
Cardiomyopathy	35	1.5	29	1.5	5	1.4	1	2.0	3	2.3
Cardiac arrest	60	2.5	53	2.7	5	1.4	2	3.9	2	1.5
Atrial fibrillation and flutter	53	2.2	44	2.2	8	2.2	1	2.0	1	0.8
Heart failure	156	6.5	135	6.8	19	5.3	1	2.0	4	3.1
Other	104	4.3	80	4.0	22	6.1	1	2.0	2	1.5
<b>Hypertension with Heart Disease</b>	<b>71</b>	<b>3.0</b>	<b>45</b>	<b>2.3</b>	<b>22</b>	<b>6.1</b>	<b>3</b>	<b>5.9</b>	<b>1</b>	<b>0.8</b>
<b>Pulmonary heart disease and diseases of pulmonary circulation</b>	<b>32</b>	<b>1.3</b>	<b>23</b>	<b>1.2</b>	<b>9</b>	<b>2.5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Chronic rheumatic heart diseases</b>	<b>7</b>	<b>0.3</b>	<b>4</b>	<b>0.2</b>	<b>3</b>	<b>0.8</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Acute rheumatic fever</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Cerebrovascular diseases</b>	<b>283</b>	<b>11.8</b>	<b>223</b>	<b>11.2</b>	<b>49</b>	<b>13.6</b>	<b>11</b>	<b>21.6</b>	<b>22</b>	<b>16.8</b>
Intracerebral haemorrhage	49	2.0	40	2.0	7	1.9	2	3.9	7	5.3
Stroke, not specified as haemorrhage or infarction	128	5.3	104	5.2	20	5.6	4	7.8	8	6.1
Other	106	4.4	79	4.0	22	6.1	5	9.8	7	5.3
<b>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</b>	<b>13</b>	<b>0.5</b>	<b>9</b>	<b>0.5</b>	<b>3</b>	<b>0.8</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Hypertension with or without Renal Disease</b>	<b>123</b>	<b>5.1</b>	<b>103</b>	<b>5.2</b>	<b>15</b>	<b>4.2</b>	<b>4</b>	<b>7.8</b>	<b>14</b>	<b>10.7</b>
<b>Diseases of arteries, arterioles and capillaries</b>	<b>65</b>	<b>2.7</b>	<b>61</b>	<b>3.1</b>	<b>4</b>	<b>1.1</b>	<b>0</b>	<b>0</b>	<b>6</b>	<b>4.6</b>
Atherosclerosis	25	1.0	24	1.2	1	0.3	0	0	1	0.8
Aortic aneurysm and dissection	21	0.9	19	1.0	2	0.6	0	0	1	0.8
Other	19	0.8	18	0.9	1	0.3	0	0	4	3.1
<b>Other and unspecified disorders of the circulatory system</b>	<b>2</b>	<b>0.1</b>	<b>1</b>	<b>0.1</b>	<b>1</b>	<b>0.3</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

(continue)

**Table 29. Number of Deaths Due to Diseases of the Circulatory System by Race/Ethnicity, Westchester County, 2011-2016<sup>1</sup> (continued).**

Disease Category	Number of Deaths and Percentages									
	2016									
	Total <sup>2</sup>	%	White	%	Black	%	Other	%	Hispanic <sup>3</sup>	%
<b>Total<sup>2</sup></b>	<b>2,572</b>	<b>100</b>	<b>2,146</b>	<b>100.0</b>	<b>318</b>	<b>100.0</b>	<b>81</b>	<b>100.0</b>	<b>147</b>	<b>100.0</b>
<b>Diseases of the Heart</b>	<b>2,091</b>	<b>81.3</b>	<b>1,762</b>	<b>82.1</b>	<b>258</b>	<b>81.1</b>	<b>57</b>	<b>70.4</b>	<b>120</b>	<b>81.6</b>
<b>Ischaemic heart diseases</b>	<b>1,341</b>	<b>52.1</b>	<b>1,138</b>	<b>53.0</b>	<b>154</b>	<b>48.4</b>	<b>39</b>	<b>48.1</b>	<b>80</b>	<b>54.4</b>
Acute myocardial infarction (Heart attack)	243	9.4	212	9.9	22	6.9	5	6.2	14	9.5
Chronic ischaemic heart disease (Coronary heart disease)	1,088	42.3	918	42.8	131	41.2	33	40.7	66	44.9
Other	10	0.4	8	0.4	1	0.3	1	1.2	0	0
<b>Other forms of heart disease</b>	<b>607</b>	<b>23.6</b>	<b>517</b>	<b>24.1</b>	<b>74</b>	<b>23.3</b>	<b>12</b>	<b>14.8</b>	<b>30</b>	<b>20.4</b>
Nonrheumatic aortic valve disorders	38	1.5	37	1.7	1	0.3	0	0	1	0.7
Cardiomyopathy	42	1.6	27	1.3	13	4.1	1	1.2	3	2.0
Cardiac arrest	99	3.8	82	3.8	15	4.7	2	2.5	7	4.8
Atrial fibrillation and flutter	74	2.9	67	3.1	3	0.9	1	1.2	4	2.7
Heart failure	217	8.4	195	9.1	17	5.3	5	6.2	7	4.8
Other	137	5.3	109	5.1	25	7.9	3	3.7	8	5.4
<b>Hypertension with Heart Disease</b>	<b>103</b>	<b>4.0</b>	<b>75</b>	<b>3.5</b>	<b>24</b>	<b>7.5</b>	<b>4</b>	<b>4.9</b>	<b>8</b>	<b>5.4</b>
<b>Pulmonary heart disease and diseases of pulmonary circulation</b>	<b>32</b>	<b>1.2</b>	<b>25</b>	<b>1.2</b>	<b>6</b>	<b>1.9</b>	<b>1</b>	<b>1.2</b>	<b>1</b>	<b>0.7</b>
<b>Chronic rheumatic heart diseases</b>	<b>8</b>	<b>0.3</b>	<b>7</b>	<b>0.3</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1.2</b>	<b>1</b>	<b>0.7</b>
<b>Acute rheumatic fever</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Cerebrovascular diseases</b>	<b>294</b>	<b>11.4</b>	<b>251</b>	<b>11.7</b>	<b>28</b>	<b>8.8</b>	<b>14</b>	<b>17.3</b>	<b>22</b>	<b>15.0</b>
Intracerebral haemorrhage	40	1.6	32	1.5	4	1.3	4	4.9	8	5.4
Stroke, not specified as haemorrhage or infarction	128	5.0	111	5.2	10	3.1	6	7.4	8	5.4
Other	126	4.9	108	5.0	14	4.4	4	4.9	6	4.1
<b>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</b>	<b>15</b>	<b>0.6</b>	<b>10</b>	<b>0.5</b>	<b>4</b>	<b>1.3</b>	<b>1</b>	<b>1.2</b>	<b>0</b>	<b>0</b>
<b>Hypertension with or without Renal Disease</b>	<b>115</b>	<b>4.5</b>	<b>75</b>	<b>3.5</b>	<b>24</b>	<b>7.5</b>	<b>4</b>	<b>4.9</b>	<b>1</b>	<b>0.7</b>
<b>Diseases of arteries, arterioles and capillaries</b>	<b>55</b>	<b>2.1</b>	<b>46</b>	<b>2.1</b>	<b>4</b>	<b>1.3</b>	<b>5</b>	<b>6.2</b>	<b>4</b>	<b>2.7</b>
Atherosclerosis	14	0.5	11	0.5	1	0.3	2	2.5	0	0
Aortic aneurysm and dissection	20	0.8	15	0.7	2	0.6	3	3.7	3	2.0
Other	21	0.8	20	0.9	1	0.3	0	0	1	0.7
<b>Other and unspecified disorders of the circulatory system</b>	<b>2</b>	<b>0.1</b>	<b>2</b>	<b>0.1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

<sup>1</sup>Data not yet available for 2015 year.

<sup>2</sup>Totals may include unknown circulatory disorder or race/ethnicity.

<sup>3</sup>Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.



**Table 30. Number and Percentage of Deaths Due to Neoplasms by Age, Westchester County, 2011-2016.**

Disease Category	Number of Deaths and Percentages									
	2011									
	Total <sup>1</sup>		Age Group (Years)							
		0-49	%	50-64	%	65-79	%	80+	%	
<b>Total<sup>1</sup></b>	<b>1,760</b>	<b>100.0</b>	<b>101</b>	<b>100.0</b>	<b>334</b>	<b>100.0</b>	<b>631</b>	<b>100.0</b>	<b>694</b>	<b>100.0</b>
<b>Malignant Neoplasms</b>	<b>1,715</b>	<b>97.4</b>	<b>96</b>	<b>95.0</b>	<b>328</b>	<b>98.2</b>	<b>618</b>	<b>97.9</b>	<b>673</b>	<b>97.0</b>
<b>Malignant neoplasms, stated or presumed to be primary, of specified sites except of lymphoid, haematopoietic and related tissue</b>	<b>1,430</b>	<b>81.3</b>	<b>81</b>	<b>80.2</b>	<b>286</b>	<b>85.6</b>	<b>527</b>	<b>83.5</b>	<b>536</b>	<b>77.2</b>
<b>Digestive Organs</b>	<b>436</b>	<b>24.8</b>	<b>28</b>	<b>27.7</b>	<b>91</b>	<b>27.2</b>	<b>150</b>	<b>23.8</b>	<b>167</b>	<b>24.1</b>
Esophagus	33	1.9	1	1.0	9	2.7	13	2.1	10	1.4
Stomach	33	1.9	3	3.0	5	1.5	10	1.6	15	2.2
Colorectal	150	8.5	19	18.8	31	9.3	39	6.2	61	8.8
<i>Colon</i>	<i>126</i>	<i>7.2</i>	<i>16</i>	<i>15.8</i>	<i>25</i>	<i>7.5</i>	<i>34</i>	<i>5.4</i>	<i>51</i>	<i>7.3</i>
<i>Colorectal excluding colon</i>	<i>24</i>	<i>1.4</i>	<i>3</i>	<i>3.0</i>	<i>6</i>	<i>1.8</i>	<i>5</i>	<i>0.8</i>	<i>10</i>	<i>1.4</i>
Liver and intrahepatic bile duct	92	5.2	2	2.0	24	7.2	37	5.9	29	4.2
Pancreas	123	7.0	3	3.0	19	5.7	50	7.9	51	7.3
Other	5	0.3	0	0	3	0.9	1	0.2	1	0.1
<b>Respiratory and intrathoracic organs</b>	<b>430</b>	<b>24.4</b>	<b>9</b>	<b>8.9</b>	<b>84</b>	<b>25.1</b>	<b>178</b>	<b>28.2</b>	<b>159</b>	<b>22.9</b>
Larynx	6	0.3	0	0	3	0.9	3	0.5	0	0
Bronchus and lung	421	23.9	9	8.9	80	24.0	174	27.6	158	22.8
Other	3	0.2	0	0	1	0.3	1	0.2	1	0.1
<b>Breast</b>	<b>145</b>	<b>8.2</b>	<b>12</b>	<b>11.9</b>	<b>32</b>	<b>9.6</b>	<b>45</b>	<b>7.1</b>	<b>56</b>	<b>8.1</b>
<b>Male genital organs</b>	<b>86</b>	<b>4.9</b>	<b>1</b>	<b>1.0</b>	<b>5</b>	<b>1.5</b>	<b>28</b>	<b>4.4</b>	<b>52</b>	<b>7.5</b>
Prostate	85	4.8	0	0	5	1.5	28	4.4	52	7.5
Other	1	0.1	1	1.0	0	0	0	0	0	0
<b>Female genital organs</b>	<b>108</b>	<b>6.1</b>	<b>6</b>	<b>5.9</b>	<b>31</b>	<b>9.3</b>	<b>40</b>	<b>6.3</b>	<b>31</b>	<b>4.5</b>
Ovary	58	3.3	1	1.0	17	5.1	23	3.6	17	2.4
Other	50	2.8	5	5.0	14	4.2	17	2.7	14	2.0
<b>Urinary tract</b>	<b>70</b>	<b>4.0</b>	<b>2</b>	<b>2.0</b>	<b>3</b>	<b>0.9</b>	<b>32</b>	<b>5.1</b>	<b>33</b>	<b>4.8</b>
Kidney and renal pelvis	26	1.5	2	2.0	1	0.3	13	2.1	10	1.4
Bladder	41	2.3	0	0	2	0.6	17	2.7	22	3.2
Other	3	0.2	0	0	0	0	2	0.3	1	0.1
<b>Eye, brain and other parts of central nervous system</b>	<b>46</b>	<b>2.6</b>	<b>11</b>	<b>10.9</b>	<b>16</b>	<b>4.8</b>	<b>16</b>	<b>2.5</b>	<b>3</b>	<b>0.4</b>
Brain	45	2.6	10	9.9	16	4.8	16	2.5	3	0.4
Other	1	0.1	1	1.0	0	0.0	0	0	0	0
<b>Skin</b>	<b>46</b>	<b>2.6</b>	<b>3</b>	<b>3.0</b>	<b>11</b>	<b>3.3</b>	<b>18</b>	<b>2.9</b>	<b>14</b>	<b>2.0</b>
<b>Mesothelial and soft tissue</b>	<b>30</b>	<b>1.7</b>	<b>5</b>	<b>5.0</b>	<b>8</b>	<b>2.4</b>	<b>10</b>	<b>1.6</b>	<b>7</b>	<b>1.0</b>
<b>Lip, oral cavity and pharynx</b>	<b>17</b>	<b>1.0</b>	<b>1</b>	<b>1.0</b>	<b>3</b>	<b>0.9</b>	<b>6</b>	<b>1.0</b>	<b>7</b>	<b>1.0</b>
<b>Thyroid and other endocrine glands</b>	<b>11</b>	<b>0.6</b>	<b>2</b>	<b>2.0</b>	<b>1</b>	<b>0.3</b>	<b>4</b>	<b>0.6</b>	<b>4</b>	<b>0.6</b>
<b>Bone and articular cartilage</b>	<b>5</b>	<b>0.3</b>	<b>1</b>	<b>1.0</b>	<b>1</b>	<b>0.3</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>0.4</b>
<b>Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue</b>	<b>193</b>	<b>11.0</b>	<b>12</b>	<b>11.9</b>	<b>29</b>	<b>8.7</b>	<b>59</b>	<b>9.4</b>	<b>93</b>	<b>13.4</b>
Hodgkin's disease	2	0.1	1	1.0	1	0.3	0	0	0	0
Non-Hodgkin's lymphomas	70	4.0	2	2.0	11	3.3	22	3.5	35	5.0
Multiple myeloma and malignant plasma cell neoplasms	40	2.3	0	0	9	2.7	9	1.4	22	3.2
Leukaemia	81	4.6	9	8.9	8	2.4	28	4.4	36	5.2
Other	0	0	0	0	0	0	0	0	0	0
<b>Malignant neoplasms of ill-defined, secondary and unspecified sites</b>	<b>80</b>	<b>4.5</b>	<b>3</b>	<b>3.0</b>	<b>11</b>	<b>3.3</b>	<b>30</b>	<b>4.8</b>	<b>36</b>	<b>5.2</b>
<b>Malignant neoplasms of independent (primary) multiple sites</b>	<b>12</b>	<b>0.7</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0.6</b>	<b>2</b>	<b>0.3</b>	<b>8</b>	<b>1.2</b>
<b>Neoplasms of uncertain or unknown behavior</b>	<b>40</b>	<b>2.3</b>	<b>4</b>	<b>4.0</b>	<b>5</b>	<b>1.5</b>	<b>11</b>	<b>1.7</b>	<b>20</b>	<b>2.9</b>
<b>Benign neoplasms</b>	<b>5</b>	<b>0.3</b>	<b>1</b>	<b>1.0</b>	<b>1</b>	<b>0.3</b>	<b>2</b>	<b>0.3</b>	<b>1</b>	<b>0.1</b>
<b>In situ neoplasms</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

(continue)

**Table 30. Number and Percentage of Deaths Due to Neoplasms by Age, Westchester County, 2011-2016 (continue).**

Disease Category	Number of Deaths and Percentages									
	2012									
	Total <sup>1</sup>		Age Group (Years)							
		0-49	%	50-64	%	65-79	%	80+	%	
<b>Total<sup>1</sup></b>	<b>1,640</b>	<b>100.0</b>	<b>83</b>	<b>100.0</b>	<b>322</b>	<b>100.0</b>	<b>600</b>	<b>100.0</b>	<b>635</b>	<b>100.0</b>
<b>Malignant Neoplasms</b>	<b>1,601</b>	<b>97.6</b>	<b>79</b>	<b>95.2</b>	<b>318</b>	<b>98.8</b>	<b>591</b>	<b>98.5</b>	<b>613</b>	<b>96.5</b>
<b>Malignant neoplasms, stated or presumed to be primary, of specified sites except of lymphoid, haematopoietic and related tissue</b>	<b>1,371</b>	<b>83.6</b>	<b>65</b>	<b>78.3</b>	<b>270</b>	<b>83.9</b>	<b>510</b>	<b>85.0</b>	<b>526</b>	<b>82.8</b>
<b>Digestive Organs</b>	<b>453</b>	<b>27.6</b>	<b>23</b>	<b>27.7</b>	<b>90</b>	<b>28.0</b>	<b>170</b>	<b>28.3</b>	<b>170</b>	<b>26.8</b>
Esophagus	40	2.4	3	3.6	9	2.8	17	2.8	11	1.7
Stomach	43	2.6	5	6.0	9	2.8	17	2.8	12	1.9
Colorectal	170	10.4	9	10.8	31	9.6	58	9.7	72	11.3
<i>Colon</i>	136	8.3	7	8.4	22	6.8	50	8.3	57	9.0
<i>Colorectal excluding colon</i>	34	2.1	2	2.4	9	2.8	8	1.3	15	2.4
Liver and intrahepatic bile duct	76	4.6	6	7.2	19	5.9	27	4.5	24	3.8
Pancreas	121	7.4	0	0	22	6.8	49	8.2	50	7.9
Other	3	0.2	0	0	0	0	2	0.3	1	0.2
<b>Respiratory and intrathoracic organs</b>	<b>379</b>	<b>23.1</b>	<b>8</b>	<b>9.6</b>	<b>76</b>	<b>23.6</b>	<b>156</b>	<b>26.0</b>	<b>139</b>	<b>21.9</b>
Larynx	4	0.2	1	1.2	0	0	1	0.2	2	0.3
Bronchus and lung	371	22.6	6	7.2	73	22.7	155	25.8	137	21.6
Other	4	0.2	1	1.2	3	0.9	0	0	0	0
<b>Breast</b>	<b>144</b>	<b>8.8</b>	<b>16</b>	<b>19.3</b>	<b>30</b>	<b>9.3</b>	<b>51</b>	<b>8.5</b>	<b>47</b>	<b>7.4</b>
<b>Male genital organs</b>	<b>78</b>	<b>4.8</b>	<b>0</b>	<b>0</b>	<b>4</b>	<b>1.2</b>	<b>24</b>	<b>4.0</b>	<b>50</b>	<b>7.9</b>
Prostate	77	4.7	0	0	4	1.2	24	4.0	49	7.7
Other	1	0.1	0	0	0	0	0	0	1	0.2
<b>Female genital organs</b>	<b>106</b>	<b>6.5</b>	<b>6</b>	<b>7.2</b>	<b>22</b>	<b>6.8</b>	<b>43</b>	<b>7.2</b>	<b>35</b>	<b>5.5</b>
Ovary	54	3.3	2	2.4	17	5.3	20	3.3	15	2.4
Other	52	3.2	4	4.8	5	1.6	23	3.8	20	3.1
<b>Urinary tract</b>	<b>76</b>	<b>4.6</b>	<b>0</b>	<b>0</b>	<b>14</b>	<b>4.3</b>	<b>21</b>	<b>3.5</b>	<b>41</b>	<b>6.5</b>
Kidney and renal pelvis	29	1.8	0	0	7	2.2	12	2.0	10	1.6
Bladder	44	2.7	0	0	7	2.2	9	1.5	28	4.4
Other	3	0.2	0	0	0	0	0	0	3	0.5
<b>Eye, brain and other parts of central nervous system</b>	<b>41</b>	<b>2.5</b>	<b>5</b>	<b>6.0</b>	<b>16</b>	<b>5.0</b>	<b>12</b>	<b>2.0</b>	<b>8</b>	<b>1.3</b>
Brain	41	2.5	5	6.0	16	5.0	12	2.0	8	1.3
Other	0	0.0	0	0.0	0	0	0	0	0	0
<b>Skin</b>	<b>44</b>	<b>2.7</b>	<b>1</b>	<b>1.2</b>	<b>8</b>	<b>2.5</b>	<b>19</b>	<b>3.2</b>	<b>16</b>	<b>2.5</b>
<b>Mesothelial and soft tissue</b>	<b>21</b>	<b>1.3</b>	<b>3</b>	<b>3.6</b>	<b>4</b>	<b>1.2</b>	<b>6</b>	<b>1.0</b>	<b>8</b>	<b>1.3</b>
<b>Lip, oral cavity and pharynx</b>	<b>17</b>	<b>1.0</b>	<b>2</b>	<b>2.4</b>	<b>4</b>	<b>1.2</b>	<b>4</b>	<b>0.7</b>	<b>7</b>	<b>1.1</b>
<b>Thyroid and other endocrine glands</b>	<b>10</b>	<b>0.6</b>	<b>1</b>	<b>1.2</b>	<b>1</b>	<b>0.3</b>	<b>4</b>	<b>0.7</b>	<b>4</b>	<b>0.6</b>
<b>Bone and articular cartilage</b>	<b>2</b>	<b>0.1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.3</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.2</b>
<b>Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue</b>	<b>152</b>	<b>9.3</b>	<b>10</b>	<b>12.0</b>	<b>30</b>	<b>9.3</b>	<b>50</b>	<b>8.3</b>	<b>62</b>	<b>9.8</b>
Hodgkin's disease	5	0.3	0	0	2	0.6	1	0.2	2	0.3
Non-Hodgkin's lymphomas	53	3.2	3	3.6	12	3.7	20	3.3	18	2.8
Multiple myeloma and malignant plasma cell neoplasms	31	1.9	0	0	8	2.5	8	1.3	15	2.4
Leukaemia	63	3.8	7	8.4	8	2.5	21	3.5	27	4.3
Other	0	0	0	0	0	0	0	0	0	0
<b>Malignant neoplasms of ill-defined, secondary and unspecified sites</b>	<b>67</b>	<b>4.1</b>	<b>4</b>	<b>4.8</b>	<b>17</b>	<b>5.3</b>	<b>26</b>	<b>4.3</b>	<b>20</b>	<b>3.1</b>
<b>Malignant neoplasms of independent (primary) multiple sites</b>	<b>11</b>	<b>0.7</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.3</b>	<b>5</b>	<b>0.8</b>	<b>5</b>	<b>0.8</b>
<b>Neoplasms of uncertain or unknown behavior</b>	<b>35</b>	<b>2.1</b>	<b>2</b>	<b>2.4</b>	<b>3</b>	<b>0.9</b>	<b>9</b>	<b>1.5</b>	<b>21</b>	<b>3.3</b>
<b>Benign neoplasms</b>	<b>4</b>	<b>0.2</b>	<b>2</b>	<b>2.4</b>	<b>1</b>	<b>0.3</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.2</b>
<b>In situ neoplasms</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

(continue)

**Table 30. Number and Percentage of Deaths Due to Neoplasms by Age, Westchester County, 2011-2016 ( *continued* ).**

Disease Category	Number of Deaths and Percentages									
	2013									
	Total		Age Group (Years)							
	%	0-49	%	50-64	%	65-79	%	80+	%	
<b>Total</b>	<b>1,720</b>	<b>100.0</b>	<b>88</b>	<b>100.0</b>	<b>341</b>	<b>100.0</b>	<b>645</b>	<b>100.0</b>	<b>646</b>	<b>100.0</b>
<b>Malignant Neoplasms</b>	<b>1,675</b>	<b>97.4</b>	<b>86</b>	<b>97.7</b>	<b>341</b>	<b>100.0</b>	<b>631</b>	<b>97.8</b>	<b>617</b>	<b>95.5</b>
<b>Malignant neoplasms, stated or presumed to be primary, of specified sites except of lymphoid, haematopoietic and related tissue</b>	<b>1,401</b>	<b>81.5</b>	<b>64</b>	<b>72.7</b>	<b>302</b>	<b>88.6</b>	<b>541</b>	<b>83.9</b>	<b>494</b>	<b>76.5</b>
<b>Digestive Organs</b>	<b>451</b>	<b>26.2</b>	<b>13</b>	<b>14.8</b>	<b>106</b>	<b>31.1</b>	<b>175</b>	<b>27.1</b>	<b>157</b>	<b>24.3</b>
Esophagus	32	1.9	0	0	8	2.3	16	2.5	8	1.2
Stomach	46	2.7	0	0	14	4.1	17	2.6	15	2.3
Colorectal	152	8.8	8	9.1	36	10.6	57	8.8	51	7.9
<i>Colon</i>	122	7.1	4	4.5	31	9.1	45	7.0	42	6.5
<i>Colorectal excluding colon</i>	30	1.7	4	4.5	5	1.5	12	1.9	9	1.4
Liver and intrahepatic bile duct	70	4.1	2	2.3	20	5.9	30	4.7	18	2.8
Pancreas	145	8.4	3	3.4	27	7.9	54	8.4	61	9.4
Other	6	0.3	0	0.0	1	0.3	1	0.2	4	0.6
<b>Respiratory and intrathoracic organs</b>	<b>391</b>	<b>22.7</b>	<b>11</b>	<b>12.5</b>	<b>66</b>	<b>19.4</b>	<b>183</b>	<b>28.4</b>	<b>131</b>	<b>20.3</b>
Larynx	13	0.8	0	0	1	0.3	8	1.2	4	0.6
Bronchus and lung	376	21.9	10	11.4	65	19.1	174	27.0	127	19.7
Other	2	0.1	1	1.1	0	0	1	0.2	0	0
<b>Breast</b>	<b>116</b>	<b>6.7</b>	<b>8</b>	<b>9.1</b>	<b>38</b>	<b>11.1</b>	<b>32</b>	<b>5.0</b>	<b>38</b>	<b>5.9</b>
<b>Male genital organs</b>	<b>90</b>	<b>5.2</b>	<b>0</b>	<b>0</b>	<b>10</b>	<b>2.9</b>	<b>29</b>	<b>4.5</b>	<b>51</b>	<b>7.9</b>
Prostate	90	5.2	0	0	10	2.9	29	4.5	51	7.9
Other	0	0	0	0	0	0	0	0	0	0.0
<b>Female genital organs</b>	<b>118</b>	<b>6.9</b>	<b>8</b>	<b>9.1</b>	<b>29</b>	<b>8.5</b>	<b>39</b>	<b>6.0</b>	<b>42</b>	<b>6.5</b>
Ovary	57	3.3	4	4.5	15	4.4	23	3.6	15	2.3
Other	61	3.5	4	4.5	14	4.1	16	2.5	27	4.2
<b>Urinary tract</b>	<b>90</b>	<b>5.2</b>	<b>4</b>	<b>4.5</b>	<b>15</b>	<b>4.4</b>	<b>28</b>	<b>4.3</b>	<b>43</b>	<b>6.7</b>
Kidney and renal pelvis	33	1.9	1	1.1	8	2.3	11	1.7	13	2.0
Bladder	55	3.2	3	3.4	7	2.1	17	2.6	28	4.3
Other	2	0.1	0	0	0	0	0	0	2	0.3
<b>Eye, brain and other parts of central nervous system</b>	<b>58</b>	<b>3.4</b>	<b>6</b>	<b>6.8</b>	<b>21</b>	<b>6.2</b>	<b>20</b>	<b>3.1</b>	<b>11</b>	<b>1.7</b>
Brain	56	3.3	6	6.8	20	5.9	19	2.9	11	1.7
Other	2	0.1	0	0	1	0.3	1	0.2	0	0
<b>Skin</b>	<b>39</b>	<b>2.3</b>	<b>4</b>	<b>4.5</b>	<b>9</b>	<b>2.6</b>	<b>14</b>	<b>2.2</b>	<b>12</b>	<b>1.9</b>
<b>Mesothelial and soft tissue</b>	<b>14</b>	<b>0.8</b>	<b>4</b>	<b>4.5</b>	<b>2</b>	<b>0.6</b>	<b>5</b>	<b>0.8</b>	<b>3</b>	<b>0.5</b>
<b>Lip, oral cavity and pharynx</b>	<b>25</b>	<b>1.5</b>	<b>3</b>	<b>3.4</b>	<b>4</b>	<b>1.2</b>	<b>12</b>	<b>1.9</b>	<b>6</b>	<b>0.9</b>
<b>Thyroid and other endocrine glands</b>	<b>5</b>	<b>0.3</b>	<b>2</b>	<b>2.3</b>	<b>1</b>	<b>0.3</b>	<b>2</b>	<b>0.3</b>	<b>0</b>	<b>0</b>
<b>Bone and articular cartilage</b>	<b>4</b>	<b>0.2</b>	<b>1</b>	<b>1.1</b>	<b>1</b>	<b>0.3</b>	<b>2</b>	<b>0.3</b>	<b>0</b>	<b>0</b>
<b>Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue</b>	<b>174</b>	<b>10.1</b>	<b>14</b>	<b>15.9</b>	<b>17</b>	<b>5.0</b>	<b>57</b>	<b>8.8</b>	<b>86</b>	<b>13.3</b>
Hodgkin's disease	3	0.2	0	0	1	0.3	1	0.2	1	0.2
Non-Hodgkin's lymphomas	68	4.0	5	5.7	11	3.2	15	2.3	37	5.7
Multiple myeloma and malignant plasma cell neoplasms	27	1.6	0	0	1	0.3	11	1.7	15	2.3
Leukaemia	76	4.4	9	10.2	4	1.2	30	4.7	33	5.1
Other	0	0	0	0	0	0	0	0	0	0
<b>Malignant neoplasms of ill-defined, secondary and unspecified sites</b>	<b>87</b>	<b>5.1</b>	<b>8</b>	<b>9.1</b>	<b>16</b>	<b>4.7</b>	<b>32</b>	<b>5.0</b>	<b>31</b>	<b>4.8</b>
<b>Malignant neoplasms of independent (primary) multiple sites</b>	<b>13</b>	<b>0.8</b>	<b>0</b>	<b>0</b>	<b>6</b>	<b>1.8</b>	<b>1</b>	<b>0.2</b>	<b>6</b>	<b>0.9</b>
<b>Neoplasms of uncertain or unknown behavior</b>	<b>37</b>	<b>2.2</b>	<b>2</b>	<b>2.3</b>	<b>0</b>	<b>0</b>	<b>12</b>	<b>1.9</b>	<b>23</b>	<b>3.6</b>
<b>Benign neoplasms</b>	<b>8</b>	<b>0.5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0.3</b>	<b>6</b>	<b>0.9</b>
<b>In situ neoplasms</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

(*continue*)

**Table 30. Number and Percentage of Deaths Due to Neoplasms by Age, Westchester County, 2011-2016**  
(continued).

Disease Category	Number of Deaths and Percentages									
	2014									
	Total		Age Group (Years)							
		0-49	%	50-64	%	65-79	%	80+	%	
<b>Total</b>	<b>1,689</b>	<b>100.0</b>	<b>67</b>	<b>100.0</b>	<b>314</b>	<b>100.0</b>	<b>638</b>	<b>100.0</b>	<b>670</b>	<b>100.0</b>
<b>Malignant Neoplasms</b>	<b>1,640</b>	<b>97.1</b>	<b>65</b>	<b>97.0</b>	<b>311</b>	<b>99.0</b>	<b>629</b>	<b>98.6</b>	<b>635</b>	<b>94.8</b>
<b>Malignant neoplasms, stated or presumed to be primary, of specified sites except of lymphoid, haematopoietic and related tissue</b>	<b>1,357</b>	<b>80.3</b>	<b>59</b>	<b>88.1</b>	<b>261</b>	<b>83.1</b>	<b>525</b>	<b>82.3</b>	<b>512</b>	<b>76.4</b>
<b>Digestive Organs</b>	<b>466</b>	<b>27.6</b>	<b>25</b>	<b>37.3</b>	<b>96</b>	<b>30.6</b>	<b>189</b>	<b>29.6</b>	<b>156</b>	<b>23.3</b>
Esophagus	41	2.4	2	3.0	7	2.2	18	2.8	14	2.1
Stomach	47	2.8	5	7.5	14	4.5	13	2.0	15	2.2
Colorectal	155	9.2	15	22.4	27	8.6	51	8.0	62	9.3
<i>Colon</i>	121	7.2	12	17.9	24	7.6	37	5.8	48	7.2
<i>Colorectal excluding colon</i>	34	2.0	3	4.5	3	1.0	14	2.2	14	2.1
Liver and intrahepatic bile duct	81	4.8	2	3.0	24	7.6	34	5.3	21	3.1
Pancreas	140	8.3	1	1.5	24	7.6	71	11.1	44	6.6
Other	2	0.1	0	0	0	0	2	0.3	0	0
<b>Respiratory and intrathoracic organs</b>	<b>386</b>	<b>22.9</b>	<b>7</b>	<b>10.4</b>	<b>76</b>	<b>24.2</b>	<b>175</b>	<b>27.4</b>	<b>128</b>	<b>19.1</b>
Larynx	7	0.4	1	1.5	2	0.6	2	0.3	2	0.3
Bronchus and lung	374	22.1	5	7.5	74	23.6	170	26.6	125	18.7
Other	5	0.3	1	1.5	0	0	3	0.5	1	0.1
<b>Breast</b>	<b>119</b>	<b>7.0</b>	<b>12</b>	<b>17.9</b>	<b>25</b>	<b>8.0</b>	<b>37</b>	<b>5.8</b>	<b>45</b>	<b>6.7</b>
<b>Male genital organs</b>	<b>92</b>	<b>5.4</b>	<b>0</b>	<b>0</b>	<b>5</b>	<b>1.6</b>	<b>26</b>	<b>4.1</b>	<b>61</b>	<b>9.1</b>
Prostate	91	5.4	0	0	5	1.6	26	4.1	60	9.0
Other	1	0.1	0	0	0	0	0	0	1	0.1
<b>Female genital organs</b>	<b>96</b>	<b>5.7</b>	<b>3</b>	<b>4.5</b>	<b>24</b>	<b>7.6</b>	<b>38</b>	<b>6.0</b>	<b>31</b>	<b>4.6</b>
Ovary	40	2.4	0	0	9	2.9	19	3.0	12	1.8
Other	56	3.3	3	4.5	15	4.8	19	3.0	19	2.8
<b>Urinary tract</b>	<b>70</b>	<b>4.1</b>	<b>2</b>	<b>3.0</b>	<b>7</b>	<b>2.2</b>	<b>18</b>	<b>2.8</b>	<b>43</b>	<b>6.4</b>
Kidney and renal pelvis	26	1.5	1	1.5	5	1.6	8	1.3	12	1.8
Bladder	40	2.4	0	0	1	0.3	10	1.6	29	4.3
Other	4	0.2	1	1.5	1	0.3	0	0	2	0.3
<b>Eye, brain and other parts of central nervous system</b>	<b>38</b>	<b>2.2</b>	<b>4</b>	<b>6.0</b>	<b>12</b>	<b>3.8</b>	<b>13</b>	<b>2.0</b>	<b>9</b>	<b>1.3</b>
Brain	36	2.1	4	6.0	12	3.8	11	1.7	9	1.3
Other	2	0.1	0	0	0	0	2	0.3	0	0
<b>Skin</b>	<b>35</b>	<b>2.1</b>	<b>0</b>	<b>0</b>	<b>6</b>	<b>1.9</b>	<b>13</b>	<b>2.0</b>	<b>16</b>	<b>2.4</b>
<b>Mesothelial and soft tissue</b>	<b>26</b>	<b>1.5</b>	<b>2</b>	<b>3.0</b>	<b>3</b>	<b>1.0</b>	<b>11</b>	<b>1.7</b>	<b>10</b>	<b>1.5</b>
<b>Lip, oral cavity and pharynx</b>	<b>20</b>	<b>1.2</b>	<b>0</b>	<b>0</b>	<b>6</b>	<b>1.9</b>	<b>4</b>	<b>0.6</b>	<b>10</b>	<b>1.5</b>
<b>Thyroid and other endocrine glands</b>	<b>7</b>	<b>0.4</b>	<b>2</b>	<b>3.0</b>	<b>1</b>	<b>0.3</b>	<b>1</b>	<b>0.2</b>	<b>3</b>	<b>0.4</b>
<b>Bone and articular cartilage</b>	<b>2</b>	<b>0.1</b>	<b>2</b>	<b>3.0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue</b>	<b>178</b>	<b>10.5</b>	<b>4</b>	<b>6.0</b>	<b>34</b>	<b>10.8</b>	<b>64</b>	<b>10.0</b>	<b>76</b>	<b>11.3</b>
Hodgkin's disease	3	0.2	0	0	2	0.6	0	0	1	0.1
Non-Hodgkin's lymphomas	66	3.9	3	4.5	13	4.1	21	3.3	29	4.3
Multiple myeloma and malignant plasma cell neoplasms	37	2.2	0	0	8	2.5	18	2.8	11	1.6
Leukaemia	72	4.3	1	1.5	11	3.5	25	3.9	35	5.2
Other	0	0	0	0	0	0	0	0	0	0
<b>Malignant neoplasms of ill-defined, secondary and unspecified sites</b>	<b>98</b>	<b>5.8</b>	<b>2</b>	<b>3.0</b>	<b>15</b>	<b>4.8</b>	<b>39</b>	<b>6.1</b>	<b>42</b>	<b>6.3</b>
<b>Malignant neoplasms of independent (primary) multiple sites</b>	<b>7</b>	<b>0.4</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.3</b>	<b>1</b>	<b>0.2</b>	<b>5</b>	<b>0.7</b>
<b>Neoplasms of uncertain or unknown behavior</b>	<b>41</b>	<b>2.4</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>1.0</b>	<b>8</b>	<b>1.3</b>	<b>30</b>	<b>4.5</b>
<b>Benign neoplasms</b>	<b>8</b>	<b>0.5</b>	<b>2</b>	<b>3.0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.2</b>	<b>5</b>	<b>0.7</b>
<b>In situ neoplasms</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

(continue)

**Table 30. Number and Percentage of Deaths Due to Neoplasms by Age, Westchester County, 2011-2016 (continued)**

Disease Category	Number of Deaths and Percentages									
	2015									
	Total <sup>1</sup>	%	Age Group (Years)							
			0-49	%	50-64	%	65-79	%	80+	%
<b>Total<sup>1</sup></b>	<b>1,648</b>	<b>100.0</b>	<b>68</b>	<b>100.0</b>	<b>357</b>	<b>100.0</b>	<b>603</b>	<b>100.0</b>	<b>620</b>	<b>100.0</b>
<b>Malignant Neoplasms</b>	<b>1,618</b>	<b>98.2</b>	<b>66</b>	<b>98.6</b>	<b>352</b>	<b>98.6</b>	<b>593</b>	<b>98.3</b>	<b>607</b>	<b>97.9</b>
<b>Malignant neoplasms, stated or presumed to be primary, of specified sites except of lymphoid, haematopoietic and related tissue</b>	<b>1,360</b>	<b>82.5</b>	<b>59</b>	<b>88.0</b>	<b>314</b>	<b>88.0</b>	<b>498</b>	<b>82.6</b>	<b>489</b>	<b>78.9</b>
<b>Digestive Organs</b>	<b>416</b>	<b>25.2</b>	<b>15</b>	<b>27.2</b>	<b>97</b>	<b>27.2</b>	<b>157</b>	<b>26.0</b>	<b>147</b>	<b>23.7</b>
Esophagus	31	1.9	0	2.0	7	2.0	16	2.7	8	1.3
Stomach	38	2.3	3	1.7	6	1.7	16	2.7	13	2.1
Colorectal	150	9.1	7	10.1	36	10.1	47	7.8	60	9.7
<i>Colon</i>	121	7.3	3	7.6	27	7.6	39	6.5	52	8.4
<i>Colorectal excluding colon</i>	29	1.8	4	2.5	9	2.5	8	1.3	8	1.3
Liver and intrahepatic bile duct	60	3.6	2	5.0	18	5.0	29	4.8	11	1.8
Pancreas	114	6.9	3	7.6	27	7.6	42	7.0	42	6.8
Other	23	1.4	0	0.8	3	0.8	7	1.2	13	2.1
<b>Respiratory and intrathoracic organs</b>	<b>399</b>	<b>24.2</b>	<b>4</b>	<b>24.1</b>	<b>86</b>	<b>24.1</b>	<b>169</b>	<b>28.0</b>	<b>140</b>	<b>22.6</b>
Larynx	9	0.5	0	1.1	4	1.1	0	0.0	5	0.8
Bronchus and lung	387	23.5	4	23.0	82	23.0	167	27.7	134	21.6
Other	3	0.2	0	0	0	0	2	0.3	1	0.2
<b>Breast</b>	<b>120</b>	<b>7.3</b>	<b>15</b>	<b>10.1</b>	<b>36</b>	<b>10.1</b>	<b>36</b>	<b>6.0</b>	<b>33</b>	<b>5.3</b>
<b>Male genital organs</b>	<b>92</b>	<b>5.6</b>	<b>0</b>	<b>1.1</b>	<b>4</b>	<b>1.1</b>	<b>26</b>	<b>4.3</b>	<b>62</b>	<b>10.0</b>
Prostate	92	5.6	0	1.1	4	1.1	26	4.3	62	10.0
Other	0	0	0	0	0	0	0	0	0	0
<b>Female genital organs</b>	<b>114</b>	<b>6.9</b>	<b>7</b>	<b>10.6</b>	<b>38</b>	<b>10.6</b>	<b>43</b>	<b>7.1</b>	<b>26</b>	<b>4.2</b>
Ovary	55	3.3	5	4.8	17	4.8	20	3.3	13	2.1
Other	59	3.6	2	5.9	21	5.9	23	3.8	13	2.1
<b>Urinary tract</b>	<b>77</b>	<b>4.7</b>	<b>2</b>	<b>5.3</b>	<b>19</b>	<b>5.3</b>	<b>16</b>	<b>2.7</b>	<b>40</b>	<b>6.5</b>
Kidney and renal pelvis	28	1.7	2	3.1	11	3.1	6	1.0	9	1.5
Bladder	45	2.7	0	1.7	6	1.7	10	1.7	29	4.7
Other	4	0.2	0	0.6	2	0.6	0	0	2	0.3
<b>Eye, brain and other parts of central nervous system</b>	<b>43</b>	<b>2.6</b>	<b>6</b>	<b>3.6</b>	<b>13</b>	<b>3.6</b>	<b>15</b>	<b>2.5</b>	<b>9</b>	<b>1.5</b>
Brain	39	2.4	6	3.1	11	3.1	15	2.5	7	1.1
Other	4	0.2	0	0.6	2	0.6	0	0	2	0.3
<b>Skin</b>	<b>28</b>	<b>1.7</b>	<b>2</b>	<b>1.4</b>	<b>5</b>	<b>1.4</b>	<b>9</b>	<b>1.5</b>	<b>12</b>	<b>1.9</b>
<b>Mesothelial and soft tissue</b>	<b>33</b>	<b>2.0</b>	<b>3</b>	<b>2.5</b>	<b>9</b>	<b>2.5</b>	<b>12</b>	<b>2.0</b>	<b>9</b>	<b>1.5</b>
<b>Lip, oral cavity and pharynx</b>	<b>25</b>	<b>1.5</b>	<b>3</b>	<b>1.7</b>	<b>6</b>	<b>1.7</b>	<b>9</b>	<b>1.5</b>	<b>7</b>	<b>1.1</b>
<b>Thyroid and other endocrine glands</b>	<b>11</b>	<b>0.7</b>	<b>2</b>	<b>0.3</b>	<b>1</b>	<b>0.3</b>	<b>5</b>	<b>0.8</b>	<b>3</b>	<b>0.5</b>
<b>Bone and articular cartilage</b>	<b>2</b>	<b>0.1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.2</b>	<b>1</b>	<b>0.2</b>
<b>Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue</b>	<b>171</b>	<b>10.4</b>	<b>7</b>	<b>7.0</b>	<b>25</b>	<b>7.0</b>	<b>62</b>	<b>10.3</b>	<b>77</b>	<b>12.4</b>
Hodgkin's disease	1	0.1	0	0	0	0	1	0.2	0	0
Non-Hodgkin's lymphomas	65	3.9	3	2.5	9	2.5	25	4.1	28	4.5
Multiple myeloma and malignant plasma cell neoplasms	38	2.3	1	2.2	8	2.2	15	2.5	14	2.3
Leukaemia	66	4.0	3	2.0	7	2.0	21	3.5	35	5.6
Other	1	0.1	0	0.3	1	0.3	0	0	0	0
<b>Malignant neoplasms of ill-defined, secondary and unspecified sites</b>	<b>78</b>	<b>4.7</b>	<b>0</b>	<b>2.8</b>	<b>10</b>	<b>2.8</b>	<b>30</b>	<b>5.0</b>	<b>38</b>	<b>6.1</b>
<b>Malignant neoplasms of independent (primary) multiple sites</b>	<b>9</b>	<b>0.5</b>	<b>0</b>	<b>0.8</b>	<b>3</b>	<b>0.8</b>	<b>3</b>	<b>0.5</b>	<b>3</b>	<b>0.5</b>
<b>Neoplasms of uncertain or unknown behavior</b>	<b>28</b>	<b>1.7</b>	<b>2</b>	<b>1.4</b>	<b>5</b>	<b>1.4</b>	<b>9</b>	<b>1.5</b>	<b>12</b>	<b>1.9</b>
<b>Benign neoplasms</b>	<b>2</b>	<b>0.1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.2</b>	<b>1</b>	<b>0.2</b>
<b>In situ neoplasms</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

(continue)

**Table 30. Number and Percentage of Deaths Due to Neoplasms by Age, Westchester County, 2011-2016 (continued).**

Disease Category	Number of Deaths and Percentages									
	2016									
	Total <sup>1</sup>		Age Group (Years)							
	%	0-49	%	50-64	%	65-79	%	80+	%	
<b>Total<sup>1</sup></b>	<b>1,717</b>	<b>100.0</b>	<b>67</b>	<b>100.0</b>	<b>320</b>	<b>100.0</b>	<b>641</b>	<b>100.0</b>	<b>689</b>	<b>100.0</b>
<b>Malignant Neoplasms</b>	<b>1,665</b>	<b>97.0</b>	<b>66</b>	<b>98.5</b>	<b>315</b>	<b>98.4</b>	<b>633</b>	<b>98.8</b>	<b>651</b>	<b>94.5</b>
<b>Malignant neoplasms, stated or presumed to be primary, of specified sites except of lymphoid, haematopoietic and related tissue</b>	<b>1,373</b>	<b>80.0</b>	<b>56</b>	<b>83.6</b>	<b>259</b>	<b>80.9</b>	<b>533</b>	<b>83.2</b>	<b>525</b>	<b>76.2</b>
<b>Digestive Organs</b>	<b>449</b>	<b>26.2</b>	<b>14</b>	<b>20.9</b>	<b>86</b>	<b>26.9</b>	<b>182</b>	<b>28.4</b>	<b>167</b>	<b>24.2</b>
Esophagus	35	2.0	1	1.5	7	2.2	18	2.8	9	1.3
Stomach	46	2.7	2	3.0	10	3.1	14	2.2	20	2.9
Colorectal	148	8.6	7	10.4	20	6.3	62	9.7	59	8.6
<i>Colon</i>	111	6.5	6	9.0	14	4.4	45	7.0	46	6.7
<i>Colorectal excluding colon</i>	37	2.2	1	1.5	6	1.9	17	2.7	13	1.9
Liver and intrahepatic bile duct	77	4.5	0	0	21	6.6	28	4.4	28	4.1
Pancreas	141	8.2	4	6.0	28	8.8	60	9.4	49	7.1
Other	2	0.1	0	0	0	0	0	0	2	0.3
<b>Respiratory and intrathoracic organs</b>	<b>331</b>	<b>19.3</b>	<b>9</b>	<b>13.4</b>	<b>65</b>	<b>20.3</b>	<b>140</b>	<b>21.8</b>	<b>117</b>	<b>17.0</b>
Larynx	8	0.5	1	1.5	0	0	5	0.8	2	0.3
Bronchus and lung	319	18.6	7	10.4	65	20.3	133	20.7	114	16.5
Other	4	0.2	1	1.5	0	0	2	0.3	1	0.1
<b>Breast</b>	<b>117</b>	<b>6.8</b>	<b>10</b>	<b>14.9</b>	<b>25</b>	<b>7.8</b>	<b>44</b>	<b>6.9</b>	<b>38</b>	<b>5.5</b>
<b>Male genital organs</b>	<b>105</b>	<b>6.1</b>	<b>1</b>	<b>1.5</b>	<b>8</b>	<b>2.5</b>	<b>28</b>	<b>4.4</b>	<b>68</b>	<b>9.9</b>
Prostate	105	6.1	1	1.5	8	2.5	28	4.4	68	9.9
Other	0	0	0	0	0	0	0	0	0	0
<b>Female genital organs</b>	<b>133</b>	<b>7.7</b>	<b>6</b>	<b>9.0</b>	<b>30</b>	<b>9.4</b>	<b>52</b>	<b>8.1</b>	<b>45</b>	<b>6.5</b>
Ovary	55	3.2	1	1.5	15	4.7	24	3.7	15	2.2
Other	78	4.5	5	7.5	15	4.7	28	4.4	30	4.4
<b>Urinary tract</b>	<b>71</b>	<b>4.1</b>	<b>1</b>	<b>1.5</b>	<b>5</b>	<b>1.6</b>	<b>28</b>	<b>4.4</b>	<b>37</b>	<b>5.4</b>
Kidney and renal pelvis	24	1.4	1	1.5	3	0.9	10	1.6	10	1.5
Bladder	47	2.7	0	0	2	0.6	18	2.8	27	3.9
Other	0	0.0	0	0	0	0	0	0	0	0
<b>Eye, brain and other parts of central nervous system</b>	<b>61</b>	<b>3.6</b>	<b>4</b>	<b>6.0</b>	<b>17</b>	<b>5.3</b>	<b>30</b>	<b>4.7</b>	<b>10</b>	<b>1.5</b>
Brain	60	3.5	4	6.0	17	5.3	30	4.7	9	1.3
Other	1	0.1	0	0	0	0	0	0	1	0.1
<b>Skin</b>	<b>35</b>	<b>2.0</b>	<b>1</b>	<b>1.5</b>	<b>8</b>	<b>2.5</b>	<b>9</b>	<b>1.4</b>	<b>17</b>	<b>2.5</b>
<b>Mesothelial and soft tissue</b>	<b>23</b>	<b>1.3</b>	<b>5</b>	<b>7.5</b>	<b>2</b>	<b>0.6</b>	<b>7</b>	<b>1.1</b>	<b>9</b>	<b>1.3</b>
<b>Lip, oral cavity and pharynx</b>	<b>24</b>	<b>1.4</b>	<b>1</b>	<b>1.5</b>	<b>7</b>	<b>2.2</b>	<b>6</b>	<b>0.9</b>	<b>10</b>	<b>1.5</b>
<b>Thyroid and other endocrine glands</b>	<b>13</b>	<b>0.8</b>	<b>1</b>	<b>1.5</b>	<b>4</b>	<b>1.3</b>	<b>4</b>	<b>0.6</b>	<b>4</b>	<b>0.6</b>
<b>Bone and articular cartilage</b>	<b>11</b>	<b>0.6</b>	<b>3</b>	<b>4.5</b>	<b>2</b>	<b>0.6</b>	<b>3</b>	<b>0.5</b>	<b>3</b>	<b>0.4</b>
<b>Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue</b>	<b>191</b>	<b>11.1</b>	<b>5</b>	<b>7.5</b>	<b>42</b>	<b>13.1</b>	<b>68</b>	<b>10.6</b>	<b>76</b>	<b>11.0</b>
Hodgkin's disease	2	0.1	0	0	0	0	1	0.2	1	0.1
Non-Hodgkin's lymphomas	65	3.8	1	1.5	14	4.4	17	2.7	33	4.8
Multiple myeloma and malignant plasma cell neoplasms	44	2.6	0	0	11	3.4	19	3.0	14	2.0
Leukaemia	79	4.6	4	6.0	17	5.3	31	4.8	27	3.9
Other	1	0.1	0	0	0	0	0	0	1	0.1
<b>Malignant neoplasms of ill-defined, secondary and unspecified sites</b>	<b>93</b>	<b>5.4</b>	<b>5</b>	<b>7.5</b>	<b>12</b>	<b>3.8</b>	<b>31</b>	<b>4.8</b>	<b>45</b>	<b>6.5</b>
<b>Malignant neoplasms of independent (primary) multiple sites</b>	<b>8</b>	<b>0.5</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0.6</b>	<b>1</b>	<b>0.2</b>	<b>5</b>	<b>0.7</b>
<b>Neoplasms of uncertain or unknown behavior</b>	<b>50</b>	<b>2.9</b>	<b>1</b>	<b>1.5</b>	<b>5</b>	<b>1.6</b>	<b>8</b>	<b>1.2</b>	<b>36</b>	<b>5.2</b>
<b>Benign neoplasms</b>	<b>2</b>	<b>0.1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0.3</b>
<b>In situ neoplasms</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

<sup>1</sup>Totals may include unknown neoplasms or age.  
Source: New York State Department of Health.

**Table 31. Number and Percentage of Deaths Due to Neoplasms by Sex, Westchester County, 2011-2016.**

Disease Category	Number of Deaths and Percentages					
	2011					
	Total <sup>1</sup>	%	Male	%	Female	%
<b>Total<sup>1</sup></b>	<b>1,760</b>	<b>100.0</b>	<b>824</b>	<b>100.0</b>	<b>936</b>	<b>100.0</b>
<b>Malignant Neoplasms</b>	<b>1,715</b>	<b>97.4</b>	<b>797</b>	<b>96.7</b>	<b>918</b>	<b>98.1</b>
<b>Malignant neoplasms, stated or presumed to be primary, of specified sites except of lymphoid, haematopoietic and related tissue</b>	<b>1,430</b>	<b>81.3</b>	<b>655</b>	<b>79.5</b>	<b>775</b>	<b>82.8</b>
<b>Digestive Organs</b>	<b>436</b>	<b>24.8</b>	<b>217</b>	<b>26.3</b>	<b>219</b>	<b>23.4</b>
Esophagus	33	1.9	20	2.4	13	1.4
Stomach	33	1.9	19	2.3	14	1.5
Colorectal	148	8.4	71	8.6	77	8.2
<i>Colon</i>	<i>124</i>	<i>7.0</i>	<i>56</i>	<i>6.8</i>	<i>68</i>	<i>7.3</i>
<i>Colorectal excluding colon</i>	<i>24</i>	<i>1.4</i>	<i>15</i>	<i>1.8</i>	<i>9</i>	<i>1.0</i>
Liver and intrahepatic bile duct	77	4.4	40	4.9	37	4.0
Pancreas	123	7.0	55	6.7	68	7.3
Other	22	1.3	12	1.5	10	1.1
<b>Respiratory and intrathoracic organs</b>	<b>430</b>	<b>24.4</b>	<b>218</b>	<b>26.5</b>	<b>212</b>	<b>22.6</b>
Larynx	6	0.3	4	0.5	2	0.2
Bronchus and lung	421	23.9	212	25.7	209	22.3
Other	3	0.2	2	0.2	1	0.1
<b>Breast</b>	<b>145</b>	<b>8.2</b>	<b>0</b>	<b>0.0</b>	<b>145</b>	<b>15.5</b>
<b>Male genital organs</b>	<b>86</b>	<b>4.9</b>	<b>85</b>	<b>10.3</b>	<b>1</b>	<b>0.1</b>
Prostate	85	4.8	84	10.2	1	0.1
Other	1	0.1	1	0.1	0	0
<b>Female genital organs</b>	<b>108</b>	<b>6.1</b>	<b>0</b>	<b>0</b>	<b>108</b>	<b>11.5</b>
Ovary	58	3.3	0	0	58	6.2
Other	50	2.8	0	0	50	5.3
<b>Urinary tract</b>	<b>70</b>	<b>4.0</b>	<b>49</b>	<b>5.9</b>	<b>21</b>	<b>2.2</b>
Kidney and renal pelvis	26	1.5	19	2.3	7	0.7
Bladder	41	2.3	28	3.4	13	1.4
Other	3	0.2	2	0.2	1	0.1
<b>Eye, brain and other parts of central nervous system</b>	<b>46</b>	<b>2.6</b>	<b>24</b>	<b>2.9</b>	<b>22</b>	<b>2.4</b>
Brain	45	2.6	23	2.8	22	2.4
Other	1	0.1	1	0.1	0	0
<b>Skin</b>	<b>46</b>	<b>2.6</b>	<b>25</b>	<b>3.0</b>	<b>21</b>	<b>2.2</b>
<b>Mesothelial and soft tissue</b>	<b>30</b>	<b>1.7</b>	<b>17</b>	<b>2.1</b>	<b>13</b>	<b>1.4</b>
<b>Lip, oral cavity and pharynx</b>	<b>17</b>	<b>1.0</b>	<b>9</b>	<b>1.1</b>	<b>8</b>	<b>0.9</b>
<b>Thyroid and other endocrine glands</b>	<b>11</b>	<b>0.6</b>	<b>7</b>	<b>0.8</b>	<b>4</b>	<b>0.4</b>
<b>Bone and articular cartilage</b>	<b>5</b>	<b>0.3</b>	<b>4</b>	<b>0.5</b>	<b>1</b>	<b>0.1</b>
<b>Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue</b>	<b>193</b>	<b>11.0</b>	<b>103</b>	<b>12.5</b>	<b>90</b>	<b>9.6</b>
Hodgkin's disease	2	0.1	2	0.2	0	0
Non-Hodgkin's lymphomas	70	4.0	32	3.9	38	4.1
Multiple myeloma and malignant plasma cell neoplasms	40	2.3	20	2.4	20	2.1
Leukaemia	81	4.6	49	5.9	32	3.4
Other	0	0	0	0	0	0
<b>Malignant neoplasms of ill-defined, secondary and unspecified sites</b>	<b>80</b>	<b>4.5</b>	<b>33</b>	<b>4.0</b>	<b>47</b>	<b>5.0</b>
<b>Malignant neoplasms of independent (primary) multiple sites</b>	<b>12</b>	<b>0.7</b>	<b>6</b>	<b>0.7</b>	<b>6</b>	<b>0.6</b>
<b>Neoplasms of uncertain or unknown behavior</b>	<b>40</b>	<b>2.3</b>	<b>25</b>	<b>3.0</b>	<b>15</b>	<b>1.6</b>
<b>Benign neoplasms</b>	<b>5</b>	<b>0.3</b>	<b>2</b>	<b>0.2</b>	<b>3</b>	<b>0.3</b>
<b>In situ neoplasms</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

(continue)

**Table 31. Number and Percentage of Deaths Due to Neoplasms by Sex, Westchester County, 2011-2016 (continue).**

Disease Category	Number of Deaths and Percentages					
	2012					
	Total <sup>1</sup>	%	Male	%	Female	%
<b>Total<sup>1</sup></b>	<b>1,640</b>	<b>100.0</b>	<b>894</b>	<b>100.0</b>	<b>746</b>	<b>100.0</b>
<b>Malignant Neoplasms</b>	<b>1,601</b>	<b>97.6</b>	<b>875</b>	<b>97.9</b>	<b>726</b>	<b>97.3</b>
<b>Malignant neoplasms, stated or presumed to be primary, of specified sites except of lymphoid, haematopoietic and related tissue</b>	<b>1,371</b>	<b>83.6</b>	<b>758</b>	<b>84.8</b>	<b>613</b>	<b>82.2</b>
<b>Digestive Organs</b>	<b>453</b>	<b>27.6</b>	<b>241</b>	<b>27.0</b>	<b>212</b>	<b>28.4</b>
Esophagus	40	2.4	27	3.0	13	1.7
Stomach	43	2.6	21	2.3	22	2.9
Colorectal	170	10.4	87	9.7	83	11.1
<i>Colon</i>	<i>136</i>	<i>8.3</i>	<i>67</i>	<i>7.5</i>	<i>69</i>	<i>9.2</i>
<i>Colorectal excluding colon</i>	<i>34</i>	<i>2.1</i>	<i>20</i>	<i>2.2</i>	<i>14</i>	<i>1.9</i>
Liver and intrahepatic bile duct	76	4.6	43	4.8	33	4.4
Pancreas	121	7.4	60	6.7	61	8.2
Other	3	0.2	3	0.3	0	0.0
<b>Respiratory and intrathoracic organs</b>	<b>379</b>	<b>23.1</b>	<b>176</b>	<b>19.7</b>	<b>203</b>	<b>27.2</b>
Larynx	4	0.2	4	0.4	0	0.0
Bronchus and lung	371	22.6	170	19.0	201	26.9
Other	4	0.2	2	0.2	2	0.3
<b>Breast</b>	<b>144</b>	<b>8.8</b>	<b>141</b>	<b>15.8</b>	<b>3</b>	<b>0.4</b>
<b>Male genital organs</b>	<b>78</b>	<b>4.8</b>	<b>78</b>	<b>8.7</b>	<b>0</b>	<b>0</b>
Prostate	77	4.7	77	8.6	0	0
Other	1	0.1	1	0.1	0	0
<b>Female genital organs</b>	<b>106</b>	<b>6.5</b>	<b>0</b>	<b>0</b>	<b>106</b>	<b>14.2</b>
Ovary	54	3.3	0	0	54	7.2
Other	52	3.2	0	0	52	7.0
<b>Urinary tract</b>	<b>76</b>	<b>4.6</b>	<b>50</b>	<b>5.6</b>	<b>26</b>	<b>3.5</b>
Kidney and renal pelvis	29	1.8	19	2.1	10	1.3
Bladder	44	2.7	30	3.4	14	1.9
Other	3	0.2	1	0.1	2	0.3
<b>Eye, brain and other parts of central nervous system</b>	<b>41</b>	<b>2.5</b>	<b>22</b>	<b>2.5</b>	<b>19</b>	<b>2.5</b>
Brain	41	2.5	22	2.5	19	2.5
Other	0	0	0	0	0	0.0
<b>Skin</b>	<b>44</b>	<b>2.7</b>	<b>24</b>	<b>2.7</b>	<b>20</b>	<b>2.7</b>
<b>Mesothelial and soft tissue</b>	<b>21</b>	<b>1.3</b>	<b>10</b>	<b>1.1</b>	<b>11</b>	<b>1.5</b>
<b>Lip, oral cavity and pharynx</b>	<b>17</b>	<b>1.0</b>	<b>12</b>	<b>1.3</b>	<b>5</b>	<b>0.7</b>
<b>Thyroid and other endocrine glands</b>	<b>10</b>	<b>0.6</b>	<b>3</b>	<b>0.3</b>	<b>7</b>	<b>0.9</b>
<b>Bone and articular cartilage</b>	<b>2</b>	<b>0.1</b>	<b>1</b>	<b>0.1</b>	<b>1</b>	<b>0.1</b>
<b>Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue</b>	<b>152</b>	<b>9.3</b>	<b>76</b>	<b>8.5</b>	<b>76</b>	<b>10.2</b>
Hodgkin's disease	5	0.3	2	0.2	3	0.4
Non-Hodgkin's lymphomas	53	3.2	28	3.1	25	3.4
Multiple myeloma and malignant plasma cell neoplasms	31	1.9	13	1.5	18	2.4
Leukaemia	63	3.8	33	3.7	30	4.0
Other	0	0	0	0	0	0
<b>Malignant neoplasms of ill-defined, secondary and unspecified sites</b>	<b>67</b>	<b>4.1</b>	<b>35</b>	<b>3.9</b>	<b>32</b>	<b>4.3</b>
<b>Malignant neoplasms of independent (primary) multiple sites</b>	<b>11</b>	<b>0.7</b>	<b>6</b>	<b>0.7</b>	<b>5</b>	<b>0.7</b>
<b>Neoplasms of uncertain or unknown behavior</b>	<b>35</b>	<b>2.1</b>	<b>17</b>	<b>1.9</b>	<b>18</b>	<b>2.4</b>
<b>Benign neoplasms</b>	<b>4</b>	<b>0.2</b>	<b>2</b>	<b>0.2</b>	<b>2</b>	<b>0.3</b>
<b>In situ neoplasms</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

(continue)



**Table 31. Number and Percentage of Deaths Due to Neoplasms by Sex, Westchester County, 2011-2016 (continue).**

Disease Category	Number of Deaths and Percentages					
	2013					
	Total <sup>1</sup>	%	Male	%	Female	%
<b>Total<sup>1</sup></b>	<b>1,720</b>	<b>100.0</b>	<b>868</b>	<b>100.0</b>	<b>852</b>	<b>100.0</b>
<b>Malignant Neoplasms</b>	<b>1,675</b>	<b>97.4</b>	<b>844</b>	<b>97</b>	<b>831</b>	<b>97.5</b>
<b>Malignant neoplasms, stated or presumed to be primary, of specified sites except of lymphoid, haematopoietic and related tissue</b>	<b>1,401</b>	<b>81.5</b>	<b>692</b>	<b>79.7</b>	<b>709</b>	<b>83.2</b>
<b>Digestive Organs</b>	<b>451</b>	<b>26.2</b>	<b>263</b>	<b>30.3</b>	<b>188</b>	<b>22.1</b>
Esophagus	32	1.9	24	2.8	8	0.9
Stomach	46	2.7	28	3.2	18	2.1
Colorectal	152	8.8	86	9.9	66	7.7
<i>Colon</i>	<i>122</i>	<i>7.1</i>	<i>66</i>	<i>7.6</i>	<i>56</i>	<i>6.6</i>
<i>Colorectal excluding colon</i>	<i>30</i>	<i>1.7</i>	<i>20</i>	<i>2.3</i>	<i>10</i>	<i>1.2</i>
Liver and intrahepatic bile duct	70	4.1	42	4.8	28	3.3
Pancreas	145	8.4	78	9.0	67	7.9
Other	6	0.3	5	0.6	1	0.1
<b>Respiratory and intrathoracic organs</b>	<b>391</b>	<b>22.7</b>	<b>183</b>	<b>21.1</b>	<b>208</b>	<b>24.4</b>
Larynx	13	0.8	11	1.3	2	0.2
Bronchus and lung	376	21.9	172	19.8	204	23.9
Other	2	0.1	0	0	2	0.2
<b>Breast</b>	<b>116</b>	<b>6.7</b>	<b>2</b>	<b>0.2</b>	<b>114</b>	<b>13.4</b>
<b>Male genital organs</b>	<b>90</b>	<b>5.2</b>	<b>90</b>	<b>10.4</b>	<b>0</b>	<b>0</b>
Prostate	90	5.2	90	10.4	0	0
Other	0	0	0	0	0	0
<b>Female genital organs</b>	<b>118</b>	<b>6.9</b>	<b>3</b>	<b>0.3</b>	<b>115</b>	<b>13.5</b>
Ovary	57	3.3	3	0.3	54	6.3
Other	61	3.5	0	0	61	7.2
<b>Urinary tract</b>	<b>90</b>	<b>5.2</b>	<b>67</b>	<b>7.7</b>	<b>23</b>	<b>2.7</b>
Kidney and renal pelvis	33	1.9	26	3.0	7	0.8
Bladder	55	3.2	40	4.6	15	1.8
Other	2	0.1	1	0.1	1	0.1
<b>Eye, brain and other parts of central nervous system</b>	<b>58</b>	<b>3.4</b>	<b>28</b>	<b>3.2</b>	<b>30</b>	<b>3.5</b>
Brain	56	3.3	28	3.2	28	3.3
Other	2	0.1	0	0	2	0.2
<b>Skin</b>	<b>39</b>	<b>2.3</b>	<b>26</b>	<b>3.0</b>	<b>13</b>	<b>1.5</b>
<b>Mesothelial and soft tissue</b>	<b>14</b>	<b>0.8</b>	<b>7</b>	<b>0.8</b>	<b>7</b>	<b>0.8</b>
<b>Lip, oral cavity and pharynx</b>	<b>25</b>	<b>1.5</b>	<b>19</b>	<b>2.2</b>	<b>6</b>	<b>0.7</b>
<b>Thyroid and other endocrine glands</b>	<b>5</b>	<b>0.3</b>	<b>2</b>	<b>0.2</b>	<b>3</b>	<b>0.4</b>
<b>Bone and articular cartilage</b>	<b>4</b>	<b>0.2</b>	<b>2</b>	<b>0.2</b>	<b>2</b>	<b>0.2</b>
<b>Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue</b>	<b>174</b>	<b>10.1</b>	<b>95</b>	<b>10.9</b>	<b>79</b>	<b>9.3</b>
Hodgkin's disease	3	0.2	2	0.2	1	0.1
Non-Hodgkin's lymphomas	68	4.0	32	3.7	36	4.2
Multiple myeloma and malignant plasma cell neoplasms	27	1.6	16	1.8	11	1.3
Leukaemia	76	4.4	45	5.2	31	3.6
Other	0	0	0	0	0	0
<b>Malignant neoplasms of ill-defined, secondary and unspecified sites</b>	<b>87</b>	<b>5.1</b>	<b>47</b>	<b>5.4</b>	<b>40</b>	<b>4.7</b>
<b>Malignant neoplasms of independent (primary) multiple sites</b>	<b>13</b>	<b>0.8</b>	<b>10</b>	<b>1.2</b>	<b>3</b>	<b>0.4</b>
<b>Neoplasms of uncertain or unknown behavior</b>	<b>37</b>	<b>2.2</b>	<b>22</b>	<b>2.5</b>	<b>15</b>	<b>1.8</b>
<b>Benign neoplasms</b>	<b>8</b>	<b>0.5</b>	<b>2</b>	<b>0.2</b>	<b>6</b>	<b>0.7</b>
<b>In situ neoplasms</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

(continue)

**Table 31. Number and Percentage of Deaths Due to Neoplasms by Sex, Westchester County, 2011-2016 (*continued*).**

Disease Category	Number of Deaths and Percentages					
	2014					
	Total <sup>1</sup>	%	Male	%	Female	%
<b>Total<sup>1</sup></b>	<b>1,689</b>	<b>100.0</b>	<b>822</b>	<b>100.0</b>	<b>866</b>	<b>100.0</b>
<b>Malignant Neoplasms</b>	<b>1,640</b>	<b>97.1</b>	<b>799</b>	<b>97.2</b>	<b>840</b>	<b>97.0</b>
<b>Malignant neoplasms, stated or presumed to be primary, of specified sites except of lymphoid, haematopoietic and related tissue</b>	<b>1,357</b>	<b>80.3</b>	<b>649</b>	<b>79.0</b>	<b>707</b>	<b>81.6</b>
<b>Digestive Organs</b>	<b>466</b>	<b>27.6</b>	<b>246</b>	<b>29.9</b>	<b>219</b>	<b>25.3</b>
Esophagus	41	2.4	24	2.9	17	2.0
Stomach	47	2.8	26	3.2	21	2.4
Colorectal	155	9.2	83	10.1	72	8.3
<i>Colon</i>	<i>121</i>	<i>7.2</i>	<i>68</i>	<i>8.3</i>	<i>53</i>	<i>6.1</i>
<i>Colorectal excluding colon</i>	<i>34</i>	<i>2.0</i>	<i>15</i>	<i>1.8</i>	<i>19</i>	<i>2.2</i>
Liver and intrahepatic bile duct	81	4.8	49	6.0	32	3.7
Pancreas	140	8.3	62	7.5	77	8.9
Other	2	0.1	2	0.2	0	0
<b>Respiratory and intrathoracic organs</b>	<b>386</b>	<b>22.9</b>	<b>190</b>	<b>23.1</b>	<b>196</b>	<b>22.6</b>
Larynx	7	0.4	6	0.7	1	0.1
Bronchus and lung	374	22.1	179	21.8	195	22.5
Other	5	0.3	5	0.6	0	0
<b>Breast</b>	<b>119</b>	<b>7.0</b>	<b>0</b>	<b>0</b>	<b>119</b>	<b>13.7</b>
<b>Male genital organs</b>	<b>92</b>	<b>5.4</b>	<b>92</b>	<b>11.2</b>	<b>0</b>	<b>0</b>
Prostate	91	5.4	91	11.1	0	0
Other	1	0.1	1	0.1	0	0
<b>Female genital organs</b>	<b>96</b>	<b>5.7</b>	<b>0</b>	<b>0</b>	<b>96</b>	<b>11.1</b>
Ovary	40	2.4	0	0	40	4.6
Other	56	3.3	0	0	56	6.5
<b>Urinary tract</b>	<b>70</b>	<b>4.1</b>	<b>50</b>	<b>6.1</b>	<b>20</b>	<b>2.3</b>
Kidney and renal pelvis	26	1.5	18	2.2	8	0.9
Bladder	40	2.4	29	3.5	11	1.3
Other	4	0.2	3	0.4	1	0.1
<b>Eye, brain and other parts of central nervous system</b>	<b>38</b>	<b>2.2</b>	<b>20</b>	<b>2.4</b>	<b>18</b>	<b>2.1</b>
Brain	36	2.1	19	2.3	17	2.0
Other	2	0.1	1	0.1	1	0.1
<b>Skin</b>	<b>35</b>	<b>2.1</b>	<b>21</b>	<b>2.6</b>	<b>14</b>	<b>1.6</b>
<b>Mesothelial and soft tissue</b>	<b>26</b>	<b>1.5</b>	<b>13</b>	<b>1.6</b>	<b>13</b>	<b>1.5</b>
<b>Lip, oral cavity and pharynx</b>	<b>20</b>	<b>1.2</b>	<b>13</b>	<b>1.6</b>	<b>7</b>	<b>0.8</b>
<b>Thyroid and other endocrine glands</b>	<b>7</b>	<b>0.4</b>	<b>4</b>	<b>0.5</b>	<b>3</b>	<b>0.3</b>
<b>Bone and articular cartilage</b>	<b>2</b>	<b>0.1</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0.2</b>
<b>Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue</b>	<b>178</b>	<b>10.5</b>	<b>98</b>	<b>11.9</b>	<b>80</b>	<b>9.2</b>
Hodgkin's disease	3	0.2	2	0.2	1	0.1
Non-Hodgkin's lymphomas	66	3.9	32	3.9	34	3.9
Multiple myeloma and malignant plasma cell neoplasms	37	2.2	17	2.1	20	2.3
Leukaemia	72	4.3	47	5.7	25	2.9
Other	0	0	0	0	0	0
<b>Malignant neoplasms of ill-defined, secondary and unspecified sites</b>	<b>98</b>	<b>5.8</b>	<b>48</b>	<b>5.8</b>	<b>50</b>	<b>5.8</b>
<b>Malignant neoplasms of independent (primary) multiple sites</b>	<b>7</b>	<b>0.4</b>	<b>4</b>	<b>0.5</b>	<b>3</b>	<b>0.3</b>
<b>Neoplasms of uncertain or unknown behavior</b>	<b>41</b>	<b>2.4</b>	<b>20</b>	<b>2.4</b>	<b>21</b>	<b>2.4</b>
<b>Benign neoplasms</b>	<b>8</b>	<b>0.5</b>	<b>3</b>	<b>0.4</b>	<b>5</b>	<b>0.6</b>
<b>In situ neoplasms</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

(*continue*)

**Table 31. Number and Percentage of Deaths Due to Neoplasms by Sex, Westchester County, 2011-2016 (continued).**

Disease Category	Number of Deaths and Percentages					
	2015					
	Total <sup>1</sup>	%	Male	%	Female	%
<b>Total<sup>1</sup></b>	<b>1,648</b>	<b>100.0</b>	<b>760</b>	<b>100.0</b>	<b>888</b>	<b>100.0</b>
<b>Malignant Neoplasms</b>	<b>1,618</b>	<b>98.2</b>	<b>741</b>	<b>97.5</b>	<b>877</b>	<b>98.8</b>
<b>Malignant neoplasms, stated or presumed to be primary, of specified sites except of lymphoid, haematopoietic and related tissue</b>	<b>1,360</b>	<b>82.5</b>	<b>614</b>	<b>80.8</b>	<b>746</b>	<b>84.0</b>
<b>Digestive Organs</b>	<b>416</b>	<b>25.2</b>	<b>195</b>	<b>25.7</b>	<b>221</b>	<b>24.9</b>
Esophagus	31	1.9	22	2.9	9	1.0
Stomach	38	2.3	20	2.6	18	2.0
Colorectal	150	9.1	57	7.5	93	10.5
<i>Colon</i>	<i>121</i>	<i>7.3</i>	<i>43</i>	<i>5.7</i>	<i>78</i>	<i>8.8</i>
<i>Colorectal excluding colon</i>	<i>29</i>	<i>1.8</i>	<i>14</i>	<i>1.8</i>	<i>15</i>	<i>1.7</i>
Liver and intrahepatic bile duct	60	3.6	36	4.7	24	2.7
Pancreas	114	6.9	50	6.6	64	7.2
Other	23	1.4	10	1.3	13	1.5
<b>Respiratory and intrathoracic organs</b>	<b>399</b>	<b>24.2</b>	<b>197</b>	<b>25.9</b>	<b>202</b>	<b>22.7</b>
Larynx	9	0.5	9	1.2	0	0
Bronchus and lung	387	23.5	187	24.6	200	22.5
Other	3	0.2	1	0.1	2	0.2
<b>Breast</b>	<b>120</b>	<b>7.3</b>	<b>0</b>	<b>0</b>	<b>120</b>	<b>13.5</b>
<b>Male genital organs</b>	<b>92</b>	<b>5.6</b>	<b>92</b>	<b>12.1</b>	<b>0</b>	<b>0</b>
Prostate	92	5.6	92	12.1	0	0
Other	0	0	0	0	0	0
<b>Female genital organs</b>	<b>114</b>	<b>6.9</b>	<b>0</b>	<b>0</b>	<b>114</b>	<b>12.8</b>
Ovary	55	3.3	0	0	55	6.2
Other	59	3.6	0	0	59	6.6
<b>Urinary tract</b>	<b>77</b>	<b>4.7</b>	<b>52</b>	<b>6.8</b>	<b>25</b>	<b>2.8</b>
Kidney and renal pelvis	28	1.7	19	2.5	9	1.0
Bladder	45	2.7	30	3.9	15	1.7
Other	4	0.2	3	0.4	1	0.1
<b>Eye, brain and other parts of central nervous system</b>	<b>43</b>	<b>2.6</b>	<b>20</b>	<b>2.6</b>	<b>23</b>	<b>2.6</b>
Brain	39	2.4	19	2.5	20	2.3
Other	4	0.2	1	0.1	3	0.3
<b>Skin</b>	<b>28</b>	<b>1.7</b>	<b>14</b>	<b>1.8</b>	<b>14</b>	<b>1.6</b>
<b>Mesothelial and soft tissue</b>	<b>33</b>	<b>2.0</b>	<b>19</b>	<b>2.5</b>	<b>14</b>	<b>1.6</b>
<b>Lip, oral cavity and pharynx</b>	<b>25</b>	<b>1.5</b>	<b>17</b>	<b>2.2</b>	<b>8</b>	<b>0.9</b>
<b>Thyroid and other endocrine glands</b>	<b>11</b>	<b>0.7</b>	<b>6</b>	<b>0.8</b>	<b>5</b>	<b>0.6</b>
<b>Bone and articular cartilage</b>	<b>2</b>	<b>0.1</b>	<b>2</b>	<b>0.3</b>	<b>0</b>	<b>0</b>
<b>Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue</b>	<b>171</b>	<b>10.4</b>	<b>78</b>	<b>10.3</b>	<b>93</b>	<b>10.5</b>
Hodgkin's disease	1	0.1	1	0.1	0	0
Non-Hodgkin's lymphomas	65	3.9	28	3.7	37	4.2
Multiple myeloma and malignant plasma cell neoplasms	38	2.3	18	2.4	20	2.3
Leukaemia	66	4.0	31	4.1	35	3.9
Other	1	0.1	0	0	1	0.1
<b>Malignant neoplasms of ill-defined, secondary and unspecified sites</b>	<b>78</b>	<b>4.7</b>	<b>41</b>	<b>5.4</b>	<b>37</b>	<b>4.2</b>
<b>Malignant neoplasms of independent (primary) multiple sites</b>	<b>9</b>	<b>0.5</b>	<b>8</b>	<b>1.1</b>	<b>1</b>	<b>0.1</b>
<b>Neoplasms of uncertain or unknown behavior</b>	<b>28</b>	<b>1.7</b>	<b>19</b>	<b>2.5</b>	<b>9</b>	<b>1.0</b>
<b>Benign neoplasms</b>	<b>2</b>	<b>0.1</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0.2</b>
<b>In situ neoplasms</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

(continue)

**Table 31. Number and Percentage of Deaths Due to Neoplasms by Sex, Westchester County, 2011-2016 (continued).**

Disease Category	Number of Deaths and Percentages					
	2016					
	Total <sup>1</sup>	%	Male	%	Female	%
<b>Total<sup>1</sup></b>	<b>1,717</b>	<b>100.0</b>	<b>841</b>	<b>100.0</b>	<b>876</b>	<b>100.0</b>
<b>Malignant Neoplasms</b>	<b>1,665</b>	<b>97.0</b>	<b>818</b>	<b>97.3</b>	<b>847</b>	<b>96.7</b>
<b>Malignant neoplasms, stated or presumed to be primary, of specified sites except of lymphoid, haematopoietic and related tissue</b>	<b>1,373</b>	<b>80.0</b>	<b>666</b>	<b>79.2</b>	<b>707</b>	<b>80.7</b>
<b>Digestive Organs</b>	<b>449</b>	<b>26.2</b>	<b>254</b>	<b>30.2</b>	<b>195</b>	<b>22.3</b>
Esophagus	35	2.0	28	3.3	7	0.8
Stomach	46	2.7	34	4.0	12	1.4
Colorectal	148	8.6	77	9.2	71	8.1
<i>Colon</i>	111	6.5	60	7.1	51	5.8
<i>Colorectal excluding colon</i>	37	2.2	17	2.0	20	2.3
Liver and intrahepatic bile duct	77	4.5	52	6.2	25	2.9
Pancreas	141	8.2	61	7.3	80	9.1
Other	2	0.1	2	0.2	0	0
<b>Respiratory and intrathoracic organs</b>	<b>331</b>	<b>19.3</b>	<b>159</b>	<b>18.9</b>	<b>172</b>	<b>19.6</b>
Larynx	8	0.5	7	0.8	1	0.1
Bronchus and lung	319	18.6	149	17.7	170	19.4
Other	4	0.2	3	0.4	1	0.1
<b>Breast</b>	<b>117</b>	<b>6.8</b>	<b>2</b>	<b>0.2</b>	<b>115</b>	<b>13.1</b>
<b>Male genital organs</b>	<b>105</b>	<b>6.1</b>	<b>105</b>	<b>12.5</b>	<b>0</b>	<b>0</b>
Prostate	105	6.1	105	12.5	0	0
Other	0	0	0	0	0	0
<b>Female genital organs</b>	<b>133</b>	<b>7.7</b>	<b>0</b>	<b>0</b>	<b>133</b>	<b>15.2</b>
Ovary	55	3.2	0	0	55	6.3
Other	78	4.5	0	0	78	8.9
<b>Urinary tract</b>	<b>71</b>	<b>4.1</b>	<b>48</b>	<b>5.7</b>	<b>23</b>	<b>2.6</b>
Kidney and renal pelvis	24	1.4	17	2.0	7	0.8
Bladder	47	2.7	31	3.7	16	1.8
Other	0	0	0	0	0	0
<b>Eye, brain and other parts of central nervous system</b>	<b>61</b>	<b>3.6</b>	<b>35</b>	<b>4.2</b>	<b>26</b>	<b>3.0</b>
Brain	60	3.5	34	4.0	26	3.0
Other	1	0.1	1	0.1	0	0
<b>Skin</b>	<b>35</b>	<b>2.0</b>	<b>25</b>	<b>3.0</b>	<b>10</b>	<b>1.1</b>
<b>Mesothelial and soft tissue</b>	<b>23</b>	<b>1.3</b>	<b>10</b>	<b>1.2</b>	<b>13</b>	<b>1.5</b>
<b>Lip, oral cavity and pharynx</b>	<b>24</b>	<b>1.4</b>	<b>14</b>	<b>1.7</b>	<b>10</b>	<b>1.1</b>
<b>Thyroid and other endocrine glands</b>	<b>13</b>	<b>0.8</b>	<b>9</b>	<b>1.1</b>	<b>4</b>	<b>0.5</b>
<b>Bone and articular cartilage</b>	<b>11</b>	<b>0.6</b>	<b>5</b>	<b>0.6</b>	<b>6</b>	<b>0.7</b>
<b>Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue</b>	<b>191</b>	<b>11.1</b>	<b>102</b>	<b>12.1</b>	<b>89</b>	<b>10.2</b>
Hodgkin's disease	2	0.1	0	0	2	0.2
Non-Hodgkin's lymphomas	65	3.8	33	3.9	32	3.7
Multiple myeloma and malignant plasma cell neoplasms	44	2.6	20	2.4	24	2.7
Leukaemia	79	4.6	49	5.8	30	3.4
Other	1	0.1	0	0	1	0.1
<b>Malignant neoplasms of ill-defined, secondary and unspecified sites</b>	<b>93</b>	<b>5.4</b>	<b>47</b>	<b>5.6</b>	<b>46</b>	<b>5.3</b>
<b>Malignant neoplasms of independent (primary) multiple sites</b>	<b>8</b>	<b>0.5</b>	<b>3</b>	<b>0.4</b>	<b>5</b>	<b>0.6</b>
<b>Neoplasms of uncertain or unknown behavior</b>	<b>50</b>	<b>2.9</b>	<b>22</b>	<b>2.6</b>	<b>28</b>	<b>3.2</b>
<b>Benign neoplasms</b>	<b>2</b>	<b>0.1</b>	<b>1</b>	<b>0.1</b>	<b>1</b>	<b>0.1</b>
<b>In situ neoplasms</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

<sup>1</sup>Totals may also include unknown neoplasms or sex and gender.

Source: New York State Department of Health.

**Table 32. Number and Percentage of Deaths Due to Neoplasms by Race/Ethnicity, Westchester County, 2011-2016<sup>1</sup>.**

Disease Category	Number of Deaths and Percentages									
	2011									
	Total <sup>2</sup>	%	White	%	Black	%	Other	%	Hispanic <sup>3</sup>	%
<b>Total<sup>2</sup></b>	<b>1,760</b>	<b>100.0</b>	<b>1,463</b>	<b>100.0</b>	<b>228</b>	<b>100.0</b>	<b>68</b>	<b>100.0</b>	<b>117</b>	<b>100.0</b>
<b>Malignant Neoplasms</b>	<b>1,715</b>	<b>97.4</b>	<b>1,420</b>	<b>97.1</b>	<b>227</b>	<b>99.6</b>	<b>67</b>	<b>98.5</b>	<b>115</b>	<b>98.3</b>
<b>Malignant neoplasms, stated or presumed to be primary, of specified sites except of lymphoid, haematopoietic and related tissue</b>	<b>1,430</b>	<b>81.3</b>	<b>1,174</b>	<b>80.2</b>	<b>195</b>	<b>85.5</b>	<b>60</b>	<b>88.2</b>	<b>93</b>	<b>79.5</b>
<b>Digestive Organs</b>	<b>436</b>	<b>24.8</b>	<b>354</b>	<b>24.2</b>	<b>59</b>	<b>25.9</b>	<b>22</b>	<b>32.4</b>	<b>33</b>	<b>28.2</b>
Esophagus	33	1.9	27	1.8	4	1.8	2	2.9	2	1.7
Stomach	33	1.9	25	1.7	7	3.1	1	1.5	1	0.9
Colorectal	148	8.4	116	7.9	20	8.8	12	17.6	12	10.3
<i>Colon</i>	<i>124</i>	<i>7.0</i>	<i>94</i>	<i>6.4</i>	<i>18</i>	<i>7.9</i>	<i>12</i>	<i>17.6</i>	<i>10</i>	<i>8.5</i>
<i>Colorectal excluding colon</i>	<i>24</i>	<i>1.4</i>	<i>22</i>	<i>1.5</i>	<i>2</i>	<i>0.9</i>	<i>0</i>	<i>0</i>	<i>2</i>	<i>1.7</i>
Liver and intrahepatic bile duct	77	4.4	63	4.3	9	3.9	4	5.9	13	11.1
Pancreas	123	7.0	107	7.3	13	5.7	3	4.4	5	4.3
Other	22	1.3	16	1.1	6	2.6	0	0	0	0
<b>Respiratory and intrathoracic organs</b>	<b>430</b>	<b>24.4</b>	<b>355</b>	<b>24.3</b>	<b>60</b>	<b>26.3</b>	<b>15</b>	<b>22.1</b>	<b>21</b>	<b>17.9</b>
Larynx	6	0.3	6	0.4	0	0	0	0	0	0
Bronchus and lung	421	23.9	346	23.7	60	26.3	15	22.1	21	17.9
Other	3	0.2	3	0.2	0	0	0	0.0	0	0
<b>Breast</b>	<b>145</b>	<b>8.2</b>	<b>112</b>	<b>7.7</b>	<b>23</b>	<b>10.1</b>	<b>10</b>	<b>14.7</b>	<b>11</b>	<b>9.4</b>
<b>Male genital organs</b>	<b>86</b>	<b>4.9</b>	<b>73</b>	<b>5.0</b>	<b>12</b>	<b>5.3</b>	<b>1</b>	<b>1.5</b>	<b>1</b>	<b>0.9</b>
Prostate	85	4.8	72	4.9	12	5.3	1	1.5	1	0.9
Other	1	0.1	1	0.1	0	0	0	0	0	0
<b>Female genital organs</b>	<b>108</b>	<b>6.1</b>	<b>88</b>	<b>6.0</b>	<b>18</b>	<b>7.9</b>	<b>2</b>	<b>2.9</b>	<b>3</b>	<b>2.6</b>
Ovary	58	3.3	50	3.4	7	3.1	1	1.5	2	1.7
Other	50	2.8	38	2.6	11	4.8	1	1.5	1	0.9
<b>Urinary tract</b>	<b>70</b>	<b>4.0</b>	<b>56</b>	<b>3.8</b>	<b>11</b>	<b>4.8</b>	<b>3</b>	<b>4.4</b>	<b>8</b>	<b>6.8</b>
Kidney and renal pelvis	26	1.5	19	1.3	4	1.8	3	4.4	4	3.4
Bladder	41	2.3	34	2.3	7	3.1	0	0	0	0
Other	3	0.2	3	0.2	0	0	0	0	4	3.4
<b>Eye, brain and other parts of central nervous system</b>	<b>46</b>	<b>2.6</b>	<b>44</b>	<b>3.0</b>	<b>1</b>	<b>0.4</b>	<b>1</b>	<b>1.5</b>	<b>6</b>	<b>5.1</b>
Brain	45	2.6	43	2.9	1	0.4	1	1.5	6	5.1
Other	1	0.1	1	0.1	0	0	0	0		0
<b>Skin</b>	<b>46</b>	<b>2.6</b>	<b>43</b>	<b>2.9</b>	<b>2</b>	<b>0.9</b>	<b>1</b>	<b>1.5</b>	<b>1</b>	<b>0.9</b>
<b>Mesothelial and soft tissue</b>	<b>30</b>	<b>1.7</b>	<b>25</b>	<b>1.7</b>	<b>2</b>	<b>0.9</b>	<b>3</b>	<b>4.4</b>	<b>5</b>	<b>4.3</b>
<b>Lip, oral cavity and pharynx</b>	<b>17</b>	<b>1.0</b>	<b>14</b>	<b>1.0</b>	<b>2</b>	<b>0.9</b>	<b>1</b>	<b>1.5</b>	<b>2</b>	<b>1.7</b>
<b>Thyroid and other endocrine glands</b>	<b>11</b>	<b>0.6</b>	<b>7</b>	<b>0.5</b>	<b>4</b>	<b>1.8</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.9</b>
<b>Bone and articular cartilage</b>	<b>5</b>	<b>0.3</b>	<b>3</b>	<b>0.2</b>	<b>1</b>	<b>0.4</b>	<b>1</b>	<b>1.5</b>	<b>1</b>	<b>0.9</b>
<b>Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue</b>	<b>193</b>	<b>11.0</b>	<b>172</b>	<b>11.8</b>	<b>17</b>	<b>7.5</b>	<b>4</b>	<b>5.9</b>	<b>16</b>	<b>13.7</b>
Hodgkin's disease	2	0.1	0	0	2	0.9	0	0	0	0
Non-Hodgkin's lymphomas	70	4.0	63	4.3	5	2.2	2	2.9	4	3.4
Multiple myeloma and malignant plasma cell neoplasms	40	2.3	33	2.3	7	3.1	0	0	4	3.4
Leukaemia	81	4.6	76	5.2	3	1.3	2	2.9	8	6.8
Other	0	0	0	0	0	0	0	0	0	0
<b>Malignant neoplasms of ill-defined, secondary and unspecified sites</b>	<b>80</b>	<b>4.5</b>	<b>64</b>	<b>4.4</b>	<b>13</b>	<b>5.7</b>	<b>3</b>	<b>4.4</b>	<b>6</b>	<b>5.1</b>
<b>Malignant neoplasms of independent (primary) multiple sites</b>	<b>12</b>	<b>0.7</b>	<b>10</b>	<b>0.7</b>	<b>2</b>	<b>0.9</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Neoplasms of uncertain or unknown behavior</b>	<b>40</b>	<b>2.3</b>	<b>39</b>	<b>2.7</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1.5</b>	<b>2</b>	<b>1.7</b>
<b>Benign neoplasms</b>	<b>5</b>	<b>0.3</b>	<b>4</b>	<b>0.3</b>	<b>1</b>	<b>0.4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>In situ neoplasms</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

(continue)

**Table 32. Number and Percentage of Deaths Due to Neoplasms by Race/Ethnicity, Westchester County, 2011-2016<sup>1</sup> (continued).**

Disease Category	Number of Deaths and Percentages									
	2012									
	Total <sup>2</sup>	%	White	%	Black	%	Other	%	Hispanic <sup>3</sup>	%
<b>Total<sup>2</sup></b>	<b>1,640</b>	<b>100.0</b>	<b>1,334</b>	<b>100.0</b>	<b>234</b>	<b>100.0</b>	<b>70</b>	<b>100.0</b>	<b>106</b>	<b>100.0</b>
<b>Malignant Neoplasms</b>	<b>1,601</b>	<b>97.6</b>	<b>1,302</b>	<b>97.6</b>	<b>230</b>	<b>98.3</b>	<b>67</b>	<b>95.7</b>	<b>106</b>	<b>97.4</b>
<b>Malignant neoplasms, stated or presumed to be primary, of specified sites except of lymphoid, haematopoietic and related tissue</b>	<b>1,371</b>	<b>83.6</b>	<b>1,123</b>	<b>84.2</b>	<b>194</b>	<b>82.9</b>	<b>52</b>	<b>74.3</b>	<b>86</b>	<b>81.3</b>
<b>Digestive Organs</b>	<b>453</b>	<b>27.6</b>	<b>369</b>	<b>27.7</b>	<b>69</b>	<b>29.5</b>	<b>15</b>	<b>21.4</b>	<b>30</b>	<b>24.8</b>
Esophagus	40	2.4	33	2.5	7	3.0	0	0	0	1.9
Stomach	43	2.6	30	2.2	8	3.4	5	7.1	6	1.9
Colorectal	162	9.9	133	10.0	25	10.7	4	5.7	9	8.4
<i>Colon</i>	<i>128</i>	<i>7.8</i>	<i>101</i>	<i>7.6</i>	<i>23</i>	<i>9.8</i>	<i>4</i>	<i>5.7</i>	<i>7</i>	<i>7.0</i>
<i>Colorectal excluding colon</i>	<i>34</i>	<i>2.1</i>	<i>32</i>	<i>2.4</i>	<i>2</i>	<i>0.9</i>	<i>0</i>	<i>0</i>	<i>2</i>	<i>1.4</i>
Liver and intrahepatic bile duct	66	4.0	51	3.8	12	5.1	3	4.3	8	4.4
Pancreas	121	7.4	105	7.9	13	5.6	3	4.3	4	7.0
Other	21	1.3	17	1.3	4	1.7	0	0	3	1.3
<b>Respiratory and intrathoracic organs</b>	<b>379</b>	<b>23.1</b>	<b>327</b>	<b>24.5</b>	<b>42</b>	<b>17.9</b>	<b>10</b>	<b>14.3</b>	<b>20</b>	<b>24.4</b>
Larynx	4	0.2	4	0.3	0	0	0	0	0	0.3
Bronchus and lung	371	22.6	320	24.0	41	17.5	10	14.3	19	23.9
Other	4	0.2	3	0.2	1	0.4	0	0	1	0.2
<b>Breast</b>	<b>144</b>	<b>8.8</b>	<b>117</b>	<b>8.8</b>	<b>22</b>	<b>9.4</b>	<b>5</b>	<b>7.1</b>	<b>12</b>	<b>8.2</b>
<b>Male genital organs</b>	<b>78</b>	<b>4.8</b>	<b>51</b>	<b>3.8</b>	<b>22</b>	<b>9.4</b>	<b>5</b>	<b>7.1</b>	<b>3</b>	<b>4.9</b>
Prostate	77	4.7	50	3.7	22	9.4	5	7.1	3	4.8
Other	1	0.1	1	0.1	0	0	0	0	0	0.1
<b>Female genital organs</b>	<b>106</b>	<b>6.5</b>	<b>85</b>	<b>6.4</b>	<b>14</b>	<b>6.0</b>	<b>7</b>	<b>10.0</b>	<b>11</b>	<b>6.1</b>
Ovary	54	3.3	45	3.4	5	2.1	4	5.7	6	3.3
Other	52	3.2	40	3.0	9	3.8	3	4.3	5	2.8
<b>Urinary tract</b>	<b>76</b>	<b>4.6</b>	<b>60</b>	<b>4.5</b>	<b>12</b>	<b>5.1</b>	<b>4</b>	<b>5.7</b>	<b>5</b>	<b>4.0</b>
Kidney and renal pelvis	29	1.8	22	1.6	6	2.6	1	1.4	2	1.5
Bladder	44	2.7	36	2.7	6	2.6	2	2.9	3	2.3
Other	3	0.2	2	0.1	0	0	1	1.4	0	0.2
<b>Eye, brain and other parts of central nervous system</b>	<b>41</b>	<b>2.5</b>	<b>36</b>	<b>2.7</b>	<b>2</b>	<b>0.9</b>	<b>3</b>	<b>4.3</b>	<b>2</b>	<b>2.6</b>
Brain	41	2.5	36	2.7	2	0.9	3	4.3	2	2.6
Other	0	0	0	0	0	0	0	0	0	0.1
<b>Skin</b>	<b>44</b>	<b>2.7</b>	<b>41</b>	<b>3.1</b>	<b>2</b>	<b>0.9</b>	<b>1</b>	<b>1.4</b>	<b>1</b>	<b>2.6</b>
<b>Mesothelial and soft tissue</b>	<b>21</b>	<b>1.3</b>	<b>17</b>	<b>1.3</b>	<b>3</b>	<b>1.3</b>	<b>1</b>	<b>1.4</b>	<b>1</b>	<b>1.7</b>
<b>Lip, oral cavity and pharynx</b>	<b>17</b>	<b>1.0</b>	<b>12</b>	<b>0.9</b>	<b>5</b>	<b>2.1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1.0</b>
<b>Thyroid and other endocrine glands</b>	<b>10</b>	<b>0.6</b>	<b>8</b>	<b>0.6</b>	<b>1</b>	<b>0.4</b>	<b>1</b>	<b>1.4</b>	<b>0</b>	<b>0.6</b>
<b>Bone and articular cartilage</b>	<b>2</b>	<b>0.1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.3</b>
<b>Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue</b>	<b>152</b>	<b>9.3</b>	<b>119</b>	<b>8.9</b>	<b>19</b>	<b>8.1</b>	<b>14</b>	<b>20.0</b>	<b>14</b>	<b>11.0</b>
Hodgkin's disease	5	0.3	4	0.3	0	0	1	1.4	0	0.1
Non-Hodgkin's lymphomas	53	3.2	39	2.9	7	3.0	7	10.0	7	4.0
Multiple myeloma and malignant plasma cell neoplasms	31	1.9	26	1.9	5	2.1	0	0	1	2.3
Leukaemia	63	3.8	50	3.7	7	3.0	6	8.6	6	4.6
Other	0	0	0	0	0	0	0	0	0	0
<b>Malignant neoplasms of ill-defined, secondary and unspecified sites</b>	<b>67</b>	<b>4.1</b>	<b>50</b>	<b>3.7</b>	<b>16</b>	<b>6.8</b>	<b>1</b>	<b>1.4</b>	<b>5</b>	<b>4.5</b>
<b>Malignant neoplasms of independent (primary) multiple sites</b>	<b>11</b>	<b>0.7</b>	<b>10</b>	<b>0.7</b>	<b>1</b>	<b>0.4</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.7</b>
<b>Neoplasms of uncertain or unknown behavior</b>	<b>35</b>	<b>2.1</b>	<b>29</b>	<b>2.2</b>	<b>4</b>	<b>1.7</b>	<b>2</b>	<b>2.9</b>	<b>0</b>	<b>2.3</b>
<b>Benign neoplasms</b>	<b>4</b>	<b>0.2</b>	<b>3</b>	<b>0.2</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1.4</b>	<b>0</b>	<b>0.3</b>
<b>In situ neoplasms</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

(continue)

Table 32. Number and Percentage of Deaths Due to Neoplasms by Race/Ethnicity, Westchester County, 2011-2016<sup>1</sup> (continued).

Disease Category	Number of Deaths and Percentages									
	2013									
	Total <sup>2</sup>	%	White	%	Black	%	Other	%	Hispanic <sup>3</sup>	%
<b>Total<sup>2</sup></b>	<b>1,720</b>	<b>100.0</b>	<b>1,423</b>	<b>100.0</b>	<b>244</b>	<b>100.0</b>	<b>50</b>	<b>100.0</b>	<b>123</b>	<b>100.0</b>
<b>Malignant Neoplasms</b>	<b>1,675</b>	<b>97.4</b>	<b>1,388</b>	<b>97.5</b>	<b>237</b>	<b>97.1</b>	<b>48</b>	<b>96.0</b>	<b>121</b>	<b>98.4</b>
<b>Malignant neoplasms, stated or presumed to be primary, of specified sites except of lymphoid, haematopoietic and related tissue</b>	<b>1,401</b>	<b>81.5</b>	<b>1,152</b>	<b>81.0</b>	<b>205</b>	<b>84.0</b>	<b>43</b>	<b>86.0</b>	<b>99</b>	<b>80.5</b>
<b>Digestive Organs</b>	<b>451</b>	<b>26.2</b>	<b>364</b>	<b>25.6</b>	<b>65</b>	<b>26.6</b>	<b>22</b>	<b>44.0</b>	<b>44</b>	<b>35.8</b>
Esophagus	32	1.9	23	1.6	8	3.3	1	2.0	3	2.4
Stomach	46	2.7	31	2.2	12	4.9	3	6.0	6	4.9
Colorectal	146	8.5	114	8.0	26	10.7	6	12.0	11	8.9
<i>Colon</i>	<i>116</i>	<i>6.7</i>	<i>86</i>	<i>6.0</i>	<i>24</i>	<i>9.8</i>	<i>6</i>	<i>12.0</i>	<i>8</i>	<i>6.5</i>
<i>Colorectal excluding colon</i>	<i>30</i>	<i>1.7</i>	<i>28</i>	<i>2.0</i>	<i>2</i>	<i>0.8</i>	<i>0</i>	<i>0</i>	<i>3</i>	<i>2.4</i>
Liver and intrahepatic bile duct	58	3.4	47	3.3	5	2.0	6	12.0	12	9.8
Pancreas	145	8.4	130	9.1	10	4.1	5	10.0	12	9.8
Other	24	1.4	19	1.3	4	1.6	1	2.0	0	0
<b>Respiratory and intrathoracic organs</b>	<b>391</b>	<b>22.7</b>	<b>322</b>	<b>22.6</b>	<b>62</b>	<b>25.4</b>	<b>7</b>	<b>14.0</b>	<b>22</b>	<b>17.9</b>
Larynx	13	0.8	9	0.6	4	1.6	0	0	0	0
Bronchus and lung	376	21.9	312	21.9	58	23.8	6	12.0	22	17.9
Other	2	0.1	1	0.1	0	0	1	2.0	0	0
<b>Breast</b>	<b>116</b>	<b>6.7</b>	<b>96</b>	<b>6.7</b>	<b>17</b>	<b>7.0</b>	<b>3</b>	<b>6.0</b>	<b>9</b>	<b>7.3</b>
<b>Male genital organs</b>	<b>90</b>	<b>5.2</b>	<b>68</b>	<b>4.8</b>	<b>22</b>	<b>9.0</b>	<b>0</b>	<b>0</b>	<b>4</b>	<b>3.3</b>
Prostate	90	5.2	68	4.8	22	9.0	0	0	4	3.3
Other	0	0	0	0	0	0	0	0	0	0
<b>Female genital organs</b>	<b>118</b>	<b>6.9</b>	<b>89</b>	<b>6.3</b>	<b>24</b>	<b>9.8</b>	<b>5</b>	<b>10.0</b>	<b>9</b>	<b>7.3</b>
Ovary	57	3.3	46	3.2	7	2.9	4	8.0	3	2.4
Other	61	3.5	43	3.0	17	7.0	1	2.0	6	4.9
<b>Urinary tract</b>	<b>90</b>	<b>5.2</b>	<b>84</b>	<b>5.9</b>	<b>3</b>	<b>1.2</b>	<b>3</b>	<b>6.0</b>	<b>4</b>	<b>3.3</b>
Kidney and renal pelvis	33	1.9	30	2.1	1	0.4	2	4.0	1	0.8
Bladder	55	3.2	52	3.7	2	0.8	1	2.0	2	1.6
Other	2	0.1	2	0.1	0	0	0	0	1	0.8
<b>Eye, brain and other parts of central nervous system</b>	<b>58</b>	<b>3.4</b>	<b>52</b>	<b>3.7</b>	<b>4</b>	<b>1.6</b>	<b>1</b>	<b>2.0</b>	<b>6</b>	<b>4.9</b>
Brain	56	3.3	50	3.5	4	1.6	1	2.0	6	4.9
Other	2	0.1	2	0.1	0	0	0	0	0	0
<b>Skin</b>	<b>39</b>	<b>2.3</b>	<b>36</b>	<b>2.5</b>	<b>3</b>	<b>1.2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Mesothelial and soft tissue</b>	<b>14</b>	<b>0.8</b>	<b>12</b>	<b>0.8</b>	<b>2</b>	<b>0.8</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Lip, oral cavity and pharynx</b>	<b>25</b>	<b>1.5</b>	<b>21</b>	<b>1.5</b>	<b>2</b>	<b>0.8</b>	<b>2</b>	<b>4.0</b>	<b>1</b>	<b>0.8</b>
<b>Thyroid and other endocrine glands</b>	<b>5</b>	<b>0.3</b>	<b>5</b>	<b>0.4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Bone and articular cartilage</b>	<b>4</b>	<b>0.2</b>	<b>3</b>	<b>0.2</b>	<b>1</b>	<b>0.4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue</b>	<b>174</b>	<b>10.1</b>	<b>149</b>	<b>10.5</b>	<b>20</b>	<b>8.2</b>	<b>5</b>	<b>10.0</b>	<b>16</b>	<b>13.0</b>
Hodgkin's disease	3	0.2	3	0.2	0	0	0	0	0	0
Non-Hodgkin's lymphomas	68	4.0	61	4.3	6	2.5	1	2.0	8	6.5
Multiple myeloma and malignant plasma cell neoplasms	27	1.6	19	1.3	6	2.5	2	4.0	3	2.4
Leukaemia	76	4.4	66	4.6	8	3.3	2	4.0	5	4.1
Other	0	0	0	0	0	0	0	0	0	0
<b>Malignant neoplasms of ill-defined, secondary and unspecified sites</b>	<b>87</b>	<b>5.1</b>	<b>75</b>	<b>5.3</b>	<b>12</b>	<b>4.9</b>	<b>0</b>	<b>0</b>	<b>6</b>	<b>4.9</b>
<b>Malignant neoplasms of independent (primary) multiple sites</b>	<b>13</b>	<b>0.8</b>	<b>12</b>	<b>0.8</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Neoplasms of uncertain or unknown behavior</b>	<b>37</b>	<b>2.2</b>	<b>30</b>	<b>2.1</b>	<b>6</b>	<b>2.5</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>1.6</b>
<b>Benign neoplasms</b>	<b>8</b>	<b>0.5</b>	<b>5</b>	<b>0.4</b>	<b>1</b>	<b>0.4</b>	<b>2</b>	<b>4.0</b>	<b>0</b>	<b>0</b>
<b>In situ neoplasms</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

(continue)

**Table 32. Number and Percentage of Deaths Due to Neoplasms by Race/Ethnicity, Westchester County, 2011-2016<sup>1</sup> (continued).**

Disease Category	Number of Deaths and Percentages									
			2014							
	Total <sup>2</sup>	%	White	%	Black	%	Other	%	Hispanic <sup>3</sup>	%
<b>Total<sup>2</sup></b>	<b>1,689</b>	<b>100.0</b>	<b>1,381</b>	<b>100.0</b>	<b>257</b>	<b>100.0</b>	<b>45</b>	<b>100.0</b>	<b>122</b>	<b>100.0</b>
<b>Malignant Neoplasms</b>	<b>1,640</b>	<b>97.1</b>	<b>1,345</b>	<b>97.4</b>	<b>246</b>	<b>95.7</b>	<b>44</b>	<b>97.8</b>	<b>119</b>	<b>97.5</b>
<b>Malignant neoplasms, stated or presumed to be primary, of specified sites except of lymphoid, haematopoietic and related tissue</b>	<b>1,357</b>	<b>80.3</b>	<b>1,117</b>	<b>80.9</b>	<b>201</b>	<b>78.2</b>	<b>35</b>	<b>77.8</b>	<b>99</b>	<b>81.1</b>
<b>Digestive Organs</b>	<b>466</b>	<b>27.6</b>	<b>363</b>	<b>26.3</b>	<b>81</b>	<b>31.5</b>	<b>20</b>	<b>44.4</b>	<b>47</b>	<b>38.5</b>
Esophagus	41	2.4	25	1.8	13	5.1	3	6.7	3	2.5
Stomach	47	2.8	30	2.2	15	5.8	2	4.4	11	9.0
Colorectal	155	9.2	125	9.1	28	10.9	2	4.4	9	7.4
<i>Colon</i>	<i>121</i>	<i>7.2</i>	<i>96</i>	<i>7.0</i>	<i>23</i>	<i>8.9</i>	<i>2</i>	<i>4.4</i>	<i>8</i>	<i>6.6</i>
<i>Colorectal excluding colon</i>	<i>34</i>	<i>2.0</i>	<i>29</i>	<i>2.1</i>	<i>5</i>	<i>1.9</i>	<i>0</i>	<i>0</i>	<i>1</i>	<i>0.8</i>
Liver and intrahepatic bile duct	81	4.8	66	4.8	11	4.3	4	8.9	11	9.0
Pancreas	140	8.3	115	8.3	14	5.4	9	20.0	10	8.2
Other	2	0.1	2	0.1	0	0	0	0	3	2.5
<b>Respiratory and intrathoracic organs</b>	<b>386</b>	<b>22.9</b>	<b>329</b>	<b>23.8</b>	<b>49</b>	<b>19.1</b>	<b>6</b>	<b>13.3</b>	<b>18</b>	<b>14.8</b>
Larynx	7	0.4	5	0.4	2	0.8	0	0	0	0
Bronchus and lung	374	22.1	321	23.2	46	17.9	6	13.3	18	14.8
Other	5	0.3	3	0.2	1	0.4	0	0	0	0
<b>Breast</b>	<b>119</b>	<b>7.0</b>	<b>93</b>	<b>6.7</b>	<b>23</b>	<b>8.9</b>	<b>3</b>	<b>6.7</b>	<b>9</b>	<b>7.4</b>
<b>Male genital organs</b>	<b>92</b>	<b>5.4</b>	<b>77</b>	<b>5.6</b>	<b>14</b>	<b>5.4</b>	<b>1</b>	<b>2.2</b>	<b>6</b>	<b>4.9</b>
Prostate	91	5.4	76	5.5	14	5.4	1	2.2	6	4.9
Other	1	0.1	1	0.1	0	0	0	0	0	0
<b>Female genital organs</b>	<b>96</b>	<b>5.7</b>	<b>75</b>	<b>5.4</b>	<b>20</b>	<b>7.8</b>	<b>1</b>	<b>2.2</b>	<b>4</b>	<b>3.3</b>
Ovary	40	2.4	35	2.5	4	1.6	1	2.2	0	0
Other	56	3.3	40	2.9	16	6.2	0	0	4	3.3
<b>Urinary tract</b>	<b>70</b>	<b>4.1</b>	<b>63</b>	<b>4.6</b>	<b>3</b>	<b>1.2</b>	<b>4</b>	<b>8.9</b>	<b>7</b>	<b>5.7</b>
Kidney and renal pelvis	26	1.5	22	1.6	1	0.4	3	6.7	3	2.5
Bladder	40	2.4	37	2.7	2	0.8	1	2.2	3	2.5
Other	4	0.2	4	0.3	0	0	0	0	1	0.8
<b>Eye, brain and other parts of central nervous system</b>	<b>38</b>	<b>2.2</b>	<b>34</b>	<b>2.5</b>	<b>4</b>	<b>1.6</b>	<b>0</b>	<b>0</b>	<b>4</b>	<b>3.3</b>
Brain	36	2.1	32	2.3	4	1.6	0	0	4	3.3
Other	2	0.1	2	0.1	0	0	0	0	0	0
<b>Skin</b>	<b>35</b>	<b>2.1</b>	<b>35</b>	<b>2.5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.8</b>
<b>Mesothelial and soft tissue</b>	<b>26</b>	<b>1.5</b>	<b>22</b>	<b>1.6</b>	<b>4</b>	<b>1.6</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.8</b>
<b>Lip, oral cavity and pharynx</b>	<b>20</b>	<b>1.2</b>	<b>18</b>	<b>1.3</b>	<b>2</b>	<b>0.8</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Thyroid and other endocrine glands</b>	<b>7</b>	<b>0.4</b>	<b>6</b>	<b>0.4</b>	<b>1</b>	<b>0.4</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.8</b>
<b>Bone and articular cartilage</b>	<b>2</b>	<b>0.1</b>	<b>2</b>	<b>0.1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.8</b>
<b>Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue</b>	<b>178</b>	<b>10.5</b>	<b>141</b>	<b>10.2</b>	<b>30</b>	<b>11.7</b>	<b>6</b>	<b>13.3</b>	<b>14</b>	<b>11.5</b>
Hodgkin's disease	3	0.2	2	0.1	1	0.4	0	0	1	0.8
Non-Hodgkin's lymphomas	66	3.9	52	3.8	11	4.3	3	6.7	4	3.3
Multiple myeloma and malignant plasma cell neoplasms	37	2.2	28	2.0	8	3.1	0	0	4	3.3
Leukaemia	72	4.3	59	4.3	10	3.9	3	6.7	5	4.1
Other	0	0	0	0	0	0	0	0	0	0
<b>Malignant neoplasms of ill-defined, secondary and unspecified sites</b>	<b>98</b>	<b>5.8</b>	<b>80</b>	<b>5.8</b>	<b>15</b>	<b>5.8</b>	<b>3</b>	<b>6.7</b>	<b>6</b>	<b>4.9</b>
<b>Malignant neoplasms of independent (primary) multiple sites</b>	<b>7</b>	<b>0.4</b>	<b>7</b>	<b>0.5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Neoplasms of uncertain or unknown behavior</b>	<b>41</b>	<b>2.4</b>	<b>31</b>	<b>2.2</b>	<b>8</b>	<b>3.1</b>	<b>1</b>	<b>2.2</b>	<b>2</b>	<b>1.6</b>
<b>Benign neoplasms</b>	<b>8</b>	<b>0.5</b>	<b>5</b>	<b>0.4</b>	<b>3</b>	<b>1.2</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0.8</b>
<b>In situ neoplasms</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

(continue)



**Table 32. Number and Percentage of Deaths Due to Neoplasms by Race/Ethnicity, Westchester County, 2011-2016<sup>1</sup> (continued).**

Disease Category	Number of Deaths and Percentages									
	2016									
	Total <sup>2</sup>	%	White	%	Black	%	Other	%	Hispanic <sup>3</sup>	%
<b>Total<sup>2</sup></b>	<b>1,717</b>	<b>100.0</b>	<b>1,424</b>	<b>100.0</b>	<b>219</b>	<b>100.0</b>	<b>54</b>	<b>100.0</b>	<b>78</b>	<b>100.0</b>
<b>Malignant Neoplasms</b>	<b>1,665</b>	<b>97.0</b>	<b>1,382</b>	<b>97.1</b>	<b>213</b>	<b>97.3</b>	<b>52</b>	<b>96.3</b>	<b>77</b>	<b>98.7</b>
<b>Malignant neoplasms, stated or presumed to be primary, of specified sites except of lymphoid, haematopoietic and related tissue</b>	<b>1,373</b>	<b>80.0</b>	<b>1,139</b>	<b>80.0</b>	<b>175</b>	<b>79.9</b>	<b>46</b>	<b>85.2</b>	<b>58</b>	<b>74.4</b>
<b>Digestive Organs</b>	<b>449</b>	<b>26.2</b>	<b>368</b>	<b>25.8</b>	<b>55</b>	<b>25.1</b>	<b>21</b>	<b>38.9</b>	<b>25</b>	<b>32.1</b>
Esophagus	35	2.0	31	2.2	4	1.8	0	0	1	1.3
Stomach	46	2.7	30	2.1	5	2.3	9	16.7	4	5.1
Colorectal	148	8.6	122	8.6	22	10.0	3	5.6	6	7.7
<i>Colon</i>	<i>111</i>	<i>6.5</i>	<i>90</i>	<i>6.3</i>	<i>17</i>	<i>7.8</i>	<i>3</i>	<i>5.6</i>	<i>2</i>	<i>2.6</i>
<i>Colorectal excluding colon</i>	<i>37</i>	<i>2.2</i>	<i>32</i>	<i>2.2</i>	<i>5</i>	<i>2.3</i>	<i>0</i>	<i>0</i>	<i>4</i>	<i>5.1</i>
Liver and intrahepatic bile duct	77	4.5	63	4.4	8	3.7	6	11.1	7	9.0
Pancreas	141	8.2	120	8.4	16	7.3	3	5.6	6	7.7
Other	2	0.1	2	0.1	0	0	0	0	1	1.3
<b>Respiratory and intrathoracic organs</b>	<b>331</b>	<b>19.3</b>	<b>272</b>	<b>19.1</b>	<b>50</b>	<b>22.8</b>	<b>8</b>	<b>14.8</b>	<b>12</b>	<b>15.4</b>
Larynx	8	0.5	8	0.6	0	0	0	0	1	1.3
Bronchus and lung	319	18.6	260	18.3	50	22.8	8	14.8	11	14.1
Other	4	0.2	4	0.3	0	0	0	0	0	0
<b>Breast</b>	<b>117</b>	<b>6.8</b>	<b>99</b>	<b>7.0</b>	<b>13</b>	<b>5.9</b>	<b>5</b>	<b>9.3</b>	<b>3</b>	<b>3.8</b>
<b>Male genital organs</b>	<b>105</b>	<b>6.1</b>	<b>87</b>	<b>6.1</b>	<b>18</b>	<b>8.2</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>3.8</b>
Prostate	105	6.1	87	6.1	18	8.2	0	0	3	3.8
Other	0	0	0	0	0	0	0	0	0	0
<b>Female genital organs</b>	<b>133</b>	<b>7.7</b>	<b>111</b>	<b>7.8</b>	<b>17</b>	<b>7.8</b>	<b>5</b>	<b>9.3</b>	<b>4</b>	<b>5.1</b>
Ovary	55	3.2	44	3.1	7	3.2	4	7.4	3	3.8
Other	78	4.5	67	4.7	10	4.6	1	1.9	1	1.3
<b>Urinary tract</b>	<b>71</b>	<b>4.1</b>	<b>57</b>	<b>4.0</b>	<b>10</b>	<b>4.6</b>	<b>2</b>	<b>3.7</b>	<b>3</b>	<b>3.8</b>
Kidney and renal pelvis	24	1.4	17	1.2	5	2.3	2	3.7	1	1.3
Bladder	47	2.7	40	2.8	5	2.3	0	0	2	2.6
Other	0	0	0	0	0	0	0	0	0	0
<b>Eye, brain and other parts of central nervous system</b>	<b>61</b>	<b>3.6</b>	<b>53</b>	<b>3.7</b>	<b>3</b>	<b>1.4</b>	<b>2</b>	<b>3.7</b>	<b>1</b>	<b>1.3</b>
Brain	60	3.5	52	3.7	3	1.4	2	3.7	1	1.3
Other	1	0.1	1	0.1	0	0	0	0	0	0
<b>Skin</b>	<b>35</b>	<b>2.0</b>	<b>32</b>	<b>2.2</b>	<b>2</b>	<b>0.9</b>	<b>1</b>	<b>1.9</b>	<b>2</b>	<b>2.6</b>
<b>Mesothelial and soft tissue</b>	<b>23</b>	<b>1.3</b>	<b>19</b>	<b>1.3</b>	<b>2</b>	<b>0.9</b>	<b>2</b>	<b>3.7</b>	<b>2</b>	<b>2.6</b>
<b>Lip, oral cavity and pharynx</b>	<b>24</b>	<b>1.4</b>	<b>22</b>	<b>1.5</b>	<b>1</b>	<b>0.5</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1.3</b>
<b>Thyroid and other endocrine glands</b>	<b>13</b>	<b>0.8</b>	<b>9</b>	<b>0.6</b>	<b>3</b>	<b>1.4</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>Bone and articular cartilage</b>	<b>11</b>	<b>0.6</b>	<b>10</b>	<b>0.7</b>	<b>1</b>	<b>0.5</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>2.6</b>
<b>Malignant neoplasms, stated or presumed to be primary, of lymphoid, haematopoietic and related tissue</b>	<b>191</b>	<b>11.1</b>	<b>157</b>	<b>11.0</b>	<b>28</b>	<b>12.8</b>	<b>4</b>	<b>7.4</b>	<b>11</b>	<b>14.1</b>
Hodgkin's disease	2	0.1	2	0.1	0	0	0	0	1	1.3
Non-Hodgkin's lymphomas	65	3.8	55	3.9	5	2.3	4	7.4	4	5.1
Multiple myeloma and malignant plasma cell neoplasms	44	2.6	31	2.2	12	5.5	0	0	2	2.6
Leukaemia	79	4.6	68	4.8	11	5.0	0	0	4	5.1
Other	1	0.1	1	0.1	0	0	0	0	0	0
<b>Malignant neoplasms of ill-defined, secondary and unspecified sites</b>	<b>93</b>	<b>5.4</b>	<b>80</b>	<b>5.6</b>	<b>9</b>	<b>4.1</b>	<b>1</b>	<b>1.9</b>	<b>8</b>	<b>10.3</b>
<b>Malignant neoplasms of independent (primary) multiple sites</b>	<b>8</b>	<b>0.5</b>	<b>6</b>	<b>0.4</b>	<b>1</b>	<b>0.5</b>	<b>1</b>	<b>1.9</b>	<b>0</b>	<b>0</b>
<b>Neoplasms of uncertain or unknown behavior</b>	<b>50</b>	<b>2.9</b>	<b>41</b>	<b>2.9</b>	<b>5</b>	<b>2.3</b>	<b>2</b>	<b>3.7</b>	<b>1</b>	<b>1.3</b>
<b>Benign neoplasms</b>	<b>2</b>	<b>0.1</b>	<b>1</b>	<b>0.1</b>	<b>1</b>	<b>0.5</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>In situ neoplasms</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

<sup>1</sup>Data unavailable for 2015 year.

<sup>2</sup>Totals may include deaths of unknown neoplasm or race/ethnicity.

<sup>3</sup>Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

# Appendices

## Appendix 1. Data Sources and Definitions for Vital Statistics

The vital statistics presented in this report are based on the certificate records of live births, deaths, and fetal deaths of Westchester County residents in the United States. The source of this information is the New York State Department of Health 2018. The most current vital statistics data available is for 2016. Limited information on aggregated tables for 2011 are available from NYSDOH's website.

Beginning on January 1, 2004, the NYSDOH implemented a web-based registration of all live birth certificates for all counties of New York State excluding New York City (NYSENYC). Web-based live birth certificates were revised to incorporate National Center of Health Statistics (NCHS) guidelines. These changes applied only to New York State hospitals exclusive of New York City area. New York City uses their own version of the live birth certificate.

**Race:** For the live birth years 2004 onward, racial categories were defined by the 2000 US Census Bureau guidelines. This format allows for more than one race to be selected among multiple race categories, and also has the new categories of White Alone and Black Alone, which are exclusive of any other race categories. The definition for "Other" race in our vital statistics includes the 2000 US Census Bureau racial categories of "Other Race", "American Indian", "Asian", "Native Hawaiian or Other Pacific Islander", and "Two or More Races".

**Residence:** The usual place of residence for the person to whom the event occurred. For births and fetal deaths, residence is defined as the mother's usual place of residence.

**Live Births:** A live birth is defined as "the complete expulsion or extraction from its mother of a product of conception, irrespective of duration of pregnancy, which, after such separation, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached" (Vital Statistics of New York State 1999, New York State Department of Health).

**Birth Rate:** Annual number of live births per 1,000 total population.

**Infant Birthweight:** Infant Birthweight is grouped as very low birthweight (less than 1,500 grams), low birthweight (1,500 to 2,499 grams), and normal birthweight (2,500 grams or more).

**Gestation Weeks:** Gestation weeks are defined as "the interval between the first day of the mother's last normal menstrual period and the date of delivery." Gestation weeks are

grouped as premature birth (less than 37 weeks gestational period), and normal length of gestation (gestational period of 37 weeks or more).

**Time Starting Prenatal Care:** Time starting prenatal care is measured by the number of months of the pregnancy at the time prenatal care was initiated.

**Maternal Exposure to Smoking During Pregnancy:** Mother used any tobacco products during pregnancy. This is self-reported.

**Maternal Exposure to Drug Use During Pregnancy:** Mother used any of the following: cocaine, crack, heroin, methadone, marijuana, amphetamines, or un-prescribed sedatives during pregnancy. This is self-reported.

**Cesarean Section:** The surgical delivery of the newborn while the mother is under general anesthesia. Cesarean section is usually the result of an abnormal delivery situation, once the mother has already gone into labor. A primary C-section refers to the first instance of delivery by Cesarean section. A repeat C-section is a Cesarean delivery in which a woman has previous delivery by a C-section. A vaginal birth after C-section, or VBAC, is a vaginal delivery by a woman who has previously delivered by C-section.

**Mother's Country/Region of Origin:**

- The Caribbean Region includes Antigua and Barbuda, the Antilles, the Bahamas, Barbados, Cuba, Dominica, Dominican Republic, Guyana, Haiti, Jamaica, Montserrat, Nevis & St. Christopher, Puerto Rico, St. Lucia, St. Martin, Trinidad, and the Virgin Isles.
- Central and South America includes the countries of Argentina, Belize, Bolivia, Brazil, Chile, Colombia, Costa Rica, Ecuador, El Salvador, Guatemala, Honduras, Nicaragua, Panama, Paraguay, Peru, Uruguay, and Venezuela.
- Countries of Asia include Afghanistan, Bangladesh, Cambodia, China, Hong Kong, Indonesia, India, Iran, Israel, Japan, Jordan, North Korea, Kuwait, Laos, Lebanon, Nepal, Pakistan, Palestine, the Philippines, Saudi Arabia, South Korea, Sri Lanka, Syria, Taiwan, Thailand, Turkey, Vietnam, and Yemen.
- The region of Europe, Canada, and Australia includes the countries of Albania, Armenia, Austria, Belarus, Belgium, Bosnia and Herzegovina, Bulgaria, Croatia, Czechoslovakia, Denmark, Estonia, Finland, France, Georgia, Germany, Greece, Hungary, Ireland, Italy, Latvia, Lithuania, Montenegro, the Netherlands, Norway, Poland, Portugal, Romania, Russia, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Ukraine, the United Kingdom, and Yugoslavia. Canada, Australia, and New Zealand are also included in this geographic region.
- Africa includes the countries of Algeria, Angola, Burkina Faso, Cameroon, Central African Republic, Chad, Côte D'Ivoire, the Democratic Republic of Congo, Egypt,

Ethiopia, Gabon, Gambia, Ghana, Kenya, Liberia, Morocco, Mozambique, Nigeria, Senegal, Sierra Leone, South Africa, Swaziland, Tanzania, Uganda, Zambia, and Zimbabwe.

**Fetal Deaths:** A fetal death is defined as "the death prior to the complete expulsion or extraction from its mother of a product of conception; the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles" (*Vital Statistics of New York State 2000*, New York State Department of Health). New York State Public Health Law requires the registration of all fetal deaths regardless of the length of gestation of the fetus.

**Causes of Deaths:** In this report, the cause of death is the underlying cause based on the death certificate, classified according to the World Health Organization's International Classification of Diseases (ICD), Tenth Revision, as the disease or injury

**Infant Mortality Rate:** Annual number of deaths under one year of age per 1,000 live births occurring during the year.

**Death Rate:** Annual number of deaths per 100,000 total population.

**Appendix 2. The International Classification of Diseases (ICD-10): Codes for Selected Causes of Death.**

<b>Disease Category</b>	<b>ICD-10</b>
Certain infectious and parasitic diseases	A00-B99
Tuberculosis	A15-A19
Septicemia	A40-A41
Viral hepatitis	B15-B19
Human immunodeficiency [HIV] disease	B20-B24
Neoplasms	C00-D48
Malignant neoplasms	C00-C97
In situ neoplasms	D00-D09
Benign neoplasms	D10-D36
Neoplasms of uncertain or unknown behavior	D37-D48
Diseases of the blood and blood-forming organs and certain disorders involving the immune system	D50-D89
Endocrine, nutritional and metabolic diseases	E00-E90
Diabetes mellitus	E10-E14
Mental and behavioral disorders	F00-F99
Diseases of the nervous system	G00-G99
Parkinson's disease	G20-G21
Alzheimer's disease	G30
Diseases of the eye and adnexa	H00-H59
Disease of the ear and mastoid process	H60-H95
Diseases of the circulatory system	I00-I99
Diseases of the respiratory system	J00-J99
Influenza	J09-J11
Pneumonia	J12-J18
Chronic lower respiratory diseases	J40-J47
Diseases of the digestive system	K00-K93
Gastritis, Enteritis, Colitis, Diverticulitis	K29, K50-K52, K57
Diseases of the liver	K70-K77
Chronic liver diseases, including Cirrhosis	K70, K73-K74
Diseases of the skin and subcutaneous tissue	L00-L99
Diseases of the musculoskeletal system and connective tissue	M00-M99
Diseases of the genitourinary system	N00-N99
Kidney diseases	N00-N29
Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27
Renal failure	N17-N19
Pregnancy, childbirth and the puerperium	O00-099
Certain conditions originating in the perinatal period	P00-P99
Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R99
Sudden Infant Death Syndrome	R95
External Causes of morbidity and mortality	V01-Y98
Accidents	V01-X59
Intentional self-harm	X60-X84
Assault	X85-Y09
Legal intervention and operations of war	Y35-Y36
Complications of medical and surgical care	Y40-Y84
Sequelae of external causes of morbidity and mortality	Y85-Y89
Supplementary factors related to causes of morbidity and mortality	Y90-Y98
Factors influencing health status and contact with health services	Z00-Z99
Codes for special purposes	U00-U99

**Appendix 3 – The International Classification of Diseases (ICD-10): Codes for Selected Causes of Death Due to Diseases of the Circulatory System**

<b>Disease Category</b>	<b>ICD-10</b>
<b>Diseases of the Circulatory System</b>	<b>I00-I99</b>
<b>Acute rheumatic fever</b>	I00-I02
<b>Chronic rheumatic heart diseases</b>	I05-I09
<b>Hypertensive diseases</b>	I10-I15
Essential (primary) hypertension	I10
Hypertensive heart and renal disease	I11-I13
<b>Ischemic heart diseases</b>	I20-I25
Acute myocardial infarction	I21
Chronic ischemic heart disease	I25
<b>Pulmonary heart disease and diseases of pulmonary circulation</b>	I26-I28
<b>Other forms of heart disease</b>	I30-I52
Nonrheumatic aortic valve disorders	I35
Cardiomyopathy	I42
Cardiac arrest	I46
Atrial fibrillation and flutter	I48
Heart failure	I50
<b>Cerebrovascular diseases</b>	I60-I69
Intracerebral hemorrhage	I61
Stroke, non-specified as hemorrhage or infarction	I64
<b>Diseases of arteries, arterioles and capillaries</b>	I70-I79
Atherosclerosis	I70
Aortic aneurysm and dissection	I71
<b>Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified</b>	I80-I89
<b>Other and unspecified disorders of the circulatory system</b>	I95-I99

<b>Appendix 4 – The International Classification of Diseases (ICD-10 Codes): Codes for Selected Causes of Death Due to Neoplasms.</b>	
<b>Disease Category</b>	<b>ICD-10</b>
<b>Neoplasms</b>	<b>C00 -D48</b>
Malignant Neoplasms	C00 -D48
Malignant neoplasms, stated or presumed to be primary, of specified sites except of lymphoid, hematopoietic and related tissue	C00-C75
Lip, oral cavity and pharynx	C00-C14
Digestive organs	C15-C26
Esophagus	C15
Stomach	C16
Colorectal	C18-C21
Colon	C18-C21
Colorectal excluding colon	C19-C21
Liver and intrahepatic bile duct	C22
Pancreas	C25
Respiratory and intrathoracic organs	C30-C39
Larynx	C32
Bronchus and lung	C34
Bone and articular cartilage	C40-C41
Skin	C43-C44
Mesothelial and soft tissue	C45-C49
Breast	C50
Female genital organs	C51-C58
Ovary	C56
Male genital organs	C60-C63
Prostate	C61
Urinary Tract	C64-C68
Kidney and renal pelvis	C64-C65
Kidney, excluding renal pelvis	C64
Bladder	C67
Eye, brain and other parts of central nervous system	C69-C72
Brain	C71
Thyroid and other endocrine glands	C73-C75
Malignant neoplasms of ill-defined, secondary and unspecified sites	C76-C80
Malignant neoplasms, stated or presumed to be primary, of lymphoid, hematopoietic and related tissue	C81-C96
Hodgkin's disease	C81
Non-Hodgkin's lymphomas	C82-C85
Multiple myeloma and malignant plasma cell neoplasms	C90
Leukemia	C91-C95
Malignant neoplasms of independent (primary) multiple sites	C97
<b>In situ neoplasms</b>	<b>D00-D09</b>
<b>Benign neoplasms</b>	<b>D10-D36</b>
<b>Neoplasms of uncertain or unknown behavior</b>	<b>D37-D48</b>



## Appendix 5. Westchester County Municipalities and Map

Health Planning Region and Municipality <sup>1</sup>	Code <sup>2</sup>
<b>Northwest</b>	
Cortlandt Town	T
Buchanan Village	V
Croton-on-Hudson Village	V
Cortlandt Unincorporated	TOV
Mount Pleasant Town	T
Briarcliff Manor Village (Mount Pleasant Part) <sup>2</sup>	V
Pleasantville Village	V
Sleepy Hollow Village	V
Mount Pleasant Unincorporated	TOV
Ossining Town	T
Briarcliff Manor Village (Ossining Part) <sup>2</sup>	V
Ossining Village	V
Ossining Unincorporated	TOV
Peekskill	C
<b>Northeast</b>	
Bedford Town	T
Lewisboro Town	T
Mount Kisco Town/Village	T/V
New Castle Town	T
North Castle Town	T
North Salem Town	T
Pound Ridge Town	T
Somers Town	T
Yorktown Town	T
<b>West Central</b>	
Greenburgh Town	T
Ardley Village	V
Dobbs Ferry Village	V
Elmsford Village	V
Hastings-on-Hudson Village	V
Irvington Village	V
Tarrytown Village	V
Greenburgh Unincorporated	TOV
Scarsdale Town/Village	T/V
White Plains	C


Health Planning Region and Municipality <sup>1</sup>	Code <sup>2</sup>
<b>East Central</b>	
Harrison Town/Village	T/V
Mamaroneck Town	T
Larchmont Village	V
Mamaroneck Village (Mamaroneck Part) <sup>3</sup>	V
Mamaroneck Unincorporated	TOV
Rye City	C
Rye Town	T
Mamaroneck Village (Rye Part) <sup>3</sup>	V
Port Chester Village	V
Rye Brook Village	V
<b>Southwest</b>	
Yonkers	C
<b>Southeast</b>	
Eastchester Town	T
Bronxville Village	V
Tuckahoe Village	V
Eastchester Unincorporated	TOV
Mount Vernon	C
New Rochelle	C
Pelham Town	T
Pelham Village	V
Pelham Manor Village	V

<sup>1</sup> For regional planning purposes, municipalities are grouped into six geographic health planning regions.

<sup>2</sup> A town may or may not include incorporated villages located within the town boundary. When it does not include any incorporated villages within the town boundary, the statistics refer to the town as a whole (T). When it does include incorporated villages within its boundary, the statistics refer to the unincorporated area within the town boundary (TOV). The entities of Harrison, Mount Kisco, and Scarsdale are both towns and villages (V/T). The land in two towns, Pelham and Rye, has all been incorporated into separated villages. Therefore, no data are reported for these two towns. Cities are denoted by (C).

<sup>3</sup> The Village of Briarcliff Manor and the Village of Mamaroneck are split between two towns. Briarcliff Manor is within the Town of Ossining (92% of its surface area and 91% of its population) and the Town of Mount Pleasant (8% of its surface area and 9% of its population). The Village of Mamaroneck is within the Town of Mamaroneck (63% of its surface area and 60% of its population) and the Town of Rye (37% of its surface area and 40% of its population).

# Health Planning Regions and Municipalities, Westchester County



- NORTHEAST**
- Bedford
  - Lewisboro
  - Mount Kisco
  - New Castle
  - North Castle
  - North Salem
  - Pound Ridge
  - Somers
  - Yorktown

- EAST CENTRAL**
- Harrison
  - Larchmont
  - Mamaroneck (T)
  - Mamaroneck (V)
  - Port Chester
  - Rye
  - Rye Brook

- SOUTHEAST**
- Bronxville
  - Eastchester
  - Mount Vernon
  - New Rochelle
  - Pelham
  - Pelham Manor
  - Tuckahoe

- NORTHWEST**
- Briarcliff Manor
  - Buchanan
  - Cortlandt
  - Croton-on-Hudson
  - Mount Pleasant
  - Ossining (T)
  - Ossining (V)
  - Peekskill
  - Pleasantville
  - Sleepy Hollow

- WEST CENTRAL**
- Ardsley
  - Dobbs Ferry
  - Greenburgh
  - Hastings-on-Hudson
  - Irvington
  - Scarsdale
  - Tarrytown
  - White Plains

- SOUTHWEST**
- Yonkers