



**Andrew J. Spano, Westchester County Executive
County Board of Legislators**

The background of the cover is a photograph of a person's hand pointing at a line graph on a document. The person is wearing a dark suit jacket. The graph shows a line that rises to a peak, falls to a trough, and then rises again. The overall color scheme is warm, with shades of orange and yellow.

Annual Data Book

Issued: 2006

**DEPARTMENT OF HEALTH
Joshua Lipsman, M.D., J.D., M.P.H., Commissioner**

**COUNTY OF WESTCHESTER
ANDREW J. SPANO
COUNTY EXECUTIVE**

**DEPARTMENT OF HEALTH
ANNUAL DATA BOOK
2005/2006**

**JOSHUA LIPSMAN, M.D., J.D., M.P.H.
COMMISSIONER OF HEALTH
WESTCHESTER COUNTY DEPARTMENT OF HEALTH
145 HUGUENOT STREET – 8TH FLOOR
NEW ROCHELLE, NY 10801**

**For questions, please contact the Department's Division of Planning and Evaluation:
Phone: (914) 813-5100**

Westchester County Department of Health

Mission Statement

The mission of the Westchester County Department of Health is to promote health, prevent disease and prolong meaningful life for Westchester residents.

The Commissioner of Health is vested with all of the powers and duties necessary under the mandates of the New York State Public Health Law to

- monitor and control the spread of communicable disease,
- monitor and regulate air and water quality,
- enforce the state and local sanitary code,
- promote and ensure local public health activities and
- assure the availability of community health services.

Foreword

The Annual Data Book 2005/2006 contains community demographic and health data that are valuable for describing the health and well being of Westchester County residents. In addition, it includes information on services delivered by the Department of Health. The data book contains three major sections. The first section provides general demographic and health status profiles of the county in detail with illustrative figures and maps. The second section contains the detailed statistic tables used in the databook. The last section provides information on data sources, definitions, data analysis methods, disease codes, and other information on Westchester County hospitals, nursing homes, and Health Department district offices and personnel.

The following are the principal areas contained in the data book:

For 2004,

- Births and Pregnancies, including the numbers of births, birth rates, and demographic characteristics of mothers.
- Deaths, including the numbers of deaths, death rates, leading causes of death and demographic characteristics.

For 2004 and 2005,

- Hospitalizations, including number of hospital discharges, average length of stay, type of services received, primary diagnosis for hospitalization, and demographic characteristics of patients.

For 2005,

- Demographics, including population figures and social economic characteristics.
- Communicable Diseases, including the number of communicable diseases reported to the Westchester County Department of Health.
- Community Health Program, including information on the Lead Poisoning Prevention Program and the activities of the Department of Health's community clinics.
- Environmental Health Program, including information on inspections conducted.
- Services for Children with Special Needs.
- Child Health Plus Enrollment.

Westchester County Municipalities

Health Planning Region and Municipality ¹	Code ²
Northwest	
Cortlandt Town	T
Buchanan Village	V
Croton-on-Hudson Village	V
Cortlandt Unincorporated	TOV
Mount Pleasant Town	T
Briarcliff Manor Village (Mount Pleasant Part) ²	V
Pleasantville Village	V
Sleepy Hollow Village	V
Mount Pleasant Unincorporated	TOV
Ossining Town	T
Briarcliff Manor Village (Ossining Part) ²	V
Ossining Village	V
Ossining Unincorporated	TOV
Peekskill	C
Northeast	
Bedford Town	T
Lewisboro Town	T
Mount Kisco Town/Village	T/V
New Castle Town	T
North Castle Town	T
North Salem Town	T
Pound Ridge Town	T
Somers Town	T
Yorktown Town	T
West Central	
Greenburgh Town	T
Ardsley Village	V
Dobbs Ferry Village	V
Elmsford Village	V
Hastings-on-Hudson Village	V
Irvington Village	V
Tarrytown Village	V
Greenburgh Unincorporated	TOV
Scarsdale Town/Village	T/V
White Plains	C

Health Planning Region and Municipality¹	Code²
East Central	
Harrison Town/Village	T/V
Mamaroneck Town	T
Larchmont Village	V
Mamaroneck Village (Mamaroneck Part) ³	V
Mamaroneck Unincorporated	TOV
Rye City	C
Rye Town	T
Mamaroneck Village (Rye Part) ³	V
Port Chester Village	V
Rye Brook Village	V
Southwest	
Yonkers	C
Southeast	
Eastchester Town	T
Bronxville Village	V
Tuckahoe Village	V
Eastchester Unincorporated	TOV
Mount Vernon	C
New Rochelle	C
Pelham Town	T
Pelham Village	V
Pelham Manor Village	V

¹ For regional planning purposes, municipalities are grouped into six geographic health planning regions.

² A town may or may not include incorporated villages located within the town boundary. When it does not include any incorporated villages within the town boundary, the statistics refer to the town as a whole (T). When it does include incorporated villages within its boundary, the statistics refer to the unincorporated area within the town boundary (TOV). The entities of Harrison, Mount Kisco, and Scarsdale are both towns and villages (V/T). The land in two towns, Pelham and Rye, has all been incorporated into separated villages. Therefore, no data are reported for these two towns.

³ The Village of Briarcliff Manor and the Village of Mamaroneck are split between two towns. Briarcliff Manor is within the Town of Ossining (92% of its surface area and 91% of its population) and the Town of Mount Pleasant (8% of its surface area and 9% of its population). The Village of Mamaroneck is within the Town of Mamaroneck (63% of its surface area and 60% of its population) and the Town of Rye (37% of its surface area and 40% of its population).

MUNICIPALITIES AND HEALTH PLANNING REGIONS WESTCHESTER COUNTY




Table of Contents

Mission Statement.....	i
Foreword.....	ii
Westchester County Municipalities	iii
List of Tables	vii
List of Figures/Maps	xiv
Introduction to Westchester County Demographic and Health Status Profiles	1
<i>Demographics</i>	2
<i>Births and Pregnancies</i>	4
<i>Deaths</i>	9
<i>Morbidity: Hospitalizations</i>	13
<i>Morbidity: Selected Diseases</i>	24
Tables.....	34
<i>Demographics</i>	34
<i>Births and Pregnancies</i>	38
<i>Deaths</i>	46
<i>Morbidity: Hospitalizations</i>	57
<i>Morbidity: Selected Diseases</i>	110
<i>Selected Services Provided by Westchester County Department of Health</i>	130
Appendices.....	148
<i>Data Sources and Definitions</i>	148
<i>Data Analysis and Significance Test</i>	154
<i>The International Classification of Diseases (ICD-10): Codes for Selected Causes of Death</i>	155
<i>The International Classification of Diseases (ICD-9): Codes for Selected Diseases for</i> <i>Hospitalizations</i>	156
<i>Westchester County Department of Health, Communicable Disease Reporting Requirements</i>	159
<i>Westchester County Hospitals</i>	160
<i>Westchester County Nursing Homes</i>	162
<i>Westchester County Department of Health’s District Offices</i>	165
<i>Westchester County Board of Health</i>	166
<i>Westchester County Department of Health - Administrative Staff</i>	168
<i>Westchester County Department of Health - Project Staff</i>	170

List of Tables

Population: Demographic Profile

Table 1	Age, Sex, and Race/Ethnicity, Westchester County, 2000 and 2005	34
Table 2	Educational Attainment, Population 25 Years and Over, Westchester County, 2000 and 2005	35
Table 3	Labor Force Participation and Unemployment Rate, Population 16 Years and Over, Westchester County, 2000 and 2005	35
Table 4	Immigration and Language Spoken at Home, Westchester County, 2000 and 2005	36
Table 5	Household Structure, Westchester County, 2000 and 2005	36
Table 6	Number of Households by Income Group, Median Household Income, Source of Household Income, and Number and Percent of Population Under Poverty Level, Westchester County, 1999 and 2004	37

Population: Health Status Profile

Births and Pregnancies

Table 7	Total Number of Births, Westchester County, 2004	38
Table 8	Average Maternal Age and Number of Births by Mother's Age, Westchester County, 2004	39
Table 9	Percentage of Infants with Low Birthweight, Less Than 37 Gestation Weeks, and Late or No Prenatal Care, Westchester County, 2004	40
Table 10	Number of Births by Mother's Age and Race/Ethnicity, Westchester County, 2004	41
Table 11	Number of Births by Birthweight and Mother's Race/Ethnicity and Age, Westchester County, 2004	42
Table 12	Average Birthweight by Maternal Exposure to Smoking and Drug Use During Pregnancy by Mother's Race/Ethnicity, Westchester County, 2004	43
Table 13	Number of Births by Time Starting Prenatal Care and Mother's Age and Race/Ethnicity, Westchester County, 2004	44
Table 14	Number of Total Pregnancies, Live Births, Spontaneous Fetal Deaths, and Induced Abortions by Maternal Age, Westchester County, 2004	45

Deaths

Table 15	Total Number of Deaths and Infant Deaths, Westchester County, 2004	46
Table 16	Number of Deaths and Death Rates by Age Group and Sex, and Average Age of Death by Sex, Westchester County, 2004	47
Table 17	Number of Deaths and Death Rates by Age Group and Race/Ethnicity, and Average Age of Death by Race/Ethnicity, Westchester County, 2004	48
Table 18	Number of Infant Deaths and Infant Mortality Rates by Race/Ethnicity, Westchester County, 2004	49
Table 19	Number of Deaths and Death Rates by Selected Causes and Sex, Westchester County, 2004	50
Table 20	Number of Deaths and Death Rates by Selected Causes and Age Group, Westchester County, 2004	51
Table 21	Number of Deaths and Death Rates by Selected Causes and Race/Ethnicity, Westchester County, 2004	52
Table 22	Number of Deaths Due to Cardiovascular Diseases by Age Group and Sex, Westchester County, 2004	53
Table 23	Number of Deaths Due to Cardiovascular Diseases by Race/Ethnicity, Westchester County, 2004	54
Table 24	Number of Deaths Due to Malignant Neoplasms by Age Group and Sex, Westchester County, 2004	55
Table 25	Number of Deaths Due to Malignant Neoplasms by Race/Ethnicity, Westchester County, 2004	56

Morbidity: Hospitalizations

Table 26	Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2004 -2005	57
Table 27	Number of Hospital Discharges and Average Length of Stay by Age and Sex, Westchester County Residents, 2004 -2005	61
Table 28	Number of Hospital Discharges and Average Length of Stay by Age and Race/Ethnicity, Westchester County Residents, 2004 -2005	63
Table 29	Number of Hospital Discharges by Principal Diagnosis and All Related Diagnoses, Westchester County Residents, 2004 -2005	65

Table 30	Number of Hospital Discharges by Principal Diagnosis and Age, Westchester County Residents, 2004 -2005	67
Table 31	Number of Hospital Discharges by Principal Diagnosis and Sex, Westchester County Residents, 2004 -2005	69
Table 32	Number of Hospital Discharges by Principal Diagnosis and Race/Ethnicity, Westchester County Residents, 2004 -2005	71
Table 33	Number of Hospital Discharges and Average Length of Stay Due Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age, Westchester County Residents, 2004-2005	73
Table 34	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System, by Sex, Westchester County Residents, 2004 -2005	75
Table 35	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Race/Ethnicity, Westchester County Residents, 2004 -2005	77
Table 36	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age and Sex, Westchester County Residents, 2004 -2005	79
Table 37	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System, by Age and Race/Ethnicity, Westchester County Residents, 2004-2005	81
Table 38	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Age, Westchester County Residents, 2004 -2005	83
Table 39	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Sex, Westchester County Residents, 2004 -2005	84
Table 40	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Race/Ethnicity, Westchester County Residents, 2004 -2005	85
Table 41	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Age, Westchester County Residents, 2004 -2005	86
Table 42	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Sex, Westchester County Residents, 2004 -2005	87

Table 43	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Race/Ethnicity, Westchester County Residents, 2004 -2005	88
Table 44	Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses by Age, Westchester County Residents, 2004 -2005	89
Table 45	Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses by Sex, Westchester County Residents, 2004 -2005	90
Table 46	Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses by Race/Ethnicity, Westchester County Residents, 2004 -2005	91
Table 47	Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses by Age and Sex, Westchester County Residents, 2004 -2005	93
Table 48	Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses by Age and Race/Ethnicity, Westchester County Residents, 2004 -2005	95
Table 49	Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning by Etiology and Age, Westchester County Residents, 2004 -2005	97
Table 50	Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning by Etiology and Sex, Westchester County Residents, 2004 -2005	99
Table 51	Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning by Etiology and Race/Ethnicity, Westchester County Residents, 2004-2005	100
Table 52	Number of Hospital Discharges and Average Length of Stay Due to Diabetes-Related Diagnoses by Age and Sex, Westchester County Residents, 2004 -2005	103
Table 53	Number of Hospital Discharges and Average Length of Stay Due to Diabetes-Related Diagnoses by Age and Race/Ethnicity, Westchester County Residents, 2004 -2005	104
Table 54	Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses by Age and Sex, Westchester County Residents, 2004 -2005	106
Table 55	Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses by Age and Race/Ethnicity, Westchester County Residents, 2004 -2005	108

Morbidity: Selected Diseases

Table 56	Reported Cases and Rates of Reportable Diseases, Westchester County, 2003-2005	110
Table 57	Reported Cases and Rates of Sexually Transmitted Diseases, Westchester County, 2005	111
Table 58	Reported Cases and Rates of Chlamydia by Age Group, Sex, and Race/Ethnicity, Westchester County, 2005	112
Table 59	Reported Cases and Rates of Gonorrhea by Age, Westchester County, 2005	113
Table 60	Reported Cases and Rates of Syphilis (All Stages) by Age Group, Sex, and Race/Ethnicity, Westchester County, 2005	114
Table 61	Reported Cases and Rates of Lyme Disease, Westchester County, 2005	115
Table 62	Reported Cases and Rates of Lyme Disease y Age and Sex, Westchester County, 2005	116
Table 63	Reported Cases and Rates of Major Enteric Infections, Westchester County, 2005	117
Table 64	Reported Cases and Rates of Campylobacteriosis by Age, Westchester County, 2003 -2005	118
Table 65	Reported Cases and Rates of Salmonellosis by Age, Westchester County, 2003 - 2005	118
Table 66	Reported Cases And Rates of Giardiasis by Age, Westchester County, 2003 - 2005	119
Table 67	Reported Cases and Rates of Selected Central Nervous System Diseases and Bacteremias, Westchester County, 2005	120
Table 68	Reported Cases and Rates of Meningitis by Age and Sex, Westchester County, 2005	121
Table 69	Reported Cases and Rates of Invasive Strep Pneumoniae by Age and Sex, Westchester County, 2005	121
Table 70	Reported Cases and Rates of Pertussis by Age , Westchester County, 2005	122
Table 71	Number of Tuberculosis Cases and Contacts, Westchester County, 1999-2005	123
Table 72	Reported Cases and Rates of Tuberculosis by Age, Westchester County, 2003 - 2005	124

Table 73	Summary of Cumulative AIDS and Living HIV and AIDS Cases by Sex, Age, Race/Ethnicity, and Risk, Westchester County, 1982-2004	125
Table 74	AIDS Cases by Sex and Year of Diagnosis, Westchester County Residents, 1982-2004	126
Table 75	AIDS Cases by Age and Year of Diagnosis, Westchester County Residents, 1982-2004	127
Table 76	AIDS Cases by Race/Ethnicity and Year of Diagnosis, Westchester County Residents, 1982-2004	128
Table 77	AIDS Cases by Risk and Year of Diagnosis, Westchester County Residents, 1982-2004	129

Selected Services Provided by Westchester County Department of Health

Table 78	Childhood Lead Poisoning Prevention Program: Total Number of Tests Conducted, Test Results by Blood Lead Level, and Number of Initial Screen Tests by Municipality, Westchester County, 2005	130
Table 79	Childhood Lead Poisoning Prevention Program: Total Number of Tests Conducted, Test Results by Blood Lead Level, and Number of Initial Screen Tests by Age, Westchester County, 2005	131
Table 80	Childhood Lead Poisoning Prevention Program: Number of Children Tested, Number of Children with Multiple Tests, and Number of Children with Lead Poisoning, and Number of Lead Registry Cases, Westchester County, 2005	132
Table 81	Number of Patients Served, Number of Clinic Visits, and Number of Vaccines Administered by District Office, Westchester County Department of Health, 2005	133
Table 82	Number of Patients Served at District Offices and Home Health Program by Age, Sex, and Race/Ethnicity, Westchester County, 2005	134
Table 83	Number of Patients and Visits to Family Planning Clinics by Patient Age Group and Race/Ethnicity, Westchester County, 2005	135
Table 84	Number of Patients and Visits to Sexually Transmitted Diseases Clinics by Patient Age Group, Sex, and Race/Ethnicity, Westchester County, 2005	136
Table 85	Number of Patients and Visits With HIV Tests and/or Counseling by Patient Age Group, Sex, and Race/Ethnicity, Westchester County, 2005	137
Table 86	Number of Patients and Visits to Tuberculosis Clinics by Patient Age Group, Sex, and Race/Ethnicity, Westchester County, 2005	138

Table 87	Number of Patients Enrolled in Home Health Program and Number of Home Health Visits Received by Patient Age Group, Sex, and Race/Ethnicity, Westchester County, 2005	139
Table 88	Number of Animal Bites Reported to the Westchester County Department of Health, Number of Animals Tested, Number of Animals Confirmed Rabid by Type of Animal and Human Rabies Post-Exposure Prophylaxis, 1991-2005	140
Table 89	Number of Rabies Post-Exposure Treatments Administered by Rabies Status, 2001-2005	141
Table 90	Number of Animals Confirmed Rabid, Westchester County, 1991-2005	142
Table 91	Public Health Protection and Environmental Quality: Number of Inspection Related Activities, 2005	143
Table 92	Public Health Complaints Received and Investigated by Program, 2005	145
Table 93	Public Health Protection: Facility Permits Issued, Westchester County, 2005	146
Table 94	Services for Children with Special Needs: Number of Children Served, Westchester County Department of Health, 2005	147
Table 95	Child Health Plus Enrollment and Family Health Plus/Medicaid Enrollment, Westchester County Department of Health, 2005	147

List of Figures and Maps

Figure 1	Percentage Distribution of Infants by Birthplace, Westchester County, 2004	4
Figure 2	Percentage Distribution of Births by Maternal Age, Westchester County, 2004	4
Figure 3	Percentage Distribution of Births by Maternal Age and Race/Ethnicity, Westchester County, 2004	5
Figure 4	Percent of Infants with Low Birthweight by Race/Ethnicity, Westchester County, 2004	6
Figure 5	Average Birthweight of Infants by Mother's Risk Behavior During Pregnancy, Westchester County, 2004	6
Figure 6	Percent of Mothers Who Delayed or Did Not Seek Prenatal Care by Maternal Age, Westchester County, 2004	7
Figure 7	Percent of Mothers Who Delayed or Did Not Seek Prenatal Care by Race/Ethnicity, Westchester County, 2004	8
Figure 8	Average Age at Death by Race/Ethnicity, Westchester County, 2004	9
Figure 9	Infant Mortality Rate by Race/Ethnicity, Westchester County, 2004	9
Figure 10	Percentage Distribution of Death by Selected Causes and Sex, Westchester County, 2004	10
Figure 11	Percentage Distribution of Deaths by Selected Causes and Race/Ethnicity, Westchester County, 2004	11
Figure 12	Percentage Distribution of Deaths Due to Cardiovascular Diseases, Westchester County, 2004	11
Figure 13	Percentage Distribution of Deaths Due to Malignant Neoplasms, by Sex, Westchester County Residents, 2004	12
Figure 14	Percent Distribution of Hospital Discharges by Service Category, Westchester County Residents, 2005	13
Figure 15	Percentage Distribution of Hospital Discharges by Principal Diagnosis, Westchester County Residents, 2005	14
Figure 16	Percentage Distribution of Hospital Discharges by Principal Diagnosis and Sex, Westchester County, 2005	15
Figure 17	Percentage Distribution of Hospital Discharges by Principal Diagnosis and Race, Westchester County, 2005	16

Figure 18	Percentage Distribution of Hospital Discharges Due to Cardiovascular and Other Diseases of the Circulatory System by Principal Diagnosis, Westchester County Residents, 2005	17
Figure 19	Percentage Distribution of Hospital Discharges Due to Cardiovascular and Other Diseases of the Circulatory System by Age and Race/Ethnicity, Westchester County Residents, 2005	18
Figure 20	Percentage Distribution of Asthma Related Hospital Discharges by Race, Westchester County Residents, 2005	19
Figure 21	Percentage Distribution of Hospital Discharges Due to Malignant Neoplasms by General Diagnosis Category and Sex, Westchester County Residents, 2005	20
Figure 22	Percentage Distribution of Hospital Discharges Due to Malignant Neoplasms by Age and Race/Ethnicity, Westchester County Residents, 2005	21
Figure 23	Percentage Distribution of Hospital Discharges Due to Injury and Poisoning by Etiology, Westchester County Residents, 2005	22
Figure 24	Percentage Distribution of Hospital Discharges Due to Injury and Poisoning by Race, Westchester County Residents, 2005	22
Figure 25	Percentage Distribution of AIDS Related Hospital Discharges by Race, Westchester County Residents, 2005	23
Figure 26	Reported Rates of Sexually Transmitted Diseases, Westchester County, 2003-2005	25
Figure 27	Reported Rates of Sexually Transmitted Diseases by Health Planning Region, Westchester County, 2005	25
Figure 28	Reported Rates of Chlamydia by Age and Sex, Westchester County, 2005	26
Figure 29	Reported Rates of Gonorrhea by Age and Sex, Westchester County, 2005	26
Figure 30	Reported Rates of Chlamydia by Race/Ethnicity and Sex, Westchester County, 2005	27
Figure 31	Reported Rates of Gonorrhea by Race/Ethnicity and Sex, Westchester County, 2005	27
Figure 32	Reported Cases of Early Syphilis, 2003-2005	28
Figure 33	Reported Rates of Lyme Disease by Health Planning Region, Westchester County, 2005	28
Figure 34	Reported Rates of Lyme Disease by Age and Sex, Westchester County, 2005	29

Figure 35	AIDS Cases by Sex and Year of Diagnosis, Westchester County Residents, 1990-2004	31
Figure 36	Percentage Distribution of AIDS Cases by Age and Year of Diagnosis, Westchester County Residents, 1982-2004	32
Figure 37	Percentage Distribution of AIDS Cases by Race/Ethnicity and Year of Diagnosis, Westchester County Residents, 1982-2004	32
Figure 38	Percentage Distribution of AIDS Cases by Risk and Year of Diagnosis, Westchester County Residents, 1982-2004	33

Maps

Municipalities and Health Planning Regions, Westchester County	v
Hospitals Located in Westchester County, 2006	161
Nursing Homes Located in Westchester County, 2006	164

**Westchester County Demographic and
Health Status Profiles**

Introduction to Westchester County Demographics and Health Status Profiles

The Westchester County Demographic Profile offers a summary of the county's basic demographics in 2005 (2004 for income statistics) and presents the population distribution by age, sex, race/ethnicity, education, family structure, and poverty status.

Following the demographic profile is a profile for the county's health status. The health status profile presents information for the county's vital statistics, including births, pregnancies, and deaths, as well as morbidity statistics, including hospitalization discharges by various diseases and the reported cases and rates of communicable diseases in Westchester County.

Significance tests were performed for all the indicators discussed in the profiles. Only statistically significant differences, defined as a p-value less than .05 ($p < 0.05$) are highlighted in the profiles unless noted otherwise.

Demographics, 2005

Age, Sex, and Race/Ethnicity Distribution

- According to the 2005 American Community Survey, an estimate of 915,916 people, excluding people living in institutions, college dormitories, and other group quarters, lived in Westchester County in 2005. Among them, 6.9% were under five years of age. Twenty percent were from 5 to 19 years of age and 13.4% were ages 65 years and older. The median age was 39.2 years.
- The number of males was 440,818 (48.1%) and the number of females was 475,098 (51.9%).
- Seventy percent (70.4%) of the population were white and 61.5% were non-Hispanic white. Fourteen percent (13.8%) of the population were black and 13.3% were non-Hispanic black. Five percent (5.5%) were Asian and 1.3% were of multiple races.
- Overall, Hispanics represented about 18% of the population: 49.0% were classified as white, 2.5% were classified as black, and 48.5% were classified as “some other race”.

Educational Attainment

- The majority (86.9%) of Westchester County residents, ages 25 years and older, had received at least a high school education; about half (45.4%) had received at least a bachelor’s degree.
- Over one-fifth (22.7%) had a graduate or professional degree.

Labor Force Participation and Unemployment Rate

- The overall unemployment rate was 6.6% in 2005 among the civilian labor force population. The unemployment rate among the female civilian labor force population was 6.7% in 2005.

Immigration and Language Spoken at Home

- Among all Westchester County residents, 25.0% were born in a foreign country, of which 53.8% were non-citizens.
- For the population 5 years and older, the percentage of people who spoke primarily a non-English language at home was 30.4%, of which 39.4% reported speaking English less than “very well”. Spanish was the primary language spoken at home for 15.8% of the population 5 years and older.

Household Structure

- Among the 333,190 households in Westchester County, 69.1% were family households, defined as those with two or more related people living together. About half (49.1%) of the family households had related children under age 18.

- The average household size was 2.8 persons and average family size was 3.3 persons.
- Of all the family households with related children under age 18, about one quarter (23.9%) were single-parent families: 19.8% were single-mother families and 4.2% were single-father families.


Household Income and Poverty Level

- About half (48.6%) of Westchester County households had a total annual income of \$75,000 and above in 2004. Over one-third of the households had an annual income over \$100,000.
- The percentage of households receiving cash public assistance income was 2.1%. About 3% of the households received supplemental social security income. Four percent (4.3%) of the households received food stamps. The percentage of households with social security income was 28.1% and 18.3% of the households had retirement income.
- The median household income was \$71,800 in 2004. The average household income was \$117,316.
- The poverty rate was 7.9% in 2004.


Births and Pregnancies

Births/Birth Rates


- A total of 12,386 infants were born to Westchester County residents in 2004, with a birth rate of 13.4 live births per 1,000 people. Among these infants, the majority were born within the county, accounting for 77.3% of all the infants born to Westchester County residents; 1,723 were born in the city of New York (NYC), accounting for 13.9% of all the infants born to Westchester County residents. Less than 10% were born in other New York State (NYS) counties or outside of NYS (8.9%) (Figure 1).



- The average maternal age at birth for Westchester County was 30.8 years.
- Over half of the children born in 2004 were born to women between the ages of 25 and 34. About 4% of children were born to mothers under 20 years of age in 2004 (Figure 2).




- Among children born to white women in 2004, 9.5% were born to women aged 20-24; 18.4% were born to women aged 25-29; more than one-third were born to women aged 30-34; over one quarter were born to women aged 35-39; and 6.7% were born to women aged 40 and over. Less than 4.0% were born to women under the age of 20 (Figure 3). The average maternal age among white mothers was 31.7 years in 2004.




- The average maternal age among black mothers was younger than that of white mothers (28.7 vs. 31.7 years). Among children born to black women in 2004, 21.7% were born to women aged 20-24; 24.3% were born to women aged 25-29; 23.1% were born to women aged 30-34; and 16.2% were born to children aged 35-39. Less than 6.0% were born to mothers aged 40 and over; 8.9% of children were born to mothers younger than 20 (Figure 3).
- Hispanic women, on average, have children at a younger age than white women (27.7 vs. 31.7 years). Among children born to Hispanic women in 2004, over half were born to women aged 20-29; 22.3% were born to mothers aged 30-34; and 12.7% were born to women aged 35-39. Hispanic women had the lowest percentage of children born to women aged 40 and over, at 3.1%; 9.2% of children were born to mothers younger than 20 (Figure 3). The average maternal age was 27.7 years.

Birthweight

- Among infants born in 2004, 6.6% were born with a birthweight between 1,500 to 2,499 grams, and 1.7% were born with a birthweight of below 1,500 grams (very low birthweight)¹ (Figure 4).




- The proportion of infants born with low birthweight (<2,500 grams) varied by race (Figure 4). Blacks had the highest proportion of low birthweight babies (14.5%). Whites and Hispanics had similar proportions of infants with low birthweights (7.1% and 6.2%, respectively).
- Infant birthweight was associated with mother's behavior during pregnancy (Figure 5). The average birthweight for children born to women who did not smoke or use illicit drugs during pregnancy was 3,281 grams. Among infants born to mothers who smoked during pregnancy, the average birthweight was 3,086 grams. Among infants born to mothers who reported using illicit drugs, the average birthweight was 3,247 grams. Among infants born to mothers who smoked as well as used any of the illicit drugs, the average birthweight was 2,989 grams.



¹ Low birthweight, <2500 grams; Very low birthweight, <1500 grams.


Prenatal Care

- Among infants born in 2004, over one-quarter (27.2%) were born to women who delayed or sought no prenatal care (excluding infants born to women with incomplete prenatal care information). Twenty-one percent (20.9%) of the infants were born to mothers who started their prenatal care during the second trimester, 4.2% were born to mothers who started their prenatal care during the third trimester, and 2.1% were born to mothers who never sought prenatal care (Figure 6).



- Young women were more likely to delay or seek no prenatal care. Among infants born to women of ages 10-17 years, about two-thirds (63.1%) were born to mothers who did not seek prenatal care until their second or third trimester or who never sought prenatal care (Figure 6). In comparison, the percentage of infants born to mothers of older ages (ages 40+) who did not seek or delayed prenatal care was 20.9%.
- Women of Hispanic ethnicity were more likely to delay or seek no prenatal care compared to white women (Figure 7). Among infants born to Hispanic mothers, 31.6% did not seek prenatal care until the second trimester, 6.5% did not seek care until the third trimester, and 2.7% did not seek any prenatal care.

Figure 7. Percent of Mothers Who Delayed or Did Not Seek Prenatal Care* by Race/Ethnicity, Westchester County, 2004




* Excludes cases with incomplete information on prenatal care.
 ** Hispanic may be of any race.
 Source: New York State Department of Health.

- Black women were also more likely to delay or seek no prenatal care compared to white women. About 31% of infants born to black women had delayed prenatal care; about 2% did not receive any prenatal care (Figure 7).


Deaths

Deaths/Death Rates

- A total of 7,197 Westchester County residents died in 2004. The death rate for Westchester County was 7.8 per 1,000 people.
- The average age of death for Westchester County was 76.4 years. The average age at death for females was higher than for males (79.6 versus 72.5 years).
- The average age of death varied by race and ethnicity (Figure 8). The average age of death was the highest for whites, at 78.4 years. Among blacks, the average age of death was 68.0 years; and among Hispanics, the average was 61.2 years.




- The infant mortality rate for Westchester County was 4.4 per 1,000 live births. The infant mortality rate was the highest among blacks (12.7 per 1,000 live births), almost three times the county average (Figure 9).




Major Causes of Deaths

- Major cardiovascular disease was the leading cause of death in Westchester County in 2004, followed by malignant neoplasms (Figure 10). Together, these diseases were responsible for 66.4% of all deaths.



- Conditions originating in the perinatal period accounted for the majority of the deaths among children under one year of age (54.5%), followed by congenital anomalies (14.5%).
- Among people under 30 years of age (excluding those under 1 year), the major cause of death was accidents (25.0%).
- Among people aged 30-49, the two major causes of death were malignant neoplasms (26.8%), followed by major cardiovascular diseases (17.0%). Malignant neoplasms were also the major cause of death among persons between 50 to 64 years of age (40.3%), followed by major cardiovascular diseases (28.2%). Major cardiovascular disease was the leading cause of death for people aged 65 and over (45.9%), followed by malignant neoplasms (23.3%).
- The major causes of death varied among people of different race/ethnicities. While major cardiovascular disease was the leading cause of death for all groups, it accounted for 41.8% of all deaths among whites, 39.0% of all deaths among blacks, and 29.6% of all deaths among Hispanics (Figure 11).


Figure 11. Percentage Distribution of Deaths by Selected Causes and Race/Ethnicity, Westchester County, 2004



Source: New York State Department of Health

- Malignant neoplasms accounted for 25.5% of all deaths among whites and 24.4% of all deaths among blacks. Among Hispanics, malignant neoplasms accounted for 24.2% of all deaths (Figure 11).
- Chronic lower respiratory diseases and pneumonia accounted for higher proportions of deaths among whites (4.3% and 3.3%) than among blacks (2.9% and 2.2%). Diabetes mellitus accounted for higher percentage of deaths among blacks (3.7%) and Hispanics (2.3%) than among whites (1.6%) (Figure 11).
- Accidents were the third leading cause of death among Hispanics, accounting for 7.7% of all deaths. Accidents accounted for 2.4% and 1.7% of deaths among whites and blacks, respectively (Figure 11).
- A total of 2,961 individuals died due to major cardiovascular diseases in Westchester County in 2004, accounting for 41.1% of total deaths. Among people who died of major cardiovascular diseases, the majority (60.8%) were due to ischemic heart diseases, including acute myocardial infarction (Figure 12).

Figure 12. Percentage Distribution of Deaths Due to Cardiovascular Diseases, Westchester County, 2004




Source: New York State Department of Health

- Malignant neoplasms were the cause of death for 1,817 individuals in Westchester County in 2004, accounting for 25.2% of total deaths (Figure 13). There were slightly more females than males that died of malignant neoplasms (995 vs. 820). Among females, over a quarter (25.1%) were due to malignant neoplasms located in the digestive organs and peritoneum. Nearly a quarter (21.6%) were due to malignant neoplasms of the respiratory system. Breast cancer was the third leading cause of death among female cancer deaths, accounting for 16.2% of all female deaths due to malignant neoplasms in 2004. Malignant neoplasms of the lymphatic and hematopoietic systems accounted for 11.0% and genital organs accounted for 9.2%.
- Among males, 28.2% of the cancer deaths were due to malignant neoplasms of the respiratory system (Figure 13). Over a quarter (27.2%) of male cancer deaths were due to malignant neoplasms of the digestive organs and peritoneum. Malignant neoplasms of the lymphatic and hematopoietic system accounted for 12.3% of male cancer deaths and malignant neoplasms of the genital organs accounted for 10.4%.

Figure 13. Percentage Distribution of Deaths Due to Malignant Neoplasms by Sex, Westchester County Residents, 2004

Total: 1,817




Source: New York State Department of Health

Morbidity: Hospitalizations

Total Hospital Discharges²

- The total number of reported hospitalization discharges during 2005 was 110,506 among Westchester County residents. The number of reported hospitalization discharges was 119,274 during 2004.
- During 2005, over one-third of the reported hospital discharges occurred for medical services (34.8%). Another one-third was for surgical services (32.0%). Newborns accounted for 9.4% of all hospital discharges and 10.5% of hospital discharges were obstetric related (excluding induced abortions and complications from induced abortions). The remaining discharges were psychiatric (9.1%) and pediatric services (4.1%) (Figure 14).




- The majority of reported hospital discharges (81.7%) occurred within Westchester County hospitals during 2005. The top five hospitals are as follows: St. John's Riverside Hospital, accounting for 12.4% of all the cases, White Plains Hospital Center (12.4%), Westchester Medical Center (11.9%), Sound Shore Medical Center of Westchester (8.3%), and Lawrence Hospital Center (7.1%). Together, these five hospitals accounted for over half (52.1%) of all the hospitalization cases in Westchester County

² Due to the fact that the SPARCS data are continually being updated, the completeness of reporting by individual facilities varies over time. Information reported for 2005 reflects data received as of April 2006.

- During 2005, the top three hospitals for medical related hospitalizations were White Plains Hospital Center (13.6%), St. John’s Riverside Hospital (13.0%), and Lawrence Hospital Center (10.1%). The top three hospitals for surgical related hospitalizations were Westchester Medical Center (15.6%), White Plains Hospital Center (12.1%), and St. John’s Riverside Hospital (8.2%). Over one-third of the pediatric cases were hospitalized at Westchester Medical Center (37.9%). Westchester Medical Center was also one of the top three sites for psychiatric hospital discharge cases (15.4%), along with St. Johns Riverside Hospital (19.8%), and St. Vincent’s Westchester (14.1%). Other hospitals that provided a large percentage of psychiatric care included New York Presbyterian Hospital at Westchester Division (11.6%) and St. Josephs Hospital (10.5%).
- Excluding newborns and hospitalizations due to complications of pregnancy, childbirth, and puerperium, the top three causes of hospitalization, as defined by the principal diagnosis³, were diseases of the circulatory system (15.0%), mental disorders (9.1%), and diseases of the digestive system (7.9%) during 2005. The next three major causes of hospitalizations were diseases of the respiratory system (7.3%), neoplasms (5.8%), and diseases of the musculoskeletal system and connective tissue (4.5%) (Figure 15).

Figure 15. Percentage Distribution of Hospital Discharges by Principal Diagnosis, Westchester County Residents, 2005




³ The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care. Because the principal diagnosis represents the reason for the patient’s stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. Furthermore, the principal diagnosis reflects clinical findings discovered during the patient’s stay, therefore, it may differ from the admitting diagnosis.

Total Hospital Discharges by Sex


- There were more hospitalization discharges among females than among males for Westchester County residents during 2005, with females accounting for 56.8% of all the reported hospitalized cases. Excluding obstetric related causes and newborns, females accounted for 52.0% of all reported hospitalized cases.
- The average length of hospital stay for all Westchester County cases was about six days: 5.8 days for females and 6.6 days for males. Excluding newborns and obstetric related cases, the average length of stay was 6.7 days for females and 6.9 days for males. Generally, people hospitalized at an older age spent a longer time in the hospital. However, teenage patients, as well as patients in their early twenties, had a longer length of stay than other age groups.
- The top three causes for all males, excluding newborns, were diseases of the circulatory system (18.5%), mental disorder (12.7%), and diseases of the digestive system (8.1%). Excluding newborns, the top three causes of hospitalization for all females were complication of pregnancy, childbirth, and puerperium (18.7%), diseases of the circulatory system (12.4%), followed by diseases of the digestive system (7.6%). Furthermore, 6.9% of female hospitalizations were due to diseases of the respiratory system (Figure 16).

Figure 16. Percentage Distribution of Hospital Discharges by Principal Diagnosis and Sex, Westchester County, 2005



Total Hospital Discharges by Race/Ethnicity

- Among the hospitalization discharges for Westchester County residents during 2005, whites accounted for 64.8% of all the reported hospitalized cases. Blacks accounted for 17.3%, Asian and other races accounted for 14.5%. Hispanics represented 12.8% of all reported hospitalization cases. Excluding obstetric related causes and newborns, whites accounted for 64.8% of the cases, blacks accounted for 18.1% and Asian and other races accounted for 12.6% of the cases. Nine percent (9.5%) of all hospital cases were among Hispanics.
- Excluding newborns and obstetric related cases, the average length of stay among whites was 6.7 days, 7.6 days among blacks, and 6.1 days among Hispanics.
- During 2005, excluding newborns and cases due to complications of pregnancy, childbirth, and puerperium, the top three causes of hospitalization for all whites were diseases of the circulatory system (16.2%), diseases of the digestive system (8.5%), and disease of the respiratory system (7.9%) (Figure 17).
- Among blacks, the top three causes of hospitalization, excluding newborns and cases due to complications of pregnancy, childbirth, and puerperium, were mental disorders (16.1%), diseases of the circulatory system (13.5%), and diseases of the respiratory system (7.3%) (Figure 17).




- Among Hispanics, the top three causes of hospitalization, excluding newborns and cases due to complications of pregnancy, childbirth, and puerperium, were mental disorders (9.6%), diseases of the digestive system (7.6%), and diseases of the circulatory system (6.9%).

- During 2005, 10.6% of the hospitalized cases were related to complications of pregnancy, childbirth, and puerperium. Such cases accounted for 9.0% and 9.2% of all cases for whites and blacks, respectively. Among Hispanics, they accounted for 21.4% of all cases.


Hospital Discharges Due to Diseases of the Circulatory System

- During 2005, a total of 16,610 cases were hospitalized due to cardiovascular and other diseases of the circulatory system. Among these cases, one-third was due to ischemic heart diseases consisting of acute myocardial infarctions (10.7%) and of other ischemic heart diseases (21.8%). Cerebrovascular disease accounted for 15.9% and 37.0% were due to other diseases of the heart (Figure 18).



- The number of hospital discharges due to diseases of the circulatory system generally increased by age. There were more males than females hospitalized due to diseases of the circulatory system, especially among those aged 35 to 74.
- Among people hospitalized due to diseases of the circulatory system, 67.8% were among whites, 15.5% were among blacks, 10.9% were among other races, and 5.8% were among Hispanics.

- Among whites hospitalized due to circulatory diseases, 6.8% were under the age of 50, 19.2% were between the ages of 50-64, 21.3% were between the ages of 65-74, and 52.8% were over the age of 75 (Figure 19).




- In comparison to whites, Hispanics had a higher proportion of patients under the age of 50 hospitalized due to circulatory diseases: 22.7% were under the age of 50, 31.2% were between the ages of 50-64, 21.9% were between the ages of 65-74, and 24.2% were over the age of 75.
- Similar to Hispanics, blacks had a higher proportion of patients under the age of 50 hospitalized due to diseases of the circulatory system compared to whites. For example, 19.9% were under age 50, 29.0% were between age 50 and 64, 23.2% were between age 65 to 74, and 27.9% were over 75.

Hospital Discharges Due to Diseases of the Digestive System

- A total of 8,675 hospitalized cases were due to diseases of the digestive system during 2005.
- Over a quarter of the cases were due to other diseases of intestines and peritoneum (26.6%) and 15.6% were due to diseases of esophagus, stomach, and duodenum.
- There was a higher proportion of females than males hospitalized due to digestive system diseases (55.2% vs. 44.8%).

Hospital Discharges Due to Diseases of the Respiratory System


- There was a total of 8,072 hospital discharges due to diseases of the respiratory system, which was the fourth most frequent cause of hospitalization among Westchester County residents during 2005, excluding newborns and obstetric cases.
- Over one-third of respiratory disease hospitalizations were due to pneumonia (2,954 cases, or 36.6%).
- Almost one-third was due to chronic obstructive pulmonary diseases (COPD) (2,475 cases, or 30.7%). Among which, a total of 1,181 cases (14.6%) were due to asthma.
- Over a quarter (26.9%) of the asthma related hospital discharges occurred among children aged 12 years or younger.
- Although blacks comprise only 14.2% of Westchester County's population, 33.6% of the hospitalized asthma cases were among black residents (Figure 20).



- There was a higher proportion of females than males hospitalized due to asthma (61.8% vs. 38.1%).


Hospital Discharges Due to Neoplasms

- During 2005, 6,462 cases were hospitalized with neoplasms as the principal diagnosis. An additional 6,725 cases were hospitalized with neoplasms identified as one of the major related diagnoses. The total number of neoplasm-related hospitalizations reached 13,187 cases, including benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior or unspecified nature⁴.
- Over three quarters (75.6%) of the neoplasm-related hospitalizations were due to malignant neoplasms (a total of 9,967 cases). There were generally more males than females in all of the malignant neoplasms hospitalizations, except breast cancer and cancer of respiratory and intrathoracic organs. Among females with malignant neoplasms, 19.4% were due to cancer of the digestive organs and peritoneum and 16.1% were due to cancer of lymphatic and hematopoietic tissue. About 12% were due to breast cancer. About 15% were due to cancer of the respiratory and intrathoracic organs and another 11.4% due to cancer of the genital organs (Figure 21).
- Among males hospitalized due to malignant neoplasms, 21.3% were due to cancer of the digestive systems, 20.1% were due to cancer of the genital organs, 18.2% were due to cancer of the lymphatic and hematopoietic tissues, 13.7% were due to cancer of the respiratory and intrathoracic organs, and 8.6% were due to cancer of the urinary organs (Figure 21).



⁴ Neoplasms related hospitalizations include cases with the principal diagnosis and/or 14 other diagnoses in the numeric ranges 140-239 or the V-class ranges V58.00-V58.10.

- There were more female (73.3%) than male cases who were hospitalized for benign neoplasms and neoplasms of uncertain behavior or unspecified nature (2,361 females vs. 859 males).
- The age distribution of hospital discharges due to malignant neoplasms varied across racial and ethnic categories. Among whites, less than 4% of the cases were under the age of 30, 9.6% were between the ages of 30-49, 24.9% were between the ages of 50-64, 22.1% between the ages of 65-74, and 39.8% were over 75 years of age (Figure 22).




- Among blacks hospitalized due to malignant neoplasms, 6.7% were under age 30, 15.8% were between the ages of 30-49, 30.2% were between the ages of 50-64, 22.9% were of 65-74, and 24.3% were over the age of 75 (Figure 22).
- Among Hispanics, 11.9% of the hospitalized cases due to malignant neoplasms were under 30 years of age, 27.5% were between the ages 30-49, another 28.3% were between the ages 50-64, 13.5% were of ages 65-74, and only 18.8% were over the age of 75 (Figure 22).

Hospital Discharges Due to Injuries and Poisonings


- During 2005, 4,893 cases were hospitalized due to injuries and poisonings as the principal diagnosis. An additional 1,899 cases were hospitalized with injury and poisoning identified as one of the related causes⁵. The number of hospitalized cases due to injuries and poisonings totaled 6,792 during 2005.

⁵ Including all the cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recording an external code (E-code) are: a) principal diagnosis of an injury or poisoning, b) 14 other diagnosis and admission diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis, and c) other diagnosis with an external cause. Only the first E-Code is recorded in this item.

- Over half of the hospitalized injuries and poisoning cases were due to falls (53.2%). Other major hospitalized injuries included motor vehicle accidents (8.5%), self-inflicted injuries (4.5%), injuries related to assault (4.5%), and accidental poisonings (3.8%) (Figure 23).



- Of all hospital discharges due to falls, 71.6% occurred among persons 65 years of age and older. More females were hospitalized due to falls (2,290 cases; 63.4%) than males (1,320 cases; 36.6%).
- White residents accounted for 78.8% of all hospital discharges due to falls, while blacks accounted for 7.8%. (Figure 24).



- Among all the hospitalized injuries due to motor vehicle accidents, 57.0% occurred among people 18-49 years of age and 63.9% occurred among men. Half of the hospital discharges due to motor vehicle accidents were among whites (53.1%) (Figure 24).
- There were more females than males among the self-inflicted injuries (56.8% vs. 43.2%). Whites accounted for 61.4% of the hospital discharges due to self-inflicted injuries (Figure 24).
- The majority of hospitalized injuries due to assaults were among men (84.6%).
- About a quarter (26.9%) of the injuries due to assaults occurred among whites while 38.4% occurred among blacks (Figure 24).


Other Hospitalized Cases

Diabetes:

- Diabetes was the principal diagnosis for a total of 1,438 hospital discharges in 2005.
- Over seventeen thousand (17,066) hospital cases had diabetes, as defined by having at least one of the 15 diagnoses⁶ for hospitalization.

HIV and AIDS:

- There were 1,179 hospital discharges related to HIV and AIDS⁷ in 2005 among Westchester County residents, of which 54.2% were among men.
- Over half (54.0%) of hospital discharges for HIV and AIDS were among black residents and 28.8% were among white residents (Figure 25).



⁶ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. Diagnoses that related to an earlier episode which had no bearing on the current hospital stay were excluded. A patient may be included in more than one category.

⁷ Defined by considering principal diagnosis and all other relevant diagnoses. For details, please refer to Appendix 4.

Morbidity: Selected Diseases

Diseases Reported


- In 2005, communicable diseases in 33 categories were reported among Westchester County residents.
- Some categories with the highest number of reported cases were:
 - Sexually Transmitted Diseases (STD)
 - Chlamydia (1,675 cases)
 - Gonorrhea (395 cases)
 - Syphilis (133 cases, includes 23 early Syphilis)
 - Vector-Borne
 - Lyme Disease (454 cases)
 - Enteric Infections
 - Campylobacteriosis (132 cases)
 - Salmonellosis (125 cases)
 - Giardiasis (124 cases)
 - Cryptosporidiosis (83 cases)
 - CNS Diseases and Bacteremias
 - Meningitis (128 cases) consisting of:
 - Aseptic meningitis (19 cases)*
 - Meningococcal diseases (1 case)*
 - Other Meningitis/Bacteremias (108 cases)*
 - Invasive Strep Pneumoniae (88 cases)
 - Vaccine-Preventable Diseases
 - Pertussis (62 cases)
 - Tuberculosis (53 cases)
 - Legionellosis (41 cases)

Sexually Transmitted Diseases

- Of the reportable diseases, Chlamydia⁸ was the most prevalent (181.4 cases per 100,000) in Westchester County. Gonorrhea was the second most prevalent STD in Westchester County (42.8 per 100,000), followed by Syphilis (14.4 per 100,000).
- During the past three years (2003-2005), the reported infection rate for Chlamydia increased by 6.8% from 169.9 per 100,000 in 2003 to 181.4 per 100,000 in 2005. The reported infection rate of Syphilis increased significantly by 46% from 2003 to 2005. This increase was largely due to an Early Syphilis outbreak that occurred among the men who have sex with men (MSM) population. The reported infection rate for Gonorrhea decreased significantly by 32% from 2003 to 2005 (Figure 26).

⁸ Mandatory reporting of Chlamydia started in 1999.


Figure 26. Reported Rates of Sexually Transmitted Diseases, Westchester County, 2003-2005



Source: Westchester County Department of Health, Division of Disease Control.

- The reported rate of Chlamydia infection was significantly higher in the Southeast and Southwest Health Planning Regions (HPRs) (283.5 and 244.8 per 100,000, respectively) than in the overall county (Figure 27). The reported rate of Chlamydia infection was significantly higher in Elmsford, Mount Pleasant, Mount Vernon, Peekskill, Sleepy Hollow, and Yonkers.
- The reported rate of Gonorrhea infection was higher in the Southeast and Southwest HPRs (84.4 and 61.7 per 100,000) than in the overall county (Figure 27). The municipalities with significantly higher rates of Gonorrhea infection included Mount Vernon and Yonkers.


Figure 27. Reported Rates of Sexually Transmitted Diseases by Health Planning Region, Westchester County, 2005




Source: Westchester County Department of Health, Division of Disease Control

- The majority of the Syphilis cases were located in Greenburgh, New Rochelle, Mount Vernon, White Plains, and Yonkers municipalities.


- The reported rate of Chlamydia infection was the highest in the 20-24 age group (1205.2 per 100,000), followed by the 15-19 age group (1076.1 per 100,000). Females had significantly higher reported infection rates than males in the age groups between 15 and 34. Among females ages 15-19, the reported Chlamydia infection rate reached 1905.1 per 100,000. Among females ages 20-24, the reported infection rate was 1793.2 per 100,000. The higher reported rates among females may be biased due to the fact that females are more likely to be screened than males (Figure 28).




- The reported rate of Gonorrhea infection was the highest in the 20-24 age group (264.0 per 100,000), followed by the 15-19 age group (147.2 per 100,000). Both males and females ages 20-24 years had the highest reported rate of infection (Figure 29). Among people ages 15-19, females had significantly higher rates of infection than males. The infection rate of Gonorrhea among people in the 25-29 year age group was relatively high for both sexes.




- The reported infection rates of Chlamydia were higher among blacks and Hispanics than whites for both males and females (Figure 30). The black population had a higher Chlamydia infection rate than whites in all age groups. For black females, the infection rate was 4820.7 per 100,000 for those aged 15-19 and 3648.5 per 100,000 for those aged 20-24.



- The reported rate of Gonorrhea for blacks was significantly higher than that for whites for both sexes (Figure 31). The black population had a higher Gonorrhea infection rate than whites and Hispanics in all age groups. Black males aged 20-24 had an infection rate of 1150.0 per 100,000. Among black females in age groups 15-19 and 20-24, the infection rate was 891.2 per 100,000 and 849.0 per 100,000, respectively.




- Blacks are disproportionately represented among the reported cases of Chlamydia and Gonorrhea. Although blacks represent only 14.2% of Westchester County’s population, 42.0% of the reported Chlamydia cases and 63.3% of the reported Gonorrhea cases were among blacks.
- In the year 2005, 23 cases of Early Syphilis (primary, secondary, and early latent) were reported, 25% more than the 18 cases reported in 2003 (Figure 32). This increase was due to an Early Syphilis outbreak among the men who have sex with men (MSM) and HIV positive population. Among the 2005 cases, 19 (82.6%) occurred among the MSM population and 12 (52.2%) were HIV positive. By comparison, only two (16.7%) out of the 12 early Syphilis cases reported in the year 2000 occurred among men who have sex with men. The outbreak was followed up with increased surveillance and aggressive investigation.




Tick-Borne Diseases

- Lyme Disease represented the majority of tick-borne disease cases in Westchester County (49.2 per 100,000) in 2005. Lyme Disease was more prevalent in the Northeast and Northwest HPRs (184.5 and 65.4 per 100,000, respectively) than in the overall county (Figure 33). Due to surveillance limitations, the incidence of Lyme Disease might be underreported.



- The reported rate of Lyme Disease was the highest among persons ages 60 and older and lowest among persons ages 20-39 (Figure 34).



Enteric Diseases

- The three most prevalent enteric diseases in Westchester County in 2005 were Campylobacteriosis, Giardiasis, and Salmonellosis. Of these three, Campylobacteriosis was the most prevalent (14.3 per 100,000), followed by Salmonellosis (13.5 per 100,000), and Giardiasis (13.4 per 100,000).
- Many of the reported enteric diseases occurred among young children. For example, among people with reported Campylobacteriosis, 21.2% were among children under the age of 10. Of all the reported cases of Salmonellosis, almost one-third (31.0%) were among children under the age of 10. Of all the reported Giardiasis cases, 32.3% were among children under age 10.
- A large number of cases occurred among the elderly as well. Among cases of Campylobacteriosis, Salmonellosis, and Giardiasis, 15.9%, 17.5%, and 14.5%, respectively, were among those aged 60 and older.
- Eighty-three (83) cases of Cryptosporidiosis were reported due to increased provider and public awareness and testing for Cryptosporidia due to publicity surrounding an upstate New York outbreak involving over 4000 individuals.

Meningitis and Pneumonia

- A total of 128 Meningitis cases were reported during 2005, with 19 Aseptic Meningitis, 1 Meningococcal diseases, and 108 classified as other Meningitis/Bacteremias. Sixty-two percent (62%) of the cases occurred among people 50 years and older.
- During 2005, 88 cases with Invasive Strep Pneumoniae were reported. Among them, over half (56%) of the cases were reported from the 5 cities in Westchester County (Mount Vernon, New Rochelle, Peekskill, White Plains, and Yonkers). The majority of the cases occurred among those aged 50 and over, accounting for 69.3% of the total.

Pertussis

- Sixty-two (62) Pertussis cases were reported during 2005. In September 2003, a new laboratory test with higher sensitivity of pertussis detection was introduced. As a result, the number of reported Pertussis cases increased from 5 cases in 2002 to 71 cases in 2003, 81 cases in 2004, and 62 in 2005. Prior to September 2003, there were 8 reported cases of Pertussis for the first eight months in 2003.
- The majority of Pertussis cases occurred among children and young adults. Among the 62 cases reported during 2005, 9 cases occurred among children under age 5, 11 cases occurred among children age 5-9, and 28 cases were between ages 10-19 (48.1%).

Tuberculosis


- There were 53 Tuberculosis cases reported in 2005 and over 1000 contacts to these cases were identified. Among these cases, 85.0% were among the foreign born population. About 50% of all cases were among Hispanics. Half (54.7%) were among people aged 20-44.
- Of the 53 Tuberculosis cases, six were identified as HIV positive. Six cases were resistant to at least one of the drugs that were available for the treatment of tuberculosis and two cases were drug-resistant to both isoniazid and rifampin, the primary drugs that were available for treatment.

HIV and AIDS

- HIV reporting became effective in June 2000. As of December 31, 2004, 949 persons were reported as living with HIV and 2,257 persons were reported as living with AIDS. The total number of people living with HIV and/or AIDS was 3,206 (including inmate cases and excluding cases under 13 years of age).
- Among people living with HIV, about half (49.4%) were men and half were women. Almost two-thirds (65.8%) were in the age group 30-49. More than half (52.5%) were non-Hispanic blacks, 24.4% were Hispanics (including whites and blacks), and 21.1% were non-Hispanic whites.

- About 30% of living with HIV cases were attributed to intravenous drug use (IDU). Another 30% identified heterosexual contact as the mode of transmission and men having sex with men (MSM) represented 17.0% of living HIV cases (excluding MSM/IDU cases)⁹.
- Among people living with AIDS, 63.4% were men and 36.6% were women. The majority of cases (75.4%) were in the age group 30-49. More than half (52.4%) were non-Hispanic blacks, 23.8% were Hispanics (including whites and blacks), and 22.3% were non-Hispanic whites.
- Over 40% of living AIDS cases were attributed to IDU. About a quarter of them (23.5%) were attributed to heterosexual contact. MSM represented 18.1% of living AIDS cases (excluding MSM/IDU cases)¹⁰.
- The percentage of females as a total of all AIDS cases in Westchester County increased significantly during the past two decades. Women accounted for 13.4% of all AIDS cases diagnosed prior to 1987 and 27.6% from 1990-1994 (Figure 35). Among cases diagnosed during 2000-2004, 40.2% were females.

Figure 35. AIDS Cases by Sex and Year of Diagnosis, Westchester County Residents, 1990-2004*




* Cases confirmed through December 31, 2004 as of February 2, 2006. Data includes inmate cases and excludes cases under 13 years of age. County residence is determined at time of diagnosis.
Source: New York State Department of Health, Bureau of HIV/AIDS Epidemiology.


⁹ Twenty-one percent (21.2%) reported other or unknown.

¹⁰ Twelve percent (12.6%) reported other or unknown.


- Overall, the majority of all AIDS cases were among persons 30-49 years of age. Among those diagnosed in 2004, 22.7% were 30-39 years of age and 39.7% were 40-49 years of age. The proportion of AIDS cases 30-39 years of age has decreased from 49.2% prior to 1990 to 34.7% in 2000-2004, while the proportion of AIDS cases 50+ years of age has increased from 10.3% prior to 1990 to 20.4% in 2000-2004 (Figure 36).



- From 2000-2004, 55.3% of the reported AIDS cases were black non-Hispanic compared to 43.0% prior to 1990 (Figure 37). Although black non-Hispanics represent 13.6% of Westchester County's population, 51.8% of the reported AIDS cases in 2004 were among black non-Hispanics.



- The mode of transmission for AIDS has shifted over the past two decades¹¹. Prior to 1990, about one-third (30.5%) of the AIDS cases were among MSM. Over half (55.6%) were among IDU. The number of cases due to heterosexual contact was less than five percent. By 2004, of all AIDS cases diagnosed in that year, 19.1% were among MSM, 30.5% were among IDU, and almost 20% were among people with heterosexual contact. For all cases diagnosed during 2000-2004, 17.0% were MSM, 31.0% were IDU, and 30.5% of the cases were heterosexual contact (Figure 38).



¹¹ The percent of risk unknown reported has been increasing over the years with 28.4% in 2004.

Tables

Table 1. Age, Sex, and Race/Ethnicity, Westchester County, 2000 and 2005

Demographics	Year 2000 Census ¹	2005 American Community Survey ²			
	Total	Total	%	90% Confidence Interval ³	
				Lower	Upper
Total	923,459	915,916	88.6	*****	*****
Under 5	64,242	62,946	6.9	62,787	63,105
5-9	67,993	60,214	6.6	56,776	63,652
10-14	63,757	69,118	7.5	65,700	72,536
15-19	54,363	57,639	6.3	57,144	58,134
20-24	46,962	46,474	5.1	46,050	46,898
25-34	123,467	104,863	11.4	104,545	105,181
35-44	157,033	146,113	16.0	145,950	146,276
45-54	129,998	142,031	15.5	141,580	142,482
55-59	48,310	62,637	6.8	59,740	65,534
60-64	38,370	41,390	4.5	38,565	44,215
65-74	66,785	61,204	6.7	60,587	61,821
75-84	44,520	45,528	5.0	44,062	46,994
85+	17,659	15,759	1.7	14,300	17,218
18 and over	692,662	685,081	74.8	684,766	685,396
65 and over	128,964	122,491	13.4	122,076	122,906
Median Age	37.6	39.2	-	38.9	39.5
Sex					
Male	441,722	440,818	48.1	440,512	441,124
Female	481,737	475,098	51.9	474,792	475,404
Race					
White	658,858	644,700	70.4	637,700	651,700
Black	131,132	126,183	13.8	122,770	129,596
American Indian & Alaska Native	2,343	1,850	0.2	1,008	2,692
Asian	41,367	50,740	5.5	49,204	52,276
Native Hawaiian & Other Pacific Islander	371	49	0.0	0	129
Other Race	61,227	80,370	8.8	72,881	87,859
Two or More Races	28,161	12,024	1.3	9,664	14,384
Ethnicity					
Hispanic ⁴	144,124	166,564	18.2	*****	*****
White	67,082	81,567	49.0	74,733	88,401
Black	5,905	4,136	2.5	1,235	7,037
Other	71,137	80,861	48.5	*****	*****
Non-Hispanic	779,335	749,352	81.8	*****	*****
White	591,776	563,133	75.1	562,001	564,265
Black	125,227	122,047	16.3	120,071	124,023
Other	62,332	64,172	8.6	*****	*****

¹ 2000 Census Summary File 1.

² 2005 American Community Survey: estimate excludes residents in institutions, dormitories, and other group quarters.

³ Certain estimates in the 2005 ACS are 'controlled estimates' and lower and upper bounds of confidence intervals do not apply.

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 2. Educational Attainment, Population 25 Years and Over, Westchester County, 2000 and 2005

Educational Attainment	Year 2000 Census ¹		2005 American Community Survey ²			
	Number	%	Number	%	90% Confidence Interval	
					Lower	Upper
Population 25 and Over	628,941	100.0	619,525	100.0	619,280	619,770
With Less Than 9th Grade	43,762	7.0	39,292	6.3	35,062	43,522
Some High School, No Diploma	59,694	9.5	42,167	6.8	37,231	47,103
High School Graduate or Equivalency Exam	138,814	22.1	136,017	22.0	129,186	142,848
Some College, No Degree	95,004	15.1	83,498	13.5	78,771	88,225
Associate's Degree	34,743	5.5	37,586	6.1	33,652	41,520
Bachelor's Degree	132,557	21.1	140,435	22.7	133,605	147,265
Graduate or Professional Degree	124,367	19.8	140,530	22.7	134,382	146,678

¹ 2000 Census Summary File 3. Five percent sample of the households.

² 2005 American Community Survey: estimate excludes residents in institutions, dormitories, and other group quarters.

Table 3. Labor Force Participation and Unemployment Rate, Population 16 Years and Over, Westchester County, 2000 and 2005

Employment Status	Year 2000 Census ¹		2005 American Community Survey ²			
	Number	%	Number	%	90% Confidence Interval	
					Lower	Upper
Population 16 years and Over	716,252	100.0	710,435	100.0	708,804	712,066
Civilian Labor Force	452,417	63.2	474,275	66.2	467,814	480,736
<i>Employed</i>	432,600	95.6	442,860	93.4	436,289	449,431
<i>Unemployed</i>	19,817	4.4	31,415	6.6	27,121	35,709
Female Population, 16 years and over	382,194	60.8	375,224	60.6	373,997	376,451
Civilian Labor Force	213,866	56.0	217,412	56.9	211,419	223,405
<i>Employed</i>	204,099	95.4	202,933	93.3	196,911	208,955
<i>Unemployed</i>	9,767	4.6	14,479	6.7	*****	*****

¹ 2000 Census Summary File 3. Five percent sample of the households.

² 2005 American Community Survey: estimate excludes residents in institutions, dormitories, and other group quarters.

Table 4. Immigration and Language Spoken at Home, Westchester County, 2000 and 2005

Immigration and Language Spoken at Home	Year 2000 Census ¹		2005 American Community Survey ²			
	Number	%	Number	%	90% Confidence Interval ³	
					Lower	Upper
Total Population	923,459	100.0	915,916	100.0	*****	*****
Native	718,030	77.8	687,120	75.0	677,405	696,835
Foreign Born	205,429	22.2	228,796	25.0	219,081	238,511
<i>Non-Citizen</i>	<i>119,883</i>	<i>58.4</i>	<i>123,082</i>	<i>53.8</i>	<i>113,506</i>	<i>132,658</i>
Population 5 Years and Over	859,662	100.0	852,970	100.0	852,811	853,129
English Only	615,323	71.6	593,731	69.6	580,793	606,669
Non-English Language	244,339	28.4	259,239	30.4	246,299	272,179
<i>Spanish</i>	<i>123,616</i>	<i>50.6</i>	<i>134,879</i>	<i>52.0</i>	<i>129,291</i>	<i>140,467</i>
<i>Other Indo-European</i>	<i>84,695</i>	<i>34.7</i>	<i>84,160</i>	<i>32.5</i>	<i>74,189</i>	<i>94,131</i>
<i>Asian and Pacific Islander</i>	<i>26,176</i>	<i>10.7</i>	<i>30,856</i>	<i>11.9</i>	<i>28,262</i>	<i>33,450</i>
<i>Other</i>	<i>9,852</i>	<i>4.0</i>	<i>9,344</i>	<i>3.6</i>	<i>6,501</i>	<i>12,187</i>
<i>Speaking English less than "very well"</i>	<i>106,056</i>	<i>43.4</i>	<i>102,115</i>	<i>39.4</i>	<i>95,517</i>	<i>108,713</i>

¹ 2000 Census Summary File 1.² 2005 American Community Survey: estimate excludes residents in institutions, dormitories, and other group quarters.³ Certain estimates in the 2005 ACS are 'controlled estimates' and lower and upper bounds of confidence intervals do not apply.**Table 5. Household Structure, Westchester County, 2000 and 2005**

Household Structure	Year 2000 Census ¹		2005 American Community Survey ²			
	Number	%	Number	%	90% Confidence Interval ³	
					Lower	Upper
Total Households	337,142	100.0	333,190	100.0	330,048	336,332
Non-Family Households	101,941	30.2	102,792	30.9	98,317	107,267
Family Households	235,201	69.8	230,398	69.1	226,038	234,758
Family Households	235,201	100.0	230,398	100.0	226,038	234,758
With No Related Children Under Age 18	113,047	48.1	117,374	50.9	*****	*****
With Related Children Under Age 18	122,154	51.9	113,024	49.1	108,312	117,736
<i>Married-Couple Families</i>	<i>91,995</i>	<i>75.3</i>	<i>85,977</i>	<i>76.1</i>	<i>81,243</i>	<i>90,711</i>
<i>Single-Mother Families</i>	<i>24,646</i>	<i>20.2</i>	<i>22,326</i>	<i>19.8</i>	<i>19,118</i>	<i>25,534</i>
<i>Single-Father Families</i>	<i>5,513</i>	<i>4.5</i>	<i>4,721</i>	<i>4.2</i>	<i>3,321</i>	<i>6,121</i>

¹ 2000 Census Summary File 1. Five percent sample of the households.² 2005 American Community Survey: estimate excludes residents in institutions, dormitories, and other group quarters.³ Certain estimates in the 2005 ACS are 'controlled estimates' and lower and upper bounds of confidence intervals do not apply.

Table 6. Number of Households by Income Group, Median Household Income, Source of Household Income, and Number and Percent of Population Under Poverty Level, Westchester County, 1999 and 2004

Socioeconomic Characteristics	Year 2000 Census ¹ (data for 1999)		2005 American Community Survey ² (data for 2004)			
	Number	%	Number	%	90% Confidence Interval	
					Lower	Upper
Total Number of Households	337,486	100.0	333,190	100.0	330,048	336,332
Income Groups³						
Less than \$10,000	24,492	7.3	18,543	5.6	16,407	20,679
\$10,000 - \$14,999	14,518	4.3	14,290	4.3	11,930	16,650
\$15,000 - \$24,999	27,654	8.2	24,862	7.5	22,059	27,665
\$25,000 - \$34,999	28,000	8.3	24,781	7.4	21,419	28,143
\$35,000 - \$49,999	39,970	11.8	36,313	10.9	32,896	39,730
\$50,000 - \$74,999	56,607	16.8	52,344	15.7	48,234	56,454
\$75,000 - \$99,999	41,497	12.3	39,413	11.8	36,113	42,713
\$100,000 - \$149,999	48,193	14.3	54,086	16.2	49,905	58,267
\$150,000 - \$199,999	21,507	6.4	24,973	7.5	22,743	27,203
\$200,000 or more	35,048	10.4	43,585	13.1	40,679	46,491
Median Household Income (dollars)	63,582	-	71,800	-	67,198	76,402
Source of Household Income						
With Social Security Income	90,540	26.8	93,525	28.1	90,691	96,359
With Supplemental Security Income	11,378	3.4	9,631	2.9	8,268	10,994
With Retirement Income	57,901	17.2	61,001	18.3	57,810	64,192
With Cash Public Assistance Income	9,274	2.7	6,990	2.1	5,531	8,449
With Food Stamp Benefits	12,231 ⁴	-	14,473	4.3	12,305	16,641
Population Below Poverty Level	78,967	8.8	72,075	7.9	63,738	80,412

¹ 2000 Census Summary File 3. Five percent sample of the households.

² 2005 American Community Survey: estimate excludes residents in institutions, dormitories, and other group quarters.

³ In 2004 inflation-adjusted dollars.

⁴ Census 2000 Supplementary Survey: based on a sample and excludes the population living in institutions, college dormitories, and other group quarters.

Table 7. Total Number of Births, Westchester County, 2004

Health Planning Region and Municipality	Number of Births	Birth Rates (per 1,000 population)
Westchester County	12,386	13.4
Northwest	1,885	13.4
Briarcliff Manor (V)	82	10.7
Buchanan (V)	27	12.3
Cortlandt (TOV)	337	11.8
Croton-on-Hudson (V)	104	13.7
Mount Pleasant (TOV)	247	9.4
Ossining (TOV)	45	8.2
Ossining (V)	421	17.5
Peekskill (C)	416	18.5
Pleasantville (V)	68	9.5
Sleepy Hollow (V)	138	15.0
Northeast	1,484	11.1
Bedford (T)	208	11.5
Lewisboro (T)	122	9.9
Mount Kisco (T/V)	166	16.6
New Castle (T)	197	11.3
North Castle (T)	116	10.7
North Salem (T)	52	10.1
Pound Ridge (T)	67	14.2
Somers (T)	196	10.7
Yorktown (T)	360	9.9
West Central	1,972	12.5
Ardsley (V)	44	10.3
Dobbs Ferry (V)	123	11.6
Elmsford (V)	87	18.6
Greenburgh (TOV)	508	12.1
Hastings-on-Hudson (V)	62	8.1
Irvington (V)	60	9.0
Scarsdale (T/V)	156	8.8
Tarrytown (V)	150	13.5
White Plains (C)	782	14.7
East Central	1,497	13.4
Harrison (T/V)	210	8.7
Larchmont (V)	78	12.0
Mamaroneck (TOV)	163	14.6
Mamaroneck (V)	237	12.6
Port Chester (V)	485	17.4
Rye (C)	204	13.6
Rye Brook (V)	120	14.0
Southwest	2,917	14.9
Yonkers (C)	2,917	14.9
Southeast	2,509	13.7
Bronxville (V)	101	15.4
Eastchester (TOV)	238	12.8
Mount Vernon (C)	978	14.3
New Rochelle (C)	957	13.3
Pelham (V)	94	14.7
Pelham Manor (V)	52	9.5
Tuckahoe (V)	89	14.3
Unknown	122	-

Source: New York State Department of Health.

Table 8. Average Maternal Age and Number of Births by Mother's Age, Westchester County, 2004

Health Planning Region and Municipality	Average Maternal Age	Mother's Age								
		Total ¹	10-17	18-19	20-24	25-29	30-34	35-39	40-45	45+
Westchester County	30.8	12,386	184	368	1,576	2,555	4,083	2,847	723	48
Northwest	31.1	1,885	22	45	226	357	687	434	104	10
Briarcliff Manor (V)	34.4	82	0	0	1	8	30	36	7	0
Buchanan (V)	31.5	27	0	0	3	4	13	7	0	0
Cortlandt (TOV)	32.5	337	2	8	21	53	140	89	22	2
Croton-on-Hudson (V)	33.3	104	1	0	4	14	38	37	9	1
Mount Pleasant (TOV)	33.1	247	1	1	8	33	112	75	15	2
Ossining (TOV)	33.1	45	0	0	2	3	27	7	6	0
Ossining (V)	30.2	421	5	10	79	87	134	83	20	3
Peekskill (C)	28.4	416	10	24	84	111	122	51	13	1
Pleasantville (V)	32.8	68	0	0	2	13	31	19	2	1
Sleepy Hollow (V)	30.4	138	3	2	22	31	40	30	10	0
Northeast	33.2	1,484	5	11	77	190	567	509	122	3
Bedford (T)	33.0	208	1	2	14	28	75	67	20	1
Lewisboro (T)	33.8	122	1	0	3	14	43	52	9	0
Mount Kisco (T/V)	30.3	166	2	5	27	32	58	32	10	0
New Castle (T)	34.7	197	0	0	3	18	70	82	24	0
North Castle (T)	33.5	116	0	0	5	10	52	41	8	0
North Salem (T)	32.6	52	0	1	2	9	17	20	3	0
Pound Ridge (T)	34.7	67	0	1	0	1	30	28	5	2
Somers (T)	33.9	196	0	1	5	24	80	69	17	0
Yorktown (T)	33.0	360	1	1	18	54	142	118	26	0
West Central	31.6	1,972	24	51	186	387	687	466	158	12
Ardsley (V)	34.5	44	0	0	0	2	22	17	3	0
Dobbs Ferry (V)	33.2	123	0	0	5	27	46	30	12	3
Elmsford (V)	29.0	87	2	2	10	29	30	10	3	1
Greenburgh (TOV)	31.9	508	4	14	49	88	183	122	48	0
Hastings-on-Hudson (V)	33.9	62	0	0	2	9	22	21	8	0
Irvington (V)	33.9	60	0	0	0	6	30	19	4	1
Scarsdale (T/V)	35.2	156	0	0	0	9	56	72	17	1
Tarrytown (V)	32.6	150	1	1	4	33	56	43	11	1
White Plains (C)	30.0	782	17	34	116	184	242	132	52	5
East Central	31.6	1,497	15	37	155	266	524	409	87	4
Harrison (T/V)	32.5	210	0	2	12	37	88	54	16	1
Larchmont (V)	34.4	78	0	1	1	5	32	34	5	0
Mamaroneck (TOV)	34.5	163	0	0	2	17	62	69	13	0
Mamaroneck (V)	31.6	237	3	2	27	50	77	59	18	1
Port Chester (V)	28.3	485	12	30	106	130	127	63	15	2
Rye (C)	34.8	204	0	0	1	8	92	90	13	0
Rye Brook (V)	32.6	120	0	2	6	19	46	40	7	0
Southwest	28.8	2,917	83	139	564	739	818	474	92	7
Yonkers (C)	28.8	2,917	83	139	564	739	818	474	92	7
Southeast	30.4	2,509	35	83	356	596	762	518	148	11
Bronxville (V)	35.2	101	0	0	0	7	42	36	16	0
Eastchester (TOV)	33.1	238	0	0	8	38	108	68	15	1
Mount Vernon (C)	28.9	978	18	51	202	272	224	155	56	0
New Rochelle (C)	30.2	957	17	31	138	237	298	187	39	10
Pelham (V)	33.2	94	0	1	4	17	30	35	7	0
Pelham Manor (V)	35.5	52	0	0	0	2	19	23	8	0
Tuckahoe (V)	31.9	89	0	0	4	23	41	14	7	0
Unknown	32.4	122	0	2	12	20	38	37	12	1

¹ Total includes cases with unknown maternal age.

Source: New York State Department of Health.

Table 9. Percentage of Infants with Low Birthweight, Less Than 37 Gestation Weeks, and Late or No Prenatal Care, Westchester County, 2004

Health Planning Region and Municipality	Percentage of Infants Born With		
	Low Birthweight ¹	<37 Weeks Gestation ²	Late or No Prenatal Care ³
Westchester County	8.3	9.7	27.2
Northwest	5.7	7.0	23.6
Briarcliff Manor (V)	2.4	4.9	9.8
Buchanan (V)	11.1	11.1	22.2
Cortlandt (TOV)	7.1	8.6	14.8
Croton-on-Hudson (V)	1.9	2.9	12.5
Mount Pleasant (TOV)	3.6	8.9	15.0
Ossining (TOV)	4.4	4.4	17.8
Ossining (V)	7.4	6.2	23.3
Peekskill (C)	6.0	7.5	41.4
Pleasantville (V)	7.4	5.9	20.6
Sleepy Hollow (V)	2.9	5.1	27.5
Northeast	7.8	8.8	12.9
Bedford (T)	6.3	5.3	16.4
Lewisboro (T)	4.1	9.0	9.0
Mount Kisco (T/V)	9.0	6.0	16.3
New Castle (T)	9.1	9.1	11.7
North Castle (T)	10.3	9.5	15.5
North Salem (T)	3.9	11.5	9.6
Pound Ridge (T)	10.5	13.4	13.4
Somers (T)	9.7	9.7	11.2
Yorktown (T)	6.9	10.0	11.9
West Central	6.6	8.8	23.7
Ardsley (V)	6.8	6.8	18.2
Dobbs Ferry (V)	6.5	7.3	15.5
Elmsford (V)	5.8	6.9	29.9
Greenburgh (TOV)	8.5	11.8	24.0
Hastings-on-Hudson (V)	4.8	6.5	14.5
Irvington (V)	3.3	8.3	10.0
Scarsdale (T/V)	4.5	4.5	10.3
Tarrytown (V)	5.3	7.3	20.7
White Plains (C)	6.7	8.8	29.5
East Central	8.0	8.4	15.0
Harrison (T/V)	8.1	10.0	14.3
Larchmont (V)	5.1	2.6	10.3
Mamaroneck (TOV)	9.8	12.3	6.1
Mamaroneck (V)	4.6	4.2	18.1
Port Chester (V)	7.6	7.8	23.9
Rye (C)	10.3	10.8	4.9
Rye Brook (V)	11.7	10.8	5.8
Southwest	9.2	10.6	35.6
Yonkers (C)	9.2	10.6	35.6
Southeast	10.9	12.6	26.0
Bronxville (V)	8.9	12.9	17.8
Eastchester (TOV)	8.0	9.7	12.2
Mount Vernon (C)	12.7	13.6	30.9
New Rochelle (C)	9.9	12.0	29.3
Pelham (V)	6.4	11.7	8.5
Pelham Manor (V)	17.3	19.2	5.8
Tuckahoe (V)	13.5	12.4	13.5
Unknown	9.0	10.7	18.0

¹ Low birthweight is defined as less than 2,500 grams at birth. Those with no information on birthweight are excluded.

² Cases with no information on length of gestation are excluded.

³ Late or no prenatal care is defined as prenatal care begun at the second or third trimester, or no prenatal care throughout pregnancy. Those with incomplete information on prenatal care were excluded from the calculation.

Source: New York State Department of Health.

Table 10. Number of Births by Mother's Age and Race/Ethnicity, Westchester County, 2004

Mother's Age	Total ¹		White		Black		Other		Hispanic ²	
	Number	%	Number	%	Number	%	Number	%	Number	%
Total¹	12,386	100.0	8,297	100.0	1,816	100.0	2,266	100.0	3,712	100.0
10-14	11	0.1	6	0.1	1	0.1	4	0.2	10	0.3
15-17	173	1.4	88	1.1	50	2.8	35	1.5	111	3.0
18-19	368	3.0	183	2.2	110	6.1	74	3.3	222	6.0
20-24	1,576	12.7	788	9.5	394	21.7	394	17.4	922	24.8
25-29	2,555	20.6	1,525	18.4	441	24.3	588	25.9	1,035	27.9
30-34	4,083	33.0	2,979	35.9	419	23.1	681	30.1	827	22.3
35-39	2,847	23.0	2,167	26.1	294	16.2	385	17.0	470	12.7
40-44	723	5.8	520	6.3	102	5.6	101	4.5	109	2.9
45+	48	0.4	40	0.5	5	0.3	3	0.1	6	0.2
Average Age	30.8		31.7		28.7		29.5		27.7	

¹Total includes cases with unknown maternal age and/or race

²Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 11. Number of Births by Birthweight and Mother's Race/Ethnicity and Age, Westchester County, 2004

Race/Ethnicity and Birthweight	Total ¹	%	Mother's Age							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
Total	12,386	100.0	184	368	1,576	2,555	4,083	2,847	723	48
<1500 grams	215	1.7	4	7	34	35	58	63	13	1
1500-2499 grams	813	6.6	18	26	95	151	252	205	60	6
2500 grams+	11,347	91.6	162	334	1,446	2,368	3,769	2,577	650	41
Not stated	11	--	0	1	1	1	4	2	0	0
White	8,297	100.0	94	183	788	1,525	2,979	2,167	520	40
<1500 grams	111	1.3	0	2	10	17	37	39	5	1
1500-2499 grams	482	5.8	8	12	36	73	161	146	42	4
2500 grams+	7,697	92.8	86	169	741	1,435	2,778	1,980	473	35
Not Stated	7	--	0	0	1	0	3	2	0	0
Black	1,816	100.0	51	110	394	441	419	294	102	5
<1500 grams	76	4.2	3	4	15	15	13	19	7	0
1500-2499 grams	187	10.3	6	11	38	42	49	28	11	2
2500 grams+	1,553	85.5	42	95	341	384	357	247	84	3
Not Stated	0	--	0	0	0	0	0	0	0	0
Other	2,266	100.0	39	74	394	588	681	385	101	3
<1500 grams	28	1.2	1	1	9	3	8	5	1	0
1500-2499 grams	143	6.3	4	3	21	36	41	31	7	0
2500 grams+	2,093	92.4	34	70	364	549	631	349	93	3
Not Stated	2	--	0	0	0	0	1	0	0	0
Hispanic²	3,712	100.0	121	222	922	1,035	827	470	109	6
<1500 grams	42	1.1	0	3	12	9	10	7	1	0
1500-2499 grams	189	5.1	12	8	41	47	36	38	7	0
2500 grams+	3,481	93.8	109	211	869	979	781	425	101	6

¹Total includes cases with unknown maternal age.

²Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 12. Average Birthweight by Maternal Exposure to Smoking and Drug Use During Pregnancy by Mother's Race/Ethnicity, Westchester County, 2004

Mother's Race/Ethnicity		No Smoking & No Drug Use	Smoking Only ¹	Drug Use Only ²	Both Smoking & Drug Use
Total ³	Birthweight (g)	3,281	3,086 *	3,247	2,989 *
	n	11,995	258	92	41
White	Birthweight (g)	3,319	3,120 *	3,253	3,117
	n	8,078	150	46	16
Black	Birthweight (g)	3,119	3,017	3,208	2,893
	n	1,678	89	26	23
Hispanic ⁴	Birthweight (g)	3,316	3,126 *	3,484	3,196
	n	3,618	53	32	9

¹ Any use of tobacco products during pregnancy.

² Any use of illegal drugs during pregnancy.

³ Total includes 'other' and 'unknown' racial categories. Individuals without birthweight information were excluded.

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanic ethnicity is reported among racial groups.

* Statistically significant by Student's t-test, p-value<0.05. All comparisons are between the risk group and non-risk group, (the "no smoking and no drug use" group).

Source: New York State Department of Health.

Table 13. Number of Births by Time Starting Prenatal Care and Mother's Age and Race/Ethnicity, Westchester County, 2004

Mother's Race/Ethnicity and Time Starting Prenatal Care	Total ¹	%	Mother's Age							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
Total	12,386	100.0	184	368	1,576	2,555	4,083	2,847	723	48
First Trimester (1st-3rd Month)	8,135	72.8	65	157	805	1661	2871	2027	511	38
Second Trimester (4th-6th Month)	2,338	20.9	65	132	484	552	621	373	107	4
Third Trimester (7th-9th Month)	469	4.2	35	41	140	98	82	53	20	0
No prenatal care	233	2.1	11	21	57	63	38	29	13	1
Unknown trimester	1,211	-	8	17	90	181	471	365	72	5
White	8,297	100.0	94	183	788	1,525	2,979	2,167	520	40
First Trimester (1st-3rd Month)	5,656	77.7	34	79	405	1032	2139	1556	380	31
Second Trimester (4th-6th Month)	1,315	18.1	36	66	236	286	376	242	69	4
Third Trimester (7th-9th Month)	215	3.0	17	24	61	40	33	29	11	0
No prenatal care	93	1.3	3	4	23	25	21	12	4	1
Unknown trimester	1,018	-	4	10	63	142	410	328	56	4
Black	1,816	100.0	51	110	394	441	419	294	102	5
First Trimester (1st-3rd Month)	1,050	59.8	15	46	193	258	257	209	68	4
Second Trimester (4th-6th Month)	480	27.4	20	40	123	111	113	53	20	0
Third Trimester (7th-9th Month)	125	7.1	8	8	44	29	22	12	2	0
No prenatal care	100	5.7	5	11	26	29	11	10	8	0
Unknown trimester	61	-	3	5	8	14	16	10	4	1
Other	2,266	100.0	39	74	394	588	681	385	101	3
First Trimester (1st-3rd Month)	1,428	66.8	16	32	207	371	475	261	63	3
Second Trimester (4th-6th Month)	542	25.4	9	26	125	155	131	78	18	0
Third Trimester (7th-9th Month)	129	6.0	10	9	35	29	27	12	7	0
No prenatal care	38	1.8	3	5	8	8	6	7	1	0
Unknown trimester	129	-	1	2	19	25	42	27	12	0
Hispanic²	3,712	100.0	121	222	922	1035	827	470	109	6
First Trimester (1st-3rd Month)	2,055	59.1	43	90	446	596	519	297	59	5
Second Trimester (4th-6th Month)	1,100	31.6	48	83	317	301	209	115	26	1
Third Trimester (7th-9th Month)	227	6.5	20	29	72	52	29	17	8	0
No prenatal care	95	2.7	4	11	29	26	16	8	1	0
Unknown trimester	235	-	6	9	58	60	54	33	15	0

¹ Total includes cases with unknown maternal age.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 14. Number of Total Pregnancies, Live Births, Spontaneous Fetal Deaths, and Induced Abortions by Maternal Age, Westchester County, 2004

Age (years)	Total Pregnancies	Live Births	Spontaneous Fetal Deaths	Induced Abortions	As % of Total Pregnancies		
					Live Births	Spontaneous Fetal Deaths	Induced Abortions
Total	15,631	12,386	414	2,831	79.2	2.6	18.1
10-14	40	11	0	29	27.5	0.0	72.5
15-19	1,092	541	6	545	49.5	0.5	49.9
20-24	2,473	1,576	39	858	63.7	1.6	34.7
25-29	3,210	2,555	77	578	79.6	2.4	18.0
30-34	4,595	4,083	103	409	88.9	2.2	8.9
35-39	3,254	2,847	133	274	87.5	4.1	8.4
40-44	890	723	47	120	81.2	5.3	13.5
45+	66	48	5	13	72.7	7.6	19.7
Unknown	11	2	4	5	18.2	36.4	45.5

Source: New York State Department of Health.

Table 15. Total Number of Deaths and Infant Deaths, Westchester County, 2004

Health Planning Region and Municipality	Total Number of Deaths	Death Rate (per 1,000 population)	Number of Infant Deaths	Infant Mortality Rate (per 1,000 live births)
Westchester County	7,197	7.8	55	4.4
Northwest	1,175	8.4	8	4.2
Briarcliff Manor (V)	84	10.9	1	12.2
Buchanan (V)	20	9.1	0	0.0
Cortlandt (TOV)	269	9.4	2	5.9
Croton-on-Hudson (V)	76	10.0	0	0.0
Mount Pleasant (TOV)	216	8.3	0	0.0
Ossining (TOV)	31	5.6	0	0.0
Ossining (V)	175	7.3	2	4.8
Peekskill (C)	210	9.4	2	4.8
Pleasantville (V)	41	5.7	0	0.0
Sleepy Hollow (V)	53	5.8	1	7.2
Northeast	718	5.4	3	2.0
Bedford (T)	88	4.9	1	4.8
Lewisboro (T)	27	2.2	0	0.0
Mount Kisco (T/V)	41	4.1	1	6.0
New Castle (T)	55	3.1	0	0.0
North Castle (T)	44	4.1	0	0.0
North Salem (T)	23	4.4	0	0.0
Pound Ridge (T)	24	5.1	0	0.0
Somers (T)	189	10.3	0	0.0
Yorktown (T)	227	6.3	1	2.8
West Central	1,153	7.3	12	6.1
Ardsley (V)	27	6.3	1	22.7
Dobbs Ferry (V)	92	8.7	0	0.0
Elmsford (V)	29	6.2	2	23.0
Greenburgh (TOV)	325	7.8	3	5.9
Hastings-on-Hudson (V)	84	11.0	0	0.0
Irvington (V)	28	4.2	0	0.0
Scarsdale (T/V)	71	4.0	0	0.0
Tarrytown (V)	75	6.8	1	6.7
White Plains (C)	422	8.0	5	6.4
East Central	779	7.0	4	2.7
Harrison (T/V)	160	6.6	1	4.8
Larchmont (V)	39	6.0	1	12.8
Mamaroneck (TOV)	47	4.2	0	0.0
Mamaroneck (V)	165	8.8	0	0.0
Port Chester (V)	177	6.4	0	0.0
Rye (C)	110	7.4	1	4.9
Rye Brook (V)	81	9.4	1	8.3
Southwest	1,645	8.4	16	5.5
Yonkers (C)	1,645	8.4	16	5.5
Southeast	1,522	8.3	11	4.4
Bronxville (V)	58	8.9	0	0.0
Eastchester (TOV)	180	9.7	0	0.0
Mount Vernon (C)	548	8.0	8	8.2
New Rochelle (C)	615	8.5	2	2.1
Pelham (V)	45	7.0	1	10.6
Pelham Manor (V)	35	6.4	0	0.0
Tuckahoe (V)	41	6.6	0	0.0
Unknown	205	--	1	--

Source: New York State Department of Health.

Table 16. Number of Deaths and Death Rates by Age Group and Sex, and Average Age of Death by Sex, Westchester County, 2004

Age Group	Number			Death Rate <i>(per 1,000 population)</i>		
	Total ¹	Female	Male	Total	Female	Male
Total	7,197	3,975	3,215	7.8	8.3	7.3
0-4	66	29	37	1.0	0.9	1.1
5-9	11	4	7	0.2	0.1	0.2
10-19	25	9	16	0.2	0.2	0.3
20-29	81	21	60	0.8	0.4	1.2
30-39	108	43	65	0.7	0.6	0.9
40-49	262	107	155	1.8	1.4	2.2
50-59	529	219	310	4.8	3.8	6.0
60-69	824	378	446	11.4	9.5	13.6
70-79	1,509	731	777	25.5	21.3	31.2
80+	3,782	2,434	1,342	106.1	100.8	116.7
Average Age of Death	76.4	79.6	72.5	-	-	-

¹ Totals include unknown sex.

Source: New York State Department of Health.

Table 17. Number of Deaths and Death Rates by Age Group and Race/Ethnicity, and Average Age of Death by Race/Ethnicity, Westchester County, 2004

Age Group	Number					Death Rate (per 1,000 population)				
	Total ¹	White	Black	Other	Hispanic ²	Total	White	Black	Other	Hispanic ²
Total	7,197	5,985	941	250	351	7.8	9.1	7.2	1.9	2.4
0-4	66	28	25	13	12	1.0	0.7	2.7	1.0	0.9
5-9	11	3	4	4	3	0.2	0.1	0.4	0.3	0.2
10-19	25	13	6	5	4	0.2	0.2	0.3	0.2	0.2
20-29	81	49	21	9	31	0.8	0.8	1.3	0.4	1.1
30-39	108	67	30	10	24	0.7	0.7	1.3	0.4	0.8
40-49	262	176	67	17	37	1.8	1.6	3.6	0.9	2.0
50-59	529	382	116	30	40	4.8	4.5	8.0	2.8	3.9
60-69	824	614	162	45	51	11.4	10.6	17.8	8.5	9.6
70-79	1,509	1,247	209	48	49	25.5	24.3	39.1	18.9	19.0
80+	3,782	3,406	301	69	100	106.1	107.7	104.4	61.0	97.4
Average Age of Death	76.4	78.4	68.0	63.1	61.2	-	-	-	-	-

¹ Totals include unknown race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 18. Number of Infant Deaths and Infant Mortality Rates by Race/Ethnicity, Westchester County, 2004

Race/Ethnicity	Number	Infant Mortality Rate <i>(per 1,000 live births)</i>
Total	55	4.4
White	23	2.8
Black	23	12.7
Other	9	4.0
Unknown	0	--
Hispanic ¹	10	2.7

¹ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are reported in race categories.

Source: New York State Department of Health.

Table 19. Number of Deaths and Death Rates by Selected Causes and Sex, Westchester County, 2004

Cause of Death	Number of Deaths			Death Rate (per 1,000 population)		
	Total ¹	Female	Male	Total	Female	Male
Total	7,197	3,975	3,215	7.8	8.3	7.3
Major Cardiovascular Diseases	2,961	1,710	1,247	3.2	3.5	2.8
Malignant Neoplasms	1,817	995	820	2.0	2.1	1.9
Chronic Lower Respiratory Disease (CLRD)	288	167	120	0.3	0.3	0.3
Pneumonia	227	121	106	0.2	0.3	0.2
Septicemia	195	118	77	0.2	0.2	0.2
Accidents (Total)	173	63	110	0.2	0.1	0.2
Diabetes Mellitus	139	66	73	0.2	0.1	0.2
Nephritis, Nephrotic Syndrome and Nephrosis	134	66	68	0.1	0.1	0.2
Chronic Liver Diseases including Cirrhosis	55	23	32	0.1	0.0	0.1
Suicide	41	8	33	0.0	0.0	0.1
AIDS	36	20	16	0.0	0.0	0.0
Homicide and Legal Intervention	32	6	26	0.0	0.0	0.1
Certain Conditions Originating in the Perinatal Period	30	15	15	0.0	0.0	0.0
Congenital Anomalies	22	9	13	0.0	0.0	0.0
Gastritis, Enteritis, Colitis, Diverticulitis	22	12	10	0.0	0.0	0.0
Sudden Infant Death Syndrome	2	1	1	0.0	0.0	0.0
Influenza	2	2	0	0.0	0.0	0.0
Complications of Pregnancy, Childbirth, and Puerperium	1	1	0	0.0	0.0	0.0
Tuberculosis	1	1	0	0.0	0.0	0.0
All Other Causes	1,019	571	448	1.1	1.2	1.0

¹Totals include unknown sex.

Source: New York State Department of Health.

Table 20. Number of Deaths and Death Rates by Selected Causes and Age Group, Westchester County, 2004

Cause of Death	Number of Deaths								Death Rate ¹ (per 1,000 population)							
	Total	<1	1-9	10-19	20-29	30-49	50-64	65+	Total	<1	1-9	10-19	20-29	30-49	50-64	65+
Total	7,197	55	22	25	81	370	922	5,722	7.8	4.3	0.2	0.2	0.8	1.3	6.2	44.4
Major Cardiovascular Diseases	2,961	0	1	2	7	63	260	2,628	3.2	0.0	0.0	0.0	0.1	0.2	1.8	20.4
Malignant Neoplasms	1,817	0	2	1	11	99	372	1,332	2.0	0.0	0.0	0.0	0.1	0.3	2.5	10.3
Chronic Lower Respiratory Disease (CLRD)	288	0	0	1	0	3	28	256	0.3	0.0	0.0	0.0	0.0	0.0	0.2	2.0
Pneumonia	227	0	0	0	1	7	13	206	0.2	0.0	0.0	0.0	0.0	0.0	0.1	1.6
Septicemia	195	0	1	0	3	6	21	164	0.2	0.0	0.0	0.0	0.0	0.0	0.1	1.3
Accidents (Total)	173	0	6	5	21	32	20	89	0.2	0.0	0.0	0.0	0.2	0.1	0.1	0.7
Diabetes Mellitus	139	0	0	0	1	4	24	110	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.9
Nephritis, Nephrotic Syndrome and Nephrosis	134	0	1	0	0	4	14	115	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.9
Chronic Liver Diseases including Cirrhosis	55	0	0	0	1	13	16	25	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.2
Suicide	41	0	0	5	4	16	11	5	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0
AIDS	36	0	1	0	2	18	13	2	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0
Homicide and Legal Intervention	32	0	0	3	14	9	5	1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
Certain Conditions Originating in the Perinatal Period	30	30	0	0	0	0	0	0	0.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0
Congenital Anomalies	22	8	4	2	0	2	3	3	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0
Gastritis, Enteritis, Colitis, Diverticulitis	22	1	0	0	0	0	2	19	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1
Sudden Infant Death Syndrome	2	2	0	0	0	0	0	0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
Influenza	2	0	0	0	0	0	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Complications of Pregnancy, Childbirth, and Puerperium	1	0	0	0	0	1	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tuberculosis	1	0	0	0	0	0	0	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
All Other Causes	1,019	14	6	6	16	93	119	765	1.1	1.1	0.0	0.1	0.2	0.3	0.8	5.9

¹For infants under one year of age, the rate is calculated as per 1,000 live births (defined as infant mortality).

Source: New York State Department of Health.

Table 21. Number of Deaths and Death Rates by Selected Causes and Race/Ethnicity, Westchester County, 2004

Cause of Death	Number of Deaths					Death Rate (per 1,000 population)				
	Total ¹	White	Black	Other	Hispanic ²	Total	White	Black	Other	Hispanic ²
Total	7,197	5,985	941	250	351	7.8	9.1	7.2	1.9	2.4
Major Cardiovascular Diseases	2,961	2,500	367	90	104	3.2	3.8	2.8	0.7	0.7
Malignant Neoplasms	1,817	1,528	230	48	85	2.0	2.3	1.8	0.4	0.6
Chronic Lower Respiratory Disease (CLRD)	288	257	27	4	9	0.3	0.4	0.2	0.0	0.1
Pneumonia	227	199	21	5	5	0.2	0.3	0.2	0.0	0.0
Septicemia	195	152	30	12	12	0.2	0.2	0.2	0.1	0.1
Accidents (Total)	173	142	16	15	27	0.2	0.2	0.1	0.1	0.2
Diabetes Mellitus	139	98	35	5	8	0.2	0.1	0.3	0.0	0.1
Nephritis, Nephrotic Syndrome and Nephrosis	134	105	23	6	6	0.1	0.2	0.2	0.0	0.0
Chronic Liver Diseases including Cirrhosis	55	43	5	7	12	0.1	0.1	0.0	0.1	0.1
Suicide	41	33	5	2	7	0.0	0.1	0.0	0.0	0.0
AIDS	36	9	26	1	5	0.0	0.0	0.2	0.0	0.0
Homicide and Legal Intervention	32	15	15	2	8	0.0	0.0	0.1	0.0	0.1
Certain Conditions Originating in the Perinatal Period	30	13	12	5	6	0.0	0.0	0.1	0.0	0.0
Congenital Anomalies	22	15	5	2	4	0.0	0.0	0.0	0.0	0.0
Gastritis, Enteritis, Colitis, Diverticulitis	22	18	4	0	0	0.0	0.0	0.0	0.0	0.0
Sudden Infant Death Syndrome	2	1	0	1	0	0.0	0.0	0.0	0.0	0.0
Influenza	2	2	0	0	0	0.0	0.0	0.0	0.0	0.0
Complications of Pregnancy, Childbirth, and Puerperium	1	0	0	1	0	0.0	0.0	0.0	0.0	0.0
Tuberculosis	1	1	0	0	0	0.0	0.0	0.0	0.0	0.0
All Other Causes	1,019	854	120	44	53	1.1	1.3	0.9	0.3	0.4

¹ Totals include unknown race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 22. Number of Deaths Due to Cardiovascular Diseases by Age Group and Sex, Westchester County, 2004

Disease Category	Total ¹	Age				Sex	
		0-29	30-49	50-64	65+	Female	Male
Total	2,961	10	63	260	2,628	1,710	1,247
Diseases of the Heart	2,372	9	47	204	2,112	1,354	1,015
Ischemic Heart Diseases	1,800	3	24	141	1,632	1,024	773
<i>Acute Myocardial Infarction</i>	474	2	8	45	419	272	202
<i>Other Ischemic Heart Diseases</i>	1,326	1	16	96	1,213	752	571
Hypertension with Heart Disease	90	0	1	16	73	44	46
Pulmonary Circulation Disease	36	0	5	7	24	21	15
Chronic Rheumatic Fever	13	0	1	0	12	9	4
Acute Rheumatic Fever	0	0	0	0	0	0	0
Other Diseases of the Heart	433	6	16	40	371	256	177
Other Cardiovascular Diseases	589	1	16	56	516	356	232
Cerebrovascular Disease	377	1	6	34	336	239	138
Hypertension with or without Renal Disease	77	0	2	9	66	46	31
Atherosclerosis	43	0	0	0	43	30	12
Other Diseases of the Circulatory System	92	0	8	13	71	41	51

¹ Totals include unknown sex.

Source: New York State Department of Health.

Table 23. Number of Deaths Due to Cardiovascular Diseases by Race/Ethnicity, Westchester County, 2004

Disease Category	Total¹	White	Black	Other	Hispanic²
Total	2,961	2,500	367	90	104
Diseases of the Heart	2,372	2,016	283	70	80
Ischemic Heart Diseases	1,800	1,540	210	47	56
<i>Acute Myocardial Infarction</i>	474	407	54	13	20
<i>Other Ischemic Heart Diseases</i>	1,326	1,133	156	34	36
Hypertension with Heart Disease	90	69	15	6	5
Pulmonary Circulation Disease	36	29	6	1	1
Chronic Rheumatic Fever	13	11	1	1	0
Acute Rheumatic Fever	0	0	0	0	0
Other Diseases of the Heart	433	367	51	15	18
Other Cardiovascular Diseases	589	484	84	20	24
Cerebrovascular Disease	377	312	45	19	18
Hypertension with or without Renal Disease	77	59	18	0	2
Atherosclerosis	43	39	4	0	1
Other Diseases of the Circulatory System	92	74	17	1	3

¹ Totals include unknown race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 24. Number of Deaths Due to Malignant Neoplasms by Age Group and Sex, Westchester County, 2004

Disease Category	Total ¹	Age				Sex	
		0-29	30-49	50-64	65+	Female	Male
Total	1,817	14	99	372	1,332	995	820
Digestive Organs and Peritoneum	475	0	22	91	362	250	223
Respiratory System	446	0	19	88	339	215	231
Lymphatic and Hematopoietic Tissues	210	7	13	35	155	109	101
Genital Organs	177	0	7	32	138	92	85
Breast	164	0	18	44	102	161	3
Urinary Organs	91	0	2	18	71	39	52
Buccal Cavity and Pharynx	21	0	1	9	11	7	14
Other and Unspecified Sites	233	7	17	55	154	122	111

¹ Totals include unknown sex.

Source: New York State Department of Health.

Table 25. Number of Deaths Due to Malignant Neoplasms by Race/Ethnicity, Westchester County, 2004

Disease Category	Total¹	White	Black	Other	Hispanic²
Total	1,817	1,528	230	48	85
Digestive Organs and Peritoneum	475	382	63	25	25
Respiratory System	446	381	51	11	22
Lymphatic and Hematopoietic Tissues	210	177	29	2	10
Genital Organs	177	146	28	2	13
Breast	164	138	23	3	4
Urinary Organs	91	85	6	0	3
Buccal Cavity and Pharynx	21	17	4	0	0
Other and Unspecified Sites	233	202	26	5	8

¹ Totals include deaths of unknown race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 26. Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2004-2005

2004														
New York State Hospitals	Total		Medical		Surgical		Pediatric		Obstetrical ¹		Nursery/Newborn		Psychiatric	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Total	119,274	100.0	41,390	100.0	37,861	100.0	4,892	100.0	12,759	100.0	11,393	100.0	10,979	100.0
Westchester County Acute Care Hospitals	94,622	79.3	35,603	86.0	27,578	72.8	3,559	72.8	10,881	85.3	9,680	85.0	7,321	66.7
White Plains Hospital Center	13,885	11.6	5,063	12.2	4,106	10.8	296	6.1	2,216	17.4	1,971	17.3	233	2.1
Westchester Medical Center	13,618	11.4	3,103	7.5	5,653	14.9	1,696	34.7	903	7.1	636	5.6	1,627	14.8
St. John's Riverside Hospital	14,076	11.8	4,938	11.9	2,999	7.9	421	8.6	1,900	14.9	1,714	15.0	2,104	19.2
Sound Shore Medical Center of Westchester	9,184	7.7	3,212	7.8	2,565	6.8	227	4.6	1,628	12.8	1,476	13.0	76	0.7
Lawrence Hospital Center	9,178	7.7	4,445	10.7	2,297	6.1	238	4.9	1,121	8.8	1,024	9.0	53	0.5
Northern Westchester Hospital	7,962	6.7	2,744	6.6	2,221	5.9	357	7.3	1,218	9.5	1,180	10.4	242	2.2
Phelps Memorial Hospital Center	7,754	6.5	2,917	7.0	2,137	5.6	118	2.4	1,066	8.4	1,029	9.0	487	4.4
Hudson Valley Hospital Center	4,977	4.2	1,998	4.8	1,507	4.0	34	0.7	761	6.0	650	5.7	27	0.2
St. Josephs Hospital Yonkers	4,781	4.0	2,231	5.4	1,473	3.9	149	3.0	26	0.2	0	0.0	902	8.2
Mount Vernon Hospital	4,498	3.8	2,305	5.6	1,262	3.3	0	0.0	41	0.3	0	0.0	890	8.1
New York United Hospital Medical Center ²	3,387	2.8	1,736	4.2	967	2.6	18	0.4	1	0.0	0	0.0	665	6.1
Community Hospital at Dobbs Ferry	1,322	1.1	911	2.2	391	1.0	5	0.1	0	0.0	0	0.0	15	0.1
Westchester County Specialty Hospitals	4,155	3.5	1,306	3.2	1	0.0	60	1.2	1	0.0	0	0.0	2,787	25.4
SVCMC - St. Vincents Westchester	1,655	1.4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1,655	15.1
Winifred Masterson Burke Rehabilitation Hospital	1,296	1.1	1,295	3.1	0	0.0	0	0.0	1	0.0	0	0.0	0	0.0
New York Presbyterian Hospital at Westchester Division	1,133	0.9	0	0.0	0	0.0	1	0.0	0	0.0	0	0.0	1,132	10.3
Blythedale Childrens Hospital	71	0.1	11	0.0	1	0.0	59	1.2	0	0.0	0	0.0	0	0.0
New York County (Manhattan) Hospitals	12,828	10.8	2,052	5.0	7,278	19.2	871	17.8	1,196	9.4	1,139	10.0	292	2.7
New York Presbyterian Hospital at Columbia Presbyterian Center	2,767	2.3	411	1.0	1,471	3.9	396	8.1	230	1.8	210	1.8	49	0.4
New York Presbyterian Hospital at New York Weill Cornell Center	2,155	1.8	226	0.5	1,308	3.5	77	1.6	262	2.1	250	2.2	32	0.3
Mount Sinai Hospital	1,664	1.4	264	0.6	929	2.5	77	1.6	184	1.4	180	1.6	30	0.3
NYU Hospital Center	1,138	1.0	180	0.4	507	1.3	98	2.0	181	1.4	166	1.5	6	0.1
Lenox Hill Hospital	1,088	0.9	119	0.3	561	1.5	14	0.3	195	1.5	190	1.7	9	0.1
Memorial Hospital for Cancer and Allied Diseases	1,040	0.9	320	0.8	682	1.8	36	0.7	0	0.0	0	0.0	2	0.0
Hospital for Special Surgery	637	0.5	12	0.0	605	1.6	20	0.4	0	0.0	0	0.0	0	0.0
Beth Israel Medical Center/Petrie Campus	502	0.4	90	0.2	236	0.6	103	2.1	24	0.2	21	0.2	28	0.3
St. Lukes Roosevelt Hospital Center at Roosevelt Hospital Division	437	0.4	63	0.2	190	0.5	7	0.1	80	0.6	86	0.8	11	0.1
St Lukes Roosevelt Hospital at St. Lukes Hospital Division	323	0.3	42	0.1	223	0.6	12	0.2	3	0.0	3	0.0	40	0.4

(Continued)

Table 26. Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2004-2005 (cont'd)

2004														
New York State Hospitals	Total		Medical		Surgical		Pediatric		Obstetrical ¹		Nursery/Newborn		Psychiatric	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
New York County (Manhattan) Hospitals <i>(continued)</i>														
Hospital for Joint Diseases at Orthopaedic Institute Inc.	210	0.2	28	0.1	165	0.4	17	0.3	0	0.0	0	0.0	0	0.0
St. Vincent's Catholic Medical Center	149	0.1	34	0.1	78	0.2	3	0.1	14	0.1	14	0.1	6	0.1
Bellevue Hospital Center	118	0.1	50	0.1	35	0.1	0	0.0	2	0.0	2	0.0	29	0.3
Beth Israel Medical Center/Herbert & Nell Singer Division	115	0.1	10	0.0	102	0.3	2	0.0	1	0.0	0	0.0	0	0.0
New York Presbyterian Hospital at Allen Pavilion	79	0.1	36	0.1	27	0.1	0	0.0	8	0.1	6	0.1	2	0.0
All Other Hospitals	406	0.4	167	0.4	159	0.4	9	0.2	12	0.1	11	0.1	48	0.4
Bronx County Hospitals	5,467	4.6	1,670	4.0	2,274	6.0	356	7.3	497	3.9	427	3.7	243	2.2
Montefiore Medical Center at Henry & Lucy Moses Division	2,215	1.9	600	1.4	1,328	3.5	270	5.5	3	0.0	0	0.0	14	0.1
Montefiore Medical Center at Jack D. Weiler Hospital of A. Einstein College	1,284	1.1	216	0.5	465	1.2	1	0.0	314	2.5	287	2.5	1	0.0
Our Lady of Mercy Medical Center	733	0.6	251	0.6	165	0.4	38	0.8	124	1.0	101	0.9	54	0.5
Jacobi Medical Center	398	0.3	131	0.3	153	0.4	33	0.7	20	0.2	15	0.1	46	0.4
Calvary Hospital Inc.	345	0.3	317	0.8	28	0.1	0	0.0	0	0.0	0	0.0	0	0.0
St. Barnabas Hospital	199	0.2	42	0.1	21	0.1	10	0.2	15	0.1	5	0.0	106	1.0
New York Westchester Square Medical Center	101	0.1	36	0.1	64	0.2	0	0.0	1	0.0	0	0.0	0	0.0
All Other Hospitals	192	0.1	77	0.1	50	0.1	4	0.1	20	0.2	19	0.2	22	0.2
Queens County Hospitals	235	0.2	58	0.1	74	0.2	17	0.3	32	0.3	33	0.3	21	0.2
Kings County (Brooklyn) Hospitals	166	0.1	54	0.1	37	0.1	5	0.1	27	0.2	19	0.2	24	0.2
Richmond County (Staten Island) Hospitals	41	0.0	13	0.0	6	0.0	4	0.1	0	0.0	0	0.0	18	0.2
Nassau County Hospitals	252	0.2	58	0.1	109	0.3	1	0.0	40	0.3	31	0.3	13	0.1
North Shore University Hospital	138	0.1	26	0.1	55	0.1	1	0.0	31	0.2	25	0.2	0	0.0
All Other Hospitals	114	0.1	32	0.1	54	0.1	0	0.0	9	0.1	6	0.1	13	0.1
Suffolk County Hospitals	71	0.1	24	0.1	22	0.1	4	0.1	7	0.1	6	0.1	8	0.1
Rockland County Hospitals	242	0.2	132	0.3	25	0.1	2	0.0	9	0.1	9	0.1	65	0.6
Nyack Hospital	119	0.1	29	0.1	23	0.1	2	0.0	4	0.0	4	0.0	57	0.5
All Other Hospitals	123	0.1	103	0.2	2	0.0	0	0.0	5	0.0	5	0.0	8	0.1
Putnam County Hospital(s)	894	0.7	313	0.8	358	0.9	7	0.1	58	0.5	42	0.4	116	1.1
Putnam Hospital Center	894	0.7	313	0.8	358	0.9	7	0.1	58	0.5	42	0.4	116	1.1
Hospitals North of Putnam and Rockland Counties	301	0.3	107	0.3	99	0.3	6	0.1	11	0.1	7	0.1	71	0.6

(Continued)

Table 26. Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2004-2005 (cont'd)

2005														
New York State Hospitals	Total		Medical		Surgical		Pediatric		Obstetrical¹		Nursery/Newborn		Psychiatric	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Total	110,506	100.0	38,491	100.0	35,313	100.0	4,554	100.0	11,644	100.0	10,408	100.0	10,096	100.0
Westchester County Acute Care Hospitals	86,381	78.2	32,811	85.2	25,142	71.2	3,357	73.7	9,828	84.4	8,748	84.1	6,495	64.3
St. John's Riverside Hospital	13,690	12.4	4,985	13.0	2,887	8.2	370	8.1	1,791	15.4	1,654	15.9	2,003	19.8
White Plains Hospital Center	13,668	12.4	5,250	13.6	4,273	12.1	313	6.9	1,994	17.1	1,744	16.8	94	0.9
Westchester Medical Center	13,180	11.9	2,949	7.7	5,497	15.6	1,728	37.9	828	7.1	627	6.0	1,551	15.4
Sound Shore Medical Center of Westchester	9,158	8.3	3,328	8.6	2,528	7.2	220	4.8	1,559	13.4	1,403	13.5	120	1.2
Lawrence Hospital Center	7,852	7.1	3,878	10.1	1,805	5.1	158	3.5	1,029	8.8	944	9.1	38	0.4
Northern Westchester Hospital	6,496	5.9	2,359	6.1	1,735	4.9	316	6.9	940	8.1	914	8.8	232	2.3
Phelps Memorial Hospital Center	6,461	5.8	2,397	6.2	1,786	5.1	64	1.4	896	7.7	849	8.2	469	4.6
Hudson Valley Hospital Center	5,129	4.6	2,157	5.6	1,570	4.4	43	0.9	716	6.1	613	5.9	30	0.3
St. Josephs Hospital Yonkers	4,946	4.5	2,350	6.1	1,371	3.9	135	3.0	30	0.3	0	0.0	1,060	10.5
Mount Vernon Hospital	4,395	4.0	2,206	5.7	1,277	3.6	0	0.0	43	0.4	0	0.0	869	8.6
Community Hospital at Dobbs Ferry	1,369	1.2	922	2.4	406	1.1	10	0.2	2	0.0	0	0.0	29	0.3
New York United Hospital Medical Center ²	37	0.0	30	0.1	7	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Westchester County Specialty Hospitals	3,829	3.5	1,195	3.1	1	0.0	44	1.0	0	0.0	0	0.0	2,589	25.6
SVCMC - St. Vincents Westchester	1,424	1.3	5	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1,419	14.1
New York Presbyterian Hospital at Westchester Division	1,188	1.1	18	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1,170	11.6
Winifred Masterson Burke Rehabilitation Hospital	1,164	1.1	1,163	3.0	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Blythedale Childrens Hospital	53	0.0	9	0.0	0	0.0	44	1.0	0	0.0	0	0.0	0	0.0
New York County (Manhattan) Hospitals	12,537	11.3	2,055	5.3	7,244	20.5	744	16.3	1,121	9.6	1,063	10.2	310	3.1
New York Presbyterian Hospital at Columbia Presbyterian Center	3,054	2.8	435	1.1	1,793	5.1	350	7.7	216	1.9	197	1.9	63	0.6
New York Presbyterian Hospital at New York Weill Cornell Center	1,928	1.7	238	0.6	1,153	3.3	52	1.1	235	2.0	221	2.1	29	0.3
Mount Sinai Hospital	1,743	1.6	261	0.7	1,087	3.1	57	1.3	154	1.3	157	1.5	27	0.3
Memorial Hospital for Cancer and Allied Diseases	1,105	1.0	356	0.9	721	2.0	27	0.6	0	0.0	0	0.0	1	0.0
Lenox Hill Hospital	1,075	1.0	134	0.3	479	1.4	15	0.3	218	1.9	217	2.1	12	0.1
NYU Hospital Center	954	0.9	157	0.4	441	1.2	75	1.6	140	1.2	133	1.3	8	0.1
Hospital for Special Surgery	535	0.5	15	0.0	494	1.4	26	0.6	0	0.0	0	0.0	0	0.0
Beth Israel Medical Center/Petrie Campus	510	0.5	110	0.3	234	0.7	88	1.9	27	0.2	27	0.3	24	0.2
St. Lukes Roosevelt Hospital Center at Roosevelt Hospital Division	473	0.4	72	0.2	207	0.6	12	0.3	89	0.8	79	0.8	14	0.1
St Lukes Roosevelt Hospital at St. Lukes Hospital Division	325	0.3	42	0.1	213	0.6	12	0.3	3	0.0	2	0.0	53	0.5

(Continued)

Table 26. Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2004-2005 (cont'd)

2005														
New York State Hospitals	Total		Medical		Surgical		Pediatric		Obstetrical ¹		Nursery/Newborn		Psychiatric	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
New York County (Manhattan) Hospitals <i>(continued)</i>														
Hospital for Joint Diseases at Orthopaedic Institute Inc.	200	0.2	33	0.1	150	0.4	17	0.4	0	0.0	0	0.0	0	0.0
St. Vincent's Catholic Medical Center	143	0.1	35	0.1	83	0.2	0	0.0	9	0.1	8	0.1	8	0.1
New York Presbyterian Hospital at Allen Pavilion	104	0.1	30	0.1	31	0.1	0	0.0	22	0.2	17	0.2	4	0.0
Bellevue Hospital Center	78	0.1	39	0.1	24	0.1	0	0.0	1	0.0	0	0.0	14	0.1
All Other Hospitals	310	0.3	98	0.3	134	0.4	13	0.3	7	0.1	5	0.0	53	0.5
Bronx County Hospitals	5,359	4.8	1,607	4.2	2,116	6.0	356	7.8	546	4.7	469	4.5	265	2.6
Montefiore Medical Center at Henry & Lucy Moses Division	2,232	2.0	608	1.6	1,303	3.7	300	6.6	4	0.0	0	0.0	17	0.2
Montefiore Medical Center at Jack D. Weiler Hospital of A. Einstein College	1,296	1.2	195	0.5	389	1.1	0	0.0	372	3.2	335	3.2	5	0.0
Our Lady of Mercy Medical Center	718	0.6	231	0.6	164	0.5	29	0.6	123	1.1	96	0.9	75	0.7
Jacobi Medical Center	344	0.3	117	0.3	136	0.4	20	0.4	18	0.2	15	0.1	38	0.4
Calvary Hospital Inc.	319	0.3	298	0.8	21	0.1	0	0.0	0	0.0	0	0.0	0	0.0
St. Barnabas Hospital	200	0.2	45	0.1	31	0.1	3	0.1	12	0.1	5	0.0	104	1.0
New York Westchester Square Medical Center	102	0.1	61	0.2	41	0.1	0	0.0	0	0.0	0	0.0	0	0.0
All Other Hospitals	148	0.1	52	0.1	31	0.1	4	0.1	17	0.1	18	0.2	26	0.3
Queens County Hospitals	242	0.2	56	0.1	79	0.2	24	0.5	26	0.2	29	0.3	28	0.3
Kings County (Brooklyn) Hospitals	145	0.1	50	0.1	46	0.1	5	0.1	9	0.1	6	0.1	29	0.3
Richmond County (Staten Island) Hospitals	39	0.0	8	0.0	10	0.0	0	0.0	1	0.0	1	0.0	19	0.2
Nassau County Hospitals	239	0.2	63	0.2	111	0.3	3	0.1	27	0.2	22	0.2	13	0.1
North Shore University Hospital	128	0.1	29	0.1	64	0.2	1	0.0	18	0.2	16	0.2	0	0.0
All Other Hospitals	111	0.1	34	0.1	47	0.1	2	0.0	9	0.1	6	0.1	13	0.1
Suffolk County Hospitals	45	0.0	17	0.0	16	0.0	3	0.1	2	0.0	1	0.0	6	0.1
Rockland County Hospitals	245	0.2	131	0.3	35	0.1	3	0.1	11	0.1	12	0.1	53	0.5
Nyack Hospital	137	0.1	37	0.1	31	0.1	3	0.1	9	0.1	10	0.1	47	0.5
All Other Hospitals	108	0.1	94	0.2	4	0.0	0	0.0	2	0.0	2	0.0	6	0.1
Putnam County Hospital(s)	1,083	1.0	374	1.0	406	1.1	6	0.1	61	0.5	47	0.5	189	1.9
Putnam Hospital Center	1,083	1.0	374	1.0	406	1.1	6	0.1	61	0.5	47	0.5	189	1.9
Hospitals North of Putnam and Rockland Counties	362	0.3	124	0.3	107	0.3	9	0.2	12	0.1	10	0.1	100	1.0

¹ The obstetrical service category does not include abortions and complications to childbirth requiring surgery.

² NYU Medical Center closed on January 31, 2005.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 27. Number of Hospital Discharges and Average Length of Stay by Age and Sex, Westchester County Residents, 2004 - 2005

2004										
Age (years)	Total ²		Female			Female (excluding obstetric service categories)		Male		
	Number of Discharges	Average Length of Stay (days)	Number of Discharges	%	Average Length of Stay (days)	Number of Discharges	Average Length of Stay (days)	Number of Discharges	%	Average Length of Stay (days)
Total	119,274	6.1	67,878	56.9	5.9	55,119	6.5	51,395	43.1	6.5
Newborn ¹	11,393	3.8	5,602	49.2	3.8	5,602	3.8	5,791	50.8	3.8
<1	1,388	6.2	607	43.7	6.5	607	6.5	781	56.3	6.0
1-2	947	4.7	425	44.9	4.8	425	4.8	522	55.1	4.6
3-4	511	3.0	215	42.1	2.8	215	2.8	296	57.9	3.1
5-6	451	5.7	210	46.6	4.1	210	4.1	241	53.4	7.1
7-8	418	5.3	197	47.1	6.1	197	6.1	221	52.9	4.5
9-10	435	5.4	179	41.1	5.2	179	5.2	256	58.9	5.5
11-12	549	9.3	242	44.1	8.4	242	8.4	307	55.9	9.9
13-14	719	9.6	367	51.0	8.8	353	9.0	352	49.0	10.4
15-16	915	9.1	530	57.9	9.5	438	10.9	385	42.1	8.5
17-18	1,093	6.0	699	64.0	5.7	407	7.8	394	36.0	6.6
19-20	1,278	5.7	888	69.5	4.2	348	6.3	390	30.5	9.1
21-22	1,633	5.8	1,085	66.4	4.6	398	6.9	548	33.6	8.2
23-24	1,688	5.2	1,208	71.6	4.3	398	7.4	480	28.4	7.2
25-29	5,125	4.7	3,898	76.1	3.8	1,121	6.1	1,227	23.9	7.4
30-34	6,935	4.4	5,467	78.8	3.7	1,447	5.5	1,468	21.2	7.1
35-39	7,244	5.1	4,963	68.5	4.4	2,237	5.9	2,281	31.5	6.4
40-44	6,603	5.9	3,640	55.1	5.5	2,889	6.1	2,962	44.9	6.4
45-49	6,382	6.2	3,205	50.2	5.7	3,160	5.8	3,177	49.8	6.6
50-54	6,534	6.2	2,974	45.5	5.9	2,969	5.9	3,560	54.5	6.5
55-59	6,690	6.3	3,318	49.6	6.6	3,318	6.6	3,372	50.4	6.1
60-64	6,362	6.5	3,078	48.4	6.7	3,078	6.7	3,284	51.6	6.4
65-69	7,018	6.8	3,580	51.0	7.2	3,580	7.2	3,438	49.0	6.4
70-74	7,951	7.0	4,074	51.2	7.3	4,074	7.3	3,877	48.8	6.6
75-79	9,406	7.4	5,063	53.8	7.5	5,063	7.5	4,343	46.2	7.2
80-84	8,852	7.5	4,975	56.2	7.5	4,975	7.5	3,877	43.8	7.5
85 and above	10,754	7.3	7,189	66.8	7.3	7,189	7.3	3,565	33.2	7.4
Total Excluding Newborns	107,881	6.4	62,276	57.7	6.0	--	--	45,604	42.3	6.8
Total Excluding Newborns & Obstetric	95,122	6.8	49,517	52.1	6.8	--	--	45,604	47.9	6.8

(Continued)

Table 27. Number of Hospital Discharges and Average Length of Stay by Age and Sex, Westchester County Residents, 2004 - 2005 (cont'd)

2005										
Age (years)	Total ²		Female			Female (excluding obstetric service categories)		Male		
	Number of Discharges	Average Length of Stay (days)	Number of Discharges	%	Average Length of Stay (days)	Number of Discharges	Average Length of Stay (days)	Number of Discharges	%	Average Length of Stay (days)
Total	110,506	6.1	62,728	56.8	5.8	51,084	6.4	47,759	43.2	6.6
Newborn ¹	10,408	3.8	5,122	49.2	3.7	5,122	3.7	5,285	50.8	3.9
<1	1,286	6.7	519	40.4	6.6	519	6.6	767	59.6	6.8
1-2	975	4.6	428	43.9	3.8	428	3.8	547	56.1	5.3
3-4	506	3.7	239	47.2	4.2	239	4.2	267	52.8	3.2
5-6	403	4.1	158	39.2	4.3	158	4.3	245	60.8	4.0
7-8	406	5.4	181	44.6	4.6	181	4.6	225	55.4	6.1
9-10	346	7.0	138	39.9	4.2	138	4.2	208	60.1	8.8
11-12	430	9.3	182	42.3	8.5	182	8.5	248	57.7	9.9
13-14	660	10.5	317	48.0	9.9	309	10.1	343	52.0	11.0
15-16	839	8.4	469	55.9	7.9	400	8.8	370	44.1	9.0
17-18	1,068	6.4	656	61.4	5.0	320	7.4	412	38.6	8.7
19-20	1,279	6.0	884	69.1	5.0	360	8.1	395	30.9	8.3
21-22	1,381	5.7	990	71.7	4.6	372	7.4	391	28.3	8.6
23-24	1,612	5.2	1,131	70.2	4.1	371	6.3	481	29.8	7.8
25-29	4,732	4.6	3,578	75.6	3.6	966	5.5	1,153	24.4	7.9
30-34	6,049	4.6	4,761	78.7	4.0	1,267	6.3	1,287	21.3	7.1
35-39	6,517	5.1	4,492	68.9	4.4	1,941	5.9	2,025	31.1	6.9
40-44	6,239	6.1	3,266	52.3	5.5	2,646	6.0	2,973	47.7	6.8
45-49	5,901	6.3	2,958	50.1	5.8	2,914	5.9	2,941	49.8	6.7
50-54	6,059	6.3	2,837	46.8	5.9	2,833	5.9	3,219	53.1	6.6
55-59	6,357	6.2	3,168	49.8	6.2	3,165	6.2	3,188	50.1	6.2
60-64	6,005	6.4	2,849	47.4	6.9	2,848	6.9	3,154	52.5	5.9
65-69	6,100	6.6	2,952	48.4	6.6	2,952	6.6	3,148	51.6	6.6
70-74	7,211	7.0	3,856	53.5	7.0	3,856	7.0	3,353	46.5	7.0
75-79	8,942	7.1	4,869	54.5	7.3	4,869	7.3	4,072	45.5	7.0
80-84	8,450	7.3	4,807	56.9	7.3	4,807	7.3	3,640	43.1	7.4
85 and above	10,345	7.3	6,921	66.9	7.1	6,921	7.1	3,422	33.1	7.5
Total Excluding Newborns	100,098	6.4	57,606	57.5	5.9	--	--	42,474	42.4	6.9
Total Excluding Newborns & Obstetric	88,454	6.8	45,962	52.0	6.7	--	--	42,474	48.0	6.9

¹ Only includes newborns delivered in New York State hospitals.

² Totals may include unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 28. Number of Hospital Discharges and Average Length of Stay by Age and Race/Ethnicity, Westchester County Residents, 2004-2005

2004										
Age (years)	Total ²		White		Black		Other ³		Hispanic ⁴	
	N	Average Length of Stay (days)	N	Average Length of Stay (days)	N	Average Length of Stay (days)	N	Average Length of Stay (days)	N	Average Length of Stay (days)
Total	119,274	6.1	74,708	6.1	20,000	7.2	19,445	5.5	15,096	4.9
Newborn ¹	11,393	3.8	6,291	3.5	1,521	4.1	3,090	4.1	2,803	3.2
<1	1,388	6.2	669	5.9	171	10.0	509	5.4	353	6.6
1-2	947	4.7	491	4.4	144	4.7	276	5.2	225	4.9
3-4	511	3.0	249	2.8	91	3.3	153	3.2	109	3.2
5-6	451	5.7	224	6.3	62	7.3	152	4.4	91	3.9
7-8	418	5.3	206	3.9	77	10.7	116	4.4	80	4.9
9-10	435	5.4	219	4.7	85	8.6	111	4.7	89	4.4
11-12	549	9.3	234	5.3	130	18.3	160	8.6	85	7.4
13-14	719	9.6	315	7.4	165	15.1	221	8.9	128	10.4
15-16	915	9.1	385	9.3	229	11.7	278	7.2	173	10.8
17-18	1,093	6.0	487	5.6	268	7.6	312	5.6	298	6.3
19-20	1,278	5.7	595	5.3	303	7.3	322	5.2	394	4.1
21-22	1,633	5.8	701	5.9	381	6.7	507	5.3	527	4.1
23-24	1,688	5.2	731	5.3	401	6.5	502	4.2	563	3.4
25-29	5,125	4.7	2,408	4.3	1,020	6.1	1,469	4.4	1,348	3.6
30-34	6,935	4.4	3,687	4.1	1,230	5.8	1,693	4.1	1,233	4.4
35-39	7,244	5.1	3,933	4.7	1,564	6.6	1,454	4.9	1,189	4.5
40-44	6,603	5.9	3,446	5.5	1,686	7.0	1,168	5.8	1,091	5.7
45-49	6,382	6.2	3,513	6.1	1,677	7.0	901	5.8	797	5.6
50-54	6,534	6.2	3,835	5.9	1,409	7.4	958	6.4	665	6.0
55-59	6,690	6.3	4,091	6.1	1,314	7.5	879	6.7	625	5.7
60-64	6,362	6.5	4,002	6.3	1,169	7.8	852	6.6	538	6.6
65-69	7,018	6.8	4,694	6.8	1,193	7.5	773	7.1	456	6.4
70-74	7,951	7.0	5,728	7.0	1,104	8.0	747	6.3	380	6.7
75-79	9,406	7.4	7,357	7.2	957	8.8	727	7.8	362	8.3
80-84	8,852	7.5	7,173	7.4	804	8.4	559	7.2	252	7.0
85 and above	10,754	7.3	9,044	7.2	845	8.6	556	7.3	242	6.6
Total Excluding Newborns	107,881	6.4	68,417	6.3	18,479	7.5	16,355	5.8	12,293	5.3
Total Excluding Newborns & Obstetric	95,122	6.8	61,742	6.7	16,613	8.0	12,772	6.5	9,218	6.2

(Continued)

Table 28. Number of Hospital Discharges and Average Length of Stay by Age and Race/Ethnicity, Westchester County Residents, 2004-2005 (cont'd)

2005										
Age (years)	Total ²		White		Black		Other ³		Hispanic ⁴	
	N	Average Length of Stay (days)	N	Average Length of Stay (days)	N	Average Length of Stay (days)	N	Average Length of Stay (days)	N	Average Length of Stay (days)
Total	110,506	6.1	69,367	6.1	19,118	6.9	16,048	5.9	14,119	5.0
Newborn ¹	10,408	3.8	5,794	3.6	1,373	4.2	2,315	4.0	2,704	3.6
<1	1,286	6.7	669	6.1	156	8.0	406	7.4	373	6.0
1-2	975	4.6	516	3.8	147	5.3	270	6.2	253	3.8
3-4	506	3.7	261	4.1	97	3.3	125	3.4	123	5.4
5-6	403	4.1	191	4.0	54	2.8	138	4.8	63	4.2
7-8	406	5.4	189	4.0	97	7.7	109	6.2	91	5.5
9-10	346	7.0	149	5.6	74	11.3	107	6.2	57	6.1
11-12	430	9.3	200	6.5	76	17.7	137	9.5	89	10.1
13-14	660	10.5	275	7.3	184	15.7	175	10.9	101	8.0
15-16	839	8.4	376	7.1	207	12.4	230	7.5	135	6.5
17-18	1,068	6.4	515	6.0	245	7.0	264	7.0	268	6.3
19-20	1,279	6.0	583	6.7	343	5.9	302	5.1	384	4.6
21-22	1,381	5.7	620	5.7	340	6.5	358	5.2	440	3.5
23-24	1,612	5.2	724	4.9	351	7.4	442	4.3	512	3.8
25-29	4,732	4.6	2,236	4.0	949	6.0	1,251	5.1	1,367	4.0
30-34	6,049	4.6	3,271	4.5	1,109	5.6	1,208	4.6	1,176	4.8
35-39	6,517	5.1	3,480	4.9	1,437	6.0	1,192	5.4	1,111	5.0
40-44	6,239	6.1	3,219	5.9	1,757	6.7	950	6.7	875	5.2
45-49	5,901	6.3	3,137	6.2	1,611	6.7	876	6.5	705	5.4
50-54	6,059	6.3	3,569	6.4	1,346	6.7	837	5.9	597	5.4
55-59	6,357	6.2	3,929	6.0	1,295	7.1	767	6.6	506	5.4
60-64	6,005	6.4	3,936	6.4	1,048	7.3	703	6.2	541	6.3
65-69	6,100	6.6	3,981	6.4	1,090	7.6	696	6.7	418	6.7
70-74	7,211	7.0	5,195	7.0	1,052	7.8	627	6.9	382	7.4
75-79	8,942	7.1	6,902	7.0	986	8.2	655	7.4	344	7.0
80-84	8,450	7.3	6,835	7.2	795	8.2	478	7.7	257	6.7
85 and above	10,345	7.3	8,615	7.1	899	8.2	430	7.8	247	7.0
Total Excluding Newborns	100,098	6.4	63,573	6.3	17,745	7.1	13,733	6.2	11,415	5.3
Total Excluding Newborns & Obstetric	88,454	6.8	57,323	6.7	16,008	7.6	11,109	6.9	8,413	6.1

¹ Only includes newborns delivered in New York State hospitals.

² Totals include unknown race.

³ Include Native Americans, Asian, and Pacific Islanders, and Other.

⁴ Hispanic is an ethnic group and may be of any race.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 29. Number of Hospital Discharges by Principal Diagnosis and All Related Diagnoses, Westchester County Residents, 2004-2005

2 0 0 4				
Diagnosis	Principal Diagnosis ¹		All Related Diagnoses ²	
	Number	%	Number	%
Total	119,274	100.0	119,274	...
Circulatory System	17,790	14.9	56,246	47.2
Mental Disorders	10,979	9.2	27,357	22.9
Digestive System	9,725	8.2	24,012	20.1
Respiratory System	8,377	7.0	25,540	21.4
<i>Asthma</i>	1,304	1.1	6,345	5.3
Neoplasms	7,126	6.0	14,488 ³	12.1
<i>Malignant</i>	5,430	4.6	10,958	9.2
<i>Benign</i>	1,696	1.4	3,530	3.0
Musculoskeletal System and Connective Tissue	5,240	4.4	17,017	14.3
Injury and Poisoning	5,219 ⁴	4.4	7,307 ⁵	6.1
Genitourinary System	4,412	3.7	20,345	17.1
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	4,280	3.6	45,068	37.8
<i>Diabetes Mellitus</i>	1,524	1.3	17,890	15.0
Infectious and Parasitic Diseases	2,948	2.5	12,435	10.4
<i>HIV and AIDS</i>	258	0.2	1,370 ⁶	1.1
Nervous System and Sensory Organs	1,791	1.5	13,017	10.9
Skin & Subcutaneous Tissue	1,756	1.5	7,568	6.3
Blood and Blood-Forming Organs	1,489	1.2	18,323	15.4
Congenital Anomalies	456	0.4	2,313	1.9
Conditions Originating in the Perinatal Period	294	0.2	4,596	3.9
Symptoms, Signs, and Ill-defined Conditions	7,096	5.9	26,360	22.1
Supplementary Classifications - Other	3,297	2.8	44,898	37.6
Medical Misadventure, Abnormal Reaction, & Late Effects	2,791 ⁴	2.3	8,019 ⁵	6.7
Complications of Pregnancy, Childbirth and Puerperium	12,815 ⁷	10.7	12,845	10.8
Supplementary Classifications - Newborns	11,393	9.6	11,393	9.6

(continued)

Table 29. Number of Hospital Discharges by Principal Diagnosis and All Related Diagnoses, Westchester County Residents, 2004-2005 (cont'd)

2005				
Diagnosis	Principal Diagnosis ¹		All Related Diagnoses ²	
	Number	%	Number	%
Total	110,506	100.0	110,506	..
Circulatory System	16,610	15.0	53,443	48.4
Mental Disorders	10,096	9.1	26,047	23.6
Digestive System	8,675	7.9	21,983	19.9
Respiratory System	8,072	7.3	24,396	22.1
<i>Asthma</i>	1,181	1.1	6,385	5.8
Neoplasms	6,462	5.8	13,187 ³	11.9
<i>Malignant</i>	4,883	4.4	9,967	9.0
<i>Benign</i>	1,384	1.3	3,220	2.9
Musculoskeletal System and Connective Tissue	4,937	4.5	16,397	14.8
Injury and Poisoning	4,893 ⁴	4.4	6,792 ⁵	6.1
Genitourinary System	4,223	3.8	20,123	18.2
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	3,868	3.5	43,769	39.6
<i>Diabetes Mellitus</i>	1,438	1.3	17,066	15.4
Infectious and Parasitic Diseases	2,860	2.6	11,415	10.3
<i>HIV and AIDS</i>	184	0.2	1,179 ⁶	1.1
Nervous System and Sensory Organs	1,711	1.5	12,421	11.2
Skin & Subcutaneous Tissue	1,700	1.5	7,361	6.7
Blood and Blood-Forming Organs	1,340	1.2	16,493	14.9
Congenital Anomalies	393	0.4	2,120	1.9
Conditions Originating in the Perinatal Period	286	0.3	4,364	3.9
Symptoms, Signs, and Ill-defined Conditions	6,672	6.0	24,932	22.6
Supplementary Classifications - Other	2,753	2.5	44,586	40.3
Medical Misadventure, Abnormal Reaction, & Late Effects	2,824 ⁴	2.6	8,358 ⁵	7.6
Complications of Pregnancy, Childbirth and Puerperium	11,723 ⁷	10.6	11,754	10.6
Supplementary Classifications - Newborns	10,408	9.4	10,408	9.4

¹ The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care, as defined by ICD-9 Numerical Codes. Because the principal diagnosis represents the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. Furthermore, the principal diagnosis reflects clinical findings discovered during the patient's stay, therefore it may differ from admitting diagnosis.

² Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. Diagnoses that related to an earlier episode which had no bearing on the current hospital stay were excluded. A patient may be included in more than one category.

³ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemo-therapy and radio-therapy is also included). Diagnoses that were related to an earlier episode which had no bearing on the current hospital stay were excluded.

⁴ Defined by ICD-9 Numerical Codes and E Codes.

⁵ Including cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recording an external code (E-Code) are: a) principal diagnosis of an injury or poisoning, b) other diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis, and c) other diagnosis with an external cause. Only the first E-Code is recorded in this item.

⁶ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. In addition, it included any V-class coding as V0.80 and any of the variables for current, new or past New York State diagnosis-related group in the range of 700 to 716 or any current, new or past federal diagnosis-related group in the range of 488 to 490.

⁷ Defined by ICD-9 numerical codes for pregnancy, childbirth, and puerperium. Includes codes for abortion and complications in childbirth requiring surgery.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 30. Number of Hospital Discharges by Principal Diagnosis and Age, Westchester County Residents, 2004-2005

2004																	
Principal Diagnosis ¹	Total ²	<1 ³		1-12		13-17		18-34		35-49		50-64		65-74		75 +	
		N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Total	119,274	1,388	100.0	3,311	100.0	2,157	100.0	17,229	100.0	20,229	100.0	19,586	100.0	14,969	100.0	29,012	100.0
Circulatory System	17,790	16	1.2	55	1.7	35	1.6	300	1.7	1,427	7.1	3,937	20.1	3,993	26.7	8,027	27.7
Mental Disorders	10,979	0	0.0	242	7.3	693	32.1	2,669	15.5	4,635	22.9	1,760	9.0	435	2.9	545	1.9
Digestive System	9,725	100	7.2	320	9.7	214	9.9	1,066	6.2	1,737	8.6	2,041	10.4	1,425	9.5	2,822	9.7
Respiratory System	8,377	338	24.4	747	22.6	94	4.4	370	2.1	732	3.6	1,256	6.4	1,362	9.1	3,478	12.0
<i>Asthma</i>	<i>1,304</i>	<i>25</i>	<i>1.8</i>	<i>342</i>	<i>10.3</i>	<i>17</i>	<i>0.8</i>	<i>125</i>	<i>0.7</i>	<i>237</i>	<i>1.2</i>	<i>257</i>	<i>1.3</i>	<i>143</i>	<i>1.0</i>	<i>158</i>	<i>0.5</i>
Neoplasms (including benign)	7,126	5	0.4	89	2.7	43	2.0	249	1.4	1,384	6.8	1,977	10.1	1,486	9.9	1,893	6.5
<i>Malignant Neoplasms</i>	<i>5,430</i>	<i>1</i>	<i>0.1</i>	<i>67</i>	<i>2.0</i>	<i>19</i>	<i>0.9</i>	<i>118</i>	<i>0.7</i>	<i>674</i>	<i>3.3</i>	<i>1,561</i>	<i>8.0</i>	<i>1,323</i>	<i>8.8</i>	<i>1,667</i>	<i>5.7</i>
Musculoskeletal System and Connective Tissue	5,240	0	0.0	83	2.5	78	3.6	298	1.7	918	4.5	1,435	7.3	1,078	7.2	1,350	4.7
Injury and Poisoning	5,219	33	2.4	279	8.4	249	11.5	764	4.4	779	3.9	695	3.5	495	3.3	1,925	6.6
Genitourinary System	4,412	58	4.2	100	3.0	59	2.7	470	2.7	831	4.1	868	4.4	704	4.7	1,322	4.6
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	4,280	57	4.1	312	9.4	69	3.2	357	2.1	676	3.3	907	4.6	606	4.0	1,296	4.5
<i>Diabetes Mellitus</i>	<i>1,524</i>	<i>0</i>	<i>0.0</i>	<i>61</i>	<i>1.8</i>	<i>38</i>	<i>1.8</i>	<i>116</i>	<i>0.7</i>	<i>251</i>	<i>1.2</i>	<i>419</i>	<i>2.1</i>	<i>308</i>	<i>2.1</i>	<i>331</i>	<i>1.1</i>
Infectious and Parasitic Diseases	2,948	112	8.1	142	4.3	52	2.4	230	1.3	423	2.1	494	2.5	390	2.6	1,105	3.8
<i>HIV and AIDS</i>	<i>258</i>	<i>0</i>	<i>0.0</i>	<i>2</i>	<i>0.1</i>	<i>4</i>	<i>0.2</i>	<i>44</i>	<i>0.3</i>	<i>137</i>	<i>0.7</i>	<i>66</i>	<i>0.3</i>	<i>5</i>	<i>0.0</i>	<i>0</i>	<i>0.0</i>
Nervous System and Sensory Organs	1,791	35	2.5	183	5.5	65	3.0	163	0.9	317	1.6	326	1.7	225	1.5	477	1.6
Skin & Subcutaneous Tissue	1,756	20	1.4	79	2.4	42	1.9	191	1.1	362	1.8	359	1.8	215	1.4	488	1.7
Blood and Blood-Forming Organs	1,489	7	0.5	115	3.5	40	1.9	254	1.5	212	1.0	224	1.1	196	1.3	441	1.5
Congenital Anomalies	456	154	11.1	139	4.2	41	1.9	31	0.2	44	0.2	25	0.1	8	0.1	14	0.0
Conditions Originating in the Perinatal Period	294	293	21.1	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Symptoms, Signs, and Ill-defined Conditions	7,096	112	8.1	215	6.5	79	3.7	422	2.4	1,368	6.8	1,825	9.3	1,031	6.9	2,044	7.0
Supplementary Classifications - Other	3,297	39	2.8	136	4.1	40	1.9	174	1.0	388	1.9	746	3.8	768	5.1	1,006	3.5
Medical Misadventure, Abnormal Reactions, & Late Effect	2,791	9	0.6	74	2.2	39	1.8	172	1.0	460	2.3	706	3.6	552	3.7	779	2.7
Complications of Pregnancy, Childbirth and Puerperium	12,815 ⁴	0	0.0	0	0.0	225	10.4	9,049	52.5	3,536	17.5	5	0.0	0	0.0	0	0.0
Supplementary Classifications - Newborns	11,393	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

(continued)

Table 30. Number of Hospital Discharges by Principal Diagnosis and Age, Westchester County Residents, 2004-2005

2005																	
Principal Diagnosis ¹	Total ²	<1 ³		1-12		13-17		18-34		35-49		50-64		65-74		75 +	
		N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Total	110,506	1,286	100.0	3,066	100.0	2,030	100.0	15,590	100.0	18,657	100.0	18,421	100.0	13,311	100.0	27,737	100.0
Circulatory System	16,610	12	0.9	45	1.5	39	1.9	265	1.7	1,322	7.1	3,720	20.2	3,641	27.4	7,566	27.3
Mental Disorders	10,096	0	0.0	186	6.1	659	32.5	2,464	15.8	4,318	23.1	1,696	9.2	351	2.6	422	1.5
Digestive System	8,675	87	6.8	316	10.3	194	9.6	866	5.6	1,542	8.3	1,883	10.2	1,265	9.5	2,522	9.1
Respiratory System	8,072	316	24.6	692	22.6	102	5.0	352	2.3	672	3.6	1,177	6.4	1,217	9.1	3,544	12.8
<i>Asthma</i>	<i>1,181</i>	<i>24</i>	<i>1.9</i>	<i>294</i>	<i>9.6</i>	<i>28</i>	<i>1.4</i>	<i>125</i>	<i>0.8</i>	<i>230</i>	<i>1.2</i>	<i>225</i>	<i>1.2</i>	<i>97</i>	<i>0.7</i>	<i>158</i>	<i>0.6</i>
Neoplasms (including benign)	6,462	4	0.3	74	2.4	34	1.7	207	1.3	1,307	7.0	1,847	10.0	1,244	9.3	1,745	6.3
<i>Malignant Neoplasms</i>	<i>4,883</i>	<i>0</i>	<i>0.0</i>	<i>48</i>	<i>1.6</i>	<i>18</i>	<i>0.9</i>	<i>104</i>	<i>0.7</i>	<i>637</i>	<i>3.4</i>	<i>1,469</i>	<i>8.0</i>	<i>1,077</i>	<i>8.1</i>	<i>1,530</i>	<i>5.5</i>
Musculoskeletal System and Connective Tissue	4,937	3	0.2	75	2.4	76	3.7	253	1.6	892	4.8	1,425	7.7	939	7.1	1,274	4.6
Injury and Poisoning	4,893	40	3.1	274	8.9	207	10.2	734	4.7	727	3.9	646	3.5	424	3.2	1,841	6.6
Genitourinary System	4,223	59	4.6	99	3.2	56	2.8	405	2.6	762	4.1	829	4.5	605	4.5	1,408	5.1
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	3,868	65	5.1	275	9.0	64	3.2	293	1.9	676	3.6	764	4.1	546	4.1	1,185	4.3
<i>Diabetes Mellitus</i>	<i>1,438</i>	<i>0</i>	<i>0.0</i>	<i>48</i>	<i>1.6</i>	<i>34</i>	<i>1.7</i>	<i>118</i>	<i>0.8</i>	<i>277</i>	<i>1.5</i>	<i>348</i>	<i>1.9</i>	<i>281</i>	<i>2.1</i>	<i>332</i>	<i>1.2</i>
Infectious and Parasitic Diseases	2,860	94	7.3	127	4.1	44	2.2	182	1.2	342	1.8	479	2.6	452	3.4	1,140	4.1
<i>HIV and AIDS</i>	<i>184</i>	<i>0</i>	<i>0.0</i>	<i>3</i>	<i>0.1</i>	<i>5</i>	<i>0.2</i>	<i>17</i>	<i>0.1</i>	<i>95</i>	<i>0.5</i>	<i>57</i>	<i>0.3</i>	<i>7</i>	<i>0.1</i>	<i>0</i>	<i>0.0</i>
Nervous System and Sensory Organs	1,711	38	3.0	190	6.2	68	3.3	183	1.2	293	1.6	268	1.5	225	1.7	446	1.6
Skin & Subcutaneous Tissue	1,700	22	1.7	68	2.2	37	1.8	164	1.1	321	1.7	415	2.3	219	1.6	454	1.6
Blood and Blood-Forming Organs	1,340	6	0.5	108	3.5	47	2.3	200	1.3	172	0.9	222	1.2	147	1.1	438	1.6
Congenital Anomalies	393	119	9.3	127	4.1	30	1.5	30	0.2	37	0.2	29	0.2	14	0.1	7	0.0
Conditions Originating in the Perinatal Period	286	283	22.0	3	0.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Symptoms, Signs, and Ill-defined Conditions	6,672	109	8.5	223	7.3	75	3.7	401	2.6	1,260	6.8	1,658	9.0	972	7.3	1,974	7.1
Medical Misadventure, Abnormal Reactions, & Late Effect	2,824	11	0.9	75	2.4	47	2.3	154	1.0	436	2.3	744	4.0	563	4.2	794	2.9
Supplementary Classifications - Other	2,753	18	1.4	109	3.6	31	1.5	177	1.1	343	1.8	611	3.3	487	3.7	977	3.5
Complications of Pregnancy, Childbirth and Puerperium	11,723 ⁴	0	0.0	0	0.0	220	10.8	8,260	53.0	3,235	17.3	8	0.0	0	0.0	0	0.0
Supplementary Classifications - Newborns	10,408	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

¹ The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care. Because the principal diagnosis represents the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. Furthermore, the principal diagnosis reflects clinical findings discovered during the patient's stay, therefore it may differ from admitting diagnosis.

² Totals include newborns.

³ "Under one year of age" category excludes newborns.

⁴ Defined by ICD-9 numerical codes for pregnancy, childbirth, and puerperium. Includes codes for abortion and complications in childbirth requiring surgery.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 31. Number of Hospital Discharges by Principal Diagnosis and Sex, Westchester County Residents, 2004-2005

2004					
Principal Diagnosis ¹	Total ²	Female		Male	
		Number	%	Number	%
Total	119,274	67,878	100.0	51,395	100.0
Circulatory System	17,790	8,367	12.3	9,423	18.3
Mental Disorders	10,979	4,391	6.5	6,587	12.8
Digestive System	9,725	5,356	7.9	4,369	8.5
Respiratory System	8,377	4,543	6.7	3,834	7.5
<i>Asthma</i>	<i>1,304</i>	<i>836</i>	<i>1.2</i>	<i>468</i>	<i>0.9</i>
Neoplasms (including benign)	7,126	4,331	6.4	2,795	5.4
<i>Malignant Neoplasms</i>	<i>5,430</i>	<i>2,977</i>	<i>4.4</i>	<i>2,453</i>	<i>4.8</i>
Musculoskeletal System and Connective Tissue	5,240	3,027	4.5	2,213	4.3
Injury and Poisoning	5,219	2,713	4.0	2,506	4.9
Genitourinary System	4,412	2,569	3.8	1,843	3.6
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	4,280	2,502	3.7	1,778	3.5
<i>Diabetes Mellitus</i>	<i>1,524</i>	<i>730</i>	<i>1.1</i>	<i>794</i>	<i>1.5</i>
Infectious and Parasitic Diseases	2,948	1,514	2.2	1,434	2.8
<i>HIV and AIDS</i>	<i>258</i>	<i>123</i>	<i>0.2</i>	<i>135</i>	<i>0.3</i>
Nervous System and Sensory Organs	1,791	984	1.4	807	1.6
Skin & Subcutaneous Tissue	1,756	911	1.3	845	1.6
Blood and Blood-Forming Organs	1,489	848	1.2	641	1.2
Congenital Anomalies	456	205	0.3	251	0.5
Conditions Originating in the Perinatal Period	294	129	0.2	165	0.3
Symptoms, Signs, and Ill-defined Conditions	7,096	3,859	5.7	3,237	6.3
Supplementary Classifications - Other	3,297	1,814	2.7	1,483	2.9
Medical Misadventure, Abnormal Reactions, & Late Effects	2,791	1,398	2.1	1,393	2.7
Complications of Pregnancy, Childbirth and Puerperium ³	12,815	12,815	18.9	0	0.0
Supplementary Classifications - Newborns	11,393	5,602	8.3	5,791	11.3

(continued)

Table 31. Number of Hospital Discharges by Principal Diagnosis and Sex, Westchester County Residents, 2004-2005 (cont'd)

2005					
Principal Diagnosis ¹	Total ²	Female		Male	
		Number	%	Number	%
Total	110,506	62,728	100.0	47,759	100.0
Circulatory System	16,610	7,780	12.4	8,827	18.5
Mental Disorders	10,096	4,052	6.5	6,042	12.7
Digestive System	8,675	4,790	7.6	3,884	8.1
Respiratory System	8,072	4,302	6.9	3,766	7.9
<i>Asthma</i>	<i>1,181</i>	<i>730</i>	<i>1.2</i>	<i>450</i>	<i>0.9</i>
Neoplasms (including benign)	6,462	3,910	6.2	2,551	5.3
<i>Malignant Neoplasms</i>	<i>4,883</i>	<i>2,642</i>	<i>4.2</i>	<i>2,240</i>	<i>4.7</i>
Musculoskeletal System and Connective Tissue	4,937	2,817	4.5	2,117	4.4
Injury and Poisoning	4,893	2,553	4.1	2,339	4.9
Genitourinary System	4,223	2,482	4.0	1,741	3.6
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	3,868	2,227	3.6	1,640	3.4
<i>Diabetes Mellitus</i>	<i>1,438</i>	<i>693</i>	<i>1.1</i>	<i>745</i>	<i>1.6</i>
Infectious and Parasitic Diseases	2,860	1,530	2.4	1,329	2.8
<i>HIV and AIDS</i>	<i>184</i>	<i>75</i>	<i>0.1</i>	<i>109</i>	<i>0.2</i>
Nervous System and Sensory Organs	1,711	966	1.5	745	1.6
Skin & Subcutaneous Tissue	1,700	862	1.4	838	1.8
Blood and Blood-Forming Organs	1,340	783	1.2	557	1.2
Congenital Anomalies	393	171	0.3	222	0.5
Conditions Originating in the Perinatal Period	286	115	0.2	171	0.4
Symptoms, Signs, and Ill-defined Conditions	6,672	3,700	5.9	2,972	6.2
Medical Misadventure, Abnormal Reactions, & Late Effects	2,824	1,415	2.3	1,409	3.0
Supplementary Classifications - Other	2,753	1,428	2.3	1,324	2.8
Complications of Pregnancy, Childbirth and Puerperium ³	11,723	11,723	18.7	0	0.0
Supplementary Classifications - Newborns	10,408	5,122	8.2	5,285	11.1

¹ The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care. Because the principal diagnosis represents the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. Furthermore, the principal diagnosis reflects clinical findings discovered during the patient's stay, therefore it may differ from admitting diagnosis.

² Totals include unknown sex.

³ Defined by ICD-9 numerical codes for pregnancy, childbirth, and puerperium. Includes codes for abortion and complications in childbirth requiring surgery.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 32. Number of Hospital Discharges by Principal Diagnosis and Race/Ethnicity, Westchester County Residents, 2004-2005

2004									
Principal Diagnosis ¹	Total ²	White		Black		Other ³		Hispanic ⁴	
		N	%	N	%	N	%	N	%
Total	119,274	74,708	100.0	20,000	100.0	19,445	100.0	15,096	100.0
Circulatory System	17,790	12,020	16.1	2,563	12.8	2,212	11.4	1,089	7.2
Mental Disorders	10,979	5,713	7.6	3,347	16.7	1,688	8.7	1,697	11.2
Digestive System	9,725	6,559	8.8	1,527	7.6	1,354	7.0	1,264	8.4
Respiratory System	8,377	5,785	7.7	1,376	6.9	1,017	5.2	860	5.7
<i>Asthma</i>	<i>1,304</i>	<i>560</i>	<i>0.7</i>	<i>398</i>	<i>2.0</i>	<i>317</i>	<i>1.6</i>	<i>291</i>	<i>1.9</i>
Neoplasms (including benign)	7,126	4,953	6.6	1,052	5.3	737	3.8	430	2.8
<i>Malignant Neoplasms</i>	<i>5,430</i>	<i>3,996</i>	<i>5.3</i>	<i>656</i>	<i>3.3</i>	<i>522</i>	<i>2.7</i>	<i>275</i>	<i>1.8</i>
Musculoskeletal System and Connective Tissue	5,240	3,520	4.7	640	3.2	473	2.4	292	1.9
Injury and Poisoning	5,219	3,469	4.6	575	2.9	1,011	5.2	494	3.3
Genitourinary System	4,412	2,974	4.0	609	3.0	659	3.4	537	3.6
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	4,280	2,589	3.5	977	4.9	518	2.7	384	2.5
<i>Diabetes Mellitus</i>	<i>1,524</i>	<i>781</i>	<i>1.0</i>	<i>531</i>	<i>2.7</i>	<i>190</i>	<i>1.0</i>	<i>170</i>	<i>1.1</i>
Infectious and Parasitic Diseases	2,948	1,883	2.5	618	3.1	374	1.9	314	2.1
<i>HIV and AIDS</i>	<i>258</i>	<i>60</i>	<i>0.1</i>	<i>158</i>	<i>0.8</i>	<i>31</i>	<i>0.2</i>	<i>42</i>	<i>0.3</i>
Nervous System and Sensory Organs	1,791	1,185	1.6	258	1.3	263	1.4	153	1.0
Skin & Subcutaneous Tissue	1,756	1,156	1.5	286	1.4	239	1.2	176	1.2
Blood and Blood-Forming Organs	1,489	809	1.1	496	2.5	149	0.8	125	0.8
Congenital Anomalies	456	249	0.3	55	0.3	111	0.6	79	0.5
Conditions Originating in the Perinatal Period	294	140	0.2	25	0.1	120	0.6	74	0.5
Symptoms, Signs, and Ill-defined Conditions	7,096	4,537	6.1	1,319	6.6	1,038	5.3	792	5.2
Supplementary Classifications - Other	3,297	2,391	3.2	364	1.8	452	2.3	209	1.4
Medical Misadventure, Abnormal Reactions, & Late Effects	2,791	1,796	2.4	514	2.6	327	1.7	240	1.6
Complications of Pregnancy, Childbirth and Puerperium ⁵	12,815	6,689	9.0	1,878	9.4	3,611	18.6	3,083	20.4
Supplementary Classifications - Newborns	11,393	6,291	8.4	1,521	7.6	3,092	15.9	2,804	18.6

(continued)

Table 32. Number of Hospital Discharges by Principal Diagnosis and Race/Ethnicity, Westchester County Residents, 2004-2005 (cont'd)

2005									
Principal Diagnosis ¹	Total ²	White		Black		Other ³		Hispanic ⁴	
		N	%	N	%	N	%	N	%
Total	110,506	69,367	100.0	19,118	100.0	16,048	100.0	14,119	100.0
Circulatory System	16,610	11,269	16.2	2,573	13.5	1,815	11.3	968	6.9
Mental Disorders	10,096	5,137	7.4	3,082	16.1	1,648	10.3	1,358	9.6
Digestive System	8,675	5,913	8.5	1,347	7.0	1,122	7.0	1,068	7.6
Respiratory System	8,072	5,484	7.9	1,402	7.3	930	5.8	837	5.9
<i>Asthma</i>	<i>1,181</i>	<i>500</i>	<i>0.7</i>	<i>397</i>	<i>2.1</i>	<i>256</i>	<i>1.6</i>	<i>249</i>	<i>1.8</i>
Neoplasms (including benign)	6,462	4,517	6.5	957	5.0	631	3.9	402	2.8
<i>Malignant Neoplasms</i>	<i>4,883</i>	<i>3,609</i>	<i>5.2</i>	<i>591</i>	<i>3.1</i>	<i>452</i>	<i>2.8</i>	<i>254</i>	<i>1.8</i>
Musculoskeletal System and Connective Tissue	4,937	3,343	4.8	611	3.2	463	2.9	306	2.2
Injury and Poisoning	4,893	3,286	4.7	614	3.2	789	4.9	478	3.4
Genitourinary System	4,223	2,854	4.1	612	3.2	595	3.7	538	3.8
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	3,868	2,298	3.3	895	4.7	482	3.0	405	2.9
<i>Diabetes Mellitus</i>	<i>1,438</i>	<i>725</i>	<i>1.0</i>	<i>498</i>	<i>2.6</i>	<i>178</i>	<i>1.1</i>	<i>190</i>	<i>1.3</i>
Infectious and Parasitic Diseases	2,860	1,860	2.7	566	3.0	339	2.1	302	2.1
<i>HIV and AIDS</i>	<i>184</i>	<i>49</i>	<i>0.1</i>	<i>100</i>	<i>0.5</i>	<i>32</i>	<i>0.2</i>	<i>22</i>	<i>0.2</i>
Nervous System and Sensory Organs	1,711	1,079	1.6	285	1.5	246	1.5	173	1.2
Skin & Subcutaneous Tissue	1,700	1,136	1.6	276	1.4	214	1.3	201	1.4
Blood and Blood-Forming Organs	1,340	724	1.0	446	2.3	129	0.8	111	0.8
Congenital Anomalies	393	226	0.3	40	0.2	96	0.6	57	0.4
Conditions Originating in the Perinatal Period	286	146	0.2	25	0.1	100	0.6	86	0.6
Symptoms, Signs, and Ill-defined Conditions	6,672	4,231	6.1	1,322	6.9	875	5.5	714	5.1
Medical Misadventure, Abnormal Reactions, & Late Effects	2,824	1,827	2.6	585	3.1	274	1.7	213	1.5
Supplementary Classifications - Other	2,753	1,973	2.8	340	1.8	333	2.1	181	1.3
Complications of Pregnancy, Childbirth and Puerperium ⁵	11,723	6,270	9.0	1,767	9.2	2,652	16.5	3,017	21.4
Supplementary Classifications - Newborns	10,408	5,794	8.4	1,373	7.2	2,315	14.4	2,704	19.2

¹ The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care. Because the principal diagnosis represents the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. Furthermore, the principal diagnosis reflects clinical findings discovered during the patient's stay, therefore it may differ from admitting diagnosis.

² Totals include cases of unknown race.

³ Include Native Americans, Asian and Pacific Islanders, and Other.

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

⁵ Defined by ICD-9 numerical codes for pregnancy, childbirth, and puerperium. Includes codes for abortion and complications in childbirth requiring surgery.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 33. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age, Westchester County Residents, 2004-2005

2004																										
Principal Diagnosis	Number of Discharges														Average Length of Stay (days)											
	Total	<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
		N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%									
Total	17,790	16	100.0	55	100.0	35	100.0	300	100.0	1,427	100.0	3,937	100.0	3,993	100.0	8,027	100.0	5.7	13.3	9.7	9.7	4.9	4.6	4.8	5.3	6.5
Diseases of the Heart																										
Ischemic Heart Disease	5,837	0	0.0	0	0.0	0	0.0	22	7.3	521	36.5	1,766	44.9	1,517	38.0	2,011	25.1	4.1	0.0	0.0	0.0	2.2	2.8	3.3	4.0	5.3
<i>Acute Myocardial Infarction</i>	2,078	0	0.0	0	0.0	0	0.0	10	3.3	158	11.1	546	13.9	474	11.9	890	11.1	6.0	0.0	0.0	0.0	3.4	4.2	4.4	6.1	7.3
<i>Other Ischemic Heart Disease</i>	3,759	0	0.0	0	0.0	0	0.0	12	4.0	363	25.4	1,220	31.0	1,043	26.1	1,121	14.0	3.1	0.0	0.0	0.0	1.2	2.2	2.8	3.1	3.7
Hypertension with Heart Disease	357	0	0.0	0	0.0	0	0.0	6	2.0	27	1.9	57	1.4	68	1.7	199	2.5	6.1	0.0	0.0	0.0	4.8	4.2	5.4	6.3	6.5
Pulmonary Circulation Disease	309	1	6.3	2	3.6	3	8.6	20	6.7	50	3.5	67	1.7	69	1.7	97	1.2	7.8	7.0	2.0	4.0	5.3	6.5	6.6	8.7	9.3
Chronic Rheumatic Fever	92	0	0.0	1	1.8	0	0.0	1	0.3	8	0.6	8	0.2	18	0.5	56	0.7	9.0	0.0	7.0	0.0	5.0	13.4	13.4	6.4	8.6
Acute Rheumatic Fever	4	0	0.0	0	0.0	1	2.9	1	0.3	0	0.0	1	0.0	0	0.0	1	0.0	8.0	0.0	0.0	2.0	7.0	0.0	2.0	0.0	21.0
Other Diseases of the Heart	6,052	6	37.5	19	34.5	14	40.0	102	34.0	399	28.0	1,019	25.9	1,230	30.8	3,263	40.7	6.1	20.7	4.6	15.3	4.5	4.6	5.4	6.0	6.5
Other Cardiovascular Diseases																										
Cerebrovascular Disease	2,706	5	31.3	5	9.1	5	14.3	36	12.0	142	10.0	516	13.1	566	14.2	1,431	17.8	7.1	9.8	71.0	8.8	5.8	7.3	7.6	5.5	7.3
Hypertension with or without Renal Disease	615	0	0.0	0	0.0	3	8.6	40	13.3	138	9.7	153	3.9	117	2.9	164	2.0	5.6	0.0	0.0	4.3	5.6	6.4	4.4	5.0	6.4
Arteriosclerosis	321	0	0.0	0	0.0	1	2.9	1	0.3	11	0.8	49	1.2	85	2.1	174	2.2	8.0	0.0	0.0	1.0	1.0	4.9	5.9	8.2	8.8
Other Diseases of the Circulatory System	1,497	4	25.0	28	50.9	8	22.9	71	23.7	131	9.2	301	7.6	323	8.1	631	7.9	6.4	8.0	2.8	6.5	5.3	5.2	6.0	6.8	7.0

(continued)

Table 33. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age, Westchester County Residents, 2004-2005 (cont'd)

2005																										
Principal Diagnosis	Number of Discharges														Average Length of Stay (days)											
	Total	<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
		N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%									
Total	16,610	12	100.0	45	100.0	39	100.0	265	100.0	1,322	100.0	3,720	100.0	3,641	100.0	7,566	100.0	5.7	4.1	4.4	5.8	4.4	4.8	4.9	5.5	6.5
Diseases of the Heart																										
Ischemic Heart Disease	5,398	0	0.0	0	0.0	0	0.0	23	8.7	479	36.2	1,605	43.1	1,388	38.1	1,903	25.2	3.9	0.0	0.0	0.0	3.3	2.8	3.0	3.9	5.0
<i>Acute Myocardial Infarction</i>	1,775	0	0.0	0	0.0	0	0.0	13	4.9	130	9.8	447	12.0	369	10.1	816	10.8	5.9	0.0	0.0	0.0	3.8	4.1	4.4	6.1	6.9
<i>Other Ischemic Heart Disease</i>	3,623	0	0.0	0	0.0	0	0.0	10	3.8	349	26.4	1,158	31.1	1,019	28.0	1,087	14.4	3.0	0.0	0.0	0.0	2.8	2.3	2.5	3.1	3.5
Hypertension with Heart Disease	258	0	0.0	0	0.0	0	0.0	4	1.5	26	2.0	45	1.2	50	1.4	133	1.8	7.4	0.0	0.0	0.0	3.0	4.6	8.2	6.6	8.1
Pulmonary Circulation Disease	286	0	0.0	0	0.0	1	2.6	13	4.9	41	3.1	65	1.7	56	1.5	110	1.5	7.3	0.0	0.0	3.0	5.9	8.2	6.2	8.2	7.5
Chronic Rheumatic Fever	76	0	0.0	0	0.0	1	2.6	1	0.4	4	0.3	11	0.3	12	0.3	47	0.6	9.6	0.0	0.0	12.0	3.0	12.5	13.5	10.2	8.4
Acute Rheumatic Fever	4	0	0.0	1	2.2	0	0.0	0	0.0	1	0.1	2	0.1	0	0.0	0	0.0	5.8	0.0	3.0	0.0	0.0	8.0	6.0	0.0	0.0
Other Diseases of the Heart	5,522	3	25.0	13	28.9	20	51.3	89	33.6	341	25.8	936	25.2	1,088	29.9	3,032	40.1	5.9	6.0	2.8	5.9	3.1	4.5	5.3	5.9	6.4
Other Cardiovascular Diseases																										
Cerebrovascular Disease	2,639	2	16.7	9	20.0	3	7.7	30	11.3	136	10.3	515	13.8	562	15.4	1,382	18.3	7.6	5.5	10.1	4.3	6.4	7.7	7.7	6.9	7.8
Hypertension with or without Renal Disease	618	0	0.0	2	4.4	3	7.7	44	16.6	148	11.2	173	4.7	98	2.7	150	2.0	6.0	0.0	2.5	4.3	4.9	7.5	4.9	6.9	5.8
Arteriosclerosis	353	0	0.0	0	0.0	0	0.0	1	0.4	6	0.5	50	1.3	102	2.8	194	2.6	9.0	0.0	0.0	0.0	1.0	6.3	8.5	8.4	9.6
Other Diseases of the Circulatory System	1,456	7	58.3	20	44.4	11	28.2	60	22.6	140	10.6	318	8.5	285	7.8	615	8.1	6.6	2.9	3.2	6.3	5.2	5.9	7.4	6.1	6.8

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 34. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Sex, Westchester County Residents, 2004-2005

2004									
Principal Diagnosis	Number of Discharges						Average Length of Stay (days)		
	Total		Female		Male		Total	Female	Male
	Number	%	Number	%	Number	%			
Total	17,790	100.0	8,367	100.0	9,423	100.0	5.7	6.1	5.3
Diseases of the Heart									
Ischemic Heart Disease	5,837	32.8	2,283	27.3	3,554	37.7	4.1	4.6	3.8
<i>Acute Myocardial Infarction</i>	2,078	11.7	925	11.1	1,153	12.2	6.0	6.8	5.3
<i>Other Ischemic Heart Disease</i>	3,759	21.1	1,358	16.2	2,401	25.5	3.1	3.1	3.0
Hypertension with Heart Disease	357	2.0	228	2.7	129	1.4	6.1	6.5	5.3
Pulmonary Circulation Disease	309	1.7	175	2.1	134	1.4	7.8	8.1	7.3
Chronic Rheumatic Fever	92	0.5	52	0.6	40	0.4	9.0	8.1	10.1
Acute Rheumatic Fever	4	0.0	2	0.0	2	0.0	8.0	11.5	4.5
Other Diseases of the Heart	6,052	34.0	3,008	36.0	3,044	32.3	6.1	6.4	5.7
Other Cardiovascular Diseases									
Cerebrovascular Disease	2,706	15.2	1,421	17.0	1,285	13.6	7.1	6.9	7.2
Hypertension with or without Renal Disease	615	3.5	333	4.0	282	3.0	5.6	5.0	6.2
Arteriosclerosis	321	1.8	178	2.1	143	1.5	8.0	8.2	7.8
Other Diseases of the Circulatory System	1,497	8.4	687	8.2	810	8.6	6.4	6.8	6.1

(continued)

Table 34. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Sex, Westchester County Residents, 2004-2005 (cont'd)

2005									
Principal Diagnosis	Number of Discharges						Average Length of Stay (days)		
	Total ¹		Female		Male		Total	Female	Male
	Number	%	Number	%	Number	%			
Total	16,610	100.0	7,780	100.0	8,827	100.0	5.7	6.0	5.5
Diseases of the Heart									
Ischemic Heart Disease	5,398	32.5	2,030	26.1	3,367	38.1	3.9	4.0	3.9
<i>Acute Myocardial Infarction</i>	1,775	10.7	723	9.3	1,052	11.9	5.9	5.9	5.9
<i>Other Ischemic Heart Disease</i>	3,623	21.8	1,307	16.8	2,315	26.2	3.0	2.9	3.0
Hypertension with Heart Disease	258	1.6	139	1.8	119	1.3	7.4	7.7	7.0
Pulmonary Circulation Disease	286	1.7	172	2.2	113	1.3	7.3	7.4	7.3
Chronic Rheumatic Fever	76	0.5	44	0.6	32	0.4	9.6	9.1	10.3
Acute Rheumatic Fever	4	0.0	2	0.0	2	0.0	5.8	6.0	5.5
Other Diseases of the Heart	5,522	33.2	2,748	35.3	2,774	31.4	5.9	6.2	5.7
Other Cardiovascular Diseases									
Cerebrovascular Disease	2,639	15.9	1,431	18.4	1,207	13.7	7.6	7.6	7.5
Hypertension with or without Renal Disease	618	3.7	337	4.3	281	3.2	6.0	5.1	7.2
Arteriosclerosis	353	2.1	151	1.9	202	2.3	9.0	9.2	8.9
Other Diseases of the Circulatory System	1,456	8.8	726	9.3	730	8.3	6.6	6.6	6.6

¹Total includes cases of unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 35. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Race/Ethnicity, Westchester County Residents, 2004-2005

2004															
Principal Diagnosis	Number of Discharges									Average Length of Stay (days)					
	Total ¹		White		Black		Other ²		Hispanic ³		Total	White	Black	Other ²	Hispanic ³
	N	%	N	%	N	%	N	%	N	%					
Total	17,790	100.0	12,020	100.0	2,563	100.0	2,212	100.0	1,089	100.0	5.7	5.7	6.5	5.0	5.1
Diseases of the Heart															
Ischemic Heart Disease	5,837	32.8	3,752	31.2	568	22.2	953	43.1	369	33.9	4.1	4.1	4.8	4.0	3.7
<i>Acute Myocardial Infarction</i>	2,078	11.7	1,399	11.6	230	9.0	296	13.4	126	11.6	6.0	5.8	7.0	6.6	5.7
<i>Other Ischemic Heart Disease</i>	3,759	21.1	2,353	19.6	338	13.2	657	29.7	243	22.3	3.1	3.2	3.3	2.7	2.7
Hypertension with Heart Disease	357	2.0	230	1.9	107	4.2	16	0.7	21	1.9	6.1	6.2	5.6	5.7	6.8
Pulmonary Circulation Disease	309	1.7	222	1.8	53	2.1	28	1.3	22	2.0	7.8	7.6	8.1	8.6	5.6
Chronic Rheumatic Fever	92	0.5	62	0.5	7	0.3	9	0.4	5	0.5	9.0	8.1	9.1	10.4	11.4
Acute Rheumatic Fever	4	0.0	3	0.0	1	0.0	0	0.0	1	0.1	8.0	10.0	2.0	0.0	7.0
Other Diseases of the Heart	6,052	34.0	4,307	35.8	884	34.5	639	28.9	350	32.1	6.1	6.2	6.5	5.4	5.5
Other Cardiovascular Diseases															
Cerebrovascular Disease	2,706	15.2	1,927	16.0	418	16.3	274	12.4	141	12.9	7.1	6.9	8.6	6.4	6.2
Hypertension with or without Renal Disease	615	3.5	282	2.3	228	8.9	96	4.3	60	5.5	5.6	5.7	5.7	5.1	5.7
Arteriosclerosis	321	1.8	210	1.7	55	2.1	35	1.6	11	1.0	8.0	7.6	11.5	7.0	12.3
Other Diseases of the Circulatory System	1,497	8.4	1,025	8.5	242	9.4	162	7.3	109	10.0	6.4	6.4	7.1	6.0	5.6

(continued)

Table 35. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Race/Ethnicity, Westchester County Residents, 2004-2005 (cont'd)

2005															
Principal Diagnosis	Number of Discharges									Average Length of Stay (days)					
	Total ¹		White		Black		Other ²		Hispanic ³		Total	White	Black	Other ²	Hispanic ³
	N	%	N	%	N	%	N	%	N	%					
Total	16,610	100.0	11,269	100.0	2,573	100.0	1,815	100.0	968	100.0	5.7	5.6	6.7	5.6	5.7
Diseases of the Heart															
Ischemic Heart Disease	5,398	32.5	3,615	32.1	479	18.6	793	43.7	302	31.2	3.9	3.9	4.4	4.1	4.3
<i>Acute Myocardial Infarction</i>	1,775	10.7	1,208	10.7	182	7.1	245	13.5	81	8.4	5.9	6.0	5.9	5.6	7.0
<i>Other Ischemic Heart Disease</i>	3,623	21.8	2,407	21.4	297	11.5	548	30.2	221	22.8	3.0	2.8	3.5	3.4	3.3
Hypertension with Heart Disease	258	1.6	136	1.2	106	4.1	12	0.7	14	1.4	7.4	7.8	7.3	4.2	7.0
Pulmonary Circulation Disease	286	1.7	200	1.8	55	2.1	23	1.3	13	1.3	7.3	7.2	8.0	8.1	9.9
Chronic Rheumatic Fever	76	0.5	64	0.6	4	0.2	3	0.2	4	0.4	9.6	9.2	20.0	11.0	4.5
Acute Rheumatic Fever	4	0.0	3	0.0	0	0.0	1	0.1	0	0.0	5.8	6.7	0.0	3.0	0.0
Other Diseases of the Heart	5,522	33.2	3,973	35.3	890	34.6	434	23.9	291	30.1	5.9	5.9	6.3	5.3	5.6
Other Cardiovascular Diseases															
Cerebrovascular Disease	2,639	15.9	1,844	16.4	455	17.7	252	13.9	152	15.7	7.6	7.2	9.4	7.6	8.0
Hypertension with or without Renal Disease	618	3.7	234	2.1	290	11.3	82	4.5	66	6.8	6.0	5.3	5.0	11.8	5.0
Arteriosclerosis	353	2.1	242	2.1	50	1.9	43	2.4	19	2.0	9.0	9.0	11.3	7.7	10.8
Other Diseases of the Circulatory System	1,456	8.8	958	8.5	244	9.5	172	9.5	107	11.1	6.6	6.2	8.2	6.7	5.8

¹ Totals include cases of unknown race.

² Include Native Americans, Asian and Pacific Islanders, and Other.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006

Table 36. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age and Sex, Westchester County Residents, 2004-2005

2004								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total ¹	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	17,790	8,367	47.0	9,423	53.0	5.7	6.1	5.3
Less than 1	16	9	56.3	7	43.8	13.3	20.4	4.0
1-2	11	3	27.3	8	72.7	28.8	100.3	2.0
3-4	15	4	26.7	11	73.3	2.3	1.8	2.5
5-6	6	5	83.3	1	16.7	5.0	5.8	1.0
7-8	6	2	33.3	4	66.7	5.3	6.0	5.0
9-10	9	8	88.9	1	11.1	3.4	3.8	1.0
11-12	8	3	37.5	5	62.5	11.0	23.3	3.6
13-14	12	7	58.3	5	41.7	19.3	7.9	35.4
15-16	17	12	70.6	5	29.4	5.1	6.3	2.2
17-18	20	13	65.0	7	35.0	4.3	4.4	4.0
19-20	18	7	38.9	11	61.1	6.3	3.4	8.2
21-22	17	5	29.4	12	70.6	3.8	4.6	3.4
23-24	21	6	28.6	15	71.4	3.0	3.3	2.9
25-29	78	26	33.3	52	66.7	5.7	9.2	4.0
30-34	152	77	50.7	75	49.3	4.7	4.1	5.3
35-39	272	110	40.4	162	59.6	4.4	5.2	3.9
40-44	451	182	40.4	269	59.6	4.9	5.1	4.7
45-49	704	241	34.2	463	65.8	4.4	5.2	4.0
50-54	1,066	334	31.3	732	68.7	4.6	4.7	4.5
55-59	1,350	500	37.0	850	63.0	4.6	4.7	4.6
60-64	1,521	568	37.3	953	62.7	5.0	5.5	4.7
65-69	1,794	745	41.5	1,049	58.5	5.4	5.7	5.2
70-74	2,199	952	43.3	1,247	56.7	5.3	5.6	5.0
75-79	2,543	1,184	46.6	1,359	53.4	6.0	6.3	5.6
80-84	2,485	1,348	54.2	1,137	45.8	6.6	6.4	6.8
85 and above	2,999	2,016	67.2	983	32.8	6.8	6.9	6.6

(continued)

Table 36. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age and Sex, Westchester County Residents, 2004-2004 (cont'd)

2005								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total ¹	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	16,610	7,780	46.8	8,827	53.1	5.7	6.0	5.5
Less than 1	12	8	66.7	4	33.3	4.1	3.0	6.3
1-2	11	5	45.5	6	54.5	3.5	2.4	4.5
3-4	12	4	33.3	8	66.7	7.3	2.5	9.8
5-6	7	2	28.6	5	71.4	2.3	1.5	2.6
7-8	5	1	20.0	4	80.0	3.8	1.0	4.5
9-10	4	1	25.0	3	75.0	4.8	2.0	5.7
11-12	6	3	50.0	3	50.0	3.0	4.0	2.0
13-14	12	8	66.7	4	33.3	7.1	3.1	15.0
15-16	20	10	50.0	10	50.0	5.9	6.3	5.4
17-18	15	5	33.3	10	66.7	5.9	7.6	5.1
19-20	20	12	60.0	8	40.0	5.0	3.9	6.5
21-22	13	6	46.2	7	53.8	4.1	2.7	5.3
23-24	26	13	50.0	13	50.0	4.6	3.2	5.9
25-29	69	29	42.0	40	58.0	4.2	4.5	4.1
30-34	129	60	46.5	69	53.5	4.2	4.1	4.4
35-39	246	98	39.8	148	60.2	5.0	5.0	5.0
40-44	430	162	37.7	268	62.3	4.6	5.2	4.2
45-49	646	233	36.1	413	63.9	4.9	4.1	5.4
50-54	947	318	33.6	629	66.4	4.5	5.3	4.1
55-59	1,286	492	38.3	793	61.7	4.9	5.0	4.8
60-64	1,487	517	34.8	970	65.2	5.3	5.9	4.9
65-69	1,615	621	38.5	994	61.5	5.1	5.4	4.9
70-74	2,026	930	45.9	1,096	54.1	5.8	5.6	5.9
75-79	2,421	1,155	47.7	1,265	52.3	6.1	6.2	5.9
80-84	2,340	1,233	52.7	1,107	47.3	6.5	6.7	6.4
85 and above	2,805	1,854	66.1	950	33.9	6.7	6.7	6.8

¹ Totals include cases with unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 37. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System, by Age and Race/Ethnicity, Westchester County Residents, 2004-2005

2004														
Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total ¹	White		Black		Other ²		Hispanic ³		Total	White	Black	Other ²	Hispanic ³
		N	%	N	%	N	%	N	%					
Total	17,790	12,020	67.6	2,563	14.4	2,212	12.4	1,089	4.4	5.7	5.7	6.5	5.0	5.1
Less than 1	16	14	87.5	1	6.3	1	6.3	4	25.0	13.3	14.8	4.0	1.0	7.8
1-2	11	5	45.5	0	0.0	6	54.5	2	18.2	28.8	61.2	0.0	1.8	1.5
3-4	15	10	66.7	2	13.3	2	13.3	2	13.3	2.3	2.4	1.5	1.5	1.5
5-6	6	4	66.7	0	0.0	2	33.3	0	0.0	5.0	4.8	0.0	5.5	0.0
7-8	6	3	50.0	1	16.7	2	33.3	3	50.0	5.3	2.3	13.0	6.0	4.3
9-10	9	3	33.3	4	44.4	2	22.2	1	11.1	3.4	2.7	4.5	2.5	1.0
11-12	8	3	37.5	2	25.0	3	37.5	0	0.0	11.0	1.7	14.0	18.3	0.0
13-14	12	6	50.0	2	16.7	3	25.0	0	0.0	19.3	4.0	78.5	16.7	0.0
15-16	17	6	35.3	2	11.8	7	41.2	3	17.6	5.1	4.5	15.0	3.9	7.0
17-18	20	8	40.0	3	15.0	9	45.0	5	25.0	4.3	4.9	5.3	3.3	6.0
19-20	18	13	72.2	3	16.7	2	11.1	1	5.6	6.3	3.7	8.7	20.0	9.0
21-22	17	8	47.1	4	23.5	3	17.6	5	29.4	3.8	1.9	6.0	4.3	3.2
23-24	21	9	42.9	4	19.0	8	38.1	5	23.8	3.0	3.4	3.0	2.6	4.2
25-29	78	38	48.7	17	21.8	20	25.6	21	26.9	5.7	6.5	4.9	4.6	4.1
30-34	152	60	39.5	62	40.8	26	17.1	21	13.8	4.7	4.3	4.5	5.8	3.5
35-39	272	100	36.8	89	32.7	65	23.9	33	12.1	4.4	3.6	5.6	4.7	6.0
40-44	451	214	47.5	104	23.1	103	22.8	87	19.3	4.9	4.6	5.6	4.7	4.7
45-49	704	318	45.2	191	27.1	143	20.3	85	12.1	4.4	4.8	4.4	3.9	4.9
50-54	1,066	602	56.5	188	17.6	200	18.8	106	9.9	4.6	4.6	5.3	4.5	4.5
55-59	1,350	797	59.0	239	17.7	216	16.0	129	9.6	4.6	4.5	6.1	4.4	4.8
60-64	1,521	861	56.6	303	19.9	245	16.1	116	7.6	5.0	4.7	7.2	4.1	5.6
65-69	1,794	1,055	58.8	339	18.9	264	14.7	121	6.7	5.4	5.4	6.4	5.0	5.0
70-74	2,199	1,485	67.5	296	13.5	286	13.0	108	4.9	5.3	5.1	6.7	4.8	5.2
75-79	2,543	1,936	76.1	228	9.0	261	10.3	100	3.9	6.0	5.9	7.5	5.3	4.6
80-84	2,485	1,957	78.8	228	9.2	174	7.0	74	3.0	6.6	6.5	7.9	6.4	7.4
85 and above	2,999	2,505	83.5	251	8.4	159	5.3	57	1.9	6.8	6.7	7.5	7.4	5.9

(continued)

Table 37. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System, by Age and Race/Ethnicity, Westchester County Residents, 2004-2005 (cont'd)

2005														
Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total ¹	White		Black		Other ²		Hispanic ³		Total	White	Black	Other ²	Hispanic ³
		N	%	N	%	N	%	N	%					
Total	16,610	11,269	67.8	2,573	15.5	1,815	10.9	968	5.8	5.7	5.6	6.7	5.6	5.7
Less than 1	12	3	25.0	3	25.0	5	41.7	3	25.0	4.1	5.0	2.7	3.8	3.3
1-2	11	5	45.5	3	27.3	3	27.3	3	27.3	3.5	5.4	2.3	1.7	6.0
3-4	12	8	66.7	1	8.3	3	25.0	1	8.3	7.3	8.3	14.0	2.7	5.0
5-6	7	5	71.4	0	0.0	2	28.6	1	14.3	2.3	2.8	0.0	1.0	7.0
7-8	5	4	80.0	0	0.0	1	20.0	0	0.0	3.8	4.5	0.0	1.0	0.0
9-10	4	2	50.0	0	0.0	2	50.0	1	25.0	4.8	1.5	0.0	8.0	2.0
11-12	6	3	50.0	1	16.7	2	33.3	0	0.0	3.0	4.3	3.0	1.0	0.0
13-14	12	9	75.0	1	8.3	1	8.3	0	0.0	7.1	4.0	18.0	1.0	0.0
15-16	20	9	45.0	4	20.0	7	35.0	4	20.0	5.9	7.6	8.5	2.1	4.0
17-18	15	7	46.7	4	26.7	4	26.7	1	6.7	5.9	5.0	9.0	4.5	2.0
19-20	20	9	45.0	4	20.0	4	20.0	6	30.0	5.0	4.7	7.3	2.0	3.8
21-22	13	3	23.1	6	46.2	3	23.1	2	15.4	4.1	1.7	6.3	3.0	2.5
23-24	26	7	26.9	13	50.0	5	19.2	9	34.6	4.6	5.1	5.3	2.6	4.0
25-29	69	32	46.4	20	29.0	13	18.8	19	27.5	4.2	4.6	4.2	3.6	4.7
30-34	129	52	40.3	48	37.2	26	20.2	20	15.5	4.2	4.3	3.3	5.7	5.7
35-39	246	86	35.0	97	39.4	50	20.3	44	17.9	5.0	4.2	5.7	4.9	5.3
40-44	430	215	50.0	125	29.1	72	16.7	57	13.3	4.6	4.4	5.6	3.7	4.6
45-49	646	307	47.5	183	28.3	116	18.0	49	7.6	4.9	3.6	5.2	8.8	3.5
50-54	947	540	57.0	188	19.9	165	17.4	96	10.1	4.5	4.3	5.7	3.9	5.2
55-59	1,286	731	56.8	270	21.0	186	14.5	93	7.2	4.9	4.4	6.8	4.8	5.7
60-64	1,487	890	59.9	289	19.4	206	13.9	113	7.6	5.3	5.0	7.0	4.3	5.9
65-69	1,615	978	60.6	314	19.4	206	12.8	94	5.8	5.1	4.8	6.5	5.6	5.7
70-74	2,026	1,418	70.0	282	13.9	208	10.3	118	5.8	5.8	5.6	7.1	5.7	6.2
75-79	2,421	1,761	72.7	290	12.0	230	9.5	99	4.1	6.1	5.8	7.7	6.5	6.7
80-84	2,340	1,860	79.5	197	8.4	163	7.0	77	3.3	6.5	6.5	7.7	5.7	5.6
85 and above	2,805	2,325	82.9	230	8.2	132	4.7	58	2.1	6.7	6.5	8.2	8.7	8.3

¹ Totals include cases of unknown race.

² Include Native Americans, Asian and Pacific Islanders, and Other.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 38. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Age, Westchester County Residents, 2004-2005

2004																											
Principal Diagnosis	Number of Discharges																Average Length of Stay (days)										
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%									
Total	9,443	100.0	150	100.0	380	100.0	202	100.0	921	100.0	1,670	100.0	2,014	100.0	1,456	100.0	2,650	100.0	6.0	4.6	3.8	3.5	4.0	5.3	6.0	6.8	7.3
Diseases of Esophagus, Stomach, and Duodenum	1,472	15.6	61	40.7	44	11.6	11	5.4	81	8.8	183	11.0	290	14.4	260	17.9	542	20.5	5.5	5.8	6.3	7.7	2.9	3.5	5.0	5.0	6.8
Noninfectious enteritis and colitis	973	10.3	31	20.7	106	27.9	29	14.4	135	14.7	158	9.5	163	8.1	128	8.8	223	8.4	5.2	3.8	2.0	4.6	4.6	4.4	4.6	6.9	7.2
Appendicitis	873	9.2	0	0.0	146	38.4	109	54.0	259	28.1	194	11.6	102	5.1	40	2.7	23	0.9	3.9	0.0	4.1	3.0	3.0	3.8	4.3	7.9	9.0
Hernia of Abdominal Cavity	621	6.6	36	24.0	2	0.5	2	1.0	24	2.6	113	6.8	157	7.8	120	8.2	167	6.3	4.7	1.8	1.0	1.0	2.5	3.6	4.2	5.1	6.8
Diseases of Oral Cavity, Salivary Glands, and Jaws	133	1.4	2	1.3	17	4.5	9	4.5	22	2.4	27	1.6	27	1.3	7	0.5	22	0.8	4.3	3.0	2.6	1.6	2.5	4.3	6.3	4.3	6.2
Other Diseases of Digestive System	2,849	30.2	11	7.3	33	8.7	23	11.4	282	30.6	627	37.5	711	35.3	428	29.4	734	27.7	6.8	9.4	4.3	4.0	5.0	6.7	6.6	7.5	7.4
<i>Chronic Liver Disease, including Cirrhosis</i>	264	2.8	1	0.7	9	2.4	1	0.5	2	0.2	77	4.6	118	5.9	22	1.5	34	1.3	10.1	12.0	1.1	1.0	3.5	8.0	11.6	16.8	8.3
Other Diseases of Intestines and Peritoneum	2,522	26.7	9	6.0	32	8.4	19	9.4	118	12.8	368	22.0	564	28.0	473	32.5	939	35.4	6.9	5.8	5.3	2.8	4.7	5.5	6.9	7.6	7.5
<i>Diverticula of intestine</i>	1,005	10.6	0	0.0	0	0.0	0	0.0	30	3.3	150	9.0	258	12.8	197	13.5	370	14.0	6.3	0.0	0.0	0.0	5.3	5.3	5.8	6.9	6.9
2005																											
Total	8,675	100.0	87	100.0	316	100.0	194	100.0	866	100.0	1,542	100.0	1,883	100.0	1,265	100.0	2,522	100.0	5.5	4.3	3.4	3.5	4.0	4.5	5.4	6.2	6.8
Diseases of Esophagus, Stomach, and Duodenum	1,351	15.6	38	43.7	41	13.0	14	7.2	81	9.4	184	11.9	231	12.3	229	18.1	533	21.1	5.2	5.0	3.6	2.4	4.1	3.7	4.2	5.7	6.2
Appendicitis	895	10.3	0	0.0	129	40.8	108	55.7	251	29.0	223	14.5	116	6.2	38	3.0	30	1.2	3.3	0.0	3.5	3.0	2.4	2.9	4.1	5.7	7.2
Noninfectious enteritis and colitis	804	9.3	8	9.2	61	19.3	21	10.8	113	13.0	133	8.6	150	8.0	107	8.5	211	8.4	5.5	5.3	2.0	5.3	6.4	4.6	5.6	5.7	6.5
Hernia of Abdominal Cavity	614	7.1	27	31.0	6	1.9	1	0.5	24	2.8	113	7.3	145	7.7	107	8.5	191	7.6	4.7	1.3	3.0	1.0	2.3	3.2	4.0	5.4	6.5
Diseases of Oral Cavity, Salivary Glands, and Jaws	151	1.7	1	1.1	16	5.1	18	9.3	27	3.1	24	1.6	25	1.3	14	1.1	26	1.0	4.0	42.0	2.2	2.6	2.0	3.6	3.8	4.1	7.0
Other Diseases of Digestive System	2,552	29.4	2	2.3	25	7.9	24	12.4	277	32.0	526	34.1	635	33.7	369	29.2	694	27.5	6.0	10.0	4.4	4.8	4.4	4.9	6.2	6.6	7.2
<i>Chronic Liver Disease, including Cirrhosis</i>	246	2.8	0	0.0	1	0.3	0	0.0	7	0.8	53	3.4	109	5.8	48	3.8	28	1.1	7.9	0.0	2.0	0.0	6.3	6.8	7.7	8.3	10.9
Other Diseases of Intestines and Peritoneum	2,308	26.6	11	12.6	38	12.0	8	4.1	93	10.7	339	22.0	581	30.9	401	31.7	837	33.2	6.3	4.2	4.6	7.1	4.9	5.8	5.6	6.5	7.1
<i>Diverticula of intestine</i>	952	11.0	0	0.0	2	0.6	0	0.0	18	2.1	160	10.4	252	13.4	183	14.5	337	13.4	5.9	0.0	3.5	0.0	4.9	4.8	5.4	6.1	6.6

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 39. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Sex, Westchester County Residents, 2004-2005

2004								
Principal Diagnosis	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	9,725	5,356	100.0	4,369	100.0	5.7	5.8	5.7
Diseases of Esophagus, Stomach, and Duodenum	1,494	795	14.8	699	16.0	5.2	5.3	5.1
Appendicitis	991	435	8.1	556	12.7	3.4	3.5	3.3
Noninfectious enteritis and colitis	819	526	9.8	293	6.7	5.5	5.8	4.9
Hernia of Abdominal Cavity	630	330	6.2	300	6.9	4.6	4.7	4.4
Diseases of Oral Cavity, Salivary Glands, and Jaws	135	64	1.2	71	1.6	3.4	3.1	3.6
Other Diseases of Digestive System	2,971	1,668	31.1	1,303	29.8	6.2	5.7	6.8
<i>Chronic Liver Disease, including Cirrhosis</i>	254	72	1.3	182	4.2	7.8	7.7	7.8
Other Diseases of Intestines and Peritoneum	2,685	1,538	28.7	1,147	26.3	6.9	7.1	6.7
<i>Diverticula of intestine</i>	1,119	627	11.7	492	11.3	6.1	6.5	5.6
2005								
Total	8,675	4,790	100.0	3,884	100.0	5.5	5.5	5.5
Diseases of Esophagus, Stomach, and Duodenum	1,351	760	15.9	591	15.2	5.2	5.5	4.8
Appendicitis	895	384	8.0	511	13.2	3.3	3.3	3.3
Noninfectious enteritis and colitis	804	484	10.1	320	8.2	5.5	5.1	6.1
Hernia of Abdominal Cavity	614	302	6.3	312	8.0	4.7	4.9	4.5
Diseases of Oral Cavity, Salivary Glands, and Jaws	151	89	1.9	62	1.6	4.0	4.3	3.5
Other Diseases of Digestive System ¹	2,552	1,440	30.1	1,111	28.6	6.0	5.6	6.6
<i>Chronic Liver Disease, including Cirrhosis</i>	246	104	2.2	142	3.7	7.9	7.1	8.6
Other Diseases of Intestines and Peritoneum	2,308	1,331	27.8	977	25.2	6.3	6.5	6.0
<i>Diverticula of intestine</i>	952	524	10.9	428	11.0	5.9	6.1	5.6

¹Total includes one case with unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 40. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Race/Ethnicity, Westchester County Residents, 2004-2005

2004														
Principal Diagnosis	Number of Discharges								Average Length of Stay (days)					
	Total	White		Black		Other ¹		Hispanic ²		Total	White	Black	Other ¹	Hispanic ²
		N	%	N	%	N	%	N	%					
Total	9,725	6,559	100.0	1,527	100.0	1,354	100.0	1,264	100.0	5.7	5.9	6.1	4.8	4.6
Diseases of Esophagus, Stomach, and Duodenum	1,494	967	14.7	304	19.9	186	13.7	141	11.2	5.2	5.5	5.2	4.3	3.6
Appendicitis	991	654	10.0	78	5.1	239	17.7	245	19.4	3.4	3.4	4.6	3.1	3.0
Noninfectious enteritis and colitis	819	557	8.5	128	8.4	108	8.0	107	8.5	5.5	5.9	4.9	3.9	3.5
Hernia of Abdominal Cavity	630	437	6.7	100	6.5	66	4.9	41	3.2	4.6	4.8	4.3	3.5	4.0
Diseases of Oral Cavity, Salivary Glands, and Jaws	135	73	1.1	18	1.2	30	2.2	19	1.5	3.4	3.9	3.1	2.6	4.8
Other Diseases of Digestive System	2,971	1,942	29.6	447	29.3	492	36.3	508	40.2	6.2	6.2	6.7	5.9	5.5
<i>Chronic Liver Disease, including Cirrhosis</i>	254	152	2.3	32	2.1	68	5.0	64	5.1	7.8	8.9	7.3	5.5	5.4
Other Diseases of Intestines and Peritoneum	2,685	1,929	29.4	452	29.6	233	17.2	203	16.1	6.9	6.9	7.3	5.9	5.4
<i>Diverticula of intestine</i>	1,119	828	12.6	176	11.5	81	6.0	82	6.5	6.1	6.1	6.6	5.3	5.1
2005														
Total	8,675	5,913	100.0	1,347	100.0	1,122	100.0	1,068	100.0	5.5	5.5	6.0	5.0	4.8
Diseases of Esophagus, Stomach, and Duodenum	1,351	890	15.1	253	18.8	155	13.8	117	11.0	5.2	5.1	5.5	4.6	3.8
Appendicitis	895	584	9.9	90	6.7	197	17.6	226	21.2	3.3	3.3	3.6	3.1	3.3
Noninfectious enteritis and colitis	804	540	9.1	122	9.1	106	9.4	106	9.9	5.5	5.9	5.5	4.2	6.5
Hernia of Abdominal Cavity	614	440	7.4	89	6.6	57	5.1	45	4.2	4.7	4.4	4.7	6.2	5.4
Diseases of Oral Cavity, Salivary Glands, and Jaws	151	86	1.5	19	1.4	36	3.2	20	1.9	4.0	3.7	5.3	4.3	2.4
Other Diseases of Digestive System	2,552	1,692	28.6	406	30.1	380	33.9	393	36.8	6.0	6.1	6.1	5.7	5.1
<i>Chronic Liver Disease, including Cirrhosis</i>	246	155	2.6	31	2.3	58	5.2	58	5.4	7.9	8.0	8.1	7.8	6.1
Other Diseases of Intestines and Peritoneum	2,308	1,681	28.4	368	27.3	191	17.0	161	15.1	6.3	6.1	7.4	5.9	5.6
<i>Diverticula of intestine</i>	952	717	12.1	137	10.2	65	5.8	64	6.0	5.9	5.9	6.3	5.1	5.1

¹ Include Native Americans, Asian and Pacific Islanders, and Other.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 41. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Age, Westchester County Residents, 2004-2005

2004																											
Principal Diagnosis	Number of Discharges																Average Length of Stay (days)										
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%									
Total	8,377	100.0	338	100.0	747	100.0	94	100.0	370	100.0	732	100.0	1,256	100.0	1,362	100.0	3,478	100.0	7.2	4.2	3.5	6.5	5.1	5.6	7.0	8.8	8.4
Pneumonia	2,967	35.4	51	15.1	214	28.6	30	31.9	90	24.3	228	31.1	370	29.5	483	35.5	1,501	43.2	6.9	4.1	3.5	10.1	5.2	5.3	6.7	7.5	7.5
Chronic Obstructive Pulmonary Disease & Allied Conditions	2,606	31.1	25	7.4	342	45.8	17	18.1	133	35.9	284	38.8	509	40.5	482	35.4	814	23.4	5.7	3.1	2.6	3.1	3.1	4.4	5.9	7.3	7.1
<i>Asthma</i>	1,304	15.6	25	7.4	342	45.8	17	18.1	125	33.8	237	32.4	257	20.5	143	10.5	158	4.5	4.3	3.1	2.6	3.1	3.0	4.0	5.4	6.4	5.7
<i>Chronic Bronchitis</i>	1,062	12.7	0	0.0	0	0.0	0	0.0	3	0.8	37	5.1	208	16.6	276	20.3	538	15.5	6.7	0.0	0.0	0.0	3.7	5.5	5.9	7.0	7.0
Acute Respiratory Infections	600	7.2	227	67.2	95	12.7	13	13.8	34	9.2	38	5.2	51	4.1	33	2.4	109	3.1	3.3	3.3	2.8	2.9	2.6	2.8	3.8	3.9	4.0
Other Diseases of the Upper Respiratory Tract	166	2.0	3	0.9	39	5.2	10	10.6	36	9.7	36	4.9	15	1.2	8	0.6	19	0.5	3.4	14.3	2.1	1.9	3.6	2.4	2.3	3.0	8.0
Influenza	51	0.6	12	3.6	7	0.9	0	0.0	2	0.5	7	1.0	3	0.2	4	0.3	16	0.5	4.1	2.9	4.3	0.0	3.5	3.9	3.0	3.5	5.4
Other Respiratory Diseases	1,987	23.7	20	5.9	50	6.7	24	25.5	75	20.3	139	19.0	308	24.5	352	25.8	1,019	29.3	11.3	16.0	11.2	8.2	10.6	10.2	9.9	13.3	11.3

2005																											
Principal Diagnosis	Number of Discharges																Average Length of Stay (days)										
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%									
Total	8,072	100.0	316	100.0	692	100.0	102	100.0	352	100.0	672	100.0	1,177	100.0	1,217	100.0	3,544	100.0	7.4	6.0	4.0	3.3	5.2	5.1	7.1	8.7	8.5
Pneumonia	2,954	36.6	55	17.4	171	24.7	23	22.5	100	28.4	221	32.9	381	32.4	433	35.6	1,570	44.3	6.9	3.6	3.2	3.1	6.8	5.5	7.4	7.3	7.4
Chronic Obstructive Pulmonary Disease & Allied Conditions	2,475	30.7	25	7.9	294	42.5	30	29.4	130	36.9	267	39.7	465	39.5	418	34.3	846	23.9	5.6	3.0	2.6	3.2	2.8	3.7	5.4	7.0	7.2
<i>Asthma</i>	1,181	14.6	24	7.6	294	42.5	28	27.5	125	35.5	230	34.2	225	19.1	97	8.0	158	4.5	4.0	3.0	2.6	3.3	2.8	3.6	4.8	5.9	5.7
<i>Chronic Bronchitis</i>	1,068	13.2	0	0.0	0	0.0	0	0.0	1	0.3	31	4.6	197	16.7	263	21.6	576	16.3	6.6	0.0	0.0	0.0	2.0	4.5	5.5	6.7	7.1
Acute Respiratory Infections	554	6.9	205	64.9	104	15.0	13	12.7	35	9.9	34	5.1	35	3.0	33	2.7	95	2.7	3.0	3.0	2.2	2.2	2.5	2.4	2.8	4.3	4.1
Other Diseases of the Upper Respiratory Tract	172	2.1	3	0.9	48	6.9	15	14.7	26	7.4	31	4.6	17	1.4	19	1.6	13	0.4	2.6	3.3	2.6	2.1	2.2	2.1	3.1	2.8	4.0
Influenza	56	0.7	9	2.8	7	1.0	1	1.0	0	0.0	4	0.6	5	0.4	9	0.7	21	0.6	4.3	2.7	3.0	2.0	0.0	2.5	3.2	4.6	5.9
Other Respiratory Diseases	1,861	23.1	19	6.0	68	9.8	20	19.6	61	17.3	115	17.1	274	23.3	305	25.1	999	28.2	12.3	51.4	16.1	5.6	10.4	9.5	10.6	14.0	11.9

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 42. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Sex, Westchester County Residents, 2004-2005

2004									
Principal Diagnosis	Number of Discharges						Average Length of Stay (days)		
	Total ¹		Female		Male		Total	Female	Male
	N	%	N	%	N	%			
Total	8,377	100.0	4,543	100.0	3,834	100.0	7.2	7.3	7.1
Pneumonia	2,967	35.4	1,547	34.1	1,420	37.0	6.9	7.2	6.5
Chronic Obstructive Pulmonary Disease & Allied Conditions	2,606	31.1	1,579	34.8	1,027	26.8	5.7	5.9	5.5
<i>Asthma</i>	1,304	15.6	836	18.4	468	12.2	4.3	4.7	3.6
<i>Chronic Bronchitis</i>	1,062	12.7	600	13.2	462	12.1	6.7	6.7	6.8
Acute Respiratory Infections	600	7.2	306	6.7	294	7.7	3.3	3.4	3.3
Other Diseases of the Upper Respiratory Tract	166	2.0	70	1.5	96	2.5	3.4	3.4	3.4
Influenza	51	0.6	22	0.5	29	0.8	4.1	4.6	3.7
Other Respiratory Diseases	1,987	23.7	1,019	22.4	968	25.2	11.3	11.2	11.5
2005									
Principal Diagnosis	Number of Discharges						Average Length of Stay (days)		
	Total		Female		Male		Total	Female	Male
	N	%	N	%	N	%			
Total	8,072	100.0	4,302	100.0	3,766	100.0	7.4	7.2	7.5
Pneumonia	2,954	36.6	1,558	36.2	1,395	37.0	6.9	7.0	6.7
Chronic Obstructive Pulmonary Disease & Allied Conditions	2,475	30.7	1,460	33.9	1,014	26.9	5.6	5.9	5.2
<i>Asthma</i>	1,181	14.6	730	17.0	450	11.9	4.0	4.5	3.0
<i>Chronic Bronchitis</i>	1,068	13.2	600	13.9	468	12.4	6.6	6.9	6.3
Acute Respiratory Infections	554	6.9	265	6.2	287	7.6	3.0	3.2	2.8
Other Diseases of the Upper Respiratory Tract	172	2.1	80	1.9	92	2.4	2.6	2.3	2.9
Influenza	56	0.7	23	0.5	33	0.9	4.3	4.1	4.4
Other Respiratory Diseases	1,861	23.1	916	21.3	945	25.1	12.3	11.6	13.1

¹ Totals include cases with unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 43. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Race/Ethnicity, Westchester County Residents, 2004-2005

2004															
Principal Diagnosis	Number of Discharges										Average Length of Stay (days)				
	Total ¹		White		Black		Other ²		Hispanic ³		Total	White	Black	Other ²	Hispanic ³
	N	%	N	%	N	%	N	%	N	%					
Total	8,377	100.0	5,785	100.0	1,376	100.0	1,017	100.0	860	100.0	7.2	7.5	7.3	5.6	5.5
Pneumonia	2,967	35.4	2,204	38.1	405	29.4	285	28.0	239	27.8	6.9	7.0	7.0	5.6	6.2
Chronic Obstructive Pulmonary Disease & Allied Conditions	2,606	31.1	1,608	27.8	570	41.4	383	37.7	362	42.1	5.7	6.3	5.3	3.9	4.1
<i>Asthma</i>	1,304	15.6	560	9.7	398	28.9	317	31.2	291	33.8	4.3	4.4	4.5	3.5	3.7
<i>Chronic Bronchitis</i>	1,062	12.7	871	15.1	131	9.5	46	4.5	59	6.9	6.7	6.9	6.4	5.5	5.9
Acute Respiratory Infections	600	7.2	364	6.3	85	6.2	135	13.3	111	12.9	3.3	3.4	3.3	3.2	3.2
Other Diseases of the Upper Respiratory Tract	166	2.0	98	1.7	19	1.4	39	3.8	23	2.7	3.4	3.4	4.3	3.7	4.3
Influenza	51	0.6	36	0.6	7	0.5	7	0.7	10	1.2	4.1	4.3	3.1	3.9	4.6
Other Respiratory Diseases	1,987	23.7	1,475	25.5	290	21.1	168	16.5	115	13.4	11.3	10.9	13.1	12.0	10.8
2005															
Principal Diagnosis	Number of Discharges										Average Length of Stay (days)				
	Total		White		Black		Other		Hispanic		Total	White	Black	Other	Hispanic
	N	%	N	%	N	%	N	%	N	%					
Total	8,072	100.0	5,484	100.0	1,402	100.0	930	100.0	837	100.0	7.4	7.7	7.0	5.8	5.5
Pneumonia	2,954	36.6	2,095	38.2	454	32.4	292	31.4	253	30.2	6.9	7.1	6.3	6.0	5.5
Chronic Obstructive Pulmonary Disease & Allied Conditions	2,475	30.7	1,537	28.0	567	40.4	318	34.2	301	36.0	5.6	6.1	5.2	3.9	3.8
<i>Asthma</i>	1,181	14.6	500	9.1	397	28.3	256	27.5	249	29.7	4.0	4.1	4.1	3.4	3.5
<i>Chronic Bronchitis</i>	1,068	13.2	855	15.6	141	10.1	48	5.2	46	5.5	6.6	6.7	6.6	5.8	5.4
Acute Respiratory Infections	554	6.9	320	5.8	97	6.9	115	12.4	128	15.3	3.0	3.0	3.2	2.8	2.8
Other Diseases of the Upper Respiratory Tract	172	2.1	97	1.8	26	1.9	36	3.9	27	3.2	2.6	2.7	2.2	3.0	2.4
Influenza	56	0.7	41	0.7	4	0.3	10	1.1	10	1.2	4.3	4.4	5.8	3.1	2.4
Other Respiratory Diseases	1,861	23.1	1,394	25.4	254	18.1	159	17.1	118	14.1	12.3	12.1	14.2	12.4	13.5

¹ Totals include cases with unknown race.

² Include Native Americans, Asian and Pacific Islanders, and Other.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 44. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses¹ by Age, Westchester County Residents, 2004-2005

2004																											
Principal Diagnosis	Number of Discharges														Average Length of Stay (days)												
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%									
Total	14,488	100.0	71	100.0	287	100.0	91	100.0	552	100.0	2,208	100.0	3,535	100.0	3,047	100.0	4,697	100.0	7.8	5.5	7.4	6.7	6.4	5.8	7.6	8.1	9.0
Malignant Neoplasms	10,958	75.6	3	4.2	256	89.2	60	65.9	270	48.9	1,143	51.8	2,819	79.7	2,607	85.6	3,800	80.9	8.5	3.0	7.7	8.6	8.8	7.5	8.0	8.4	9.1
Digestive Organs and Peritoneum	2,158	14.9	0	0.0	18	6.3	0	0.0	21	3.8	175	7.9	552	15.6	555	18.2	837	17.8	9.3	0.0	7.2	0.0	12.5	8.6	8.1	8.7	10.7
Lymphatic and Hematopoietic Tissues	1,971	13.6	2	2.8	107	37.3	29	31.9	112	20.3	174	7.9	478	13.5	456	15.0	613	13.1	9.5	3.0	9.1	11.9	10.9	8.8	9.9	9.7	9.0
Genital Organs	1,726	11.9	0	0.0	4	1.4	0	0.0	25	4.5	156	7.1	435	12.3	416	13.7	690	14.7	7.2	0.0	6.3	0.0	5.2	7.9	6.3	6.8	8.0
Respiratory and Intrathoracic Organs	1,493	10.3	0	0.0	0	0.0	0	0.0	1	0.2	88	4.0	405	11.5	459	15.1	540	11.5	9.1	0.0	0.0	0.0	7.0	8.8	8.3	9.3	9.5
Breast (female)	798	5.5	0	0.0	0	0.0	0	0.0	13	2.4	202	9.1	221	6.3	148	4.9	214	4.6	5.4	0.0	0.0	0.0	4.3	3.8	5.9	6.3	5.8
Urinary Organs	690	4.8	1	1.4	9	3.1	0	0.0	11	2.0	41	1.9	155	4.4	167	5.5	306	6.5	7.3	3.0	4.1	0.0	8.1	7.2	6.9	6.0	8.3
Lip, Oral Cavity, Pharynx	204	1.4	0	0.0	0	0.0	0	0.0	7	1.3	26	1.2	88	2.5	42	1.4	41	0.9	8.7	0.0	0.0	0.0	13.6	7.1	8.7	9.4	8.1
Other and Unspecified Sites	1,918	13.2	0	0.0	118	41.1	31	34.1	80	14.5	281	12.7	485	13.7	364	11.9	559	11.9	8.7	0.0	6.9	5.6	6.5	8.2	8.7	8.9	9.8
Non-Malignant Neoplasms	3,530	24.4	68	95.8	31	10.8	31	34.1	282	51.1	1,065	48.2	716	20.3	440	14.4	897	19.1	5.9	5.6	4.9	2.9	4.0	3.9	6.0	6.7	8.4
Benign	2,717	18.8	67	94.4	27	9.4	21	23.1	249	45.1	979	44.3	568	16.1	290	9.5	516	11.0	5.4	5.6	5.3	2.8	3.6	3.8	5.7	6.6	8.5
Carcinoma in Situ, Uncertain Unspecified	813	5.6	1	1.4	4	1.4	10	11.0	33	6.0	86	3.9	148	4.2	150	4.9	381	8.1	7.4	7.0	2.3	3.0	7.2	5.1	7.1	6.9	8.3

2005																											
Principal Diagnosis	Number of Discharges														Average Length of Stay (days)												
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%									
Total	13,187	100.0	56	100.0	252	100.0	92	100.0	458	100.0	2,103	100.0	3,256	100.0	2,597	100.0	4,373	100.0	7.6	5.2	6.6	7.7	5.3	5.8	7.3	8.4	8.5
Malignant Neoplasms	9,967	75.6	0	0.0	207	82.1	69	75.0	241	52.6	1,076	51.2	2,625	80.6	2,195	84.5	3,554	81.3	8.4	0.0	7.1	8.8	6.7	7.8	7.8	8.8	8.9
Digestive Organs and Peritoneum	2,029	15.4	0	0.0	18	7.1	0	0.0	19	4.1	206	9.8	525	16.1	432	16.6	829	19.0	9.1	0.0	3.3	0.0	8.7	9.6	7.9	10.0	9.5
Lymphatic and Hematopoietic Tissues	1,708	13.0	0	0.0	92	36.5	38	41.3	83	18.1	151	7.2	389	11.9	364	14.0	591	13.5	9.2	0.0	9.1	7.9	10.0	8.9	10.8	8.4	8.8
Genital Organs	1,560	11.8	0	0.0	6	2.4	0	0.0	32	7.0	136	6.5	420	12.9	347	13.4	619	14.2	7.3	0.0	2.7	0.0	3.5	6.9	5.5	8.6	8.3
Respiratory and Intrathoracic Organs	1,409	10.7	0	0.0	12	4.8	0	0.0	6	1.3	99	4.7	349	10.7	409	15.7	534	12.2	9.2	0.0	3.9	0.0	6.7	9.4	9.1	9.0	9.3
Breast (female)	627	4.8	0	0.0	0	0.0	0	0.0	3	0.7	146	6.9	162	5.0	127	4.9	189	4.3	5.5	0.0	0.0	0.0	2.0	4.5	5.2	6.6	5.8
Urinary Organs	590	4.5	0	0.0	4	1.6	2	2.2	5	1.1	51	2.4	138	4.2	138	5.3	252	5.8	7.2	0.0	2.0	7.0	7.6	5.8	6.6	6.8	8.1
Lip, Oral Cavity, Pharynx	163	1.2	0	0.0	2	0.8	6	6.5	4	0.9	19	0.9	63	1.9	34	1.3	35	0.8	8.2	0.0	7.0	6.0	1.3	9.9	7.4	7.6	10.5
Other and Unspecified Sites	1,881	14.3	0	0.0	73	29.0	23	25.0	89	19.4	268	12.7	579	17.8	344	13.2	505	11.5	8.4	0.0	6.8	11.1	4.7	7.5	7.7	9.6	9.6
Non-Malignant Neoplasms	3,220	24.4	56	100.0	45	17.9	23	25.0	217	47.4	1,027	48.8	631	19.4	402	15.5	819	18.7	5.2	5.2	4.2	4.6	3.8	3.7	5.0	6.4	7.1
Benign	2,477	18.8	54	96.4	29	11.5	19	20.7	193	42.1	949	45.1	520	16.0	275	10.6	438	10.0	4.8	4.9	2.7	3.3	3.7	3.6	4.9	6.2	7.3
Carcinoma in Situ, Uncertain Unspecified	743	5.6	2	3.6	16	6.3	4	4.3	24	5.2	78	3.7	111	3.4	127	4.9	381	8.7	6.5	11.5	6.8	10.8	5.0	4.3	5.7	6.9	7.0

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemo-therapy and radio-therapy is also included). Diagnoses that were related to an earlier episode which had no bearing on the current hospital stay was excluded.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 45. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses¹ by Sex, Westchester County Residents, 2004-2005

2004								
Principal Diagnosis	Number of Discharges					Average Length of Stay (days)		
	Total ²	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	14,488	8,170	100.0	6,318	100.0	7.8	7.6	8.2
Malignant Neoplasms	10,958	5,585	68.4	5,373	85.0	8.5	8.7	8.2
Digestive Organs and Peritoneum	2,158	1,044	12.8	1,114	17.6	9.3	9.9	8.9
Lymphatic and Hematopoietic Tissues	1,971	890	10.9	1,081	17.1	9.5	9.3	9.7
Genital Organs	1,726	702	8.6	1,024	16.2	7.2	8.6	6.2
Respiratory and Intrathoracic Organs	1,493	726	8.9	767	12.1	9.1	10.1	8.2
Breast (female)	798	798	9.8	0	0.0	5.4	5.4	0.0
Urinary Organs	690	213	2.6	477	7.5	7.3	8.8	6.6
Lip, Oral Cavity, Pharynx	204	76	0.9	128	2.0	8.7	7.3	9.6
Other and Unspecified Sites	1,918	1,136	13.9	782	12.4	8.7	9.0	8.4
Non-Malignant Neoplasms	3,530	2,585	31.6	945	15.0	5.9	5.0	8.3
Benign	2,717	2,137	26.2	580	9.2	5.4	4.7	8.2
Carcinoma in Situ, Uncertain, & Unspecified	813	448	5.5	365	5.8	7.4	6.4	8.6
2005								
Principal Diagnosis	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	13,187	7,427	100.0	5,758	100.0	7.6	7.3	8.0
Malignant Neoplasms	9,967	5,066	68.2	4,899	85.1	8.4	8.6	8.2
Digestive Organs and Peritoneum	2,029	985	13.3	1,044	18.1	9.1	9.2	9.1
Lymphatic and Hematopoietic Tissues	1,708	816	11.0	891	15.5	9.2	10.0	8.5
Genital Organs	1,560	575	7.7	985	17.1	7.3	8.9	6.4
Respiratory and Intrathoracic Organs	1,409	736	9.9	672	11.7	9.2	9.1	9.2
Breast (female)	627	627	8.4	0	0.0	5.5	5.5	0.0
Urinary Organs	590	171	2.3	419	7.3	7.2	8.0	6.9
Lip, Oral Cavity, Pharynx	163	62	0.8	101	1.8	8.2	6.0	9.6
Other and Unspecified Sites	1,881	1,094	14.7	787	13.7	8.4	8.3	8.5
Non-Malignant Neoplasms	3,220	2,361	31.8	859	14.9	5.2	4.7	6.6
Benign	2,477	1,978	26.6	499	8.7	4.8	4.4	6.5
Carcinoma in Situ, Uncertain, & Unspecified	743	383	5.2	360	6.3	6.5	6.1	6.9

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemo-therapy and radio-therapy is also included). Diagnoses that related to an earlier episode which had no bearing on the current hospital stay was excluded.

² Total includes cases of unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 46. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses¹ by Race/Ethnicity, Westchester County Residents, 2004-2005

2004														
Principal Diagnosis	Number of Discharges								Average Length of Stay (days)					
	Total ²	White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
		N	%	N	%	N	%	N	%					
Total	14,488	10,220	100.0	2,113	100.0	1,492	100.0	900	100.0	7.8	7.8	8.5	7.8	7.2
Malignant Neoplasms	10,958	8,073	79.0	1,373	65.0	1,054	70.6	586	65.1	8.5	8.3	9.9	8.7	8.5
Digestive Organs and Peritoneum	2,158	1,504	14.7	301	14.2	238	16.0	116	12.9	9.3	8.9	11.7	10.0	8.3
Lymphatic and Hematopoietic Tissues	1,971	1,520	14.9	198	9.4	191	12.8	160	17.8	9.5	9.5	9.6	10.4	10.1
Genital Organs	1,726	1,194	11.7	276	13.1	178	11.9	102	11.3	7.2	6.7	8.9	8.4	9.3
Respiratory and Intrathoracic Organs	1,493	1,135	11.1	200	9.5	117	7.8	48	5.3	9.1	9.0	10.4	8.3	10.2
Breast (female)	798	571	5.6	111	5.3	84	5.6	55	6.1	5.4	5.6	5.1	4.4	3.1
Urinary Organs	690	555	5.4	43	2.0	47	3.2	27	3.0	7.3	7.4	8.4	7.9	6.5
Lip, Oral Cavity, Pharynx	204	124	1.2	24	1.1	38	2.5	10	1.1	8.7	9.5	8.8	7.9	19.3
Other and Unspecified Sites	1,918	1,470	14.4	220	10.4	161	10.8	68	7.6	8.7	8.5	11.4	8.3	6.3
Non-Malignant Neoplasms	3,530	2,147	21.0	740	35.0	438	29.4	314	34.9	5.9	6.1	5.9	5.4	4.7
Benign Neoplasms	2,717	1,510	14.8	660	31.2	371	24.9	278	30.9	5.4	5.5	5.6	5.1	4.6
Carcinoma in Situ, Uncertain, & Unspecified Neoplasms	813	637	6.2	80	3.8	67	4.5	36	4.0	7.4	7.4	7.7	7.4	5.7

(continued)

Table 46. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses¹ by Race/Ethnicity, Westchester County Residents, 2004-2005 (cont'd)

2005														
Principal Diagnosis	Number of Discharges									Average Length of Stay (days)				
	Total ²	White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
		N	%	N	%	N	%	N	%					
Total	13,187	9,328	100.0	1,979	100.0	1,239	100.0	787	100.0	7.6	7.5	8.3	7.8	7.6
Malignant Neoplasms	9,967	7,377	79.1	1,290	65.2	878	70.9	512	65.1	8.4	8.1	9.9	9.1	8.2
Digestive Organs and Peritoneum	2,029	1,457	15.6	293	14.8	206	16.6	115	14.6	9.1	8.7	10.8	10.3	10.3
Lymphatic and Hematopoietic Tissues	1,708	1,258	13.5	201	10.2	178	14.4	108	13.7	9.2	9.3	9.4	8.8	10.0
Genital Organs	1,560	1,139	12.2	219	11.1	127	10.3	60	7.6	7.3	6.8	10.5	7.3	8.8
Respiratory and Intrathoracic Organs	1,409	1,071	11.5	187	9.4	99	8.0	45	5.7	9.2	9.0	9.5	11.2	11.6
Breast (female)	627	459	4.9	85	4.3	58	4.7	31	3.9	5.5	5.2	7.2	5.8	4.1
Urinary Organs	590	460	4.9	58	2.9	37	3.0	30	3.8	7.2	7.0	7.6	8.1	9.3
Lip, Oral Cavity, Pharynx	163	109	1.2	32	1.6	14	1.1	13	1.7	8.2	6.6	11.7	13.3	12.5
Other and Unspecified Sites	1,881	1,424	15.3	215	10.9	159	12.8	110	14.0	8.4	8.1	10.0	9.2	7.9
Non-Malignant Neoplasms	3,220	1,951	20.9	689	34.8	361	29.1	275	34.9	5.2	5.4	5.4	4.7	4.4
Benign Neoplasms	2,477	1,385	14.8	608	30.7	298	24.1	229	29.1	4.8	4.9	5.2	4.4	4.1
Carcinoma in Situ, Uncertain, & Unspecified Neoplasms	743	566	6.1	81	4.1	63	5.1	46	5.8	6.5	6.5	7.1	6.5	6.0

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemo-therapy and radio-therapy is also included). Diagnoses that related to an earlier episode which had no bearing on the current hospital stay was excluded.

² Total include cases with unknown race.

³ Include Native Americans, Asian and Pacific Islanders, and Other.

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 47. Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses¹ by Age and Sex, Westchester County Residents, 2004-2005

2004								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total ²	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	10,958	5,585	51.0	5,373	49.0	8.5	8.7	8.2
Less than 1	3	3	100.0	0	0.0	3.0	3.0	0.0
1-2	58	35	60.3	23	39.7	10.8	10.7	10.8
3-4	27	2	7.4	25	92.6	4.4	4.0	4.4
5-6	42	18	42.9	24	57.1	7.2	5.7	8.3
7-8	64	55	85.9	9	14.1	5.6	5.9	3.8
9-10	17	6	35.3	11	64.7	6.5	8.0	5.6
11-12	48	33	68.8	15	31.3	9.7	7.7	14.0
13-14	29	26	89.7	3	10.3	7.8	8.5	1.7
15-16	11	5	45.5	6	54.5	4.3	4.6	4.0
17-18	21	6	28.6	15	71.4	11.9	5.8	14.3
19-20	42	14	33.3	28	66.7	8.2	5.8	9.5
21-22	52	9	17.3	43	82.7	9.2	12.4	8.5
23-24	20	13	65.0	7	35.0	12.5	16.2	5.6
25-29	59	25	42.4	34	57.6	8.0	5.3	9.9
30-34	96	54	56.3	42	43.8	8.7	8.1	9.5
35-39	273	183	67.0	90	33.0	7.5	6.5	9.5
40-44	382	243	63.6	139	36.4	6.9	6.3	7.8
45-49	488	303	62.1	185	37.9	8.0	7.7	8.6
50-54	725	392	54.1	333	45.9	7.4	6.0	8.9
55-59	1,003	529	52.7	474	47.3	8.3	8.3	8.2
60-64	1,091	531	48.7	560	51.3	8.3	8.7	7.9
65-69	1,203	585	48.6	618	51.4	8.7	9.6	7.8
70-74	1,404	650	46.3	754	53.7	8.1	9.0	7.4
75-79	1,503	721	48.0	782	52.0	8.7	9.8	7.8
80-84	1,194	541	45.3	653	54.7	9.3	10.5	8.4
85 and above	1,103	603	54.7	500	45.3	9.5	9.6	9.3

(continued)

Table 47. Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses¹ by Age and Sex, Westchester County Residents, 2004-2005 (cont'd)

2005								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total ²	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	9,967	5,066	50.8	4,899	49.2	8.4	8.6	8.2
Less than 1	0	0	0.0	0	0.0	0.0	0.0	0.0
1-2	38	21	55.3	17	44.7	7.7	10.6	4.2
3-4	38	32	84.2	6	15.8	10.3	11.4	4.3
5-6	30	9	30.0	21	70.0	7.5	7.7	7.4
7-8	49	39	79.6	10	20.4	6.8	6.9	6.4
9-10	30	14	46.7	16	53.3	4.3	4.6	4.0
11-12	22	10	45.5	12	54.5	4.9	5.0	4.8
13-14	24	15	62.5	9	37.5	8.3	6.7	11.1
15-16	27	24	88.9	3	11.1	11.3	11.6	9.0
17-18	31	9	29.0	22	71.0	9.5	12.3	8.4
19-20	42	5	11.9	37	88.1	2.8	6.6	2.3
21-22	34	20	58.8	14	41.2	4.6	5.0	4.2
23-24	19	3	15.8	16	84.2	6.5	2.7	7.2
25-29	54	23	42.6	31	57.4	9.6	6.0	12.3
30-34	79	56	70.9	23	29.1	6.3	6.3	6.4
35-39	192	123	64.1	69	35.9	8.8	6.8	12.3
40-44	401	216	53.9	185	46.1	6.7	5.9	7.7
45-49	483	296	61.3	187	38.7	8.2	8.1	8.3
50-54	708	369	52.1	338	47.7	7.4	7.4	7.4
55-59	892	479	53.7	413	46.3	7.7	7.6	7.9
60-64	1,025	462	45.1	563	54.9	8.2	10.0	6.7
65-69	975	440	45.1	535	54.9	9.0	9.9	8.3
70-74	1,220	607	49.8	613	50.2	8.7	8.4	8.9
75-79	1,410	687	48.7	723	51.3	8.7	8.9	8.5
80-84	1,102	539	48.9	563	51.1	9.2	9.5	8.9
85 and above	1,042	568	54.5	473	45.4	8.8	8.8	8.7

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemo-therapy and radio-therapy is also included). Diagnoses that related to an earlier episode which had no bearing on the current hospital stay was excluded.

² Total includes cases of unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 48. Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses¹ by Age and Race/Ethnicity, Westchester County Residents, 2004-2005

2004														
Age (years)	Number of Discharges								Average Length of Stay (days)					
	Total ²	White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
		N	%	N	%	N	%	N	%					
Total	10,958	8,073	73.7	1,373	12.5	1,054	9.6	586	5.3	8.5	8.3	9.9	8.7	8.5
Less than 1	3	2	66.7	0	0.0	1	33.3	0	0.0	3.0	3.0	0.0	3.0	0.0
1-2	58	34	58.6	17	29.3	2	3.4	8	13.8	10.8	12.2	6.8	15.0	14.3
3-4	27	26	96.3	0	0.0	1	3.7	1	3.7	4.4	4.3	0.0	7.0	6.0
5-6	42	24	57.1	5	11.9	13	31.0	2	4.8	7.2	5.0	18.0	6.9	2.5
7-8	64	40	62.5	14	21.9	7	10.9	6	9.4	5.6	5.2	7.5	5.6	3.7
9-10	17	15	88.2	0	0.0	2	11.8	10	58.8	6.5	6.0	0.0	10.0	7.1
11-12	48	37	77.1	7	14.6	4	8.3	7	14.6	9.7	9.6	4.3	19.8	5.3
13-14	29	17	58.6	3	10.3	9	31.0	1	3.4	7.8	5.8	7.0	11.7	2.0
15-16	11	10	90.9	0	0.0	1	9.1	1	9.1	4.3	4.0	0.0	7.0	7.0
17-18	21	8	38.1	5	23.8	8	38.1	12	57.1	11.9	15.1	7.2	11.6	8.5
19-20	42	33	78.6	1	2.4	8	19.0	21	50.0	8.2	6.6	5.0	15.4	4.2
21-22	52	33	63.5	6	11.5	12	23.1	10	19.2	9.2	8.9	9.2	10.7	11.7
23-24	20	16	80.0	1	5.0	0	0.0	0	0.0	12.5	14.4	12.0	0.0	0.0
25-29	59	32	54.2	9	15.3	16	27.1	14	23.7	8.0	8.5	7.6	7.8	6.5
30-34	96	47	49.0	17	17.7	20	20.8	19	19.8	8.7	12.2	5.9	4.9	16.0
35-39	273	150	54.9	40	14.7	73	26.7	47	17.2	7.5	7.4	9.5	7.1	6.9
40-44	382	219	57.3	72	18.8	75	19.6	53	13.9	6.9	5.6	7.4	10.7	6.7
45-49	488	315	64.5	88	18.0	65	13.3	35	7.2	8.0	7.1	10.0	10.5	13.9
50-54	725	482	66.5	107	14.8	102	14.1	50	6.9	7.4	6.6	10.8	7.0	6.6
55-59	1,003	675	67.3	174	17.3	100	10.0	55	5.5	8.3	8.3	8.6	8.5	7.0
60-64	1,091	757	69.4	154	14.1	128	11.7	61	5.6	8.3	8.2	9.9	7.8	8.4
65-69	1,203	899	74.7	156	13.0	96	8.0	57	4.7	8.7	8.1	10.2	12.1	10.9
70-74	1,404	1,077	76.7	169	12.0	89	6.3	40	2.8	8.1	8.1	9.6	8.4	9.1
75-79	1,503	1,215	80.8	150	10.0	88	5.9	37	2.5	8.7	8.6	10.2	8.9	7.6
80-84	1,194	987	82.7	97	8.1	77	6.4	19	1.6	9.3	9.2	12.7	7.3	10.9
85 and above	1,103	923	83.7	81	7.3	57	5.2	20	1.8	9.5	9.5	12.4	7.7	8.0

(continued)

Table 48. Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses¹ by Age and Race/Ethnicity, Westchester County Residents, 2004-2005 (cont'd)

2005														
Age (years)	Number of Discharges								Average Length of Stay (days)					
	Total ²	White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
		N	%	N	%	N	%	N	%					
Total	9,967	7,377	74.0	1,290	12.9	878	8.8	512	5.1	8.4	8.1	9.9	9.1	8.2
Less than 1	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
1-2	38	18	47.4	9	23.7	11	28.9	4	10.5	7.7	7.8	8.8	6.8	14.3
3-4	38	19	50.0	19	50.0	0	0.0	8	21.1	10.3	16.4	4.2	0.0	6.0
5-6	30	16	53.3	1	3.3	13	43.3	2	6.7	7.5	7.1	2.0	8.3	2.5
7-8	49	13	26.5	23	46.9	13	26.5	1	2.0	6.8	5.5	7.2	7.4	3.7
9-10	30	18	60.0	1	3.3	11	36.7	4	13.3	4.3	5.6	2.0	2.4	7.1
11-12	22	20	90.9	0	0.0	2	9.1	2	9.1	4.9	5.0	0.0	4.5	5.3
13-14	24	13	54.2	11	45.8	0	0.0	2	8.3	8.3	9.1	7.5	0.0	2.0
15-16	27	26	96.3	1	3.7	0	0.0	1	3.7	11.3	11.3	10.0	0.0	7.0
17-18	31	22	71.0	1	3.2	8	25.8	13	41.9	9.5	7.5	60.0	8.8	8.5
19-20	42	34	81.0	0	0.0	7	16.7	8	19.0	2.8	2.6	0.0	1.4	4.4
21-22	34	28	82.4	2	5.9	3	8.8	8	23.5	4.6	4.6	6.0	5.0	11.7
23-24	19	14	73.7	2	10.5	1	5.3	0	0.0	6.5	7.9	3.0	5.0	0.0
25-29	54	25	46.3	17	31.5	12	22.2	8	14.8	9.6	5.6	7.4	21.3	6.9
30-34	79	53	67.1	3	3.8	20	25.3	22	27.8	6.3	6.6	2.0	5.8	16.0
35-39	192	117	60.9	37	19.3	34	17.7	30	15.6	8.8	6.2	18.9	7.4	6.1
40-44	401	258	64.3	65	16.2	61	15.2	43	10.7	6.7	5.6	8.2	10.5	6.8
45-49	483	281	58.2	99	20.5	74	15.3	46	9.5	8.2	7.2	11.0	7.2	14.3
50-54	708	469	66.2	115	16.2	83	11.7	39	5.5	7.4	6.9	10.0	7.7	6.8
55-59	892	605	67.8	148	16.6	81	9.1	48	5.4	7.7	7.5	9.4	7.8	7.7
60-64	1,025	761	74.2	127	12.4	96	9.4	58	5.7	8.2	8.1	8.8	9.4	8.4
65-69	975	684	70.2	143	14.7	100	10.3	39	4.0	9.0	8.2	11.7	11.3	8.0
70-74	1,220	946	77.5	153	12.5	61	5.0	30	2.5	8.7	8.5	9.2	12.7	8.9
75-79	1,410	1,124	79.7	138	9.8	96	6.8	47	3.3	8.7	8.5	9.2	10.6	7.6
80-84	1,102	912	82.8	96	8.7	58	5.3	31	2.8	9.2	9.2	10.2	7.6	6.8
85 and above	1,042	901	86.5	79	7.6	33	3.2	18	1.7	8.8	8.6	10.0	7.8	8.1

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemo-therapy and radio-therapy is also included). Diagnoses that related to an earlier episode which had no bearing on the current hospital stay was excluded.

² Totals include cases with unknown race.

³ Include Native Americans, Asian and Pacific Islanders, and Other.

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 49. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning¹ by Etiology and Age, Westchester County Residents, 2004-2005

2004																											
Etiology	Number of Discharges																Average Length of Stay (days)										
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%									
Total	7,307	100.0	43	100.0	314	100.0	285	100.0	970	100.0	1,029	100.0	977	100.0	768	100.0	2,921	100.0	6.2	3.8	2.9	4.8	4.5	5.1	6.3	7.6	7.3
Falls	3,902	53.4	15	34.9	112	35.7	60	21.1	142	14.6	280	27.2	457	46.8	493	64.2	2343	80.2	6.8	2.7	1.7	4.9	4.0	5.4	7.3	7.4	7.2
Motor Vehicle Accident	514	7.0	1	2.3	12	3.8	27	9.5	188	19.4	109	10.6	76	7.8	45	5.9	56	1.9	5.4	3.0	2.8	4.7	5.4	5.2	4.6	6.2	6.7
Self-Inflicted	359	4.9	0	0.0	4	1.3	35	12.3	137	14.1	115	11.2	42	4.3	12	1.6	14	0.5	5.0	0.0	3.5	3.0	4.2	5.8	4.2	6.5	13.1
Assault	312	4.3	3	7.0	5	1.6	34	11.9	159	16.4	79	7.7	25	2.6	2	0.3	5	0.2	5.0	8.3	7.8	3.4	5.2	4.3	6.9	1.5	6.6
Poisoning	274	3.7	0	0.0	20	6.4	19	6.7	50	5.2	70	6.8	54	5.5	22	2.9	39	1.3	3.8	0.0	2.0	2.3	2.4	3.8	3.9	5.0	6.5
Struck by Object/Person	194	2.7	2	4.7	21	6.7	20	7.0	34	3.5	38	3.7	27	2.8	14	1.8	38	1.3	5.1	1.0	5.4	2.5	4.1	6.7	3.6	6.7	6.1
Pedestrian	135	1.8	0	0.0	20	6.4	13	4.6	20	2.1	20	1.9	25	2.6	11	1.4	26	0.9	7.5	0.0	3.7	30.7	2.9	6.9	5.8	6.3	4.9
Cutting Instrument	116	1.6	1	2.3	10	3.2	7	2.5	35	3.6	30	2.9	19	1.9	5	0.7	9	0.3	3.7	1.0	1.8	2.1	4.4	3.4	4.3	3.0	5.2
Overexertion	100	1.4	0	0.0	1	0.3	7	2.5	13	1.3	29	2.8	18	1.8	11	1.4	21	0.7	3.7	0.0	2.0	3.9	1.7	2.9	5.2	4.6	4.4
Bicycle	86	1.2	0	0.0	18	5.7	16	5.6	12	1.2	20	1.9	14	1.4	3	0.4	3	0.1	3.7	0.0	2.8	1.8	2.9	4.9	3.6	15.7	3.7
Scalds	57	0.8	9	20.9	16	5.1	3	1.1	4	0.4	8	0.8	7	0.7	3	0.4	7	0.2	6.6	4.8	4.8	5.3	13.5	5.6	4.1	26.0	5.4
Respiratory Interference	37	0.5	4	9.3	2	0.6	0	0.0	4	0.4	2	0.2	5	0.5	7	0.9	13	0.4	11.6	2.0	1.5	0.0	13.3	1.0	13.8	8.4	18.1
Machinery	31	0.4	0	0.0	2	0.6	0	0.0	12	1.2	14	1.4	3	0.3	0	0.0	0	0.0	4.2	0.0	2.0	0.0	5.5	3.1	5.0	0.0	0.0
Fire/Flame	29	0.4	0	0.0	3	1.0	0	0.0	5	0.5	7	0.7	1	0.1	2	0.3	11	0.4	6.2	0.0	2.3	0.0	3.8	5.6	31.0	5.0	6.6
Unintentional Firearms	4	0.1	0	0.0	0	0.0	0	0.0	2	0.2	0	0.0	2	0.2	0	0.0	0	0.0	6.5	0.0	0.0	0.0	3.5	0.0	9.5	0.0	0.0
Submersion	2	0.0	0	0.0	1	0.3	1	0.4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0
Other	1,155	15.8	8	18.6	67	21.3	43	15.1	153	15.8	208	20.2	202	20.7	138	18.0	336	11.5	6.4	5.0	3.4	3.4	4.4	5.2	6.1	9.2	8.2

(continued)

Table 49. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning¹ by Etiology and Age, Westchester County Residents, 2004-2005 (cont'd)

2005																											
Etiology	Number of Discharges																Average Length of Stay (days)										
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%									
Total	6,792	100.0	52	100.0	315	100.0	246	100.0	937	100.0	999	100.0	903	100.0	661	100.0	2,679	100.0	6.4	3.1	3.9	6.3	5.2	6.0	6.7	6.8	7.1
Falls	3,610	53.2	18	34.6	127	40.3	47	19.1	135	14.4	283	28.3	417	46.2	434	65.7	2149	80.2	6.5	1.4	3.4	5.0	3.7	5.0	7.3	6.7	7.0
Motor Vehicle Accident	574	8.5	0	0.0	9	2.9	28	11.4	206	22.0	121	12.1	107	11.8	41	6.2	62	2.3	6.6	0.0	2.7	5.7	6.1	6.1	8.6	6.5	6.3
Self-Inflicted	308	4.5	0	0.0	3	1.0	32	13.0	116	12.4	97	9.7	37	4.1	8	1.2	15	0.6	4.6	0.0	2.0	5.4	3.8	5.9	3.4	3.5	4.4
Assault	305	4.5	5	9.6	8	2.5	30	12.2	170	18.1	68	6.8	17	1.9	2	0.3	5	0.2	5.6	5.2	8.3	6.1	5.2	6.4	5.3	9.0	3.6
Poisoning	259	3.8	4	7.7	23	7.3	8	3.3	40	4.3	78	7.8	39	4.3	23	3.5	44	1.6	3.4	6.8	3.6	3.9	2.9	2.8	3.1	3.6	4.6
Pedestrian	173	2.5	0	0.0	16	5.1	10	4.1	36	3.8	34	3.4	39	4.3	15	2.3	23	0.9	7.9	0.0	4.6	4.4	5.7	9.0	7.5	16.5	8.8
Struck by Object/Person	165	2.4	2	3.8	21	6.7	29	11.8	28	3.0	32	3.2	17	1.9	8	1.2	28	1.0	8.8	3.5	4.3	17.7	13.5	5.3	4.3	5.0	6.6
Cutting Instrument	96	1.4	0	0.0	4	1.3	4	1.6	30	3.2	31	3.1	16	1.8	5	0.8	6	0.2	4.4	0.0	8.5	1.3	4.2	3.2	5.1	4.4	9.7
Overexertion	91	1.3	0	0.0	2	0.6	6	2.4	8	0.9	20	2.0	18	2.0	13	2.0	24	0.9	4.6	0.0	2.0	2.0	3.1	2.8	5.3	6.6	5.8
Scalds	73	1.1	7	13.5	22	7.0	2	0.8	6	0.6	16	1.6	9	1.0	4	0.6	7	0.3	7.8	5.7	6.8	10.0	4.3	9.1	7.4	6.8	13.7
Bicycle	52	0.8	0	0.0	13	4.1	6	2.4	10	1.1	10	1.0	7	0.8	3	0.5	3	0.1	5.2	0.0	2.8	3.3	3.5	6.5	12.4	1.3	6.7
Machinery	33	0.5	0	0.0	0	0.0	1	0.4	10	1.1	11	1.1	10	1.1	0	0.0	1	0.0	4.3	0.0	0.0	1.0	7.0	3.2	3.6	0.0	1.0
Fire/Flame	29	0.4	0	0.0	4	1.3	1	0.4	6	0.6	7	0.7	7	0.8	2	0.3	2	0.1	11.2	0.0	5.5	14.0	5.2	24.6	6.1	16.0	5.0
Respiratory Interference	24	0.4	2	3.8	4	1.3	0	0.0	1	0.1	1	0.1	1	0.1	3	0.5	12	0.4	9.6	2.0	3.5	0.0	1.0	16.0	6.0	8.0	13.8
Submersion	3	0.0	0	0.0	1	0.3	0	0.0	1	0.1	0	0.0	1	0.1	0	0.0	0	0.0	2.7	0.0	1.0	0.0	3.0	0.0	4.0	0.0	0.0
Unintentional Firearms	3	0.0	0	0.0	1	0.3	0	0.0	2	0.2	0	0.0	0	0.0	0	0.0	0	0.0	3.7	0.0	3.0	0.0	4.0	0.0	0.0	0.0	0.0
Other	994	14.6	14	26.9	57	18.1	42	17.1	132	14.1	190	19.0	161	17.8	100	15.1	298	11.1	7.0	2.1	3.2	3.2	6.1	8.3	6.0	7.3	8.5

¹ Including cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recording an external code (E-Code) are: a) principal diagnosis of an injury or poisoning, b) other diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis, and c) other diagnosis with an external cause. Only the first E-Code is recorded in this item.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 50. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning¹ by Etiology and Sex, Westchester County Residents, 2004-2005

2004									
Etiology	Number of Discharges						Average Length of Stay (days)		
	Total ²		Female		Male		Total	Female	Male
	Number	%	Number	%	Number	%			
Total	7,307	100.0	3,833	100.0	3,474	100.0	6.2	6.3	6.1
Falls	3,902	53.4	2,416	63.0	1,486	42.8	6.8	6.7	6.9
Motor Vehicle Accident	514	7.0	212	5.5	302	8.7	5.4	5.1	5.6
Self-Inflicted	359	4.9	219	5.7	140	4.0	5.0	4.0	6.5
Assault	312	4.3	46	1.2	266	7.7	5.0	6.6	4.7
Poisoning	274	3.7	118	3.1	156	4.5	3.8	4.3	3.4
Struck by Object/Person	194	2.7	59	1.5	135	3.9	5.1	5.3	5.0
Pedestrian	135	1.8	64	1.7	71	2.0	7.5	9.5	5.7
Cutting Instrument	116	1.6	37	1.0	79	2.3	3.7	3.1	4.0
Overexertion	100	1.4	39	1.0	61	1.8	3.7	4.3	3.4
Bicycle	86	1.2	13	0.3	73	2.1	3.7	3.8	3.7
Scalds	57	0.8	20	0.5	37	1.1	6.6	4.0	8.1
Respiratory Interference	37	0.5	22	0.6	15	0.4	11.6	12.6	10.1
Machinery	31	0.4	2	0.1	29	0.8	4.2	1.0	4.4
Fire/Flame	29	0.4	14	0.4	15	0.4	6.2	7.2	5.2
Unintentional Firearms	4	0.1	0	0.0	4	0.1	6.5	0.0	6.5
Submersion	2	0.0	0	0.0	2	0.1	1.0	0.0	1.0
Other	1,155	15.8	552	14.4	603	17.4	6.4	6.4	6.5
2005									
Total	6,792	100.0	3,561	100.0	3,230	100.0	6.4	6.3	6.6
Falls	3,610	53.2	2,290	64.3	1,320	40.9	6.5	6.4	6.8
Motor Vehicle Accident	574	8.5	207	5.8	367	11.4	6.6	5.2	7.3
Self-Inflicted	308	4.5	175	4.9	133	4.1	4.6	4.5	4.7
Assault	305	4.5	47	1.3	258	8.0	5.6	5.1	5.8
Poisoning	259	3.8	124	3.5	135	4.2	3.4	3.8	3.0
Pedestrian	173	2.5	61	1.7	112	3.5	7.9	7.4	8.2
Struck by Object/Person	165	2.4	52	1.5	113	3.5	8.8	6.0	10.1
Cutting Instrument	96	1.4	22	0.6	74	2.3	4.4	4.8	4.3
Overexertion	91	1.3	42	1.2	49	1.5	4.6	4.3	4.9
Scalds	73	1.1	30	0.8	42	1.3	7.8	7.9	7.9
Bicycle	52	0.8	8	0.2	44	1.4	5.2	4.9	5.2
Machinery	33	0.5	3	0.1	30	0.9	4.3	2.7	4.5
Fire/Flame	29	0.4	15	0.4	14	0.4	11.2	12.3	10.0
Respiratory Interference	24	0.4	12	0.3	12	0.4	9.6	10.1	9.1
Submersion	3	0.0	1	0.0	2	0.1	2.7	4.0	2.0
Unintentional Firearms	3	0.0	1	0.0	2	0.1	3.7	3.0	4.0
Other	994	14.6	471	13.2	523	16.2	7.0	7.5	6.5

¹ Including cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recording an external code (E-Code) are: a) principal diagnosis of an injury or poisoning, b) other diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis, and c) other diagnosis with an external cause.

² Total include cases with unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 51. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning¹ by Etiology and Race/Ethnicity, Westchester County Residents, 2004-2005

2004															
Etiology	Number of Discharges									Average Length of Stay (days)					
	Total ²		White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
	N	%	N	%	N	%	N	%	N	%					
Total	7,307	100.0	5,033	100.0	817	100.0	1,246	100.0	649	100.0	6.2	6.3	6.6	5.7	4.6
Falls	3,902	53.4	3,111	61.8	274	33.5	400	32.1	192	29.6	6.8	6.8	7.2	7.2	5.6
Motor Vehicle Accident	514	7.0	239	4.7	52	6.4	208	16.7	53	8.2	5.4	4.9	5.5	5.9	3.3
Self-Inflicted	359	4.9	222	4.4	45	5.5	86	6.9	61	9.4	5.0	5.1	3.2	5.8	4.1
Assault	312	4.3	88	1.7	101	12.4	114	9.1	58	8.9	5.0	4.5	6.1	4.1	4.1
Poisoning	274	3.7	171	3.4	55	6.7	45	3.6	44	6.8	3.8	3.8	4.6	2.9	3.5
Struck by Object/Person	194	2.7	119	2.4	23	2.8	51	4.1	26	4.0	5.1	5.1	4.2	5.5	3.5
Pedestrian	135	1.8	58	1.2	22	2.7	52	4.2	18	2.8	7.5	10.9	5.6	4.7	5.9
Cutting Instrument	116	1.6	63	1.3	15	1.8	38	3.0	35	5.4	3.7	3.6	4.9	3.5	4.0
Overexertion	100	1.4	68	1.4	12	1.5	15	1.2	8	1.2	3.7	3.9	3.8	3.8	3.3
Bicycle	86	1.2	43	0.9	16	2.0	21	1.7	9	1.4	3.7	3.7	5.9	2.4	3.8
Scalds	57	0.8	28	0.6	10	1.2	18	1.4	6	0.9	6.6	6.3	7.1	7.2	11.7
Respiratory Interference	37	0.5	28	0.6	2	0.2	4	0.3	0	0.0	11.6	13.2	7.0	5.5	0.0
Machinery	31	0.4	10	0.2	3	0.4	14	1.1	8	1.2	4.2	5.3	2.7	3.2	5.5
Fire/Flame	29	0.4	13	0.3	6	0.7	10	0.8	2	0.3	6.2	4.5	8.2	7.1	5.5
Unintentional Firearms	4	0.1	0	0.0	2	0.2	1	0.1	0	0.0	6.5	0.0	10.0	4.0	0.0
Submersion	2	0.0	0	0.0	0	0.0	2	0.2	0	0.0	1.0	0.0	0.0	1.0	0.0
Other	1,155	15.8	772	15.3	179	21.9	167	13.4	129	19.9	6.4	6.3	8.3	5.1	4.3

(continued)

Table 51. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning¹ by Etiology and Race/Ethnicity, Westchester County Residents, 2004-2005 (cont'd)

2005															
Etiology	Number of Discharges									Average Length of Stay (days)					
	Total ²		White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
	N	%	N	%	N	%	N	%	N	%					
Total	6,792	100.0	4,616	100.0	882	100.0	1,028	100.0	644	100.0	6.4	6.5	7.0	6.2	4.7
Falls	3,610	53.2	2,843	61.6	280	31.7	329	32.0	197	30.6	6.5	6.7	6.7	5.9	5.4
Motor Vehicle Accident	574	8.5	305	6.6	74	8.4	181	17.6	81	12.6	6.6	6.9	4.8	6.7	4.3
Self-Inflicted	308	4.5	189	4.1	51	5.8	57	5.5	26	4.0	4.6	4.2	6.0	4.6	5.1
Assault	305	4.5	82	1.8	117	13.3	100	9.7	56	8.7	5.6	4.2	6.3	6.2	4.3
Poisoning	259	3.8	156	3.4	60	6.8	35	3.4	2	0.3	3.4	3.4	3.4	3.8	2.0
Pedestrian	173	2.5	80	1.7	34	3.9	53	5.2	30	4.7	7.9	7.3	10.9	7.2	3.1
Struck by Object/Person	165	2.4	94	2.0	34	3.9	33	3.2	0	0.0	8.8	3.9	23.9	8.2	0.0
Cutting Instrument	96	1.4	54	1.2	11	1.2	28	2.7	26	4.0	4.4	3.9	8.3	4.3	3.8
Overexertion	91	1.3	58	1.3	10	1.1	13	1.3	31	4.8	4.6	5.3	4.7	3.3	6.4
Scalds	73	1.1	42	0.9	11	1.2	20	1.9	18	2.8	7.8	8.6	7.2	6.6	7.7
Bicycle	52	0.8	22	0.5	8	0.9	22	2.1	5	0.8	5.2	6.3	8.4	2.9	4.4
Machinery	33	0.5	17	0.4	3	0.3	11	1.1	10	1.6	4.3	2.8	2.3	7.8	6.4
Fire/Flame	29	0.4	15	0.3	5	0.6	9	0.9	5	0.8	11.2	7.6	15.0	15.0	5.8
Respiratory Interference	24	0.4	18	0.4	1	0.1	5	0.5	42	6.5	9.6	11.3	12.0	2.8	4.6
Submersion	3	0.0	2	0.0	0	0.0	1	0.1	1	0.2	2.7	3.5	0.0	1.0	6.0
Unintentional Firearms	3	0.0	1	0.0	1	0.1	1	0.1	104	16.1	3.7	3.0	2.0	6.0	3.6
Other	994	14.6	638	13.8	182	20.6	130	12.6	10	1.6	7.0	7.3	6.4	7.4	3.8

¹ Including cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recording an external code (E-Code) are: a) principal diagnosis of an injury or poisoning, b) other diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis, and c) other diagnosis with an external cause. Only the first E-Code is recorded in this item.

² Totals include cases with unknown race.

³ Include Native Americans, Asian and Pacific Islanders, and Other.

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 52. Number of Hospital Discharges and Average Length of Stay Due to Diabetes-Related Diagnoses¹ by Age and Sex, Westchester County Residents, 2004-2005

2004								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total ²	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	17,890	9,150	51.1	8,740	48.9	7.1	7.2	7.1
Less than 1	0	0	0.0	0	0.0	0.0	0.0	0.0
1-2	3	1	33.3	2	66.7	4.7	5.0	4.5
3-4	8	3	37.5	5	62.5	4.9	3.3	5.8
5-6	12	3	25.0	9	75.0	4.3	5.3	4.0
7-8	17	9	52.9	8	47.1	3.7	4.3	3.0
9-10	11	7	63.6	4	36.4	4.0	3.6	4.8
11-12	23	12	52.2	11	47.8	7.0	8.6	5.3
13-14	26	9	34.6	17	65.4	3.0	4.0	2.5
15-16	22	13	59.1	9	40.9	4.7	5.8	3.1
17-18	23	10	43.5	13	56.5	5.1	4.9	5.3
19-20	25	10	40.0	15	60.0	3.3	2.2	4.1
21-22	37	23	62.2	14	37.8	5.8	4.3	8.1
23-24	31	20	64.5	11	35.5	2.8	2.9	2.5
25-29	109	63	57.8	46	42.2	6.5	5.8	7.3
30-34	183	109	59.6	74	40.4	5.9	5.4	6.5
35-39	398	208	52.3	190	47.7	6.1	5.2	7.1
40-44	565	269	47.6	296	52.4	6.3	6.2	6.5
45-49	888	423	47.6	465	52.4	5.8	5.4	6.3
50-54	1,203	487	40.5	716	59.5	6.6	6.9	6.4
55-59	1,539	754	49.0	785	51.0	6.9	6.9	6.9
60-64	1,769	847	47.9	922	52.1	7.0	7.4	6.6
65-69	2,092	1,052	50.3	1,040	49.7	7.1	7.1	7.0
70-74	2,368	1,159	48.9	1,209	51.1	7.3	7.6	6.9
75-79	2,599	1,366	52.6	1,233	47.4	7.7	7.5	7.9
80-84	2,041	1,066	52.2	975	47.8	7.8	7.8	7.7
85 and above	1,898	1,227	64.6	671	35.4	7.7	7.5	8.2

(continued)

Table 52. Number of Hospital Discharges and Average Length of Stay Due to Diabetes-Related Diagnoses¹ by Age and Sex, Westchester County Residents, 2004-2005 (cont'd)

2005								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total ²	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	17,066	8,852	51.9	8,211	48.1	7.0	6.9	7.1
Less than 1	0	0	0.0	0	0.0	0.0	0.0	0.0
1-2	10	6	60.0	4	40.0	4.2	3.0	6.0
3-4	9	3	33.3	6	66.7	5.2	5.7	5.0
5-6	2	1	50.0	1	50.0	2.0	2.0	2.0
7-8	15	10	66.7	5	33.3	4.4	3.8	5.6
9-10	9	5	55.6	4	44.4	9.3	9.2	9.5
11-12	13	6	46.2	7	53.8	7.1	8.2	6.1
13-14	15	5	33.3	10	66.7	2.8	2.8	2.8
15-16	29	17	58.6	12	41.4	5.8	7.0	4.0
17-18	18	9	50.0	9	50.0	8.7	3.1	14.2
19-20	33	25	75.8	8	24.2	4.8	4.2	6.6
21-22	29	25	86.2	4	13.8	3.0	2.6	5.5
23-24	25	16	64.0	9	36.0	5.2	6.6	2.7
25-29	115	64	55.7	51	44.3	5.3	5.1	5.7
30-34	159	96	60.4	63	39.6	4.6	4.5	4.8
35-39	378	211	55.8	167	44.2	6.5	4.9	8.6
40-44	609	252	41.4	357	58.6	6.5	5.1	7.6
45-49	872	375	43.0	496	56.9	7.0	5.9	7.9
50-54	1,093	453	41.4	640	58.6	6.5	6.4	6.5
55-59	1,486	736	49.5	750	50.5	6.5	6.5	6.4
60-64	1,706	815	47.8	891	52.2	6.7	7.1	6.3
65-69	1,920	899	46.8	1,021	53.2	6.9	6.6	7.2
70-74	2,146	1,138	53.0	1,007	46.9	7.3	7.3	7.3
75-79	2,398	1,278	53.3	1,120	46.7	7.3	7.4	7.2
80-84	1,937	1,076	55.5	860	44.4	7.4	7.5	7.3
85 and above	2,040	1,331	65.2	709	34.8	7.4	7.3	7.8

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay.

² Totals include cases with unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 53. Number of Hospital Discharges and Average Length of Stay Due to Diabetes-Related Diagnoses¹ by Age and Race/Ethnicity, Westchester County Residents, 2004-2005

2004														
Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total ²	White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
		N	%	N	%	N	%	N	%					
Total	17,890	10,840	60.6	4,140	23.1	2,267	12.7	1,642	9.2	7.1	7.1	7.6	7.0	6.7
Less than 1	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
1-2	3	2	66.7	0	0.0	1	33.3	1	33.3	4.7	5.0	0.0	4.0	4.0
3-4	8	5	62.5	2	25.0	1	12.5	1	12.5	4.9	3.4	8.5	5.0	2.0
5-6	12	4	33.3	5	41.7	3	25.0	0	0.0	4.3	4.0	5.0	3.7	0.0
7-8	17	14	82.4	0	0.0	3	17.6	3	17.6	3.7	2.9	0.0	7.7	3.7
9-10	11	6	54.5	1	9.1	3	27.3	1	9.1	4.0	3.3	9.0	3.7	3.0
11-12	23	11	47.8	3	13.0	9	39.1	3	13.0	7.0	8.8	7.3	4.7	5.7
13-14	26	8	30.8	6	23.1	12	46.2	4	15.4	3.0	2.8	3.7	2.9	3.3
15-16	22	11	50.0	7	31.8	3	13.6	3	13.6	4.7	3.0	7.6	5.0	3.3
17-18	23	6	26.1	15	65.2	2	8.7	1	4.3	5.1	2.7	6.5	2.5	4.0
19-20	25	8	32.0	6	24.0	11	44.0	9	36.0	3.3	3.6	5.0	2.2	2.0
21-22	37	12	32.4	11	29.7	14	37.8	4	10.8	5.8	6.2	4.4	6.6	4.0
23-24	31	10	32.3	12	38.7	9	29.0	6	19.4	2.8	1.7	3.6	2.9	3.2
25-29	109	35	32.1	40	36.7	31	28.4	30	27.5	6.5	3.7	9.1	5.1	4.6
30-34	183	62	33.9	80	43.7	38	20.8	36	19.7	5.9	4.7	6.7	5.8	5.3
35-39	398	158	39.7	155	38.9	72	18.1	84	21.1	6.1	5.8	6.6	6.4	4.7
40-44	565	241	42.7	206	36.5	101	17.9	98	17.3	6.3	6.3	6.8	5.6	5.8
45-49	888	406	45.7	315	35.5	130	14.6	152	17.1	5.8	6.0	6.0	5.3	5.9
50-54	1,203	597	49.6	331	27.5	235	19.5	171	14.2	6.6	6.2	7.6	6.2	6.7
55-59	1,539	757	49.2	443	28.8	257	16.7	186	12.1	6.9	6.8	7.1	7.7	6.4
60-64	1,769	922	52.1	482	27.2	284	16.1	233	13.2	7.0	6.7	8.0	6.7	7.0
65-69	2,092	1,134	54.2	563	26.9	297	14.2	196	9.4	7.1	7.0	7.5	7.2	6.3
70-74	2,368	1,492	63.0	523	22.1	274	11.6	158	6.7	7.3	7.2	7.9	6.8	6.7
75-79	2,599	1,866	71.8	408	15.7	246	9.5	141	5.4	7.7	7.3	8.8	10.2	12.1
80-84	2,041	1,571	77.0	282	13.8	129	6.3	70	3.4	7.8	7.7	8.4	7.0	6.6
85 and above	1,898	1,502	79.1	244	12.9	102	5.4	51	2.7	7.7	7.6	8.5	7.7	7.1

(continued)

Table 53. Number of Hospital Discharges and Average Length of Stay Due to Diabetes-Related Diagnoses¹ by Age and Race/Ethnicity, Westchester County Residents, 2004-2005 (cont'd)

2005														
Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total ²	White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
		N	%	N	%	N	%	N	%					
Total	17,066	10,211	59.8	4,168	24.4	2,004	11.7	1,581	9.3	7.0	7.0	7.2	6.9	6.6
Less than 1	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
1-2	10	8	80.0	1	10.0	1	10.0	2	20.0	4.2	4.9	1.0	2.0	2.5
3-4	9	3	33.3	1	11.1	5	55.6	1	11.1	5.2	3.3	8.0	5.8	5.0
5-6	2	1	50.0	0	0.0	1	50.0	0	0.0	2.0	2.0	0.0	2.0	0.0
7-8	15	9	60.0	6	40.0	0	0.0	3	20.0	4.4	4.7	4.0	0.0	4.0
9-10	9	2	22.2	3	33.3	4	44.4	2	22.2	9.3	3.5	22.3	2.5	2.0
11-12	13	1	7.7	4	30.8	6	46.2	1	7.7	7.1	7.0	11.0	5.0	9.0
13-14	15	7	46.7	2	13.3	6	40.0	5	33.3	2.8	2.1	5.5	2.7	3.0
15-16	29	12	41.4	8	27.6	9	31.0	1	3.4	5.8	2.9	6.0	9.3	2.0
17-18	18	9	50.0	6	33.3	2	11.1	2	11.1	8.7	5.7	3.2	3.0	18.0
19-20	33	4	12.1	23	69.7	6	18.2	5	15.2	4.8	9.0	3.2	7.8	3.2
21-22	29	7	24.1	14	48.3	8	27.6	11	37.9	3.0	2.0	3.0	3.9	3.6
23-24	25	7	28.0	11	44.0	6	24.0	4	16.0	5.2	3.1	3.3	3.2	4.5
25-29	115	37	32.2	40	34.8	38	33.0	37	32.2	5.3	4.3	4.7	7.0	6.2
30-34	159	50	31.4	69	43.4	30	18.9	26	16.4	4.6	4.7	4.8	3.5	4.2
35-39	378	150	39.7	146	38.6	66	17.5	78	20.6	6.5	4.9	5.9	12.3	7.0
40-44	609	266	43.7	223	36.6	101	16.6	98	16.1	6.5	6.1	7.7	5.4	5.2
45-49	872	377	43.2	337	38.6	123	14.1	122	14.0	7.0	6.6	6.8	9.9	5.7
50-54	1,093	514	47.0	347	31.7	188	17.2	136	12.4	6.5	7.1	6.3	5.5	6.3
55-59	1,486	726	48.9	467	31.4	217	14.6	157	10.6	6.5	6.8	6.7	6.0	6.3
60-64	1,706	938	55.0	442	25.9	248	14.5	237	13.9	6.7	6.7	7.3	6.1	6.6
65-69	1,920	1,073	55.9	514	26.8	248	12.9	191	9.9	6.9	6.9	7.5	6.5	7.4
70-74	2,146	1,285	59.9	540	25.2	239	11.1	168	7.8	7.3	7.0	8.1	7.8	8.5
75-79	2,398	1,681	70.1	386	16.1	229	9.5	126	5.3	7.3	7.2	7.9	7.6	7.7
80-84	1,937	1,465	75.6	282	14.6	132	6.8	105	5.4	7.4	7.2	8.6	6.8	5.6
85 and above	2,040	1,579	77.4	296	14.5	91	4.5	63	3.1	7.4	7.5	7.1	7.2	6.4

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay.

² Totals include cases with unknown race.

³ Include Native Americans, Asian and Pacific Islanders, and Other.

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 54. Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses¹ by Age and Sex, Westchester County Residents, 2004-2005

2004								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	1,370	615	44.9	755	55.1	8.3	8.1	8.4
Less than 1	0	0	0.0	0	0.0	0.0	0.0	0.0
1-2	2	1	50.0	1	50.0	10.0	18.0	2.0
3-4	2	2	100.0	0	0.0	3.0	3.0	0.0
5-6	1	1	100.0	0	0.0	1.0	1.0	0.0
7-8	4	0	0.0	4	100.0	3.0	0.0	3.0
9-10	3	2	66.7	1	33.3	10.0	9.5	11.0
11-12	1	0	0.0	1	100.0	3.0	0.0	3.0
13-14	1	0	0.0	1	100.0	2.0	0.0	2.0
15-16	5	1	20.0	4	80.0	15.0	3.0	18.0
17-18	13	11	84.6	2	15.4	10.5	12.1	1.5
19-20	7	5	71.4	2	28.6	5.6	6.0	4.5
21-22	17	4	23.5	13	76.5	7.4	6.5	7.7
23-24	20	3	15.0	17	85.0	10.3	5.3	11.1
25-29	41	33	80.5	8	19.5	7.3	7.6	6.0
30-34	98	52	53.1	46	46.9	8.1	6.9	9.4
35-39	182	106	58.2	76	41.8	7.3	7.4	7.1
40-44	285	114	40.0	171	60.0	8.9	7.8	9.7
45-49	294	122	41.5	172	58.5	7.7	7.1	8.1
50-54	204	83	40.7	121	59.3	9.0	9.8	8.5
55-59	114	41	36.0	73	64.0	8.3	11.4	6.5
60-64	41	14	34.1	27	65.9	8.1	3.9	10.3
65-69	15	8	53.3	7	46.7	13.5	20.9	5.1
70-74	15	8	53.3	7	46.7	7.1	4.6	10.0
75-79	4	3	75.0	1	25.0	9.3	7.7	14.0
80-84	0	0	0.0	0	0.0	0.0	0.0	0.0
85 and above	1	1	100.0	0	0.0	8.0	8.0	0.0

(continued)

Table 54. Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses¹ by Age and Sex, Westchester County Residents, 2004-2005 (cont'd)

2005								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	1,179	540	45.8	639	54.2	8.1	6.8	9.2
Less than 1	0	0	0.0	0	0.0	0.0	0.0	0.0
1-2	0	0	0.0	0	0.0	0.0	0.0	0.0
3-4	0	0	0.0	0	0.0	0.0	0.0	0.0
5-6	1	1	100.0	0	0.0	20.0	20.0	0.0
7-8	0	0	0.0	0	0.0	0.0	0.0	0.0
9-10	2	0	0.0	2	100.0	2.0	0.0	2.0
11-12	6	6	100.0	0	0.0	11.5	11.5	0.0
13-14	8	2	25.0	6	75.0	13.8	4.5	16.8
15-16	7	4	57.1	3	42.9	9.6	13.8	4.0
17-18	3	3	100.0	0	0.0	6.7	6.7	0.0
19-20	6	6	100.0	0	0.0	4.2	4.2	0.0
21-22	4	3	75.0	1	25.0	8.8	8.3	10.0
23-24	36	12	33.3	24	66.7	6.6	7.3	6.3
25-29	31	24	77.4	7	22.6	6.5	7.2	4.1
30-34	43	27	62.8	16	37.2	8.4	7.9	9.4
35-39	176	97	55.1	79	44.9	7.0	6.8	7.4
40-44	261	116	44.4	145	55.6	9.1	6.4	11.2
45-49	208	87	41.8	121	58.2	7.7	6.0	8.9
50-54	218	92	42.2	126	57.8	8.0	7.2	8.6
55-59	105	41	39.0	64	61.0	8.8	6.4	10.3
60-64	33	8	24.2	25	75.8	7.3	5.4	8.0
65-69	12	2	16.7	10	83.3	9.3	6.0	9.9
70-74	11	6	54.5	5	45.5	11.1	12.3	9.6
75-79	5	3	60.0	2	40.0	5.2	3.7	7.5
80-84	3	0	0.0	3	100.0	11.7	0.0	11.7
85 and above	0	0	0.0	0	0.0	0.0	0.0	0.0

¹Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. In addition, it included any V-class coding as V0.80 and any of the variables for current, new or past New York State diagnosis-related group in the range of 700 to 716 or any current, new or past federal diagnosis-related group in the range of 488 to 490.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 55. Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses¹ by Age and Race/Ethnicity, Westchester County Residents, 2004-2005

2004														
Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total ²	White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
		N	%	N	%	N	%	N	%					
Total	1,370	358	26.1	797	58.2	186	13.6	222	16.2	8.3	8.7	8.3	7.7	7.9
Less than 1	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
1-2	2	1	50.0	1	50.0	0	0.0	0	0.0	10.0	18.0	2.0	0.0	0.0
3-4	2	2	0.0	0	0.0	0	0.0	2	0.0	3.0	3.0	0.0	0.0	3.0
5-6	1	0	0.0	1	0.0	0	0.0	0	0.0	1.0	0.0	1.0	0.0	0.0
7-8	4	0	0.0	4	0.0	0	0.0	0	0.0	3.0	0.0	3.0	0.0	0.0
9-10	3	0	0.0	3	0.0	0	0.0	0	0.0	10.0	0.0	10.0	0.0	0.0
11-12	1	0	0.0	0	0.0	0	0.0	0	0.0	3.0	0.0	0.0	0.0	0.0
13-14	1	0	0.0	1	100.0	0	0.0	0	0.0	2.0	0.0	2.0	0.0	0.0
15-16	5	0	0.0	4	0.0	1	20.0	0	0.0	15.0	0.0	18.0	3.0	0.0
17-18	13	1	7.7	11	84.6	1	7.7	2	15.4	10.5	1.0	12.1	2.0	1.5
19-20	7	2	28.6	3	42.9	2	28.6	2	28.6	5.6	4.5	6.7	5.0	4.5
21-22	17	10	58.8	5	29.4	2	11.8	5	29.4	7.4	8.5	6.6	4.0	7.8
23-24	20	4	20.0	12	60.0	4	20.0	3	15.0	10.3	7.0	7.8	20.8	8.0
25-29	41	7	17.1	23	56.1	7	17.1	7	17.1	7.3	8.9	6.9	7.0	6.3
30-34	98	31	31.6	47	48.0	15	15.3	30	30.6	8.1	7.3	8.1	10.8	7.6
35-39	182	49	26.9	90	49.5	41	22.5	38	20.9	7.3	8.6	7.3	5.9	4.8
40-44	285	80	28.1	163	57.2	38	13.3	55	19.3	8.9	11.4	8.3	7.1	10.9
45-49	294	76	25.9	182	61.9	32	10.9	26	8.8	7.7	8.1	7.9	6.0	6.0
50-54	204	48	23.5	137	67.2	14	6.9	29	14.2	9.0	8.0	9.2	11.1	9.6
55-59	114	25	21.9	67	58.8	20	17.5	18	15.8	8.3	6.3	8.4	10.2	9.2
60-64	41	11	26.8	24	58.5	5	12.2	3	7.3	8.1	9.4	8.0	5.8	2.3
65-69	15	3	20.0	8	53.3	3	20.0	2	13.3	13.5	9.7	18.1	6.3	7.0
70-74	15	6	40.0	8	53.3	1	6.7	0	0.0	7.1	7.8	6.0	12.0	0.0
75-79	4	1	25.0	3	75.0	0	0.0	0	0.0	9.3	14.0	7.7	0.0	0.0
80-84	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
85 and above	1	1	100.0	0	0.0	0	0.0	0	0.0	8.0	8.0	0.0	0.0	0.0

(continued)

Table 55. Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses¹ by Age and Race/Ethnicity, Westchester County Residents, 2004-2005 (cont'd)

2005														
Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total ²	White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
		N	%	N	%	N	%	N	%					
Total	1,179	339	28.8	637	54.0	181	15.4	191	16.2	8.1	6.9	7.8	11.6	6.0
Less than 1	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
1-2	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
3-4	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
5-6	1	0	0.0	0	0.0	1	100.0	0	0.0	20.0	0.0	0.0	20.0	0.0
7-8	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
9-10	2	1	50.0	1	50.0	0	0.0	0	0.0	2.0	1.0	3.0	0.0	0.0
11-12	6	0	0.0	6	100.0	0	0.0	0	0.0	11.5	0.0	11.5	0.0	0.0
13-14	8	2	25.0	5	62.5	1	12.5	1	12.5	13.8	4.5	19.6	3.0	3.0
15-16	7	1	14.3	6	85.7	0	0.0	0	0.0	9.6	40.0	4.5	0.0	0.0
17-18	3	0	0.0	2	66.7	1	33.3	1	33.3	6.7	0.0	9.0	2.0	2.0
19-20	6	2	33.3	2	33.3	2	33.3	2	33.3	4.2	4.0	5.0	3.5	4.0
21-22	4	4	100.0	0	0.0	0	0.0	1	25.0	8.8	8.8	0.0	0.0	10.0
23-24	36	12	33.3	15	41.7	9	25.0	4	11.1	6.6	6.4	6.3	7.3	6.0
25-29	31	4	12.9	19	61.3	7	22.6	0	0.0	6.5	2.8	7.7	5.9	0.0
30-34	43	10	23.3	19	44.2	12	27.9	11	25.6	8.4	7.9	8.1	10.4	7.4
35-39	176	48	27.3	85	48.3	37	21.0	40	22.7	7.0	7.1	6.7	8.4	5.3
40-44	261	90	34.5	139	53.3	30	11.5	47	18.0	9.1	6.0	7.0	28.1	5.2
45-49	208	53	25.5	113	54.3	36	17.3	30	14.4	7.7	6.6	7.7	9.3	8.3
50-54	218	64	29.4	132	60.6	20	9.2	28	12.8	8.0	6.0	9.2	5.9	4.9
55-59	105	22	21.0	65	61.9	17	16.2	19	18.1	8.8	9.5	7.9	11.2	7.3
60-64	33	17	51.5	12	36.4	4	12.1	6	18.2	7.3	8.2	7.6	3.0	4.2
65-69	12	3	25.0	6	50.0	1	8.3	0	0.0	9.3	6.7	7.5	3.0	0.0
70-74	11	3	27.3	5	45.5	3	27.3	1	9.1	11.1	21.0	7.0	8.0	8.0
75-79	5	2	40.0	3	60.0	0	0.0	0	0.0	5.2	1.0	8.0	0.0	0.0
80-84	3	1	33.3	2	66.7	0	0.0	0	0.0	11.7	22.0	6.5	0.0	0.0
85 and above	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. In addition, it included any V-class coding as V0.80 and any of the variables for current, new or past New York State diagnosis-related group in the range of 700 to 716 or any current, new or past federal diagnosis-related group in the range of 488 to 490.

² Totals include cases with unknown race.

³ Include Native Americans, Asian and Pacific Islanders, and Other.

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of April 2006.

Table 56. Reported Cases and Rates of Reportable Diseases, Westchester County, 2003-2005¹

Communicable Disease Category		2005		2004		2003	
		Cases	Rate	Cases	Rate	Cases	Rate
Vaccine-Preventable Diseases	Measles	1	0.1	0	0.0	0	0.0
	Mumps	0	0.0	1	0.1	0	0.0
	Pertussis ²	62	6.7	81	8.8	71	7.7
	Rubella	0	0.0	0	0.0	0	0.0
CNS Diseases and Bacteremias	Encephalitis						
	<i>West Nile Encephalitis (lab positive)</i>	2	0.2	1	0.1	2	0.2
	<i>Non-West Nile Encephalitis</i>	2	0.2	7	0.8	9	1.0
	Haemophilus Influenzae Type B	1	0.1	0	0.0	0	0.0
	Listeriosis	8	0.9	10	1.1	6	0.6
	Meningitis						
	<i>Aseptic Meningitis</i>	19	2.1	41	4.4	39	4.2
	<i>Meningococcal Diseases</i>	1	0.1	3	0.3	3	0.3
	<i>Other Meningitis/Bacteremias</i> ³	108	11.7	80	8.7	80	8.7
	<i>Invasive Strep Pneumoniae</i> ⁴	88	9.5	70	7.6	79	8.6
<i>Drug-Resistant Strep Pneumoniae</i>	12	1.3	10	1.1	14	1.5	
Enteric Infections	Amebiasis ²	27	2.9	22	2.4	26	2.8
	Campylobacteriosis	132	14.3	121	13.1	125	13.5
	Cryptosporidiosis	83	9.0	8	0.9	9	1.0
	Cyclosporidiosis	11	1.2	12	1.3	1	0.1
	Giardiasis	124	13.4	132	14.3	110	11.9
	Salmonellosis	125	13.5	133	14.4	138	14.9
	Shigellosis	27	2.9	23	2.5	21	2.3
	STEC (E. Coli 0157) ^{2,5}	9	1.0	12	1.3	10	1.1
	Hemolytic Uremic Syndrome	0	0.0	1	0.1	3	0.3
	Typhoid	0	0.0	0	0.0	3	0.3
	Vibrio	0	0.0	3	0.3	2	0.2
	Yersiniosis	1	0.1	0	0.0	2	0.2
Viral Hepatitis	Hepatitis A	15	1.6	22	2.4	15	1.6
	Hepatitis B						
	<i>Acute</i>	5	0.5	4	0.4	5	0.5
	<i>Chronic</i> ^{2,6,7}	41	4.4	115	12.5	104	11.3
	<i>Infant Perinatal</i>	0	0.0	0	0.0	0	0.0
	Hepatitis C ⁷						
	<i>Acute</i>	0	0.0	0	0.0	0	0.0
<i>Chronic</i> ^{2,6}	716	77.5	569	61.6	178	19.3	
Other Hepatitis	0	0.0	0	0.0	0	0.0	
Sexually Transmitted Diseases	Chlamydia	1,675	181.4	1,646	178.2	1,569	169.9
	Gonorrhea	395	42.8	432	46.8	587	63.6
	<i>PPNG</i> ⁸	0	0.0	0	0.0	0	0.0
	Syphilis (All Stages) ⁹	133	14.4	141	15.3	91	9.9
	<i>Early Syphilis</i>	23	2.5	33	3.6	18	1.9
	<i>Congenital Syphilis</i> ¹⁰	2	n/a	3	24.2	1	7.8
Tuberculosis	53	5.7	63	6.8	57	6.2	
Vector-Borne, Zoonoses	Babesiosis ⁷	13	1.4	9	1.0	13	1.4
	Ehrlichiosis ^{2,7}	0	0.0	0	0.0	0	0.0
	Lyme Disease ⁷	454	49.2	736	79.7	624	67.6
	<i>Reported by Westchester Medical Ctr</i>	19	2.1	14	1.5	30	3.2
	Malaria	10	1.1	8	0.9	17	1.8
	Tularemia	0	0.0	0	0.0	1	0.1
Other	Legionellosis ²	41	4.4	8	0.9	10	1.1
	Toxic Shock Syndrome	0	0.0	0	0.0	1	0.1

¹ As of September 27, 2006. Rates are per 100,000 population.

² Includes probable cases.

³ Include Invasive Group A, Group B Strep, Invasive H. Influenzae.

⁴ As of January 2000, Invasive Strep Pneumoniae includes Invasive Strep Pneumoniae (Sensitive), Bacteremia and Meningitis.

⁵ Shiga toxin producing E. Coli (STEC); may include non-0157 shiga toxin producing strains of E. Coli.

⁶ Chronic Hepatitis B and C became reportable in NYS in June 2002. Includes probable cases.

⁷ Incomplete data due to surveillance limitations.

⁸ Penicillinase producing N. Gonorrhea. PPNG cases are included in Gonorrhea total.

⁹ Total Syphilis cases do not include Congenital Syphilis. Early syphilis includes primary, secondary, and early latent Syphilis.

¹⁰ Rates for Congenital Syphilis are per 100,000 live births.

Source: Westchester County Department of Health, Division of Disease Control.

Table 57. Reported Cases and Rates of Sexually Transmitted Diseases, Westchester County, 2005¹

Health Planning Region and Municipality	Chlamydia		Gonorrhea		Syphilis	
	Cases	Rate	Cases	Rate	Cases	Rate
Westchester County	1,675	181.4	395	42.8	133	14.4
Northwest	267	189.8	40	28.4	9	6.4
Briarcliff Manor	3	39.0	0	0.0	0	0.0
Buchanan	1	45.7	0	0.0	0	0.0
Cortlandt	18	62.8	4	14.0	0	0.0
Croton on Hudson	6	78.9	0	0.0	2	26.3
Mount Pleasant	78	298.3	15	57.4	0	0.0
Ossining (T)	6	108.8	0	0.0	0	0.0
Ossining (V)	46	191.6	9	37.5	4	16.7
Peekskill	76	338.7	8	35.6	2	8.9
Pleasantville	5	69.7	1	13.9	1	13.9
Sleepy Hollow	28	304.0	3	32.6	0	0.0
Northeast	84	63.0	13	9.7	8	6.0
Bedford	11	60.7	2	11.0	0	0.0
Lewisboro	3	24.3	1	8.1	1	8.1
Mount Kisco	10	100.2	2	20.0	1	10.0
New Castle	7	40.0	2	11.4	0	0.0
North Castle	10	92.2	2	18.4	1	9.2
North Salem	3	58.0	1	19.3	1	19.3
Pound Ridge	3	63.5	0	0.0	0	0.0
Somers	8	43.6	2	10.9	1	5.5
Yorktown	29	79.9	1	2.8	3	8.3
West Central	218	138.3	44	27.9	34	21.6
Ardsley	2	46.8	1	23.4	0	0.0
Dobbs Ferry	14	131.8	4	37.7	0	0.0
Elmsford	14	299.4	2	42.8	4	85.5
Greenburgh	51	121.9	12	28.7	12	28.7
Hastings on Hudson	7	91.5	6	78.5	0	0.0
Irvington	2	30.2	1	15.1	0	0.0
Scarsdale	5	28.1	2	11.2	0	0.0
Tarrytown	13	117.2	3	27.1	2	18.0
White Plains	110	207.2	13	24.5	16	30.1
East Central	96	85.7	17	15.2	11	9.8
Harrison	26	107.6	6	24.8	0	0.0
Larchmont	4	61.7	1	15.4	0	0.0
Mamaroneck (T)	2	18.0	0	0.0	1	9.0
Mamaroneck (V)	10	53.3	1	5.3	2	10.7
Port Chester	39	140.0	7	25.1	7	25.1
Rye	9	60.2	1	6.7	1	6.7
Rye Brook	6	69.8	1	11.6	0	0.0
Southwest	480	244.8	121	61.7	26	13.3
Yonkers	480	244.8	121	61.7	26	13.3
Southeast	521	283.5	155	84.4	44	23.9
Bronxville	2	30.6	0	0.0	0	0.0
Eastchester	6	32.3	0	0.0	1	5.4
Mount Vernon	349	510.4	122	178.4	29	42.4
New Rochelle	145	200.9	27	37.4	14	19.4
Pelham	11	171.9	3	46.9	0	0.0
Pelham Manor	3	54.9	1	18.3	0	0.0
Tuckahoe	5	80.5	2	32.2	0	0.0
Unknown	9	-	5	-	1	-

¹ As of September 27, 2006. All are confirmed cases. Rates are per 100,000 population.

Source: Westchester Department of Health, Division of Disease Control.

Table 58. Reported Cases and Rates of Chlamydia by Age Group, Sex, and Race/Ethnicity, Westchester County, 2005¹

Sex and Race/Ethnicity	Total ²		<15		15-19		20-24		25-29		30-34		35-39		40+	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total	1,675	181.4	22	11.2	585	1076.1	566	1205.2	259	473.2	114	165.9	63	78.9	57	13.5
Male	378	85.6	4	4.0	89	314.2	143	611.8	66	245.8	28	84.5	30	77.9	15	7.9
White	60	19.0	0	0.0	9	51.2	30	215.5	7	42.2	4	18.1	8	29.5	1	0.7
Black	181	306.9	2	12.4	58	1102.7	65	1738.4	25	672.4	14	312.2	11	218.5	6	29.2
Other/Unknown	137	..	2	..	22	..	48	..	34	..	10	..	11	..	8	..
Hispanic ³	106	144.4	2	10.4	14	215.7	44	590.3	27	345.4	7	91.5	8	113.9	3	17.0
Female	1,297	269.2	18	18.9	496	1905.1	423	1793.2	193	692.2	86	241.6	33	79.9	42	18.1
White	294	85.7	3	4.8	97	599.0	111	795.2	44	257.5	18	78.0	8	28.5	11	6.1
Black	523	724.9	11	71.4	238	4820.7	159	3648.5	55	1168.5	36	605.3	7	102.7	15	50.0
Other/Unknown	480	..	4	..	161	..	153	..	94	..	32	..	18	..	16	..
Hispanic ³	371	524.6	2	10.9	124	2299.3	116	1867.4	74	1113.3	28	397.1	17	254.9	9	44.2

¹ As of September 27, 2006. All are confirmed cases. Rates are per 100,000 population.

² Total includes cases with unknown information on age.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: Westchester County Department of Health, Division of Disease Control.

Table 59. Reported Cases and Rates of Gonorrhea by Age Group, Sex, and Race/Ethnicity, Westchester County, 2005¹

Sex and Race/Ethnicity	Total ²		<15		15-19		20-24		25-29		30-34		35-39		40+	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total	395	42.8	5	2.6	80	147.2	124	264.0	65	118.8	50	72.7	27	33.8	41	9.7
Male	169	38.3	0	0.0	16	56.5	60	256.7	28	104.3	21	63.4	18	46.8	24	12.6
White	24	7.6	0	0.0	0	0.0	8	57.5	5	30.1	1	4.5	2	7.4	8	5.3
Black	121	205.1	0	0.0	13	247.1	43	1150.0	20	537.9	17	379.0	13	258.2	13	63.2
Other/Unknown	24	..	0	..	3	..	9	..	3	..	3	..	3	..	3	..
Hispanic ³	13	17.7	0	0.0	2	30.8	5	67.1	3	38.4	1	13.1	1	14.2	1	5.7
Female	226	46.9	5	5.2	64	245.8	64	271.3	37	132.7	29	81.5	9	21.8	17	7.3
White	55	16.0	1	1.6	9	55.6	13	93.1	11	64.4	9	39.0	4	14.3	8	4.4
Black	129	178.8	3	19.5	44	891.2	37	849.0	15	318.7	16	269.0	4	58.7	9	30.0
Other/Unknown	42	..	1	..	11	..	14	..	11	..	4	..	1	..	0	..
Hispanic ³	30	42.4	0	0.0	6	111.3	10	161.0	9	135.4	3	42.5	2	30.0	0	0.0

¹ As of September 27, 2006. All are confirmed cases. Rates are per 100,000 population.

² Total includes cases with unknown information on age.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: Westchester County Department of Health, Division of Disease Control.

Table 60. Reported Cases and Rates of Syphilis (All Stages) by Age Group, Sex, and Race/Ethnicity, Westchester County, 2005¹

Sex and Race/Ethnicity	Total ²		<15		15-19		20-24		25-29		30-34		35-39		40+	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total	133	14.4	1	0.5	0	0.0	7	14.9	9	16.4	10	14.5	13	16.3	91	21.5
Male	77	17.4	0	0.0	0	0.0	6	25.7	4	14.9	8	24.1	9	23.4	48	25.1
White	22	7.0	0	0.0	0	0.0	3	21.6	1	6.0	4	18.1	1	3.7	13	8.6
Black	36	61.0	0	0.0	0	0.0	3	80.2	2	53.8	2	44.6	6	119.2	21	102.1
Other/Unknown	19	..	0	..	0	..	0	..	1	..	2	..	2	..	14	..
Hispanic ³	23	31.3	0	0.0	0	0.0	0	0.0	2	25.6	5	65.4	2	28.5	14	79.3
Female	56	11.6	1	1.0	0	0.0	1	4.2	5	17.9	2	5.6	4	9.7	43	18.5
White	7	2.0	0	0.0	0	0.0	0	0.0	3	17.6	0	0.0	0	0.0	4	2.2
Black	26	36.0	1	6.5	0	0.0	1	22.9	0	0.0	1	16.8	2	29.4	21	70.1
Other/Unknown	23	..	0	..	0	..	0	..	2	..	1	..	2	..	18	..
Hispanic ³	18	25.5	0	0.0	0	0.0	0	0.0	5	75.2	0	0.0	2	30.0	11	54.0

¹ As of September 27, 2006. All are confirmed cases. Rates per 100,000 population.

² Total includes cases with unknown information on age.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: Westchester County Department of Health, Division of Disease Control.

Table 61. Reported Cases and Rates of Lyme Disease, Westchester County, 2005¹

Health Planning Region and Municipality	Lyme Disease	
	Cases	Rate
Westchester County	454	49.2
Northwest	92	65.4
Briarcliff Manor	5	65.0
Buchanan	1	45.7
Cortlandt	29	101.1
Croton on Hudson	3	39.4
Mount Pleasant	23	88.0
Ossining (T)	1	18.1
Ossining (V)	13	54.1
Peekskill	7	31.2
Pleasantville	6	83.7
Sleepy Hollow	4	43.4
Northeast	246	184.5
Bedford	57	314.3
Lewisboro	34	275.9
Mount Kisco	15	150.3
New Castle	31	177.2
North Castle	19	175.1
North Salem	10	193.3
Pound Ridge	13	275.1
Somers	34	185.3
Yorktown	33	90.9
West Central	28	17.8
Ardsley	2	46.8
Dobbs Ferry	3	28.2
Elmsford	0	0.0
Greenburgh	4	9.6
Hastings on Hudson	4	52.3
Irvington	1	15.1
Scarsdale	4	22.4
Tarrytown	3	27.1
White Plains	7	13.2
East Central	20	17.9
Harrison	5	20.7
Larchmont	1	15.4
Mamaroneck (T)	1	9.0
Mamaroneck (V)	1	5.3
Port Chester	6	21.5
Rye	6	40.1
Rye Brook	0	0.0
Southwest	12	6.1
Yonkers	12	6.1
Southeast	13	7.1
Bronxville	4	61.1
Eastchester	3	16.2
Mount Vernon	3	4.4
New Rochelle	2	2.8
Pelham	0	0.0
Pelham Manor	0	0.0
Tuckahoe	1	16.1
Unknown	43	-

¹As of September 27, 2006. Rates per 100,000 population. Data is incomplete due to surveillance limitations, therefore the rates of infection by municipality may be skewed.

Source: Westchester County Department of Health, Division of Disease Control.

Table 62. Reported Cases and Rates of Lyme Disease by Age and Sex, Westchester County, 2005¹

Age	Total		Male		Female	
	Number	Rate	Number	Rate	Number	Rate
Total	454	49.2	249	56.4	197	40.9
0-9	49	37.1	34	50.3	15	23.2
10-19	59	49.9	36	58.8	23	40.5
20-29	31	30.5	20	39.8	11	21.4
30-39	46	31.0	22	30.7	24	31.2
40-49	78	53.6	39	55.7	39	51.7
50-59	56	50.8	33	63.7	23	39.4
60-69	63	87.0	37	112.9	26	65.6
70+	64	67.4	28	76.9	36	61.5
Unknown	8	-	5	-	3	-

¹ As of September 27, 2006. All are confirmed cases. Rates are per 100,000 population. Data is incomplete due to surveillance limitations, therefore the rates of infection by age and sex may be skewed.

Source: Westchester County Department of Health, Division of Disease Control.

Table 63. Reported Cases and Rates of Major Enteric Infections, Westchester County, 2005¹

Health Planning Region and Municipality	Campylobacteriosis		Giardiasis		Salmonellosis	
	Cases	Rate	Cases	Rate	Cases	Rate
Westchester County	132	14.3	124	13.4	125	13.5
Northwest	19	13.5	21	14.9	29	20.6
Briarcliff Manor	2	26.0	1	13.0	1	13.0
Buchanan	0	0.0	0	0.0	0	0.0
Cortlandt	4	14.0	4	14.0	2	7.0
Croton on Hudson	0	0.0	1	13.1	4	52.6
Mount Pleasant	2	7.6	5	19.1	5	19.1
Ossining (T)	0	0.0	0	0.0	2	36.3
Ossining (V)	4	16.7	2	8.3	7	29.2
Peekskill	5	22.3	5	22.3	5	22.3
Pleasantville	2	27.9	2	27.9	0	0.0
Sleepy Hollow	0	0.0	1	10.9	3	32.6
Northeast	23	17.2	17	12.7	16	12.0
Bedford	5	27.6	2	11.0	1	5.5
Lewisboro	5	40.6	2	16.2	0	0.0
Mount Kisco	1	10.0	3	30.1	2	20.0
New Castle	3	17.2	1	5.7	5	28.6
North Castle	5	46.1	4	36.9	3	27.7
North Salem	1	19.3	0	0.0	0	0.0
Pound Ridge	0	0.0	0	0.0	1	21.2
Somers	1	5.5	1	5.5	2	10.9
Yorktown	2	5.5	4	11.0	2	5.5
West Central	25	15.9	25	15.9	27	17.1
Ardsley	1	23.4	1	23.4	1	23.4
Dobbs Ferry	1	9.4	1	9.4	1	9.4
Elmsford	1	21.4	0	0.0	0	0.0
Greenburgh	7	16.7	8	19.1	9	21.5
Hastings on Hudson	0	0.0	1	13.1	2	26.2
Irvington	1	15.1	1	15.1	0	0.0
Scarsdale	8	44.9	9	50.5	4	22.4
Tarrytown	1	9.0	1	9.0	1	9.0
White Plains	5	9.4	3	5.7	9	17.0
East Central	29	25.9	23	20.5	14	12.5
Harrison	7	29.0	5	20.7	6	24.8
Larchmont	0	0.0	3	46.3	1	15.4
Mamaroneck (T)	3	26.9	3	26.9	2	18.0
Mamaroneck (V)	2	10.7	4	21.3	1	5.3
Port Chester	5	17.9	4	14.4	0	0.0
Rye	10	66.9	3	20.1	3	20.1
Rye Brook	2	23.3	1	11.6	1	11.6
Southwest	18	9.2	21	10.7	18	9.2
Yonkers	18	9.2	21	10.7	18	9.2
Southeast	17	9.3	15	8.2	18	9.8
Bronxville	1	15.3	4	61.1	1	15.3
Eastchester	3	16.2	0	0.0	1	5.4
Mount Vernon	1	1.5	3	4.4	6	8.8
New Rochelle	8	11.1	7	9.7	7	9.7
Pelham	2	31.3	1	15.6	3	46.9
Pelham Manor	1	18.3	0	0.0	0	0.0
Tuckahoe	1	16.1	0	0.0	0	0.0
Unknown	1	-	2	-	3	-

¹ As of September 27, 2006. All are confirmed cases. Rates are per 100,000 population.

Source: Westchester County Department of Health, Division of Disease Control.

Table 64. Reported Cases and Rates of Campylobacteriosis by Age, Westchester County, 2003-2005¹

Age	2005		2004		2003	
	Number	Rate	Number	Rate	Number	Rate
Total	132	14.3	121	13.1	125	13.5
Under 1	5	39.9	1	8.0	4	31.9
1-4	17	32.9	9	17.4	4	7.7
5-9	6	8.8	5	7.4	6	8.8
10-19	18	15.2	14	11.9	15	12.7
20-29	14	13.8	15	14.7	17	16.7
30-39	20	13.5	22	14.8	14	9.4
40-49	16	11.0	20	13.8	15	10.3
50-59	14	12.7	9	8.2	25	22.7
60+	21	12.5	25	14.9	25	14.9
Unknown	1	-	1	-	0	-

¹ As of September 27, 2006. Rates are per 100,000 population. Note that rates that have a numerator less than 25 are unstable, meaning that a small change in the numerator can lead to a large change in the rate from one year to the next.

Source: Westchester County Department of Health, Division of Disease Control.

Table 65. Reported Cases and Rates of Salmonellosis by Age, Westchester County, 2003-2005¹

Age	2005		2004		2003	
	Number	Rate	Number	Rate	Number	Rate
Total	125	13.5	133	14.4	138	14.9
Under 1	2	16.0	7	55.9	13	103.8
1-4	23	44.5	27	52.2	26	50.3
5-9	14	20.6	16	23.5	15	22.1
10-19	13	11.0	14	11.9	18	15.2
20-29	14	13.8	15	14.7	8	7.9
30-39	13	8.8	17	11.4	13	8.8
40-49	14	9.6	11	7.6	16	11.0
50-59	10	9.1	8	7.3	12	10.9
60+	22	13.1	18	10.8	16	9.6
Unknown	0	-	0	-	1	-

¹ As of September 27, 2006. Rates are per 100,000 population. Note that rates that have a numerator less than 25 are unstable, meaning that a small change in the numerator can lead to a large change in the rate from one year to the next.

Source: Westchester County Department of Health, Division of Disease Control.

Table 66. Reported Cases and Rates of Giardiasis by Age, Westchester County, 2003-2005¹

Age	2005		2004		2003	
	Number	Rate	Number	Rate	Number	Rate
Total	124	13.4	132	14.3	110	11.9
Under 1	1	8.0	7	55.9	5	39.9
1-4	23	44.5	17	32.9	15	29.0
5-9	16	23.5	13	19.1	9	13.2
10-19	13	11.0	10	8.5	13	11.0
20-29	7	6.9	6	5.9	14	13.8
30-39	10	6.7	21	14.1	17	11.4
40-49	16	11.0	25	17.2	20	13.8
50-59	19	17.3	13	11.8	5	4.5
60+	18	10.8	18	10.8	11	6.6
Unknown	1	-	2	-	1	-

¹ As of September 27, 2006. Rates are per 100,000 population. Note that rates that have a numerator less than 25 are unstable, meaning that a small change in the numerator can lead to a large change in the rate from one year to the next.

Source: Westchester County Department of Health, Division of Disease Control.

Table 67. Reported Cases and Rates of Selected Central Nervous System Diseases and Bacteremias, Westchester County, 2005¹

Health Planning Region and Municipality	Meningitis		Invasive Strep Pneumoniae	
	Cases	Rate	Cases	Rate
Westchester County	128	13.9	88	9.5
Northwest	23	16.4	13	9.2
Briarcliff Manor	1	13.0	0	0.0
Buchanan	0	0.0	0	0.0
Cortlandt	5	17.4	4	14.0
Croton on Hudson	2	26.3	0	0.0
Mount Pleasant	6	22.9	0	0.0
Ossining (T)	0	0.0	1	18.1
Ossining (V)	1	4.2	1	4.2
Peekskill	5	22.3	7	31.2
Pleasantville	1	13.9	0	0.0
Sleepy Hollow	2	21.7	0	0.0
Northeast	10	7.5	6	4.5
Bedford	0	0.0	3	16.5
Lewisboro	1	8.1	1	8.1
Mount Kisco	1	10.0	0	0.0
New Castle	1	5.7	0	0.0
North Castle	1	9.2	0	0.0
North Salem	1	19.3	0	0.0
Pound Ridge	0	0.0	0	0.0
Somers	2	10.9	0	0.0
Yorktown	3	8.3	2	5.5
West Central	19	12.1	14	8.9
Ardsley	0	0.0	0	0.0
Dobbs Ferry	2	18.8	0	0.0
Elmsford	2	42.8	0	0.0
Greenburgh	6	14.3	1	2.4
Hastings on Hudson	1	13.1	2	26.2
Irvington	2	30.2	1	15.1
Scarsdale	0	0.0	2	11.2
Tarrytown	2	18.0	2	18.0
White Plains	4	7.5	6	11.3
East Central	18	16.1	12	10.7
Harrison	1	4.1	1	4.1
Larchmont	0	0.0	0	0.0
Mamaroneck (T)	3	26.9	5	44.9
Mamaroneck (V)	2	10.7	0	0.0
Port Chester	10	35.9	5	17.9
Rye	1	6.7	1	6.7
Rye Brook	1	11.6	0	0.0
Southwest	34	17.3	20	10.2
Yonkers	34	17.3	20	10.2
Southeast	21	11.4	21	11.4
Bronxville	1	15.3	0	0.0
Eastchester	3	16.2	1	5.4
Mount Vernon	8	11.7	10	14.6
New Rochelle	9	12.5	6	8.3
Pelham	0	0.0	3	46.9
Pelham Manor	0	0.0	0	0.0
Tuckahoe	0	0.0	1	16.1
Unknown	3	-	2	-

¹ As of September 27, 2006. All are confirmed cases. The meningitis disease category include aseptic meningitis, meningococcal diseases, and other meningitis/bacteremias. Rates are per Source: Westchester County Department of Health, Division of Disease Control.

Table 68. Reported Cases and Rates of Meningitis by Age and Sex, Westchester County, 2005¹

Age	Total		Male		Female	
	Number	Rate	Number	Rate	Number	Rate
Total	128	13.9	65	14.7	63	13.1
0-9	12	9.1	8	11.8	4	6.2
10-19	8	6.8	5	8.2	3	5.3
20-29	6	5.9	3	6.0	3	5.8
30-39	11	7.4	4	5.6	7	9.1
40-49	12	8.3	5	7.1	7	9.3
50-59	15	13.6	7	13.5	8	13.7
60-69	22	30.4	10	30.5	12	30.3
70-79	21	35.4	11	44.2	10	29.1
80+	21	58.9	12	104.3	9	37.3

¹ As of September 27, 2006. All are confirmed cases. This disease category includes aseptic meningitis, meningococcal diseases, and other meningitis/bacteremias. Rates are per 100,000 population.

Source: Westchester County Department of Health, Division of Disease Control.

Table 69. Reported Cases and Rates of Invasive Strep Pneumoniae by Age and Sex, Westchester County, 2005¹

Age	Total		Male		Female	
	Number	Rate	Number	Rate	Number	Rate
Total	88	9.5	39	8.8	49	10.2
0-9	7	5.3	5	7.4	2	3.1
10-19	3	2.5	3	4.9	0	0.0
20-29	1	1.0	0	0.0	1	1.9
30-39	4	2.7	1	1.4	3	3.9
40-49	12	8.3	6	8.6	6	8.0
50-59	11	10.0	8	15.5	3	5.1
60-69	13	18.0	5	15.3	8	20.2
70-79	14	23.6	5	20.1	9	26.2
80+	21	58.9	5	43.5	16	66.3
Unknown	2	-	1	-	1	-

¹ As of September 27, 2006. All are confirmed cases. Rates are per 100,000 population.

Source: Westchester County Department of Health, Division of Disease Control.

Table 70. Reported Cases and Rates of Pertussis by Age, Westchester County, 2003-2005¹

Age	2005			2004			2003		
	Number	Rate	%	Number	Rate	%	Number	Rate	%
Total	62	6.7	100.0	81	8.8	100.0	71	7.7	100.0
<6 months	5	-	8.1	8	-	9.9	10	-	14.1
6-11 months	1	-	1.6	3	-	3.7	1	-	1.4
1-4	3	5.8	4.8	10	19.3	12.3	7	13.5	9.9
5-9	11	16.2	17.7	9	13.2	11.1	9	13.2	12.7
10-19	28	23.7	45.2	39	33.0	48.1	35	29.6	49.3
20+	12	1.8	19.4	11	1.6	13.6	9	1.3	12.7
Unknown	2	-	3.2	1	-	1.2	0	-	0.0

¹ As of September 27, 2006. Rates are per 100,000 population. Note that rates that have a numerator less than 25 are unstable, meaning that a small change in the numerator can lead to a large change in the rate from one year to the next.

Source: Westchester County Department of Health, Division of Disease Control.

Table 71. Number of Tuberculosis Cases and Contacts, Westchester County, 1999-2005

	2005	2004	2003	2002	2001	2000	1999
New Tuberculosis Cases¹	53	63	57	63	56	64	50
Sex							
Males	29	33	33	31	37	41	32
Females	24	30	24	32	19	23	18
Race							
White	33	42	41	40	39	N/A	N/A
Black	7	12	11	8	7	N/A	N/A
Asian	13	9	5	15	10	N/A	N/A
Ethnicity							
Hispanic	26	37	32	31	33	N/A	N/A
Non-Hispanic	27	26	25	31	23	N/A	N/A
Foreign Born²	45	45	42	48	44	41	30
%	85%	71%	74%	76%	78%	64%	60%
U.S. Born	8	18	15	15	12	23	20
%	15%	29%	26%	24%	22%	36%	40%
Site of Infection							
Pulmonary	41	48	49	53	N/A	N/A	N/A
Extra-Pulmonary-Only ³	12	15	8	10	N/A	N/A	N/A
Drug Resistant							
None Identified ⁴	47	54	52	59	52	60	50
Drug Resistant (non-MDR) ⁵	4	7	4	2	3	3	0
Multi-Drug Resistant ⁶	2	2	1	2	1	1	0
HIV Status							
Negative	33	45	35	35	N/A	N/A	N/A
Positive	6	4	2	6	N/A	N/A	N/A
Unknown	14	14	20	22	N/A	N/A	N/A
Active Cases⁷	42	55	32	34	N/A	N/A	N/A
Contacts Identified⁸	1,055	2,042	993	496	461	285	487
Incidence Rate⁹	5.7	6.8	6.2	6.8	6.1	6.9	5.4

¹ As of September 27, 2006. Persons being treated with two or more drugs for Tuberculosis as of December 31st of year shown. The number includes patients reported by DOCS and followed by NYS DOH.

² Among the foreign born cases in 2005, 1 was from Brazil, 3 from China, 3 from Dominican Republic, 12 from Ecuador, 3 from Guatemala, 2 from Haiti, 1 from Honduras, 3 from India, 1 from Ivory Coast, 5 from Mexico, 1 from Nigeria, 2 from Peru, 5 from Phillipines, 1 from Portugal, 1 from Sierre Leone and 1 from Yugoslavia.

³ Pulmonary cases may also have extra-pulmonary presentations. Extra-pulmonary-only cases have no pulmonary parenchymal involvement.

⁴ Includes culture-confirmed cases and clinical cases without positive cultures

⁵ Resistant to any other drugs, but not the combination of INH + Rifampin.

⁶ Resistant to at least INH + Rifampin.

⁷ Persons being monitored on December 31st of the year shown.

⁸ As of September 29, 2006.

⁹ New cases per 100,000 population.

Source: Westchester County Department of Health, Division of Disease Control.

Table 72. Reported Cases and Rates of Tuberculosis by Age, Westchester County, 2003-2005¹

Age	2005		2004		2003	
	Number	Rate	Number	Rate	Number	Rate
Total	53	5.7	63	6.8	57	6.2
Under 5	3	4.7	1	1.6	1	1.6
5-9	0	0.0	2	2.9	1	1.5
10-14	2	3.1	0	0.0	1	1.6
15-19	2	3.7	2	3.7	3	5.5
20-24	5	10.6	9	19.2	3	6.4
25-34	16	13.0	19	15.4	11	8.9
35-44	8	5.1	9	5.7	19	12.1
45-54	4	3.1	8	6.2	7	5.4
55-64	3	3.5	8	9.2	0	0.0
65+	10	7.8	5	3.9	11	8.5

¹ As of September 27, 2006. Persons being treated with two or more drugs for Tuberculosis as of December 31st of year shown. The 2004 total case number includes one patient reported by DOCS and followed by NYS DOH. Rates are per 100,000 population. Note that rates that have a numerator less than 25 are unstable, meaning that a small change in the numerator can lead to a large change in the rate from one year to the next.

Source: Westchester County Department of Health, Division of Disease Control.

Table 73. Summary of Cumulative AIDS and Living HIV and AIDS Cases by Sex, Age, Race/Ethnicity, and Risk, Westchester County, 1982-2004¹

	Number				Percent			
	Cumulative AIDS Cases	Persons Living			Cumulative AIDS Cases	Persons Living		
		AIDS	HIV ²	Total		AIDS	HIV ²	Total
Total	4,999	2,257	949	3,206	100.0	100.0	100.0	100.0
Sex								
Male	3,515	1,432	469	1,901	70.3	63.4	49.4	59.3
Female	1,484	825	479	1,304	29.7	36.6	50.5	40.7
Age								
13-24	155	83	93	176	3.1	3.7	9.8	5.5
25-29	452	198	91	289	9.0	8.8	9.6	9.0
30-39	2,055	921	336	1,257	41.1	40.8	35.4	39.2
40-49	1,657	781	288	1,069	33.1	34.6	30.3	33.3
50+	680	274	141	415	13.6	12.1	14.9	12.9
Race/Ethnicity								
White	1,453	503	200	703	29.1	22.3	21.1	21.9
Black	2,511	1,183	498	1,681	50.2	52.4	52.5	52.4
Hispanic	987	538	232	770	19.7	23.8	24.4	24.0
Other/Unknown	48	33	19	52	1.0	1.5	2.0	1.6
Risk Group								
MSM	1,073	408	161	569	21.5	18.1	17.0	17.7
IDU	2,462	948	284	1,232	49.2	42.0	29.9	38.4
MSM/IDU	174	72	12	84	3.5	3.2	1.3	2.6
Heterosexual Contact	833	530	287	817	16.7	23.5	30.2	25.5
Blood Products	55	14	4	18	1.1	0.6	0.4	0.6
Adult Other/Unknown	402	285	201	486	8.0	12.6	21.2	15.2

¹Cases confirmed through December 31, 2004 as of February 2, 2006. Data includes inmates cases and excludes cases under 13 years of age. County of residence is determined at time of diagnosis.

²HIV reporting became effective June 2000 and therefore reporting may still be incomplete. Also, data includes one case with unknown sex.

Source: New York State Department of Health, Bureau of HIV/AIDS Epidemiology.

Table 74. AIDS Cases by Sex and Year of Diagnosis, Westchester County Residents, 1982-2004¹

Year of Diagnosis	Total	Number		Percent	
		Female	Male	Female	Male
Prior to 1987	283	38	245	13.4	86.6
1987	188	30	158	16.0	84.0
1988	208	40	168	19.2	80.8
1989	239	56	183	23.4	76.6
Subtotal	918	164	754	17.9	82.1
1990	263	59	204	22.4	77.6
1991	316	82	234	25.9	74.1
1992	423	114	309	27.0	73.0
1993	391	109	282	27.9	72.1
1994	387	128	259	33.1	66.9
Subtotal	1,780	492	1,288	27.6	72.4
1995	382	111	271	29.1	70.9
1996	324	102	222	31.5	68.5
1997	251	92	159	36.7	63.3
1998	251	95	156	37.8	62.2
1999	182	62	120	34.1	65.9
Subtotal	1,390	462	928	33.2	66.8
2000	191	74	117	38.7	61.3
2001	214	93	121	43.5	56.5
2002	190	80	110	42.1	57.9
2003	175	65	110	37.1	62.9
2004	141	54	87	38.3	61.7
Subtotal	911	366	545	40.2	59.8
Total	4,999	1,484	3,515	29.7	70.3

¹Cases confirmed through December 31, 2004 as of February 2, 2006. Data includes inmates cases and excludes cases under 13 years of age. County of residence is determined at time of diagnosis.

Source: New York State Department of Health, Bureau of HIV/AIDS Epidemiology.

Table 75. AIDS Cases by Age and Year of Diagnosis, Westchester County Residents, 1982-2004¹

Year of Diagnosis	Total Number	Number					Percent				
		13-24	25-29	30-39	40-49	50+	13-24	25-29	30-39	40-49	50+
Prior to 1987	283	8	50	145	53	27	2.8	17.7	51.2	18.7	9.5
1987	188	5	32	83	44	24	2.7	17.0	44.1	23.4	12.8
1988	208	4	28	114	40	22	1.9	13.5	54.8	19.2	10.6
1989	239	9	23	110	75	22	3.8	9.6	46.0	31.4	9.2
Subtotal	918	26	133	452	212	95	2.8	14.5	49.2	23.1	10.3
1990	263	8	29	105	85	36	3.0	11.0	39.9	32.3	13.7
1991	316	15	26	137	102	36	4.7	8.2	43.4	32.3	11.4
1992	423	11	40	188	139	45	2.6	9.5	44.4	32.9	10.6
1993	391	9	35	172	138	37	2.3	9.0	44.0	35.3	9.5
1994	387	7	33	167	135	45	1.8	8.5	43.2	34.9	11.6
Subtotal	1,780	50	163	769	599	199	2.8	9.2	43.2	33.7	11.2
1995	382	9	32	143	149	49	2.4	8.4	37.4	39.0	12.8
1996	324	10	26	119	120	49	3.1	8.0	36.7	37.0	15.1
1997	251	6	17	101	98	29	2.4	6.8	40.2	39.0	11.6
1998	251	7	19	94	95	36	2.8	7.6	37.5	37.8	14.3
1999	182	9	13	61	62	37	4.9	7.1	33.5	34.1	20.3
Subtotal	1,390	41	107	518	524	200	2.9	7.7	37.3	37.7	14.4
2000	191	3	18	72	63	35	1.6	9.4	37.7	33.0	18.3
2001	214	9	7	92	68	38	4.2	3.3	43.0	31.8	17.8
2002	190	6	11	61	69	43	3.2	5.8	32.1	36.3	22.6
2003	175	7	5	59	66	38	4.0	2.9	33.7	37.7	21.7
2004	141	13	8	32	56	32	9.2	5.7	22.7	39.7	22.7
Subtotal	911	38	49	316	322	186	4.2	5.4	34.7	35.3	20.4
Total	4,999	155	452	2,055	1,657	680	3.1	9.0	41.1	33.1	13.6

¹Cases confirmed through December 31, 2004 as of February 2, 2006. Data includes inmates cases and excludes cases under 13 years of age. County of residence is determined at time of diagnosis.

Source: New York State Department of Health, Bureau of HIV/AIDS Epidemiology.

Table 76. AIDS Cases by Race/Ethnicity and Year of Diagnosis, Westchester County Residents, 1982-2004¹

Year of Diagnosis	Number					Percent			
	Total	White, non-Hispanic	Black, non-Hispanic	Hispanic	Other/ Unknown	White, non-Hispanic	Black, non-Hispanic	Hispanic	Other/ Unknown
Prior to 1987	283	115	112	54	2	40.6	39.6	19.1	0.7
1987	188	89	74	24	1	47.3	39.4	12.8	0.5
1988	208	89	89	29	1	42.8	42.8	13.9	0.5
1989	239	88	120	31	0	36.8	50.2	13.0	0.0
Subtotal	918	381	395	138	4	41.5	43.0	15.0	0.4
1990	263	88	130	42	3	33.5	49.4	16.0	1.1
1991	316	105	153	56	2	33.2	48.4	17.7	0.6
1992	423	127	208	84	4	30.0	49.2	19.9	0.9
1993	391	120	192	76	3	30.7	49.1	19.4	0.8
1994	387	125	187	74	1	32.3	48.3	19.1	0.3
Subtotal	1,780	565	870	332	13	31.7	48.9	18.7	0.7
1995	382	113	171	95	3	29.6	44.8	24.9	0.8
1996	324	83	181	55	5	25.6	55.9	17.0	1.5
1997	251	51	138	59	3	20.3	55.0	23.5	1.2
1998	251	55	137	56	3	21.9	54.6	22.3	1.2
1999	182	32	115	33	2	17.6	63.2	18.1	1.1
Subtotal	1,390	334	742	298	16	24.0	53.4	21.4	1.2
2000	191	45	104	37	5	23.6	54.5	19.4	2.6
2001	214	36	125	50	3	16.8	58.4	23.4	1.4
2002	190	33	106	47	4	17.4	55.8	24.7	2.1
2003	175	26	96	51	2	14.9	54.9	29.1	1.1
2004	141	33	73	34	1	23.4	51.8	24.1	0.7
Subtotal	911	173	504	219	15	19.0	55.3	24.0	1.6
Total	4,999	1,453	2,511	987	48	29.1	50.2	19.7	1.0

¹Cases confirmed through December 31, 2004 as of February 2, 2006. Data includes inmates cases and excludes cases under 13 years of age. County of residence is determined at time of diagnosis.

Source: New York State Department of Health, Bureau of HIV/AIDS Epidemiology.

Table 77. AIDS Cases by Risk and Year of Diagnosis, Westchester County Residents, 1982-2004¹

Year of Diagnosis	Total Number	Number						Percent					
		MSM ²	IDU ³	MSM/IDU	Heterosexual Contact	Blood Transfusion	Unknown	MSM ²	IDU ³	MSM/IDU	Heterosexual Contact	Blood Transfusion	Unknown
Prior to 1987	283	91	156	17	8	3	8	32.2	55.1	6.0	2.8	1.1	2.8
1987	188	72	90	9	9	4	4	38.3	47.9	4.8	4.8	2.1	2.1
1988	208	59	118	8	10	7	6	28.4	56.7	3.8	4.8	3.4	2.9
1989	239	58	146	4	17	2	12	24.3	61.1	1.7	7.1	0.8	5.0
Subtotal	918	280	510	38	44	16	30	30.5	55.6	4.1	4.8	1.7	3.3
1990	263	64	139	10	30	4	16	24.3	52.9	3.8	11.4	1.5	6.1
1991	316	73	190	7	27	9	10	23.1	60.1	2.2	8.5	2.8	3.2
1992	423	87	254	19	33	6	24	20.6	60.0	4.5	7.8	1.4	5.7
1993	391	82	223	22	43	9	12	21.0	57.0	5.6	11.0	2.3	3.1
1994	387	76	226	11	57	3	14	19.6	58.4	2.8	14.7	0.8	3.6
Subtotal	1,780	382	1,032	69	190	31	76	21.5	58.0	3.9	10.7	1.7	4.3
1995	382	79	194	7	61	1	40	20.7	50.8	1.8	16.0	0.3	10.5
1996	324	52	144	17	72	0	39	16.0	44.4	5.2	22.2	0.0	12.0
1997	251	50	109	3	68	0	21	19.9	43.4	1.2	27.1	0.0	8.4
1998	251	40	120	9	66	0	16	15.9	47.8	3.6	26.3	0.0	6.4
1999	182	35	71	6	54	2	14	19.2	39.0	3.3	29.7	1.1	7.7
Subtotal	1,390	256	638	42	321	3	130	18.4	45.9	3.0	23.1	0.2	9.4
2000	191	32	73	8	60	2	16	16.8	38.2	4.2	31.4	1.0	8.4
2001	214	33	71	6	72	1	31	15.4	33.2	2.8	33.6	0.5	14.5
2002	190	33	49	3	67	0	38	17.4	25.8	1.6	35.3	0.0	20.0
2003	175	30	46	5	52	1	41	17.1	26.3	2.9	29.7	0.6	23.4
2004	141	27	43	3	27	1	40	19.1	30.5	2.1	19.1	0.7	28.4
Subtotal	911	155	282	25	278	5	166	17.0	31.0	2.7	30.5	0.5	18.2
Total	4,999	1,073	2,462	174	833	55	402	21.5	49.2	3.5	16.7	1.1	8.0

¹Cases confirmed through December 31, 2004 as of February 2, 2006. Data includes inmates cases and excludes cases under 13 years of age. County of residence is determined at time of diagnosis.

²MSM - men having sex with men.

³IDU - injecting drug use.

Source: New York State Department of Health, Bureau of HIV/AIDS Epidemiology.

Table 78. Childhood Lead Poisoning Prevention Program: Total Number of Tests Conducted, Test Results by Blood Lead Level, and Number of Initial Screen Tests by Municipality, Westchester County, 2005

Health Planning Region and Municipality	Total Tests	Blood Lead Levels (BLL)					Initial Screen Tests
		<10	10-14	15-19	20+	UC ¹	
Westchester County	30,047	29,338	380	149	161	19	29,069
Northwest	4,100	4,006	44	17	33	0	3,994
Briarcliff Manor	172	171	0	0	1	0	171
Buchanan	32	31	1	0	0	0	31
Cortlandt	537	528	5	2	2	0	527
Croton on Hudson	177	174	1	2	0	0	177
Mount Pleasant	693	674	2	2	15	0	674
Ossining (T)	109	108	1	0	0	0	108
Ossining (V)	1,043	1,029	10	4	0	0	1,015
Peekskill	747	716	16	4	11	0	714
Pleasantville	161	157	2	2	0	0	157
Sleepy Hollow	429	418	6	1	4	0	420
Northeast	2,540	2,521	15	2	2	0	2,509
Bedford	379	376	3	0	0	0	369
Lewisboro	161	159	1	0	1	0	157
Mount Kisco	296	293	2	1	0	0	292
New Castle	388	385	2	1	0	0	384
North Castle	240	240	0	0	0	0	239
North Salem	81	80	0	0	1	0	81
Pound Ridge	76	75	1	0	0	0	75
Somers	309	308	1	0	0	0	307
Yorktown	610	605	5	0	0	0	605
West Central	4,272	4,190	51	22	9	0	4,164
Ardsley	99	97	2	0	0	0	96
Dobbs Ferry	218	217	1	0	0	0	216
Elmsford	199	197	1	1	0	0	197
Greenburgh	1,084	1,076	5	2	1	0	1,080
Hastings on Hudson	142	137	5	0	0	0	136
Irvington	147	146	0	1	0	0	145
Scarsdale	435	428	2	4	1	0	423
Tarrytown	310	301	6	3	0	0	298
White Plains	1,638	1,591	29	11	7	0	1,573
East Central	3,367	3,271	48	20	28	0	3,247
Harrison	544	533	5	1	5	0	530
Larchmont	289	278	7	2	2	0	277
Mamaroneck (T)	431	422	6	3	0	0	423
Mamaroneck (V)	494	478	7	3	6	0	474
Port Chester	1,084	1,052	15	7	10	0	1,038
Rye	343	329	6	3	5	0	326
Rye Brook	182	179	2	1	0	0	179
Southwest	5,835	5,651	98	45	41	0	5,549
Yonkers	5,835	5,651	98	45	41	0	5,549
Southeast	7,170	6,971	117	40	42	0	6,882
Bronxville	157	155	0	1	1	0	153
Eastchester	426	418	4	2	2	0	418
Mount Vernon	2,943	2,841	48	24	30	0	2,804
New Rochelle	3,005	2,934	55	10	6	0	2,889
Pelham	289	280	7	1	1	0	276
Pelham Manor	189	185	1	2	1	0	183
Tuckahoe	161	158	2	0	1	0	159
Unknown	2,763	2,728	7	3	6	19	2,724

¹ Unable to classify; includes test results which were questionable, clotted, or the result of a lab accident.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 79. Childhood Lead Poisoning Prevention Program: Total Number of Tests Conducted, Test Results by Blood Lead Level, and Number of Initial Screen Tests by Age, Westchester County, 2005

Age	Total Tests	Blood Lead Levels (BLL)					Initial Screen Tests
		<10	10-14	15-19	20+	UC ¹	
Total	30,047	29,338	380	149	161	19	29,069
0	4,141	4,091	32	5	13	0	4,111
1	8,075	7,899	90	41	40	5	7,904
2	7,490	7,268	120	31	58	13	7,248
3	3,801	3,699	54	21	27	0	3,641
4	2,940	2,891	25	16	8	0	2,821
5	2,150	2,108	23	9	9	1	2,041
6-9	1,054	1,005	27	20	2	0	948
10+	365	346	9	6	4	0	324
Unknown	31	31	0	0	0	0	31

¹ Unable to classify; includes test results which were questionable, clotted, or the result of a lab accident.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 80. Childhood Lead Poisoning Prevention Program: Number of Children Tested, Number of Children with Multiple Tests, and Number of Children with Lead Poisoning, and Number of Lead Registry Cases, Westchester County, 2005

Health Planning Region and Municipality	Number of Children			Lead Registry Cases ²		
	Tested	With Multiple Tests	With Lead Poisoning ¹ (≥15 ug/dL)	Total	New	Continuing
Westchester County	28,351	1,387	97	131	38	93
Northwest	3,864	191	9	11	4	7
Briarcliff Manor	163	9	0	0	0	0
Buchanan	31	1	0	0	0	0
Cortlandt	516	17	1	2	1	1
Croton on Hudson	170	7	0	0	0	0
Mount Pleasant	645	28	1	1	1	0
Ossining (T)	106	3	0	0	0	0
Ossining (V)	985	52	1	0	0	0
Peekskill	687	51	4	7	2	5
Pleasantville	152	7	1	1	0	1
Sleepy Hollow	409	16	1	0	0	0
Northeast	2,449	84	2	3	1	2
Bedford	357	18	0	1	0	1
Lewisboro	152	8	0	0	0	0
Mount Kisco	284	12	0	0	0	0
New Castle	371	15	1	0	0	0
North Castle	236	4	0	0	0	0
North Salem	80	1	1	1	1	0
Pound Ridge	74	2	0	0	0	0
Somers	300	9	0	0	0	0
Yorktown	595	15	0	1	0	1
West Central	4,053	185	14	17	4	13
Ardsley	96	3	0	1	0	1
Dobbs Ferry	213	5	0	0	0	0
Elmsford	193	6	0	0	0	0
Greenburgh	1,044	38	2	1	1	0
Hastings on Hudson	135	4	0	1	0	1
Irvington	142	5	0	0	0	0
Scarsdale	416	17	1	1	0	1
Tarrytown	296	11	2	2	0	2
White Plains	1,518	96	9	11	3	8
East Central	3,157	172	10	14	7	7
Harrison	521	19	1	1	1	0
Larchmont	271	15	0	0	0	0
Mamaroneck (T)	416	13	1	0	0	0
Mamaroneck (V)	464	25	2	2	1	1
Port Chester	992	72	5	9	4	5
Rye	321	18	1	2	1	1
Rye Brook	172	10	0	0	0	0
Southwest	5,473	279	35	45	13	32
Yonkers	5,473	279	35	45	13	32
Southeast	6,690	401	25	39	8	31
Bronxville	149	8	0	1	0	1
Eastchester	412	11	3	2	1	1
Mount Vernon	2,719	183	18	21	6	15
New Rochelle	2,806	170	4	14	1	13
Pelham	269	16	0	1	0	1
Pelham Manor	177	10	0	0	0	0
Tuckahoe	158	3	0	0	0	0
Unknown	2,665	75	2	2	1	1

¹ As of April of 2002, a child has lead poisoning if he/she has a blood lead level (bll) greater than or equal to 15ug/dL.

² New cases are cases that were admitted into the lead registry during the current year. Continuing cases are cases that were admitted into the registry prior to the current year but are still active during the current year.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 81. Number of Patients Served, Number of Clinic Visits, and Number of Vaccines Administered by District Office, Westchester County Department of Health, 2005

Clinic/Program	Total	District Office			
		New Rochelle	Rye Brook/Port Chester	White Plains	Yonkers
Total					
Patients ¹	5,628	723	112	2,611	2,300
Visits	16,048	1,381	431	7,868	6,368
Family Planning²					
Patients	2,059	1,064	997
Visits	5,265	2,705	2,560
Immunization					
Patients	263	44	..	130	90
Visits	303	51	..	148	104
Sexually Transmitted Diseases²					
Patients	1,744	256	..	630	877
Visits	3,086	500	..	1,089	1,497
Tuberculosis²					
Patients	1,035	87	104	608	288
Visits	4,591	253	414	2,633	1,291
PPD					
Patients	457	177	11	230	43
Visits	782	362	15	357	48
Cancer Screening³					
Patients	311	127	..	111	74
Visits	326	133	..	116	77
Social Work					
Patients	584	11	2	272	301
Visits	645	12	2	297	334
HIV Counseling & Testing⁴					
Confidential visits					
Patients	2,476	81	8	1,293	1,112
Visits	3,432	103	15	1,822	1,492
Anonymous visits					
Visits	1,243	66	1	555	621
Certified Home Health Program					
Patients	3,235
Visits Received	16,516
Vaccination⁵					
Flu Vaccines Administered	6,895
Pneumococcal Vaccines Administered	425
All Other Vaccines Administered	1,381

¹ Total represents unduplicated cases. Patients may visit one or more clinic programs during the year. Does not include patients who visited the clinics for HIV test and/or counseling anonymously.

² Does not include patients and their visits who visited the clinics only for HIV test and/or counseling services.

³ Cancer Screening Clinics were closed in March 2006.

⁴ Including patients who visited STD clinics, TB clinics, and Family Planning clinics for HIV tests and/or counseling. Such patients may or may not receive other services in addition to an HIV test and/or counseling. Therefore, a proportion of these patients and visits may also be counted in STD, TB, and Family Planning Clinics. The number of patients who had HIV related services anonymously is not included.

⁵ Including vaccines administered in Health Department District Offices as well as special Flu clinics.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 82. Number of Patients Served at District Offices and Home Health Program by Age, Sex, and Race/Ethnicity, 2005

Demographics	Total ¹		Certified Home Health Program	
	Number	%	Number	%
Total	5,628	..	3,235	..
Age				
<1	72	1.3	219	6.8
1-4	38	0.7	308	9.5
5-9	80	1.4	90	2.8
10 - 14	138	2.5	82	2.5
15 - 19	365	6.5	78	2.4
20 - 24	873	15.5	93	2.9
25 - 29	1,068	19.0	69	2.1
30 - 34	954	17.0	71	2.2
35 - 39	686	12.2	68	2.1
40 - 44	496	8.8	101	3.1
45 - 64	760	13.5	515	15.9
65+	98	1.7	1,541	47.6
Sex				
Female	3,814	67.8	2,181	67.4
Male	1,811	32.2	1,053	32.6
Race				
White - Non Hispanic	682	12.1	1,133	35.0
Black - Non Hispanic	1,126	20.0	781	24.1
Hispanic - White	1,482	26.3	446	13.8
Hispanic - Black	66	1.2	22	0.7
Hispanic - Race unspecified	1,458	25.9	57	1.8
Asian	96	1.7	48	1.5
Other	14	0.2	10	0.3
Multicultural	404	7.2	374	11.6
Unknown	300	5.3	364	11.3

¹ Total represents unduplicated clinic patients. Excludes Home Health patients and patients receiving influenza and pneumococcal vaccines administered at Westchester County Department of Health influenza and special epidemic clinics.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 83. Number of Patients and Visits to Family Planning Clinics by Patient Age Group and Race/Ethnicity, Westchester County, 2005

Demographics	Total Patients ¹	Total Visits	Visits per Patient
Total	2,059	5,265	2.6
Age Group			
<15	3	4	1.3
15 - 19	59	112	1.9
20 - 24	295	763	2.6
25 - 29	504	1,404	2.8
30 - 34	560	1,496	2.7
34 - 39	338	833	2.5
40 - 44	209	492	2.4
45+	91	161	1.8
Race/Ethnicity			
White - Non Hispanic	82	201	2.5
Black - Non Hispanic	154	357	2.3
Hispanic - White	746	1,954	2.6
Hispanic - Black	33	76	2.3
Hispanic - Race unspecified	803	2,092	2.6
Asian	13	27	2.1
Other	4	6	1.5
Multicultural	141	361	2.6
Unknown	83	191	2.3

¹Total unduplicated patients.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 84. Number of Patients and Visits to Sexually Transmitted Diseases Clinics by Patient Age Group, Sex, and Race/Ethnicity, Westchester County, 2005

Demographics	Total Patients¹	Total Visits	Visits per Patient
Total	1,744	3,086	1.8
Age Group			
<15	8	10	1.3
15 - 19	165	265	1.6
20 - 24	451	794	1.8
25 - 29	368	650	1.8
30 - 34	231	392	1.7
34 - 39	185	307	1.7
40 - 44	121	235	1.9
45+	215	433	2.0
Sex			
Female	808	1,410	1.7
Male	936	1,676	1.8
Race/Ethnicity			
White - Non Hispanic	318	541	1.7
Black - Non Hispanic	712	1,288	1.8
Hispanic - White	165	288	1.7
Hispanic - Black	18	35	1.9
Hispanic - Race unspecified	286	503	1.8
Asian	25	46	1.8
Other	4	6	1.5
Multicultural	141	242	1.7
Unknown	75	137	1.8

¹Total unduplicated patients.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 85. Number of Patients and Visits With HIV Tests and/or Counseling¹ by Patient Age Group, Sex, and Race/Ethnicity, Westchester County, 2005

Demographics	Total Patients²	Total Visits	Visits per Patient
Total	2,476	3,432	1.4
Age Group			
<10	65	89	1.4
10 - 14	2	4	2.0
15 - 19	123	162	1.3
20 - 24	452	645	1.4
25 - 29	574	781	1.4
30 - 34	508	711	1.4
34 - 39	333	451	1.4
40 - 44	233	315	1.4
45+	186	274	1.5
Sex			
Female	1,830	2,509	1.4
Male	646	923	1.4
Race/Ethnicity			
White - Non Hispanic	258	356	1.4
Black - Non Hispanic	435	600	1.4
Hispanic - White	693	941	1.4
Hispanic - Black	26	34	1.3
Hispanic - Race unspecified	747	1,042	1.4
Asian	31	43	1.4
Other	4	6	1.5
Multicultural	179	273	1.5
Unknown	103	137	1.3

¹Including patients who visited STD clinics, TB clinics, and Family Planning clinics for HIV tests and/or counseling. Such patients may or may not receive other services in addition to HIV test and/or counseling. Excluding patients who visited anonymously.

²Total unduplicated patients.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 86. Number of Patients and Visits to Tuberculosis Clinics by Patient Age Group, Sex, and Race/Ethnicity, Westchester County, 2005

Demographics	Total Patients¹	Total Visits	Visits per Patient
Total	1,035	4,591	4.4
Age Group			
<10	83	363	4.4
10 - 14	65	345	5.3
15 - 19	88	400	4.5
20 - 24	95	364	3.8
25 - 29	155	762	4.9
30 - 34	138	606	4.4
34 - 39	116	555	4.8
40 - 44	92	406	4.4
45 - 64	161	649	4.0
65+	42	141	3.4
Sex			
Female	554	2,442	4.4
Male	479	2,147	4.5
Race/Ethnicity			
White - Non Hispanic	58	245	4.2
Black - Non Hispanic	116	496	4.3
Hispanic - White	388	1,703	4.4
Hispanic - Black	11	40	3.6
Hispanic - Race unspecified	301	1,366	4.5
Asian	40	185	4.6
Other	4	25	6.3
Multicultural	79	359	4.5
Unknown	38	172	4.5

¹Total unduplicated patients. Including patients whose sex is not specified.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 87. Number of Patients Enrolled in Home Health Program and Number of Home Health Visits Received by Patient Age Group, Sex, and Race/Ethnicity, Westchester County, 2005

Demographics	Total Patients¹	Total Visits Received	Visits per Patient
Total	3,235	16,516	5.1
Age Group			
<1	219	755	3.4
1 - 4	308	1,298	4.2
5 - 9	90	515	5.7
10 - 14	82	270	3.3
15 - 19	78	781	10.0
20 - 24	93	928	10.0
25 - 29	69	1,634	23.7
30 - 34	71	894	12.6
35 - 39	68	695	10.2
40 - 44	101	848	8.4
45 - 49	111	975	8.8
50 - 54	120	344	2.9
55 - 59	135	859	6.4
60 - 64	149	503	3.4
65 - 69	163	702	4.3
70 - 74	167	1,059	6.3
75 - 79	242	801	3.3
80 - 84	296	828	2.8
85 - 89	275	766	2.8
90+	398	1,061	2.7
Sex			
Female	2,181	9,874	4.5
Male	1,053	6,636	6.3
Race/Ethnicity			
White - Non Hispanic	1,133	3,317	2.9
Black - Non Hispanic	781	3,187	4.1
Hispanic - White	446	3,410	7.6
Hispanic - Black	22	155	7.0
Hispanic - Race unspecified	57	2,068	36.3
Asian	48	1,278	26.6
Other	10	29	2.9
Multicultural	374	1,705	4.6
Unknown	364	1,367	3.8

¹Total unduplicated patients. Including patients whose sex is not specified.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 88. Number of Animal Bites Reported to the Westchester County Department of Health, Number of Animals Tested, Number of Animals Confirmed Rabid by Type of Animal and Human Rabies Post-Exposure Prophylaxis, 1991-2005¹

	2005	2004	2003	2002	2001	Prior to 2001
Total Animals Bites	1,027	1,133	1,091	1,273	1,384	15,844
Total Animals Tested	680	686	669	750	911	5,945
%	66.2	60.5	61.3	58.9	65.8	37.5
Rabid Animals	52	46	30	38	71	526
Raccoon	37	20	16	16	34	300
Skunk	8	6	6	15	23	138
Bat	5	18	6	5	10	53
Cat	2	0	2	0	2	20
Fox	0	1	0	1	2	4
Woodchuck	0	0	0	1	0	4
Dog	0	0	0	0	0	2
Horse	0	0	0	0	0	2
Deer	0	1	0	0	0	0
Lamb	0	0	0	0	0	1
Opossum	0	0	0	0	0	1
Pig	0	0	0	0	0	1
<i>As % of Total Tested</i>	7.6	6.7	4.5	5.1	7.8	8.8
Human Rabies Post-Exposure Prophylaxis	432	433	356	356	473	3,933

¹ Animals are confirmed rabid after brain tissue samples have been tested by the Wadsworth Laboratory of the New York State Department of Health. The first case of the raccoon strain of rabies was reported in March 1991, confirmed in April 1991, and the raccoon strain has since become endemic in Westchester County. This table also includes bats infected with the bat strain of rabies, which has occurred in Westchester County for decades.

Source: Westchester County Department of Health, Divisions of Environmental Health (1991-1994, 2002-2005) and Disease Control (1995-2005).

Table 89. Number of Rabies Post-Exposure Treatments Administered by Rabies Status, 2001-2005¹

Rabies Status and Type of Animal	2005		2004		2003		2002		2001	
	N	%	N	%	N	%	N	%	N	%
Total	432	100.0	433	100.0	356	100.0	356	100.0	473	100.0
Known	24	5.6	37	8.5	30	8.4	31	8.7	91	19.2
<i>Non-Bat</i>	19	4.4	17	3.9	30	8.4	26	7.3	86	18.2
<i>Bat</i>	5	1.2	20	4.6	0	0.0	5	1.4	5	1.1
Unknown	408	94.4	396	91.5	326	91.6	325	91.3	382	80.8
<i>Non-Bat</i>	100	23.1	91	21.0	81	22.8	84	23.6	82	17.3
<i>Bat</i>	308	71.3	305	70.4	245	68.8	241	67.7	300	63.4

¹ Animals are confirmed rabid after brain tissue samples have been tested by the Wadsworth Laboratory of the New York State Department of Health. The first case of the raccoon strain of rabies was reported in March 1991, confirmed in April 1991, and the raccoon strain has since become endemic in Westchester County. This table also includes bats infected with the bat strain of rabies, which has occurred in Westchester County for decades.

Source: Westchester County Department of Health, Divisions of Environmental Health (1991-1994, 2002-2005) and Disease Control (1995-2005).

Table 90. Number of Animals Confirmed Rabid, Westchester County, 1991-2005¹

Health Planning Region and Municipality	2005	2004	2003	2002	2001	Prior to 2001
Westchester County	52	46	30	38	71	526
Northwest	8	11	10	10	13	130
Briarcliff Manor	0	0	0	1	0	18
Buchanan	0	0	0	0	0	2
Cortlandt	3	5	6	4	5	45
Croton on Hudson	0	0	0	1	1	7
Mount Pleasant	2	2	0	0	4	16
Ossining (T)	0	0	0	0	1	6
Ossining (V)	0	0	1	1	1	13
Peekskill	1	2	2	1	0	17
Pleasantville	1	1	0	2	0	3
Steep Hollow	1	1	1	0	1	3
Northeast	17	24	14	14	29	228
Bedford	6	4	2	4	7	38
Lewisboro	1	5	1	0	1	24
Mount Kisco	1	0	0	2	1	8
New Castle	1	3	3	2	2	30
North Castle	0	2	2	2	8	13
North Salem	4	1	2	0	2	12
Pound Ridge	2	1	2	1	2	15
Somers	1	3	1	3	2	33
Yorktown	1	5	1	0	4	55
West Central	21	8	1	3	12	59
Ardsley	1	0	0	1	0	2
Dobbs Ferry	1	0	0	0	0	2
Elmsford	0	1	0	0	1	2
Greenburgh	11	3	0	0	4	15
Hastings on Hudson	1	1	0	0	0	3
Irvington	1	0	1	0	2	7
Scarsdale	4	1	0	0	4	5
Tarrytown	1	1	0	1	0	2
White Plains	1	1	0	1	1	21
East Central	3	1	5	8	8	50
Harrison	3	0	1	1	5	16
Larchmont	0	0	1	0	0	2
Mamaroneck (T)	0	0	1	0	1	6
Mamaroneck (V)	0	0	0	3	1	5
Port Chester	0	1	0	0	0	2
Rye	0	0	2	4	1	14
Rye Brook	0	0	0	0	0	5
Southwest	0	1	0	2	8	30
Yonkers	0	1	0	2	8	30
Southeast	3	0	0	1	1	27
Bronxville	0	0	0	1	0	5
Eastchester	0	0	0	0	0	4
Mount Vernon	0	0	0	0	0	6
New Rochelle	2	0	0	0	1	8
Pelham	0	0	0	0	0	0
Pelham Manor	1	0	0	0	0	3
Tuckahoe	0	0	0	0	0	1
Unknown Municipality	0	1	0	0	0	2

¹ Animals are confirmed rabid after brain tissue samples have been tested by the Wadsworth Laboratory of the New York State Department of Health. The first case of the raccoon strain of rabies was reported in March 1991, confirmed in April 1991, and the raccoon strain has since become endemic in Westchester County. This table also includes bats infected with the bat strain of rabies, which has occurred in Westchester County for decades.

Source: Westchester County Department of Health, Divisions of Environmental Health (1991-1994, 2002-2005) and Disease Control (1995-2005).

**Table 91. Public Health Protection and Environmental Quality:
Number of Inspection Related Activities, 2005**

Program	Inspection Related Activities¹
Total	32,657
Air Quality	917
Air Quality Complaint Investigation / Enforcement	395
Industrial Facilities	343
Sampling	164
Fuel Burning Equipment, Motor Vehicles, etc.	15
Water	3,915
Water Supply	2,151
Community Water Supply	1,158
Non-Community Water Supply	986
Other ²	7
Water Quality	1,553
Investigation on Water Quality Complaints, Identification of P	1,060
Waste Water Treatment Facilities, Sewage System	489
Water Quality Surveillance on Bathing Beaches	1
Other ³	3
Watershed	211
Food	11,746
Food Service Establishments with Indoor Seats	10,670
Food for the Aged and Day Care	271
Other Food Service Establishments ⁴	776
Foodborne Illness	29
Housing	2,460
Housing ⁵	97
Lead Poisoning Investigation and Lead Inspection ⁶	1,055
Healthy Neighborhoods Programs ⁶	1,307
Injury Control	1
Temporary Residences	1,003
Hotel, Motel, Rooming House	193
Children's Camps	808
Other Temporary Residences ⁷	2
Land Development	436
Additions, Pools and Decks	4
Individual Sewage Disposal Systems	404
Realty Subdivisions	28
Swimming Pools and Beaches	1,074
Swimming Pools, Spas, etc.	965
Beaches	109

continued

**Table 91. Public Health Protection and Environmental Quality:
Number of Inspection Related Activities, 2005 (continued)**

Program	Inspection Related Activities¹
Solid Waste	275
Hazardous Waste, Toxic Substance, and Petroleum Bulk Storage (P)	2,447
PBS General	238
PBS Facilities and Tanks	1,274
Hazardous Waste	44
Toxic Substance Assessment	891
Radiological	556
X-Ray Facilities	430
Other Radiological ⁸	126
Animal Control	3,840
Animal Bites and Rabies Exposure ⁹	1,263
Mosquito Control ¹⁰	2,080
Animal Facilities	276
Other ¹¹	221
Tobacco Control	3,648
Adolescent Tobacco Use Prevention (ATUPA)	3,592
Tobacco Control	19
Clean In-Door Air (In-Door Smoking Restriction)	37
Other	340
Nuisance and Service Request	305
Other ¹²	35

¹ Including regular and follow up inspections and investigations, sampling visits, and conferences with clients.

² Including individual water supply, bottled and bulk water.

³ Including water quality management plans and waste water treatment plant operator qualific

⁴ Including caterer, commissary, mobile unit, vending machine, bakeries, frozen desserts, deli, etc.

⁵ Including heat, insect pest, rodent control, and housing structure.

⁶ Including field activities by Community Health Services' Lead Poisoning Prevention and Healthy Neighborhoods Programs.

⁷ Including mobile home, trailer home, migrant labor house, campgrounds, campsites.

⁸ Including nuclear facility, radiological emergency.

⁹ Including inspections and relevant field activities on animal bites, quarantine of animals, specimen pickups.

¹⁰ Including mosquito larvae and adult control and surveillance, larvicide application, other mosquito control related activities.

¹¹ Including Lyme disease investigation, and pesticides.

¹² Including asbestos, emergency sanitation, fetal alcohol syndrome, and inspections to institutions licensed by New York State.

Source: Westchester County Department of Health, Division of Environmental Health.

Table 92. Public Health Complaints Received and Investigated by Program, 2005

Program	Total	Resolved and Closed	Under Investigation	Referred to Other Agencies	Invalid
Total	6,884	5,773	652	444	15
Air Quality	134	11	123	0	0
Outdoor air quality	105	6	99	0	0
Indoor air quality	29	5	24	0	0
Water	192	107	82	3	0
Water Quality	118	89	27	2	0
Sewage Systems	74	18	55	1	0
Food	557	374	81	95	7
Hazardous Waste, Toxic Substance, Petroleum Spills	2,216	2,211	5	0	0
Hazardous Waste	525	521	4	0	0
Gasoline/Oil Spills	1691	1690	1	0	0
Animal Control	2,081	1,949	25	107	0
Animal Bites and Rabies Exposure	1,797	1,797	0	0	0
Mosquitoes	0	0	0	0	0
Other ¹	284	152	25	107	0
Tobacco Control	106	83	19	4	0
Adolescent Tobacco Use Prevention (ATUPA)	3	3	0	0	0
Smoking (Clean Indoor Air Act)	103	80	19	4	0
Other	1,598	1,038	317	235	8
Nuisance ²	1,417	901	289	220	7
Other ³	181	137	28	15	1

¹ Including rodents, insects, pesticides exposure, bat, animal problems other than bites, and unvaccinated cats and dogs.

² Including litter, odor, garbage and other declared Public Health Nuisance.

³ Including health concern and information request.

Source: Westchester County Department of Health, Bureau of Complaint.

**Table 93. Public Health Protection: Facility Permits Issued,
Westchester County, 2005**

Program	Number of Permits Issued
Total	7,275
Food Sanitation	6,145
Bakeries	150
Caterers	148
Commissaries	89
Delicatessens	306
Eating Places	3,525
Food Vending Machine Operations	22
Frozen Dessert Manufacturers	661
Ice Manufacturers	2
Meals on Wheels Programs	8
Mobile Food Units	369
Public Functions	14
Schools	449
Temporary Food Permits	402
General Environmental	967
Children's Summer Camps	263
Hotels/Motels/Rooming Houses	54
Migrant Labor Camps	1
Mobile Home Park	3
Bathing Beaches	41
Swimming Pools	605
Animal Facilities	163
Breeders	4
Grooming Parlors	43
Kennels	31
Pet Shops	22
Shelters	13
Stables	28
Temporary Animal Facilities	14
Trainers	5
Wholesalers	3

Source: Westchester County Department of Health, Division of Environmental Health.

Table 94. Services For Children With Special Needs: Number of Children Served, Westchester County Department of Health, 2005

Program	Time Frame
Physically Handicapped Children's Program (PHCP)	2005 Calendar Year
Total - All Services	358
Preschool Educational Advocacy Program, 3-5 Years	2005-2006 Program Year (July-June)
Total Served	3,926
Early Intervention Program, 0-2 Years	2005-2006 Program Year (July-June)
Total Served	5,516

Source: Westchester County Department of Health, Services for Children with Special Needs.

Table 95. Child Health Plus Enrollment and Family Health Plus/Medicaid Enrollment, Westchester County Department of Health, 2005

Program	Number of Enrollment
Total	2,025
Child Health Plus A ¹	617
Child Health Plus B	915
Family Health Plus	328
Medicaid (Adults)	165

¹This program was formerly referred to as Medicaid. The data only represent enrollments through the Westchester County Department of Health's facilitated enrollment program.

Source: New York State Department of Health.

Appendices

Appendix 1. Data Sources and Definitions

A. 2000 Census and 2005 American Community Survey

Basic demographic and socio-economic information for Westchester County in the Annual Data Book 2005/2006 is based on data from the 2000 Census and the 2005 American Community Survey collected by the U.S. Census Bureau.

The 2000 Census data are extracted from the Census Summary File 1 (SF 1) and the Census Summary File 3 (SF 3). The Summary File 1 presents basic demographic information collected from all people and housing units (100% characteristics, short form). This information includes age, sex, race, Hispanic or Latino origin, household relationship, whether the residence is owned or rented, and vacancy characteristics.

The Summary File 3 (SF 3) includes information collected on a sample basis (long form), which covers 34 subjects with additional information on social, economic, and housing characteristics. The Summary File 3 presents information on marital status, place of birth, citizenship and year of entry into the U.S., school enrollment and educational attainment, ancestry, migration, language spoken at home and ability to speak English, veteran status, disability, grandparents as caregivers, labor force status, place of work and journey to work, occupation, industry, and class of worker, work status in 1999 and income in 1999. The Summary File 3 also includes information on housing and residence, vehicles, telephone, utilities, mortgage, taxes, insurance, and fuel, etc. The rate of sampling varied from 1 in 2 households in sparsely populated areas, to 1 in eight for more densely populated areas. The overall sampling rate is 1 in 6 households, or 17%. It is generally called the five-percent sampling file.

The total population from the 2000 Census is used for calculation of relevant rates in this report.

The American Community Survey (ACS) is a nationwide survey designed to replace the ‘long form’ of the 10-year census and provides updated demographic, economic, social, and housing information of this country’s communities every year. The 2005 ACS was conducted from November 2004 to December 2005, and reflects sampling from the current Master Address File of the 2000 Census. The 2005 ACS sampling universe is limited to the household population and excludes the population living in institutions, college dormitories, and other group quarters. Thirty-one test sites around the country were selected, based on situations where differences in population were expected to be prominent. Data were also collected in 1,204 additional counties, including Westchester County. The combined data provide estimates of detailed subjects for the nation, all states, most areas with a population of 250,000 or more, and selected areas of 65,000 or more. Data definitions of demographic, housing, and socioeconomic information are identical to those used in the 2000 Census. For detailed information on Census and ACS data, please consult the Census Bureau’s website at www.census.gov.

Race and Ethnicity

The concept of race, as defined by the U.S. Census Bureau, reflects self-identification by people according to the race or races with which they most closely identify. The categories of race are considered to be socio-political and should not be interpreted as scientific or anthropological in nature.

- *White*: A person having origins in any of the original peoples of Europe, the Middle East, or North Africa. It includes people who indicate their race as “White” or report entries such as Irish, German, Italian, Lebanese, Near Easterner, Arab, or Polish.
- *Black or African American*: A person having origins in any of the Black racial groups of Africa. It includes people who indicate their race as “Black, African American, or Negro,” or provide written entries such as African American, Afro American, Kenyan, Nigerian, or Haitian.
- *American Indian or Alaska Native*: A person having origins in any of the original peoples of North or South America (including Central America) and who maintain tribal affiliation or community attachment.

- *Asian*: A person having origins in any of the original peoples of the Far East, Southeast Asia, or the Indian subcontinent, for example Cambodia, China, India, Japan, Korea, Malaysia, Pakistan, the Philippine Islands, Thailand, and Vietnam.
- *Native Hawaiian or Other Pacific Islander*: A person having origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands. It includes people who indicate their race as “Native Hawaiian,” “Guamanian or Chamorro,” “Samoan,” and “Other Pacific Islander.”
- *Other Race*: Includes all other responses not included in the “White,” “Black or African American,” “American Indian or Alaska Native,” “Asian,” and “Native Hawaiian or Other Pacific Islander” race categories described above. Respondents providing write-in entries such as multiracial, mixed, interracial, or a Hispanic/Latino group (for example, Mexican, Puerto Rican, or Cuban) in the “Some other race” write-in space are included in this category.
- *Hispanic or Latino*: The data on the Hispanic or Latino population were derived from answers to a question on the 2000 census that was asked of all people. The terms “Spanish,” “Hispanic origin,” and “Latino” are used interchangeably. Some respondents identified with all three terms while others identify with only one of these three specific terms. Origin can be viewed as the heritage, nationality group, lineage, or country of birth of the person or the person’s parents or ancestors before their arrival in the United States. People who identify their origin as Spanish, Hispanic, or Latino may be of any race.
- *Two or More Races*: People may have chosen to provide two or more races either by checking two or more race response check boxes, by providing multiple write-in responses, or by some combination of check boxes and write-in responses. The race response categories shown on the questionnaire are collapsed into the five minimum race groups identified by the Office of Management and Budget (OMB), and the Census Bureau “Some other race” category. For data product purposes, “Two or more races” refers to combinations of two or more of the following race categories:
 1. White
 2. Black or African American
 3. American Indian or Alaska Native
 4. Asian
 5. Native Hawaiian or Other Pacific Islander
 6. Some other race

Educational Attainment

Refers to the highest level of education completed in terms of the highest degree or the highest level of schooling completed.

Labor Force Participation and Employment

- *Labor force*: The labor force includes all people classified in the civilian labor force, plus members of the U.S. Armed Forces (people on active duty with the United States Army, Air Force, Navy, Marine Corps, or Coast Guard). The Civilian Labor Force consists of people classified as employed or unemployed.
- *Employed*: Employed includes all civilians 16 years old and over who were either (1) "at work" -- those who did any work at all during the reference week as paid employees, worked in their own business or profession, worked on their own farm, or worked 15 hours or more as unpaid workers on a family farm or in a family business; or (2) were "with a job but not at work" -- those who did not work during the reference week but had jobs or businesses from which they were temporarily absent due to illness, bad weather, industrial dispute, vacation, or other personal reasons. Excluded from the employed are people whose only activity consisted of work around the house or unpaid volunteer work for religious, charitable, and similar organizations; also excluded are people on active duty in the United States Armed Forces. The reference week is the calendar week preceding the date on which the respondents completed their questionnaires or were interviewed. This week may not be the same for all respondents.

Immigration and Language Spoken at Home

- *Immigrants:* Aliens admitted for legal permanent residence in the United States.
- *Foreign-born population:* People who are not U.S. citizens at birth.
- *Native population:* People born in either the United States, Puerto Rico, or a U.S. Island Area such as Guam or the U.S. Virgin Islands, or people born in a foreign country to a U.S. citizen parent(s).
- *Citizen:* People who indicate that they were born in the United States, Puerto Rico, a U.S. Island Area, or abroad of a U.S. citizen parent(s) are citizens. People who indicate that they are U.S. citizens through naturalization are also citizens. Naturalized citizens are foreign-born people who identify themselves as naturalized. Naturalization is the conferring, by any means, of citizenship upon a person after birth.
- *Language spoken at home:* The language currently used by respondents at home, either "English only" or a non-English language which is used in addition to English or in place of English.

Family Structure

- *Household:* A household consists of all the people who occupy a housing unit. A house, an apartment or other group of rooms, or a single room, is regarded as a housing unit when it is occupied or intended for occupancy as separate living quarters; that is, when the occupants do not live and eat with any other persons in the structure and there is direct access from the outside or through a common hall.
- *Family Household:* A group of people living in a household who are related to the householder by birth, marriage, or adoption.
- *Non-Family Household:* A nonfamily household consists of a householder living alone (a one-person household) or where the householder shares the home exclusively with people to whom he/she is not related.
- *Family:* A household whose members are related by birth, marriage or adoption. Family households may also include unrelated individuals.
- *Married-Couple Family:* A family consisting of two legally married people, with or without own children under 18.
- *Single Mother Family or Single Father Family:* A family household consisting of one parent, no spouse, and own children under 18. Other adults may share the household as well.
- *Related children:* Includes all people in a household under the age of 18, regardless of marital status, who are related to the householder. Does not include householder's spouse or foster children, regardless of age.

Income and Poverty

- *Total income:* The sum of the amounts reported separately for wages, salary, commissions, bonuses, or tips; self-employment income from own non-farm or farm businesses, including proprietorships and partnerships; interest, dividends, net rental income, royalty income, or income from estates and trusts; Social Security or Railroad Retirement income; Supplemental Security Income (SSI); any public assistance or welfare payments from the state or local welfare office; retirement, survivor, or disability pensions; and any other sources of income received regularly such as Veterans' (VA) payments, unemployment compensation, child support, or alimony.
- *Poverty:* Following the Office of Management and Budget's (OMB's) Directive 14, the Census Bureau uses a set of money income thresholds that vary by family size and composition to detect who is poor. If the total income for a family or unrelated individual falls below the relevant poverty threshold, then the family or unrelated individual is classified as being "below the poverty level."

B. Vital Statistics

The vital statistics presented in this report are based on the certificate records of live births, deaths, and fetal deaths of Westchester County residents in the United States or Canada. The source of this information is the New York State Department of Health (final data as of August 15, 2006).

- *Race:* Definitions for “White”, “Black” and “Hispanic” racial or ethnic categories are identical to the definitions of the US Census Bureau. The definition for “Other” race in our vital statistics includes the US Census Bureau racial categories of “American Indian”, “Asian”, “Native Hawaiian or Other Pacific Islander”, “Other Race”, and “Two or More Races”.
- *Live Births:* A live birth is defined as "the complete expulsion or extraction from its mother of a product of conception, irrespective of duration of pregnancy, which, after such separation, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached" (Vital Statistics of New York State 1999, New York State Department of Health).
- *Live Birth Rate:* Annual number of live births per 1,000 total population.
- *Infant Birthweight:* Infant Birthweight is grouped as very low birthweight (less than 1,500 grams), low birthweight (1,500 to 2,499 grams), and normal birthweight (2,500 grams or more).
- *Gestation Weeks:* Gestation Weeks are grouped as premature birth (less than 37 weeks gestational period), and normal length of gestation (gestational period of 37 weeks or more).
- *Time Starting Prenatal Care:* Time starting prenatal care is measured by the number of months of the pregnancy at the time prenatal care was initiated.
- *Maternal Exposure to Smoking During Pregnancy:* Mother used any tobacco products during pregnancy. This is self-reported.
- *Maternal Exposure to Drug Use During Pregnancy:* Mother used any of the following: cocaine, crack, heroin, methadone, marijuana, amphetamines, or un-prescribed sedatives during pregnancy. This is self-reported.
- *Fetal Deaths:* A fetal death is defined as "the death prior to the complete expulsion or extraction from its mother of a product of conception; the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles" (*Vital Statistics of New York State 1999*, New York State Department of Health). New York State Public Health Law requires the registration of all fetal deaths regardless of the length of gestation of the fetus.
- *Induced Abortions:* Induced abortions include the operative procedures of “dilation and curettage (D&C), suction and curettage, dilation and evacuation (D&E), saline injection, prostaglandin injection, medical (non-surgical) and other which includes hysterectomy, hysterotomy and other procedures” (*Vital Statistics of New York State 2000*, New York State Department of Health).
- *Causes of Deaths:* In this report, the cause of death is the underlying cause classified according to the International Classification of Diseases (ICD), Tenth Revision.
- *Infant Mortality Rate:* Annual number of deaths under one year of age per 1,000 live births occurring during the year.
- *Death Rate:* Annual number of deaths per 1,000 total population.

C. The Statewide Planning and Research Cooperatives System (SPARCS)

Information on hospitalizations comes from the Statewide Planning and Research Cooperative System (SPARCS) data for the years 2004 and 2005. SPARCS was implemented by the New York State Department of Health in 1979, with the cooperation and initial financial support of the U.S. Department of Health and Human Services. SPARCS receives, processes, stores, and analyzes inpatient hospitalization data from hospitals in New York State and ambulatory surgery data from hospital-based ambulatory surgery services and all other facilities providing ambulatory surgery services.

To protect patient privacy, patient names are omitted from the SPARCS data set. The focus of the system is the incidence of diseases or conditions requiring hospitalization rather than individual patients. Therefore, data reported from the SPARCS contain the number of hospitalizations, or incidents, rather than the number of patients, which have occurred during the year. SPARCS data only represent inpatients, i.e., a hospital stay where an individual was admitted to an acute-care facility. Data are also limited to hospitalizations occurring within New York State.

Due to the fact that the SPARCS data is continually being updated, the completeness of reporting by individual facilities varies over time. All SPARCS tables included in this databook reflect the information as of April 2006.

Length of Stay

SPARCS calculates a length of stay for each discharge record by subtracting the date of admission from the date of discharge. If a patient is admitted and discharged the same day, the length of stay is one day.

Service Categories

The service categories are based on categories developed by the New York State Department of Health and are defined in terms of diagnosis and procedure codes from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

- *Nursery:* Including patients whose age equals zero and have an ICD-9-CM code of V30.0, V30.1, V31.0, V31.1, V32.0, V32.1, V33.0, V33.1, V34.0, V34.1, V35.0, V35.1, V36.0, V36.1, V37.0, or V37.1. These codes refer only to live-born infants.
- *Obstetrical:* Including female patients of any age with an ICD-9-CM code within the range of 630 through 634.9 and 640 through 676.9.
- *Psychiatric:* Including patients of any age with an ICD-9-CM code within the range of 290 through 319.
- *Pediatric:* Including patients aged 14 years and younger whose primary diagnosis is neither included in the nursery, obstetrical, or psychiatric categories nor classified by ICD-9-CM codes 614 through 629.9 (gynecological) or 635 through 639.9 (abortion).
- *Medical:* Including patients aged 15 years or older with no reported procedure code or with reported procedure codes greater than 86.99. This category also includes gynecological patients (ICD-9-CM codes 614 through 629.9) of all ages with no reported procedure code or with reported procedure codes greater than 86.99. Newborn, obstetrical, psychiatric, and pediatric patients are excluded.
- *Surgical:* Including patients aged 15 years or older with at least one procedure code in the range 01 through 86.99. This category also include gynecological patients (ICD-9-CM codes 614 through 629.9) of all ages with at least one such procedure code and all patients whose principal diagnoses are codes 635 through 639.9 (abortion). Newborn, obstetrical, psychiatric, pediatric, and medical patients are excluded.

Principal Diagnosis and Other Diagnosis

The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care. Because it represents the reason for the patient's stay and reflects clinical findings discovered

during the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. It may also differ from admitting diagnosis.

There are 14 additional diagnosis codes in the SPARCS discharge record. These additional codes describe the diagnoses that coexist at the time of admission or have developed subsequently, which affect the treatment received and/or length of stay. The diagnoses that are related to an earlier episode which have no bearing on the current hospital stay are not included.

Diagnosis-Related Groups

The Diagnosis-Related Group (DRG) is developed by the U.S. Department of Health and Human Services to categorize patient records for reimbursement and research purposes for the calendar year of the date of discharge. It is based on ICD-9 data in the principal and secondary diagnoses, surgical procedures, age, sex, and discharge disposition within the patient medical record.

Classification of Neoplasms

According to the New York State Department of Health, neoplasm data is categorized by considering the principal diagnosis and other fourteen diagnoses in the SPARCS discharge record on the basis of metastatic nature of cancer. The intent of the logic was to develop a comprehensive categorization of all hospital discharges related to neoplasms. The procedure used to extract and categorize neoplasm-related records is as the following¹:

1. Extract all records with **any** diagnosis fields containing a three digit ICD-9 code prefix indicating a neoplasm (i.e. between 140 and 239) or Chemo/Radiation therapy encounter (V58).
2. If the principal diagnosis is associated with a primary site (140 through 194 or 200 through 208), the principal diagnosis identifies the primary site of cancer. If the principal diagnosis corresponds to a secondary or ill defined site (195 or 196 through 199), the other diagnosis fields are searched for a primary site. If one is found, that diagnosis identifies the primary site of cancer. If a primary site is not found, the principal diagnosis identifies the secondary site of cancer.
3. If the principal diagnosis does not correspond to a primary nor a secondary site of cancer, the primary or the secondary site of cancer is identified through searching the other 14 diagnoses based on the same logic stated at step 2.
4. If a primary or a secondary site of cancer is not identified by the above 3 steps, an other-than-malignant neoplasm (210 through 239) is identified by checking the principal diagnosis and the 14 other diagnoses.

Classification of HIV and AIDS

Cases of HIV and AIDS were classified by considering the principal diagnosis code and the fourteen other diagnosis codes (ICD-9: 042, 043, 044, 079.51, 079.53, 136.3, 279.10, 279.19, 279.3, 795.71, and V08), as well as the current, new, and prior New York DRG's (in the range of 700-716) and the current, new, and prior Federal DRG's (in the range of 488-490) in the NYS DOH SPARCS discharge record.²

Classification of Injury

Injury was classified by considering both the principal diagnosis code, the 14 other diagnosis code, and a separate variable of the external cause of injury, using the E-code supplement of the International Classification of Diseases, Ninth Revision. The priorities for recording the E-code categories are: a) principal diagnosis of an injury or poisoning; b) other diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis; and c) other diagnosis with an external cause. Only the first E-Code is recorded.

¹ Archived on the New York State Department Of Health web page at <https://commerce.health.state.ny.us/hpn/ctrldocs/sparcs/deriveneo.html>

² Archived on the New York State Department Of Health web page at <https://commerce.health.state.ny.us/hpn/ctrldocs/sparcs/deriveaidsh.html>

Appendix 2. Data Analysis and Significance Test

Basic data analysis was conducted with SPSS 11.5 for Windows (by SPSS Inc., Chicago, Illinois), a comprehensive system for analyzing data. Significance tests for means and averages were performed using the Student's t-test. Significance tests for proportions and percentages were performed using one-sample or two-sample one-sided z-tests. Differences are indicated at the 0.05 significance level.

Appendix 3. The International Classification of Diseases (ICD-10): Codes for Selected Causes of Death

Disease Category	ICD-10
Accidents	V01-X59, Y85-Y86
AIDS	B20-B24
Certain Conditions Originating in the Perinatal Period	P00-P96
Congenital Anomalies	Q00-Q99
Chronic Liver Diseases including Cirrhosis	K70, K73-K74
Chronic Lower Respiratory Disease (CLRD)	J40-J47
Gastritis, Enteritis, Colitis, Diverticulitis	K29, K50-K52, K57
Diabetes Mellitus	E10-E14
Homicide and Legal Intervention	X85-Y09, Y35, Y87.1, Y89.0
Influenza	J10-J11
Major Cardiovascular Diseases	I00-I99
Diseases of the Heart	I00-I09, I11, I13, I20-I51
Acute Rheumatic Fever	I00-I02
Chronic Rheumatic Fever	I05-I09
Diseases of Pulmonary Circulation	I26-I28
Hypertension with Heart Disease	I11, I13
Ischemic Heart Diseases	I20-I25
<i>Acute Myocardial Infarction</i>	<i>I21-I22</i>
<i>Other Ischemic Heart Diseases</i>	<i>I20, I24-I25</i>
Other Diseases of the Heart	I30-I51
Atherosclerosis	I70
Cerebrovascular Disease	I60-I69
Hypertension with or without Renal Disease	I10, I12
Other Diseases of the Circulatory System	I71-I78, I80-I99
Neoplasms (Malignant)	C00-C97
Breast	C50
Buccal Cavity and Pharynx	C00-C14
Digestive Organs and Peritoneum	C15-C26
Genital Organs	C51-C63
Lymphatic and Hematopoietic Tissues	C81-C96
Respiratory System	C30-C39
Urinary Organs	C64-C68
Other and Unspecified Sites	C40-C49, C69-C80, C97
Nephritis, Nephrotic Syndrome and Nephrosis	N00-N07, N17-N19, N25-N27
Pneumonia	J12-J18
Septicemia	A40-A41
Sudden Infant Death Syndrome	R95
Suicide and Self-Inflicted Injury	X60-X84, Y87.0
Tuberculosis	A16-A19

Appendix 4. The International Classification of Diseases (ICD-9): Codes for Selected Diseases for Hospitalizations

Disease Category	ICD-9
Infectious and Parasitic Diseases	001-139
AIDS	042
Neoplasms (including benign)	140-239
Breast	174
Buccal Cavity and Pharynx	140-149
Digestive Organs and Peritoneum	150-159
Genital Organs	179-187
Lymphatic and Hematopoietic Tissues	200-208
Respiratory System	160-165
Urinary Organs	188-189
Other and Unspecified Sites	170-173,175,190-199
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	240-279
Diabetes Mellitus	250
Blood and Blood-Forming Organs	280-289
Mental Disorders	290-319
Psychoses	290-299
Alcoholic Psychoses	291
Drug-Induced Psychoses	292
Schizophrenia	295
Other	293-294, 296-299
Neurotic, Personality, & Other Non-Psychotic Mental Disorders	300-316
Alcohol Dependence Syndrome	303
Drug Dependence Syndrome	304
Non-Dependent Drug Abuse	305
Other	300-302, 306-316
Mental Retardation	317-319
Nervous System and Sensory Organs	320-389
Circulatory System	390-459
Diseases of the Heart	390-398,402,404-429
Acute Rheumatic Fever	390-392
Chronic Rheumatic Fever	393-398
Diseases of Pulmonary Circulation	415-417
Hypertension with Heart Disease	402,404
Ischemic Heart Diseases	410-414
<i>Acute Myocardial Infarction</i>	410
<i>Other Ischemic Heart Diseases</i>	411-414
Other Diseases of the Heart	420-429
Atherosclerosis	440
Cerebrovascular Disease	430-438
Hypertension with or without Renal Disease	401,403,405
Other Diseases of the Circulatory System	441-459
Respiratory System	460-519
Acute Respiratory Infections	460-466
Other Diseases of the Upper Respiratory Tract	470-478
Pneumonia	480-486
Influenza	487
Chronic Obstructive Pulmonary Disease	490-496
Chronic Bronchitis	491
Asthma	493
Other Respiratory Diseases	496

(continued)

Appendix 4. The International Classification of Diseases (ICD-9): Codes for Selected Diseases for Hospitalizations (*cont'd*)

Disease Category	ICD-9
Digestive System	520-579
Diseases of Oral Cavity, Salivary Glands, and Jaws	520-529
Diseases of Esophagus, Stomach, and Duodenum	530-539
Appendicitis	540-543
Hernia of Abdominal Cavity	550-553
Noninfectious Enteritis and Colitis	555-558
Other Disease of Intestines and Peritoneum	560-569
Diverticula of Intestine	562
Other Diseases of Digestive System	570-579
Chronic Liver Diseases and Cirrhosis	571
Genitourinary System	580-629
Pregnancy, Childbirth, and Puerperium	630-679
Skin and Subcutaneous Tissue	680-709
Musculoskeletal System and Connective Tissue	710-739
Congenital Anomalies	740-759
Conditions Originating in the Perinatal Period	760-779
Symptoms, Signs, and Ill-Defined Conditions	780-799
Injury and Poisoning	800-999
Assault	E960-E968.9
Bicycle	E800.3, E801.3, E802.3, E803.3, E804.3, E805.3, E806.3, E807.3, E810.6, E811.6, E812.6, E813.6, E814.6, E815.6, E816.6, E817.6, E818.6, E819.6, E820.6, E821.6, E822.6, E823.6, E824.6, E825.6, E826.1
Cutting Instrument	E920.0-E929.9
Falls	E880.0-E886.9, E888.0-E888.9
Fire/Flame	E890.0-E899.9
Machinery	E919.0-E919.9
Motor Vehicle Crash	E810.0-E810.3, E810.8-E810.9, E811.0-E811.3, E811.8-E811.9, E812.0-E812.3, E812.8-E812.9, E813.0-E813.3, E813.8-E813.9, E814.0-E814.3, E814.8-E814.9, E815.0-E815.3, E815.8-E815.9, E816.0-E816.3, E816.8-E816.9, E819.0-E819.3, E819.8-E819.9, E822.0-E822.3, E822.8-E822.9, E823.0-E823.3, E823.8-E823.9, E825.0-E825.3, E825.8-E825.9
Overexertion	E927
Pedestrian	E810.7, E811.7, E812.7, E813.7, E814.7, E815.7, E816.7, E817.7, E818.7, E819.7, E820.7, E821.7, E822.7, E823.7, E824.7, E825.7
Poisonings	E850.0-E858.9, E860.0-E869.9
Respiratory Interference	E911-E913
Scalds	E924.0, E924.8-E924.9
Self-Inflicted	E950.0-E959.9
Struck by Object / Person	E916.0-E918.9
Submersion	E910.0-E919.9, E830, E832
Unintentional Firearms	E922
Other	
Railway	E800.0-E800.2, E800.8-E800.9, E801.0-E801.2, E801.8-E801.9, E802.0-E802.2, E802.8-E802.9, E803.0-E803.2, E803.8-E803.9, E804.0-E804.2, E804.8-E804.9, E805.0-E805.2, E805.8-E805.9, E806.0-E806.2, E806.8-E806.9, E807.0-E807.2, E807.8-E807.9
Motor Vehicle / Traffic	E810.4-E810.5, E811.4-E811.5, E812.4-E812.5, E813.4-E813.5, E814.4-E814.5, E816.4-E816.5, E817.0-E817.5, E817.8-E817.9, E818.0-E818.5, E818.8-E818.9, E819.4-E819.5
Motor Vehicle / Non-traffic	E820.0-E820.9, E821.0-E821.9, E822.4-E822.5, E823.4-E823.5, E824.0-E824.5, E824.8-E824.9, E825.4-E825.5

(continued)

Appendix 4. The International Classification of Diseases (ICD-9): Codes for Selected Diseases for Hospitalizations (*cont'd*)

Diseases	ICD-9
Injury and Poisoning (<i>cont'd</i>)	800-999
Other (<i>cont'd</i>)	
Water Transport	E831, E833.0-E838.9
Air and Space Transport	E840.0-E845.9
Vehicle, Not Elsewhere Classified	E846.0-E848.9
Falls (other)	E887
Natural and Environmental	E900.0-E909.9
Submersion, Suffocation, Foreign Body	E914.0-E915.9
Other Road Vehicle	E826.0, E826.2-826.9, E827.0-E829.9
Explosion of a Pressure Vessel	E921.0-E921.9
Explosive Material	E923
Caustic and Corrosive Substances	E924.1
Other Unintentional	E925.0-E926.9, E928
Legal Intervention	E970.0-E976.9, E978
Injury, Undetermined Whether Accidentally or Purposefully Inflicted	E980.0-E988.9
Medical Misadventures, Adverse Reactions, and Late Effects	800-999
Medical Misadventures	E870-E876
Abnormal Reactions to Medical Procedures	E878-E879
Adverse Effects of Therapeutic Substances	E930-E949
Late Effects of Injuries	E929, E959,E969,E977,E989,E999
War	E990-E998
Medical Misadventures (late effects)	905-909, 996-999
Reasons for Hospitalization that are not Disease or Injury	V01-V71.2, V71.7-V82.9
Certain Adverse Effects, Not Elsewhere Classified	995
Supplementary Classifications - Newborns	V30-V39
Supplementary Classifications - Other	V01-V29, V40-V83

Appendix 5. Westchester County Department of Health, Communicable Disease Reporting Requirements

Reporting of suspected or confirmed communicable diseases is mandated under the New York Sanitary Code (10NYCRR 2.10) and Westchester County Sanitary Code Article IV, Section 873.402. The primary responsibility for reporting rests with the physician; moreover, laboratories (PHL 2102), school nurses (10NYCRR 2.12), day care center directors, nursing homes/hospitals (10NYCRR 405.3d) and state institutions (10NYCRR 2.10a) or other locations providing health services (10NYCRR 2.12) are also required to report the diseases listed below.

Amebiasis	Lymphogranuloma venereum	Group B strep
(Animal bites for which rabies prophylaxis is given ¹	Malaria	Streptococcus pneumoniae
(Anthrax ²	(Measles	(Syphilis, specify stage ⁷
(Arboviral Infection ³	(Melioidosis ²	Tetanus
Babesiosis	Meningitis	Toxic shock syndrome
(Botulism ²	Aseptic or viral	Trichinosis
(Brucellosis ²	(Haemophilus	(Tuberculosis current disease (specify site)
Campylobacteriosis	(Meningococcal	(Tularemia ²
Chancroid	Other (specify type)	(Typhoid
Chlamydia trachomatis infection	(Meningococcemia	Vibriosis ⁶
(Cholera	(Monkeypox	(Vaccinia Disease ⁸
Cryptosporidiosis	Mumps	(Viral hemorrhagic fever ²
Cyclosporiasis	Pertussis	Yellow Fever
(Diphtheria	(Plague ²	Yersiniosis
E. coli O157:H7 infection ⁴	(Poliomyelitis	
Ehrlichiosis	(Psittacosis	1. Local health department must be notified prior to initiating rabies prophylaxis.
(Encephalitis	(Q Fever ²	2. Diseases that are possible indicators of bioterrorism.
(Foodborne illness	(Rabies	3. Including, but not limited to, infections caused by eastern equine encephalitis virus, western equine encephalitis virus, West Nile virus, St. Louis encephalitis virus, La Crosse virus, Powassan virus, and Jamestown Canyon virus.
Giardiasis	Rocky Mountain spotted fever	4. Positive shigatoxin test results should be reported as presumptive evidence of disease.
(Glanders ²	(Rubella (including congenital rubella syndrome)	5. Only report cases with positive cultures from blood, CSF, joint, peritoneal or pleural fluid. Do not report cases with positive cultures from skin, saliva, sputum or throat.
Gonococcal infection	Salmonellosis	6. Proposed addition to list.
Haemophilus influenzae ⁵ (invasive disease)	(Severe Acute Respiratory Syndrome (SARS)	7. Any non-treponemal test \geq 1:16 or any positive primary or secondary stage disease or prenatal or delivery test result regardless of titer should be reported by phone; all others may be reported by mail.
(Hantavirus Disease	Shigatoxin-producing infection ⁴	8. Persons with vaccinia infection due to contact transmission, and persons with the following complications from vaccination: eczema vaccinatum, erythema multiforme major or Stevens-Johnson syndrome, fetal vaccinia, generalized vaccinia, inadvertent inoculation, ocular vaccinia, post-vaccinal encephalitis or encephalomyelitis, progressive vaccinia, pyogenic infection of the vaccination site, and any other serious adverse events.
Hemolytic uremic syndrome (HUS)	Shigellosis ⁴	
Hepatitis A	(Smallpox ²	
(Hepatitis A in a food handler	Staphylococcus aureus ⁶	
Hepatitis B, C	(due to strains showing reduced susceptibility or resistance to vancomycin)	
(specify acute or chronic)	(Staphylococcal enterotoxin B poisoning ²	
Pregnant Hepatitis B carrier	Streptococcal infection (invasive disease) ⁵	
Hospital associated infections (as defined in section 2.2 10NYCRR)	Group A beta-hemolytic strep	
Legionellosis		
Listeriosis		
Lyme disease		

SPECIAL NOTES

- Diseases listed in **bold type (t)** warrant prompt action and should be reported **immediately** to local health departments by phone followed by submission of the confidential case report form (DOH-389). In NYC use case report form 395V.
- In addition to the diseases listed above, any unusual disease (defined as a newly apparent or emerging disease or syndrome that could possibly be caused by a transmissible infectious agent or microbial toxin) is reportable.
- Outbreaks: while individual cases of some diseases (e.g., streptococcal sore throat, head lice, impetigo, scabies, and pneumonia) are not reportable, a cluster or outbreak of cases of any communicable disease is a reportable event.
- Cases of HIV infection, HIV-related illness and AIDS are reportable to:**
 - Division of Epidemiology
 - P.O. Box 2073, ESP Station
 - Albany, New York 12220-2073
 - (518) 474-4284
- In New York City:
 - New York City Department of Health
 - For HIV/AIDS reporting, call:
 - (212) 442-3388

For more information on disease reporting, call Westchester County Department of Health Division of Disease Control at (914) 813-5159, or New York State Department of Health Bureau of Communicable Disease Control at (518)-473-4439. In New York City (866) NYC-DOH1. To obtain reporting forms (DOH-389), call (518) 474-0548

WHO SHOULD REPORT?

Physicians, nurses, laboratory directors, infection control practitioners, health care facilities, state institutions, schools.

WHERE SHOULD REPORT BE MADE?

Report to local health department where patient resides.

Name/Address: **Westchester County**

Department of Health – DDC
145 Huguenot Street – 8th Floor
New Rochelle, New York 10801

Phone: **(914) 813-5159 [M-F 8:30-4:30]**
(914) 813-5000 [After Hours & Weekends]

Fax: **(914) 813-5182**

WHEN SHOULD REPORT BE MADE?

Within 24 hours of diagnosis:

- phone or fax diseases in bold type,
- mail case report, DOH-389, for all other diseases,
- in New York City use form 395V.

Appendix 6. Westchester County Hospitals

Name	Address	Telephone
Acute Hospitals		
Community Hospital at Dobbs Ferry	128 Ashford Avenue, Dobbs Ferry, NY 10522	914-693-0700
Hudson Valley Hospital Center	1980 Crompond Road, Cortlandt Manor, NY 10567	914-737-9000
Lawrence Hospital Center	55 Palmer Avenue, Bronxville, NY 10708	914-787-1000
Mount Vernon Hospital	12 North Seventh Avenue, Mount Vernon, NY 10550	914-664-8000
Northern Westchester Hospital	400 Main Street, Mount Kisco, NY 10549	914-666-1303
Phelps Memorial Hospital Association	701 North Broadway, Sleepy Hollow, NY 10591	914-366-3000
Sound Shore Medical Center of Westchester	16 Guion Place, New Rochelle, NY 10802	914-632-5000
St. John's Riverside Hospital	967 North Broadway, Yonkers, NY 10701	914-964-4200
<i>Park Care Pavilion Division¹</i>	<i>2 Park Avenue, Yonkers, New York 10703</i>	<i>914-964-7300</i>
St. Joseph's Hospital	127 South Broadway, Yonkers, NY 10701	914-378-7000
Westchester Medical Center	Grasslands Campus, Valhalla, NY 10595	914-493-7000
White Plains Hospital Center	14 East Post Road, White Plains, NY 10604	914-681-0600
Specialty Hospitals		
Blythedale Children's Hospital	Bradhurst Avenue, Valhalla, NY 10595	914-592-7555
W.M. Burke Rehabilitation Hospital	785 Mamaroneck Avenue, White Plains, NY 10605	914-597-2500
Four Winds Hospital	800 Cross River Road, Katonah, NY 10536	914-763-8151
New York Presbyterian Hospital - Westchester Division	21 Bloomingdale Road, White Plains, NY 10605	914-682-9100
St. Vincent's Westchester Catholic Medical Center - St. Vincent's Westchester	275 North Street, Harrison, NY 10528	914-967-6500
VA Hudson Valley Health Care System	Route 9A, P.O. Box 100, Montrose, NY 10548	914-737-4400

¹As of 11/01/2001, Yonkers General Hospital has been merged with St. John's Riverside Hospital. The original Yonkers General Hospital is currently an urgent care center that is open 24 hours a day, 7 days a week. The center is limited to walk-in detoxification and rehabilitation patients only and is known as the Park Care Pavilion. Patients in need of hospital care are admitted to St. John's Riverside Hospital.

Source: New York State Department of Health, December 2005.

Appendix 7. Westchester County Nursing Homes

Name	Address	Telephone	Number of Beds in 2006
Andrus on Hudson	185 Old Broadway, Hastings-on-Hudson, NY 10706	914-478-3700	247
Bayberry Nursing Home	40 Keogh Lane, New Rochelle, NY 10805	914-636-3947	60
Bethel Nursing & Rehabilitation Center	67 Springvale Road, Croton-on-Hudson, NY 10520	914-739-6700	200
Bethel Nursing Home Company Inc.	17 Narragansett Avenue, Ossining, NY 10562	914-941-7300	78
Brandywine Nursing Home Inc.	620 Sleepy Hollow Road, Briarcliff Manor, NY 10510	914-291-3700	131
Cedar Manor Nursing Home	Cedar Lane, Ossining, NY 10562	914-762-1600	153
Cortlandt Healthcare LLC	110 Oregon Road, Peekskill, NY 10566	914-739-9150	120
Dumont Masonic Home	676 Pelham Road, New Rochelle, NY 10805	914-632-9600	196
Field Home-Holy Comforter	2300 Catherine Street, Cortlandt Manor, NY 10562	914-739-2244	200
Glen Island Care Center for Nursing and Rehabilitation	490 Pelham Road, New Rochelle, NY 10805	914-636-2800	182
Hebrew Hospital Home of Westchester Inc.	61 Grasslands Road, Valhalla, NY 10595	914-681-8400	160
Helen and Michael Schaffer Extended Care Center	16 Guion Place, New Rochelle, NY 10802	914-637-1200	150
Home for Aged Blind	75 Stratton Street South, Yonkers, NY 10701	914-963-4661	219
Kendal on Hudson	1 Kendal Way, Sleepy Hollow, NY 10591	914-922-1000	42
King Street Home Inc.	787 King Street, Port Chester, NY 10573	914-937-5800	120
Michael Malotz Skilled Nursing Pavilion	120 Odell Avenue, Yonkers, NY 10701	914-964-3333	120
Nathan Miller Center For Nursing Care	37 Dekalb Avenue, White Plains, NY 10605	914-686-8239	65
Nathan Miller Center for Nursing Care Inc.	220 Westchester Post, White Plains, NY 10606	914-686-8880	88
New Sans Souci Nursing Home	115 Park Avenue, Yonkers, NY 10703	914-423-9800	120
New York State Veterans Home at Montrose	2090 Albany Post Road, Montrose, NY 10548	914-788-6000	252
Port Chester Nursing & Rehabilitation Centre	1000 High Street, Port Chester, NY 10573	914-937-1200	160
Regency Extended Care Center	65 Ashburton Avenue, Yonkers, NY 10701	914-963-4000	315
Rosary Hill Home	600 Linda Avenue, Hawthorne, NY 10532	914-769-0114	72
Salem Hills Rehabilitation and Nursing Center	539 Route 22, Purdys, NY 10578	914-277-3626	126
Sarah Neuman Center for Healthcare and Rehabilitation	845 Palmer Avenue, Mamaroneck, NY 10543	914-698-6005	300
Schnurmacher Center for Rehabilitation and Nursing	12 Tibbits Avenue, White Plains, NY 10606	914-428-0910	245
Sky View Rehabilitation and Health Care Center, LLC	1280 Albany Post Road, Croton-on-Hudson, NY 10520	914-271-5151	192
Somers Manor Nursing Home Inc.	Route 100, Somers, NY 10589	914-232-5101	300
Sprain Brook Manor Nursing Home	77 Jackson Avenue, Scarsdale, NY 10583	914-472-3200	121
St. Cabrini Nursing Home Inc.	115 Broadway, Dobbs Ferry, NY 10522	914-693-6800	304
St. Josephs Hospital Nursing Home of Yonkers NY Inc.	127 South Broadway, Yonkers, NY 10701	914-378-7358	200
St. Mary's Rehabilitation Center for Children	15 Spring Valley Road, Ossining, NY 10562	914-333-7000	44

(continued)

Appendix 7. Westchester County Nursing Homes (cont'd)

Name	Address	Telephone	Number of Beds in 2006
Sutton Park Center for Nursing and Rehabilitation	31 Lockwood Avenue, New Rochelle, NY 10801	914-576-0600	160
Tarrytown Hall Care Center	Wood Court, Tarrytown, NY 10591	914-631-2600	120
Taylor Care Center at Westchester	25 Bradhurst Avenue, Hawthorne, NY 10532	914-493-7762	321
The Osborn	101 Theall Road, Rye, NY 10580	914-967-4100	84
The Wartburg Home	Bradley Avenue, Mount Vernon, NY 10552	914-699-0800	240
Treetops Rehabilitation and Care Center, LLC	3550 Lexington Avenue, Mohegan Lake, NY 10547	914-528-2000	120
United Hebrew Geriatric Center	60 Willow Drive, New Rochelle, NY 10805	914-632-2804	150
United Nursing Home for the Aged Inc.	391 Pelham Road, New Rochelle, NY 10805	914-632-2804	120
Victoria Home	25 North Malcolm Street, Ossining, NY 10562	914-941-2450	49
Waterview Hills Rehabilitation and Nursing Center	537 Route 22, P.O. Box 257, Purdys Station, NY 10578	914-277-3691	130
West Ledge Health Care Facility Inc.	2000 East Main Street, Peekskill, NY 10566	914-737-8400	100
Westchester Center for Rehabilitation and Nursing	10 Claremont Avenue, Mount Vernon, NY 10550	914-699-1600	240
Westchester Meadows	55 Grasslands Road, Valhalla, NY 10595	914-989-7800	20
White Plains Center for Nursing Care, LLC	220 West Post Road, White Plains, NY 10606	914-686-8880	88

Source: New York State Department of Health, August 11, 2006.

Nursing Homes Located in Westchester County, 2006



Appendix 8. Westchester County Department of Health District Offices

Mount Kisco District Office¹

118 North Bedford Suite, Suite 100
Mount Kisco, New York 10549
(914) 864-7358

New Rochelle District Office

420 North Avenue
New Rochelle, New York 10801
(914) 813-5525

Port Chester WIC Program

One Gateway Plaza, 1st Floor
South Main Street
Port Chester, New York 10573
(914) 813-7244

White Plains District Office

134 Court Street, 1st Floor
White Plains, New York 10601
(914) 995-5800

White Plains WIC Program

112 East Post Road, 1st Floor
White Plains, New York 10601
(914) 995-6350

Yonkers District Office

20 South Broadway
Yonkers, New York 10701
Clinical Health Services: (914) 231-2500
Public Health Protection: (914) 231-2975
WIC Program: (914) 231-2510

¹ Environmental Only

**Westchester County Board of Health
2005**

Douglas G. Aspros, D.V.M., President

James E. Carnicelli, Vice President

Harold Adel, M.D.

Robert H. Baker, M.D.

Jeffrey M. Brensilver, M.D.

William Davis

Peter Liebert, M.D.

Anthony M. Maddalena

Mary Ellen McGurty

Ruth Merkatz, R.N., Ph.D.

Nancy Seligson

Andrea Stewart-Cousins

Harry Zourdos

**Westchester County Board of Health
2006**

Douglas G. Aspros, D.V.M., President

James E. Carnicelli, Vice President

Harold Adel, M.D.

Robert H. Baker, M.D.

Jeffrey M. Brensilver, M.D.

William Davis

Richard Klein, M.D.

Peter Liebert, M.D.

Anthony M. Maddalena

Mary Ellen McGurty

Ruth Merkatz, R.N., Ph.D.

Nancy Seligson

Andrea Stewart-Cousins

**Westchester County Department of Health
Administrative Staff
as of January 1, 2005**

Joshua Lipsman, M.D., M.P.H.
Commissioner

Patsy Yang-Lewis, M.P.H.
First Deputy Commissioner

.....

Mark Johnston, M.D., M.P.H.	Chief of Section, Child Health Services
Lorraine Chun, B.S.	Director, Services for Children with Special Needs
Irwin Cohen, M.B.A.	Director, Fiscal Operations
Donna Dyke, R.N., M.A.	Assistant Commissioner, Nursing Services and Community Health Services
Cheryl Archbald, M.D., M.P.H.	Deputy Commissioner, Community Health Services
Richard Gruffi, D.D.S.	Chief Section, Dental Health Services
Frank Guido, M.P.A., R.S.	Assistant Commissioner, Public Health Protection Services
Ada Huang, M.D.	Deputy Commissioner, Disease Control Services
Mary Landrigan, M.P.A.	Director, Health Education and Public Information
Gregory Carmichael, Ph.D., M.B.A.	Deputy Commissioner, Environmental Health Services
Belinda Ostrowsky, M.D., M.P.H.	Chief of Section, Communicable Diseases
Alyse Portera, M.S.	Deputy Commissioner, Administration
Renee Recchia, M.P.H.	Assistant Commissioner, Planning and Evaluation
Michael Sakala, P.E.	Assistant Commissioner, Environmental Quality Services

**Westchester County Department of Health
Administrative Staff
as of January 1, 2006**

Joshua Lipsman, M.D., M.P.H.
Commissioner

Patsy Yang-Lewis, Dr.P.H.
First Deputy Commissioner

.....

Mark Johnston, M.D., M.P.H.	Chief of Section, Clinical Services
Lorraine Chun, B.S.	Director, Services for Children with Special Needs
Irwin Cohen, M.B.A.	Director, Fiscal Operations
Donna Dyke, R.N., M.A.	Assistant Commissioner, Nursing Services and Community Health Services
Cheryl Archbald, M.D., M.P.H.	Deputy Commissioner, Community Health Services
Richard Gruffi, D.D.S.	Chief Section, Dental Health Services
Frank Guido, M.P.A., R.S.	Assistant Commissioner, Public Health Protection Services
Ada Huang, M.D.	Deputy Commissioner, Disease Control Services
Mary Landrigan, M.P.A.	Director, Health Education and Public Information
Gregory Carmichael, Ph.D., M.B.A.	Deputy Commissioner, Environmental Health Services
Anil Vaidian, M.D., M.P.H.	Chief of Section, Communicable Diseases
Alyse Portera, M.S.	Deputy Commissioner, Administration
Renee Recchia, M.P.H.	Assistant Commissioner, Planning and Evaluation
Paul Kutzy, P.E.	Assistant Commissioner, Environmental Quality Services

Project Staff Planning and Evaluation

Renee Recchia, M.P.H.
Assistant Commissioner

Jiali Li, Ph.D.
Director of Research and Evaluation

.....

Christopher Benitto, B.A.	Staff Assistant (GIS)
Mary Ellen Bubnis	Senior Control Clerk
Maggie Chang, M.P.H.	Medical Data Analyst I
Stanley Cho, M.P.H.	Program Specialist
Rosemary James, M.P.H.	Assistant Statistician
Rosemarie Linton, M.P.H.	Research Analyst
Segun Okunoye, M.P.H.	Management Analyst
Rodney Thomas, M.A.	Medical Data Analyst II