



Robert P. Astorino, Westchester County Executive
County Board of Legislators

ANNUAL DATA BOOK 2009



09

Westchester
gov.com

DEPARTMENT OF HEALTH
Patsy Yang, Dr. P.H., Acting Commissioner of Health

**COUNTY OF WESTCHESTER
ROBERT P. ASTORINO
COUNTY EXECUTIVE**

**DEPARTMENT OF HEALTH
ANNUAL DATABOOK
2009**

**PATSY YANG, Dr. P.H.
ACTING COMMISSIONER OF HEALTH
WESTCHESTER COUNTY DEPARTMENT OF HEALTH
145 HUGUENOT STREET – 8TH FLOOR
NEW ROCHELLE, NY 10801**

For questions, please contact Planning and Evaluation: Phone: (914) 813-5100

Westchester County Department of Health

Mission Statement

The mission of the Westchester County Department of Health is to promote health, prevent disease and prolong meaningful life for Westchester residents.

The Commissioner of Health is vested with all of the powers and duties necessary under the mandates of the New York State Public Health Law to

- monitor and control the spread of communicable disease,
- monitor and regulate air and water quality,
- enforce the state and local sanitary code,
- promote and ensure local public health activities and
- assure the availability of community health services.

Westchester County Department of Health

INTRODUCTION

The 2009 Annual Databook is a detailed data supplement to the recently released 2010-2013 Community Health Assessment (CHA). As an essential part of the Municipal Public Health Service Plan (MPHSP) submitted to the New York State Department of Health, the Community Health Assessment describes the health and well-being of Westchester County residents, assesses the availability and accessibility of the health care services in the county, identifies existing gaps and health care barriers in the county, and specifies the priorities and actions of the Westchester County Department of Health (WCDH).

Following the structure of the Community Health Assessment, the 2009 Annual Databook contains detailed tables in the following areas:

- General demographic and socioeconomic characteristics of the county population with data from the 2000 Census and the 2005-2007 American Community Survey;
- General Health Status, health behavior, and access to health care, with information from the New York State Behavioral Risk Factor Surveillance System (BRFSS);
- Vital Statistics, including the number of births and pregnancies, demographic characteristics of mothers, number of deaths, the leading causes of death and demographic characteristics of the deceased;
- Emergency Room Visits and Hospitalizations, including the number of emergency room visits and number of hospital discharges, select causes of emergency room visits and hospitalizations, and demographic and socioeconomic characteristics of patients;
- Communicable Diseases, including the number of communicable diseases reported to the Westchester County Department of Health;
- Cancer Incidence and Mortality, including age-adjusted incidence and mortality rates by basic demographic characteristics of patients, and comparisons with New York State in general; and
- Health Department Services, including activities of the Department of Health's community clinics; information on environmental health inspections conducted, services for Children with Special Needs and enrollment in publicly funded health insurance programs.

Westchester County Municipalities

Health Planning Region and Municipality ¹	Code ²
Northwest	
Cortlandt Town	T
Buchanan Village	V
Croton-on-Hudson Village	V
Cortlandt Unincorporated	TOV
Mount Pleasant Town	T
Briarcliff Manor Village (Mount Pleasant Part) ²	V
Pleasantville Village	V
Sleepy Hollow Village	V
Mount Pleasant Unincorporated	TOV
Ossining Town	T
Briarcliff Manor Village (Ossining Part) ²	V
Ossining Village	V
Ossining Unincorporated	TOV
Peekskill	C
Northeast	
Bedford Town	T
Lewisboro Town	T
Mount Kisco Town/Village	T/V
New Castle Town	T
North Castle Town	T
North Salem Town	T
Pound Ridge Town	T
Somers Town	T
Yorktown Town	T
West Central	
Greenburgh Town	T
Ardsley Village	V
Dobbs Ferry Village	V
Elmsford Village	V
Hastings-on-Hudson Village	V
Irvington Village	V
Tarrytown Village	V
Greenburgh Unincorporated	TOV
Scarsdale Town/Village	T/V
White Plains	C

Health Planning Region and Municipality¹	Code²
East Central	
Harrison Town/Village	T/V
Mamaroneck Town	T
Larchmont Village	V
Mamaroneck Village (Mamaroneck Part) ³	V
Mamaroneck Unincorporated	TOV
Rye City	C
Rye Town	T
Mamaroneck Village (Rye Part) ³	V
Port Chester Village	V
Rye Brook Village	V
Southwest	
Yonkers	C
Southeast	
Eastchester Town	T
Bronxville Village	V
Tuckahoe Village	V
Eastchester Unincorporated	TOV
Mount Vernon	C
New Rochelle	C
Pelham Town	T
Pelham Village	V
Pelham Manor Village	V

¹ For regional planning purposes, municipalities are grouped into six geographic health planning regions.

² A town may or may not include incorporated villages located within the town boundary. When it does not include any incorporated villages within the town boundary, the statistics refer to the town as a whole (T). When it does include incorporated villages within its boundary, the statistics refer to the unincorporated area within the town boundary (TOV). The entities of Harrison, Mount Kisco, and Scarsdale are both towns and villages (V/T). The land in two towns, Pelham and Rye, has all been incorporated into separated villages. Therefore, no data are reported for these two towns.

³ The Village of Briarcliff Manor and the Village of Mamaroneck are split between two towns. Briarcliff Manor is within the Town of Ossining (92% of its surface area and 91% of its population) and the Town of Mount Pleasant (8% of its surface area and 9% of its population). The Village of Mamaroneck is within the Town of Mamaroneck (63% of its surface area and 60% of its population) and the Town of Rye (37% of its surface area and 40% of its population).

MUNICIPALITIES AND HEALTH PLANNING REGIONS WESTCHESTER COUNTY




Table of Contents

Mission Statement.....	i
Foreword.....	ii
Westchester County Municipalities.....	iii
List of Tables.....	vii
List of Appendices.....	xvii
Demographics.....	1
General Health Status & Health Behaviors from BRFSS.....	41
Births and Pregnancies.....	83
Deaths.....	94
Emergency Room Visits.....	107
Hospitalizations.....	144
Communicable Diseases.....	196
Cancer.....	218
Health Department Services.....	228
Appendices.....	246

List of Tables

Demographics

1	Population by Age and Sex, Westchester County, 2000 Census and 2005-2007	1
2	Population by Race/Ethnicity and Sex, Westchester County, 2000 and 2005-2007	2
3	Population by Age and Race/Ethnicity, Westchester County, 2000 and 2005-2007	3
4	Population by Sex and Subregions, Westchester County, 2000 and 2005-2007	6
5	Population by Age and Subregions, Westchester County, 2000 and 2005-2007	7
6	Population by Race/Ethnicity and Subregions, Westchester County, 2000 and 2005-2007	9
7	Educational Attainment by Sex, Population Ages 25+, Westchester County, 2000 and 2005-2007	12
8	Educational Attainment by Race/Ethnicity, Population Ages 25+, Westchester County, 2000 and 2005-2007	13
9	Educational Attainment by Sex and Subregions, Population Ages 25+, Westchester County, 2000 and 2005-2007	16
10	Household Type by Race/Ethnicity, Westchester County, 2000 and 2005-2007	18
11	Household Type by Subregions, Westchester County, 2000 and 2005-2007	21
12	Population by Citizenship Status and Language Spoken at Home, Westchester County, 2000 and 2005-2007	22
13	Citizenship Status, Language Spoken at Home and Subregions, Westchester County, 2000 and 2005-2007	23
14	Employment Status by Race and Ethnicity, Population 16+, Westchester County, 2000 and 2005-2007	24
15	Employment Status by Age and Sex, Population 16+ in Civilian Labor Force, Westchester County, 2000 and 2005-2007	25
16	Employment Status by Subregions, Population 16+, Westchester County, 2000 and 2005-2007	26
17	Employment Status by Sex, Population 16+, Westchester County, 2000 and 2005-2007	27
18	Poverty Status by Age and Sex, Westchester County, 2000 and 2005-2007	28
19	Poverty Status by Age and Race/Ethnicity, Westchester County, 2000 and 2005-2007	29
20	Poverty Status by Subregions, Westchester County, 2000 and 2005-2007	32
21	Number of Households by Income Group, Median Household Income, Source of Household Income, Westchester County, 1999 and 2005-2007	33
22	Number of Households by Income Group, Median Household Income, Source of Household Income, and Number of Population under Poverty Level by Race and Ethnicity, Westchester County, 1999 and 2005-2007	34
23	Median Household Income by Race and Ethnicity, Westchester County, 2000 and 2005-2007	35
24	Number of Households by Income Group and Median Household Income, Westchester County, 2000 and 2005-2007	37
25	Number of Households by Year Structure Built, Westchester County, 2000 and 2005-2007	39
26	Number of Households by Year Structure Built and Subregion, Westchester County, 2000 and 2005-2007	40

General Health Status & Health Behaviors from BRFSS

27 Self-Reported General Health Status by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	41
28 Health Insurance Coverage Status by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	43
29 Percentage of Adults with Regular Health Care Providers by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	44
30 Percentage of Adults Who Did Not Visit A Doctor within the Past Year due to Cost by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	45
31 Percentage of Adults Who visited A Doctor for Routine Checkups by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	46
32 Percentage of Adults Who Visited A Dentist and Services Received with the Past Year by Sex, Age, Education, and Income, Westchester County and New York State, July-December	47
33 Percentage of Adults Who Received Flu Vaccinations within the Past 12 Months by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	49
34 Percentage of Adults Who Received the Pneumonia Vaccination by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	51
35 Percentage of Women Aged 40 and Older Who Received A Mammogram by Age, Education, and Income, Westchester County and New York State, July-December 2008	52
36 Percentage of Women Aged 40 and Older Who Received A Pap Test by Age, Education, and Income, Westchester County and New York State, July-December 2008	54
37 Percentage of Men Aged 40 and Older Who Received A Digital Rectal Exam by Age, Education, and Income, Westchester County and New York State, July-December 2008	55
38 Percentage of Men Aged 40 and Older Who Have Had Prostate Cancer or Prostate Cancer Testing by Age, Education, and Income, Westchester County and New York State, July-December 2008	56
39 Percentage of Adults Aged 50 and Older Who Received Home Blood Stool Testing by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	58
40 Percentage of Adults Aged 50 and Older Who Received a Sigmoidoscopy or Colonoscopy by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	60
41 Percentage of Adults Aged 50 and Older Who Received Home Blood Stool Testing, Sigmoidoscopy or Colonoscopy by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	62
42 Percentage of Adults with High Blood Pressure or Taking High Blood Pressure Medication by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	63
43 Percentage of Adults Who Received Blood Cholesterol Testing by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	64
44 Percentage of Adults with Cardiovascular and/or Coronary Health Disease by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	65
45 Percentage of Adults Diagnosed with Diabetes by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	66

46 Percentage of Adults Diagnosed with Asthma by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	67
47 Percentage of Adults Diagnosed with Arthritis or Chronic Joint Symptoms by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	68
48 Percentage of Adults with Activity Limitations due to Health Problems by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	69
49 Percentage of Adults Who Require the Use of Special Equipment due to Health Problems by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	70
50 Percentage of Adults with a Disability by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	71
51 Percentage of Adults Who Smoke or Live in Homes Where Smoking Is Prohibited by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	72
52 Percentage of Adults Who Binge Drink or Drink Heavily by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	74
53 Percentage of Adults Who Have Been Asked about Sexual History during A Routine Check-up by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	75
54 Percentage of Adults Who Believed Few People in Their Community Have An STD or Believed It Was Somewhat Acceptable to Talk about STDs in Public by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	76
55 Percentage of Adults Who Are Overweight or Obese by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	77
56 Percentage of Adults Who Received Advice about Weight and Weight Loss from a Health Professional by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	79
57 Percentage of Adults Who Partake in No Leisure-Time Physical Activity by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	80
58 Percentage of Adults Who Consume 5 or More Servings of Fruits and Vegetables per Day by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	81
59 Percentage of Adults Who Fell in the Past 3 Months by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008	82

Births and Pregnancies

60 Total Number of Births and Birth Rates by Municipality, Westchester County, 2007	83
61 Average Maternal Age and Number of Births by Mother's Age and Municipality, Westchester County, 2007	84
62 Percentage of Infants with Low Birthweight, Less Than 37 Gestation Weeks, and Delayed or No Prenatal Care by Municipality, Westchester County, 2007	85
63 Number of Births by Mother's Age and Race/Ethnicity, Westchester County, 2007	86
64 Number of Births by Mother's Age and Educational Level, Westchester County, 2007	87
65 Number of Births by Birthweight and Mother's Race/Ethnicity and Age, Westchester County, 2007	88

66 Average Birthweight by Maternal Exposure to Smoking and Drug Use During Pregnancy by Mother's Race/Ethnicity, Westchester County, 2007	89
67 Number of Births by Time Starting Prenatal Care and Mother's Age and Race/Ethnicity, Westchester County, 2007	90
68 Number of Births by Time Starting Prenatal Care and Mother's Educational Level and Race/Ethnicity, Westchester County, 2007	91
69 Number of Births by Time Starting Prenatal Care and Mother's Regional Origin, Westchester County, 2007	92
70 Number of Total Pregnancies, Live Births, Spontaneous Fetal Deaths, and Induced Abortions by Mother's Race/Ethnicity and Age, Westchester County, 2007	93

Deaths

71 Total Number of Deaths and Infant Deaths, Death Rate and Infant Death Rate, Westchester County, 2007	94
72 Number of Deaths and Death Rates by Age Group and Sex, and Average Age of Death by Sex, Westchester County, 2007	95
73 Number of Deaths and Death Rates by Age Group and Race/Ethnicity, and Average Age of Death by Race/Ethnicity, Westchester County, 2007	96
74 Number of Infant Deaths and Infant Mortality Rates by Race/Ethnicity, Westchester County, 2002-2007	96
75 Ten Leading Causes of Death and Death Rates, Westchester County, New York State (NYS), and the United States, 2005-2007	97
76 Number of Deaths and Death Rates by Selected Causes of Death and Sex, Westchester County, 2007	98
77 Number of Deaths and Death Rates by Selected Causes of Death and Age Group, Westchester County, 2007	99
78 Number of Deaths and Death Rates by Selected Causes of Death and Race/Ethnicity, Westchester County, 2007	100
79 Number of Deaths Due to Cardiovascular Diseases by Age Group and Sex, Westchester County, 2007	101
80 Number of Deaths Due to Cardiovascular Diseases by Race/Ethnicity, Westchester County, 2007	102
81 Number of Deaths Due to Cardiovascular Diseases by Age Group and Race/Ethnicity, Westchester County, 2007	103
82 Number of Deaths Due to Malignant Neoplasms by Age Group and Sex, Westchester County, 2007	104
83 Number of Deaths Due to Malignant Neoplasms by Race/Ethnicity, Westchester County, 2007	104
84 Number of Deaths Due to Malignant Neoplasms by Age Group and Race/Ethnicity, Westchester County, 2007	105
85 Number of Deaths Due to Accidents by Age, Sex, and Race/Ethnicity, Westchester County, 2007	106

Emergency Room Visits

86	Number of Emergency Room Visits by Hospital, Patient Disposition, and Residency, 2007 and 2008	107
87	Number of Emergency Room Visits by Sex and Hospital, Westchester County Residents, 2007 and 2008	108
88	Number of Emergency Room Visits by Age and Hospital, Westchester County Residents, 2007 and 2008	109
89	Number of Emergency Room Visits by Race/Ethnicity and Hospital, Westchester County Residents, 2007 and 2008	110
90	Number of Emergency Room Visits by Major Diagnosis Category and Hospital, Westchester County Residents, 2007 and 2008	111
91	Number of Emergency Room Visits by Payer and Hospital, Westchester County Residents, 2007 and 2008	112
92	Number of Emergency Room Visits by Major Diagnosis Category and Sex, Westchester County Residents, 2007 and 2008	113
93	Number of Emergency Room Visits by Major Category Categories and Age, Westchester County Residents, 2007 and 2008	114
94	Number of Emergency Room Visits by Major Diagnosis Category and Race/Ethnicity, Westchester County Residents, 2007 and 2008	115
95	Number of Emergency Room Visits by Major Diagnosis Category and Payer, Westchester County Residents, 2007 and 2008	116
96	Number of Emergency Room Visits by Major Diagnosis Category and Disposition, Westchester County Residents, 2007 and 2008	117
97	Number of Emergency Room Visits Due to Injuries and Poisonings by Sex, Age, and Race/Ethnicity, Westchester County Residents, 2007 and 2008	118
98	Number of Emergency Room Visits Due to Injuries and Poisonings by Sex and Age, Westchester County Residents, 2007 and 2008	119
99	Number of Emergency Room Visits Due to Injuries and Poisonings by Sex and Race/Ethnicity, Westchester County Residents, 2007 and 2008	120
100	Number of Emergency Room Visits Due to Injuries and Poisonings by Age and Race/Ethnicity, Westchester County Residents, 2007 and 2008	121
101	Number of Emergency Room Visits Due to Diseases of the Respiratory System by Sex, Age, and Race/Ethnicity, Westchester County Residents, 2007 and 2008	122
102	Number of Emergency Room Visits Due to Diseases of the Respiratory System by Sex and Age, Westchester County Residents, 2007 and 2008	123
103	Number of Emergency Room Visits Due to Diseases of the Respiratory System by Sex and Race/Ethnicity, Westchester County Residents, 2007 and 2008	124
104	Number of Emergency Room Visits Due to Diseases of the Respiratory System by Age and Race/Ethnicity, Westchester County Residents, 2007 and 2008	125
105	Number of Emergency Room Visits Due to Diseases of the Cardiovascular System by Sex, Age, and Race/Ethnicity, Westchester County Residents, 2007 and 2008	126
106	Number of Emergency Room Visits Due to Diseases of the Cardiovascular System by Sex and Age, Westchester County Residents, 2007 and 2008	127

107	Number of Emergency Room Visits Due to Diseases of the Cardiovascular System by Sex and Race/Ethnicity, Westchester County Residents, 2007 and 2008	129
108	Number of Emergency Room Visits Due to Diseases of the Cardiovascular System by Age and Race/Ethnicity, Westchester County Residents, 2007 and 2008	130
109	Number of Emergency Room Visits Due to General Symptoms by Sex, Age, and Race/Ethnicity, Westchester County Residents, 2007 and 2008	132
110	Number of Emergency Room Visits Due to General Symptoms by Sex and Age, Westchester County Residents, 2007 and 2008	133
111	Number of Emergency Room Visits Due to General Symptoms by Sex and Race/Ethnicity, Westchester County Residents, 2007 and 2008	134
112	Number of Emergency Room Visits Due to General Symptoms by Age and Race/Ethnicity, Westchester County Residents, 2007 and 2008	135
113	Number of Emergency Room Visits Due to Diseases of the Digestive System by Sex, Age, and Race/Ethnicity, Westchester County Residents, 2007 and 2008	136
114	Number of Emergency Room Visits Due to Diseases of the Digestive System by Sex and Age, Westchester County Residents, 2007 and 2008	137
115	Number of Emergency Room Visits Due to Diseases of the Digestive System by Sex and Race/Ethnicity, Westchester County Residents, 2007 and 2008	138
116	Number of Emergency Room Visits Due to Diseases of the Digestive System by Age and Race/Ethnicity, Westchester County Residents, 2007 and 2008	139
117	Number of Emergency Room Visits Due to Mental Disorders and Substance Abuse by Sex, Age, and Race/Ethnicity, Westchester County Residents, 2007 and 2008	140
118	Number of Emergency Room Visits Due to Mental Disorders and Substance Abuse by Sex and Age, Westchester County Residents, 2007 and 2008	141
119	Number of Emergency Room Visits Due to Mental Disorders and Substance Abuse by Sex and Race/Ethnicity, Westchester County Residents, 2007 and 2008	142
120	Number of Emergency Room Visits Due to Mental Disorders and Substance Abuse by Age and Race/Ethnicity, Westchester County Residents, 2007 and 2008	143

Hospitalizations

121	Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2007-2008	144
122	Number of Hospital Discharges and Average Length of Stay by Age and Sex, Westchester County Residents, 2007-2008	148
123	Number of Hospital Discharges and Average Length of Stay by Age and Race/Ethnicity, Westchester County Residents, 2007-2008	150
124	Number of Hospital Discharges by Principal Diagnosis and All Related Diagnoses, Westchester County Residents, 2007-2008	152
125	Number of Hospital Discharges by Principal Diagnosis and Age, Westchester County Residents, 2007-2008	154
126	Number of Hospital Discharges by Principal Diagnosis and Sex, Westchester County Residents, 2007-2008	156
127	Number of Hospital Discharges by Principal Diagnosis and Race/Ethnicity, Westchester County Residents, 2007-2008	158

128	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age, Westchester County Residents, 2007-2008	160
129	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Sex, Westchester County Residents, 2007-2008	162
130	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Race/Ethnicity, Westchester County Residents, 2007-2008	164
131	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age and Sex, Westchester County Residents, 2007-2008	166
132	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System, by Age and Race/Ethnicity, Westchester County Residents, 2007-2008	168
133	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Age, Westchester County Residents, 2007-2008	170
134	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Sex, Westchester County Residents, 2007-2008	171
135	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Race/Ethnicity, Westchester County Residents, 2007-2008	172
136	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Age, Westchester County Residents, 2007-2008	173
137	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Sex, Westchester County Residents, 2007-2008	174
138	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Race/Ethnicity, Westchester County Residents, 2007-2008	175
139	Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses by Age, Westchester County Residents, 2007-2008	176
140	Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses by Sex, Westchester County Residents, 2007-2008	178
141	Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses by Race/Ethnicity, Westchester County Residents, 2007-2008	180
142	Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses by Age and Sex, Westchester County Residents, 2007-2008	182
143	Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses by Age and Race/Ethnicity, Westchester County Residents, 2007-2008	184
144	Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning by Etiology and Age, Westchester County Residents, 2007-2008	186
145	Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning by Etiology and Sex, Westchester County Residents, 2007-2008	187
146	Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning by Etiology and Race/Ethnicity, Westchester County Residents, 2007-2008	188

147	Number of Hospital Discharges and Average Length of Stay Due to Diabetes-Related Diagnoses by Age and Sex, Westchester County Residents, 2007-2008	189
148	Number of Hospital Discharges and Average Length of Stay Due to Diabetes-Related Diagnoses by Age and Race/Ethnicity, Westchester County Residents, 2007-2008	190
149	Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses by Age and Sex, Westchester County Residents, 2007-2008	192
150	Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses by Age and Race/Ethnicity, Westchester County Residents, 2007-2008	194

Communicable Diseases

151	Reported Cases and Rates of Reportable Diseases, Westchester County, 2004-2008	196
152	The Top Ten Reported Communicable Diseases in Westchester County Compared to New York State and United States, 2007-2008	197
153	Reported Cases and Rates of Chlamydia by Municipality, Westchester County, 2004-2008	198
154	Reported Cases and Rates of Gonorrhea by Municipality, Westchester County, 2004-2008	199
155	Reported Cases and Rates of Syphilis (All Stages) by Municipality, Westchester County, 2004-2008	200
156	Reported Cases and Rates of Chlamydia by Age Group, Sex, and Race/Ethnicity, Westchester County, 2008	201
157	Reported Cases and Rates of Gonorrhea by Age Group, Sex, and Race/Ethnicity, Westchester County, 2008	202
158	Reported Cases and Rates of Syphilis (All Stages) by Age Group, Sex, and Race/Ethnicity, Westchester County, 2008	203
159	Reported Cases and Rates of Lyme Disease by Municipality, Westchester County, 2004-2008	204
160	Reported Cases and Rates of Lyme Disease by Age and Sex, Westchester County, 2008	205
161	Reported Cases and Rates of Ehrlichiosis by Municipality, Westchester County, 2008	206
162	Reported Cases and Rates of Major Enteric Infections, Westchester County, 2008	207
163	Reported Cases and Rates of Major Enteric Diseases by Age, Westchester County, 2008	208
164	Reported Cases and Rates of Selected Central Nervous System Diseases and Bacteremias, Westchester County, 2008	209
165	Reported Cases and Rates of Meningitis by Age and Sex, Westchester County, 2008	210
166	Reported Cases and Rates of Invasive Strep Pneumoniae by Age and Sex, Westchester County, 2008	210
167	Number of Tuberculosis Cases and Contacts, Westchester County, 2004-2008	211
168	Reported Cases and Rates of Tuberculosis by Age, Westchester County, 2004-2008	212
169	Newly Diagnosed HIV and AIDS Cases by Year of Diagnosis, Westchester County, December 2007	213
170	Average Annual Newly Diagnosed HIV and AIDS Cases and Cumulative AIDS Cases by Sex, Age, Race/Ethnicity, and Risk, Westchester County, December 2007	214
171	Newly Diagnosed HIV and AIDS Cases and Cumulative AIDS Cases by Sex and Risk, Westchester County, December 2007	215

172 Living HIV and AIDS Cases by Sex, Age, Race/Ethnicity, and Risk, Westchester County, December 2007	216
173 Living HIV and AIDS Cases by Sex and Risk, Westchester County, December 2007	217

Cancer

174 Average Annual Cancer Incidence Rates by Sex, Westchester County, New York State, and the United States - 2002-2006	218
175 Average Annual Cancer Incidence Rates among White and Black Males, Westchester County, New York State, and the United States - 2002-2006	219
176 Average Annual Cancer Incidence Rates among White and Black Females, Westchester County, New York State, and the United States- 2002-2006	220
177 Average Annual Cancer Incidence Rates among Hispanic and Non-Hispanic Males, Westchester County and New York State - 2002-2006	221
178 Average Annual Cancer Incidence Rates among Hispanic and Non-Hispanic Females, Westchester County and New York State - 2002-2006	222
179 Average Annual Cancer Mortality Rates by Sex, Westchester County, New York State, and the United States - 2002-2006	223
180 Average Annual Cancer Mortality Rates among White and Black Males, Westchester County, New York State, and the United States - 2002-2006	224
181 Average Annual Cancer Mortality Rates among White and Black Females, Westchester County, New York State, and the United States - 2002-2006	225
182 Average Annual Cancer Mortality Rates among Hispanic and Non-Hispanic Males, Westchester County and New York State - 2002-2006	226
183 Average Annual Cancer Mortality Rates among Hispanic and Non-Hispanic Females, Westchester County and New York State - 2002-2006	227

Health Department Services

184 Childhood Lead Poisoning Prevention Program: Total Number of Tests Conducted, Test Results by Blood Lead Level, and Number of Initial Screen Tests by Municipality, Westchester County, 2008	228
185 Childhood Lead Poisoning Prevention Program: Total Number of Tests Conducted, Test Results by Blood Lead Level, and Number of Initial Screen Tests by Age, Westchester County, 2008	229
186 Childhood Lead Poisoning Prevention Program: Number of Children Tested, Number of Children with Multiple Tests, and Number of Children with Lead Poisoning, and Number of Lead Registry Cases, Westchester County, 2008	230
187 Number of Patients Served, Number of Clinic Visits, and Number of Vaccines Administered by District Offices, WCDOH, 2008	231
188 Number of Patients Served at District Offices, WCDOH, by Age, Sex, and Race/Ethnicity, 2008	232
189 Number of Patients and Visits to Sexually Transmitted Diseases Clinics by Patient Age Group, Sex, and Race/Ethnicity, Westchester County Department of Health, 2008	233
190 Number of Patients and Visits with HIV Tests and/or Counseling by Patient Age Group, Sex, and Race/Ethnicity, Westchester County Department of Health, 2008	234

191	Number of Patients and Visits to Tuberculosis Clinics by Patient Age Group, Sex, and Race/Ethnicity, Westchester County Department of Health, 2008	235
192	Number of Patients Enrolled in Home Program and Number of Home Health Visits Received by Patient Age Group, Sex, and Race/Ethnicity, Westchester County Department of Health,	236
193	Public Health Protection and Environmental Quality: Number of Inspection Related Activities, 2008	237
194	Public Health Protection and Environmental Quality: Public Health Complaints Received and Investigated, 2008	239
195	Public Health Protection and Environmental Quality: Facility Permits Issued, Westchester County, 2008	240
196	Rabies Control Program: Number of Animal Bites Reported to the Westchester County Department of Health, Number of Animals Tested, Number of Animals Confirmed Rabid by Type of Animal and Human Rabies Post-Exposure Prophylaxis, 2004-2008	241
197	Rabies Control Program: Number of Human Rabies Post-Exposure Prophylaxis Treatments Administered by Animal Rabies Status, 2004-2008	242
198	Rabies Control Program: Number of Animals Confirmed Rabid, 1991-2008	243
199	Services for Children with Special Needs: Number of Children Served, Westchester County Department of Health, 2008	244
200	Facilitated Enrollment Program: Child Health Plus Enrollment and Family Health Plus/Medicaid Enrollment, Westchester County Department of Health, 2008	244

List of Appendices

1	Data Sources and Definitions	246
2	International Classification of Diseases (ICD-10): Codes for Selected Causes of Death	259
3	International Classification of Diseases (ICD-9): Codes for Selected Diseases for Emergency Room Visits and Hospitalizations	260
4	Westchester County Department of Health, Communicable Disease Reporting Requirements	263
5	Westchester County Hospitals	264
6	Westchester County Department of Health District Offices	266
7	Westchester County Board of Health	267
8	Westchester County Department of Health - Administrative Staff	268
9	Westchester County Department of Health - Project Staff	269

TABLES

Table 1. Population by Age and Sex, Westchester County, 2000 Census and 2005-2007

	2000 Census ¹			2005-2007 ACS ²								
	Total	Male	Female	Total			Male			Female		
				Estimate	90% Confidence Interval		Estimate	90 % Confidence Interval		Estimate	90% Confidence Interval	
					Lower	Upper		Lower	Upper		Lower	Upper
Total	923,459	441,722	481,737	949,041	*****	*****	457,328	457,227	457,429	491,713	491,612	491,814
0-4	64,242	32,784	31,458	60,791	60,577	61,005	30,796	30,688	30,904	29,995	29,810	30,180
5-9	67,993	34,853	33,140	63,284	61,475	65,093	32,809	31,591	34,027	30,475	29,137	31,813
10-14	63,757	32,933	30,824	66,821	65,012	68,630	33,695	32,480	34,910	33,126	31,786	34,466
15-17	34,805	18,308	16,497	41,447	41,386	41,508	21,546	21,485	21,607	19,901	19,899	19,903
18-19	19,558	10,019	9,539	25,286	25,125	25,447	12,615	12,475	12,755	12,671	12,592	12,750
20	9,162	4,560	4,602	12,304	11,064	13,544	6,219	5,362	7,076	6,085	5,189	6,981
21	9,109	4,513	4,596	10,873	9,733	12,013	5,319	4,535	6,103	5,554	4,727	6,381
22-24	28,691	14,300	14,391	32,944	31,546	34,342	16,278	15,334	17,222	16,666	15,635	17,697
25-29	54,734	26,851	27,883	48,026	47,995	48,057	24,285	24,281	24,289	23,741	23,710	23,772
30-34	68,733	33,139	35,594	53,749	53,612	53,886	26,961	26,869	27,053	26,788	26,686	26,890
35-39	79,809	38,497	41,312	69,100	67,212	70,988	34,316	33,032	35,600	34,784	33,400	36,168
40-44	77,224	37,348	39,876	75,910	74,035	77,785	36,013	34,726	37,300	39,897	38,533	41,261
45-49	68,166	32,654	35,512	77,894	77,824	77,964	37,824	37,762	37,886	40,070	40,038	40,102
50-54	61,832	29,342	32,490	69,791	69,651	69,931	33,513	33,448	33,578	36,278	36,154	36,402
55-59	48,310	22,434	25,876	63,956	62,422	65,490	30,234	29,306	31,162	33,722	32,501	34,943
60-61	16,360	7,467	8,893	19,268	18,039	20,497	9,520	8,714	10,326	9,748	8,820	10,676
62-64	22,010	10,065	11,945	25,089	23,984	26,194	11,243	10,587	11,899	13,846	12,957	14,735
65-66	13,679	6,171	7,508	15,327	14,324	16,330	7,583	6,863	8,303	7,744	7,045	8,443
67-69	20,360	9,072	11,288	19,360	18,236	20,484	7,957	7,230	8,684	11,403	10,546	12,260
70-74	32,746	14,185	18,561	30,404	29,221	31,587	13,320	12,547	14,093	17,084	16,189	17,979
75-79	26,529	10,723	15,806	27,236	26,206	28,266	11,412	10,710	12,114	15,824	15,070	16,578
80-84	17,991	6,524	11,467	19,778	18,784	20,772	7,820	7,197	8,443	11,958	11,183	12,733
85+	17,659	4,980	12,679	20,403	19,371	21,435	6,050	5,342	6,758	14,353	13,602	15,104

¹ Source: Census 2000, SF1, Table P12.

² Source: American Community Survey, 2005-2007, Table B01001.

Table 2. Population by Race/Ethnicity and Sex, Westchester County, 2000 and 2005-2007

	2000 Census ¹			2005-2007 ACS ²								
	Total	Male	Female	Estimate	Total		Estimate	Male		Estimate	Female	
					90% Confidence Interval			90% Confidence Interval			90% Confidence Interval	
					Lower	Upper		Lower	Upper		Lower	Upper
Total	923,459	441,722	481,737	949,041	*****	*****	457,328	457,227	457,429	491,713	491,612	491,814
White Alone	658,858	315,949	342,909	648,667	644,833	652,501	313,750	311,427	316,073	334,917	332,728	337,106
Black or African-American Alone	131,132	58,985	72,147	132,140	130,281	133,999	59,287	58,135	60,439	72,853	71,849	73,857
American Indian ³	2,343	1,178	1,165	--	--	--	--	--	--	--	--	--
Asian or Pacific Islander ⁴	41,738	20,008	21,730	52,545	51,725	53,365	24,636	24,069	25,203	27,909	27,469	28,349
Some Other Race Alone	61,227	31,716	29,511	98,852	94,280	103,424	51,064	48,401	53,727	47,788	45,243	50,333
Two or More Races	28,161	13,886	14,275	14,994	12,969	17,019	7,687	6,565	8,809	7,307	6,208	8,406
Hispanic or Latino ⁵	144,124	73,405	70,719	175,405	*****	*****	90,476	*****	*****	84,929	*****	*****
White Hispanic	67,082	33,727	33,355	72,278	68,436	76,120	37,404	*****	*****	34,874	*****	*****
Black Hispanic	5,905	2,815	3,090	3,492	2,159	4,825	--	--	--	--	--	--
Non-Hispanic ⁵	779,335	368,317	411,018	773,636	*****	*****	366,852	*****	*****	406,784	*****	*****
White Non-Hispanic	591,776	282,222	309,554	576,389	575,513	577,265	276,346	275,907	276,785	300,043	299,461	300,625
Black Non-Hispanic	125,227	56,170	69,057	128,648	127,238	130,058	--	--	--	--	--	--

¹ Source: Census 2000, SF1, Tables P7-P8, PCT12i-j.

² Source: American Community Survey, 2005-2007, Tables B01001a-B01001i, B03002.

³ American Indian statistics available for 2000 Census only.

⁴ 2005-2007 ACS figures represent Asian population estimates only (Pacific Islander statistics not available for ACS).

⁵ Hispanic (Non-Hispanic) is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

* Estimate has been controlled to be equal to a fixed value (standard error equal to zero).

-- Data not available.

Table 3. Population by Age and Race/Ethnicity, Westchester County, 2000 and 2005-2007

	2000 Census ¹									
	Total	White	Black or African-American	American Indian	Asian or Pacific Islander	Some Other Race	Two or More Races	Hispanic ³	White Hispanic	Black Hispanic
Total	923,459	658,858	131,132	2,343	41,738	61,227	28,161	144,124	67,082	5,905
0-4	64,242	42,510	9,320	206	3,269	5,735	3,202	13,386	6,034	601
5-9	67,993	45,074	11,035	244	3,257	5,545	2,838	12,833	5,678	639
10-14	63,757	42,065	11,239	215	2,888	4,888	2,462	11,481	5,158	615
15-17	34,805	22,160	6,495	119	1,677	3,036	1,318	6,820	2,929	334
18-19	19,558	11,622	3,702	62	838	2,395	939	5,062	2,046	220
20-24	46,962	27,877	8,097	181	2,109	6,543	2,155	13,666	5,602	495
25-29	54,734	33,684	8,425	214	3,272	6,862	2,277	14,464	6,104	476
30-34	68,733	45,163	10,432	193	3,938	6,611	2,396	14,699	6,604	543
35-44	157,033	111,422	22,145	386	8,592	10,049	4,439	24,549	11,918	907
45-54	129,998	98,812	16,356	253	6,176	5,396	3,005	14,106	7,253	532
55-64	86,680	67,393	11,810	121	3,406	2,427	1,523	7,227	4,135	281
65-74	66,785	56,199	6,925	94	1,529	1,106	932	3,800	2,334	164
75-84	44,520	39,189	3,737	36	635	439	484	1,542	964	70
85+	17,659	15,688	1,414	19	152	195	191	489	323	28

continued

Table 3. Population by Age and Race/Ethnicity, Westchester County, 2000 and 2005-2007 (continued)

2005-2007 ACS ²												
	Total			White			Black or African American			Asian		
	Estimate	90% Confidence Interval		Estimate	90% Confidence Interval		Estimate	90% Confidence Interval		Estimate	90% Confidence Interval	
		Lower	Upper		Lower	Upper		Lower	Upper		Lower	Upper
Total	949,041	*****	*****	648,667	644,833	652,501	132,140	130,281	133,999	52,545	51,725	53,365
0-4	60,791	60,577	61,005	36,549	35,614	37,484	9,456	8,881	10,031	3,217	2,991	3,443
5-9	63,284	61,475	65,093	40,763	39,219	42,307	9,591	8,826	10,356	3,880	3,452	4,308
10-14	66,821	65,012	68,630	43,089	41,619	44,559	10,599	9,848	11,350	3,445	3,005	3,885
15-17	41,447	41,386	41,508	26,875	26,323	27,427	7,464	7,070	7,858	2,071	1,903	2,239
18-19	25,286	25,125	25,447	16,407	16,002	16,812	4,110	3,823	4,397	1,067	916	1,218
20-24	56,121	53,932	58,310	33,946	33,221	34,671	9,442	9,061	9,823	2,383	2,230	2,536
25-29	48,026	47,995	48,057	25,466	24,595	26,337	7,870	7,679	8,061	2,993	2,805	3,181
30-34	53,749	53,612	53,886	31,338	30,522	32,154	7,448	7,188	7,708	4,459	4,299	4,619
35-44	145,010	142,349	147,671	93,302	92,382	94,222	20,602	20,260	20,944	10,886	10,748	11,024
45-54	147,685	147,529	147,841	107,986	107,194	108,778	18,203	17,956	18,450	8,885	8,734	9,036
55-64	108,313	106,058	110,568	83,108	82,547	83,669	13,527	13,303	13,751	5,534	5,434	5,634
65-74	65,091	63,176	67,006	51,415	51,067	51,763	7,995	7,868	8,122	2,389	2,246	2,532
75-84	47,014	45,582	48,446	40,165	39,209	41,121	4,268	4,002	4,534	1,114	986	1,242
85+	20,403	19,371	21,435	18,258	17,331	19,185	1,565	1,287	1,843	222	104	340

continued

Table 3. Population by Age and Race/Ethnicity, Westchester County, 2000 and 2005-2007 (continued)

2005-2007 ACS ²												
	Some Other Race			Two or More Races			Hispanic ³			White Non-Hispanic		
	Estimate	90% Confidence Interval		Estimate	90% Confidence Interval		Estimate	90% Confidence Interval		Estimate	90% Confidence Interval	
		Lower	Upper		Lower	Upper		Lower	Upper		Lower	Upper
Total	98,852	94,280	103,424	14,994	12,969	17,019	175,405	*****	*****	576,389	575,660	577,118
0-4	8,851	7,971	9,731	2,429	1,925	2,933	17,577	*****	*****	28,995	28,825	29,165
5-9	6,919	6,062	7,776	2,069	1,629	2,509	13,357	12,370	14,344	35,164	33,816	36,512
10-14	7,821	6,928	8,714	1,867	1,462	2,272	13,589	12,603	14,575	38,184	36,838	39,530
15-17	4,143	3,550	4,736	872	572	1,172	7,837	*****	*****	23,575	23,429	23,721
18-19	2,967	2,521	3,413	574	268	880	5,277	*****	*****	14,074	13,925	14,223
20-24	8,960	8,218	9,702	1,299	840	1,758	14,066	*****	*****	29,087	28,942	29,232
25-29	10,933	10,049	11,817	737	433	1,041	17,417	*****	*****	19,189	19,106	19,272
30-34	9,553	8,722	10,384	633	418	848	16,576	*****	*****	24,319	24,217	24,421
35-44	18,609	17,627	19,591	1,440	1,110	1,770	30,630	*****	*****	81,304	81,032	81,576
45-54	11,102	10,269	11,935	1,333	1,055	1,611	20,403	*****	*****	98,679	98,500	98,858
55-64	5,198	4,657	5,739	761	484	1,038	10,602	*****	*****	77,788	77,559	78,017
65-74	2,579	2,228	2,930	589	393	785	5,015	*****	*****	49,269	49,193	49,345
75-84	1,012	751	1,273	363	188	538	2,440	2,215	2,665	38,918	38,013	39,823
85+	205	58	352	28	0	60	619	393	845	17,844	16,939	18,749

¹ Source: Census 2000, SF1, Tables P12a-I, PCT12i-j.

² Source: American Community Survey, 2005-2007, Tables B01001a-B01001i. American Indian and Pacific Islander populations too small for calculation of 2005-2007 ACS estimates.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories. ACS 2005-2007 reports only White Non-Hispanic figures with margins of error.

* Estimate has been controlled to be equal to a fixed value (standard error equal to zero).

-- Data not available.

Table 4. Population by Sex and Subregions, Westchester County, 2000 and 2005-2007

	2000 Census ¹			2005-2007 ACS ²								
	Total	Male	Female	Estimate	Total		Estimate	Male		Estimate	Female	
					90% Confidence Interval			90% Confidence Interval			90% Confidence Interval	
					Lower	Upper		Lower	Upper		Lower	Upper
Total Population	923,459	441,722	481,737	949,041	*****	*****	457,328	457,227	457,429	491,713	491,612	491,814
Northwest	140,663	70,448	70,215	146,051	142,707	149,395	74,113	71,877	76,349	71,938	69,828	74,048
Cortlandt Town	38,467	18,820	19,647	41,677	39,916	43,438	20,747	19,667	21,827	20,930	19,897	21,963
Mount Pleasant Town	43,221	21,933	21,288	42,442	40,975	43,909	21,148	20,164	22,132	21,294	20,253	22,335
Ossining Town	36,534	18,808	17,726	36,241	34,785	37,697	18,955	17,930	19,980	17,286	16,272	18,300
Peekskill	22,441	10,887	11,554	25,691	23,740	27,642	13,263	11,916	14,610	12,428	11,300	13,556
Northeast	133,343	64,482	68,861	--	--	--	--	--	--	--	--	--
Somers Town	18,346	8,757	9,589	20,934	20,103	21,765	10,183	9,655	10,711	10,751	10,109	11,393
Yorktown Town	36,318	17,501	18,817	37,262	35,935	38,589	18,778	17,671	19,885	18,484	17,612	19,356
Rest of Northeast HPR	78,679	38,224	40,455	--	--	--	--	--	--	--	--	--
West Central	157,664	74,935	82,729	--	--	--	--	--	--	--	--	--
Greenburgh Town	86,764	41,170	45,594	95,945	93,639	98,251	44,223	42,656	45,790	51,722	50,171	53,273
Scarsdale Town/Village	17,823	8,655	9,168	--	--	--	--	--	--	--	--	--
White Plains	53,077	25,110	27,967	52,802	50,594	55,010	24,961	23,511	26,411	27,841	26,232	29,450
East Central	111,956	54,182	57,774	--	--	--	--	--	--	--	--	--
Harrison Town/Village	24,154	11,386	12,768	28,817	27,318	30,316	12,907	11,871	13,943	15,910	14,697	17,123
Mamaroneck Town & Rye Town	72,847	35,593	37,254	72,090	69,927	74,253	36,150	34,726	37,574	35,940	34,497	37,383
Rye City	14,955	7,203	7,752	--	--	--	--	--	--	--	--	--
Southwest	196,086	92,132	103,954	195,817	191,569	200,065	93,853	91,019	96,687	101,964	99,316	104,612
Yonkers	196,086	92,132	103,954	195,817	191,569	200,065	93,853	91,019	96,687	101,964	99,316	104,612
Southeast	183,747	85,543	98,204	--	--	--	--	--	--	--	--	--
Eastchester Town	31,318	14,629	16,689	33,401	32,153	34,649	16,125	15,000	17,250	17,276	16,333	18,219
Mount Vernon	68,381	30,861	37,520	65,759	63,224	68,294	29,626	27,852	31,400	36,133	34,478	37,788
New Rochelle	72,182	34,322	37,860	72,585	69,985	75,185	34,843	32,973	36,713	37,742	36,149	39,335
Pelham Town	11,866	5,731	6,135	--	--	--	--	--	--	--	--	--

¹ Source: Census 2000, SF1, Table P12.

² Source: American Community Survey, 2005-2007, Tables B01001a-B01001i.

* Estimate has been controlled to be equal to a fixed value (standard error equal to zero).

-- Subregion population was either too small for display in the 2005-2007 ACS, or HPR estimate could not be calculated.

Table 5. Population by Age and Subregions, Westchester County, 2000 and 2005-2007

		2000 Census ¹																		
	Total	0-4	5-9	10-14	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
Total Population	923,459	64,242	67,993	63,757	34,805	19,558	46,962	54,734	68,733	79,809	77,224	68,166	61,832	48,310	38,370	34,039	32,746	26,529	17,991	17,659
Northwest	140,663	9,836	10,113	9,508	5,388	3,020	7,309	8,535	10,822	13,196	12,723	10,776	9,489	7,009	5,288	4,788	4,370	3,428	2,440	2,625
Cortlandt Town	38,467	2,864	3,058	2,785	1,496	695	1,328	1,645	2,534	3,635	3,760	3,251	2,783	2,171	1,524	1,330	1,177	977	669	785
Mount Pleasant Town	43,221	2,978	3,055	3,194	1,992	1,139	2,436	2,523	3,125	3,839	3,789	3,255	2,869	2,015	1,650	1,532	1,383	1,038	698	711
Ossining Town	36,534	2,288	2,331	2,163	1,170	754	2,111	2,597	3,142	3,554	3,298	2,641	2,492	1,849	1,378	1,257	1,128	861	697	823
Peekskill	22,441	1,706	1,669	1,366	730	432	1,434	1,770	2,021	2,168	1,876	1,629	1,345	974	736	669	682	552	376	306
Northeast	133,343	9,669	11,094	10,392	5,661	2,298	4,357	4,864	8,235	12,095	12,946	11,527	10,300	7,809	5,720	4,736	4,329	3,286	2,058	1,967
Somers Town	18,346	1,235	1,277	1,229	782	242	528	523	1,011	1,603	1,582	1,394	1,359	1,129	921	915	957	751	474	434
Yorktown Town	36,318	2,522	2,945	2,879	1,661	699	1,273	1,315	2,238	3,297	3,483	3,037	2,654	1,987	1,483	1,283	1,157	982	677	746
Rest of Northeast HPR	78,679	5,912	6,872	6,284	3,218	1,357	2,556	3,026	4,986	7,195	7,881	7,096	6,287	4,693	3,316	2,538	2,215	1,553	907	787
West Central	157,664	10,172	11,060	10,653	5,775	2,880	6,933	8,872	11,346	13,259	13,562	12,644	11,582	9,008	7,140	6,212	5,876	4,612	3,104	2,974
Greenburgh Town	86,764	5,498	5,965	5,953	3,144	1,596	3,523	4,619	6,115	7,338	7,662	7,150	6,605	4,974	3,978	3,531	3,350	2,628	1,703	1,432
Scarsdale Town/Village	17,823	1,357	1,843	1,715	923	291	429	330	685	1,404	1,647	1,641	1,439	1,189	854	602	552	400	266	256
White Plains	53,077	3,317	3,252	2,985	1,708	993	2,981	3,923	4,546	4,517	4,253	3,853	3,538	2,845	2,308	2,079	1,974	1,584	1,135	1,286
East Central	111,956	8,142	8,531	7,598	3,959	2,447	5,652	6,602	8,549	10,110	9,499	7,997	6,985	5,538	4,364	4,071	4,054	3,368	2,310	2,180
Harrison Town/Village	24,154	1,618	1,847	1,634	817	909	1,413	1,254	1,644	2,128	2,071	1,613	1,507	1,107	1,055	911	920	815	474	417
Mamaroneck Town & Rye Town	72,847	5,224	5,255	4,745	2,638	1,363	3,847	4,821	5,855	6,525	6,021	5,317	4,505	3,615	2,682	2,621	2,617	2,135	1,536	1,525
Rye City	14,955	1,300	1,429	1,219	504	175	392	527	1,050	1,457	1,407	1,067	973	816	627	539	517	418	300	238
Southwest	196,086	13,702	13,919	12,945	7,148	4,662	12,673	14,580	15,688	15,792	14,022	12,329	11,717	9,442	8,090	7,460	7,546	6,264	4,328	3,779
Yonkers	196,086	13,702	13,919	12,945	7,148	4,662	12,673	14,580	15,688	15,792	14,022	12,329	11,717	9,442	8,090	7,460	7,546	6,264	4,328	3,779
Southeast	183,747	12,721	13,276	12,661	6,874	4,251	10,038	11,281	14,093	15,357	14,472	12,893	11,759	9,504	7,768	6,772	6,571	5,571	3,751	4,134
Eastchester Town	31,318	2,120	2,253	2,104	991	538	1,162	1,541	2,315	2,697	2,776	2,405	2,042	1,714	1,425	1,316	1,305	1,149	760	705
Mount Vernon	68,381	4,827	5,016	4,777	2,698	1,610	4,062	4,593	5,571	5,863	5,212	4,546	4,387	3,488	2,888	2,279	2,162	1,772	1,284	1,346
New Rochelle	72,182	4,879	4,988	4,806	2,678	1,927	4,384	4,624	5,456	5,769	5,432	4,977	4,463	3,657	2,957	2,742	2,726	2,321	1,522	1,874
Pelham Town	11,866	895	1,019	974	507	176	430	523	751	1,028	1,052	965	867	645	498	435	378	329	185	209

continued

Table 5. Population by Age and Subregions, Westchester County, 2000 and 2005-2007 (continued)

	2005-2007 ACS ²																			
	Total	0-4	5-9	10-14	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
Total Population	949,041	60,791	63,284	66,821	41,447	25,286	56,121	48,026	53,749	69,100	75,910	77,894	69,791	63,956	44,357	34,687	30,404	27,236	19,778	20,403
Northwest	146,051	9,792	8,925	10,417	5,746	3,561	8,251	8,121	8,964	11,838	12,246	12,677	10,927	9,961	6,374	3,923	4,144	4,175	2,852	3,157
Cortlandt Town	41,677	2,773	3,170	3,758	1,698	1,080	1,764	1,323	1,850	2,903	3,878	3,654	3,096	3,274	2,283	1,482	1,115	969	791	816
Mount Pleasant Town	42,442	2,835	2,842	2,766	2,191	1,008	2,313	2,045	2,520	3,591	3,147	3,389	3,368	3,209	2,090	820	1,355	1,202	796	955
Ossining Town	36,241	2,157	1,898	2,765	1,327	868	2,135	2,396	1,856	2,938	3,490	3,487	2,395	2,302	1,310	1,030	1,228	979	762	918
Peekskill	25,691	2,027	1,015	1,128	530	605	2,039	2,357	2,738	2,406	1,731	2,147	2,068	1,176	691	591	446	1,025	503	468
Northeast	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Somers Town	20,934	1,154	1,353	1,401	1,156	184	1,031	320	525	1,138	1,760	1,634	1,604	1,725	1,237	826	1,188	1,130	868	700
Yorktown Town	37,262	2,333	2,681	3,121	1,688	925	1,791	969	970	3,140	3,275	3,907	3,284	2,195	1,889	1,231	1,153	912	835	963
Rest of Northeast HPR	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
West Central	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Greenburgh Town	95,945	4,775	6,424	6,895	5,054	2,971	5,988	4,292	3,867	6,026	8,474	7,835	7,588	7,284	5,272	3,628	3,073	2,370	2,178	1,951
Scarsdale Town/Village	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
White Plains	52,802	3,119	2,341	2,952	2,407	986	3,282	3,308	4,746	4,137	4,045	3,749	3,758	3,310	2,892	2,145	1,688	1,668	1,126	1,143
East Central	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Harrison Town/Village	28,817	1,607	1,990	1,735	1,173	2,406	2,681	1,429	1,432	2,133	2,084	1,960	1,776	1,278	1,216	1,023	888	989	529	488
Mamaroneck Town & Rye Town	72,090	5,214	4,702	4,308	2,539	1,201	3,977	4,913	4,882	4,679	5,558	6,302	5,107	5,181	2,586	2,614	2,226	2,438	1,865	1,798
Rye City	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Southwest	195,817	12,923	12,724	12,956	7,372	5,095	12,497	12,779	13,055	13,397	14,108	14,866	13,300	12,887	9,061	8,038	6,456	5,431	4,084	4,788
Yonkers	195,817	12,923	12,724	12,956	7,372	5,095	12,497	12,779	13,055	13,397	14,108	14,866	13,300	12,887	9,061	8,038	6,456	5,431	4,084	4,788
Southeast	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Eastchester Town	33,401	2,258	2,276	2,679	1,708	637	1,353	1,044	1,738	2,890	2,703	2,644	2,414	2,217	1,744	1,139	1,189	1,179	798	791
Mount Vernon	65,759	4,563	4,356	4,343	2,939	1,630	4,627	3,564	5,407	4,378	4,935	4,676	4,934	3,871	2,829	2,689	2,248	1,602	1,046	1,122
New Rochelle	72,585	5,273	4,109	4,349	3,248	3,271	5,403	3,898	4,055	5,481	4,864	5,155	4,412	4,779	3,210	2,927	2,488	2,275	1,734	1,654
Pelham Town	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

¹ Source: Census 2000, SF1, Table P12.

² Source: American Community Survey, 2005-2007, Table B01001

-- Subregion population was either too small for display in the 2005-2007 ACS, or HPR estimate could not be calculated.

Table 6. Population by Race/Ethnicity and Subregions, Westchester County, 2000 and 2005-2007

	2000 Census ¹									
	Total	White	Black or African-American	American Indian	Asian or Pacific Islander	Some Other Race	Two or More Races	Hispanic ³	White Hispanic	Black Hispanic
Total Population	923,459	658,858	131,132	2,343	41,738	61,227	28,161	144,124	67,082	5,905
Northwest	140,663	108,983	14,905	405	4,636	7,960	3,774	21,025	10,325	819
Cortlandt Town	38,467	34,082	1,765	79	992	903	646	2,766	1,612	93
Mount Pleasant Town	43,221	36,415	2,191	104	1,429	2,168	914	6,057	3,035	229
Ossining Town	36,534	25,667	5,217	127	1,667	2,683	1,173	7,282	3,635	248
Peekskill	22,441	12,819	5,732	95	548	2,206	1,041	4,920	2,043	249
Northeast	133,343	121,160	3,979	129	4,188	2,113	1,774	8,024	5,176	327
Somers Town	18,346	17,400	313	9	342	109	173	543	394	20
Yorktown Town	36,318	32,919	1,103	51	1,254	472	519	2,112	1,393	109
Rest of Northeast HPR	78,679	70,841	2,563	69	2,592	1,532	1,082	5,369	3,389	198
West Central	157,664	112,279	20,059	333	12,320	8,120	4,553	20,768	10,492	665
Greenburgh Town	86,764	62,825	11,344	148	7,649	2,547	2,251	7,825	4,375	351
Scarsdale Town/Village	17,823	14,989	271	3	2,245	71	244	467	395	8
White Plains	53,077	34,465	8,444	182	2,426	5,502	2,058	12,476	5,722	306
East Central	111,956	92,133	3,603	224	4,487	8,179	3,330	19,764	9,494	294
Harrison Town/Village	24,154	21,686	345	21	1,316	383	403	1,618	1,102	37
Mamaroneck Town and Rye Town	72,847	57,046	3,068	187	2,199	7,606	2,741	17,428	7,898	248
Rye City	14,955	13,401	190	16	972	190	186	718	494	9
Southwest	196,086	118,007	32,575	861	9,624	26,349	8,670	50,852	18,661	2,411
Yonkers	196,086	118,007	32,575	861	9,624	26,349	8,670	50,852	18,661	2,411
Southeast	183,747	106,296	56,011	391	6,483	8,506	6,060	23,691	12,934	1,389
Eastchester Town	31,318	27,355	878	21	2,153	439	472	1,402	854	53
Mount Vernon	68,381	19,577	40,743	219	1,491	3,316	3,035	7,083	2,900	854
New Rochelle	72,182	49,001	13,848	141	2,369	4,535	2,288	14,492	8,729	459
Pelham Town	11,866	10,363	542	10	470	216	265	714	451	23

continued

Table 6. Population by Race/Ethnicity and Subregions, Westchester County, 2000 and 2005-2007
(continued)

	2005-2007 ACS ²											
	Total			White			Black or African American			Asian		
	Estimate	90% Confidence Interval		Estimate	90% Confidence Interval		Estimate	90% Confidence Interval		Estimate	90% Confidence Interval	
		Lower	Upper		Lower	Upper		Lower	Upper		Lower	Upper
Total Population	949,041	*****	*****	648,667	644,833	652,501	132,140	130,281	133,999	52,545	51,725	53,365
Northwest	146,051	142,707	149,395	109,500	106,356	112,644	13,218	11,730	14,706	5,999	4,869	7,129
Cortlandt Town	41,677	39,916	43,438	34,201	32,869	35,533	2,039	1,381	2,697	1,319	837	1,801
Mount Pleasant Town	42,442	40,975	43,909	35,229	33,736	36,722	1,841	1,380	2,302	1,870	1,201	2,539
Ossining Town	36,241	34,785	37,697	26,223	24,671	27,775	4,082	3,353	4,811	1,852	1,183	2,521
Peekskill	25,691	23,740	27,642	13,847	11,984	15,710	5,256	4,238	6,274	958	572	1,344
Northeast	--	--	--	--	--	--	--	--	--	--	--	--
Somers Town	20,934	20,103	21,765	19,209	18,294	20,124	89	3	175	636	432	840
Yorktown Town	37,262	35,935	38,589	32,097	30,649	33,545	1,271	763	1,779	1,983	1,421	2,545
Rest of Northeast HPR	--	--	--	--	--	--	--	--	--	--	--	--
West Central	--	--	--	--	--	--	--	--	--	--	--	--
Greenburgh Town	95,945	93,639	98,251	64,041	61,380	66,702	12,653	10,976	14,330	10,424	8,936	11,912
Scarsdale Town/Village	--	--	--	--	--	--	--	--	--	--	--	--
White Plains	52,802	50,594	55,010	33,357	31,379	35,335	7,197	5,935	8,459	3,048	2,246	3,850
East Central	--	--	--	--	--	--	--	--	--	--	--	--
Harrison Town/Village	28,817	27,318	30,316	23,613	22,167	25,059	747	414	1,080	1,450	910	1,990
Mamaroneck Town and Rye Town	72,090	69,927	74,253	54,276	52,128	56,424	2,884	2,073	3,695	2,567	1,923	3,211
Rye City	--	--	--	--	--	--	--	--	--	--	--	--
Southwest	195,817	191,569	200,065	110,927	106,760	115,094	36,752	34,139	39,365	11,267	9,470	13,064
Yonkers	195,817	191,569	200,065	110,927	106,760	115,094	36,752	34,139	39,365	11,267	9,470	13,064
Southeast	--	--	--	--	--	--	--	--	--	--	--	--
Eastchester Town	33,401	32,153	34,649	28,636	27,190	30,082	865	487	1,243	2,828	2,072	3,584
Mount Vernon	65,759	63,224	68,294	17,177	14,945	19,409	39,627	37,359	41,895	1,074	520	1,628
New Rochelle	72,585	69,985	75,185	46,014	43,842	48,186	13,317	12,041	14,593	2,952	2,270	3,634
Pelham Town	--	--	--	--	--	--	--	--	--	--	--	--

continued

Table 6. Population by Race/Ethnicity and Subregions, Westchester County, 2000 and 2005-2007 (continued)

	2005-2007 ACS ²														
	Other Race			Two or More Races			Hispanic ³			White Hispanic			Black Hispanic		
	Estimate	90% Confidence Interval		Estimate	90% Confidence Interval		Estimate	90% Confidence Interval		Estimate	90% Confidence Interval		Estimate	90% Confidence Interval	
		Lower	Upper		Lower	Upper		Lower	Upper		Lower	Upper		Lower	Upper
Total Population	98,852	94,280	103,424	14,994	12,969	17,019	175,405	*****	*****	72,278	68,436	76,120	3,492	2,159	4,825
Northwest	14,851	12,383	17,319	2,280	1,596	2,964	29,766	26,842	32,690	13,860	--	--	--	--	--
Cortlandt Town	2,969	1,783	4,155	1,149	655	1,643	5,745	4,385	7,105	2,440	1,772	3,108	198	-48	444
Mount Pleasant Town	3,052	2,386	3,718	352	80	624	5,903	5,006	6,800	2,504	2,294	2,714	--	--	--
Ossining Town	3,505	2,515	4,495	561	198	924	8,139	6,690	9,588	4,263	3,731	4,795	--	--	--
Peekskill	5,325	3,519	7,131	218	82	354	9,979	8,031	11,927	4,653	3,765	5,541	--	--	--
Northeast	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Somers Town	406	24	788	246	38	454	921	592	1,250	483	475	491	--	--	--
Yorktown Town	1,483	890	2,076	428	186	670	3,167	2,482	3,852	1,494	1,398	1,590	--	--	--
Rest of Northeast HPR	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
West Central	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Greenburgh Town	6,802	5,491	8,113	2,025	1,382	2,668	12,233	10,523	13,943	5,268	4,143	6,393	95	-22	212
Scarsdale Town/Village	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
White Plains	8,293	6,664	9,922	702	457	947	15,127	12,961	17,293	6,448	4,674	8,222	103	34	172
East Central	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Harrison Town/Village	2,486	814	4,158	320	71	569	3,447	1,773	5,121	960	875	1,045	--	--	--
Mamaroneck Town and Rye Town	11,074	8,983	13,165	1,267	594	1,940	17,470	15,401	19,539	6,335	5,412	7,258	--	--	--
Rye City	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Southwest	33,834	30,821	36,847	2,531	1,892	3,170	58,102	54,859	61,345	21,968	19,137	24,799	2,048	831	3,265
Yonkers	33,834	30,821	36,847	2,531	1,892	3,170	58,102	54,859	61,345	21,968	19,137	24,799	2,048	831	3,265
Southeast	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Eastchester Town	461	143	779	503	198	808	2,202	1,464	2,940	1,448	1,470	1,426	--	--	--
Mount Vernon	6,311	4,811	7,811	1,445	865	2,025	8,419	6,718	10,120	2,571	1,191	3,951	220	75	365
New Rochelle	8,969	6,911	11,027	1,229	754	1,704	17,122	14,793	19,451	7,916	6,365	9,467	442	42	842
Pelham Town	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

¹ Source: Census 2000, SF1, tables P7-P8.

² Source: American Community Survey, 2005-2007, Tables B02001, B03002, C03002. American Indian and Pacific Islander populations too small for calculation of 2005-2007 ACS estimates.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

* Estimate has been controlled to be equal to a fixed value (standard error equal to zero).

-- Subregion population was either too small for display in the 2005-2007 ACS, or HPR estimate could not be calculated.

Table 7. Educational Attainment by Sex, Population Ages 25+, Westchester County, 2000 and 2005-2007

	2000 Census ¹			2005-2007 ACS ²								
	Total	Male	Female	Total 90% Confidence Interval			Male 90% Confidence Interval			Female 90% Confidence Interval		
				Estimate	Lower	Upper	Estimate	Lower	Upper	Estimate	Lower	Upper
Total	628,941	290,142	338,799	635,291	635,136	635,446	298,051	297,893	298,209	337,240	337,118	337,362
Less than High School	103,456	49,041	54,415	81,305	78,480	84,130	38,610	36,431	40,789	42,695	40,898	44,492
High School or GED	138,814	58,971	79,843	150,923	147,639	154,207	70,909	68,649	73,169	80,014	77,632	82,396
Some College	95,004	43,467	51,537	82,313	79,562	85,064	39,140	37,217	41,063	43,173	41,206	45,140
Associate's Degree	34,743	13,271	21,472	36,819	34,391	39,247	14,275	13,096	15,454	22,544	20,922	24,166
Bachelor's Degree	132,557	63,050	69,507	142,328	140,323	144,333	66,697	64,710	68,684	75,631	73,222	78,040
Master's Degree	80,428	33,526	46,902	93,666	90,543	96,789	38,192	36,546	39,838	55,474	53,554	57,394
Professional Degree	32,116	21,517	10,599	34,471	31,942	37,000	21,961	20,851	23,071	12,510	11,559	13,461
Doctoral Degree	11,823	7,299	4,524	13,466	12,004	14,928	8,267	7,391	9,143	5,199	4,620	5,778

¹ Source: Census 2000, SF3, Table P37.

² Source: American Community Survey, 2005-2007, Table B15002, C15002.

Table 8. Educational Attainment by Race/Ethnicity, Population Ages 25+, Westchester County, 2000 and 2005-2007

	2000 Census ¹								
	Total	White	Black/African-American	American Indian	Asian/Pacific Islander	Some Other Race	Two or More Races	Hispanic ³	White Non-Hispanic
Total	628,941	468,956	80,299	1,553	28,313	33,378	16,442	82,424	428,485
Less than High School	103,456	60,452	19,257	551	2,458	15,644	5,094	34,600	45,467
High School or GED	138,814	103,480	21,108	288	2,766	7,428	3,744	18,031	94,546
Some College	95,004	68,977	15,616	336	2,760	4,703	2,612	12,591	62,445
Associate's Degree	34,743	24,110	6,185	113	1,718	1,696	921	3,801	22,288
Bachelor's Degree	132,557	106,467	10,486	154	10,669	2,423	2,358	7,395	102,237
Graduate or Professional Degree	124,367	105,470	7,647	111	7,942	1,484	1,713	6,006	101,502

continued

Table 8. Educational Attainment by Race/Ethnicity, Population Ages 25+, Westchester County, 2000 and 2005-2007 (continued)

	2005-2007 ACS ²									
	Total Estimate	White			Black or African-American			Asian		
		Estimate	90% Confidence Interval		Estimate	90% Confidence Interval		Estimate	90% Confidence Interval	
			Lower	Upper		Lower	Upper		Lower	Upper
Total	635,291	451,038	448,490	453,586	81,478	80,694	82,262	36,482	36,074	36,890
Less than High School	81,305	42,836	40,777	44,895	13,932	12,925	14,939	3,030	2,520	3,540
High School or GED	150,923	102,846	100,143	105,549	22,711	21,348	24,074	3,434	2,918	3,950
Some College	82,313	54,845	52,559	57,131	15,867	14,735	16,999	3,364	2,867	3,861
Associate's Degree	36,819	24,148	22,661	25,635	7,308	6,517	8,099	1,882	1,442	2,322
Bachelor's Degree	142,328	110,495	107,633	113,357	12,072	11,062	13,082	13,011	12,115	13,907
Graduate or Professional Degree	141,603	115,868	113,015	118,721	9,588	8,618	10,558	11,761	10,848	12,674

continued

Table 8. Educational Attainment by Race/Ethnicity, Population Ages 25+, Westchester County, 2000 and 2005-2007 (continued)

	2005-2007 ACS ²													
	Total	Some Other Race			Two or More Races			Hispanic ³			White Non-Hispanic			
		Estimate	Estimate	90% Confidence Interval		Estimate	90% Confidence Interval		Estimate	90% Confidence Interval		Estimate	90% Confidence Interval	
				Lower	Upper		Lower	Upper		Lower	Upper		Lower	Upper
Total	635,291	59,191	56,482	61,900	5,884	4,806	6,962	103,702	*****	*****	407,310	406,779	407,841	
Less than High School	81,305	20,443	18,635	22,251	660	428	892	32,739	30,845	34,633	30,645	29,065	32,225	
High School or GED	150,923	20,338	18,936	21,740	1,146	843	1,449	33,246	31,534	34,958	89,874	87,211	92,537	
Some College	82,313	7,143	6,264	8,022	1,022	707	1,337	12,447	11,302	13,592	49,766	47,584	51,948	
Associate's Degree	36,819	3,069	2,373	3,765	372	210	534	5,571	4,694	6,448	21,672	20,313	23,031	
Bachelor's Degree	142,328	5,132	4,302	5,962	1,435	1,046	1,824	12,099	10,779	13,419	103,893	101,313	106,473	
Graduate or Professional Degree	141,603	3,066	2,471	3,661	1,249	949	1,549	7,600	6,785	8,415	111,460	108,784	114,136	

¹ Source: Census 2000, SF3, Tables P148a-P148i.

² Source: American Community Survey, 2005-2007, Tables B15002a-B15002i, C15002H. American Indian and Pacific Islander populations too small for calculation of 2005-2007 ACS estimates.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

* Estimate has been controlled to be equal to a fixed value (standard error equal to zero).

Table 9. Educational Attainment by Sex and Subregions, Population Ages 25+, Westchester County, 2000 and 2005-2007

	2000 Census ¹													
	Male							Female						
	Total	Less than HS	HS / GED	Some College	Associate's Degree	Bachelor's Degree	Graduate or Professional Degree	Total	Less than HS	HS / GED	Some College	Associate's Degree	Bachelor's Degree	Graduate or Professional Degree
Total Population	290,142	49,041	58,971	43,467	13,271	63,050	62,342	338,799	54,415	79,843	51,537	21,472	69,507	62,025
Northwest	46,475	9,258	10,026	6,860	2,365	9,278	8,688	49,159	7,056	11,844	7,704	3,219	10,429	8,907
Cortlandt Town	12,561	1,401	2,971	2,206	659	2,751	2,573	13,751	1,174	3,712	2,265	1,073	2,983	2,544
Mount Pleasant Town	13,843	2,246	2,701	1,896	798	3,165	3,037	14,658	2,098	3,380	1,987	874	3,468	2,851
Ossining Town	13,053	3,650	2,349	1,549	520	2,573	2,412	12,731	1,991	2,587	1,746	740	2,933	2,734
Peekskill	7,018	1,961	2,005	1,209	388	789	666	8,019	1,793	2,165	1,706	532	1,045	778
Northeast	42,011	3,433	6,334	6,176	2,032	11,727	12,309	48,095	4,535	9,317	6,870	3,243	12,965	11,165
Somers Town	6,011	388	1,066	972	280	1,704	1,601	7,029	286	1,711	1,196	565	1,778	1,493
Yorktown Town	11,391	1,013	2,316	2,103	835	2,729	2,395	13,073	1,334	3,364	2,091	955	2,974	2,355
Rest of Northeast HPR	24,609	2,032	2,952	3,101	917	7,294	8,313	27,993	2,915	4,242	3,583	1,723	8,213	7,317
West Central	50,726	5,865	7,509	7,098	1,953	13,358	14,943	59,834	6,826	11,148	8,770	3,832	14,135	15,123
Greenburgh Town	28,176	2,575	4,251	4,017	1,161	8,087	8,085	33,139	2,966	6,203	5,006	2,190	8,018	8,756
Scarsdale Town/Village	5,292	109	208	410	83	1,368	3,114	5,970	217	467	584	193	1,931	2,578
White Plains	17,258	3,181	3,050	2,671	709	3,903	3,744	20,725	3,643	4,478	3,180	1,449	4,186	3,789
East Central	35,691	5,625	6,419	4,480	1,547	8,214	9,406	40,581	6,075	8,938	5,845	2,140	9,353	8,230
Harrison Town/Village	7,483	941	1,527	1,138	327	1,776	1,774	8,409	1,121	1,909	1,286	434	2,119	1,540
Mamaroneck Town & Rye Town	23,551	4,500	4,583	2,878	1,008	4,960	5,622	26,685	4,559	6,396	3,889	1,360	5,288	5,193
Rye City	4,657	184	309	464	212	1,478	2,010	5,487	395	633	670	346	1,946	1,497
Southwest	59,567	14,020	16,660	10,400	2,827	9,347	6,313	72,182	16,639	21,949	12,191	4,352	9,795	7,256
Yonkers	59,567	14,020	16,660	10,400	2,827	9,347	6,313	72,182	16,639	21,949	12,191	4,352	9,795	7,256
Southeast	55,672	10,840	12,023	8,453	2,547	11,126	10,683	68,948	13,284	16,647	10,157	4,686	12,830	11,344
Eastchester Town	9,936	763	1,481	1,583	422	2,763	2,924	12,222	1,235	2,489	1,772	833	3,210	2,683
Mount Vernon	19,671	5,193	5,289	3,428	1,136	2,838	1,787	26,034	6,510	6,842	4,193	2,056	3,762	2,671
New Rochelle	22,458	4,554	4,734	3,122	825	4,501	4,722	26,414	5,212	6,591	3,588	1,522	4,619	4,882
Pelham Town	3,607	330	519	320	164	1,024	1,250	4,278	327	725	604	275	1,239	1,108

continued

Table 9. Educational Attainment by Sex and Subregions, Population Ages 25+, Westchester County, 2000 and 2005-2007 (continued)

	2005-2007 ACS ²													
	Male							Female						
	Total	Less than HS	HS / GED	Some College	Associate's Degree	Bachelor's Degree	Graduate or Professional Degree	Total	Less than HS	HS / GED	Some College	Associate's Degree	Bachelor's Degree	Graduate or Professional Degree
Total Population	298,051	38,610	70,909	39,140	14,275	66,697	68,420	337,240	42,695	80,014	43,173	22,544	75,631	73,183
Northwest	50,060	7,563	13,994	7,407	2,078	9,903	9,115	49,299	5,349	12,213	6,967	3,575	10,372	10,823
Cortlandt Town	13,545	1,181	3,705	2,483	666	2,905	2,605	13,889	1,127	3,124	2,107	1,335	3,202	2,994
Mount Pleasant Town	14,117	1,523	3,638	1,375	606	3,776	3,199	14,370	978	3,478	1,801	1,012	3,503	3,598
Ossining Town	13,175	2,196	3,207	1,946	453	2,437	2,936	11,916	1,283	2,589	1,783	703	2,417	3,141
Peekskill	9,223	2,663	3,444	1,603	353	785	375	9,124	1,961	3,022	1,276	525	1,250	1,090
Northeast	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Somers Town	6,902	277	1,392	1,109	255	2,177	1,692	7,753	515	1,843	1,206	703	2,051	1,435
Yorktown Town	11,750	584	2,537	2,547	458	3,075	2,549	12,973	908	3,268	1,731	775	2,690	3,601
Rest of Northeast HPR	--	--	--	--	--	--	--	--	--	--	--	--	--	--
West Central	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Greenburgh Town	28,831	2,037	5,726	3,091	1,080	7,345	9,552	35,007	2,695	5,788	4,746	2,010	9,539	10,229
Scarsdale Town/Village	--	--	--	--	--	--	--	--	--	--	--	--	--	--
White Plains	17,684	1,934	3,262	2,255	901	4,525	4,807	20,031	2,467	4,565	1,898	1,182	5,007	4,912
East Central	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Harrison Town/Village	8,254	1,007	1,408	977	359	2,584	1,919	8,971	1,291	2,188	1,144	429	2,297	1,622
Mamaroneck Town & Rye Town	24,852	4,147	5,239	2,379	1,454	5,530	6,103	25,297	3,471	5,674	3,324	1,049	5,568	6,211
Rye City	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Southwest	60,805	10,864	20,326	8,405	3,949	10,302	6,959	71,445	13,423	22,944	8,996	5,784	11,342	8,956
Yonkers	60,805	10,864	20,326	8,405	3,949	10,302	6,959	71,445	13,423	22,944	8,996	5,784	11,342	8,956
Southeast	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Eastchester Town	10,085	511	1,672	1,170	378	3,163	3,191	12,405	987	2,581	1,137	734	3,712	3,254
Mount Vernon	18,174	3,792	5,414	3,441	1,384	2,114	2,029	25,127	4,374	7,310	4,416	2,261	4,297	2,469
New Rochelle	21,738	4,114	5,682	2,684	759	4,180	4,319	25,194	4,273	6,499	2,947	1,601	4,843	5,031
Pelham Town	--	--	--	--	--	--	--	--	--	--	--	--	--	--

¹ Source: Census 2000, SF3, Table P37.

² Source: American Community Survey, 2005-2007, Table B15002.

-- Subregion was not selectable in the 2005-2007 ACS.

Table 10. Household Type by Race/Ethnicity, Westchester County, 2000 and 2005-2007

	2000 Census ¹								
	Total	White	Black/African-American	American Indian	Asian or Pacific Islander	Some Other Race	Two or More Races	Hispanic ³	White Non-Hispanic
Total	337,142	253,959	45,584	625	12,860	15,718	8,396	38,310	235,506
Family Household	235,201	174,588	30,628	473	10,470	12,986	6,056	30,866	160,054
Married-couple Family	181,690	145,615	14,803	277	9,322	7,830	3,843	19,898	135,429
<i>Married-couple Family with Own Children <18 yrs</i>	<i>88,975</i>	<i>67,744</i>	<i>7,471</i>	<i>178</i>	<i>5,715</i>	<i>5,535</i>	<i>2,332</i>	<i>13,283</i>	<i>61,320</i>
Other Family:	53,511	28,973	15,825	196	1,148	5,156	2,213	10,968	24,625
Male Householder, no wife present	12,366	7,544	2,290	53	345	1,542	592	3,261	6,203
<i>Single-Father Family with Own Children <18 yrs</i>	<i>4,528</i>	<i>2,394</i>	<i>1,077</i>	<i>26</i>	<i>113</i>	<i>705</i>	<i>213</i>	<i>1,414</i>	<i>1,867</i>
Female Householder, no husband present	41,145	21,429	13,535	143	803	3,614	1,621	7,707	18,422
<i>Single-Mother Family with Own Children <18 yrs</i>	<i>21,174</i>	<i>8,993</i>	<i>8,140</i>	<i>96</i>	<i>350</i>	<i>2,606</i>	<i>989</i>	<i>5,257</i>	<i>7,107</i>
Nonfamily Households	101,941	79,371	14,956	152	2,390	2,732	2,340	7,444	75,452
Householder living alone	86,596	67,981	12,921	111	1,918	1,812	1,853	5,191	65,168
Householder not living alone	15,345	11,390	2,035	41	472	920	487	2,253	10,284

continued

Table 10. Household Type by Race/Ethnicity, Westchester County, 2000 and 2005-2007 (continued)

	2005-2007 ACS ²											
	Total			White			Black or African-American			Asian		
	Estimate	90% Confidence Interval		Estimate	90% Confidence Interval		Estimate	90% Confidence Interval		Estimate	90% Confidence Interval	
		Lower	Upper		Lower	Upper		Lower	Upper		Lower	Upper
Total	335,848	334,089	337,607	242,772	240,733	244,811	44,876	43,539	46,213	16,732	16,059	17,405
Family Household	231,842	229,254	234,430	164,926	162,705	167,147	28,828	27,827	29,829	13,689	13,114	14,264
Married-couple Family	178,515	175,677	181,353	137,324	135,333	139,315	13,996	12,939	15,053	12,460	11,907	13,013
<i>Married-couple Family with Own Children <18 yrs</i>	89,126	86,994	91,258	--	--	--	--	--	--	--	--	--
Other Family:	53,327	51,228	55,426	27,602	26,026	29,178	14,832	13,875	15,789	1,229	879	1,579
Male Householder, no wife present	14,326	12,970	15,682	8,416	7,525	9,307	2,182	1,709	2,655	287	125	449
<i>Single-Father Family with Own Children <18 yrs</i>	6,905	5,973	7,837	--	--	--	--	--	--	--	--	--
Female Householder, no husband present	39,001	37,437	40,565	19,186	17,999	20,373	12,650	11,713	13,587	942	651	1,233
<i>Single-Mother Family with Own Children <18 yrs</i>	23,691	22,329	25,053	--	--	--	--	--	--	--	--	--
Nonfamily Households	104,006	101,691	106,321	77,846	75,682	80,010	16,048	14,736	17,360	3,043	2,504	3,582
Householder living alone	89,855	87,650	92,060	67,613	65,664	69,562	14,791	13,491	16,091	2,573	2,127	3,019
Householder not living alone	14,151	12,998	15,304	10,233	9,209	11,257	1,257	959	1,555	470	253	687

continued

Table 10. Household Type by Race/Ethnicity, Westchester County, 2000 and 2005-2007 (continued)

	2005-2007 ACS ²											
	Some Other Race			Two or More Races			Hispanic ³			White Non-Hispanic		
	Estimate	90% Confidence Interval		Estimate	90% Confidence Interval		Estimate	90% Confidence Interval		Estimate	90% Confidence Interval	
		Lower	Upper		Lower	Upper		Lower	Upper		Lower	Upper
Total	27,908	26,358	29,458	3,057	2,538	3,576	48,492	46,927	50,057	222,808	221,088	224,528
Family Household	21,950	20,595	23,305	2,195	1,765	2,625	37,763	36,291	39,235	149,435	147,703	151,167
Married-couple Family	12,951	11,721	14,181	1,633	1,318	1,948	23,969	22,451	25,487	126,580	124,810	128,350
<i>Married-couple Family with Own Children <18 yrs</i>	--	--	--	--	--	--	--	--	--	--	--	--
Other Family:	8,999	7,987	10,011	562	351	773	13,794	12,615	14,973	22,855	21,406	24,304
Male Householder, no wife present	3,199	2,614	3,784	242	93	391	4,881	4,075	5,687	6,758	6,032	7,484
<i>Single-Father Family with Own Children <18 yrs</i>	--	--	--	--	--	--	--	--	--	--	--	--
Female Householder, no husband present	5,800	4,994	6,606	320	181	459	8,913	8,059	9,767	16,097	14,940	17,254
<i>Single-Mother Family with Own Children <18 yrs</i>	--	--	--	--	--	--	--	--	--	--	--	--
Nonfamily Households	5,958	4,963	6,953	862	597	1,127	10,729	9,592	11,866	73,373	71,282	75,464
Householder living alone	3,981	3,287	4,675	689	432	946	7,531	6,613	8,449	64,261	62,356	66,166
Householder not living alone	1,977	1,412	2,542	173	65	281	3,198	2,566	3,830	9,112	8,144	10,080

¹ Source: Census 2000, SF1, tables P7-P11.

² Source: American Community Survey, 2005-2007, Tables B11001a-B11001i, B11003, B11004, B11005. American Indian and Pacific Islander populations too small for calculation of 2005-2007 ACS estimate.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories. ACS 2005-2007 reports only White Non-Hispanic figures with margins of error.

⁴-- Data not selectable in the 2005-2007 ACS.

Table 11. Household Type by Subregions, Westchester County, 2000 and 2005-2007

	2000 Census						
	Household			Family Household (I)			
	Total Households (I) + (II)	Family Household (I)	Nonfamily Households (II)	With no children <18 years	With own children <18 years		
					Married	Single-Mother	Single-Father
Total Population	337,142	235,201	101,941	120,524	88,975	21,174	4,528
Northwest	48,305	34,553	13,752	17,228	14,064	2,610	651
Cortlandt Town	13,517	10,138	3,379	4,820	4,623	562	133
Mount Pleasant Town	13,737	10,528	3,209	5,269	4,597	524	138
Ossining Town	12,355	8,543	3,812	4,451	3,226	678	188
Peekskill	8,696	5,344	3,352	2,688	1,618	846	192
Northeast	46,078	35,978	10,100	17,271	16,664	1,599	444
Somers Town	6,802	5,167	1,635	2,922	2,058	142	45
Yorktown Town	12,556	9,830	2,726	4,692	4,598	417	123
Rest of Northeast HPR	26,720	20,981	5,739	9,657	10,008	1,040	276
West Central	59,626	40,783	18,843	21,571	15,883	2,699	630
Greenburgh Town	33,043	23,083	9,960	12,390	8,876	1,490	327
Scarsdale Town/Village	5,662	4,996	666	2,108	2,706	147	35
White Plains	20,921	12,704	8,217	7,073	4,301	1,062	268
East Central	40,089	28,784	11,305	14,596	12,038	1,650	500
Harrison Town/Village	8,394	6,187	2,207	3,222	2,566	319	80
Mamaroneck Town and Rye Town	26,318	18,570	7,748	9,503	7,504	1,195	368
Rye City	5,377	4,027	1,350	1,871	1,968	136	52
Southwest	74,351	49,290	25,061	26,289	14,517	7,200	1,284
Yonkers	74,351	49,290	25,061	26,289	14,517	7,200	1,284
Southeast	68,693	45,813	22,880	23,569	15,809	5,416	1,019
Eastchester Town	12,626	8,412	4,214	4,452	3,379	494	87
Mount Vernon	25,729	16,669	9,060	8,665	4,321	3,170	513
New Rochelle	26,189	17,541	8,648	8,975	6,626	1,564	376
Pelham Town	4,149	3,191	958	1,477	1,483	188	43
	2005-2007 ACS ²						
Total Population	335,848	231,842	104,006	112,120	89,126	23,691	6,905
Northwest	49,450	35,052	14,398	17,191	14,297	2,499	1,065
Cortlandt Town	13,856	10,372	3,484	4,753	4,721	528	370
Mount Pleasant Town	14,045	10,409	3,636	5,096	4,587	580	146
Ossining Town	12,611	8,384	4,227	3,982	3,375	757	270
Peekskill	8,938	5,887	3,051	3,360	1,614	634	279
Northeast	--	--	--	--	--	--	--
Somers Town	7,718	5,979	1,739	3,502	2,211	200	66
Yorktown Town	12,916	10,153	2,763	5,187	4,445	446	75
Rest of Northeast HPR	--	--	--	--	--	--	--
West Central	--	--	--	--	--	--	--
Greenburgh Town	33,395	23,161	10,234	11,754	9,369	1,698	340
Scarsdale Town/Village	--	--	--	--	--	--	--
White Plains	21,410	12,368	9,042	7,595	3,066	1,253	454
East Central	--	--	--	--	--	--	--
Harrison Town/Village	8,726	6,534	2,192	3,487	2,635	337	75
Mamaroneck Town and Rye Town	26,232	18,385	7,847	9,869	7,274	862	380
Rye City	--	--	--	--	--	--	--
Southwest	72,616	46,576	26,040	25,312	13,401	6,356	1,507
Yonkers	72,616	46,576	26,040	25,312	13,401	6,356	1,507
Southeast	--	--	--	--	--	--	--
Eastchester Town	12,710	8,559	4,151	4,086	3,818	508	147
Mount Vernon	24,073	15,136	8,937	7,753	3,696	3,122	565
New Rochelle	25,049	16,212	8,837	8,264	5,891	1,715	342
Pelham Town	--	--	--	--	--	--	--

¹ Source: Census 2000, SF1, Tables P27, P34.

² Source: American Community Survey, 2005-2007, Tables B11001, B11004
 -- Subregion was not selectable in the 2005-2007 ACS.

Table 12. Population by Citizenship Status and Language Spoken at Home, Westchester County, 2000 and 2005-2007

	2000 Census ¹	2005-2007 ACS ²		
	Total	Estimate	90% Confidence Interval ³	
			Lower	Upper
Total	923,459	949,041	*****	*****
Native Born	718,030	720,433	*****	*****
Foreign Born	205,429	228,608	223,409	233,807
<i>Non-Citizen</i>	119,883	124,451	118,804	130,098
Population 5 years and Over	859,662	888,250	888,134	888,366
<i>Language Spoken at Home:</i>				
English Only	615,323	622,126	616,869	627,383
Non-English Language	244,339	266,124	261,014	271,234

¹ Source: Census 2000, SF3, Tables P1, P19, P21.

² Source: American Community Survey, 2005-2007, Tables B05001, B05007, B06007, B16001.

³ Some margins of error are based on estimates (see Appendix).

* Estimate has been controlled to be equal to a fixed value (standard error equal to zero).

Table 13. Citizenship Status, Language Spoken at Home and Subregions, Westchester County, 2000 and 2005-2007

	2000 Census ¹						2005-2007 ACS ²					
	Total Population (I) + (II)	Native Born (I)	Foreign Born (II)		Population 5 years & over		Total Population (I) + (II)	Native Born (I)	Foreign Born (II)		Population 5 years & over	
			Citizen	Non-Citizen	English Only Spoken at Home	Non-English Language Spoken at Home			Citizen	Non-Citizen	English Only Spoken at Home	Non-English Language Spoken at Home
Total Population	923,459	718,030	85,546	119,883	615,323	244,339	949,041	720,433	104,157	124,451	622,126	266,124
Northwest	140,663	115,103	10,105	15,455	98,954	31,736	146,051	--	--	--	97,002	39,257
Cortlandt Town	38,467	34,096	2,413	1,958	29,768	5,817	41,677	--	--	--	30,820	8,084
Mount Pleasant Town	43,221	35,381	3,556	4,284	30,150	10,070	42,442	--	--	--	29,404	10,203
Ossining Town	36,534	27,700	2,862	5,972	23,954	10,295	36,241	--	--	--	23,129	10,955
Peekskill	22,441	17,926	1,274	3,241	15,082	5,554	25,691	--	--	--	13,649	10,015
Northeast	133,343	116,872	8,953	7,518	103,386	20,361	--	--	--	--	--	--
Somers Town	18,346	16,425	1,245	676	14,916	2,190	20,934	--	--	--	16,848	2,932
Yorktown Town	36,318	32,513	2,398	1,407	28,818	4,991	37,262	--	--	--	28,237	6,692
Rest of Northeast HPR	78,679	67,934	5,310	5,435	59,652	13,180	--	--	--	--	--	--
West Central	157,664	120,681	15,267	21,716	105,598	41,976	--	--	--	--	--	--
Greenburgh Town	86,764	68,569	8,370	9,825	60,796	20,409	95,945	72,535	11,519	11,891	65,809	25,361
Scarsdale Town/Village	17,823	14,607	1,318	1,898	12,830	3,642	--	--	--	--	--	--
White Plains	53,077	37,505	5,579	9,993	31,972	17,925	52,802	36,117	6,943	9,742	31,113	18,570
East Central	111,956	83,653	9,557	18,746	70,310	33,569	--	--	--	--	--	--
Harrison Town/Village	24,143	19,623	1,988	2,532	16,529	6,015	28,817	--	--	--	19,250	7,960
Mamaroneck Town & Rye Town	72,858	52,289	6,519	14,050	43,117	24,549	72,090	--	--	--	41,407	25,469
Rye City	14,955	11,741	1,050	2,164	10,664	3,005	--	--	--	--	--	--
Southwest	196,086	144,399	22,521	29,166	111,307	71,267	195,817	140,676	28,119	27,022	107,917	74,977
Yonkers	196,086	144,399	22,521	29,166	111,307	71,267	195,817	140,676	28,119	27,022	107,917	74,977
Southeast	183,747	137,322	19,143	27,282	125,768	45,430	--	--	--	--	--	--
Eastchester Town	31,318	26,079	2,278	2,961	22,721	6,469	33,401	--	--	--	25,319	5,824
Mount Vernon	68,381	48,499	8,764	11,118	48,800	14,822	65,759	46,369	8,636	10,754	46,984	14,212
New Rochelle	72,182	52,460	7,268	12,454	45,035	22,361	72,585	50,818	8,831	12,936	43,927	23,385
Pelham Town	11,866	10,284	833	749	9,212	1,778	--	--	--	--	--	--

¹ Source: Census 2000, SF3, Tables P1, P19, P21.

² Source: American Community Survey, 2005-2007, Tables B05001, B05007, B06007, B16001.

-- Subregion was not selectable in the 2005-2007 ACS.

Table 14. Employment Status by Race and Ethnicity, Population 16+, Westchester County, 2000 and 2005-2007

2000 Census ¹									
Population 16 years & over	Total	White	Black / African American	American Indian ³	Asian / Pacific Islander ⁴	Some Other Races Alone	Two or more races	Hispanic	White Non-Hispanic
	716,252	521,616	96,054	1,880	32,063	43,922	20,717	104,705	471,967
In Labor Force	452,517	328,870	59,455	1,043	21,303	28,515	13,331	67,791	296,617
In Armed Forces	100	71	16	0	0	6	7	39	45
In Civilian Labor Force	452,417	328,799	59,439	1,043	21,303	28,509	13,324	67,752	296,572
Employed	432,600	318,156	54,433	977	20,659	25,987	12,388	62,623	288,005
Unemployed	19,817	10,643	5,006	66	644	2,522	936	5,129	8,567
<i>Percent Unemployed</i>	<i>4.4</i>	<i>3.2</i>	<i>8.4</i>	<i>6.3</i>	<i>3.0</i>	<i>8.8</i>	<i>7.0</i>	<i>7.6</i>	<i>2.9</i>
Not in Labor Force	263,735	192,746	36,599	837	10,760	15,407	7,386	36,914	175,350
2005-2007 ACS ²									
	744,706	519,521	99,819	--	41,396	74,249	8,229	128,654	466,367
In Labor Force	478,730	328,109	62,587	--	26,919	54,734	5,478	92,847	290,172
In Armed Forces	209	100	0	--	18	91	0	161	30
In Civilian Labor Force	450,800	304,799	60,190	--	26,084	53,772	5,143	90,907	267,636
Employed	450,536	311,872	56,443	--	25,873	50,283	5,199	85,244	277,033
Unemployed	27,985	16,137	6,144	--	1,028	4,360	279	7,442	13,109
<i>Percent Unemployed</i>	<i>5.8</i>	<i>4.9</i>	<i>9.8</i>	--	<i>3.8</i>	<i>8.0</i>	<i>5.1</i>	<i>8.0</i>	<i>4.5</i>
Not in Labor Force	265,976	191,412	37,232	--	14,477	19,515	2,751	35,807	176,195

¹ Source: Census 2000, SF3, Tables P150a-i.

² Source: American Community Survey, 2005-2007, Tables C23001, C23002a-i.

³ American Indian statistics available for 2000 Census only.

⁴ 2005-2007 ACS figures represent Asian population estimates only (Pacific Islander statistics not available for ACS).

Table 15. Employment Status by Age and Sex, Population 16+ in Civilian Labor Force, Westchester County, 2000 and 2005-2007

	2000 Census ¹			2005-2007 ACS ²								
	Total	Male	Female	Total			Male			Female		
				Estimate	90% Confidence Interval		Estimate	90% Confidence Interval		Estimate	90% Confidence Interval	
					Lower	Upper		Lower	Upper		Lower	Upper
Population 16 years & over	716,252	334,058	382,194	744,706	743,820	745,592	352,801	352,230	353,372	391,905	391,254	392,556
In Civilian Labor Force	452,417	238,568	213,849	478,521	*****	*****	255,855	*****	*****	222,666	*****	*****
16-19	14,871	7,189	7,682	16,359	15,171	17,547	7,823	7,078	8,568	8,536	7,610	9,462
20-21	10,508	5,320	5,188	13,031	11,798	14,264	6,402	5,695	7,109	6,629	5,619	7,639
22-24	21,193	10,776	10,417	25,313	23,938	26,688	12,925	11,978	13,872	12,388	11,391	13,385
25-29	42,201	22,009	20,192	39,456	38,525	40,387	21,419	20,866	21,972	18,037	17,288	18,786
30-34	53,597	29,246	24,351	43,590	42,736	44,444	24,923	24,514	25,332	18,667	17,917	19,417
35-44	124,897	67,816	57,081	116,168	114,899	117,437	64,618	63,943	65,293	51,550	50,475	52,625
45-54	105,281	54,131	51,150	122,193	120,895	123,491	63,854	63,136	64,572	58,339	57,258	59,420
55-59	35,037	17,896	17,141	48,121	46,859	49,383	24,659	23,793	25,525	23,462	22,544	24,380
60-61	10,466	5,358	5,108	12,818	11,748	13,888	6,993	6,194	7,792	5,825	5,114	6,536
62-64	11,556	5,967	5,589	13,751	12,928	14,574	6,888	6,296	7,480	6,863	6,291	7,435
65-69	11,452	6,129	5,323	14,017	13,142	14,892	7,488	6,792	8,184	6,529	5,999	7,059
70-74	6,471	3,766	2,705	7,228	6,508	7,948	4,079	3,498	4,660	3,149	2,724	3,574
75+	4,887	2,965	1,922	6,476	5,852	7,100	3,784	3,329	4,239	2,692	2,265	3,119
Unemployment Rate³	4.4	4.2	4.6	5.8	*****	*****	5.5	*****	*****	6.2	*****	*****
16-19	16.5	18.9	14.3	23.4	19.3	27.0	21.1	18.3	23.4	25.6	17.7	31.9
20-21	12.8	12.3	13.4	14.2	11.8	16.1	16.9	12.5	20.4	11.5	9.0	13.3
22-24	10.1	9.7	10.5	10.7	9.1	12.2	11.9	9.9	13.6	9.5	6.9	11.8
25-29	5.3	5.5	5.1	6.5	5.2	7.7	5.9	4.2	7.5	7.2	5.2	8.9
30-34	3.7	3.0	4.5	5.2	3.9	6.5	5.0	3.2	6.8	5.5	3.7	7.2
35-44	3.3	2.9	3.7	4.8	4.0	5.6	4.4	3.2	5.5	5.2	4.1	6.4
45-54	3.0	2.9	3.0	4.5	3.8	5.0	4.1	3.4	4.8	4.8	3.9	5.8
55-59	2.8	2.7	2.8	4.3	3.4	5.1	4.2	3.0	5.3	4.4	3.0	5.7
60-61	3.1	3.4	2.8	3.1	1.9	4.1	3.6	1.6	5.2	2.4	1.1	3.4
62-64	2.8	3.9	1.6	3.2	2.1	4.2	2.9	1.3	4.2	3.6	1.9	5.0
65-69	3.6	3.9	3.2	3.7	2.6	4.6	3.7	2.1	5.0	3.6	2.1	5.0
70-74	3.5	3.8	3.1	2.6	0.5	4.2	2.8	-0.1	5.0	2.2	-0.9	4.5
75+	4.1	3.2	5.6	2.7	1.2	3.9	1.9	0.3	3.1	3.7	0.8	5.8

¹ Source: Census 2000, SF3, Table PCT35.

² Source: American Community Survey, 2005-2007, Table B23001.

³ Unemployment Rate = Number of Unemployed / Total Labor Force.

** Margin of error not reported.

Table 16. Employment Status by Subregions, Population 16+, Westchester County, 2000 and 2005-2007

	2000 Census ¹						2005-2007 ACS ²					
	Total (I) + (II)	Labor Force (I)	Not in Labor Force (II)	In Labor Force (I)			Total (I) + (II)	Labor Force (I)	Not in Labor Force (II)	In Labor Force (I)		
				In Armed Forces	Civilian					In Armed Forces	Civilian	
					Employed	Unemployed					Employed	Unemployed
Population 16 years and over	716,252	452,517	263,735	100	432,600	19,817	744,706	478,730	265,976	209	450,536	27,985
Northwest	109,281	69,565	39,716	30	66,861	2,674	115,473	76,509	38,964	0	71,619	4,890
Cortlandt Town	29,268	19,586	9,682	8	19,052	526	31,516	20,408	11,108	0	19,211	1,197
Mount Pleasant Town	33,207	20,420	12,787	0	19,761	659	33,313	21,782	11,531	0	20,741	1,041
Ossining Town	29,409	17,805	11,604	0	17,085	720	29,175	18,709	10,466	0	17,483	1,226
Peekskill	17,397	11,754	5,643	22	10,963	769	21,469	15,610	5,859	0	14,184	1,426
Northeast	100,542	66,183	34,359	12	64,631	1,540	--	--	--	--	--	--
Somers Town	14,350	8,630	5,720	0	8,490	140	16,640	9,547	7,093	0	9,314	233
Yorktown Town	27,686	18,617	9,069	12	18,143	462	28,681	19,670	9,011	73	18,534	1,063
Rest of Northeast HPR	58,506	38,936	19,570	0	37,998	938	--	--	--	--	--	--
West Central	123,782	82,151	41,631	8	78,964	3,179	--	--	--	--	--	--
Greenburgh Town	68,253	46,236	22,017	0	44,749	1,487	76,174	49,951	26,223	0	47,528	2,423
Scarsdale Town/Village	12,548	7,937	4,611	0	7,818	119	--	--	--	--	--	--
White Plains	42,981	27,978	15,003	8	26,397	1,573	43,561	29,911	13,650	0	27,697	2,214
East Central	86,255	54,689	31,566	0	52,809	1,880	--	--	--	--	--	--
Harrison Town/Village	18,696	11,427	7,269	0	11,027	400	23,010	14,173	8,837	0	13,580	593
Mamaroneck Town and Rye Town	56,713	36,517	20,196	0	35,158	1,359	57,270	39,185	18,085	0	37,363	1,822
Rye City	10,846	6,745	4,101	0	6,624	121	--	--	--	--	--	--
Southwest	153,381	90,245	63,136	30	84,182	6,033	154,396	93,900	60,496	106	86,674	7,120
Yonkers	153,381	90,245	63,136	30	84,182	6,033	154,396	93,900	60,496	106	86,674	7,120
Southeast	143,011	89,684	53,327	20	85,153	4,511	--	--	--	--	--	--
Eastchester Town	24,671	15,164	9,507	0	14,777	387	25,782	16,566	9,216	0	15,968	598
Mount Vernon	52,875	33,418	19,457	9	30,980	2,429	51,507	32,430	19,077	0	29,395	3,035
New Rochelle	56,645	35,268	21,377	6	33,757	1,505	57,890	35,438	22,452	30	33,294	2,114
Pelham Town	8,820	5,834	2,986	5	5,639	190	--	--	--	--	--	--

¹ Source: Census 2000, SF3, Table P43.

² Source: American Community Survey, 2005-2007, Table C23001.

-- Subregion was not selectable in the 2005-2007 ACS.

Table 17. Employment Status by Sex and Subregions, Population 16+, Westchester County, 2000 and 2005-2007

	2000 Census ¹									2005-2007 ACS ²										
	Total	Male				Not in Labor Force	Female				Total	Male				Not in Labor Force	Female			
		In Labor Force			Civilian		In Labor Force			Civilian		In Labor Force			Civilian		In Labor Force			Civilian
		In Armed Forces	Employed	Unemployed			In Armed Forces	Employed	Unemployed			In Armed Forces	Employed	Unemployed			In Armed Forces	Employed	Unemployed	
Total Population 16 years and over	716,252	83	228,501	10,067	95,407	17	204,099	9,750	168,328	744,706	139	241,674	14,181	96,807	70	208,862	13,804	169,169		
Northwest	109,281	30	35,741	1,345	16,706	0	31,120	1,329	23,010	115,473	0	39,301	2,824	16,707	0	32,318	2,066	22,257		
Cortlandt Town	29,268	8	10,281	221	3,689	0	8,771	305	5,993	31,516	0	10,450	835	4,496	0	8,761	362	6,612		
Mount Pleasant Town	33,207	0	10,758	374	5,252	0	9,003	285	7,535	33,313	0	11,106	562	4,962	0	9,635	479	6,569		
Ossining Town	29,409	0	8,914	357	5,689	0	8,171	363	5,915	29,175	0	9,672	606	5,118	0	7,811	620	5,348		
Peekskill	17,397	22	5,788	393	2,076	0	5,175	376	3,567	21,469	0	8,073	821	2,131	0	6,111	605	3,728		
Northeast	100,542	12	35,552	762	11,364	0	29,079	778	22,995	--	--	--	--	--	--	--	--	--		
Somers Town	14,350	0	4,564	77	2,039	0	3,926	63	3,681	16,640	0	5,226	135	2,487	0	4,088	98	4,606		
Yorktown Town	27,686	12	9,571	213	3,385	0	8,572	249	5,684	28,681	73	10,046	750	3,193	0	8,488	313	5,818		
Rest of Northeast HPR	58,506	0	21,417	472	5,940	0	16,581	466	13,630	--	--	--	--	--	--	--	--	--		
West Central	123,782	8	41,299	1,586	14,241	0	37,665	1,593	27,390	--	--	--	--	--	--	--	--	--		
Greenburgh Town	68,253	0	23,021	772	7,633	0	21,728	715	14,384	76,174	0	23,896	671	8,972	0	23,632	1,752	17,251		
Scarsdale Town/Village	12,548	0	4,548	66	1,311	0	3,270	53	3,300	--	--	--	--	--	--	--	--	--		
White Plains	42,981	8	13,730	748	5,297	0	12,667	825	9,706	43,561	0	14,617	1,226	4,809	0	13,080	988	8,841		
East Central	86,255	0	29,283	1,077	10,627	0	23,526	803	20,939	--	--	--	--	--	--	--	--	--		
Harrison Town/Village	18,696	0	5,993	207	2,482	0	5,034	193	4,787	23,010	0	7,496	154	2,832	0	6,084	439	6,005		
Mamaroneck Town & Rye Town	56,713	0	19,454	800	7,019	0	15,704	559	13,177	57,270	0	20,756	891	6,711	0	16,607	931	11,374		
Rye City	10,846	0	3,836	70	1,126	0	2,788	51	2,975	--	--	--	--	--	--	--	--	--		
Southwest	153,381	22	43,487	2,966	23,431	8	40,695	3,067	39,705	154,396	36	46,178	3,572	22,427	70	40,496	3,548	38,069		
Yonkers	153,381	22	43,487	2,966	23,431	8	40,695	3,067	39,705	154,396	36	46,178	3,572	22,427	70	40,496	3,548	38,069		
Southeast	143,011	11	43,139	2,331	19,038	9	42,014	2,180	34,289	--	--	--	--	--	--	--	--	--		
Eastchester Town	24,671	0	8,127	206	2,882	0	6,650	181	6,625	25,782	0	8,718	330	2,844	0	7,250	268	6,372		
Mount Vernon	52,875	0	14,362	1,275	7,432	9	16,618	1,154	12,025	51,507	0	13,971	1,517	6,939	0	15,424	1,518	12,138		
New Rochelle	56,645	6	17,705	744	7,689	0	16,052	761	13,688	57,890	30	17,819	1,038	8,410	0	15,475	1,076	14,042		
Pelham Town	8,820	5	2,945	106	1,035	0	2,694	84	1,951	--	--	--	--	--	--	--	--	--		

¹ Source: Census 2000, SF3, Table P43.

² Source: American Community Survey, 2005-2007, Table C23001.

-- Subregion was not selectable in the 2005-2007 ACS.

Table 18. Poverty Status by Age and Sex, Westchester County, 2000 and 2005-2007

	2000 Census ¹			2005-2007 ACS ²								
	Total	Male	Female	Total			Male			Female		
				Estimate	90% Confidence Interval		Estimate	90% Confidence Interval		Estimate	90% Confidence Interval	
					Lower	Upper		Lower	Upper		Lower	Upper
Total Population³	902,177	430,508	471,669	921,364	920,646	922,082	446,646	*****	*****	474,718	*****	*****
Total in Poverty⁴	78,967	33,670	45,297	68,073	65,841	70,305	27,494	25,259	29,729	40,579	37,666	43,492
0-4	7,358	3,454	3,904	5,850	5,327	6,373	2,647	2,096	3,198	3,203	2,543	3,863
5	1,517	751	766	1,283	1,062	1,504	689	419	959	594	350	838
6-11	8,958	4,386	4,572	6,218	5,660	6,776	2,792	2,251	3,333	3,426	2,685	4,167
12-14	3,767	2,006	1,761	3,290	2,936	3,644	1,745	1,282	2,208	1,545	1,192	1,898
15 yrs	1,319	687	632	1,182	1,003	1,361	538	345	731	644	422	866
16-17	2,498	1,356	1,142	1,773	1,478	2,068	864	549	1,179	909	539	1,279
18-24	9,014	3,958	5,056	8,283	7,650	8,916	3,651	2,865	4,437	4,632	3,948	5,316
25-34	11,430	4,751	6,679	9,309	8,690	9,928	3,377	2,736	4,018	5,932	5,140	6,724
35-44	11,482	4,849	6,633	8,560	7,960	9,160	3,506	2,803	4,209	5,054	4,362	5,746
45-54	7,084	2,958	4,126	6,772	6,250	7,294	2,913	2,300	3,526	3,859	3,258	4,460
55-64	5,280	2,087	3,193	5,342	4,910	5,774	1,766	1,272	2,260	3,576	3,065	4,087
65-74	4,326	1,443	2,883	4,260	3,854	4,666	1,498	1,076	1,920	2,762	2,244	3,280
75+	4,934	984	3,950	5,951	5,618	6,284	1,508	1,208	1,808	4,443	3,985	4,901
Percentage in Poverty	8.8%	7.8%	9.6%	7.4%	7.2%	7.6%	6.2%	8.5%

¹ Census 2000, SF3, Table PCT49.

² American Community Survey, 2005-2007, Table B17001

³ According to the U.S. Census Bureau definition, poverty status was determined for all people except institutionalized people, people in military group quarters, people in college dormitories, and unrelated individuals under 15 years old.

⁴ Income in the past 12 months below poverty level.

* Estimate has been controlled to be equal to a fixed value (standard error equal to zero).

Table 19. Poverty Status by Age and Race/Ethnicity, Westchester County, 2000 and 2005-2007

	2000 Census ¹								
	Total	White	Black or African-American	American Indian	Asian or Pacific Islander	Some Other Race	Two or More Races	Hispanic ⁵	White Non-Hispanic
Total Population³	902,177	646,610	122,396	2,505	41,607	59,580	29,479	141,021	580,485
Total in Poverty⁴	78,967	35,550	22,063	731	2,523	13,404	4,696	27,552	24,843
0-4	7,358	2,628	2,465	88	228	1,445	504	3,135	1,380
5-9	1,517	521	524	0	25	342	105	631	325
6-11	8,958	3,104	3,014	121	188	1,889	642	3,559	1,854
12-14	3,767	1,403	1,376	56	88	647	197	1,337	908
15 yrs	1,319	524	435	0	19	287	54	520	343
16-17	2,498	931	763	29	46	578	151	1,175	489
18-24	9,014	3,674	2,322	47	300	2,043	628	3,963	2,242
25-34	11,430	4,580	2,784	85	540	2,632	809	5,386	2,496
35-44	11,482	5,596	2,665	122	482	1,866	751	3,861	4,061
45-54	7,084	3,599	1,961	57	202	915	350	2,027	2,707
55-64	5,280	2,751	1,706	33	211	373	206	949	2,257
65-74	4,326	2,607	1,167	53	126	236	137	564	2,369
75+	4,934	3,632	881	40	68	151	162	445	3,412
Percentage in Poverty	8.8%	5.5%	18.0%	29.2%	6.1%	22.5%	15.9%	19.5%	4.3%

continued

Table 19. Poverty Status by Age and Race/Ethnicity, Westchester County, 2000 and 2005-2007 (continued)

	2005-2007 ACS ²											
	Total			White			Black or African-American			Asian		
	Estimate	90% Confidence Interval		Estimate	90% Confidence Interval		Estimate	90% Confidence Interval		Estimate	90% Confidence Interval	
		Lower	Upper		Lower	Upper		Lower	Upper		Lower	Upper
Total Population³	921,364	*****	*****	632,208	*****	*****	126,027	*****	*****	50,812	*****	*****
Total in Poverty⁴	68,073	65,841	70,305	31,638	30,045	33,231	16,634	15,611	17,657	2,790	2,090	3,490
0-4	5,850	5,327	6,373	1,966	1,678	2,254	1,747	1,467	2,027	162	70	254
5	1,283	1,062	1,504	414	274	554	645	487	803	0	-136	136
6-11	6,218	5,660	6,776	2,534	2,163	2,905	1,581	1,321	1,841	268	83	453
12-14	3,290	2,936	3,644	1,206	955	1,457	1,019	809	1,229	24	6	42
15 yrs	1,182	1,003	1,361	646	491	801	329	225	433	16	-81	113
16-17	1,773	1,478	2,068	441	314	568	670	534	806	219	7	431
18-24	8,283	7,650	8,916	3,534	3,064	4,004	2,169	1,834	2,504	369	254	484
25-34	9,309	8,690	9,928	3,449	3,038	3,860	1,784	1,534	2,034	356	263	449
35-44	8,560	7,960	9,160	3,954	3,559	4,349	1,862	1,637	2,087	324	102	546
45-54	6,772	6,250	7,294	3,454	3,134	3,774	1,833	1,529	2,137	335	140	530
55-64	5,342	4,910	5,774	2,787	2,490	3,084	1,358	1,106	1,610	398	270	526
65-74	4,260	3,854	4,666	2,763	2,412	3,114	755	605	905	128	11	245
75+	5,951	5,618	6,284	4,490	4,208	4,772	882	755	1,009	191	129	253
Percentage in Poverty	7.4%	*****	*****	5.0%	*****	*****	13.2%	*****	*****	5.5%	*****	*****

continued

Table 19. Poverty Status by Age and Race/Ethnicity, Westchester County, 2000 and 2005-2007 (continued)

	2005-2007 ACS ²											
	Some Other Race			Two or More Races			Hispanic ⁵			White Non-Hispanic		
	Estimate	90% Confidence Interval		Estimate	90% Confidence Interval		Estimate	90% Confidence Interval		Estimate	90% Confidence Interval	
	Lower	Upper	Lower	Upper	Lower	Upper	Lower	Upper	Lower	Upper	Upper	
Total Population³	96,177	*****	*****	14,507	*****	*****	171,038	*****	*****	561,280	*****	*****
Total in Poverty⁴	15,934	14,829	17,039	784	596	972	25,720	24,461	26,979	22,995	21,773	24,217
0-4	1,912	1,590	2,234	63	16	110	3,381	2,988	3,774	760	595	925
5	174	98	250	50	12	88	527	382	672	135	60	210
6-11	1,743	1,465	2,021	92	37	147	2,836	2,479	3,193	1,576	1,274	1,878
12-14	992	778	1,206	49	12	86	1,404	1,144	1,664	843	611	1,075
15 yrs	191	116	266	0	-136	136	301	212	390	514	373	655
16-17	443	304	582	0	-136	136	665	501	829	261	156	366
18-24	2,153	1,848	2,458	37	-64	138	3,128	2,776	3,480	2,623	2,241	3,005
25-34	3,490	3,043	3,937	168	92	244	5,568	5,005	6,131	1,554	1,358	1,750
35-44	2,285	1,890	2,680	33	-66	132	3,693	3,277	4,109	2,663	2,355	2,971
45-54	974	769	1,179	141	84	198	1,346	1,121	1,571	3,150	2,830	3,470
55-64	742	580	904	57	22	92	1,202	981	1,423	2,399	2,111	2,687
65-74	538	389	687	39	-62	140	947	765	1,129	2,422	2,095	2,749
75+	297	184	410	55	-55	165	722	566	878	4,095	3,820	4,370
Percentage in Poverty	16.6%	*****	*****	5.4%	*****	*****	15.0%	*****	*****	4.1%	*****	*****

¹ Source: Census 2000, SF3, Tables PCT75a-i. Population for whom poverty status is determined; income below poverty level

² Source: American Community Survey, 2005-2007, Tables B17001a-i. American Indian and Pacific Islander population too small for calculation of 2005-2007 ACS estimate

³ According to the U.S. Census Bureau definition, poverty status was determined for all people except institutionalized people, people in military group quarters, people in college dormitories, and unrelated individuals under 15 years old.

⁴ Income in the past 12 months below poverty level

⁵ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

* Estimate has been controlled to be equal to a fixed value (standard error equal to zero).

Table 20. Poverty Status by Subregions, Westchester County, 2000 and 2005-2007

	2000 Census ¹			2005-2007 ACS ²		
	Total	Below Poverty	Poverty Rate	Total	Below Poverty	Poverty Rate
Total Population	902,177	78,967	8.8	921,364	68,073	7.4
Northwest	132,715	9,479	7.1	138,858	9,207	6.6
Cortlandt Town	37,579	1,695	4.5	40,072	1,826	4.6
Mount Pleasant Town	40,002	1,971	4.9	39,864	1,475	3.7
Ossining Town	32,858	2,771	8.4	33,516	2,196	6.6
Peekskill	22,276	3,042	13.7	25,406	3,710	14.6
Northeast	129,840	4,556	3.5	--	--	--
Somers Town	17,916	367	2.0	20,513	286	1.4
Yorktown Town	35,565	1,021	2.9	37,002	761	2.1
Rest of Northeast HPR	76,359	3,168	4.1	--	--	--
West Central	155,121	8,937	5.8	--	--	--
Greenburgh Town	85,325	3,324	3.9	90,682	4,321	4.8
Scarsdale Town/Village	17,823	496	2.8	--	--	--
White Plains	51,973	5,117	9.8	51,379	4,870	9.5
East Central	110,010	7,185	6.5	--	--	--
Harrison Town/Village	22,872	1,277	5.6	25,352	777	3.1
Mamaroneck Town and Rye Town	72,183	5,534	7.7	71,553	3,393	4.7
Rye City	14,955	374	2.5	--	--	--
Southwest	193,792	30,089	15.5	193,342	25,402	13.1
Yonkers	193,792	30,089	15.5	193,342	25,402	13.1
Southeast	180,699	18,721	10.4	--	--	--
Eastchester Town	31,047	1,295	4.2	33,059	911	2.8
Mount Vernon	67,497	9,618	14.2	65,033	7,326	11.3
New Rochelle	70,294	7,367	10.5	68,795	6,521	9.5
Pelham Town	11,861	441	3.7	--	--	--

¹ Source: Census 2000, SF3, Table P87.

² Source: American Community Survey, 2005-2007, Table C17001.

-- Subregion population was either too small for display in the 2005-2007 ACS, or HPR estimate could not be calculated.

Table 21. Number of Households by Income Group, Median Household Income, Source of Household Income, Westchester County, 1999 and 2005-2007

Socioeconomic Characteristics	Year 2000 Census ¹ (data for 1999)		2005-2007 ACS ²			
	Number	%	Number	%	90% Confidence Interval	
					Lower	Upper
Total Number of Households	337,486	100.0	335,848	100.0	334,089	337,607
Income Groups						
Less than \$10,000	24,492	7.3	15,650	4.7	14,579	16,721
\$10,000 - \$14,999	14,518	4.3	12,071	3.6	11,224	12,918
\$15,000 - \$24,999	27,654	8.2	23,720	7.1	22,151	25,289
\$25,000 - \$34,999	28,000	8.3	24,170	7.2	22,750	25,590
\$35,000 - \$49,999	39,970	11.8	35,096	10.4	33,161	37,031
\$50,000 - \$74,999	56,607	16.8	51,716	15.4	49,434	53,998
\$75,000 - \$99,999	41,497	12.3	39,460	11.7	37,672	41,248
\$100,000 - \$149,999	48,193	14.3	54,676	16.3	52,851	56,501
\$150,000 - \$199,999	21,507	6.4	28,200	8.4	27,147	29,253
\$200,000 or more	35,048	10.4	51,089	15.2	49,318	52,860
Median Household Income (dollars)³	63,582	-	77,856	-	76,613	79,099
Source of Household Income						
With Social Security Income	90,540	26.8	94,556	28.2	92,958	96,154
With Supplemental Security Income	11,378	3.4	9,288	2.8	8,440	10,136
With Retirement Income	57,901	17.2	60,982	18.2	58,859	63,105
With Cash Public Assistance Income	9,274	2.7	7,198	2.1	6,380	8,016
With Food Stamp Benefits ⁴	12,231	-	18,126	5.4	16,965	19,287

¹ Census 2000, SF3, Tables P52-53, P62-65, P87.

² American Community Survey, 2005-2007, Tables C19001, B19013, B19055-19059, in 2007 inflation-adjusted dollars.

³ Census 2000 Median Household Income adjusted to 2007 inflation dollars is \$76,555.

⁴ Information for Census 2000 is from Supplementary Survey: based on a sample and excludes the population living in institutions, college dormitories, and other group quarter.

Table 22. Number of Households by Income Group, Median Household Income, Source of Household Income, and Number of Population Under Poverty Level by Race and Ethnicity, Westchester County, 1999 and 2005-2007

Socioeconomic Characteristics	2000 Census ¹																	
	Total		White		Black or African American		American Indian		Asian & Pacific Islander		Some Other Races		Two or More Races		Hispanic ⁴		White Non-Hispanic	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Total Number of Households	337,486	100	253,476	100	45,488	100	821	100	13,206	100	15,539	100	8,956	100	38,806	100	234,431	100
Income Groups																		
Less than \$10,000	24,492	7.3	13,378	5.3	7,102	15.6	192	23.4	637	4.8	1,999	12.9	1,184	13.2	4,301	11.1	11,606	5.0
\$10,000 - \$14,999	14,518	4.3	10,162	4.0	2,809	6.2	41	5.0	297	2.2	852	5.5	357	4.0	2,203	5.7	9,000	3.8
\$15,000 - \$24,999	27,654	8.2	18,356	7.2	5,243	11.5	99	12.1	565	4.3	2,242	14.4	1,149	12.8	5,156	13.3	16,113	6.9
\$25,000 - \$34,999	28,000	8.3	18,348	7.2	5,441	12.0	120	14.6	695	5.3	2,146	13.8	1,250	14.0	4,842	12.5	16,267	6.9
\$35,000 - \$49,999	39,970	11.8	28,102	11.1	6,398	14.1	101	12.3	1,356	10.3	2,632	16.9	1,381	15.4	6,005	15.5	25,381	10.8
\$50,000 - \$74,999	56,607	16.8	42,060	16.6	7,664	16.8	122	14.9	2,259	17.1	3,032	19.5	1,470	16.4	7,635	19.7	38,120	16.3
\$75,000 - \$99,999	41,497	12.3	32,835	13.0	4,681	10.3	58	7.1	1,606	12.2	1,377	8.9	940	10.5	3,857	9.9	30,858	13.2
\$100,000 - \$149,999	48,193	14.3	39,690	15.7	4,190	9.2	66	8.0	2,583	19.6	871	5.6	793	8.9	3,044	7.8	37,814	16.1
\$150,000 - \$199,999	21,507	6.4	18,499	7.3	1,049	2.3	13	1.6	1,504	11.4	239	1.5	203	2.3	896	2.3	17,881	7.6
\$200,000 or more	35,048	10.4	32,046	12.6	911	2.0	9	1.1	1,704	12.9	149	1.0	229	2.6	867	2.2	31,391	13.4
Median Household Income (dollars)³	63,582	-	72,140	-	39,446	-	32,745	-	86,892 (Asian) 19,821 (P.I.)	-	37,072	-	40,529	-	41,278	-	75,516	-
Population Below Poverty Level	78,967	8.8	35,550	5.5	22,063	18.0	731	29.2	2,523	6.1	13,404	22.5	4,696	15.9	27,552	19.5	24,843	4.3

continued

Table 22. Number of Households by Income Group, Median Household Income, Source of Household Income, and Number of Population Under Poverty Level by Race, Westchester County, 1999 and 2005-2007 (continued)

Socioeconomic Characteristics	2005-2007 ACS ²															
	Total		White		Black or African American		Asian		Some Other Races		Two or More Races		Hispanic ⁴		White Non Hispanic	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Total Number of Households	335,848	100.0	242,772	100.0	44,876	100.0	16,732	100.0	27,908	100.0	3,057	100.0	48,492	100.0	222,808	100.0
Income Groups																
Less than \$10,000	15,650	4.7	8,846	3.6	4,488	10.0	504	3.0	1,593	5.7	134	4.4	3,122	6.4	7,479	3.4
\$10,000 - \$14,999	12,071	3.6	7,267	3.0	2,523	5.6	293	1.8	1,879	6.7	59	1.9	2,766	5.7	6,484	2.9
\$15,000 - \$24,999	23,720	7.1	14,940	6.2	4,414	9.8	645	3.9	3,620	13.0	85	2.8	5,223	10.8	13,438	6.0
\$25,000 - \$34,999	24,170	7.2	15,144	6.2	4,542	10.1	566	3.4	3,715	13.3	203	6.6	6,169	12.7	12,604	5.7
\$35,000 - \$49,999	35,096	10.4	22,284	9.2	6,187	13.8	1,140	6.8	5,077	18.2	333	10.9	7,638	15.8	19,811	8.9
\$50,000 - \$74,999	51,716	15.4	34,891	14.4	8,587	19.1	2,274	13.6	5,380	19.3	433	14.2	9,346	19.3	30,794	13.8
\$75,000 - \$99,999	39,460	11.7	28,877	11.9	4,902	10.9	1,871	11.2	3,176	11.4	634	20.7	5,984	12.3	26,326	11.8
\$100,000 - \$149,999	54,676	16.3	42,702	17.6	5,753	12.8	3,554	21.2	2,062	7.4	505	16.3	5,009	10.3	39,846	17.9
\$150,000 - \$199,999	28,200	8.4	22,738	9.4	1,964	4.4	2,365	14.1	853	3.1	254	8.3	1,625	3.4	21,969	9.9
\$200,000 or more	51,089	15.2	45,083	18.6	1,516	3.4	3,520	21.0	553	2.0	417	13.6	1,610	3.3	44,057	19.8
Median Household Income (dollars)³	77,856	-	89,548	-	50,834	-	111,652	-	44,014	-	83,913	-	48,406	-	93,909	-
Population Below Poverty Level	68,073	7.4	31,638	5.0	16,634	13.2	2,790	5.5	15,934	16.6	784	5.4	25,720	15.0	22,995	4.1

¹ Source: Census 2000, SF3, Tables P151a-P151i, P152a-P152i, P159a-P159i.

² Source: American Community Survey, 2005-2007, Tables C19001a-i, B19013a-i, C17001a-i, in 2007 inflation-adjusted dollars.

³ Census 2000 Median Household Income adjusted to 2007 inflation dollars is \$76,555 for total population, \$86,859 for white residents, \$47,494 for black residents, \$39,426 for Native American residents,

\$104,621 for Asian residents, \$23,865 for Pacific Islander residents, \$44,636 for other race residents, \$48,798 for residents of two or more races, \$90,924 for white non-Hispanic residents, and \$49,700 for Hispanic residents.

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 23. Median Household Income by Race and Ethnicity, Westchester County, 2000 and 2005-2007

	2000 Census ¹								2005-2007 ACS ²							
	Median Household Income (\$)								Median Household Income (\$)							
	Total	White	Black	Asian	Other	Two or More	Hispanic	White Non-Hispanic	Total	White	Black	Asian	Other	Two or More	Hispanic	White Non-Hispanic
Westchester County	63,582	72,140	39,446	86,892	37,072	40,529	41,278	75,516	77,856	89,548	50,834	111,652	44,014	83,913	48,406	93,909
Northwest	71,528	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Cortlandt Town	75,442	76,541	72,969	100,337	54,444	55,179	58,558	77,451	93,215	93,963	95,405	93,899	82,825	102,402	84,549	93,466
Mount Pleasant Town	81,072	84,204	43,824	106,870	45,260	51,750	46,182	86,631	103,657	109,871	88,546	116,880	52,386	143,777	61,733	114,470
Ossining Town	65,485	74,309	40,024	88,819	46,042	45,893	44,741	79,710	77,753	92,068	46,290	66,782	48,878	101,062	56,038	99,939
Peekskill	47,177	51,143	42,962	63,750	36,957	37,794	40,566	51,417	55,953	60,556	47,975	69,932	47,230	--	55,431	61,441
Northeast	94,457	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Somers Town	89,528	89,645	158,029	80,958	177,361	51,875	105,569	89,161	101,421	99,950	84,823	159,113	125,849	--	108,033	99,868
Yorktown Town	83,819	82,388	84,422	117,990	89,397	88,489	96,112	81,387	105,253	102,443	121,814	181,892	82,270	167,678	86,422	103,627
Rest of Northeast HPR	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
West Central	92,087	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Greenburgh Town	80,379	83,072	64,054	98,380	45,357	57,102	60,353	84,141	97,147	103,939	72,991	112,289	51,250	134,216	56,322	105,625
Scarsdale Town/Village	182,792	194,597	84,370	143,001	150,924	92,216	154,916	194,473	--	--	--	--	--	--	--	--
White Plains	58,545	65,689	39,801	66,534	42,928	54,567	41,281	69,836	73,744	87,959	45,664	101,763	30,867	111,257	40,913	93,201
East Central	75,463	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Harrison Town/Village	80,738	80,059	66,944	121,587	87,500	43,036	48,333	82,572	100,681	102,557	--	200,000+	57,721	--	49,511	103,876
Mamaroneck Town & Rye Town	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Rye City	110,894	110,825	65,703	165,155	45,625	97,412	55,885	112,726	--	--	--	--	--	--	--	--
Southwest	44,663	50,824	31,813	64,552	30,065	31,109	31,530	52,323	53,320	61,439	41,813	73,750	39,412	48,202	41,252	63,223
Yonkers	44,663	50,824	31,813	64,552	30,065	31,109	31,530	52,323	53,320	61,439	41,813	73,750	39,412	48,202	41,252	63,223
Southeast	51,548	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Eastchester Town	78,224	80,000	45,313	85,476	50,735	30,804	71,250	80,211	101,425	99,857	--	130,300	63,943	--	63,814	102,533
Mount Vernon	41,128	45,570	38,911	62,014	33,162	39,271	41,516	45,824	49,705	50,081	47,014	90,527	47,180	75,513	45,469	50,456
New Rochelle	55,513	61,421	39,082	66,902	36,671	50,057	39,780	66,084	64,756	67,586	62,779	107,481	51,264	67,370	54,710	71,917
Pelham Town	91,810	95,475	46,369	106,294	43,929	41,667	70,536	97,147	--	--	--	--	--	--	--	--

¹ Source: Census 2000, SF3, Tables P53, P152a-i.

² Source: American Community Survey, 2005-2007, Tables B19013a-i.

-- Subregion population was either too small for display in the 2005-2007 ACS, or HPR estimate could not be calculated.

Table 24. Number of Households by Income Group and Median Household Income, Westchester County, 2000 and 2005-2007

	2000 Census ¹											
	Median Household (\$)	Number of Households by Income Group										
		Total	<\$10K	\$10,000 -\$14,999	\$15,000 -\$24,999	\$25,000 -\$34,999	\$35,000 -\$49,999	\$50,000 -\$74,999	\$75,000 -\$99,999	\$100,000 -\$149,999	\$150,000 -\$199,999	≥ \$200K
Westchester County	63,582	337,486	24,492	14,518	27,654	28,000	39,970	56,607	41,497	48,193	21,507	35,048
Northwest	71,528	48,359	2,590	1,641	3,665	3,977	5,720	8,660	6,383	8,135	3,406	4,182
Cortlandt Town	75,442	13,508	562	368	808	978	1,446	2,561	1,981	2,704	1,098	1,002
Mount Pleasant Town	81,072	13,799	475	346	944	999	1,478	2,198	1,809	2,684	1,135	1,731
Ossining Town	65,485	12,357	708	476	963	1,029	1,490	2,099	1,484	1,877	931	1,300
Peekskill	47,177	8,695	845	451	950	971	1,306	1,802	1,109	870	242	149
Northeast	94,457	46,182	1,291	1,107	2,382	2,288	4,067	6,598	6,343	8,707	4,920	8,479
Somers Town	89,528	6,808	117	169	366	348	725	1,157	916	1,570	709	731
Yorktown Town	83,819	12,568	453	440	832	721	1,295	1,833	2,204	2,642	1,292	856
Rest of Northeast HPR	--	26,806	721	498	1,184	1,219	2,047	3,608	3,223	4,495	2,919	6,892
West Central	92,087	59,687	2,946	1,882	4,012	4,371	6,390	9,785	7,508	9,402	4,880	8,511
Greenburgh Town	80,379	33,088	1,180	854	1,995	2,312	3,502	5,598	4,581	5,694	3,149	4,223
Scarsdale Town/Village	182,792	5,648	84	51	157	136	174	433	443	854	656	2,660
White Plains	58,545	20,951	1,682	977	1,860	1,923	2,714	3,754	2,484	2,854	1,075	1,628
East Central	75,463	40,188	2,284	1,366	2,907	2,794	4,589	6,355	4,690	5,748	2,698	6,757
Harrison Town/Village	80,738	8,389	384	295	533	537	916	1,303	1,049	1,277	590	1,505
Mamaroneck Town & Rye Town	--	26,424	1,742	987	2,138	2,032	3,194	4,523	2,950	3,534	1,738	3,586
Rye City	110,894	5,375	158	84	236	225	479	529	691	937	370	1,666
Southwest	44,663	74,358	9,176	4,793	8,312	8,028	10,245	13,447	8,753	7,713	2,066	1,825
Yonkers	44,663	74,358	9,176	4,793	8,312	8,028	10,245	13,447	8,753	7,713	2,066	1,825
Southeast	51,548	68,712	6,205	3,729	6,376	6,542	8,959	11,762	7,820	8,488	3,537	5,294
Eastchester Town	78,224	12,614	623	327	742	872	1,392	2,082	1,654	2,195	932	1,795
Mount Vernon	41,128	25,722	3,064	1,745	3,048	3,202	3,871	4,737	2,507	2,441	713	394
New Rochelle	55,513	26,235	2,406	1,538	2,387	2,180	3,266	4,412	3,114	3,218	1,499	2,215
Pelham Town	91,810	4,141	112	119	199	288	430	531	545	634	393	890

continued

Table 24. Number of Households by Income Group and Median Household Income, Westchester County, 2000 and 2005-2007 (continued)

	2005-2007 ACS ²											
	Median Household (\$)	Number of Households by Income Group										
		Total	<\$10K	\$10,000 -\$14,999	\$15,000 -\$24,999	\$25,000 -\$34,999	\$35,000 -\$49,999	\$50,000 -\$74,999	\$75,000 -\$99,999	\$100,000 -\$149,999	\$150,000 -\$199,999	≥ \$200K
Westchester County	77,856	335,848	15,650	12,071	23,720	24,170	35,096	51,716	39,460	54,676	28,200	51,089
Northwest	--	49,450	1,551	1,638	3,483	2,600	4,829	7,847	6,783	8,965	5,035	6,719
Cortlandt Town	93,215	13,856	245	377	916	893	1,024	2,038	1,924	3,022	1,615	1,802
Mount Pleasant Town	103,657	14,045	288	392	753	596	1,018	1,766	1,977	2,781	1,578	2,896
Ossining Town	77,753	12,611	483	357	861	511	1,346	2,453	1,617	1,899	1,377	1,707
Peekskill	55,953	8,938	535	512	953	600	1,441	1,590	1,265	1,263	465	314
Northeast	--	--	--	--	--	--	--	--	--	--	--	--
Somers Town	101,421	7,718	61	343	186	412	533	927	1,329	1,546	985	1,396
Yorktown Town	105,253	12,916	168	485	628	481	986	1,665	1,569	3,040	1,912	1,982
Rest of Northeast HPR	--	--	--	--	--	--	--	--	--	--	--	--
West Central	--	--	--	--	--	--	--	--	--	--	--	--
Greenburgh Town	97,147	33,395	944	499	2,063	1,798	2,895	4,315	4,619	6,889	3,363	6,010
Scarsdale Town/Village	--	--	--	--	--	--	--	--	--	--	--	--
White Plains	73,744	21,410	1,100	1,243	1,374	2,105	1,999	2,990	2,733	3,561	1,791	2,514
East Central	--	--	--	--	--	--	--	--	--	--	--	--
Harrison Town/Village	100,681	8,726	276	35	364	325	942	1,526	866	1,586	723	2,083
Mamaroneck Town & Rye Town	--	26,232	832	895	1,856	2,111	3,051	3,794	2,808	3,723	2,053	5,109
Rye City	--	--	--	--	--	--	--	--	--	--	--	--
Southwest	53,320	72,616	6,345	3,944	6,968	6,538	10,798	13,292	7,951	10,199	3,460	3,121
Yonkers	53,320	72,616	6,345	3,944	6,968	6,538	10,798	13,292	7,951	10,199	3,460	3,121
Southeast	--	--	--	--	--	--	--	--	--	--	--	--
Eastchester Town	101,425	12,710	347	380	567	945	1,016	1,424	1,602	2,155	1,513	2,761
Mount Vernon	49,705	24,073	2,005	1,056	2,323	3,142	3,564	4,958	2,244	3,210	931	640
New Rochelle	64,756	25,049	1,459	1,068	2,578	1,915	2,530	4,505	2,888	3,060	1,869	3,177
Pelham Town	--	--	--	--	--	--	--	--	--	--	--	--

¹ Source: Census 2000, SF3, Tables P52-P53.

² Source: American Community Survey, 2005-2007, Tables C19001 and B19013.

-- Subregion population was either too small for display in the 2005-2007 ACS, or HPR estimate could not be calculated.

Table 25. Number of Households by Year Structure Built, Westchester County, 2000 and 2005-2007

Socioeconomic Characteristics	Year 2000 Census ¹ (data for 1999)		2005-2007 ACS ²			
	Number	%	Number	%	90% Confidence Interval	
					Lower	Upper
Total Number of Households	349,445	100.0	358,346	100.0	358,066	358,626
Year Structure Built						
Built 2005 or later	--	--	2,016	0.6	1,611	2,421
Built 2000 to 2004	--	--	10,179	2.8	9,262	11,096
Built 1990 to 1999 ³	18,934	5.4	16,870	4.7	15,781	17,959
Built 1980 to 1989	26,075	7.5	26,470	7.4	24,966	27,974
Built 1970 to 1979	35,354	10.1	36,646	10.2	34,894	38,398
Built 1960 to 1969	52,364	15.0	51,660	14.4	49,481	53,839
Built 1950 to 1959	69,334	19.8	70,242	19.6	67,918	72,566
Built 1940 to 1949	39,784	11.4	34,388	9.6	32,793	35,983
Built 1939 or earlier	107,600	30.8	109,875	30.7	107,401	112,349

¹ Source: Census 2000, SF3, Table H34.

² Source: American Community Survey, 2005-2007, Table B25034.

³ Year 2000 Census data extends to March 2000.

-- Information not available at time of 2000 Census.

Table 26. Number of Households by Year Structure Built, Westchester County, 2000 and 2005-2007

	2000 Census ¹								2005-2007 ACS ²									
	Total	1990-1999 ³	1980-1989	1970-1979	1960-1969	1950-1959	1940-1949	1939 or earlier	Total	2005 or later	2000-2004	1990-1999	1980-1989	1970-1979	1960-1969	1950-1959	1940-1949	1939 or earlier
Total Population	349,445	18,934	26,075	35,354	52,364	69,334	39,784	107,600	358,346	2,016	10,179	16,870	26,470	36,646	51,660	70,242	34,388	109,875
Northwest	49,836	3,492	5,041	5,784	7,616	9,777	5,063	13,063	51,940	393	1,449	3,460	5,173	5,516	7,787	10,667	3,157	14,338
Cortlandt Town	14,065	999	1,385	1,725	2,423	3,043	1,802	2,688	14,714	79	307	823	1,493	1,672	2,541	3,790	963	3,046
Mount Pleasant Town	13,985	890	1,011	1,373	1,690	3,358	1,187	4,476	14,589	179	506	735	768	1,340	1,922	3,312	983	4,844
Ossining Town	12,733	783	1,731	1,482	1,977	2,228	1,194	3,338	13,111	59	357	989	2,011	1,266	2,095	2,064	672	3,598
Peekskill	9,053	820	914	1,204	1,526	1,148	880	2,561	9,526	76	279	913	901	1,238	1,229	1,501	539	2,850
Northeast	47,934	5,454	7,776	7,406	8,696	7,504	2,910	8,188	--	--	--	--	--	--	--	--	--	--
Somers Town	7,098	1,413	1,636	1,551	866	599	406	627	7,854	196	626	1,077	1,852	1,631	817	559	328	768
Yorktown Town	12,852	1,424	1,970	2,080	2,879	2,572	731	1,196	13,294	17	419	1,414	1,831	1,794	3,119	2,977	424	1,299
Rest of Northeast HPR	27,984	2,617	4,170	3,775	4,951	4,333	1,773	6,365	--	--	--	--	--	--	--	--	--	--
West Central	61,455	3,686	4,529	5,720	9,107	13,708	6,901	17,804	--	--	--	--	--	--	--	--	--	--
Greenburgh Town	34,084	2,289	2,434	3,532	5,587	8,074	3,756	8,412	35,115	115	1,407	2,158	2,808	3,150	5,425	8,426	3,098	8,498
Scarsdale Town/Village	5,795	132	227	301	486	1,255	491	2,903	--	--	--	--	--	--	--	--	--	--
White Plains	21,576	1,265	1,868	1,887	3,034	4,379	2,654	6,489	22,654	273	1,301	1,022	2,439	2,153	2,510	4,077	1,274	7,605
East Central	41,307	2,397	2,966	2,628	5,463	7,649	4,655	15,549	--	--	--	--	--	--	--	--	--	--
Harrison Town/Village	8,657	639	742	700	1,435	1,825	798	2,518	9,024	101	444	608	669	1,153	1,479	1,646	746	2,178
Mamaroneck Town & Rye Town	27,091	1,448	1,702	1,623	3,356	4,806	3,380	10,776	27,359	182	704	1,275	1,692	2,169	3,848	4,381	3,196	10,306
Rye City	5,559	310	522	305	672	1,018	477	2,255	--	--	--	--	--	--	--	--	--	--
Southwest	77,589	2,240	2,769	9,099	13,878	16,873	10,357	22,373	78,616	218	837	1,925	7,148	4,662	14,359	18,793	8,424	21,104
Yonkers	77,589	2,240	2,769	9,099	13,878	16,873	10,357	22,373	78,616	218	837	1,925	2,815	10,141	14,359	18,793	8,424	21,104
Southeast	71,324	1,665	2,994	4,717	7,604	13,823	9,898	30,623	--	--	--	--	--	--	--	--	--	--
Eastchester Town	13,035	530	676	881	1,513	2,831	1,599	5,005	13,290	72	349	359	641	752	1,594	2,943	1,356	5,224
Mount Vernon	27,048	636	919	1,862	2,614	4,597	4,750	11,670	26,758	63	375	351	708	1,059	2,225	3,813	6,624	11,510
New Rochelle	26,995	452	1,280	1,840	3,219	5,746	3,193	11,265	37,359	87	747	405	1,077	2,123	2,957	4,818	2,274	12,871
Pelham Town	4,246	47	119	134	258	649	356	2,683	--	--	--	--	--	--	--	--	--	--

¹ Source: Census 2000, SF3, Tables H34-35.

² Source: American Community Survey, 2005-2007, Tables B25034 and B25035.

³ Year 2000 Census data extends to March 2000.

-- Subregion population was either too small for display in the 2005-2007 ACS, or HPR estimate could not be calculated.

Table 27. Self-Reported General Health Status by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008

	Westchester County			New York State			Significant Difference
	Percent	95% CI		Percent	95% CI		
Fair or poor general health among adults							
Total	10.6	6.7	- 14.5	16.2	13.6	- 18.8	No
Gender							
Male	13.4	7.2	- 19.5	14.8	11.2	- 18.4	No
Female	8.1	3.1	- 13.2	17.5	13.7	- 21.2	Yes
Age (years)							
18-34	*	*		12.6	6.2	- 18.9	-
35-44	4.0	0.0	- 12.1	8.6	4.3	- 13.0	No
45-54	9.7	0.0	- 19.9	15.4	10.6	- 20.3	No
55-64	7.2	0.0	- 14.4	20.7	14.3	- 27.2	No
≥65	33.1	22.9	- 43.2	27.8	23.0	- 32.7	No
Education							
≤High School	14.8	6.2	- 23.4	24.3	19.0	- 29.6	No
Some College	14.9	2.9	- 27.0	16.3	10.5	- 22.1	No
≥College Degree	7.0	2.9	- 11.0	8.5	5.6	- 11.4	No
Income							
≤\$24,999	15.1	4.8	- 25.4	38.4	29.2	- 47.6	Yes
\$25,000-\$49,999	*	*		13.9	9.5	- 18.3	-
\$50,000-\$74,999	5.7	0.0	- 15.0	12.9	7.2	- 18.7	No
≥\$75,000	6.5	1.3	- 11.7	4.2	2.8	- 5.5	No
Poor physical health 14 or more days within the past month among adults							
Total	6.2	3.0	- 9.4	10.6	8.4	- 12.9	No
Gender							
Male	3.3	0.7	- 5.9	8.5	6.0	- 11.0	Yes
Female	8.9	3.3	- 14.5	12.5	9.0	- 16.1	No
Age (years)							
18-34	*	*		7.3	2.2	- 12.4	-
35-44	3.1	0.0	- 9.6	7.6	3.1	- 12.0	No
45-54	6.3	0.0	- 15.6	13.5	8.0	- 19.0	No
55-64	5.1	0.0	- 10.7	13.9	9.0	- 18.9	No
≥65	15.9	7.9	- 23.9	14.5	10.9	- 18.2	No
Education							
≤High School	6.7	1.7	- 11.7	14.3	9.9	- 18.7	No
Some College	12.3	0.6	- 23.9	11.9	6.8	- 17.0	No
≥College Degree	3.4	0.6	- 6.3	6.6	4.0	- 9.2	No
Income							
≤\$24,999	7.7	1.0	- 14.4	19.3	11.9	- 26.7	No
\$25,000-\$49,999	*	*		10.5	6.2	- 14.8	-
\$50,000-\$74,999	6.3	0.0	- 14.9	12.2	6.2	- 18.3	No
≥\$75,000	3.6	0.0	- 7.6	5.1	2.2	- 7.9	No

continued

Table 27. Self-reported General Health Status by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008 (continued)

	Westchester County			New York State			Significant Difference
	Percent	95% CI		Percent	95% CI		
Poor mental health 14 or more days within the past month among adults							
Total	11.1	5.5	- 16.7	10.0	7.9	- 12.0	No
Gender							
Male	9.3	2.0	- 16.6	6.5	4.2	- 8.8	No
Female	12.7	4.4	- 21.0	13.1	9.9	- 16.3	No
Age (years)							
18-34	*	*		11.8	6.3	- 17.3	-
35-44	13.4	0.0	- 28.3	10.3	6.2	- 14.4	No
45-54	6.1	0.9	- 11.4	8.6	5.5	- 11.7	No
55-64	15.2	2.9	- 27.5	11.5	7.9	- 15.1	No
≥65	5.5	1.0	- 10.0	7.0	3.8	- 10.1	No
Education							
≤High School	8.6	0.0	- 18.6	12.0	8.7	- 15.3	No
Some College	10.5	0.0	- 22.7	13.4	7.6	- 19.2	No
≥College Degree	12.5	4.5	- 20.4	6.1	3.8	- 8.5	No
Income							
≤\$24,999	*	*		17.0	10.1	- 23.9	-
\$25,000-\$49,999	5.5	0.0	- 11.2	8.8	5.6	- 12.0	No
\$50,000-\$74,999	*	*		12.0	6.6	- 17.4	-
≥\$75,000	7.3	0.9	- 13.8	6.8	3.9	- 9.8	No
Poor physical or mental health 14 or more days within the past month among adults							
Total	16.1	9.9	- 22.3	17.5	14.8	- 20.1	No
Gender							
Male	12.3	4.5	- 20.0	13.0	9.8	- 16.1	No
Female	19.5	10.1	- 29.0	21.5	17.5	- 25.6	No
Age (years)							
18-34	*	*		15.7	9.2	- 22.2	-
35-44	*	*		15.1	9.7	- 20.5	-
45-54	11.8	1.6	- 22.0	18.7	13.1	- 24.4	No
55-64	15.9	3.5	- 28.3	20.9	15.5	- 26.4	No
≥65	18.0	9.7	- 26.3	19.7	15.2	- 24.3	No
Education							
≤High School	13.2	2.5	- 24.0	21.8	16.8	- 26.9	No
Some College	*	*		20.2	14.2	- 26.3	-
≥College Degree	15.5	7.1	- 23.9	12.0	8.5	- 15.4	No
Income							
≤\$24,999	*	*		29.9	21.3	- 38.5	-
\$25,000-\$49,999	*	*		16.4	11.4	- 21.3	-
\$50,000-\$74,999	*	*		18.6	12.2	- 24.9	-
≥\$75,000	10.7	3.3	- 18.1	11.2	7.3	- 15.2	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 28. Health Insurance Coverage Status by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Health Insurance among adults					
Total	91.0	85.9 - 96.0	86.3	82.4 - 90.2	No
Gender					
Male	85.0	75.7 - 94.3	82.0	75.1 - 88.8	No
Female	96.4	92.0 - 100.0	90.3	86.7 - 93.9	No
Age (years)					
18-34	*	*	68.8	58.5 - 79.2	-
35-44	94.2	82.5 - 100.0	92.2	88.2 - 96.1	No
45-54	90.7	83.7 - 97.7	90.7	86.6 - 94.8	No
55-64	90.1	79.2 - 100.0	95.0	93.3 - 96.7	No
≥65	98.0	94.0 - 100.0	98.1	96.7 - 99.6	No
Education					
≤High School	*	*	78.4	69.9 - 86.8	-
Some College	96.2	91.4 - 100.0	84.5	77.6 - 91.3	Yes
≥College Degree	95.6	92.0 - 99.3	94.7	92.0 - 97.5	No
Income					
≤\$24,999	*	*	70.6	59.3 - 81.8	-
\$25,000-\$49,999	*	*	76.1	65.5 - 86.7	-
\$50,000-\$74,999	98.7	96.1 - 100.0	96.6	95.2 - 98.1	No
≥\$75,000	98.8	97.1 - 100.0	97.8	96.7 - 98.8	No
Health Insurance among adults age 18 to 64					
Total	89.3	83.1 - 95.5	83.8	79.1 - 88.4	No
Gender					
Male	81.4	69.2 - 93.5	79.0	71.1 - 86.8	No
Female	95.7	90.5 - 100.0	88.4	84.0 - 92.9	No
Age (years)					
18-34	*	*	68.8	58.5 - 79.2	-
35-44	94.2	82.5 - 100.0	92.2	88.2 - 96.1	No
45-54	90.7	83.7 - 97.7	90.7	86.6 - 94.8	No
55-64	90.1	79.2 - 100.0	95.0	93.3 - 96.7	No
≥65	-	-	-	-	-
Education					
≤High School	*	*	72.7	62.3 - 83.0	-
Some College	97.5	93.7 - 100.0	82.3	74.4 - 90.2	Yes
≥College Degree	94.6	90.0 - 99.2	93.9	90.7 - 97.1	No
Income					
≤\$24,999	*	*	62.9	49.2 - 76.6	-
\$25,000-\$49,999	*	*	70.6	57.9 - 83.2	-
\$50,000-\$74,999	*	*	96.0	94.2 - 97.7	-
≥\$75,000	98.6	96.7 - 100.0	97.6	96.4 - 98.8	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 29. Percentage of Adults with Regular Health Care Providers by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Total	85.5	78.7 - 92.3	82.8	78.8 - 86.8	No
Gender					
Male	84.8	75.5 - 94.1	76.6	69.7 - 83.6	No
Female	86.1	76.1 - 96.2	88.5	84.7 - 92.2	No
Age (years)					
18-34	*	*	62.2	52.2 - 72.3	-
35-44	86.3	71.8 - 100.0	87.2	82.1 - 92.3	No
45-54	92.3	82.2 - 100.0	92.8	89.6 - 96.1	No
55-64	86.5	74.6 - 98.4	93.4	90.6 - 96.2	No
≥65	96.7	93.3 - 100.0	93.8	91.0 - 96.7	No
Education					
≤High School	*	*	76.7	68.4 - 85.1	-
Some College	96.2	92.1 - 100.0	82.0	74.8 - 89.3	Yes
≥College Degree	90.5	84.4 - 96.6	88.9	84.8 - 93.0	No
Income					
≤\$24,999	*	*	71.1	59.7 - 82.5	-
\$25,000-\$49,999	*	*	73.0	62.2 - 83.7	-
\$50,000-\$74,999	98.7	95.9 - 100.0	92.3	89.5 - 95.1	Yes
≥\$75,000	95.1	90.9 - 99.3	92.7	90.1 - 95.2	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 30. Percentage of Adults Who Did Not Visit a Doctor within the Past Year due to Cost by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Total	11.0	5.2 - 16.7	12.6	9.5 - 15.6	No
Gender					
Male	12.2	3.7 - 20.8	12.3	7.2 - 17.3	No
Female	9.8	1.9 - 17.8	12.8	9.1 - 16.6	No
Age (years)					
18-34	*	*	21.0	12.3 - 29.7	-
35-44	4.0	0.0 - 12.1	7.3	4.4 - 10.3	No
45-54	3.5	0.0 - 7.6	14.6	8.2 - 21.0	Yes
55-64	11.3	0.0 - 23.7	7.8	5.4 - 10.2	No
≥65	6.0	0.6 - 11.5	4.9	2.6 - 7.2	No
Education					
≤High School	*	*	15.8	9.4 - 22.2	-
Some College	9.6	0.0 - 20.7	14.2	8.1 - 20.2	No
≥College Degree	8.4	1.5 - 15.2	8.6	5.1 - 12.0	No
Income					
≤\$24,999	*	*	18.8	11.7 - 25.8	-
\$25,000-\$49,999	*	*	20.3	10.2 - 30.4	-
\$50,000-\$74,999	4.3	0.0 - 13.2	6.8	3.4 - 10.1	No
≥\$75,000	5.4	0.0 - 11.4	5.2	2.4 - 7.9	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 31. Percentage of Adults Who Visited a Doctor for Routine Checkups by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Visited a doctor for routine checkup within the past year among adults					
Total	78.3	71.5 - 85.2	75.4	72.0 - 78.8	No
Gender					
Male	73.2	62.0 - 84.3	70.3	64.6 - 76.1	No
Female	82.9	74.6 - 91.2	80.0	76.4 - 83.6	No
Age (years)					
18-34	*	*	64.2	54.7 - 73.6	-
35-44	*	*	71.5	65.0 - 78.0	-
45-54	78.8	68.3 - 89.4	78.0	73.4 - 82.6	No
55-64	*	*	82.7	78.9 - 86.4	-
≥65	90.2	83.8 - 96.5	90.2	87.7 - 92.6	No
Education					
≤High School	*	*	75.6	68.7 - 82.6	-
Some College	84.8	72.1 - 97.5	75.2	69.3 - 81.2	No
≥College Degree	76.6	67.5 - 85.7	75.1	70.6 - 79.6	No
Income					
≤\$24,999	*	*	70.7	59.9 - 81.5	-
\$25,000-\$49,999	*	*	75.4	67.9 - 83.0	-
\$50,000-\$74,999	90.3	78.5 - 100.0	79.3	74.9 - 83.8	No
≥\$75,000	76.2	66.5 - 85.8	73.4	68.7 - 78.0	No
Visited a doctor for routine checkup within the past 2 years among adults					
Total	86.4	80.6 - 92.2	86.6	83.6 - 89.6	No
Gender					
Male	78.3	67.3 - 89.2	81.9	76.2 - 87.6	No
Female	93.7	89.5 - 97.8	90.9	89.0 - 92.8	No
Age (years)					
18-34	*	*	79.5	70.7 - 88.3	-
35-44	*	*	83.4	78.3 - 88.5	-
45-54	90.1	83.1 - 97.2	90.3	87.2 - 93.5	No
55-64	80.7	66.2 - 95.2	91.1	88.2 - 94.1	No
≥65	95.4	90.8 - 100.0	94.6	92.8 - 96.5	No
Education					
≤High School	*	*	84.5	77.7 - 91.2	-
Some College	95.2	90.0 - 100.0	86.8	82.2 - 91.4	No
≥College Degree	83.6	75.8 - 91.4	88.4	85.2 - 91.7	No
Income					
≤\$24,999	*	*	81.4	70.5 - 92.4	-
\$25,000-\$49,999	*	*	83.9	77.5 - 90.2	-
\$50,000-\$74,999	93.4	83.4 - 100.0	88.7	85.0 - 92.4	No
≥\$75,000	86.1	78.0 - 94.3	88.3	85.6 - 91.1	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 32. Percentage of Adults Who Visited a Dentist & Services Received within the Past Year by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Dentist visit within the past year among adults					
Total	79.5	72.7 - 86.3	70.5	66.8 - 74.1	No
Gender					
Male	77.2	66.8 - 87.5	67.0	61.2 - 72.7	No
Female	81.5	72.4 - 90.6	73.7	69.0 - 78.3	No
Age (years)					
18-34	*	*	60.0	50.5 - 69.5	-
35-44	*	*	76.8	70.3 - 83.3	-
45-54	77.0	62.5 - 91.4	76.9	71.2 - 82.6	No
55-64	86.7	75.5 - 98.0	77.3	71.8 - 82.8	No
≥65	80.4	71.7 - 89.0	68.3	62.9 - 73.7	No
Education					
≤High School	*	*	64.5	57.5 - 71.6	-
Some College	82.0	67.6 - 96.4	71.7	65.1 - 78.3	No
≥College Degree	83.6	75.5 - 91.6	75.5	70.2 - 80.9	No
Income					
≤\$24,999	*	*	60.3	51.4 - 69.3	-
\$25,000-\$49,999	*	*	59.9	49.7 - 70.1	-
\$50,000-\$74,999	*	*	78.7	72.3 - 85.1	-
≥\$75,000	81.3	71.6 - 91.0	81.4	77.0 - 85.8	No
Had teeth cleaned within the past year among adults					
Total	79.4	72.6 - 86.2	71.7	67.9 - 75.4	No
Gender					
Male	74.9	64.2 - 85.6	68.0	62.1 - 73.9	No
Female	83.5	74.7 - 92.3	75.1	70.5 - 79.8	No
Age (years)					
18-34	*	*	62.9	53.2 - 72.5	-
35-44	*	*	75.5	68.8 - 82.1	-
45-54	79.5	66.5 - 92.5	74.1	68.0 - 80.3	No
55-64	78.7	65.6 - 91.8	75.4	69.5 - 81.3	No
≥65	85.1	76.9 - 93.3	77.8	72.9 - 82.7	No
Education					
≤High School	*	*	66.7	59.2 - 74.1	-
Some College	86.6	73.9 - 99.3	72.3	65.5 - 79.0	No
≥College Degree	82.1	73.9 - 90.3	75.7	70.4 - 81.0	No
Income					
≤\$24,999	*	*	65.2	56.4 - 74.1	-
\$25,000-\$49,999	*	*	58.8	48.1 - 69.6	-
\$50,000-\$74,999	*	*	76.1	69.1 - 83.2	-
≥\$75,000	81.0	71.2 - 90.8	80.5	76.0 - 85.0	No

continued

Table 32. Percentage of Adults who Visited a Dentist & Services Received within the Past Year by Sex, Age, Education, and Income, Westchester County and New York State, July-December 2008 (continued)

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Permanent teeth extracted due to decay or gum disease among adults					
Total	44.1	35.9 - 52.2	50.1	46.4 - 53.8	No
Gender					
Male	44.2	32.2 - 56.3	48.2	42.4 - 54.1	No
Female	44.0	32.8 - 55.2	51.8	47.2 - 56.4	No
Age (years)					
18-34	*	*	26.4	16.9 - 35.9	-
35-44	*	*	38.7	30.9 - 46.4	-
45-54	47.5	32.8 - 62.2	55.5	49.0 - 62.1	No
55-64	67.0	52.4 - 81.6	68.3	62.9 - 73.7	No
≥65	69.8	59.6 - 79.9	83.0	79.8 - 86.3	No
Education					
≤High School	*	*	61.7	54.5 - 68.9	-
Some College	*	*	50.5	43.5 - 57.4	-
≥College Degree	40.1	30.5 - 49.7	38.8	33.8 - 43.9	No
Income					
≤\$24,999	*	*	70.3	62.0 - 78.6	-
\$25,000-\$49,999	*	*	48.7	39.6 - 57.9	-
\$50,000-\$74,999	*	*	48.1	40.7 - 55.5	-
≥\$75,000	43.5	32.6 - 54.5	39.5	34.6 - 44.5	No
Had all teeth extracted due to decay or gum disease among adults age 65 and older					
Total	7.0	1.8 - 12.1	18.4	14.0 - 22.8	Yes
Gender					
Male	5.9	0.0 - 12.9	17.1	11.5 - 22.7	No
Female	8.6	0.7 - 16.6	19.3	12.9 - 25.7	No
Age (years)					
≥65	7.0	1.8 - 12.1	18.4	14.0 - 22.8	Yes
Education					
≤High School	7.8	0.0 - 17.2	24.5	17.2 - 31.9	No
Some College	*	*	17.9	8.4 - 27.4	-
≥College Degree	3.9	0.0 - 9.8	7.2	2.0 - 12.5	No
Income					
≤\$24,999	*	*	22.3	14.6 - 30.0	-
\$25,000-\$49,999	*	*	20.3	11.5 - 29.1	-
\$50,000-\$74,999	*	*	7.8	3.6 - 12.1	-
≥\$75,000	9.7	0.0 - 23.2	3.1	0.7 - 5.6	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 33. Percentage of Adults Who Received Flu Vaccinations within the Past 12 Months by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Flu shot within the past 12 months					
Total	42.0	34.0 - 50.1	41.7	38.0 - 45.3	No
Gender					
Male	41.5	29.6 - 53.4	39.0	33.3 - 44.7	No
Female	42.5	31.6 - 53.5	44.1	39.5 - 48.6	No
Age (years)					
18-49	32.1	19.8 - 44.4	30.8	25.2 - 36.4	No
50-64	39.0	26.8 - 51.2	45.2	40.2 - 50.2	No
≥65	76.3	67.2 - 85.3	74.4	69.9 - 79.0	No
Education					
≤High School	*	*	45.6	38.4 - 52.7	-
Some College	*	*	37.1	30.6 - 43.6	-
≥College Degree	45.6	35.6 - 55.5	40.9	36.0 - 45.8	No
Income					
≤\$24,999	*	*	48.1	38.3 - 58.0	-
\$25,000-\$49,999	*	*	33.8	26.6 - 41.0	-
\$50,000-\$74,999	*	*	43.9	36.4 - 51.5	-
≥\$75,000	44.1	33.3 - 55.0	41.7	36.8 - 46.7	No
Flu vaccine that was sprayed in the nose within the past 12 months					
Total	*	*	2.3	0.0 - 5.0	-
Gender					
Male	0.8	0.0 - 2.3	3.2	0.0 - 8.4	No
Female	*	*	1.5	0.0 - 3.2	-
Age (years)					
18-49	*	*	3.3	0.0 - 7.8	-
50-64	*	*	0.5	0.0 - 1.1	-
≥65	2.0	0.0 - 6.0	1.3	0.1 - 2.5	No
Education					
≤High School	*	*	5.5	0.0 - 12.5	-
Some College	*	*	0.7	0.1 - 1.3	-
≥College Degree	0.7	0.0 - 2.0	*	*	-
Income					
≤\$24,999	2.3	0.0 - 6.9	7.1	0.0 - 18.2	No
\$25,000-\$49,999	*	*	2.8	0.0 - 7.1	-
\$50,000-\$74,999	*	*		*	-
≥\$75,000	*	*		*	-

continued

Table 33. Percentage of Adults who Received Flu Vaccinations within the Past 12 Months by Sex, Age, Education, and Income, Westchester County and New York State, July - Dec. 2008 (continued)

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Flu shot or flu vaccine sprayed in the nose in the past 12 months					
Total	42.4	34.4 - 50.4	41.9	38.3 - 45.5	No
Gender					
Male	42.3	30.3 - 54.2	39.3	33.6 - 45.0	No
Female	42.5	31.6 - 53.5	44.2	39.7 - 48.8	No
Age (years)					
18-49	32.1	19.8 - 44.4	31.1	25.5 - 36.7	No
50-64	39.0	26.8 - 51.2	45.3	40.3 - 50.2	No
≥65	78.3	69.7 - 86.9	74.7	70.2 - 79.2	No
Education					
≤High School	*	*	45.8	38.7 - 53.0	-
Some College	*	*	37.3	30.8 - 43.7	-
≥College Degree	46.3	36.3 - 56.3	41.1	36.2 - 46.0	No
Income					
≤\$24,999	*	*	48.4	38.6 - 58.2	-
\$25,000-\$49,999	*	*	34.1	26.8 - 41.3	-
\$50,000-\$74,999	*	*	44.1	36.5 - 51.6	-
≥\$75,000	44.1	33.3 - 55.0	41.9	37.0 - 46.9	No
Flu shot among adults age 65 and older					
Total	76.3	67.2 - 85.3	74.4	69.9 - 79.0	No
Gender					
Male	77.3	64.5 - 90.2	75.6	69.4 - 81.8	No
Female	74.6	61.8 - 87.5	73.6	67.2 - 80.0	No
Age (years)					
≥65	76.3	67.2 - 85.3	74.4	69.9 - 79.0	No
Education					
≤High School	85.5	72.6 - 98.4	74.7	67.5 - 82.0	No
Some College	*	*	68.8	58.7 - 78.9	-
≥College Degree	71.4	57.2 - 85.5	79.1	73.2 - 85.0	No
Income					
≤\$24,999	*	*	73.6	64.7 - 82.5	-
\$25,000-\$49,999	*	*	66.7	57.1 - 76.4	-
\$50,000-\$74,999	*	*	85.5	78.5 - 92.6	-
≥\$75,000	*	*	72.4	61.1 - 83.7	-

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 34. Percentage of Adults Who Received the Pneumonia Vaccination by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Pneumonia shot or pneumococcal vaccine					
Total	21.6	15.6 - 27.5	25.8	22.7 - 28.9	No
Gender					
Male	25.2	14.7 - 35.8	22.3	17.9 - 26.6	No
Female	18.5	12.0 - 25.0	28.9	24.7 - 33.1	No
Age (years)					
18-49	8.6	0.8 - 16.5	15.1	10.8 - 19.5	No
50-64	17.6	8.5 - 26.8	21.5	17.1 - 26.0	No
≥65	66.8	55.9 - 77.6	64.2	58.7 - 69.7	No
Education					
≤High School	25.5	13.0 - 38.0	29.4	23.6 - 35.2	No
Some College	11.0	3.6 - 18.4	28.3	21.5 - 35.1	Yes
≥College Degree	24.5	15.5 - 33.6	20.8	16.7 - 24.9	No
Income					
≤\$24,999	*	*	32.8	24.6 - 41.0	-
\$25,000-\$49,999	20.0	6.6 - 33.4	30.4	22.1 - 38.8	No
\$50,000-\$74,999	*	*	19.0	14.3 - 23.7	-
≥\$75,000	19.1	11.6 - 26.7	17.1	13.5 - 20.7	No
Pneumonia shot or pneumococcal vaccine among adults age 65 and older					
Total	66.8	55.9 - 77.6	64.2	58.7 - 69.7	No
Gender					
Male	*	*	55.8	48.2 - 63.4	-
Female	69.2	55.3 - 83.1	69.9	62.9 - 76.9	No
Age (years)					
≥65	66.8	55.9 - 77.6	64.2	58.7 - 69.7	No
Education					
≤High School	*	*	67.3	58.4 - 76.1	-
Some College	*	*	59.3	48.7 - 69.9	-
≥College Degree	*	*	63.5	54.9 - 72.1	-
Income					
≤\$24,999	*	*	67.4	57.0 - 77.8	-
\$25,000-\$49,999	*	*	62.8	52.7 - 73.0	-
\$50,000-\$74,999	*	*	*	*	-
≥\$75,000	*	*	57.4	44.6 - 70.2	-

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 35. Percentage of Women Aged 40 and Older Who Received A Mammogram by Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Ever had a mammogram among women age 40 and older					
Total	93.1	86.3 - 99.8	89.8	85.9 - 93.8	No
Gender					
Male	-	-	-	-	-
Female	93.1	86.3 - 99.8	89.8	85.9 - 93.8	No
Age (years)					
40-49	95.5	86.3 - 100.0	81.5	72.0 - 91.1	No
50-64	88.0	73.3 - 100.0	93.3	88.2 - 98.4	No
≥65	97.4	93.6 - 100.0	95.1	92.5 - 97.6	No
Education					
≤High School	*	*	91.8	86.4 - 97.1	-
Some College	96.8	92.0 - 100.0	88.6	80.3 - 97.0	No
≥College Degree	94.9	88.5 - 100.0	88.6	81.4 - 95.7	No
Income					
≤\$24,999	*	*	91.0	81.8 - 100.0	-
\$25,000-\$49,999	*	*	92.3	87.5 - 97.2	-
\$50,000-\$74,999	*	*	93.1	88.8 - 97.4	-
≥\$75,000	96.5	89.5 - 100.0	90.7	84.1 - 97.3	No
Had a mammogram within the past 2 years among women age 40 and older					
Total	77.9	68.5 - 87.3	77.9	73.3 - 82.5	No
Gender					
Male	-	-	-	-	-
Female	77.9	68.5 - 87.3	77.9	73.3 - 82.5	No
Age (years)					
40-49	*	*	68.2	57.8 - 78.7	-
50-64	*	*	86.3	81.0 - 91.5	-
≥65	73.2	60.8 - 85.6	79.0	73.5 - 84.5	No
Education					
≤High School	*	*	82.0	75.9 - 88.2	-
Some College	*	*	77.9	69.4 - 86.4	-
≥College Degree	86.1	77.4 - 94.9	74.2	65.8 - 82.7	No
Income					
≤\$24,999	*	*	77.4	67.7 - 87.1	-
\$25,000-\$49,999	*	*	77.2	68.5 - 86.0	-
\$50,000-\$74,999	*	*	82.9	76.1 - 89.8	-
≥\$75,000	90.1	80.9 - 99.3	77.8	68.9 - 86.7	No

Continued

Table 35. Percentage of Women Aged 40 and Older Who Received A Mammogram by Age, Education, and Income, Westchester County and New York State, July - December 2008 (continued)

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Had a mammogram within the past 2 years among women age 50 and older					
Total	77.2	66.5 - 87.9	82.9	79.1 - 86.7	No
Gender					
Male	-	-	-	-	-
Female	77.2	66.5 - 87.9	82.9	79.1 - 86.7	No
Age (years)					
50-64	*	*	86.3	81.0 - 91.5	-
≥65	73.2	60.8 - 85.6	79.0	73.5 - 84.5	No
Education					
≤High School	*	*	84.3	79.7 - 88.9	-
Some College	*	*	84.1	77.6 - 90.7	-
≥College Degree	85.5	75.7 - 95.4	81.4	73.6 - 89.2	No
Income					
≤\$24,999	*	*	78.9	71.6 - 86.3	-
\$25,000-\$49,999	*	*	82.1	74.6 - 89.7	-
\$50,000-\$74,999	*	*	90.9	87.0 - 94.8	-
≥\$75,000	92.0	81.0 - 100.0	82.3	71.7 - 92.8	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 36. Percentage of Women Who Received A Pap Test by Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Ever had a pap test among women					
Total	93.0	85.2 - 100.0	92.5	89.6 - 95.4	No
Gender					
Male	-	-	-	-	-
Female	93.0	85.2 - 100.0	92.5	89.6 - 95.4	No
Age (years)					
18-34	*	*	85.3	77.0 - 93.7	-
35-44	*	*	94.1	86.9 - 100.0	-
45-54	98.1	94.2 - 100.0	98.5	96.8 - 100.0	No
55-64	97.0	91.0 - 100.0	96.1	91.4 - 100.0	No
≥65	85.0	74.0 - 96.1	92.6	89.0 - 96.2	No
Education					
≤High School	*	*	89.7	83.6 - 95.9	-
Some College	100.0	100.0 - 100.0	90.0	83.5 - 96.5	Yes
≥College Degree	98.0	95.6 - 100.0	96.8	94.9 - 98.7	No
Income					
≤\$24,999	*	*	93.2	87.0 - 99.4	-
\$25,000-\$49,999	94.7	87.3 - 100.0	87.6	77.2 - 98.0	No
\$50,000-\$74,999	*	*	98.5	97.7 - 99.3	-
≥\$75,000	99.1	97.1 - 100.0	94.6	90.6 - 98.5	No
Had a pap test within the past 3 years among women					
Total	86.4	78.2 - 94.7	83.8	80.6 - 87.0	No
Gender					
Male	-	-	-	-	-
Female	86.4	78.2 - 94.7	83.8	80.6 - 87.0	No
Age (years)					
18-34	*	*	82.9	74.5 - 91.3	-
35-44	*	*	87.5	79.7 - 95.4	-
45-54	98.1	94.2 - 100.0	93.9	92.0 - 95.8	No
55-64	*	*	86.5	81.4 - 91.6	-
≥65	61.7	47.2 - 76.2	68.3	61.9 - 74.7	No
Education					
≤High School	*	*	79.3	72.8 - 85.8	-
Some College	92.0	84.2 - 99.8	80.5	73.5 - 87.5	No
≥College Degree	91.5	85.6 - 97.3	90.4	87.4 - 93.3	No
Income					
≤\$24,999	*	*	82.4	75.5 - 89.4	-
\$25,000-\$49,999	*	*	74.6	64.2 - 85.1	-
\$50,000-\$74,999	*	*	91.8	89.3 - 94.3	-
≥\$75,000	96.5	91.9 - 100.0	88.8	84.1 - 93.4	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 37. Percentage of Men Aged 40 and Older Who Received A Digital Rectal Exam by Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Ever had a digital rectal exam among men age 40 and older					
Total	73.7	62.0 - 85.4	75.9	70.9 - 81.0	No
Gender					
Male	73.7	62.0 - 85.4	75.9	70.9 - 81.0	No
Female	-	-	-	-	-
Age (years)					
40-44	*	*	41.3	27.2 - 55.5	-
45-54	*	*	74.2	65.2 - 83.2	-
55-64	*	*	88.2	82.3 - 94.2	-
≥65	89.1	78.1 - 100.0	92.1	88.6 - 95.6	No
Education					
≤High School	*	*	66.0	57.4 - 74.7	-
Some College	*	*	84.4	79.7 - 89.0	-
≥College Degree	84.3	73.8 - 94.8	79.4	71.2 - 87.5	No
Income					
≤\$24,999	*	*	77.0	67.9 - 86.0	-
\$25,000-\$49,999	*	*	71.7	59.8 - 83.5	-
\$50,000-\$74,999	*	*	*	*	-
≥\$75,000	*	*	79.7	72.5 - 86.8	-
Had a digital rectal exam within the past 2 years among men age 40 and older					
Total	57.9	45.6 - 70.1	54.9	49.5 - 60.2	No
Gender					
Male	57.9	45.6 - 70.1	54.9	49.5 - 60.2	No
Female	-	-	-	-	-
Age (years)					
40-44	*	*	20.4	12.3 - 28.6	-
45-54	*	*	47.5	37.0 - 57.9	-
55-64	*	*	70.1	62.0 - 78.2	-
≥65	89.1	78.1 - 100.0	75.3	68.3 - 82.3	No
Education					
≤High School	*	*	49.4	40.8 - 57.9	-
Some College	*	*	66.5	58.3 - 74.6	-
≥College Degree	61.9	47.2 - 76.5	54.5	45.9 - 63.1	No
Income					
≤\$24,999	*	*	48.8	34.5 - 63.0	-
\$25,000-\$49,999	*	*	57.1	45.5 - 68.6	-
\$50,000-\$74,999	*	*	*	*	-
≥\$75,000	*	*	53.8	45.8 - 61.8	-

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 38. Percentage of Men Aged 40 and Older Who Have Had Prostate Cancer or Prostate Cancer Testing by Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Ever had a prostate specific antigen test among men age 40 and older					
Total	64.8	52.6 - 77.0	68.5	63.7 - 73.3	No
Gender					
Male	64.8	52.6 - 77.0	68.5	63.7 - 73.3	No
Female	-	-	-	-	-
Age (years)					
40-44	*	*	*	*	-
45-54	*	*	54.8	44.1 - 65.5	-
55-64	*	*	82.1	74.1 - 90.2	-
≥65	94.0	85.5 - 100.0	89.8	85.8 - 93.8	No
Education					
≤High School	*	*	57.0	48.1 - 66.0	-
Some College	*	*	69.6	59.3 - 79.8	-
≥College Degree	60.7	45.7 - 75.6	75.5	69.3 - 81.7	No
Income					
≤\$24,999	*	*	72.1	61.5 - 82.8	-
\$25,000-\$49,999	*	*	64.2	52.0 - 76.4	-
\$50,000-\$74,999	*	*	66.3	52.6 - 80.0	-
≥\$75,000	*	*	68.6	61.5 - 75.6	-
Had a prostate specific antigen test within the past 2 years among men age 40 and older					
Total	57.6	45.5 - 69.8	58.7	53.3 - 64.1	No
Gender					
Male	57.6	45.5 - 69.8	58.7	53.3 - 64.1	No
Female	-	-	-	-	-
Age (years)					
40-44	*	*	*	*	-
45-54	*	*	43.2	32.6 - 53.8	-
55-64	*	*	73.9	65.7 - 82.1	-
≥65	89.3	78.8 - 99.7	80.7	73.8 - 87.7	No
Education					
≤High School	*	*	48.9	40.0 - 57.7	-
Some College	*	*	64.1	53.9 - 74.2	-
≥College Degree	51.0	36.6 - 65.5	63.1	54.7 - 71.5	No
Income					
≤\$24,999	*	*	48.4	33.9 - 62.9	-
\$25,000-\$49,999	*	*	59.7	47.7 - 71.7	-
\$50,000-\$74,999	*	*	62.5	48.6 - 76.4	-
≥\$75,000	*	*	59.4	51.5 - 67.4	-

continued

Table 38. Percentage of Men Aged 40 and Older Who Have Had Prostate Cancer or Prostate Cancer Testing by Age, Education, and Income, Westchester County and New York State, July - December 2008 (continued)

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Prostate cancer among men age 40 and older					
Total	5.1	1.4 - 8.8	3.7	2.6 - 4.8	No
Gender					
Male	5.1	1.4 - 8.8	3.7	2.6 - 4.8	No
Female	-	-	-	-	-
Age (years)					
40-44	*	*	*	*	-
45-54	*	*	*	*	-
55-64	*	*	3.5	0.5 - 6.4	-
≥65	16.4	5.2 - 27.5	11.3	7.8 - 14.8	No
Education					
≤High School	4.8	0.0 - 12.5	3.3	2.2 - 4.4	No
Some College	*	*	4.4	1.1 - 7.8	-
≥College Degree	3.3	0.0 - 6.9	3.7	1.9 - 5.5	No
Income					
≤\$24,999	*	*	4.7	1.0 - 8.3	-
\$25,000-\$49,999	*	*	5.3	3.4 - 7.2	-
\$50,000-\$74,999	*	*	2.0	0.8 - 3.3	-
≥\$75,000	3.2	0.0 - 7.0	2.1	1.2 - 3.0	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 39. Percentage of Adults Aged 50 and Older Who Received Home Blood Stool Testing by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County			New York State		Significant Difference
	Percent	95% CI		Percent	95% CI	
Home blood stool test ever used among adults age 50 and older						
Total	36.9	28.9	- 44.8	34.9	31.5 - 38.2	No
Gender						
Male	39.8	27.8	- 51.8	37.1	32.1 - 42.1	No
Female	33.5	23.3	- 43.8	32.9	28.4 - 37.4	No
Age (years)						
50-64	31.3	20.1	- 42.6	30.2	25.9 - 34.6	No
≥65	43.9	33.0	- 54.7	41.3	36.0 - 46.5	No
Education						
≤High School	*	*		30.8	25.1 - 36.5	-
Some College	*	*		35.9	29.9 - 42.0	-
≥College Degree	33.3	23.5	- 43.1	38.0	32.6 - 43.4	No
Income						
≤\$24,999	*	*		29.2	22.5 - 35.9	-
\$25,000-\$49,999	*	*		39.6	33.2 - 45.9	-
\$50,000-\$74,999	*	*		38.1	28.9 - 47.2	-
≥\$75,000	33.4	21.4	- 45.3	32.9	26.9 - 38.8	No
Home blood stool test used within the past year among adults age 50 and older						
Total	20.0	13.2	- 26.8	11.5	9.9 - 13.2	No
Gender						
Male	24.9	14.1	- 35.8	13.2	10.7 - 15.8	No
Female	14.3	6.9	- 21.6	10.1	7.8 - 12.3	No
Age (years)						
50-64	18.8	8.9	- 28.6	9.1	7.1 - 11.0	No
≥65	22.8	13.4	- 32.2	14.5	11.6 - 17.4	No
Education						
≤High School	*	*		8.6	7.2 - 10.0	-
Some College	*	*		14.3	10.1 - 18.4	-
≥College Degree	17.1	8.8	- 25.5	12.5	9.4 - 15.6	No
Income						
≤\$24,999	*	*		8.5	6.7 - 10.3	-
\$25,000-\$49,999	*	*		19.3	13.7 - 24.8	-
\$50,000-\$74,999	*	*		11.9	7.4 - 16.5	-
≥\$75,000	17.6	7.9	- 27.2	8.1	6.1 - 10.0	No

continued

Table 39. Percentage of Adults Aged 50 and Older Who Received Home Blood Stool Testing by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008 (continued)

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Home blood stool test used within the past 2 years among adults age 50 and older					
Total	24.4	17.2 - 31.5	18.2	15.4 - 21.0	No
Gender					
Male	30.0	18.7 - 41.4	20.2	16.3 - 24.2	No
Female	17.7	9.7 - 25.8	16.4	12.5 - 20.3	No
Age (years)					
50-64	21.5	11.3 - 31.8	14.9	11.8 - 18.1	No
≥65	29.5	19.4 - 39.7	22.5	17.6 - 27.3	No
Education					
≤High School	*	*	16.0	11.1 - 20.8	-
Some College	*	*	17.8	13.6 - 22.0	-
≥College Degree	21.1	12.3 - 30.0	20.2	15.7 - 24.8	No
Income					
≤\$24,999	*	*	14.7	10.8 - 18.6	-
\$25,000-\$49,999	*	*	23.3	17.6 - 28.9	-
\$50,000-\$74,999	*	*	22.7	13.6 - 31.8	-
≥\$75,000	23.0	12.4 - 33.6	13.4	10.5 - 16.4	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 40. Percentage of Adults Aged 50 and Older Who Received A Sigmoidoscopy or Colonoscopy by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County			New York State			Significant Difference
	Percent	95% CI		Percent	95% CI		
Ever had a sigmoidoscopy or colonoscopy among adults age 50 and older							
Total	71.2	63.1	- 79.4	66.0	62.5	- 69.6	No
Gender							
Male	76.2	65.2	- 87.3	65.7	60.4	- 71.0	No
Female	65.4	53.5	- 77.3	66.3	61.5	- 71.2	No
Age (years)							
50-54	*	*		66.3	61.5	- 71.2	-
55-64	75.0	60.3	- 89.7	72.2	66.7	- 77.7	No
≥65	79.9	71.0	- 88.8	70.4	65.4	- 75.5	No
Education							
≤High School	*	*		61.2	54.7	- 67.8	-
Some College	*	*		65.4	58.9	- 71.8	-
≥College Degree	75.6	66.6	- 84.6	71.5	66.1	- 77.0	No
Income							
≤\$24,999	*	*		59.8	51.4	- 68.2	-
\$25,000-\$49,999	*	*		58.0	50.9	- 65.1	-
\$50,000-\$74,999	*	*		79.2	73.0	- 85.5	-
≥\$75,000	74.7	63.3	- 86.2	71.0	64.2	- 77.7	No
Sigmoidoscopy or colonoscopy within the past 10 years among adults age 50 and older							
Total	69.5	61.4	- 77.7	64.3	60.8	- 67.9	No
Gender							
Male	75.2	64.1	- 86.3	64.2	58.9	- 69.5	No
Female	62.9	50.9	- 74.8	64.4	59.6	- 69.2	No
Age (years)							
50-54	*	*		49.4	40.9	- 57.8	-
55-64	74.2	59.5	- 88.9	70.5	64.8	- 76.1	No
≥65	77.2	68.0	- 86.4	68.3	63.4	- 73.3	No
Education							
≤High School	*	*		59.1	52.7	- 65.5	-
Some College	*	*		64.0	57.5	- 70.5	-
≥College Degree	74.6	65.6	- 83.7	69.8	64.3	- 75.3	No
Income							
≤\$24,999	*	*		58.7	50.2	- 67.1	-
\$25,000-\$49,999	*	*		56.3	49.3	- 63.4	-
\$50,000-\$74,999	*	*		78.6	72.3	- 84.9	-
≥\$75,000	74.7	63.3	- 86.2	69.2	62.3	- 76.0	No

continued

Table 40. Percentage of Adults Aged 50 and Older Who Received A Sigmoidoscopy or Colonoscopy by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008 (continued)

	Westchester County			New York State			Significant Difference
	Percent	95% CI		Percent	95% CI		
Home blood stool test within the past year or sigmoidoscopy or colonoscopy within the past 10 years among adults age 50 and older							
Total	75.2	67.2	- 83.3	67.5	63.9	- 71.1	No
Gender							
Male	78.4	67.5	- 89.3	67.0	61.6	- 72.4	No
Female	71.4	59.3	- 83.4	68.0	63.2	- 72.8	No
Age (years)							
50-54	*	*		51.3	42.7	- 59.8	-
55-64	77.8	63.3	- 92.3	73.8	68.3	- 79.3	No
≥65	84.0	75.9	- 92.0	71.2	66.3	- 76.2	No
Education							
≤High School	*	*		62.1	55.6	- 68.6	-
Some College	*	*		68.2	61.8	- 74.7	-
≥College Degree	77.7	68.7	- 86.6	72.5	66.9	- 78.0	No
Income							
≤\$24,999	*	*		61.4	52.9	- 69.9	-
\$25,000-\$49,999	*	*		63.1	55.9	- 70.4	-
\$50,000-\$74,999	*	*		80.9	74.8	- 87.1	-
≥\$75,000	79.2	68.4	- 90.0	70.2	63.3	- 77.0	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 41. Percentage of Adults Aged 50 and Older Who Received Home Blood Stool Testing, Sigmoidoscopy, or Colonoscopy within the last 10 years by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Total	75.2	67.2 - 83.3	67.5	63.9 - 71.1	No
Gender					
Male	78.4	67.5 - 89.3	67.0	61.6 - 72.4	No
Female	71.4	59.3 - 83.4	68.0	63.2 - 72.8	No
Age (years)					
50-54	*	*	51.3	42.7 - 59.8	-
55-64	77.8	63.3 - 92.3	73.8	68.3 - 79.3	No
≥65	84.0	75.9 - 92.0	71.2	66.3 - 76.2	No
Education					
≤High School	*	*	62.1	55.6 - 68.6	-
Some College	*	*	68.2	61.8 - 74.7	-
≥College Degree	77.7	68.7 - 86.6	72.5	66.9 - 78.0	No
Income					
≤\$24,999	*	*	61.4	52.9 - 69.9	-
\$25,000-\$49,999	*	*	63.1	55.9 - 70.4	-
\$50,000-\$74,999	*	*	80.9	74.8 - 87.1	-
≥\$75,000	79.2	68.4 - 90.0	70.2	63.3 - 77.0	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results

Table 42. Percentage of Adults with High Blood Pressure or Taking High Blood Pressure Medication by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
High blood pressure among adults					
Total	23.6	17.7 - 29.4	25.8	23.1 - 28.4	No
Gender					
Male	24.7	16.0 - 33.5	26.8	22.7 - 30.9	No
Female	22.5	14.6 - 30.4	24.8	21.4 - 28.3	No
Age (years)					
18-34	*	*	6.7	3.2 - 10.2	-
35-44	9.5	0.0 - 20.8	12.4	9.0 - 15.8	No
45-54	32.2	17.7 - 46.9	27.0	21.1 - 32.9	No
55-64	29.2	15.8 - 42.6	44.8	38.5 - 51.1	No
≥65	51.1	40.4 - 61.8	57.1	51.8 - 62.5	No
Education					
≤High School	31.0	16.0 - 45.9	31.1	25.6 - 36.5	No
Some College	15.1	4.0 - 26.3	22.3	18.6 - 26.1	No
≥College Degree	23.8	16.5 - 31.2	22.7	18.9 - 26.6	No
Income					
≤\$24,999	11.6	3.0 - 20.3	34.1	26.3 - 42.0	Yes
\$25,000-\$49,999	*	*	27.1	21.0 - 33.3	-
\$50,000-\$74,999	*	*	26.2	20.5 - 31.8	-
≥\$75,000	16.8	9.7 - 23.9	19.2	15.8 - 22.6	No
Blood pressure medication among adults with high blood pressure					
Total	70.3	56.8 - 83.7	80.4	76.7 - 84.1	No
Gender					
Male	*	*	77.7	72.3 - 83.0	-
Female	*	*	83.1	78.0 - 88.3	-
Age (years)					
18-34	*	*	48.0	35.9 - 60.1	-
35-44	*	*	60.0	47.3 - 72.8	-
45-54	*	*	71.0	59.2 - 82.8	-
55-64	*	*	91.0	86.6 - 95.5	-
≥65	95.1	89.0 - 100.0	90.0	84.7 - 95.2	No
Education					
≤High School	*	*	79.6	72.7 - 86.6	-
Some College	*	*	78.5	72.6 - 84.4	-
≥College Degree	*	*	82.2	77.5 - 87.0	-
Income					
≤\$24,999	*	*	85.7	80.2 - 91.2	-
\$25,000-\$49,999	*	*	78.9	69.8 - 88.1	-
\$50,000-\$74,999	*	*	82.6	77.2 - 88.1	-
≥\$75,000	*	*	77.6	71.7 - 83.5	-

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 43. Percentage of Adults Who Received Blood Cholesterol Testing by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Ever had blood cholesterol checked among adults					
Total	88.1	81.6 - 94.5	81.0	77.0 - 85.0	No
Gender					
Male	85.7	75.1 - 96.3	77.8	70.9 - 84.8	No
Female	90.2	82.4 - 98.0	84.0	79.9 - 88.0	No
Age (years)					
18-34	*	*	55.2	45.1 - 65.3	-
35-44	89.3	74.5 - 100.0	83.1	76.7 - 89.6	No
45-54	91.1	81.1 - 100.0	92.9	89.2 - 96.5	No
55-64	90.0	75.8 - 100.0	95.5	92.5 - 98.5	No
≥65	96.0	91.3 - 100.0	97.4	96.2 - 98.5	No
Education					
≤High School	83.3	68.4 - 98.3	71.3	63.0 - 79.6	No
Some College	94.5	83.6 - 100.0	81.5	74.6 - 88.4	No
≥College Degree	87.7	78.8 - 96.6	89.5	85.5 - 93.6	No
Income					
≤\$24,999	*	*	74.4	63.1 - 85.7	-
\$25,000-\$49,999	*	*	71.3	60.3 - 82.3	-
\$50,000-\$74,999	95.1	85.1 - 100.0	90.0	86.6 - 93.4	No
≥\$75,000	94.2	88.1 - 100.0	91.1	89.0 - 93.3	No
Blood cholesterol checked within the past 5 years among adults					
Total	85.4	78.6 - 92.2	78.4	74.4 - 82.4	No
Gender					
Male	82.5	71.5 - 93.4	74.8	67.9 - 81.7	No
Female	88.1	79.9 - 96.3	81.7	77.5 - 85.8	No
Age (years)					
18-34	*	*	52.8	42.7 - 62.9	-
35-44	*	*	80.6	74.2 - 87.1	-
45-54	88.9	78.4 - 99.3	88.2	83.5 - 93.0	No
55-64	*	*	93.4	90.2 - 96.6	-
≥65	96.0	91.3 - 100.0	96.0	94.5 - 97.6	No
Education					
≤High School	83.3	68.4 - 98.3	68.3	60.0 - 76.5	No
Some College	90.1	77.7 - 100.0	79.8	72.9 - 86.7	No
≥College Degree	84.6	75.3 - 93.9	86.5	82.4 - 90.7	No
Income					
≤\$24,999	*	*	73.0	61.8 - 84.2	-
\$25,000-\$49,999	*	*	67.6	56.8 - 78.5	-
\$50,000-\$74,999	89.5	76.3 - 100.0	85.9	81.7 - 90.1	No
≥\$75,000	92.2	85.5 - 98.9	88.3	85.7 - 91.0	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 44. Percentage of Adults with Cardiovascular and/or Coronary Heart Disease by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Cardiovascular disease among adults					
Total	5.6	3.1 - 8.1	7.8	6.1 - 9.5	No
Gender					
Male	8.4	3.6 - 13.3	9.8	7.5 - 12.0	No
Female	2.9	1.0 - 4.9	6.0	3.5 - 8.5	No
Age (years)					
18-34	*	*	2.1	0.0 - 5.5	-
35-44	*	*	3.6	0.0 - 7.4	-
45-54	2.2	0.0 - 5.4	5.1	2.0 - 8.2	No
55-64	11.1	0.4 - 21.9	12.2	8.2 - 16.1	No
≥65	18.7	10.4 - 27.0	22.2	18.1 - 26.4	No
Education					
≤High School	6.2	1.2 - 11.3	10.3	6.8 - 13.9	No
Some College	4.8	0.5 - 9.2	7.8	4.4 - 11.2	No
≥College Degree	5.6	1.8 - 9.3	5.5	3.8 - 7.1	No
Income					
≤\$24,999	13.2	1.5 - 24.8	14.5	8.4 - 20.6	No
\$25,000-\$49,999	4.7	0.3 - 9.0	5.8	3.7 - 7.9	No
\$50,000-\$74,999	10.9	0.0 - 22.5	10.7	5.7 - 15.7	No
≥\$75,000	2.5	0.4 - 4.7	4.2	2.7 - 5.6	No
Coronary heart disease among adults					
Total	5.1	2.7 - 7.6	6.2	4.9 - 7.5	No
Gender					
Male	8.4	3.6 - 13.3	8.6	6.5 - 10.8	No
Female	2.1	0.3 - 3.8	4.0	2.4 - 5.6	No
Age (years)					
18-34	*	*	*	*	-
35-44	*	*	3.4	0.0 - 7.1	-
45-54	2.2	0.0 - 5.4	4.1	1.1 - 7.1	No
55-64	11.1	0.4 - 21.9	10.4	6.7 - 14.1	No
≥65	16.2	8.2 - 24.3	19.0	15.1 - 22.8	No
Education					
≤High School	6.2	1.2 - 11.3	7.8	5.4 - 10.1	No
Some College	4.0	0.0 - 7.9	6.4	3.2 - 9.6	No
≥College Degree	5.1	1.4 - 8.8	4.7	3.2 - 6.2	No
Income					
≤\$24,999	13.2	1.5 - 24.8	10.3	6.1 - 14.5	No
\$25,000-\$49,999	2.3	0.0 - 5.2	4.5	2.8 - 6.2	No
\$50,000-\$74,999	10.9	0.0 - 22.5	10.1	5.1 - 15.0	No
≥\$75,000	2.3	0.2 - 4.5	3.6	2.2 - 4.9	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 45. Percentage of Adults Ever Diagnosed with Diabetes by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Total	6.0	3.6 - 8.4	9.7	7.6 - 11.8	No
Gender					
Male	8.5	3.9 - 13.0	7.6	5.6 - 9.5	No
Female	3.7	1.5 - 6.0	11.6	8.1 - 15.1	Yes
Age (years)					
18-34	*	*	5.2	0.4 - 10.1	-
35-44	*	*	5.7	2.2 - 9.2	-
45-54	5.3	0.0 - 10.8	9.3	5.2 - 13.4	No
55-64	12.5	2.9 - 22.1	16.9	11.1 - 22.7	No
≥65	16.5	9.0 - 24.0	16.6	12.8 - 20.4	No
Education					
≤High School	13.9	5.3 - 22.5	13.1	8.9 - 17.3	No
Some College	3.6	0.0 - 7.2	11.0	6.0 - 16.0	No
≥College Degree	3.5	1.1 - 5.9	5.7	3.8 - 7.6	No
Income					
≤\$24,999	9.2	1.6 - 16.8	17.5	10.2 - 24.9	No
\$25,000-\$49,999	8.4	0.7 - 16.1	8.4	5.4 - 11.4	No
\$50,000-\$74,999	1.4	0.0 - 4.3	9.5	4.5 - 14.6	Yes
≥\$75,000	4.7	1.2 - 8.2	5.8	3.6 - 8.1	No

* Data do not meet reporting criteria

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 46. Percentage of Adults Diagnosed with Asthma by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Ever diagnosed with asthma (lifetime) among adults					
Total	20.7	12.8 - 28.6	16.5	13.9 - 19.2	No
Gender					
Male	18.8	6.4 - 31.2	14.2	10.7 - 17.6	No
Female	22.4	12.1 - 32.7	18.7	14.8 - 22.6	No
Age (years)					
18-34	*	*	21.8	14.7 - 28.9	-
35-44	*	*	17.0	10.9 - 23.1	-
45-54	14.5	5.4 - 23.6	13.5	9.2 - 17.8	No
55-64	12.2	2.2 - 22.2	17.3	12.6 - 21.9	No
≥65	11.7	5.6 - 17.9	9.3	7.0 - 11.6	No
Education					
≤High School	*	*	15.5	11.4 - 19.6	-
Some College	*	*	18.7	13.0 - 24.4	-
≥College Degree	18.4	10.3 - 26.6	16.4	12.0 - 20.7	No
Income					
≤\$24,999	6.6	0.6 - 12.7	22.6	14.3 - 30.8	Yes
\$25,000-\$49,999	12.2	0.0 - 26.0	15.3	9.4 - 21.1	No
\$50,000-\$74,999	11.1	0.0 - 22.2	17.1	11.5 - 22.8	No
≥\$75,000	23.8	13.7 - 34.0	14.9	11.3 - 18.6	No
Current asthma among adults					
Total	12.2	6.3 - 18.1	9.9	7.9 - 12.0	No
Gender					
Male	5.7	0.4 - 10.9	6.6	4.5 - 8.8	No
Female	18.0	8.2 - 27.8	12.9	9.6 - 16.2	No
Age (years)					
18-34	*	*	11.4	6.2 - 16.7	-
35-44	7.7	0.0 - 17.3	9.6	4.6 - 14.7	No
45-54	10.3	2.4 - 18.3	7.9	5.1 - 10.8	No
55-64	5.4	0.0 - 12.6	12.3	8.1 - 16.5	No
≥65	8.2	3.1 - 13.3	7.4	5.2 - 9.6	No
Education					
≤High School	*	*	10.7	7.2 - 14.2	-
Some College	10.7	0.0 - 22.2	9.7	6.1 - 13.4	No
≥College Degree	9.4	3.6 - 15.1	9.4	6.0 - 12.8	No
Income					
≤\$24,999	5.9	0.1 - 11.7	12.8	6.8 - 18.8	No
\$25,000-\$49,999	10.2	0.0 - 23.8	10.2	5.0 - 15.4	No
\$50,000-\$74,999	8.3	0.0 - 17.8	9.0	5.3 - 12.7	No
≥\$75,000	13.2	5.1 - 21.3	8.9	5.9 - 12.0	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 47. Percentage of Adults with Arthritis or Chronic Joint Symptoms by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Chronic joint symptoms among adults					
Total	44.7	36.6 - 52.9	42.5	39.0 - 46.0	No
Gender					
Male	41.0	29.0 - 53.0	41.3	35.8 - 46.9	No
Female	48.1	36.8 - 59.3	43.5	39.1 - 48.0	No
Age (years)					
18-34	*	*	25.6	17.5 - 33.7	-
35-44	*	*	33.4	26.5 - 40.4	-
45-54	52.5	38.0 - 67.0	55.5	48.7 - 62.3	No
55-64	*	*	59.1	52.9 - 65.3	-
≥65	58.1	47.4 - 68.8	53.8	48.4 - 59.2	No
Education					
≤High School	*	*	46.9	39.9 - 53.8	-
Some College	*	*	40.5	34.3 - 46.7	-
≥College Degree	45.7	35.6 - 55.8	39.8	35.1 - 44.6	No
Income					
≤\$24,999	*	*	40.0	31.7 - 48.2	-
\$25,000-\$49,999	*	*	44.7	35.4 - 54.0	-
\$50,000-\$74,999	*	*	46.6	39.3 - 54.0	-
≥\$75,000	45.3	34.4 - 56.3	41.6	36.7 - 46.5	No
Arthritis among adults					
Total	24.0	18.4 - 29.6	27.9	25.2 - 30.7	No
Gender					
Male	19.2	12.0 - 26.3	24.5	20.7 - 28.3	No
Female	28.5	20.0 - 36.9	31.1	27.2 - 34.9	No
Age (years)					
18-34	*	*	6.4	3.9 - 8.9	-
35-44	8.8	0.0 - 18.5	16.2	10.5 - 22.0	No
45-54	19.7	7.3 - 32.1	30.1	24.2 - 36.0	No
55-64	*	*	50.9	44.7 - 57.1	-
≥65	60.8	50.1 - 71.6	57.8	52.5 - 63.1	No
Education					
≤High School	23.0	11.5 - 34.4	31.0	25.7 - 36.4	No
Some College	23.0	9.3 - 36.8	28.0	22.9 - 33.0	No
≥College Degree	24.8	17.7 - 32.0	24.9	20.9 - 28.9	No
Income					
≤\$24,999	20.3	7.4 - 33.3	34.5	26.7 - 42.3	No
\$25,000-\$49,999	*	*	25.8	20.4 - 31.2	-
\$50,000-\$74,999	*	*	32.8	25.9 - 39.7	-
≥\$75,000	18.1	11.3 - 24.8	22.7	18.4 - 26.9	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 48. Percentage of Adults with Activity Limitations due to Physical, Mental, or Emotional Health Problems by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Total	20.1	14.0 - 26.1	22.3	19.2 - 25.4	No
Gender					
Male	18.1	10.0 - 26.2	21.3	16.4 - 26.2	No
Female	21.8	13.0 - 30.6	23.2	19.2 - 27.2	No
Age (years)					
18-34	*	*	16.5	8.3 - 24.7	-
35-44	10.3	0.0 - 21.1	12.9	8.4 - 17.5	No
45-54	15.8	4.6 - 27.1	23.3	17.7 - 29.0	No
55-64	22.9	9.7 - 36.1	34.5	28.0 - 41.1	No
≥65	37.4	27.1 - 47.8	31.9	26.6 - 37.2	No
Education					
≤High School	10.1	3.4 - 16.9	28.7	21.9 - 35.5	Yes
Some College	*	*	20.6	15.5 - 25.8	-
≥College Degree	18.8	11.3 - 26.2	17.4	14.1 - 20.8	No
Income					
≤\$24,999	*	*	32.4	24.1 - 40.8	-
\$25,000-\$49,999	*	*	24.5	15.2 - 33.8	-
\$50,000-\$74,999	*	*	26.8	20.2 - 33.5	-
≥\$75,000	15.0	7.6 - 22.4	13.6	10.1 - 17.2	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 49. Percentage of Adults Who Require the Use of Special Equipment due to Health Problems by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Total	7.2	4.0 - 10.5	7.8	6.3 - 9.2	No
Gender					
Male	6.5	2.5 - 10.6	7.0	5.2 - 8.8	No
Female	7.8	2.9 - 12.8	8.5	6.2 - 10.7	No
Age (years)					
18-34	*	*	2.4	0.5 - 4.3	-
35-44	*	*	2.6	0.8 - 4.4	-
45-54	6.3	0.0 - 15.9	6.7	4.1 - 9.4	No
55-64	7.9	0.0 - 16.4	8.9	5.8 - 12.0	No
≥65	22.0	13.5 - 30.4	23.6	18.1 - 29.0	No
Education					
≤High School	9.4	2.7 - 16.1	10.5	7.3 - 13.7	No
Some College	11.8	0.6 - 23.0	6.8	4.7 - 8.8	No
≥College Degree	4.4	1.6 - 7.1	5.7	3.9 - 7.5	No
Income					
≤\$24,999	7.5	1.0 - 13.9	12.5	8.8 - 16.1	No
\$25,000-\$49,999	12.2	0.0 - 25.4	7.6	4.4 - 10.7	No
\$50,000-\$74,999	8.5	0.0 - 19.8	7.2	3.8 - 10.5	No
≥\$75,000	4.3	0.4 - 8.2	2.7	1.4 - 4.0	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 50. Percentage of Adults with a Disability by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Total	22.1	15.9 - 28.3	24.6	21.4 - 27.8	No
Gender					
Male	20.3	11.8 - 28.8	23.3	18.4 - 28.3	No
Female	23.7	14.7 - 32.6	25.7	21.6 - 29.8	No
Age (years)					
18-34	*	*	16.7	8.5 - 24.9	-
35-44	10.3	0.0 - 21.1	14.0	9.1 - 18.8	No
45-54	17.5	5.9 - 29.0	24.0	18.3 - 29.6	No
55-64	25.8	12.0 - 39.7	36.3	29.8 - 42.9	No
≥65	44.2	33.5 - 54.8	41.4	35.8 - 46.9	No
Education					
≤High School	14.9	6.4 - 23.4	31.4	24.7 - 38.2	Yes
Some College	*	*	22.3	17.0 - 27.5	-
≥College Degree	20.0	12.4 - 27.7	19.4	15.9 - 22.9	No
Income					
≤\$24,999	*	*	36.1	27.5 - 44.8	-
\$25,000-\$49,999	*	*	26.7	17.5 - 36.0	-
\$50,000-\$74,999	*	*	28.3	21.6 - 35.1	-
≥\$75,000	15.7	8.2 - 23.2	14.6	10.9 - 18.3	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 51. Percentage of Adults Who Smoke or Live in Homes Where Smoking Is Prohibited by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County			New York State		Significant Difference
	Percent	95% CI		Percent	95% CI	
Current smoking among adults						
Total	6.6	2.1 - 11.0		16.5	14.1 - 18.8	Yes
Gender						
Male	8.5	0.0 - 17.1		17.1	13.4 - 20.7	No
Female	4.8	1.6 - 8.1		15.9	12.8 - 19.0	Yes
Age (years)						
18-34	*	*		21.1	14.7 - 27.5	-
35-44	2.4	0.0 - 7.5		14.5	10.3 - 18.8	Yes
45-54	9.9	1.9 - 18.0		20.0	14.9 - 25.1	No
55-64	6.4	0.0 - 13.0		14.3	10.9 - 17.8	No
≥65	2.0	0.0 - 4.3		9.0	5.9 - 12.1	Yes
Education						
≤High School	10.5	0.6 - 20.5		21.2	16.8 - 25.5	No
Some College	2.7	0.0 - 5.4		18.4	13.7 - 23.0	Yes
≥College Degree	6.4	0.0 - 13.4		11.0	7.2 - 14.8	No
Income						
≤\$24,999	*	*		21.0	14.5 - 27.5	-
\$25,000-\$49,999	10.1	0.0 - 23.6		21.1	14.5 - 27.6	No
\$50,000-\$74,999	*	*		17.8	12.2 - 23.4	-
≥\$75,000	2.0	0.0 - 4.4		10.4	7.9 - 12.9	Yes
Everyday smoking among adults						
Total	4.0	1.4 - 6.7		11.5	9.7 - 13.4	Yes
Gender						
Male	4.1	0.0 - 8.8		11.6	8.7 - 14.5	No
Female	3.9	1.0 - 6.8		11.5	9.1 - 13.9	Yes
Age (years)						
18-34	*	*		12.9	8.4 - 17.4	-
35-44	2.4	0.0 - 7.5		11.7	7.6 - 15.8	Yes
45-54	8.0	0.8 - 15.2		15.1	10.6 - 19.5	No
55-64	4.9	0.0 - 10.9		9.0	6.3 - 11.6	No
≥65	1.5	0.0 - 3.6		7.6	4.5 - 10.7	Yes
Education						
≤High School	10.1	0.2 - 20.0		16.5	12.7 - 20.3	No
Some College	2.7	0.0 - 5.4		14.3	9.9 - 18.7	Yes
≥College Degree	1.9	0.0 - 4.1		5.4	3.4 - 7.3	No
Income						
≤\$24,999	2.6	0.0 - 6.0 #		13.4	8.6 - 18.2	Yes
\$25,000-\$49,999	10.1	0.0 - 23.6		15.8	10.9 - 20.7	No
\$50,000-\$74,999	*	*		14.0	8.6 - 19.4	-
≥\$75,000	1.1	0.0 - 2.9		6.7	4.6 - 8.8	Yes

continued

Table 51. Percentage of Adults who Smoke or Live in Homes where Smoking is Prohibited by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008 (continued)

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Adults living in homes in which smoking is prohibited					
Total	84.2	78.9 - 89.5	81.1	78.7 - 83.6	No
Gender					
Male	82.4	74.8 - 89.9	80.9	77.6 - 84.2	No
Female	85.8	78.2 - 93.5	81.3	77.7 - 84.9	No
Age (years)					
18-34	*	*	81.9	76.0 - 87.9	-
35-44	97.6	92.5 - 100.0	89.8	86.1 - 93.5	No
45-54	77.8	64.8 - 90.7	77.9	72.6 - 83.2	No
55-64	80.3	68.4 - 92.1	79.3	75.0 - 83.6	No
≥65	71.0	61.0 - 80.9	74.5	69.8 - 79.1	No
Education					
≤High School	*	*	78.2	74.1 - 82.3	-
Some College	84.0	71.4 - 96.5	79.3	74.0 - 84.6	No
≥College Degree	89.1	84.5 - 93.6	85.0	81.2 - 88.9	No
Income					
≤\$24,999	90.7	83.0 - 98.3	75.8	69.3 - 82.4	Yes
\$25,000-\$49,999	*	*	79.2	72.9 - 85.4	-
\$50,000-\$74,999	*	*	79.4	73.8 - 84.9	-
≥\$75,000	87.7	81.6 - 93.7	85.2	81.5 - 88.9	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 52. Percentage of Adults Who Binge Drink or Drink Heavily by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Binge drinking within the past month among adults					
Total	16.3	9.3 - 23.3	19.6	16.0 - 23.3	No
Gender					
Male	18.3	7.4 - 29.2	26.6	20.2 - 33.0	No
Female	14.5	5.4 - 23.6	13.3	10.0 - 16.5	No
Age (years)					
18-34	*	*	32.3	22.3 - 42.2	-
35-44	*	*	22.3	16.5 - 28.0	-
45-54	9.5	1.9 - 17.1	18.7	13.2 - 24.3	No
55-64	6.4	0.0 - 13.7	11.2	8.1 - 14.2	No
≥65	4.1	0.0 - 8.5	3.3	1.9 - 4.6	No
Education					
≤High School	13.8	1.3 - 26.3	20.5	12.4 - 28.6	No
Some College	13.5	0.0 - 27.5	20.3	14.7 - 25.9	No
≥College Degree	18.6	8.4 - 28.9	18.6	14.5 - 22.7	No
Income					
≤\$24,999	*	*	18.4	7.3 - 29.5	-
\$25,000-\$49,999	9.6	0.0 - 22.5	21.5	11.5 - 31.6	No
\$50,000-\$74,999	*	*	20.7	14.1 - 27.2	-
≥\$75,000	19.8	10.0 - 29.5	22.6	18.5 - 26.7	No
Heavy drinking within the past month among adults					
Total	7.0	2.8 - 11.1	5.4	4.2 - 6.5	No
Gender					
Male	5.6	0.8 - 10.4	4.6	3.2 - 5.9	No
Female	8.2	1.5 - 14.9	6.1	4.2 - 7.9	No
Age (years)					
18-34	*	*	5.6	3.0 - 8.1	-
35-44	4.7	0.0 - 14.3	5.0	2.0 - 8.0	No
45-54	6.6	0.5 - 12.6	5.5	3.9 - 7.1	No
55-64	9.3	1.2 - 17.3	7.2	3.7 - 10.7	No
≥65	5.0	0.3 - 9.7	4.0	2.3 - 5.7	No
Education					
≤High School	10.0	0.8 - 19.2	4.2	2.7 - 5.8	No
Some College	4.0	0.0 - 9.0	5.4	3.4 - 7.5	No
≥College Degree	6.8	0.5 - 13.2	6.4	4.2 - 8.6	No
Income					
≤\$24,999	*	*	2.6	1.5 - 3.7	-
\$25,000-\$49,999	9.9	0.0 - 23.0	5.7	2.8 - 8.6	No
\$50,000-\$74,999	2.4	0.0 - 6.0	8.1	3.5 - 12.7	No
≥\$75,000	7.2	2.0 - 12.4	6.9	4.7 - 9.1	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 53. Percentage of Adults Who Have Never/Rarely Been Asked about Sexual History During a Routine Check-up by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Total	70.0	61.5 - 78.4	65.9	62.2 - 69.6	No
Gender					
Male	72.9	59.7 - 86.2	71.0	65.5 - 76.5	No
Female	67.3	56.3 - 78.3	61.4	56.6 - 66.2	No
Age (years)					
18-34	*	*	50.9	40.9 - 61.0	-
35-44	*	*	61.5	53.1 - 69.8	-
45-54	72.7	59.1 - 86.3	68.7	61.6 - 75.8	No
55-64	77.0	64.4 - 89.6	77.5	72.6 - 82.4	No
≥65	79.4	70.3 - 88.6	83.5	79.3 - 87.6	No
Education					
≤High School	*	*	62.2	55.0 - 69.4	-
Some College	*	*	65.1	57.9 - 72.2	-
≥College Degree	74.2	65.1 - 83.2	69.7	64.6 - 74.8	No
Income					
≤\$24,999	*	*	54.4	44.0 - 64.8	-
\$25,000-\$49,999	*	*	67.7	59.0 - 76.4	-
\$50,000-\$74,999	*	*	70.2	63.6 - 76.9	-
≥\$75,000	70.8	60.2 - 81.4	73.7	69.2 - 78.2	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 54. Percentage of Adults Who Believed Few People in Their Community have an STD or Believed It was Somewhat Acceptable to Talk about STDs in Public by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Believed hardly any or a few people their age in their community have had a sexually transmitted disease (STD) among adults					
Total	82.6	73.2 - 92.0	79.9	76.6 - 83.2	No
Gender					
Male	87.8	77.5 - 98.1	82.1	76.9 - 87.2	No
Female	*	*	77.9	73.7 - 82.1	-
Age (years)					
18-34	*	*	72.5	64.9 - 80.0	-
35-44	*	*	77.9	70.3 - 85.6	-
45-54	*	*	82.0	76.0 - 88.0	-
55-64	*	*	84.1	78.2 - 89.9	-
≥65	100.0	100.0 - 100.0	96.6	94.0 - 99.1	Yes
Education					
≤High School	*	*	82.3	76.3 - 88.3	-
Some College	100.0	100.0 - 100.0	78.0	71.5 - 84.5	Yes
≥College Degree	82.5	71.3 - 93.7	78.9	73.9 - 83.8	No
Income					
≤\$24,999	*	*	83.5	76.1 - 90.9	-
\$25,000-\$49,999	*	*	79.2	70.9 - 87.5	-
\$50,000-\$74,999	*	*	79.9	74.3 - 85.6	-
≥\$75,000	83.7	72.5 - 94.9	79.2	74.4 - 84.1	No
Believed it was at least somewhat acceptable to see and hear discussions about STD risks in public forums in their community among adults					
Total	90.9	86.0 - 95.9	88.8	86.5 - 91.1	No
Gender					
Male	92.5	87.6 - 97.3	88.0	84.4 - 91.6	No
Female	89.5	91.3 - 97.8	89.5	86.6 - 92.5	No
Age (years)					
18-34	*	*	89.8	84.0 - 95.5	-
35-44	98.0	93.9 - 100.0	92.6	88.5 - 96.7	No
45-54	100.0	100.0 - 100.0	86.7	81.7 - 91.7	Yes
55-64	97.4	93.3 - 100.0	95.1	92.9 - 97.3	No
≥65	80.4	71.2 - 89.5	79.0	74.6 - 83.4	No
Education					
≤High School	86.1	74.6 - 97.5	82.1	77.4 - 86.8	No
Some College	90.2	75.3 - 100.0	88.2	82.0 - 94.3	No
≥College Degree	93.3	88.5 - 98.2	95.2	93.7 - 96.8	No
Income					
≤\$24,999	*	*	84.7	79.7 - 89.6	-
\$25,000-\$49,999	89.5	78.9 - 100.0	85.3	78.9 - 91.7	No
\$50,000-\$74,999	90.0	77.2 - 100.0	92.4	89.1 - 95.7	No
≥\$75,000	94.6	89.4 - 99.9	95.9	94.5 - 97.3	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 55. Percentage of Adults Who Are Overweight or Obese by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Overweight among adults					
Total	38.6	29.7 - 47.4	34.6	31.2 - 38.0	No
Gender					
Male	49.7	37.0 - 62.4	39.2	33.8 - 44.6	No
Female	27.3	16.2 - 38.5	30.1	25.8 - 34.4	No
Age (years)					
18-34	*	*	30.8	22.4 - 39.2	-
35-44	*	*	32.6	24.7 - 40.5	-
45-54	24.8	11.1 - 38.6	36.4	29.8 - 43.1	No
55-64	*	*	36.2	30.6 - 41.7	-
≥65	41.9	31.0 - 52.7	40.3	35.0 - 45.5	No
Education					
≤High School	*	*	34.1	27.8 - 40.4	-
Some College	*	*	35.0	28.1 - 41.9	-
≥College Degree	30.6	20.4 - 40.9	34.8	29.9 - 39.7	No
Income					
≤\$24,999	*	*	33.2	24.8 - 41.7	-
\$25,000-\$49,999	*	*	39.1	30.3 - 47.9	-
\$50,000-\$74,999	*	*	39.0	31.2 - 46.8	-
≥\$75,000	26.9	16.5 - 37.2	32.1	27.7 - 36.5	No
Obesity among adults					
Total	19.9	13.8 - 26.0	23.6	20.7 - 26.5	No
Gender					
Male	24.3	14.5 - 34.1	22.8	19.1 - 26.4	No
Female	15.4	8.1 - 22.8	24.4	20.1 - 28.8	No
Age (years)					
18-34	*	*	17.7	11.2 - 24.2	-
35-44	*	*	22.1	16.1 - 28.2	-
45-54	29.6	15.4 - 43.7	28.7	22.6 - 34.7	No
55-64	31.6	16.9 - 46.3	29.9	23.9 - 35.9	No
≥65	14.0	6.0 - 22.0	24.8	19.4 - 30.3	No
Education					
≤High School	21.7	8.0 - 35.5	28.4	22.8 - 33.9	No
Some College	16.7	2.8 - 30.5	25.7	19.4 - 32.0	No
≥College Degree	20.5	12.6 - 28.4	18.2	14.5 - 21.9	No
Income					
≤\$24,999	6.4	0.0 - 12.9	28.0	20.2 - 35.7	Yes
\$25,000-\$49,999	15.2	0.3 - 30.1	17.7	13.6 - 21.8	No
\$50,000-\$74,999	*	*	26.8	20.3 - 33.3	-
≥\$75,000	26.7	16.6 - 36.9	22.4	17.7 - 27.1	No

continued

Table 55. Percentage of Adults who are Overweight or Obese by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008 (continued)

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Overweight or obesity among adults					
Total	58.5	50.2 - 66.7	58.2	54.3 - 62.1	No
Gender					
Male	74.0	64.5 - 83.5	62.0	55.5 - 68.4	No
Female	42.8	31.1 - 54.4	54.6	49.9 - 59.2	No
Age (years)					
18-34	*	*	48.5	38.7 - 58.3	-
35-44	*	*	54.7	46.7 - 62.8	-
45-54	54.4	39.5 - 69.3	65.1	58.4 - 71.9	No
55-64	66.0	51.0 - 81.0	66.0	59.7 - 72.4	No
≥65	55.9	45.1 - 66.7	65.1	60.3 - 69.9	No
Education					
≤High School	*	*	62.5	54.6 - 70.4	-
Some College	*	*	60.7	53.7 - 67.6	-
≥College Degree	51.1	40.8 - 61.5	53.0	47.7 - 58.3	No
Income					
≤\$24,999	*	*	61.2	50.6 - 71.8	-
\$25,000-\$49,999	*	*	56.8	46.7 - 66.8	-
\$50,000-\$74,999	*	*	65.8	59.0 - 72.6	-
≥\$75,000	53.6	42.3 - 64.9	54.5	49.4 - 59.6	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 56. Percentage of Adults Who Received Advice about Weight and Weight Loss from A Health Professional by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Received advice about weight by a health professional among adults					
Total	26.7	19.4 - 34.0	28.2	24.8 - 31.6	No
Gender					
Male	28.8	17.8 - 39.8	24.4	19.8 - 29.0	No
Female	24.7	15.0 - 34.4	31.9	27.0 - 36.7	No
Age (years)					
18-34	*	*	24.4	15.9 - 32.8	-
35-44	*	*	25.6	18.2 - 32.9	-
45-54	30.2	16.2 - 44.3	31.4	25.0 - 37.7	No
55-64	*	*	38.5	32.0 - 45.1	-
≥65	15.5	7.8 - 23.2	26.1	20.8 - 31.5	No
Education					
≤High School	21.1	7.3 - 34.8	26.3	20.5 - 32.2	No
Some College	*	*	33.6	26.0 - 41.2	-
≥College Degree	26.0	17.2 - 34.9	26.9	22.1 - 31.6	No
Income					
≤\$24,999	8.5	1.0 - 16.0	32.3	23.1 - 41.5	Yes
\$25,000-\$49,999	*	*	23.3	16.2 - 30.5	-
\$50,000-\$74,999	*	*	24.4	18.6 - 30.1	-
≥\$75,000	35.8	24.3 - 47.2	29.7	24.8 - 34.5	No
Received advice to lose weight by a health professional among adults provided weight advice					
Total	81.7	68.3 - 95.0	88.4	84.7 - 92.1	No
Gender					
Male	*	*	88.0	83.0 - 92.9	-
Female	*	*	88.7	83.4 - 94.0	-
Age (years)					
18-34	*	*	89.1	82.9 - 95.3	-
35-44	*	*	85.9	71.8 - 100.0	-
45-54	*	*	90.8	84.6 - 97.0	-
55-64	*	*	85.6	76.8 - 94.4	-
≥65	*	*	90.2	87.7 - 92.8	-
Education					
≤High School	*	*	87.6	81.8 - 93.3	-
Some College	*	*	87.0	77.4 - 96.7	-
≥College Degree	88.3	77.4 - 99.3	90.0	85.5 - 94.6	No
Income					
≤\$24,999	*	*	86.8	76.3 - 97.4	-
\$25,000-\$49,999	*	*	88.8	81.3 - 96.3	-
\$50,000-\$74,999	*	*	85.8	77.2 - 94.3	-
≥\$75,000	*	*	89.0	83.2 - 94.7	-

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 57. Percentage of Adults Who Partake in No Leisure-Time Physical Activity by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Total	20.7	14.3 - 27.2	22.7	19.7 - 25.7	No
Gender					
Male	16.0	8.2 - 23.8	21.4	17.0 - 25.7	No
Female	25.0	15.1 - 34.9	23.9	19.6 - 28.1	No
Age (years)					
18-34	*	*	20.8	13.5 - 28.1	-
35-44	12.6	0.0 - 26.4	17.5	11.5 - 23.4	No
45-54	16.0	4.3 - 27.8	26.5	19.3 - 33.6	No
55-64	21.0	8.9 - 33.1	21.0	16.2 - 25.8	No
≥65	29.6	20.1 - 39.0	28.9	24.0 - 33.8	No
Education					
≤High School	*	*	30.8	25.1 - 36.4	-
Some College	19.0	5.5 - 32.6	25.3	18.3 - 32.3	No
≥College Degree	12.2	6.4 - 18.0	13.4	9.3 - 17.5	No
Income					
≤\$24,999	*	*	37.0	28.0 - 46.0	-
\$25,000-\$49,999	*	*	21.9	15.8 - 27.9	-
\$50,000-\$74,999	*	*	20.5	14.3 - 26.8	-
≥\$75,000	11.6	4.9 - 18.2	10.9	7.9 - 13.9	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 58. Percentage of Adults Who Consume 5 or More Servings of Fruits and Vegetables per Day by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Total	29.5	22.0 - 37.1	26.7	23.5 - 30.0	No
Gender					
Male	26.7	16.1 - 37.3	23.3	18.2 - 28.5	No
Female	32.1	21.3 - 42.9	29.8	25.7 - 34.0	No
Age (years)					
18-34	*	*	30.0	21.1 - 39.0	-
35-44	*	*	23.6	17.7 - 29.5	-
45-54	32.0	18.4 - 45.5	26.9	21.1 - 32.8	No
55-64	*	*	25.8	20.6 - 30.9	-
≥65	27.6	18.3 - 36.9	25.8	21.8 - 29.8	No
Education					
≤High School	*	*	22.4	16.0 - 28.8	-
Some College	*	*	26.8	20.8 - 32.8	-
≥College Degree	30.4	21.1 - 39.7	30.9	26.4 - 35.5	No
Income					
≤\$24,999	*	*	23.0	15.8 - 30.2	-
\$25,000-\$49,999	*	*	33.5	23.6 - 43.5	-
\$50,000-\$74,999	*	*	24.7	19.7 - 29.8	-
≥\$75,000	29.3	19.5 - 39.2	28.0	23.6 - 32.4	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 59. Percentage of Adults Who Fell in the Past 3 Months by Sex, Age, Education, and Income, Westchester County and New York State, July - December 2008

	Westchester County		New York State		Significant Difference
	Percent	95% CI	Percent	95% CI	
Had a fall within the past 3 months among adults					
Total	16.7	10.0 - 23.4	13.9	11.7 - 16.0	No
Gender					
Male	11.3	3.6 - 18.9	12.3	9.2 - 15.5	No
Female	22.7	11.7 - 33.7	15.3	12.4 - 18.3	No
Age (years)					
18-34	*	*	*	*	-
35-44	*	*	*	*	-
45-54	24.6	10.1 - 39.0	11.3	8.5 - 14.1	No
55-64	9.0	0.0 - 19.0	13.7	9.8 - 17.5	No
≥65	14.4	7.2 - 21.7	17.0	12.7 - 21.2	No
Education					
≤High School	*	*	16.6	12.1 - 21.0	-
Some College	*	*	12.9	9.5 - 16.2	-
≥College Degree	12.5	6.0 - 19.1 #	12.1	9.2 - 15.0	No
Income					
≤\$24,999	*	*	18.0	12.2 - 23.9	-
\$25,000-\$49,999	*	*	14.0	10.4 - 17.6	-
\$50,000-\$74,999	*	*	15.4	9.4 - 21.4	-
≥\$75,000	7.3	1.3 - 13.3	10.3	7.1 - 13.4	No
Had a fall that caused injury within the past 3 months among adults					
Total	2.1	0.3 - 3.8	4.2	2.9 - 5.5	No
Gender					
Male	2.9	0.0 - 5.9	3.2	1.8 - 4.6	No
Female		-		-	-
Age (years)					
18-34	*	*	*	*	-
35-44	*	*	*	*	-
45-54	*	*	4.6	2.4 - 6.8	-
55-64	1.4	0.0 - 4.2	3.1	1.7 - 4.5	No
≥65	4.9	0.4 - 9.5	4.6	2.0 - 7.3	No
Education					
≤High School	*	*	5.7	2.6 - 8.8	-
Some College	3.1	0.0 - 7.9	3.8	2.7 - 4.9	No
≥College Degree	2.5	0.0 - 5.1	3.0	1.8 - 4.3	No
Income					
≤\$24,999	4.7	0.0 - 12.0	5.4	2.5 - 8.2	No
\$25,000-\$49,999	2.4	0.0 - 7.2	5.5	2.6 - 8.5	No
\$50,000-\$74,999	*	*	3.6	1.0 - 6.1	-
≥\$75,000	1.4	0.0 - 3.5	1.9	1.0 - 2.8	No

* Data do not meet reporting criteria.

Source: New York State Expanded Behavioral Risk Factor Surveillance System, Westchester County, Preliminary Results.

Table 60. Total Number of Births and Birth Rates by Municipality, Westchester County, 2007

Health Planning Region and Municipality	Number of Births	Birth Rates (per 1,000 population)
Westchester County	11,857	12.8
Northwest	1,769	12.6
Briarcliff Manor (V)	65	8.4
Buchanan (V)	21	9.6
Cortlandt (TOV)	309	10.8
Croton-on-Hudson (V)	99	13.0
Mount Pleasant (TOV)	190	7.3
Ossining (TOV)	41	7.4
Ossining (V)	378	15.7
Peekskill (C)	425	18.9
Pleasantville (V)	80	11.2
Sleepy Hollow (V)	161	17.5
Northeast	1,371	10.3
Bedford (T)	210	11.6
Lewisboro (T)	103	8.4
Mount Kisco (T/V)	165	16.5
New Castle (T)	153	8.7
North Castle (T)	120	11.1
North Salem (T)	50	9.7
Pound Ridge (T)	49	10.4
Somers (T)	152	8.3
Yorktown (T)	369	10.2
West Central	1,958	12.4
Ardsley (V)	37	8.7
Dobbs Ferry (V)	115	10.8
Elmsford (V)	72	15.4
Greenburgh (TOV)	521	12.5
Hastings-on-Hudson (V)	52	6.8
Irvington (V)	49	7.4
Scarsdale (T/V)	128	7.2
Tarrytown (V)	161	14.5
White Plains (C)	823	15.5
East Central	1,435	12.8
Harrison (T/V)	220	9.1
Larchmont (V)	62	9.6
Mamaroneck (TOV)	145	13.0
Mamaroneck (V)	243	13.0
Port Chester (V)	478	17.2
Rye (C)	193	12.9
Rye Brook (V)	94	10.9
Southwest	2,888	14.7
Yonkers (C)	2,888	14.7
Southeast	2,384	13.0
Bronxville (V)	77	11.8
Eastchester (TOV)	228	12.3
Mount Vernon (C)	932	13.6
New Rochelle (C)	911	12.6
Pelham (V)	86	13.4
Pelham Manor (V)	58	10.6
Tuckahoe (V)	92	14.8
Unknown	52	--

Source: New York State Department of Health.

Table 61. Average Maternal Age and Number of Births by Mother's Age and Municipality, Westchester County, 2007

Health Planning Region and Municipality	Average Maternal Age	Mother's Age								
		Total	10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
Westchester County	30.8	11,857	147	375	1,500	2,522	3,811	2,763	680	59
Northwest	31.0	1,769	18	51	194	412	581	400	105	8
Briarcliff Manor (V)	35.2	65	0	0	0	4	26	27	8	0
Buchanan (V)	31.9	21	0	0	2	4	8	5	2	0
Cortlandt (TOV)	32.3	309	3	7	20	51	109	97	20	2
Croton-on-Hudson (V)	32.7	99	1	0	4	17	48	18	9	2
Mount Pleasant (TOV)	33.3	190	0	0	4	31	84	60	8	3
Ossining (TOV)	32.9	41	0	0	0	10	16	12	3	0
Ossining (V)	29.3	378	7	18	65	101	105	64	17	1
Peekskill (C)	28.9	425	4	16	73	146	114	59	13	0
Pleasantville (V)	32.6	80	0	0	7	12	32	23	6	0
Sleepy Hollow (V)	30.8	161	3	10	19	36	39	35	19	0
Northeast	33.1	1,371	4	19	72	205	491	463	107	10
Bedford (T)	32.5	210	0	2	22	32	67	68	18	1
Lewisboro (T)	34.1	103	0	0	3	13	40	38	8	1
Mount Kisco (T/V)	30.1	165	3	8	26	34	49	35	10	0
New Castle (T)	34.5	153	0	1	2	13	59	62	15	1
North Castle (T)	33.8	120	0	0	2	17	42	52	7	0
North Salem (T)	32.9	50	0	2	2	9	14	19	3	1
Pound Ridge (T)	35.4	49	0	0	0	5	13	26	2	3
Somers (T)	34.4	152	0	1	2	13	61	59	16	0
Yorktown (T)	32.7	369	1	5	13	69	146	104	28	3
West Central	31.5	1,958	18	44	200	377	675	505	128	11
Ardsley (V)	34.1	37	0	0	1	4	15	13	3	1
Dobbs Ferry (V)	32.3	115	0	0	3	27	51	29	5	0
Elmsford (V)	30.6	72	0	1	11	15	30	8	6	1
Greenburgh (TOV)	31.8	521	4	14	53	82	181	149	37	1
Hastings-on-Hudson (V)	34.7	52	0	0	3	3	14	26	6	0
Irvington (V)	34.2	49	0	0	0	5	24	16	2	2
Scarsdale (T/V)	35.0	128	0	0	1	6	50	57	13	1
Tarrytown (V)	31.9	161	1	1	11	36	61	42	8	1
White Plains (C)	30.2	823	13	28	117	199	249	165	48	4
East Central	31.8	1,435	18	37	140	238	492	398	100	12
Harrison (T/V)	32.7	220	2	5	11	39	70	70	23	0
Larchmont (V)	33.7	62	0	3	0	6	24	26	3	0
Mamaroneck (TOV)	34.4	145	0	0	1	12	68	51	10	3
Mamaroneck (V)	31.6	243	4	5	23	41	91	63	15	1
Port Chester (V)	28.9	478	12	22	99	116	140	69	18	2
Rye (C)	34.9	193	0	1	1	15	62	90	21	3
Rye Brook (V)	34.1	94	0	1	5	9	37	29	10	3
Southwest	29.0	2,888	66	143	542	755	802	471	98	11
Yonkers (C)	29.0	2,888	66	143	542	755	802	471	98	11
Southeast	30.5	2,384	22	77	343	526	756	513	140	7
Bronxville (V)	35.5	77	0	0	0	5	22	38	12	0
Eastchester (TOV)	33.7	228	0	0	3	32	99	76	15	3
Mount Vernon (C)	28.9	932	15	39	191	250	262	142	32	1
New Rochelle (C)	30.4	911	7	37	138	200	282	188	57	2
Pelham (V)	33.3	86	0	0	6	10	33	26	10	1
Pelham Manor (V)	34.5	58	0	0	1	9	20	20	8	0
Tuckahoe (V)	32.3	92	0	1	4	20	38	23	6	0
Unknown	29.5	52	1	4	9	9	14	13	2	0

Source: New York State Department of Health.

Table 62. Percentage of Infants with Low Birthweight, Less Than 37 Gestation Weeks, and Delayed or No Prenatal Care, by Municipality, Westchester County, 2007

Health Planning Region and Municipality	Percentage of Infants Born With		
	Low Birthweight ¹	<37 Weeks Gestation	Delayed or No Prenatal Care ²
Westchester County	8.4	10.4	26.3
Northwest	7.3	7.6	22.9
Briarcliff Manor (V)	12.3	9.2	3.3
Buchanan (V)	0.0	4.8	14.3
Cortlandt (TOV)	7.1	7.8	15.5
Croton-on-Hudson (V)	8.1	10.1	16.0
Mount Pleasant (TOV)	8.4	10.0	12.5
Ossining (TOV)	2.4	7.3	13.2
Ossining (V)	6.1	5.6	33.5
Peekskill (C)	7.8	7.5	27.6
Pleasantville (V)	8.8	12.5	19.4
Sleepy Hollow (V)	6.8	5.6	26.9
Northeast	6.6	8.6	13.5
Bedford (T)	3.8	4.3	17.6
Lewisboro (T)	4.9	4.9	10.3
Mount Kisco (T/V)	9.1	9.7	21.9
New Castle (T)	6.5	4.6	12.6
North Castle (T)	10.8	10.8	14.0
North Salem (T)	8.0	14.0	13.0
Pound Ridge (T)	10.2	12.2	0.0
Somers (T)	4.6	9.9	8.2
Yorktown (T)	6.2	10.8	12.0
West Central	7.7	10.3	25.0
Ardsley (V)	8.1	8.1	13.9
Dobbs Ferry (V)	5.2	7.0	17.4
Elmsford (V)	8.3	8.3	35.4
Greenburgh (TOV)	8.8	10.7	23.7
Hastings-on-Hudson (V)	5.8	5.8	19.6
Irvington (V)	12.2	20.4	17.0
Scarsdale (T/V)	4.0	8.6	14.9
Tarrytown (V)	8.8	12.4	22.8
White Plains (C)	7.4	10.2	29.4
East Central	7.9	9.0	28.7
Harrison (T/V)	8.6	10.5	18.2
Larchmont (V)	12.9	12.9	20.0
Mamaroneck (TOV)	10.4	11.0	7.1
Mamaroneck (V)	6.6	7.8	29.3
Port Chester (V)	5.9	7.3	41.1
Rye (C)	9.5	10.9	22.6
Rye Brook (V)	9.8	7.4	18.9
Southwest	9.7	12.4	34.0
Yonkers (C)	9.7	12.4	34.0
Southeast	9.6	12.0	26.3
Bronxville (V)	9.1	14.3	10.1
Eastchester (TOV)	7.5	11.4	13.5
Mount Vernon (C)	12.9	14.9	29.0
New Rochelle (C)	7.6	8.8	30.5
Pelham (V)	8.2	15.1	19.2
Pelham Manor (V)	3.4	12.1	11.3
Tuckahoe (V)	6.5	10.9	18.4
Unknown	7.8	9.6	31.0

¹ Low birthweight is defined as less than 2,500 grams at birth. Cases with no information on birthweight are excluded; acceptable birthweight range (350,6550).

² Delayed or no prenatal care is defined as prenatal care begun at the second or third trimester, or no prenatal care throughout pregnancy. Those cases with incomplete information on prenatal care are excluded.

Source: New York State Department of Health.

Table 63. Number of Births by Mother's Age and Race/Ethnicity, and Percent of Preterm Births by Mother's Race/Ethnicity, Westchester County, 2007

Mother's Age	Total ¹		White		Black		Other ²		Hispanic ³	
	Number	%	Number	%	Number	%	Number	%	Number	%
Total¹	11,857	100.0	7,010	100.0	1,688	100.0	3,075	100.0	3,989	100.0
10-14	2	0.0	1	0.0	0	0.0	1	0.0	2	0.1
15-17	145	1.2	68	1.0	34	2.0	43	1.4	101	2.5
18-19	375	3.2	138	2.0	124	7.3	113	3.7	219	5.5
20-24	1,500	12.7	576	8.2	353	20.9	569	18.5	907	22.7
25-29	2,522	21.3	1,209	17.2	436	25.8	862	28.0	1,101	27.6
30-34	3,811	32.1	2,509	35.8	399	23.6	871	28.3	961	24.1
35-39	2,763	23.3	1,974	28.2	261	15.5	499	16.2	547	13.7
40-44	680	5.7	488	7.0	79	4.7	107	3.5	136	3.4
45+	59	0.5	47	0.7	2	0.1	10	0.3	15	0.4
Average Age	30.8		32.1		28.5		29.2		28.2	
% Preterm Births ⁴	10.4		10.1		15.7		8.4		9.0	

¹Total includes cases with unknown race.

²"Other" includes all other races, as well as multi-racial categories.

³Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

⁴Less than 37 gestation weeks.

Source: New York State Department of Health.

Table 64. Number of Births by Mother's Age and Educational Level, Westchester County, 2007

Mother's Age	Total ¹		Less than HS		High School / GED		Some College or Associate's Degree		Bachelor's Degree		Graduate or Professional Degree	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
Total	11,857	100.0	2,201	100.0	1,854	100.0	2,234	100.0	2,754	100.0	2,786	100.0
10-14	2	0.0	2	0.1	0	0.0	0	0.0	0	0.0	0	0.0
15-17	145	1.2	127	5.8	17	0.9	1	0.0	0	0.0	0	0.0
18-19	375	3.2	175	8.0	127	6.9	72	3.2	1	0.0	0	0.0
20-24	1,500	12.7	582	26.4	415	22.4	394	17.6	87	3.2	17	0.6
25-29	2,522	21.3	611	27.8	495	26.7	593	26.5	493	17.9	323	11.6
30-34	3,811	32.1	400	18.2	450	24.3	611	27.4	1,126	40.9	1,217	43.7
35-39	2,763	23.3	233	10.6	266	14.3	448	20.1	820	29.8	990	35.5
40-44	680	5.7	68	3.1	79	4.3	105	4.7	203	7.4	222	8.0
45+	59	0.5	3	0.1	5	0.3	10	0.4	24	0.9	17	0.6
Average Age	30.8		26.8		28.4		29.9		33.2		34.0	

¹Total includes cases with unknown educational level.

Source: New York State Department of Health.

Table 65. Number of Births by Birthweight and Mother's Race/Ethnicity and Age, Westchester County, 2007

Race/Ethnicity and Birthweight	Total	%	Mother's Age							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
Total¹	11,857	100.0	147	375	1,500	2,522	3,811	2,763	680	59
<1500 grams	154	1.3	0	3	17	30	51	35	17	1
1500-2499 grams	839	7.1	11	33	107	169	269	188	50	12
2500 grams+	10,836	91.6	136	338	1,375	2,320	3,484	2,528	609	46
Not stated	28	--	0	1	1	3	7	12	4	0
White	7,010	100.0	69	138	576	1,209	2,509	1,974	488	47
<1500 grams	81	1.2	0	1	6	9	32	18	15	0
1500-2499 grams	470	6.7	4	7	46	65	165	138	34	11
2500 grams+	6,436	92.1	65	129	523	1,132	2,307	1,809	435	36
Not Stated	23	--	0	1	1	3	5	9	4	0
Black	1,688	100.0	34	124	353	436	399	261	79	2
<1500 grams	51	3.0	0	2	8	17	10	13	1	0
1500-2499 grams	183	10.9	5	19	38	58	36	18	9	0
2500 grams+	1,450	86.1	29	103	307	361	351	228	69	2
Not Stated	4	--	0	0	0	0	2	2	0	0
Other²	3,075	100.0	44	113	569	862	871	499	107	10
<1500 grams	21	0.7	0	0	3	4	8	4	1	1
1500-2499 grams	178	5.8	2	7	23	45	62	31	7	1
2500 grams+	2,875	93.5	42	106	543	813	801	463	99	8
Not Stated	1	--	0	0	0	0	0	1	0	0
Hispanic³	3,989	100.0	103	219	907	1,101	961	547	136	15
<1500 grams	40	1.0	0	1	8	8	13	4	6	0
1500-2499 grams	224	5.6	6	11	49	61	62	24	10	1
2500 grams+	3,720	93.4	97	206	849	1,031	885	518	120	14
Not Stated	5	--	0	1	1	1	1	1	0	0

¹Total includes cases with unknown race.

²"Other" includes all other races, as well as multi-racial categories.

³Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 66. Average Birthweight by Maternal Exposure to Smoking and Drug Use During Pregnancy by Mother's Race/Ethnicity, Westchester County, 2007

Mother's Race/Ethnicity		No Smoking & No Drug Use	Smoking Only ¹	Drug Use Only ²	Both Smoking & Drug Use
Total ³	Birthweight (g)	3,261	2,903 *	3,007 *	2,770 *
	n	10,486	148	104	20
White	Birthweight (g)	3,290	3,059 *	3,111	2,932
	n	5,938	72	62	10
Black	Birthweight (g)	3,125	2,659 *	2,766	2,833
	n	1,529	64	32	8
Hispanic ⁴	Birthweight (g)	3,283	3,092	3,028	-- ⁵
	n	3,790	31	18	N/A

¹ Any use of tobacco products during pregnancy.

² Any use of illegal drugs during pregnancy.

³ Total includes 'other' and 'unknown' racial categories. Individuals without birthweight information are excluded.

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

⁵ 5 cases or less.

* Statistical significance determined by post-hoc multiple comparison tests: Dunnett T3 method (total population & black racial group) and Bonferroni's method (white racial group and ethnicity). All comparisons are between the risk group and non-risk group (the "no smoking and no drug use" group). Please refer to details listed under Hypothesis Testing in Appendix 2.

Source: New York State Department of Health.

Table 67. Number of Births by Time Starting Prenatal Care and Mother's Age and Race/Ethnicity, Westchester County, 2007

Mother's Race/Ethnicity and Time Starting Prenatal Care	Total	%	Mother's Age							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
Total¹	11,857	100.0	147	375	1,500	2,522	3,811	2,763	680	59
First Trimester (1st-3rd Month)	7,768	73.7	47	174	797	1627	2645	1995	446	37
Second Trimester (4th-6th Month)	2,294	21.8	57	144	503	577	551	349	106	7
Third Trimester (7th-9th Month)	406	3.9	28	30	105	114	81	33	14	1
No Prenatal Care	65	0.6	1	6	22	13	15	7	1	0
Unknown Prenatal Care Start Date	1,087	-	6	10	22	137	466	340	95	11
No Prenatal Care Information	237	-	8	11	51	54	53	39	18	3
White	7,010	100.0	69	138	576	1,209	2,509	1,974	488	47
First Trimester (1st-3rd Month)	4,788	80.4	16	63	285	833	1779	1455	329	28
Second Trimester (4th-6th Month)	987	16.6	30	49	194	203	271	178	56	6
Third Trimester (7th-9th Month)	156	2.6	13	8	41	39	32	14	8	1
No Prenatal Care	21	0.4	1	3	9	3	3	2	0	0
Unknown Prenatal Care Start Date	926	-	3	7	14	104	398	304	86	10
No Prenatal Care Information	132	-	6	8	33	27	26	21	9	2
Black	1,688	100.0	34	124	353	436	399	261	79	2
First Trimester (1st-3rd Month)	1,009	64.3	11	59	198	266	257	168	48	2
Second Trimester (4th-6th Month)	422	26.9	10	45	104	109	81	55	18	0
Third Trimester (7th-9th Month)	108	6.9	9	14	27	25	21	9	3	0
No Prenatal Care	31	2.0	0	2	9	6	9	5	0	0
Unknown Prenatal Care Start Date	48	-	3	2	2	11	13	13	4	0
No Prenatal Care Information	70	-	1	2	13	19	18	11	6	0
Other²	3,075	100.0	44	113	569	862	871	499	107	10
First Trimester (1st-3rd Month)	1,899	64.9	20	52	313	519	580	345	63	7
Second Trimester (4th-6th Month)	874	29.8	17	50	204	259	196	115	32	1
Third Trimester (7th-9th Month)	142	4.8	6	8	37	50	28	10	3	0
No Prenatal Care	13	0.4	0	1	4	4	3	0	1	0
Unknown Prenatal Care Start Date	113	-	0	1	6	22	55	23	5	1
No Prenatal Care Information	34	-	1	1	5	8	9	6	3	1
Hispanic³	3,989	100.0	103	219	907	1101	961	547	136	15
First Trimester (1st-3rd Month)	2,326	62.3	33	101	473	657	599	372	84	7
Second Trimester (4th-6th Month)	1,189	31.8	42	85	328	334	234	133	31	2
Third Trimester (7th-9th Month)	196	5.2	18	16	58	55	34	10	5	0
No Prenatal Care	25	0.7	0	4	9	5	6	0	1	0
Unknown Prenatal Care Start Date	146	-	3	6	10	29	66	21	5	6
No Prenatal Care Information	107	-	7	7	29	21	22	11	10	0

¹ Total includes cases with unknown race.

² "Other" includes all other races, as well as multi-racial categories.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 68. Number of Births by Time Starting Prenatal Care and Mother's Educational Level and Race/Ethnicity, Westchester County, 2007

Mother's Race/Ethnicity and Time Starting Prenatal Care	Total ¹ %		Mother's Educational Level				
			Less than High School	High School / GED	Some College or Associate's Degree	Bachelor's Degree	Graduate or Professional Degree
Total	11,857	100.0	2,201	1,854	2,234	2,754	2,786
First Trimester (1st-3rd Month)	7,768	73.7	1,148	1,060	1,453	2,006	2,084
Second Trimester (4th-6th Month)	2,294	21.8	774	510	464	288	256
Third Trimester (7th-9th Month)	406	3.9	153	99	89	37	28
No Prenatal Care	65	0.6	31	23	10	0	0
Unknown Prenatal Care Start Date	1,087	-	25	100	160	403	399
No Prenatal Care Information	237	-	70	62	58	20	19
White	7,010	100.0	785	848	1,177	1,981	2,204
First Trimester (1st-3rd Month)	4,788	80.4	376	502	820	1,429	1,650
Second Trimester (4th-6th Month)	987	16.6	283	186	168	173	175
Third Trimester (7th-9th Month)	156	2.6	59	35	31	14	17
No Prenatal Care	21	0.4	9	9	3	0	0
Unknown Prenatal Care Start Date	926	-	13	81	128	353	351
No Prenatal Care Information	132	-	45	35	27	12	11
Black	1,688	100.0	294	409	537	265	175
First Trimester (1st-3rd Month)	1,009	64.3	138	221	312	198	137
Second Trimester (4th-6th Month)	422	26.9	89	119	152	37	25
Third Trimester (7th-9th Month)	108	6.9	34	29	32	9	4
No Prenatal Care	31	2.0	12	11	7	0	0
Unknown Prenatal Care Start Date	48	-	5	6	11	19	7
No Prenatal Care Information	70	-	16	23	23	2	2
Other²	3,075	100.0	1,122	593	501	484	372
First Trimester (1st-3rd Month)	1,899	64.9	634	334	306	359	264
Second Trimester (4th-6th Month)	874	29.8	402	204	140	74	54
Third Trimester (7th-9th Month)	142	4.8	60	35	26	14	7
No Prenatal Care	13	0.4	10	3	0	0	0
Unknown Prenatal Care Start Date	113	-	7	13	21	31	41
No Prenatal Care Information	34	-	9	4	8	6	6
Hispanic³	3,989	100.0	1,737	926	710	354	255
First Trimester (1st-3rd Month)	2,326	62.3	925	500	439	261	197
Second Trimester (4th-6th Month)	1,189	31.8	629	308	180	49	21
Third Trimester (7th-9th Month)	196	5.2	103	45	33	10	5
No Prenatal Care	25	0.7	17	6	2	0	0
Unknown Prenatal Care Start Date	146	-	14	37	36	29	30
No Prenatal Care Information	107	-	49	30	20	5	2

¹ Total includes cases with unknown maternal race and/or educational level.

² "Other" includes all other races, as well as multi-racial categories.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 69. Number of Births by Time Starting Prenatal Care and Mother's Region of Origin, Westchester County, 2007

Time Starting Prenatal Care	Total ¹ %		Mother's Region of Origin													
			USA %	Mexico %	Central / South America %	Caribbean %	Asia / Oceania / Middle East %	Europe / Canada / Australia / Russia %	Africa %							
Total	11,857	100.0	6,710	100.0	1,000	100.0	1,681	100.0	814	100.0	816	100.0	667	100.0	154	100.0
First Trimester (1st-3rd Month)	7,768	73.7	4,583	79.6	502	53.0	1006	63.2	535	69.3	557	75.5	474	82.3	106	74.6
Second Trimester (4th-6th Month)	2,294	21.8	959	16.7	377	39.8	513	32.2	182	23.6	145	19.6	87	15.1	28	19.7
Third Trimester (7th-9th Month)	406	3.9	172	3.0	63	6.7	65	4.1	48	6.2	35	4.7	15	2.6	8	5.6
No Prenatal Care	65	0.6	44	0.8	5	0.5	8	0.5	7	0.9	1	0.1	0	0.0	0	0.0
Unknown Prenatal Care Start Date	1,087	--	815	--	19	--	65	--	21	--	67	--	90	--	5	--
No Prenatal Care Information	237	--	137	--	34	--	24	--	21	--	11	--	1	--	7	--

¹ Total includes unknown region of origin.

Source: New York State Department of Health.

Table 70. Number of Total Pregnancies, Live Births, Spontaneous Fetal Deaths, and Induced Abortions by Mother's Age and Race/Ethnicity, Westchester County, 2007

Mother's Race/Ethnicity and Age	Total Pregnancies	Live Births	Spontaneous Fetal Deaths	Induced Abortions	As % of Total Pregnancies		
					Live Births	Spontaneous Fetal Deaths	Induced Abortions
Total¹	16,701	11,857	271	4,573	71.0	1.62	27.4
10-14	31	2	1	28	0.0	0.01	0.2
15-17	497	145	5	347	0.9	0.03	2.1
18-19	910	375	8	527	2.2	0.05	3.2
20-24	2,854	1,500	31	1,323	9.0	0.19	7.9
25-29	3,596	2,522	48	1,026	15.1	0.29	6.1
30-34	4,559	3,811	58	690	22.8	0.35	4.1
35-39	3,270	2,763	75	432	16.5	0.45	2.6
40-44	886	680	34	172	4.1	0.20	1.0
45+	78	59	5	14	0.4	0.03	0.1
Unknown	20	0	6	14	0.0	0.04	0.1
White Non-Hispanic	6,472	5,321	139	1,012	82.2	2.15	15.6
10-14	4	0	0	4	0.0	0.00	0.1
15-17	78	13	0	65	0.2	0.00	1.0
18-19	146	35	3	108	0.5	0.05	1.7
20-24	479	199	6	274	3.1	0.09	4.2
25-29	1,017	787	18	212	12.2	0.28	3.3
30-34	2,276	2,094	31	151	32.4	0.48	2.3
35-39	1,933	1,733	55	145	26.8	0.85	2.2
40-44	490	423	21	46	6.5	0.32	0.7
45+	44	37	2	5	0.6	0.03	0.1
Unknown	5	0	3	2	0.0	0.05	0.0
Black Non-Hispanic	3,287	1,533	65	1,689	46.6	1.98	51.4
10-14	14	0	0	14	0.0	0.00	0.4
15-17	206	30	2	174	0.9	0.06	5.3
18-19	334	115	3	216	3.5	0.09	6.6
20-24	854	322	17	515	9.8	0.52	15.7
25-29	746	396	17	333	12.0	0.52	10.1
30-34	613	358	13	242	10.9	0.40	7.4
35-39	380	236	4	140	7.2	0.12	4.3
40-44	128	75	5	48	2.3	0.15	1.5
45+	5	1	1	3	0.0	0.03	0.1
Unknown	7	0	3	4	0.0	0.09	0.1
Hispanic²	5,627	3,989	44	1,594	70.9	0.78	28.3
10-14	12	2	1	9	0.0	0.02	0.2
15-17	204	101	2	101	1.8	0.04	1.8
18-19	399	219	2	178	3.9	0.04	3.2
20-24	1,370	907	6	457	16.1	0.11	8.1
25-29	1,520	1,101	8	411	19.6	0.14	7.3
30-34	1,224	961	12	251	17.1	0.21	4.5
35-39	674	547	7	120	9.7	0.12	2.1
40-44	200	136	6	58	2.4	0.11	1.0
45+	17	15	0	2	0.3	0.00	0.0
Unknown	7	0	0	7	0.0	0.00	0.1

¹ Total includes 'other' and 'unknown' races.

² Hispanic is an ethnic group and may be of any race.

Source: New York State Department of Health.

Table 71. Total Number of Deaths and Infant Deaths, Death Rate and Infant Death Rate, Westchester County, 2007

Health Planning Region and Municipality	Number of Deaths	Number of Infant Deaths	Death Rate (per 100,000 population)	Infant Death Rate (per 1,000 live births)
Westchester County	6,805	57	736.9	4.8
Northwest	1,074	7	763.5	4.0
Briarcliff Manor (V)	66	1	857.6	15.4
Buchanan (V)	13	0	593.9	0.0
Cortlandt (TOV)	289	1	1,008.0	3.2
Croton-on-Hudson (V)	62	0	815.1	0.0
Mount Pleasant (TOV)	198	1	757.1	5.3
Ossining (TOV)	31	0	562.2	0.0
Ossining (V)	147	0	612.2	0.0
Peekskill (C)	180	3	802.1	7.1
Pleasantville (V)	45	1	627.4	12.5
Sleepy Hollow (V)	43	0	466.8	0.0
Northeast	844	3	633.0	2.2
Bedford (T)	70	0	386.0	0.0
Lewisboro (T)	43	0	348.9	0.0
Mount Kisco (T/V)	59	0	591.0	0.0
New Castle (T)	85	0	486.0	0.0
North Castle (T)	43	1	396.3	8.3
North Salem (T)	55	1	1,063.2	20.0
Pound Ridge (T)	21	0	444.4	0.0
Somers (T)	193	0	1,052.0	0.0
Yorktown (T)	275	1	757.2	2.7
West Central	1,128	10	715.4	5.1
Ardsley (V)	40	0	937.0	0.0
Dobbs Ferry (V)	101	0	950.9	0.0
Elmsford (V)	26	1	556.0	13.9
Greenburgh (TOV)	277	2	662.2	3.8
Hastings-on-Hudson (V)	59	0	771.4	0.0
Irvington (V)	44	0	663.5	0.0
Scarsdale (T/V)	67	0	375.9	0.0
Tarrytown (V)	78	2	703.3	12.4
White Plains (C)	436	5	821.4	6.1
East Central	603	2	538.6	1.4
Harrison (T/V)	117	2	484.4	9.1
Larchmont (V)	27	0	416.3	0.0
Mamaroneck (TOV)	64	0	574.5	0.0
Mamaroneck (V)	127	0	677.3	0.0
Port Chester (V)	128	0	459.3	0.0
Rye (C)	74	0	494.8	0.0
Rye Brook (V)	66	0	767.3	0.0
Southwest	1,573	16	802.2	5.5
Yonkers (C)	1,573	16	802.2	5.5
Southeast	1,461	16	795.1	6.7
Bronxville (V)	30	0	458.5	0.0
Eastchester (TOV)	158	0	851.1	0.0
Mount Vernon (C)	544	11	795.5	11.8
New Rochelle (C)	603	4	835.4	4.4
Pelham (V)	37	0	578.1	0.0
Pelham Manor (V)	41	0	750.1	0.0
Tuckahoe (V)	48	1	772.8	10.9
Unknown	122	3	--	--

Source: New York State Department of Health.

Table 72. Number of Deaths and Death Rates by Age Group and Sex, and Average Age of Death by Sex, Westchester County, 2007

Age Group	Number			Death Rate <i>(per 100,000 population)</i>		
	Total	Female	Male	Total	Female	Male
Total¹	6,805	3,721	3,084	736.9	772.4	698.2
0-4	64	26	38	99.6	82.6	115.9
5-9	8	3	5	11.8	9.1	14.3
10-19	24	12	12	20.3	21.1	19.6
20-29	68	11	57	66.9	21.4	113.5
30-39	84	31	53	56.5	40.3	74.0
40-49	255	104	151	175.4	138.0	215.7
50-59	528	229	299	479.4	392.4	577.5
60-69	717	321	396	990.2	809.9	1,208.2
70-79	1,341	642	699	2,262.3	1,868.1	2,806.3
80+	3,716	2,342	1,374	10,423.6	9,699.3	11,943.7
Average Age of Death	76.5	79.7	72.7	--	--	--

¹ Totals include unknown age.

Source: New York State Department of Health.

Table 73. Number of Deaths and Death Rates by Age Group and Race/Ethnicity, and Average Age of Death by Race/Ethnicity, Westchester County, 2007

Age Group	Number					Death Rate (per 100,000 population)				
	Total	White	Black	Other	Hispanic ¹	Total	White	Black	Other	Hispanic ¹
Total	6,805	5,637	895	273	364	736.9	855.6	682.5	204.5	252.6
0-4	64	33	22	9	22	99.6	77.6	236.1	72.5	164.4
5-9	8	3	4	1	2	11.8	6.7	36.2	8.4	15.6
10-19	24	13	9	2	4	20.3	17.1	42.0	9.6	17.1
20-29	68	40	16	12	20	66.9	65.0	96.8	50.8	71.1
30-39	84	54	26	4	13	56.5	53.8	116.7	15.4	45.8
40-49	255	164	67	24	35	175.4	152.3	357.2	126.6	185.2
50-59	528	377	116	35	57	479.4	444.5	803.8	321.2	558.1
60-69	717	528	155	34	43	990.2	909.9	1,700.3	645.7	811.0
70-79	1,341	1,115	169	57	53	2,262.3	2,169.8	3,158.9	2,246.7	2,052.7
80+	3,716	3,310	311	95	115	10,423.6	10,462.8	10,787.4	8,399.6	11,197.7
Average Age of Death	76.5	78.4	68.2	66.5	62.2	--	--	--	--	--

¹Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.
Source: New York State Department of Health.

Table 74. Number of Infant Deaths and Infant Mortality Rates by Race/Ethnicity, Westchester County, 2002-2007

Race/ Ethnicity	Number of Infant Deaths					Infant Mortality Rate (per 1,000 live births)				
	2007	2006	2005	2004	2002	2007	2006	2005	2004	2003
Total	57	51	60	55	57	4.8	4.3	5.0	4.4	4.6
White	29	23	28	23	37	4.1	3.2	3.7	2.8	2.7
Black	21	13	12	23	17	12.4	7.9	7.0	12.7	12.9
Other	7	9	20	9	3	2.3	2.9	7.3	4.0	10.0
Unknown		6		0	0				--	--
Hispanic ¹	17	19	23	10	16	4.5	4.8	5.9	2.7	4.3

¹Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.
Source: New York State Department of Health.

Table 75. Ten Leading Causes of Death and Death Rates, Westchester County, New York State (NYS), and the United States, 2005-2007

Cause of Death	Westchester County	Westchester County	New York State	New York City	NYS Excluding NYC	U.S.A.
	2007	2006	2005	2005	2005	2005
Total	6,805	7,050	150,987	55,775	95,212	2,448,017
Rate¹	736.9	763.4	784.2	684.9	856.9	825.9
Major Cardiovascular Diseases						
Number	2,725	2,935	62,477	25,599	36,878	856,030
Rate	295.1	317.8	324.5	314.4	331.9	288.8
Rank	[1]	[1]	[1]	[1]	[1]	[1]
Malignant Neoplasms						
Number	1678	1,802	35,303	12,479	22,824	559,312
Rate	181.7	195.1	183.3	153.2	205.4	188.7
Rank	[2]	[2]	[2]	[2]	[2]	[2]
Chronic Lower Respiratory Disease (CLRD)						
Number	313	290	6,805	1,618	5,187	130,933
Rate	33.9	31.4	35.3	19.9	46.7	44.2
Rank	[3]	[3]	[3]	[6]	[3]	[3]
Pneumonia						
Number	186	183	5,549	2,874	2,675	63,001
Rate	20.1	19.8	28.8	35.3	24.1	21.3
Rank	[5]	[4]	[4]	[3]	[5]	[7]
Septicemia						
Number	178.0	181	2,229	413	1,816	34,136
Rate	19.3	19.6	11.6	5.1	16.3	11.5
Rank	[6]	[5]	[9]	[13]	[7]	[9]
Accidents						
Number	202.0	174	4,345	1,227	3,118	117,809
Rate	21.9	18.8	22.6	15.1	28.1	39.7
Rank	[4]	[6]	[5]	[7]	[4]	[4]
Diabetes Mellitus						
Number	147	134	4,058	1,780	2,278	75,119
Rate	15.9	14.5	21.1	21.9	20.5	25.3
Rank	[7]	[7]	[6]	[4]	[6]	[5]
Nephritis, Nephrotic Syndromes and Nephrosis						
Number	101	131	2,343	574	1,769	43,901
Rate	10.9	14.2	12.2	7.0	15.9	14.8
Rank	[8]	[8]	[8]	[9]	[8]	[8]
Chronic Liver Diseases, including Cirrhosis						
Number	50	51	1,218	443	775	27,530
Rate	5.4	5.5	6.3	5.4	7.0	9.3
Rank	[9]	[9]	[12]	[12]	[11]	[11]
Suicide						
Number	50	47	1,298	456	842	32,637
Rate	5.4	5.1	6.7	5.6	7.6	11.0
Rank	[9]	[10]	[11]	[11]	[10]	[10]

¹ Death rates are per 100,000 population.

Source: New York State Department of Health: Annual Vital Statistics Tables at www.health.state.ny.us/nysdoh/vital_statistics and Centers for Disease Control and Prevention: National Vital Statistics Reports, Volume 56, Number 10, 24 Apr 2008.

Table 76. Number of Deaths and Death Rates by Selected Causes and Sex, Westchester County, 2007

Cause of Death	Number of Deaths			Death Rate (per 100,000 population)		
	Total	Female	Male	Total	Female	Male
Total	6,805	3,721	3,084	736.9	772.4	698.2
Major Cardiovascular Diseases	2,725	1,528	1,197	295.1	317.2	271.0
Malignant Neoplasms	1,678	898	780	181.7	186.4	176.6
Chronic Lower Respiratory Disease (CLRD)	313	180	133	33.9	37.4	30.1
Accidents (Total)	202	68	134	21.9	14.1	30.3
Pneumonia	186	107	79	20.1	22.2	17.9
Septicemia	178	99	79	19.3	20.6	17.9
Diabetes Mellitus	147	76	71	15.9	15.8	16.1
Nephritis, Nephrotic Syndrome and Nephrosis	101	54	47	10.9	11.2	10.6
Chronic Liver Diseases including Cirrhosis	50	22	28	5.4	4.6	6.3
Suicide	50	15	35	5.4	3.1	7.9
AIDS	37	12	25	4.0	2.5	5.7
Certain Conditions Originating in the Perinatal Period	35	15	20	3.8	3.1	4.5
Homicide and Legal Intervention	23	4	19	2.5	0.8	4.3
Gastritis, Enteritis, Colitis, Diverticulitis	22	14	8	2.4	2.9	1.8
Congenital Anomalies	19	7	12	2.1	1.5	2.7
Influenza	1	0	1	0.1	0.0	0.2
Sudden Infant Death Syndrome	1	0	1	0.1	0.0	0.2
Tuberculosis	1	0	1	0.1	0.0	0.2
Complications of Pregnancy, Childbirth, and Puerperium	1	1	0	0.1	0.2	0.0
All Other Causes	1,035	621	414	112.1	128.9	93.7

Source: New York State Department of Health.

Table 77. Number of Deaths and Death Rates by Selected Causes and Age Group, Westchester County, 2007

Cause of Death	Number of Deaths							Death Rate ¹ (per 100,000 population)						
	Total	<1	1-29	30-49	50-64	65-79	80+	Total	<1	1-29	30-49	50-64	65-79	80+
Total	6,805	57	107	339	842	1,744	3,716	736.9	4.8	30.4	115.3	567.0	1,869.0	10,423.6
Major Cardiovascular Diseases	2,725	1	11	79	225	603	1,806	295.1	0.1	3.1	26.9	151.5	646.2	5,065.9
Malignant Neoplasms	1,678	0	15	87	354	640	582	181.7	0.0	4.3	29.6	238.4	685.9	1,632.5
Chronic Lower Respiratory Disease (CLRD)	313	0	1	7	20	90	195	33.9	0.0	0.3	2.4	13.5	96.4	547.0
Pneumonia	186	0	2	5	16	29	134	20.1	0.0	0.6	1.7	10.8	31.1	375.9
Septicemia	178	1	2	2	11	43	119	19.3	0.1	0.6	0.7	7.4	46.1	333.8
Accidents (Total)	202	2	20	52	36	36	56	21.9	0.2	5.7	17.7	24.2	38.6	157.1
Diabetes Mellitus	147	0	1	6	20	41	79	15.9	0.0	0.3	2.0	13.5	43.9	221.6
Nephritis, Nephrotic Syndrome and Nephrosis	101	2	0	1	4	30	64	10.9	0.2	0.0	0.3	2.7	32.1	179.5
Chronic Liver Diseases including Cirrhosis	50	0	0	8	24	9	9	5.4	0.0	0.0	2.7	16.2	9.6	25.2
Suicide	50	0	13	18	15	2	2	5.4	0.0	3.7	6.1	10.1	2.1	5.6
AIDS	37	0	5	13	16	3	0	4.0	0.0	1.4	4.4	10.8	3.2	0.0
Certain Conditions Originating in the Perinatal Period	35	35	0	0	0	0	0	3.8	2.9	0.0	0.0	0.0	0.0	0.0
Homicide and Legal Intervention	23	0	10	7	4	1	1	2.5	0.0	2.8	2.4	2.7	1.1	2.8
Gastritis, Enteritis, Colitis, Diverticulitis	22	0	0	2	3	4	13	2.4	0.0	0.0	0.7	2.0	4.3	36.5
Congenital Anomalies	19	9	6	3	0	1	0	2.1	0.8	1.7	1.0	0.0	1.1	0.0
Influenza	1	0	0	0	1	0	0	0.1	0.0	0.0	0.0	0.7	0.0	0.0
Sudden Infant Death Syndrome	1	1	0	0	0	0	0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
Tuberculosis	1	0	0	0	0	0	1	0.1	0.0	0.0	0.0	0.0	0.0	2.8
Complications of Pregnancy, Childbirth, and Puerperium	1	0	0	0	1	0	0	0.1	0.0	0.0	0.0	0.7	0.0	0.0
All Other Causes	1,035	6	21	49	92	212	655	112.1	0.5	6.0	16.7	61.9	227.2	1,837.3

¹For infants under one year of age, the rate is calculated as per 1,000 live births (defined as infant mortality).

Source: New York State Department of Health.

Table 78. Number of Deaths and Death Rates by Selected Causes and Race/Ethnicity, Westchester County, 2007

Cause of Death	Number of Deaths					Death Rate (per 100,000 population)				
	Total	White	Black	Other	Hispanic ¹	Total	White	Black	Other	Hispanic ¹
Total	6,805	5,637	895	273	364	736.9	855.6	682.5	204.5	252.6
Major Cardiovascular Diseases	2,725	2,301	339	85	106	295.1	349.2	258.5	63.7	73.5
Malignant Neoplasms	1,678	1,390	221	67	101	181.7	211.0	168.5	50.2	70.1
Chronic Lower Respiratory Disease (CLRD)	313	282	25	6	10	33.9	42.8	19.1	4.5	6.9
Pneumonia	186	149	26	11	9	20.1	22.6	19.8	8.2	6.2
Septicemia	178	147	25	6	9	19.3	22.3	19.1	4.5	6.2
Accidents (Total)	202	158	30	14	14	21.9	24.0	22.9	10.5	9.7
Diabetes Mellitus	147	96	35	16	11	15.9	14.6	26.7	12.0	7.6
Nephritis, Nephrotic Syndrome and Nephrosis	101	82	15	4	7	10.9	12.4	11.4	3.0	4.9
Chronic Liver Diseases including Cirrhosis	50	45	3	2	8	5.4	6.8	2.3	1.5	5.6
Suicide	50	42	4	4	6	5.4	6.4	3.1	3.0	4.2
AIDS	37	13	20	4	6	4.0	2.0	15.3	3.0	4.2
Certain Conditions Originating in the Perinatal Period	35	20	12	3	7	3.8	3.0	9.2	2.2	4.9
Homicide and Legal Intervention	23	11	9	3	7	2.5	1.7	6.9	2.2	4.9
Gastritis, Enteritis, Colitis, Diverticulitis	22	16	6	0	0	2.4	2.4	4.6	0.0	0.0
Congenital Anomalies	19	8	9	2	7	2.1	1.2	6.9	1.5	4.9
Influenza	1	1	0	0	0	0.1	0.2	0.0	0.0	0.0
Sudden Infant Death Syndrome	1	1	0	0	1	0.1	0.2	0.0	0.0	0.7
Tuberculosis	1	1	0	0	0	0.1	0.2	0.0	0.0	0.0
Complications of Pregnancy, Childbirth, and Puerperium	1	0	1	0	0	0.1	0.0	0.8	0.0	0.0
All Other Causes	1,035	874	115	46	55	112.1	132.7	87.7	34.5	38.2

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories
Source: New York State Department of Health.

Table 79. Number of Deaths Due to Cardiovascular Diseases by Age Group and Sex, Westchester County, 2007

Disease Category	Total	Age Group					Sex	
		0-29	30-49	50-64	65-79	80+	Female	Male
Total	2,725	12	79	225	603	1,806	1,528	1,197
Diseases of the Heart	2,238	8	61	173	490	1,506	1,241	997
Ischemic Heart Diseases	1,662	3	31	123	364	1,141	916	746
<i>Acute Myocardial Infarction</i>	458	2	16	33	95	312	251	207
<i>Other Ischemic Heart Diseases</i>	1,204	1	15	90	269	829	665	539
Hypertension with Heart Disease	101	0	5	8	34	54	58	43
Pulmonary Circulation Disease	21	0	1	5	5	10	13	8
Chronic Rheumatic Fever	7	0	0	1	1	5	6	1
Acute Rheumatic Fever	0	0	0	0	0	0	0	0
Other Diseases of the Heart	447	5	24	36	86	296	248	199
Other Cardiovascular Diseases	487	4	18	52	113	300	287	200
Cerebrovascular Disease	311	3	12	33	75	188	200	111
Hypertension with or without Renal Disease	78	0	1	9	14	54	42	36
Atherosclerosis	30	0	0	0	6	24	12	18
Other Diseases of the Circulatory System	68	1	5	10	18	34	33	35

Source: New York State Department of Health.

Table 80. Number of Deaths Due to Cardiovascular Diseases by Race/Ethnicity, Westchester County, 2007

Disease Category	Total	White	Black	Other	Hispanic¹
Total	2,725	2,301	339	85	106
Diseases of the Heart	2,238	1,908	272	58	75
Ischemic Heart Diseases	1,662	1,426	193	43	58
<i>Acute Myocardial Infarction</i>	458	385	59	14	23
<i>Other Ischemic Heart Diseases</i>	1,204	1,041	134	29	35
Hypertension with Heart Disease	101	75	23	3	4
Pulmonary Circulation Disease	21	19	1	1	0
Chronic Rheumatic Fever	7	7	0	0	0
Acute Rheumatic Fever	0	0	0	0	0
Other Diseases of the Heart	447	381	55	11	13
Other Cardiovascular Diseases	487	393	67	27	31
Cerebrovascular Disease	311	248	47	16	23
Hypertension with or without Renal Disease	78	59	12	7	5
Atherosclerosis	30	30	0	0	0
Other Diseases of the Circulatory System	68	56	8	4	3

¹ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories
Source: New York State Department of Health.

Table 81. Number of Deaths Due to Cardiovascular Diseases by Age Group and Race/Ethnicity, Westchester County, 2007

Disease Category	Total	White					Black					Other					Hispanic ¹				
		0-29	30-49	50-64	65-79	80+	0-29	30-49	50-64	65-79	80+	0-29	30-49	50-64	65-79	80+	0-30	30-50	50-65	65-80	80+
Total	2,725	5	46	151	480	1,619	4	25	58	97	155	3	8	16	26	32	3	12	19	23	49
Diseases of the Heart	2,238	5	38	113	389	1,363	2	19	49	81	121	1	4	11	20	22	1	7	11	18	38
Ischemic Heart Diseases	1,662	3	20	83	290	1,030	0	9	34	58	92	0	2	6	16	19	0	3	9	17	29
<i>Acute Myocardial Infarction</i>	458	2	11	23	75	274	0	4	8	14	33	0	1	2	6	5	0	2	4	7	10
<i>Other Ischemic Heart Diseases</i>	1,204	1	9	60	215	756	0	5	26	44	59	0	1	4	10	14	0	1	5	10	19
Hypertension with Heart Disease	101	0	4	5	25	41	0	1	2	8	12	0	0	1	1	1	0	1	1	0	2
Pulmonary Circulation Disease	21	0	1	4	4	10	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0
Chronic Rheumatic Fever	7	0	0	1	1	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Acute Rheumatic Fever	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other Diseases of the Heart	447	2	13	20	69	277	2	9	13	14	17	1	2	3	3	2	1	3	1	1	7
Other Cardiovascular Diseases	487	0	8	38	91	256	2	6	9	16	34	2	4	5	6	10	2	5	8	5	11
Cerebrovascular Disease	311	0	6	26	57	159	1	4	4	14	24	2	2	3	4	5	2	4	6	4	7
Hypertension with or without Renal Disease	78	0	0	6	12	41	0	0	3	1	8	0	1	0	1	5	0	0	1	0	4
Atherosclerosis	30	0	0	0	6	24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other Diseases of the Circulatory System	68	0	2	6	16	32	1	2	2	1	2	0	1	2	1	0	0	1	1	1	0

¹ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.
Source: New York State Department of Health.

Table 82. Number of Deaths Due to Malignant Neoplasms by Age Group and Sex, Westchester County, 2007

Disease Category	Total	Age Group					Sex	
		0-29	30-49	50-64	65-79	80+	Female	Male
Total	1,678	15	87	354	640	582	898	780
Digestive Organs and Peritoneum	432	1	24	96	172	139	211	221
Respiratory System	427	0	15	91	187	134	228	199
Genital Organs	196	0	7	35	85	69	114	82
Lymphatic and Hematopoietic Tissues	201	4	9	28	66	94	94	107
Breast	143	1	14	42	43	43	142	1
Urinary Organs	74	0	3	14	26	31	24	50
Buccal Cavity and Pharynx	12	0	3	4	2	3	4	8
Other and Unspecified Sites	193	9	12	44	59	69	81	112

Source: New York State Department of Health.

Table 83. Number of Deaths Due to Malignant Neoplasms by Race/Ethnicity, Westchester County, 2007

Disease Category	Total	White	Black	Other	Hispanic ¹
Total	1,678	1,390	221	67	101
Digestive Organs and Peritoneum	432	342	65	25	37
Respiratory System	427	361	54	12	12
Genital Organs	196	164	29	3	8
Lymphatic and Hematopoietic Tissues	201	170	23	8	14
Breast	143	118	23	2	8
Urinary Organs	74	63	9	2	4
Buccal Cavity and Pharynx	12	8	2	2	3
Other and Unspecified Sites	193	164	16	13	15

¹ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 84. Number of Deaths Due to Malignant Neoplasms by Age Group and Race/Ethnicity, Westchester County, 2007

Disease Category	Total	White					Black					Other					Hispanic ¹				
		0-29	30-49	50-64	65-79	80+	0-29	30-49	50-64	65-79	80+	0-29	30-49	50-64	65-79	80+	0-30	30-50	50-65	65-80	80+
Total	1,678	11	62	274	528	515	2	21	64	84	50	2	4	16	28	17	5	12	32	30	22
Digestive Organs and Peritoneum	432	1	18	67	140	116	0	3	23	22	17	0	3	6	10	6	1	3	12	13	8
Respiratory System	427	0	10	72	159	120	0	5	17	22	10	0	0	2	6	4	0	0	7	1	4
Genital Organs	196	0	6	31	68	59	0	1	4	16	8	0	0	0	1	2	0	0	3	2	3
Lymphatic and Hematopoietic Tissues	201	3	6	22	54	85	0	3	5	8	7	1	0	1	4	2	2	4	1	3	4
Breast	143	1	9	32	35	41	0	5	9	7	2	0	0	1	1	0	1	1	3	3	0
Urinary Organs	74	0	2	11	22	28	0	0	3	3	3	0	1	0	1	0	0	1	0	2	1
Buccal Cavity and Pharynx	12	0	2	3	1	2	0	1	0	0	1	0	0	1	1	0	0	1	1	1	0
Other and Unspecified Sites	193	6	9	36	49	64	2	3	3	6	2	1	0	5	4	3	1	2	5	5	2

¹ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.
Source: New York State Department of Health.

Table 85. Number of Deaths Due to Accidents by Age Group, Sex and Race/Ethnicity, Westchester County, 2007

Disease Category	Total	Age Group					Sex		Race/Ethnicity			
		0-29	30-49	50-64	65-79	80+	Female	Male	White	Black	Other	Hispanic ¹
Total	202	22	52	36	36	56	68	134	158	30	14	14
Transport accidents	46	10	14	4	7	11	6	40	35	7	4	5
Other external causes of accidental injury	118	10	34	28	19	27	42	76	94	18	6	9
Falls	51	1	4	9	16	21	18	33	47	3	1	4
Accidental drowning and submersion	4	1	2	0	1	0	2	2	1	1	2	0
Exposure to smoke, fire, flames, heat, and other hot substances	7	1	0	1	2	3	3	4	4	3	0	0
Accidental poisoning by and exposure to noxious substance	56	7	28	18	0	3	19	37	42	11	3	5
All other accidents	38	2	4	4	10	18	20	18	29	5	4	0

¹ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health

Table 86. Number of Emergency Room Visits by Hospital, Patient Disposition, and Residency, 2007-2008

	2007					2008				
	Total	Out Patient	In-patient	County Resident	Non-Resident	Total	Out Patient	In-patient	County Resident	Non-Resident
Total	357,522	269,532	87,990	295,979	61,543	368,665	279,262	89,403	295,123	73,542
Westchester Medical Center	41,457	23,830	17,627	28,662	12,795	44,518	26,744	17,774	30,565	13,953
White Plains Hospital Center	42,553	33,803	8,750	37,811	4,742	43,125	34,064	9,061	38,444	4,681
St. Joseph's Hospital	32,377	25,641	6,736	25,610	6,767	36,414	29,772	6,642	28,825	7,589
Lawrence Hospital Center	32,533	25,108	7,425	25,243	7,290	34,258	26,278	7,980	16,710	17,548
Sound Shore Medical Center	33,889	27,133	6,756	29,262	4,627	33,416	27,088	6,328	29,095	4,321
Hudson Valley Hospital Center	32,985	28,332	4,653	24,671	8,314	33,175	28,225	4,950	24,844	8,331
St. John's Riverside Hospital	31,629	24,413	7,216	29,162	2,467	32,590	25,214	7,376	29,892	2,698
Northern Westchester Hospital	26,172	21,023	5,149	21,231	4,941	28,187	22,644	5,543	22,933	5,254
Phelps Memorial Hospital	21,408	15,972	5,436	17,935	3,473	21,662	16,478	5,184	18,466	3,196
Mount Vernon Hospital	20,938	16,630	4,308	18,421	2,517	20,552	16,507	4,045	18,181	2,371
Community Hospital Dobbs Ferry	9,428	8,183	1,245	8,322	1,106	9,385	8,141	1,244	8,299	1,086
SVCMC-St. Vincent's Westchester ¹	1,931	0	1,931	1,031	900	2,001	0	2,001	967	1,034
New York Presbyterian Hospital ¹	1,938	0	1,938	704	1,234	1,736	0	1,736	562	1,174
All Other Out-of-County Hospitals	28,284	19,464	8,820	27,914	370	27,646	18,107	9,539	27,340	306

¹These hospitals do not have a physical emergency department but do have a 24 hour referral service.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 87. Number of Emergency Room Visits by Sex and Hospital, Westchester County Residents, 2007-2008

Hospital	2007			2008		
	Total ¹	Male	Female	Total ¹	Male	Female
Total	295,979	139,761	156,208	295,123	139,562	155,555
White Plains Hospital Center	37,811	17,681	20,129	38,444	17,889	20,554
Westchester Medical Center	28,662	15,333	13,329	30,565	16,283	14,282
St. John's Riverside Hospital	29,162	12,393	16,769	29,892	12,735	17,157
Sound Shore Medical Center	29,262	13,464	15,798	29,095	13,384	15,711
St. Joseph's Hospital	25,610	12,095	13,515	28,825	13,765	15,060
Hudson Valley Hospital Center	24,671	11,678	12,993	24,844	11,763	13,078
Northern Westchester Hospital	21,231	10,464	10,767	22,933	11,225	11,708
Phelps Memorial Hospital	17,935	8,489	9,445	18,466	8,623	9,843
Mount Vernon Hospital	18,421	8,120	10,301	18,181	8,253	9,928
Lawrence Hospital Center	25,243	11,302	13,936	16,710	7,477	9,232
Community Hospital Dobbs Ferry	8,322	4,040	4,281	8,299	3,938	4,361
SVCMC-St. Vincent's Westchester ²	1,031	503	528	967	479	488
New York Presbyterian Hospital ²	704	349	355	562	264	298
All Other Out-of-County Hospitals	27,914	13,850	14,062	27,340	13,484	13,855

¹Totals may include unknown sex.

²These hospitals do not have a physical emergency department but do have a 24 hour referral service.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 88. Number of Emergency Room Visits by Age and Hospital, Westchester County Residents, 2007-2008

2007											
	Total	<1	1-4	5-9	10-14	15-17	18-24	25-44	45-64	65-74	75+
Total	295,979	7,442	20,517	14,219	14,419	11,839	27,787	75,790	64,828	20,082	39,056
White Plains Hospital Center	37,811	888	2,579	1,628	1,583	1,262	3,069	9,080	8,643	2,949	6,130
Sound Shore Medical Center	29,262	981	2,478	1,617	1,323	887	2,877	6,932	5,689	2,019	4,459
St. John's Riverside Hospital	29,162	1,034	2,608	1,423	1,191	1,038	2,750	7,556	5,723	1,801	4,038
Westchester Medical Center	28,662	1,753	3,300	1,792	1,911	1,734	2,513	6,439	5,580	1,465	2,175
St. Joseph's Hospital	25,610	369	1,523	1,314	1,294	1,100	3,154	7,939	5,834	1,361	1,722
Lawrence Hospital Center	25,243	380	1,488	1,082	1,095	776	1,895	6,291	5,318	1,897	5,021
Hudson Valley Hospital Center	24,671	471	1,506	1,149	1,299	1,107	2,241	6,013	5,621	1,660	3,604
Northern Westchester Hospital	21,231	479	1,585	1,347	1,461	1,121	1,432	4,195	4,772	1,653	3,186
Mount Vernon Hospital	18,421	180	744	734	706	613	2,077	5,920	4,585	1,212	1,650
Phelps Memorial Hospital	17,935	272	887	729	820	622	1,425	4,405	4,102	1,369	3,304
Community Hospital Dobbs Ferry	8,322	48	317	422	653	504	680	1,847	1,971	582	1,298
SVCMC-St. Vincent's Westchester ¹	1,031	0	0	0	39	109	143	361	314	29	36
New York Presbyterian Hospital ¹	704	0	0	10	57	58	78	231	210	30	30
All Other Out-of-County Hospitals	27,914	587	1,502	972	987	908	3,453	8,581	6,466	2,055	2,403
2008											
Total	295,123	7,411	19,763	14,211	13,978	11,258	28,361	75,667	66,558	19,948	37,968
White Plains Hospital Center	38,444	871	2,433	1,681	1,516	1,298	3,236	9,251	9,006	3,003	6,149
Westchester Medical Center	30,565	1,855	3,609	2,136	2,042	1,591	2,549	6,795	5,995	1,592	2,401
St. John's Riverside Hospital	29,892	1,055	2,621	1,493	1,213	958	2,917	7,684	5,873	1,847	4,231
Sound Shore Medical Center	29,095	918	2,308	1,486	1,214	871	2,864	7,123	5,958	2,048	4,305
St. Joseph's Hospital	28,825	543	1,725	1,509	1,363	1,265	3,936	8,919	6,393	1,438	1,734
Hudson Valley Hospital Center	24,844	384	1,400	1,201	1,332	1,046	2,257	6,066	5,902	1,626	3,630
Northern Westchester Hospital	22,933	478	1,584	1,346	1,496	1,176	1,549	4,608	5,350	1,723	3,623
Phelps Memorial Hospital	18,466	243	846	690	822	627	1,563	4,511	4,417	1,419	3,328
Mount Vernon Hospital	18,181	181	657	625	627	541	2,099	5,829	4,779	1,297	1,546
Lawrence Hospital Center	16,710	275	947	753	704	456	1,241	4,200	3,588	1,275	3,271
Community Hospital Dobbs Ferry	8,299	31	284	387	598	452	693	2,022	2,005	580	1,247
SVCMC-St. Vincent's Westchester ¹	967	0	0	0	39	90	131	311	333	42	21
New York Presbyterian Hospital ¹	562	0	0	7	45	37	80	179	143	26	45
All Other Out-of-County Hospitals	27,340	577	1,349	897	967	850	3,246	8,169	6,816	2,032	2,437

¹These hospitals do not have a physical emergency department but do have a 24 hour referral service.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 89. Number of Emergency Room Visits by Race/Ethnicity and Hospital, Westchester County Residents, 2007-2008

	2007					2008				
	Total ¹	White	Black	Other ²	Hispanic ³	Total ¹	White	Black	Other ²	Hispanic ³
Total	295,979	162,220	70,740	55,706	59,245	295,123	159,351	71,516	60,642	62,499
White Plains Hospital Center	37,811	20,350	7,527	9,434	7,857	38,444	20,448	7,734	9,568	7,821
Westchester Medical Center	28,662	14,902	5,203	7,693	5,283	30,565	16,761	5,791	7,414	6,891
St. John's Riverside Hospital	29,162	17,050	7,490	4,080	9,204	29,892	18,295	7,609	3,685	9,856
Sound Shore Medical Center	29,262	17,610	9,584	1,161	6,348	29,095	17,382	9,902	1,811	6,339
St. Joseph's Hospital	25,610	4,302	8,967	12,341	10,279	28,825	4,424	10,115	14,286	11,909
Hudson Valley Hospital Center	24,671	17,486	4,038	2,940	3,742	24,844	15,586	4,154	4,981	3,759
Northern Westchester Hospital	21,231	17,415	733	2,831	2,163	22,933	18,733	782	3,194	2,506
Phelps Memorial Hospital	17,935	11,132	1,955	4,503	3,887	18,466	11,720	1,962	4,453	3,853
Mount Vernon Hospital	18,421	4,712	13,157	457	2,055	18,181	4,622	12,988	571	1,949
Lawrence Hospital Center	25,243	15,578	4,315	4,296	2,835	16,710	9,891	3,003	3,159	2,117
Community Hospital Dobbs Ferry	8,322	6,722	704	455	602	8,299	6,791	632	478	631
SVCMC - St. Vincent's Westchester ⁴	1,031	541	318	172	146	967	497	303	167	135
New York Presbyterian Hospital ⁴	704	518	136	50	70	562	405	87	70	39
All Other Out-of-County Hospitals	27,914	13,902	6,613	5,293	4,774	27,340	13,796	6,454	6,805	4,694

¹Totals include unknown race.

²Includes Native Americans, Asian, Pacific Islanders, and Other.

³Hispanic is an ethnic group and may be of any race.

⁴These hospitals do not have a physical emergency department but do have a 24 hour referral service.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 90. Number of Emergency Room Visits by Major Diagnosis Category and Hospital, Westchester County Residents, 2007-2008

2007													
	Total ¹	Community Hospital Dobbs Ferry	Hudson Valley Hospital Center	Lawrence Hospital Center	Mount Vernon Hospital	Northern Westchester Hospital	Phelps Memorial Hospital	Sound Shore Medical Center	St. John's Riverside Hospital	St. Joseph's Hospital	Westchester Medical Center	White Plains Hospital Center	All Other Out-of-County Hospitals
Total	295,979	8,322	24,671	25,243	18,421	21,231	17,935	29,262	29,162	25,610	28,662	37,811	27,914
Injuries and Poisonings	79,964	3,575	8,199	7,902	4,245	7,849	5,310	7,419	6,843	4,622	6,646	10,764	6,590
Diseases of the Respiratory System	32,875	822	2,725	2,930	2,335	1,760	1,696	3,591	4,275	3,735	2,903	3,866	2,237
General Symptoms	27,337	461	2,286	2,214	1,383	2,025	1,352	2,825	3,624	1,557	2,719	4,134	2,757
Diseases of the Cardiovascular System	27,150	524	2,248	2,610	1,567	1,946	1,443	2,839	3,027	1,851	2,901	3,320	2,874
Diseases of the Digestive System	23,192	572	1,593	1,927	1,304	1,608	1,550	2,523	2,401	1,809	2,611	3,263	2,031
Diseases of the Musculoskeletal & Nervous Systems	19,463	455	1,803	1,610	1,268	1,151	1,257	1,773	1,671	1,987	1,584	2,691	2,210
Mental Disorders & Substance Abuse	15,401	138	413	390	1,710	690	925	787	291	2,809	2,642	1,338	1,536
Diseases of the Urogenital System	14,582	372	1,168	1,293	911	999	920	1,453	1,793	1,351	1,056	1,990	1,276
Diseases of the Skin	12,144	358	1,152	1,106	775	789	872	1,204	1,473	1,071	943	1,449	952
Infectious and Parasitic Diseases	9,396	309	729	782	878	625	574	1,061	936	992	566	1,235	709
Diseases of the Eye & Ear	9,152	244	851	735	612	631	527	1,127	979	950	739	1,108	649
Other Care	8,355	253	481	543	371	304	675	742	221	1,718	1,258	730	1,059
Metabolic, Nutritional, or Developmental Diseases	5,954	147	438	599	501	374	335	644	536	492	613	837	438
Childbirth and Reproductive Care	6,272	37	357	298	241	241	281	757	651	467	744	552	1,646
Neoplasms	2,413	36	98	179	105	141	119	220	229	96	338	302	550
Blood and Blood-Forming Organs	2,002	19	114	117	207	83	91	232	192	96	268	211	372
Conditions Originating in the Perinatal Period	327	0	16	8	8	15	8	65	20	7	131	21	28
2008													
Total	295,123	8,299	24,844	16,710	18,181	22,933	18,466	29,095	29,892	28,825	30,565	38,444	27,340
Injuries and Poisonings	76,071	3,449	7,791	4,900	3,996	7,914	5,255	7,055	6,744	6,018	6,673	10,380	5,896
Diseases of the Respiratory System	33,486	829	2,818	2,156	2,360	1,977	1,888	3,365	4,631	4,125	3,037	4,082	2,218
General Symptoms	27,282	452	2,493	1,390	1,460	2,336	1,565	2,944	3,342	1,762	2,953	3,850	2,735
Diseases of the Cardiovascular System	26,910	499	2,189	1,700	1,681	2,205	1,533	2,723	3,130	1,722	2,950	3,545	3,033
Diseases of the Digestive System	23,745	656	1,755	1,342	1,269	1,869	1,558	2,413	2,367	2,269	2,802	3,370	2,075
Diseases of the Musculoskeletal & Nervous Systems	19,658	492	1,839	1,107	1,235	1,212	1,371	1,959	1,653	2,008	1,815	2,696	2,255
Mental Disorders & Substance Abuse	15,847	134	424	268	1,777	750	916	941	364	2,826	2,841	1,472	1,630
Diseases of the Urogenital System	14,720	351	1,165	831	806	1,132	987	1,516	1,863	1,608	1,115	2,157	1,189
Diseases of the Skin	12,598	400	1,167	702	830	862	850	1,271	1,602	1,298	1,051	1,568	997
Infectious and Parasitic Diseases	10,276	306	928	605	636	736	509	1,117	1,135	1,383	756	1,445	720
Diseases of the Eye & Ear	9,234	267	852	514	509	630	522	973	1,039	1,127	947	1,182	672
Other Care	8,238	226	507	343	494	389	612	944	258	1,374	1,332	803	948
Childbirth and Reproductive Care	6,535	46	290	208	387	248	286	795	766	598	845	549	1,517
Metabolic, Nutritional, or Developmental Diseases	5,962	129	419	401	480	407	375	586	629	525	666	863	481
Neoplasms	2,256	38	100	137	94	148	120	188	192	90	343	230	576
Blood and Blood-Forming Organs	2,004	24	103	104	165	111	93	249	167	87	307	231	363
Conditions Originating in the Perinatal Period	301	1	4	2	2	7	26	56	10	5	132	21	35

¹ Totals include cases from St. Vincent's Hospital Westchester and New York Presbyterian Hospital: these hospitals do not have a physical emergency department but do have a 24 hour referral service.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 91. Number of Emergency Room Visits by Payer and Hospital, Westchester County Residents, 2007-2008

2007								
	Total	Private Insurance	Medicaid	Medicare	Self Pay	Workers Compensation	Federal Program	Other
Total	295,979	159,333	56,436	36,802	38,336	4,923	109	40
White Plains Hospital Center	37,811	21,265	8,510	2,309	4,611	1,116	0	0
Sound Shore Medical Center	29,262	9,079	7,260	8,451	4,470	0	2	0
St. John's Riverside Hospital	29,162	17,560	5,318	2,065	4,089	107	6	17
Westchester Medical Center	28,662	17,864	3,801	3,832	3,100	57	0	8
St. Joseph's Hospital	25,610	11,135	3,845	4,405	5,888	329	8	0
Lawrence Hospital Center	25,243	15,825	5,677	847	2,268	626	0	0
Hudson Valley Hospital Center	24,671	14,789	5,141	1,298	2,737	646	60	0
Northern Westchester Hospital	21,231	14,788	4,147	577	1,278	441	0	0
Mount Vernon Hospital	18,421	3,890	3,493	7,384	3,653	0	1	0
Phelps Memorial Hospital	17,935	9,837	4,613	959	1,805	706	6	9
Community Hospital Dobbs Ferry	8,322	5,583	1,668	202	861	8	0	0
SVCMC-St. Vincent's Westchester ¹	1,031	368	262	341	59	1	0	0
New York Presbyterian Hospital ¹	704	317	169	192	26	0	0	0
All Other Out-of County Hospitals	27,914	17,033	2,532	3,940	3,491	886	26	6
2008								
Total	295,123	148,469	43,881	55,845	40,459	5,579	145	745
White Plains Hospital Center	38,444	22,528	1,824	8,490	4,628	974	0	0
Westchester Medical Center	30,565	18,585	3,566	4,048	3,381	662	0	323
St. John's Riverside Hospital	29,892	17,508	1,658	5,312	4,606	693	30	85
Sound Shore Medical Center	29,095	8,931	8,582	7,036	4,546	0	0	0
St. Joseph's Hospital	28,825	5,267	12,774	3,545	6,838	397	4	0
Hudson Valley Hospital Center	24,844	13,768	2,611	5,104	2,855	462	44	0
Northern Westchester Hospital	22,933	15,833	440	4,541	1,798	321	0	0
Phelps Memorial Hospital	18,466	8,828	2,283	4,632	1,937	657	16	113
Mount Vernon Hospital	18,181	3,752	7,036	3,353	4,031	0	9	0
Lawrence Hospital Center	16,710	10,643	455	3,650	1,555	407	0	0
Community Hospital Dobbs Ferry	8,299	5,489	145	1,604	874	182	5	0
SVCMC-St. Vincent's Westchester ¹	967	414	218	277	57	1	0	0
New York Presbyterian Hospital ¹	562	252	124	159	23	4	0	0
All Other Out-of County Hospitals	27,340	16,671	2,165	4,094	3,330	819	37	224

¹These hospitals do not have a physical emergency department but do have a 24 hour referral service

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 92. Number of Emergency Room Visits by Major Diagnosis Category and Sex, Westchester County Residents, 2007-2008

	2007			2008		
	Total ^{1,2}	Male	Female	Total	Male	Female
Total	295,979	139,761	156,208	295,123	139,562	155,555
Injuries and Poisonings	79,964	43,136	36,824	76,071	41,263	34,807
Diseases of the Respiratory System	32,875	15,241	17,634	33,486	15,228	18,258
General Symptoms	27,337	11,147	16,189	27,282	11,250	16,032
Diseases of the Cardiovascular System	27,150	13,141	14,009	26,910	12,977	13,932
Diseases of the Digestive System	23,192	10,659	12,530	23,745	10,880	12,865
Diseases of the Musculoskeletal & Nervous Systems	19,463	8,317	11,144	19,658	8,423	11,235
Mental Disorders & Substance Abuse	15,401	8,676	6,725	15,847	9,016	6,831
Diseases of the Urogenital System	14,582	5,305	9,277	14,720	5,278	9,442
Diseases of the Skin	12,144	5,888	6,256	12,598	6,304	6,293
Infectious and Parasitic Diseases	9,396	4,344	5,052	10,276	4,784	5,492
Diseases of the Eye & Ear	9,152	4,427	4,725	9,234	4,476	4,757
Other Care	8,355	4,559	3,796	8,238	4,807	3,431
Childbirth and Reproductive care	6,272	0	6,272	6,535	0	6,535
Metabolic, Nutritional, or Developmental Diseases	5,954	2,866	3,088	5,962	2,898	3,062
Neoplasms	2,413	1,084	1,329	2,256	1,028	1,228
Blood and Blood-forming Organs	2,002	789	1,213	2,004	804	1,200
Conditions Originating in the Perinatal Period	327	182	145	301	146	155

¹Totals include unknown sex.

²Totals include cases from St. Vincent's Hospital Westchester and New York Presbyterian Hospital: these hospitals do not have a physical emergency department but do have a 24 hour referral service.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 93. Number of Emergency Room Visits by Major Diagnosis Category and Age, Westchester County Residents, 2007-2008

2007											
	Total ¹	<1	1-4	5-9	10-14	15-17	18-24	25-44	45-64	65-74	75+
Total	295,979	7,442	20,517	14,219	14,419	11,839	27,787	75,790	64,828	20,082	39,056
Injuries and Poisonings	79,964	662	5,685	5,422	7,361	5,210	8,115	19,904	15,897	4,095	7,613
Diseases of the Respiratory System	32,875	2,111	4,816	2,638	1,504	928	2,668	6,768	5,601	1,911	3,930
General Symptoms	27,337	1,139	2,222	1,278	1,115	909	2,524	6,667	5,972	1,857	3,654
Diseases of the Cardiovascular System	27,150	22	50	131	224	305	893	4,701	8,477	4,006	8,341
Diseases of the Digestive System	23,192	994	1,867	932	670	554	2,048	5,970	5,028	1,693	3,436
Diseases of the Musculoskeletal & Nervous Systems	19,463	37	246	317	552	501	1,441	6,533	6,209	1,382	2,245
Mental Disorders & Substance Abuse	15,401	11	20	206	760	1,122	1,888	5,549	4,620	577	648
Diseases of the Urogenital System	14,582	144	331	281	282	466	2,071	4,455	3,094	1,181	2,277
Diseases of the Skin	12,144	333	818	651	558	520	1,380	3,384	2,780	676	1,044
Infectious and Parasitic Diseases	9,396	522	1,178	754	368	310	804	1,730	1,345	588	1,797
Diseases of the Eye & Ear	9,152	648	2,287	1,045	474	279	668	1,923	1,218	266	344
Other Care	8,355	387	604	376	364	404	1,030	2,166	1,734	452	838
Childbirth and Reproductive Care	6,272	-	-	-	12	182	1,816	4,223	39	-	-
Metabolic, Nutritional, or Developmental Diseases	5,954	101	304	114	103	62	241	972	1,665	766	1,626
Neoplasms	2,413	6	21	13	11	13	31	256	782	465	815
Blood and Blood-forming Organs	2,002	9	64	61	61	74	167	584	367	167	448
Conditions Originating in the Perinatal Period	327	316	4	-	-	-	2	5	-	-	-
2008											
Total	295,123	7,411	19,763	14,211	13,978	11,258	28,361	75,667	66,558	19,948	37,968
Injuries and Poisonings	76,071	663	5,207	4,984	6,648	4,922	7,999	19,173	15,579	3,727	7,169
Diseases of the Respiratory System	33,486	2,030	4,494	2,691	1,488	916	2,765	7,097	6,159	1,933	3,913
General Symptoms	27,282	1,142	2,238	1,345	1,100	925	2,555	6,635	5,962	1,936	3,444
Diseases of the Cardiovascular System	26,910	31	50	129	213	233	882	4,650	8,779	3,840	8,103
Diseases of the Digestive System	23,745	961	1,813	1,043	767	596	2,211	6,096	5,223	1,771	3,264
Diseases of the Musculoskeletal & Nervous Systems	19,658	44	259	329	571	453	1,419	6,471	6,393	1,407	2,312
Mental Disorders & Substance Abuse	15,847	16	21	188	858	1,113	2,182	5,555	4,611	675	628
Diseases of the Urogenital System	14,720	147	317	298	284	429	2,125	4,491	3,213	1,096	2,320
Diseases of the Skin	12,598	326	890	714	572	508	1,404	3,498	3,017	656	1,013
Infectious and Parasitic Diseases	10,276	523	1,316	855	456	253	795	1,775	1,576	718	2,009
Diseases of the Eye & Ear	9,234	702	2,250	1,087	473	240	716	1,807	1,345	279	335
Other Care	8,238	432	521	330	316	330	990	2,198	1,808	496	817
Childbirth and Reproductive Care	6,534	-	-	-	17	189	1,886	4,396	46	-	-
Metabolic, Nutritional, or Developmental Diseases	5,962	99	287	125	149	98	212	971	1,713	800	1,508
Neoplasms	2,256	4	18	11	10	11	37	250	768	447	700
Blood and Blood-forming Organs	2,004	12	79	82	56	41	174	594	366	167	433
Conditions Originating in the Perinatal Period	301	279	3	-	-	1	9	10	-	-	-

¹Totals include cases from St. Vincent's Hospital Westchester and New York Presbyterian Hospital: these hospitals do not have a physical emergency department but do have a 24 hour referral service.
Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 94. Number of Emergency Room Visits by Major Diagnosis Category and Race/Ethnicity, Westchester County Residents, 2007-2008

	2007					2008				
	Total ^{1,2}	White	Black	Other	Hispanic ³	Total ^{1,2}	White	Black	Other	Hispanic ³
Total	295,979	162,220	70,740	55,706	59,245	295,123	159,351	71,516	60,642	62,499
Injuries and Poisonings	79,964	48,837	15,185	13,915	13,892	76,071	45,670	14,980	14,376	14,114
Diseases of the Respiratory System	32,875	15,723	9,554	6,847	8,222	33,486	15,729	9,820	7,530	8,698
General Symptoms	27,337	14,724	6,390	5,424	6,382	27,282	14,726	6,343	5,900	6,689
Diseases of the Cardiovascular System	27,150	16,833	6,045	3,627	3,202	26,910	16,711	6,095	3,851	3,277
Diseases of the Digestive System	23,192	12,788	5,326	4,517	5,186	23,745	12,867	5,400	5,207	5,691
Diseases of the Musculoskeletal & Nervous Systems	19,463	10,291	5,418	3,275	3,435	19,658	10,147	5,621	3,678	3,686
Mental Disorders & Substance Abuse	15,401	7,857	3,980	3,333	2,692	15,847	7,756	4,020	3,843	2,845
Diseases of the Urogenital System	14,582	7,980	3,453	2,818	3,141	14,720	7,951	3,525	3,078	3,401
Diseases of the Skin	12,144	6,350	3,162	2,321	2,630	12,598	6,439	3,437	2,543	2,899
Infectious and Parasitic Diseases	9,396	4,625	2,578	1,992	2,220	10,276	5,235	2,539	2,364	2,513
Diseases of the Eye & Ear	9,152	4,041	2,419	2,442	3,003	9,234	4,057	2,340	2,696	3,161
Other Care	8,355	3,836	2,214	2,077	1,977	8,238	3,886	2,255	2,011	1,925
Childbirth and Reproductive Care	6,272	2,468	1,836	1,695	1,981	6,535	2,374	2,098	1,981	2,195
Metabolic, Nutritional, or Developmental Diseases	5,954	3,278	1,725	836	779	5,962	3,266	1,714	933	872
Neoplasms	2,413	1,579	498	264	216	2,256	1,499	440	300	219
Blood and Blood-forming Organs	2,002	851	901	221	183	2,004	910	829	245	219
Conditions Originating in the Perinatal Period	327	159	56	102	104	301	128	60	106	95

¹Totals may include unknown race.

²Totals include cases from St. Vincent's Hospital Westchester and New York Presbyterian Hospital: these hospitals do not have a physical emergency department but do have a 24 hour referral service.

³Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 95. Number of Emergency Room Visits by Major Diagnosis Category and Payer, Westchester County Residents, 2007-2008

2007								
	Total ¹	Private Insurance	Medicare	Medicaid	Self Pay	Workers Compensation	Federal Program	Other Program
Total	295,979	159,333	57,844	35,394	38,336	4,923	109	40
Injuries and Poisonings	79,964	49,264	10,693	5,841	10,396	3,727	27	16
Diseases of the Respiratory System	32,875	17,801	5,915	5,161	3,950	30	16	2
General Symptoms	27,337	15,452	5,350	3,178	3,265	81	10	1
Diseases of the Cardiovascular System	27,150	12,010	10,981	1,994	2,090	57	16	2
Diseases of the Digestive System	23,192	12,252	4,896	2,988	3,019	31	5	1
Diseases of the Musculoskeletal & Nervous Systems	19,463	10,534	3,722	2,126	2,467	602	8	4
Mental Disorders & Substance Abuse	15,401	5,641	2,674	3,989	3,069	21	6	1
Diseases of the Urogenital System	14,582	7,606	3,225	1,543	2,193	8	7	0
Diseases of the Skin	12,144	6,758	1,799	1,561	1,952	71	3	0
Infectious and Parasitic Diseases	9,396	4,530	2,330	1,451	1,071	8	6	0
Diseases of the Eye & Ear	9,152	5,554	667	1,525	1,343	63	0	0
Other Care	8,355	3,901	1,368	1,221	1,641	211	2	11
Childbirth and Rreproductive Care	6,272	3,624	36	1,369	1,233	7	1	2
Metabolic, Nutritional, or Developmental Diseases	5,954	2,398	2,400	726	424	5	1	0
Neoplasms	2,413	1,014	1,060	247	90	1	1	0
Blood and Blood-forming Organs	2,002	825	728	336	113	0	0	0
Conditions Originating in the Perinatal Period	327	169	0	138	20	0	0	0
2008								
Total	295,123	148,469	55,845	43,881	40,459	5,579	145	745
Injuries and Poisonings	76,071	43,376	9,929	7,738	10,527	4,218	45	238
Diseases of the Respiratory System	33,486	16,813	5,731	6,641	4,218	35	23	25
General Symptoms	27,282	14,852	5,010	3,647	3,635	82	9	47
Diseases of the Cardiovascular System	26,910	11,920	10,332	2,363	2,160	66	14	55
Diseases of the Digestive System	23,745	11,999	4,726	3,549	3,407	35	8	21
Diseases of the Musculoskeletal & Nervous Systems	19,658	9,756	3,892	2,784	2,520	590	8	108
Mental Disorders & Substance Abuse	15,847	5,354	2,693	4,192	3,527	18	6	57
Diseases of the Urogenital System	14,720	7,237	3,118	2,071	2,262	15	7	10
Diseases of the Skin	12,598	6,541	1,755	2,165	2,017	96	3	21
Infectious and Parasitic Diseases	10,276	4,542	2,608	1,930	1,169	12	8	7
Diseases of the Eye & Ear	9,234	5,138	659	2,001	1,348	71	2	15
Other Care	8,238	3,204	1,404	1,616	1,584	324	4	102
Childbirth and Rreproductive Care	6,535	3,382	62	1,705	1,348	10	6	22
Metabolic, Nutritional, or Developmental Diseases	5,962	2,401	2,211	834	500	5	1	10
Neoplasms	2,256	952	973	230	97	1	0	3
Blood and Blood-forming Organs	2,004	842	742	302	113	1	1	3
Conditions Originating in the Perinatal Period	301	160	0	113	27	0	0	1

¹Totals include cases from St. Vincent's Hospital Westchester and New York Presbyterian Hospital: these hospitals do not have a physical emergency department but do have a 24 hour referral service.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 96. Number of Emergency Room Visits by Major Diagnosis Category and Disposition, Westchester County Residents, 2007-2008

	2007			2008		
	Total ¹	Out Patient	Inpatient	Total ¹	Out Patient	Inpatient
Total	295,979	226,748	69,231	295,123	227,115	68,008
Injuries and Poisonings	79,964	73,097	6,867	76,071	69,647	6,424
Diseases of the Respiratory System	32,875	25,443	7,432	33,486	26,099	7,387
General Symptoms	27,337	23,826	3,511	27,282	24,121	3,161
Diseases of the Cardiovascular System	27,150	11,784	15,366	26,910	12,097	14,813
Diseases of the Digestive System	23,192	15,011	8,181	23,745	15,804	7,941
Diseases of the Musculoskeletal & Nervous Systems	19,463	16,570	2,893	19,658	16,509	3,149
Mental Disorders & Substance Abuse	15,401	9,032	6,369	15,847	9,737	6,110
Diseases of the Urogenital System	14,582	11,015	3,567	14,720	11,272	3,448
Diseases of the Skin	12,144	10,349	1,795	12,598	10,751	1,847
Infectious and Parasitic Diseases	9,396	5,873	3,523	10,276	6,287	3,989
Diseases of the Eye & Ear	9,152	8,796	356	9,234	8,909	325
Other Care	8,355	7,575	780	8,238	7,343	895
Childbirth and Reproductive Care	6,272	4,394	1,878	6,535	4,534	2,001
Metabolic, Nutritional, or Developmental Diseases	5,954	2,758	3,196	5,962	2,861	3,101
Neoplasms	2,413	301	2,112	2,256	253	2,003
Blood and Blood-Forming Organs	2,002	728	1,274	2,004	724	1,280
Conditions Originating in the Perinatal Period	327	196	131	301	167	134

¹Totals include cases from St. Vincent's Hospital Westchester and New York Presbyterian Hospital: these hospitals do not have a physical emergency department but do have a 24 hour referral service.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 97. Number of Emergency Room Visits Due to Injuries and Poisonings by Sex, Age, and Race/Ethnicity, Westchester County Residents, 2007-2008

2007											
	Total	<1	1-4	5-9	10-14	15-17	18-24	25-44	45-64	65-74	75+
Total	79,964	662	5,685	5,422	7,361	5,210	8,115	19,904	15,897	4,095	7,613
White	48,837	308	3,160	3,130	4,521	2,966	4,223	10,614	10,305	3,042	6,568
Black	15,185	119	862	1,001	1,429	1,175	1,902	4,505	3,097	617	478
Other	13,915	205	1,466	1,135	1,216	914	1,746	4,303	2,139	376	415
Hispanic ¹	13,892	191	1,534	1,170	1,283	858	1,937	4,529	1,889	259	242
Male	43,136	361	3,278	3,223	4,626	3,376	5,118	11,230	7,665	1,691	2,568
White	26,077	173	1,845	1,832	2,821	1,872	2,692	6,242	5,077	1,290	2,233
Black	7,751	60	488	603	892	784	1,066	2,133	1,372	225	128
Other	8,185	114	828	690	791	614	1,200	2,587	1,049	157	155
Hispanic ¹	8,377	107	886	711	841	575	1,341	2,804	953	88	71
Female	36,824	300	2,407	2,199	2,735	1,834	2,997	8,671	8,232	2,404	5,045
White	22,758	135	1,315	1,298	1,700	1,094	1,531	4,370	5,228	1,752	4,335
Black	7,434	59	374	398	537	391	836	2,372	1,725	392	350
Other	5,728	90	638	445	425	300	546	1,715	1,090	219	260
Hispanic ¹	5,513	83	648	459	442	283	596	1,724	936	171	171
2008											
Total	76,071	663	5,207	4,984	6,648	4,922	7,999	19,173	15,579	3,727	7,169
White	45,670	316	2,844	2,864	4,023	2,770	4,054	9,966	9,942	2,714	6,177
Black	14,980	139	881	926	1,268	1,148	1,953	4,471	3,122	580	492
Other	14,376	196	1,360	1,116	1,247	922	1,886	4,486	2,321	394	448
Hispanic ¹	14,114	212	1,479	1,133	1,231	924	1,970	4,632	1,980	294	259
Male	41,263	341	2,987	2,981	4,188	3,214	4,993	10,897	7,558	1,582	2,522
White	24,384	157	1,659	1,721	2,523	1,750	2,568	5,808	4,852	1,160	2,186
Black	7,830	78	485	555	827	797	1,095	2,229	1,397	224	143
Other	8,493	99	779	655	768	615	1,271	2,727	1,225	180	174
Hispanic ¹	8,504	106	857	653	770	613	1,326	2,912	1,067	114	86
Female	34,807	322	2,220	2,003	2,460	1,708	3,006	8,275	8,021	2,145	4,647
White	21,286	159	1,185	1,143	1,500	1,020	1,486	4,158	5,090	1,554	3,991
Black	7,150	61	396	371	441	351	858	2,242	1,725	356	349
Other	5,883	97	581	461	479	307	615	1,759	1,096	214	274
Hispanic ¹	5,610	106	622	480	461	311	644	1,720	913	180	173

¹Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 98. Number of Emergency Room Visits Due to Injuries and Poisonings by Sex and Age, Westchester County Residents, 2007-2008

	2007			2008		
	Total ¹	Male	Female	Total ¹	Male	Female
Total	79,964	43,136	36,824	76,071	41,263	34,807
Injuries	74,732	40,413	34,316	71,070	38,575	32,494
Less than 1	602	324	278	613	313	300
1-4	5,404	3,125	2,279	4,942	2,835	2,107
5-9	5,305	3,153	2,152	4,874	2,910	1,964
10-14	7,235	4,561	2,674	6,515	4,112	2,403
15-17	5,038	3,307	1,731	4,773	3,144	1,629
18-24	7,777	4,952	2,825	7,641	4,826	2,815
25-44	18,802	10,693	8,106	18,178	10,403	7,774
45-64	14,447	6,875	7,572	14,056	6,711	7,345
65-74	3,446	1,371	2,075	3,186	1,289	1,897
75 and over	6,676	2,052	4,624	6,292	2,032	4,260
Complications of Medical Care	2,998	1,596	1,401	2,814	1,560	1,254
Less than 1	30	24	5	27	15	12
1-4	68	31	37	45	27	18
5-9	36	22	14	29	17	12
10-14	29	15	14	44	28	16
15-17	39	20	19	29	17	12
18-24	115	59	56	118	59	59
25-44	460	193	267	411	199	212
45-64	879	492	387	930	528	402
65-74	530	279	251	423	230	193
75 and over	812	461	351	758	440	318
Poisonings	2,234	1,127	1,107	2,187	1,128	1,059
Less than 1	30	13	17	23	13	10
1-4	213	122	91	220	125	95
5-9	81	48	33	81	54	27
10-14	97	50	47	89	48	41
15-17	133	49	84	120	53	67
18-24	223	107	116	240	108	132
25-44	642	344	298	584	295	289
45-64	571	298	273	593	319	274
65-74	119	41	78	118	63	55
75 and over	125	55	70	119	50	69

¹ Totals include unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 99. Number of Emergency Room Visits Due to Injuries and Poisonings by Sex and Race/Ethnicity, Westchester County Residents, 2007-2008

	2007			2008		
	Total ¹	Male	Female	Total ¹	Male	Female
Total¹	79,964	43,136	36,824	76,071	41,263	34,807
Injuries	74,732	40,413	34,316	71,070	38,575	32,494
White	45,482	24,240	21,240	42,450	22,626	19,824
Black	14,179	7,329	6,850	13,985	7,333	6,652
Other	13,164	7,783	5,380	13,647	8,091	5,556
Hispanic ²	13,195	8,021	5,173	13,474	8,183	5,291
Complications of Medical Care	2,998	1,596	1,401	2,814	1,560	1,254
White	1,947	1,109	838	1,857	1,045	812
Black	604	255	349	565	286	279
Other	379	197	181	366	214	152
Hispanic ²	332	157	174	302	156	146
Poisonings	2,234	1,127	1,107	2,187	1,128	1,059
White	1,408	728	680	1,363	713	650
Black	402	167	235	430	211	219
Other	372	205	167	363	188	175
Hispanic ²	365	199	166	338	165	173

¹ Totals may include unknown race and unknown sex.

² Hispanic is an ethnic group and may be of any race.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 100. Number of Emergency Room Visits Due to Injuries and Poisonings by Age and Race/Ethnicity, Westchester County Residents, 2007-2008

	2007					2008				
	Total	White	Black	Other	Hispanic ²	Total	White	Black	Other	Hispanic ²
Total¹	79,964	48,837	15,185	13,915	13,892	76,071	45,670	14,980	14,376	14,114
Injuries	74,732	45,482	14,179	13,164	13,195	71,070	42,450	13,985	13,647	13,474
Less than 1	602	282	110	180	170	613	297	122	182	198
1-4	5,404	3,010	809	1,399	1,440	4,942	2,708	825	1,295	1,411
5-9	5,305	3,069	976	1,109	1,136	4,874	2,803	902	1,092	1,105
10-14	7,235	4,446	1,402	1,196	1,256	6,515	3,937	1,249	1,220	1,208
15-17	5,038	2,858	1,147	881	833	4,773	2,685	1,122	885	888
18-24	7,777	4,025	1,841	1,675	1,864	7,641	3,841	1,880	1,821	1,907
25-44	18,802	10,021	4,248	4,083	4,303	18,178	9,408	4,232	4,301	4,452
45-64	14,447	9,380	2,775	1,963	1,758	14,056	8,947	2,802	2,130	1,842
65-74	3,446	2,588	490	319	229	3,186	2,351	465	334	245
75 and over	6,676	5,803	381	359	206	6,292	5,473	386	387	218
Complications of Medical Care	2,998	1,947	604	379	332	2,814	1,857	565	366	302
Less than 1	30	10	3	17	15	27	11	10	6	9
1-4	68	44	6	13	34	45	24	2	17	16
5-9	36	22	4	6	11	29	19	4	6	9
10-14	29	16	8	5	10	44	32	5	7	6
15-17	39	21	7	11	10	29	20	4	5	7
18-24	115	65	22	27	31	118	66	28	22	22
25-44	460	217	145	85	78	411	201	125	81	83
45-64	879	533	205	120	85	930	600	203	117	75
65-74	530	365	110	47	28	423	276	91	54	42
75 and over	812	654	94	48	30	758	608	93	51	33
Poisonings	2,234	1,408	402	372	365	2,187	1,363	430	363	338
Less than 1	30	16	6	8	6	23	8	7	8	5
1-4	213	106	47	54	60	220	112	54	48	52
5-9	81	39	21	20	23	81	42	20	18	19
10-14	97	59	19	15	17	89	54	14	20	17
15-17	133	87	21	22	15	120	65	22	32	29
18-24	223	133	39	44	42	240	147	45	43	41
25-44	642	376	112	135	148	584	357	114	104	97
45-64	571	392	117	56	46	593	395	117	74	63
65-74	119	89	17	10	2	118	87	24	6	7
75 and over	125	111	3	8	6	119	96	13	10	8

¹ Totals may include unknown race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race groups.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 101. Number of Emergency Room Visits Due to Diseases of the Respiratory System by Sex, Age, and Race/Ethnicity, Westchester County Residents, 2007-2008

2007											
	Total	<1	1-4	5-9	10-14	15-17	18-24	25-44	45-64	65-74	75+
Total	32,875	2,111	4,816	2,638	1,504	928	2,668	6,768	5,601	1,911	3,930
White	15,723	905	1,974	1,020	558	370	1,033	2,655	2,745	1,248	3,215
Black	9,554	457	1,181	771	519	323	977	2,578	1,957	409	382
Other	6,847	668	1,525	769	390	217	592	1,371	820	221	274
Hispanic ¹	8,222	903	1,986	992	515	253	692	1,632	871	182	196
Male	15,241	1,186	2,775	1,438	819	423	1,070	2,644	2,345	866	1,675
White	7,447	516	1,125	575	311	184	429	1,053	1,253	573	1,428
Black	4,136	257	658	417	283	141	367	966	757	178	112
Other	3,298	364	898	404	210	89	243	571	302	100	117
Hispanic ¹	3,909	481	1,126	521	296	110	267	646	315	68	79
Female	17,634	925	2,041	1,200	685	505	1,598	4,124	3,256	1,045	2,255
White	8,276	389	849	445	247	186	604	1,602	1,492	675	1,787
Black	5,418	200	523	354	236	182	610	1,612	1,200	231	270
Other	3,549	304	627	365	180	128	349	800	518	121	157
Hispanic ¹	4,313	422	860	471	219	143	425	986	556	114	117
2008											
	Total	<1	1-4	5-9	10-14	15-17	18-24	25-44	45-64	65-74	75+
Total	33,486	2,030	4,494	2,691	1,488	916	2,765	7,097	6,159	1,933	3,913
White	15,729	882	1,809	965	546	352	1,061	2,795	2,909	1,210	3,200
Black	9,820	485	1,100	836	523	319	1,004	2,557	2,175	418	403
Other	7,530	628	1,511	860	407	237	662	1,649	1,014	286	276
Hispanic ¹	8,698	902	1,913	1,037	533	257	767	1,828	1,026	234	201
Male	15,228	1,185	2,558	1,494	775	418	1,083	2,736	2,488	869	1,622
White	7,334	489	1,062	555	316	170	439	1,117	1,291	560	1,335
Black	4,076	301	611	439	247	127	343	927	758	174	149
Other	3,618	376	833	480	203	117	288	660	412	125	124
Hispanic ¹	4,019	489	1,042	579	277	117	313	706	351	78	67
Female	18,258	845	1,936	1,197	713	498	1,682	4,361	3,671	1,064	2,291
White	8,395	393	747	410	230	182	622	1,678	1,618	650	1,865
Black	5,744	184	489	397	276	192	661	1,630	1,417	244	254
Other	3,912	252	678	380	204	120	374	989	602	161	152
Hispanic ¹	4,679	413	871	458	256	140	454	1,122	675	156	134

¹ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 102. Number of Emergency Room Visits Due to Diseases of the Respiratory System by Sex and Age, Westchester County Residents, 2007-2008

	2007			2008		
	Total	Male	Female	Total	Male	Female
Total	32,875	15,241	17,634	33,486	15,228	18,258
Acute Respiratory Infections	14,169	6,539	7,630	14,845	6,706	8,139
Less than 1	1,532	862	670	1,489	868	621
1-4	2,991	1,663	1,328	2,771	1,520	1,251
5-9	1,569	825	744	1,546	826	720
10-14	768	381	387	752	362	390
15-17	528	219	309	559	252	307
18-24	1,568	593	975	1,635	618	1,017
25-44	3,097	1,148	1,949	3,523	1,279	2,244
45-64	1,573	629	944	1,944	752	1,192
65-74	244	103	141	289	117	172
75 and over	299	116	183	337	112	225
Asthma	6,048	2,709	3,339	6,111	2,594	3,517
Less than 1	99	69	30	78	55	23
1-4	763	496	267	694	447	247
5-9	589	353	236	630	371	259
10-14	396	251	145	447	250	197
15-17	205	110	95	174	83	91
18-24	528	236	292	536	210	326
25-44	1,634	592	1,042	1,639	603	1,036
45-64	1,352	462	890	1,429	432	997
65-74	243	74	169	235	61	174
75 and over	239	66	173	249	82	167
Pneumonia & Influenza	3,820	1,948	1,872	3,982	1,938	2,044
Less than 1	138	78	60	154	82	72
1-4	489	282	207	484	265	219
5-9	152	85	67	189	109	80
10-14	75	37	38	80	48	32
15-17	39	22	17	37	22	15
18-24	93	52	41	120	52	68
25-44	429	227	202	561	267	294
45-64	706	354	352	800	388	412
65-74	433	219	214	402	199	203
75 and over	1,266	592	674	1,155	506	649
Other Diseases of the Respiratory System	8,838	4,045	4,793	8,548	3,990	4,558
Less than 1	342	177	165	309	180	129
1-4	573	334	239	545	326	219
5-9	328	175	153	326	188	138
10-14	265	150	115	209	115	94
15-17	156	72	84	146	61	85
18-24	479	189	290	474	203	271
25-44	1,608	677	931	1,374	587	787
45-64	1,970	900	1,070	1,986	916	1,070
65-74	991	470	521	1,007	492	515
75 and over	2,126	901	1,225	2,172	922	1,250

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 103. Number of Emergency Room Visits Due to Diseases of the Respiratory System by Sex and Race/Ethnicity, Westchester County, 2007-2008

	2007			2008		
	Total	Male	Female	Total	Male	Female
Total¹	32,875	15,241	17,634	33,486	15,228	18,258
Acute Respiratory Infections	14,169	6,539	7,630	14,845	6,706	8,139
White	6,102	2,923	3,179	6,142	2,915	3,227
Black	4,256	1,780	2,476	4,681	1,882	2,799
Other	3,445	1,649	1,796	3,843	1,820	2,023
Hispanic ²	4,542	2,167	2,375	4,910	2,262	2,648
Asthma	6,048	2,709	3,339	6,111	2,594	3,517
White	2,095	905	1,190	2,112	876	1,236
Black	2,484	1,096	1,388	2,506	1,043	1,463
Other	1,364	660	704	1,429	639	790
Hispanic ²	1,568	711	857	1,561	669	892
Pneumonia & Influenza	3,820	1,948	1,872	3,982	1,938	2,044
White	2,527	1,304	1,223	2,475	1,212	1,263
Black	656	316	340	747	321	426
Other	570	298	272	707	384	323
Hispanic ²	618	328	290	796	412	384
Other Diseases of the Respiratory System	8,838	4,045	4,793	8,548	3,990	4,558
White	4,999	2,315	2,684	5,000	2,331	2,669
Black	2,158	944	1,214	1,886	830	1,056
Other	1,468	691	777	1,551	775	776
Hispanic ²	1,494	703	791	1,431	676	755

¹ Totals may include unknown race.

² Hispanic is an ethnic group and may be of any race.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 104. Number of Emergency Room Visits Due to Diseases of the Respiratory System by Age, and Race/Ethnicity, Westchester County Residents, 2007-2008

	2007					2008				
	Total ¹	White	Black	Other	Hispanic ²	Total ¹	White	Black	Other	Hispanic ²
Total	32,875	15,723	9,554	6,847	8,222	33,486	15,729	9,820	7,530	8,698
Acute Respiratory Infections	14,169	6,102	4,256	3,445	4,542	14,845	6,142	4,681	3,843	4,910
Less than 1	1,532	668	308	500	659	1,489	667	337	462	691
1-4	2,991	1,287	704	921	1,302	2,771	1,148	623	951	1,273
5-9	1,569	660	411	462	627	1,546	584	456	491	639
10-14	768	290	249	208	303	752	275	259	209	300
15-17	528	210	185	121	146	559	199	208	148	160
18-24	1,568	619	548	356	424	1,635	620	622	372	452
25-44	3,097	1,235	1,200	579	728	3,523	1,391	1,322	775	942
45-64	1,573	749	553	247	288	1,944	852	726	348	369
65-74	244	148	62	28	40	289	152	71	61	62
75 and over	299	236	36	23	25	337	254	57	26	22
Asthma	6,048	2,095	2,484	1,364	1,568	6,111	2,112	2,506	1,429	1,561
Less than 1	99	34	37	26	27	78	26	30	20	23
1-4	763	278	243	221	245	694	243	242	198	212
5-9	589	191	214	165	189	630	190	238	194	195
10-14	396	127	172	90	98	447	140	183	123	137
15-17	205	69	83	52	60	174	60	69	43	49
18-24	528	155	264	104	118	536	175	227	128	155
25-44	1,634	542	689	374	466	1,639	557	693	366	421
45-64	1,352	443	642	252	294	1,429	469	693	258	288
65-74	243	101	94	45	38	235	85	89	60	55
75 and over	239	155	46	35	33	249	167	42	39	26
Pneumonia & Influenza	3,820	2,527	656	570	618	3,982	2,475	747	707	796
Less than 1	138	72	18	43	66	154	75	31	45	75
1-4	489	222	79	178	212	484	221	94	162	223
5-9	152	69	34	47	50	189	74	46	63	78
10-14	75	39	14	21	33	80	45	21	14	28
15-17	39	22	10	6	11	37	22	8	7	10
18-24	93	48	25	17	20	120	57	25	35	32
25-44	429	211	131	77	85	561	259	144	146	136
45-64	706	456	173	66	58	800	465	217	109	111
65-74	433	310	67	52	34	402	295	56	51	44
75 and over	1,266	1,078	105	63	49	1,155	962	105	75	59
Other Diseases of the Respiratory System	8,838	4,999	2,158	1,468	1,494	8,548	5,000	1,886	1,551	1,431
Less than 1	342	131	94	99	151	309	114	87	101	113
1-4	573	187	155	205	227	545	197	141	200	205
5-9	328	100	112	95	126	326	117	96	112	125
10-14	265	102	84	71	81	209	86	60	61	68
15-17	156	69	45	38	36	146	71	34	39	38
18-24	479	211	140	115	130	474	209	130	127	128
25-44	1,608	667	558	341	353	1,374	588	398	362	329
45-64	1,970	1,097	589	255	231	1,986	1,123	539	299	258
65-74	991	689	186	96	70	1,007	678	202	114	73
75 and over	2,126	1,746	195	153	89	2,172	1,817	199	136	94

¹ Totals may include unknown race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 105. Number of Emergency Room Visits Due to Diseases of the Cardiovascular System by Sex, Age, and Race/Ethnicity, Westchester County, 2007-2008

2007											
	Total ¹	<1	1-4	5-9	10-14	15-17	18-24	25-44	45-64	65-74	75+
Total	27,150	22	50	131	224	305	893	4,701	8,477	4,006	8,341
White	16,833	11	21	55	102	148	394	2,085	4,717	2,564	6,736
Black	6,045	3	16	41	59	79	275	1,538	2,271	831	932
Other	3,627	7	13	24	54	70	202	939	1,275	512	531
Hispanic ²	3,202	10	16	33	67	79	226	1,001	1,098	342	330
Male	13,141	9	25	79	137	173	449	2,359	4,533	2,052	3,325
White	8,472	3	10	36	61	87	209	1,129	2,737	1,390	2,810
Black	2,483	2	11	21	37	42	117	647	1,009	351	246
Other	1,865	3	4	17	34	40	115	508	670	262	212
Hispanic ²	1,522	3	9	18	38	48	118	505	516	149	118
Female	14,009	13	25	52	87	132	444	2,342	3,944	1,954	5,016
White	8,361	8	11	19	41	61	185	956	1,980	1,174	3,926
Black	3,562	1	5	20	22	37	158	891	1,262	480	686
Other	1,762	4	9	7	20	30	87	431	605	250	319
Hispanic ²	1,680	7	7	15	29	31	108	496	582	193	212
2008											
Total¹	26,910	31	50	129	213	233	882	4,650	8,779	3,840	8,103
White	16,711	11	22	54	102	119	381	2,055	4,945	2,472	6,550
Black	6,095	4	14	41	56	66	294	1,534	2,346	805	935
Other	3,851	14	14	33	52	42	194	1,010	1,400	540	552
Hispanic ²	3,277	18	19	38	52	58	204	1,017	1,213	339	319
Male	12,977	17	25	66	116	128	437	2,324	4,640	1,941	3,283
White	8,355	5	7	25	52	60	195	1,109	2,827	1,309	2,766
Black	2,540	4	10	22	32	43	124	646	1,029	358	272
Other	1,970	6	8	18	30	24	113	548	739	262	222
Hispanic ²	1,555	6	8	15	31	27	120	529	555	151	113
Female	13,932	14	25	63	97	105	445	2,326	4,138	1,899	4,820
White	8,356	6	15	29	50	59	186	946	2,118	1,163	3,784
Black	3,555	-	4	19	24	23	170	888	1,317	447	663
Other	1,880	8	6	15	22	18	81	462	660	278	330
Hispanic ²	1,721	12	11	23	21	31	84	488	657	188	206

¹ Totals include unknown race and sex.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 106. Number of Emergency Room Visits Due to Diseases of the Cardiovascular System by Sex and Age, Westchester County, 2007-2008

	2007			2008		
	Total ¹	Male	Female	Total ¹	Male	Female
Total	27,150	13,141	14,00	26,910	12,977	13,932
Discomfort in Chest	9,171	4,269	4,902	9,220	4,232	4,987
Less than 1	3	1	2	1	1	0
1-4	10	6	4	7	2	5
5-9	86	53	33	84	43	41
10-14	164	107	57	153	87	66
15-17	215	125	90	164	91	73
18-24	570	278	292	582	290	292
25-44	2,724	1,330	1,394	2,753	1,349	1,404
45-64	3,398	1,590	1,808	3,507	1,619	1,887
65-74	847	347	500	895	365	530
75 and over	1,154	432	722	1,074	385	689
Ischemic Heart Disease	3,502	2,085	1,417	3,361	1,972	1,389
Less than 1	0	0	0	0	0	0
1-4	0	0	0	0	0	0
5-9	0	0	0	0	0	0
10-14	0	0	0	0	0	0
15-17	0	0	0	0	0	0
18-24	11	10	1	3	1	2
25-44	166	122	44	157	115	42
45-64	1,262	885	377	1,261	905	356
65-74	755	460	295	652	398	254
75 and over	1,308	608	700	1,288	553	735
Cerebrovascular Disease	2,513	1,068	1,445	2,475	1,113	1,362
Less than 1	2	1	1	1	1	0
1-4	0	0	0	6	5	1
5-9	4	0	4	2	2	0
10-14	4	2	2	0	0	0
15-17	4	1	3	5	4	1
18-24	18	8	10	10	3	7
25-44	136	55	81	137	56	81
45-64	561	306	255	648	350	298
65-74	459	228	231	438	222	216
75 and over	1,325	467	858	1,228	470	758
Heart Failure	2,658	1,300	1,358	2,470	1,236	1,234
Less than 1	1	0	1	4	3	1
1-4	0	0	0	0	0	0
5-9	0	0	0	1	1	0
10-14	0	0	0	0	0	0
15-17	0	0	0	0	0	0
18-24	5	1	4	1	0	1
25-44	89	60	29	83	61	22
45-64	481	300	181	419	252	167
65-74	445	267	178	396	215	181
75 and over	1,637	672	965	1,566	704	862

continued

Table 106. Number of Emergency Room Visits Due to Diseases of the Cardiovascular System by Sex and Age, Westchester County, 2007-2008 (continued)

	2007			2008		
	Total ¹	Male	Female	Total ¹	Male	Female
Hypertensive Disease	1,823	800	1,023	1,967	855	1,112
Less than 1	1	1	0	0	0	0
1-4	2	0	2	1	0	1
5-9	1	1	0	0	0	0
10-14	0	0	0	3	3	0
15-17	0	0	0	5	3	2
18-24	26	9	17	18	8	10
25-44	338	172	166	342	166	176
45-64	709	341	368	816	402	414
65-74	326	138	188	313	139	174
75 and over	420	138	282	469	134	335
Other Diseases of the Cardiovascular System	7,483	3,619	3,864	7,417	3,569	3,848
Less than 1	15	6	9	25	12	13
1-4	38	19	19	36	18	18
5-9	40	25	15	42	20	22
10-14	56	28	28	57	26	31
15-17	86	47	39	59	30	29
18-24	263	143	120	268	135	133
25-44	1,248	620	628	1,178	577	601
45-64	2,066	1,111	955	2,128	1,112	1,016
65-74	1,174	612	562	1,146	602	544
75 and over	2,497	1,008	1,489	2,478	1,037	1,441

¹ Total may include unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 107. Number of Emergency Room Visits Due to Diseases of the Cardiovascular System by Sex and Race/Ethnicity, Westchester County Residents, 2007-2008

	2007			2008		
	Total ¹	Male	Female	Total ¹	Male	Female
Total¹	27,150	13,141	14,009	26,910	12,977	13,932
Discomfort in Chest	9,171	4,269	4,902	9,220	4,232	4,987
White	5,038	2,488	2,550	5,097	2,438	2,659
Black	2,360	907	1,453	2,412	964	1,448
Other	1,549	769	780	1,617	791	825
Hispanic ²	1,588	726	862	1,563	730	832
Ischemic Heart Diseases	3,502	2,085	1,417	3,361	1,972	1,389
White	2,471	1,540	931	2,370	1,410	960
Black	424	174	250	452	217	235
Other	504	307	197	514	329	185
Hispanic ²	259	162	97	312	181	131
Cerebrovascular Disease	2,513	1,068	1,445	2,475	1,113	1,362
White	1,712	744	968	1,715	778	937
Black	512	199	313	465	193	272
Other	243	109	134	279	135	144
Hispanic ²	198	83	115	204	85	119
Heart Failure	2,658	1,300	1,358	2,470	1,236	1,234
White	1,856	901	955	1,683	861	822
Black	534	255	279	549	258	291
Other	224	118	106	220	108	112
Hispanic ²	189	101	88	177	90	87
Hypertensive Disease	1,823	800	1,023	1,967	855	1,112
White	727	318	409	824	376	448
Black	809	350	459	853	340	513
Other	241	116	125	275	135	140
Hispanic ²	235	106	129	275	128	147
Other Diseases of the Cardiovascular System	7,483	3,619	3,864	7,417	3,569	3,848
White	5,029	2,481	2,548	5,022	2,492	2,530
Black	1,406	598	808	1,364	568	796
Other	866	446	420	946	472	474
Hispanic ²	733	344	389	746	341	405

¹ Totals may include unknown race and unknown sex.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 108. Number of Emergency Room Visits Due to Diseases of the Cardiovascular System by Age and Race/Ethnicity, Westchester County Residents, 2007 and 2008

	2007					2008				
	Total ¹	White	Black	Other	Hispanic ²	Total ¹	White	Black	Other	Hispanic ²
Total	27,150	16,833	6,045	3,627	3,202	26,910	16,711	6,095	3,851	3,277
Discomfort in Chest	9,171	5,038	2,360	1,549	1,588	9,220	5,097	2,412	1,617	1,563
Less than 1	3	1	1	1	1	1	0	0	0	0
1-4	10	5	3	2	5	7	2	3	2	3
5-9	86	34	26	16	20	84	31	23	29	30
10-14	164	68	48	43	51	153	73	47	32	38
15-17	215	100	54	55	63	164	81	48	32	43
18-24	570	232	184	138	152	582	235	209	127	134
25-44	2,724	1,233	862	550	611	2,753	1,236	853	633	654
45-64	3,398	1,894	885	542	521	3,507	2,013	919	541	504
65-74	847	564	157	107	93	895	558	186	149	102
75 and over	1,154	907	140	95	71	1,074	868	124	72	55
Ischemic Heart Disease	3,502	2,471	424	504	259	3,361	2,370	452	514	312
Less than 1	0	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0	0
15-17	0	0	0	0	0	0	0	0	0	0
18-24	11	5	1	5	5	3	2	0	1	1
25-44	166	89	36	36	24	157	88	37	29	37
45-64	1,262	800	188	234	130	1,261	779	213	257	164
65-74	755	514	95	121	55	652	448	88	113	67
75 and over	1,308	1,063	104	108	45	1,288	1,053	114	114	43
Cerebrovascular Disease	2,513	1,712	512	243	198	2,475	1,715	465	279	204
Less than 1	2	1	0	1	1	1	1	0	0	0
1-4	0	0	0	0	0	6	1	4	1	1
5-9	4	0	3	1	1	2	2	0	0	0
10-14	4	3	1	0	1	0	0	0	0	0
15-17	4	2	2	0	0	5	2	2	1	0
18-24	18	9	3	6	2	10	7	0	3	2
25-44	136	57	47	31	34	137	70	45	22	33
45-64	561	297	168	82	73	648	337	184	122	98
65-74	459	290	108	54	44	438	298	86	52	32
75 and over	1,325	1,053	180	68	42	1,228	997	144	78	38
Heart Failure	2,658	1,856	534	224	189	2,470	1,683	549	220	177
Less than 1	1	1	0	0	1	4	0	0	4	4
1-4	0	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	1	0	1	0	0
10-14	0	0	0	0	0	0	0	0	0	0
15-17	0	0	0	0	0	0	0	0	0	0
18-24	5	0	2	3	2	1	1	0	0	0
25-44	89	16	56	13	14	83	10	62	10	5
45-64	481	209	193	69	62	419	192	170	51	66
65-74	445	265	109	60	44	396	228	109	58	35
75 and over	1,637	1,365	174	79	66	1,566	1,252	207	97	67

continued

Table 108. Number of Emergency Room Visits Due to Diseases of the Cardiovascular System by Age and Race/Ethnicity, Westchester County Residents, 2007 and 2008 (continued)

	2007					2008				
	Total ¹	White	Black	Other	Hispanic ²	Total ¹	White	Black	Other	Hispanic ²
Hypertensive Disease	1,823	727	809	241	235	1,967	824	853	275	275
Less than 1	1	-	-	-	-	-	-	-	-	-
1-4	2	2	-	-	-	1	1	-	-	1
5-9	1	-	1	-	-	-	-	-	-	-
10-14	-	-	-	-	-	3	1	-	1	-
15-17	-	-	-	-	-	5	4	1	-	-
18-24	26	11	11	3	4	18	5	10	3	3
25-44	338	75	208	46	57	342	72	212	56	56
45-64	709	226	364	101	100	816	261	421	131	150
65-74	326	119	146	52	41	313	151	114	43	32
75 and over	420	294	79	39	33	469	329	95	41	33
Other Diseases of the Cardiovascular System	7,483	5,029	1,406	866	733	7,417	5,022	1,364	946	746
Less than 1	15	8	2	5	7	25	10	4	10	14
1-4	38	14	13	11	11	36	18	7	11	14
5-9	40	21	11	7	12	42	21	17	4	8
10-14	56	31	10	11	15	57	28	9	19	14
15-17	86	46	23	15	16	59	32	15	9	15
18-24	263	137	74	47	61	268	131	75	60	64
25-44	1,248	615	329	263	261	1,178	579	325	260	232
45-64	2,066	1,291	473	247	212	2,128	1,363	439	298	231
65-74	1,174	812	216	118	65	1,146	789	222	125	71
75 and over	2,497	2,054	255	142	73	2,478	2,051	251	150	83

¹ Totals may include unknown race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 109. Number of Emergency Room Visits Due to General Symptoms by Sex, Age, and Race/Ethnicity, Westchester County Residents, 2007-2008

2007											
	Total	<1	1-4	5-9	10-14	15-17	18-24	25-44	45-64	65-74	75+
Total¹	27,337	1,139	2,222	1,278	1,115	909	2,524	6,667	5,972	1,857	3,654
White	14,724	512	988	633	586	454	1,153	3,014	3,267	1,220	2,897
Black	6,390	188	407	263	219	246	755	1,953	1,528	386	445
Other	5,424	384	737	323	267	182	552	1,501	1,021	222	235
Hispanic ²	6,382	545	1,004	473	336	234	693	1,705	1,023	186	183
Male	11,147	599	1,213	648	527	345	779	2,303	2,492	861	1,380
White	6,298	275	534	335	278	198	388	1,103	1,444	582	1,161
Black	2,282	115	220	117	112	72	199	595	555	184	113
Other	2,231	175	407	166	124	72	171	530	428	82	76
Hispanic ²	2,551	283	538	247	156	86	207	533	381	64	56
Female	16,189	540	1,009	630	588	564	1,745	4,364	3,479	996	2,274
White	8,425	237	454	298	308	256	765	1,911	1,822	638	1,736
Black	4,108	73	187	146	107	174	556	1,358	973	202	332
Other	3,193	209	330	157	143	110	381	971	593	140	159
Hispanic ²	3,831	262	466	226	180	148	486	1,172	642	122	127
2008											
	Total	<1	1-4	5-9	10-14	15-17	18-24	25-44	45-64	65-74	75+
Total¹	27,282	1,142	2,238	1,345	1,100	925	2,555	6,635	5,962	1,936	3,444
White	14,726	499	1,011	647	553	469	1,133	3,052	3,354	1,261	2,747
Black	6,343	246	434	270	243	204	783	1,871	1,507	379	406
Other	5,900	385	771	405	286	243	604	1,638	1,029	285	254
Hispanic ²	6,689	571	1,060	517	335	261	731	1,809	998	244	163
Male	11,250	592	1,188	714	519	357	855	2,386	2,481	881	1,277
White	6,261	256	529	356	274	180	391	1,152	1,462	597	1,064
Black	2,402	138	240	139	118	82	232	582	595	158	118
Other	2,445	193	406	205	118	92	217	623	393	117	81
Hispanic ²	2,721	277	559	268	150	91	238	635	374	90	39
Female	16,032	550	1,050	631	581	568	1,700	4,249	3,481	1,055	2,167
White	8,465	243	482	291	279	289	742	1,900	1,892	664	1,683
Black	3,941	108	194	131	125	122	551	1,289	912	221	288
Other	3,455	192	365	200	168	151	387	1,015	636	168	173
Hispanic ²	3,968	294	501	249	185	170	493	1,174	624	154	124

¹ Totals include unknown race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 110. Number of Emergency Room Visits Due to General Symptoms by Sex and Age, Westchester County Residents, 2007-2008

	2007			2008		
	Total ¹	Male	Female	Total ¹	Male	Female
Total	27,337	11,147	16,189	27,282	11,250	16,032
Abdominal Pain	8,701	2,949	5,751	8,652	3,024	5,628
Less than 1	83	45	38	79	48	31
1-4	192	112	80	167	92	75
5-9	450	231	219	491	273	218
10-14	495	229	266	490	209	281
15-17	364	100	264	408	126	282
18-24	1,223	276	947	1,241	334	907
25-44	2,934	831	2,103	2,885	881	2,004
45-64	1,973	760	1,212	1,958	691	1,267
65-74	415	182	233	435	175	260
75 and over	572	183	389	498	195	303
Fever	3,923	2,056	1,867	4,112	2,104	2,008
Less than 1	856	450	406	838	426	412
1-4	1,491	807	684	1,576	815	761
5-9	440	217	223	513	262	251
10-14	137	79	58	128	74	54
15-17	68	33	35	66	34	32
18-24	120	69	51	135	55	80
25-44	294	145	149	302	154	148
45-64	282	138	144	308	161	147
65-74	107	55	52	99	60	39
75 and over	128	63	65	147	63	84
Headache	3,307	1,076	2,231	3,422	1,176	2,246
Less than 1	-	-	-	1	1	-
1-4	22	11	11	25	18	7
5-9	110	64	46	114	62	52
10-14	167	83	84	163	80	83
15-17	155	69	86	150	71	79
18-24	425	126	299	440	143	297
25-44	1,296	395	901	1,328	453	875
45-64	849	256	593	864	254	610
65-74	132	36	96	166	55	111
75 and over	151	36	115	171	39	132
Blackout or Collapse	3,345	1,375	1,970	3,304	1,398	1,906
Less than 1	1	1	-	2	-	2
1-4	12	5	7	12	7	5
5-9	44	14	30	44	19	25
10-14	114	38	76	111	42	69
15-17	133	45	88	131	42	89
18-24	245	62	183	223	73	150
25-44	512	196	316	522	203	319
45-64	752	360	392	765	423	342
65-74	373	205	168	428	207	221
75 and over	1,159	449	710	1,066	382	684
Other General Symptoms	8,061	3,691	4,370	7,792	3,548	4,244
Less than 1	199	103	96	222	117	105
1-4	505	278	227	458	256	202
5-9	234	122	112	183	98	85
10-14	202	98	104	208	114	94
15-17	189	98	91	170	84	86
18-24	511	246	265	516	250	266
25-44	1,631	736	895	1,598	695	903
45-64	2,116	978	1,138	2,067	952	1,115
65-74	830	383	447	808	384	424
75 and over	1,644	649	995	1,562	598	964

¹Total include unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 111. Number of Emergency Room Visits Due to General Symptoms by Sex and Race/Ethnicity, Westchester County Residents, 2007-2008

	2007			2008		
	Total ¹	Male	Female	Total ¹	Male	Female
Total¹	27,337	11,147	16,189	27,282	11,250	16,032
Abdominal Pain	8,701	2,949	5,751	8,652	3,024	5,628
White	4,552	1,692	2,859	4,576	1,692	2,884
Black	2,143	592	1,551	1,997	582	1,415
Other	1,776	585	1,191	1,987	717	1,270
Hispanic ²	2,246	715	1,531	2,325	790	1,535
Fever	3,923	2,056	1,867	4,112	2,104	2,008
White	1,900	996	904	1,979	1,006	973
Black	756	388	368	841	427	414
Other	1,102	587	515	1,241	640	601
Hispanic ²	1,557	836	721	1,758	898	860
Headache	3,307	1,076	2,231	3,422	1,176	2,246
White	1,460	488	972	1,554	565	989
Black	1,033	309	724	1,069	346	723
Other	735	255	480	763	247	516
Hispanic ²	829	252	577	854	272	582
Blackout or Collapse	3,345	1,375	1,970	3,304	1,398	1,906
White	2,257	971	1,286	2,215	964	1,251
Black	564	208	356	574	218	356
Other	430	155	275	471	195	276
Hispanic ²	359	116	243	350	136	214
Other General Symptoms	8,061	3,691	4,370	7,792	3,548	4,244
White	4,555	2,151	2,404	4,402	2,034	2,368
Black	1,894	785	1,109	1,862	829	1,033
Other	1,381	649	732	1,438	646	792
Hispanic ²	1,391	632	759	1,402	625	777

¹ Totals include unknown race and unknown sex.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 112. Number of Emergency Room Visits Due to General Symptoms by Age and Race/Ethnicity, Westchester County Residents, 2007-2008

	2007					2008				
	Total ¹	White	Black	Other	Hispanic ²	Total	White	Black	Other	Hispanic ²
Total	27,337	14,724	6,390	5,424	6,382	27,282	14,726	6,343	5,900	6,689
Abdominal Pain	8,701	4,552	2,143	1,776	2,246	8,652	4,576	1,997	1,987	2,325
Less than 1	83	35	15	31	41	79	34	17	27	26
1-4	192	93	35	58	79	167	86	23	58	85
5-9	450	265	63	104	171	491	262	81	136	158
10-14	495	287	75	121	154	490	257	89	134	170
15-17	364	178	105	72	110	408	215	86	104	124
18-24	1,223	547	389	257	342	1,241	568	365	285	385
25-44	2,934	1,351	825	678	833	2,885	1,355	727	778	890
45-64	1,973	1,109	479	331	413	1,958	1,121	465	358	385
65-74	415	255	78	75	58	435	287	80	67	68
75 and over	572	432	79	49	45	498	391	64	40	34
Fever	3,923	1,900	756	1,102	1,557	4,112	1,979	841	1,241	1,758
Less than 1	856	397	135	283	423	838	370	172	288	462
5-9	1,491	629	294	505	750	513	218	104	185	812
1-4	440	185	106	125	190	1,576	691	323	545	255
10-14	137	64	32	34	50	128	61	26	40	48
15-17	68	40	12	13	13	66	40	15	10	19
18-24	120	59	34	21	27	135	62	43	28	41
25-44	294	151	61	70	67	302	148	75	70	72
45-64	282	173	63	41	27	308	195	56	52	36
65-74	107	92	9	5	6	99	76	13	9	10
75 and over	128	110	10	5	4	147	118	14	14	3
Headache	3,307	1,460	1,033	735	829	3,422	1,554	1,069	763	854
Less than 1	0	0	0	0	0	1	1	0	0	0
1-4	22	12	3	7	6	25	11	8	6	6
5-9	110	45	23	36	41	114	51	35	27	40
10-14	167	70	45	44	53	163	65	50	45	41
15-17	155	68	45	37	38	150	62	43	42	40
18-24	425	183	140	100	118	440	187	140	108	131
25-44	1,296	515	439	311	358	1,328	552	448	315	383
45-64	849	386	279	163	183	864	405	285	167	166
65-74	132	73	36	19	19	166	89	45	31	30
75 and over	151	108	23	18	13	171	131	15	22	17
Blackout or Collapse	3,345	2,257	564	430	359	3,304	2,215	574	471	350
Less than 1	1	0	1	0	0	2	1	0	1	2
1-4	12	8	0	4	5	12	5	3	4	3
5-9	44	33	5	6	7	44	28	4	11	9
10-14	114	75	11	23	22	111	63	20	27	27
15-17	133	72	29	27	31	131	76	26	29	18
18-24	245	134	43	59	62	223	110	64	46	37
25-44	512	292	100	96	83	522	294	110	112	92
45-64	752	483	140	110	77	765	481	162	108	81
65-74	373	257	79	34	26	428	290	73	59	36
75 and over	1,159	903	156	71	46	1,066	867	112	74	45
Other General Symptoms	8,061	4,555	1,894	1,381	1,391	7,792	4,402	1,862	1,438	1,402
Less than 1	199	80	37	70	81	222	93	57	69	81
1-4	505	246	75	163	164	458	218	77	158	154
5-9	234	105	66	52	64	183	88	46	46	55
10-14	202	90	56	45	57	208	107	58	40	49
15-17	189	96	55	33	42	170	76	34	58	60
18-24	511	230	149	115	144	516	206	171	137	137
25-44	1,631	705	528	346	364	1,598	703	511	363	372
45-64	2,116	1,116	567	376	323	2,067	1,152	539	344	330
65-74	830	543	184	89	77	808	519	168	119	100
75 and over	1,644	1,344	177	92	75	1,562	1,240	201	104	64

¹ Totals include unknown race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 113. Number of Emergency Room Visits Due to Diseases of the Digestive System by Sex, Age, and Race/Ethnicity, Westchester County Residents, 2007-2008

2007											
	Total	<1	1-4	5-9	10-14	15-17	18-24	25-44	45-64	65-74	75+
Total¹	23,192	994	1,867	932	670	554	2,048	5,970	5,028	1,693	3,436
White	12,788	422	858	393	333	262	905	2,724	2,996	1,130	2,765
Black	5,326	211	341	229	134	135	588	1,758	1,180	339	411
Other	4,517	325	602	279	180	139	493	1,346	760	193	200
Hispanic ²	5,186	438	867	339	236	148	569	1,485	803	163	138
Male	10,659	531	959	521	375	280	826	2,807	2,333	712	1,315
White	5,980	229	431	234	206	138	384	1,294	1,446	502	1,116
Black	2,320	115	182	116	62	71	220	820	499	125	110
Other	2,111	171	308	151	98	61	203	625	351	73	70
Hispanic ²	2,436	237	423	183	139	63	214	682	393	52	50
Female	12,530	463	908	411	294	274	1,221	3,162	2,695	981	2,121
White	6,806	193	427	159	126	124	520	1,430	1,550	628	1,649
Black	3,006	96	159	113	72	64	368	938	681	214	301
Other	2,405	154	294	128	82	78	290	720	409	120	130
Hispanic ²	2,750	201	444	156	97	85	355	803	410	111	88
2008											
	Total	<1	1-4	5-9	10-14	15-17	18-24	25-44	45-64	65-74	75+
Total¹	23,745	961	1,813	1,043	767	596	2,211	6,096	5,223	1,771	3,264
White	12,867	417	756	459	368	295	934	2,725	3,144	1,176	2,593
Black	5,400	205	357	216	167	141	678	1,755	1,128	342	411
Other	5,207	324	675	355	222	150	573	1,541	899	235	233
Hispanic ²	5,691	442	910	446	273	178	625	1,588	871	216	142
Male	10,880	523	989	555	423	275	947	2,785	2,406	786	1,191
White	5,903	230	400	235	220	143	439	1,217	1,489	536	994
Black	2,422	113	203	115	86	61	263	806	517	135	123
Other	2,447	173	375	198	112	65	238	729	379	109	69
Hispanic ²	2,617	237	482	228	132	71	256	730	358	82	41
Female	12,865	438	824	488	344	321	1,264	3,311	2,817	985	2,073
White	6,964	187	356	224	148	152	495	1,508	1,655	640	1,599
Black	2,978	92	154	101	81	80	415	949	611	207	288
Other	2,760	151	300	157	110	85	335	812	520	126	164
Hispanic ²	3,074	205	428	218	141	107	369	858	513	134	101

¹ Totals include unknown race and unknown sex

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 114. Number of Emergency Room Visits Due to Diseases of the Digestive System by Sex and Age, Westchester County Residents, 2007-2008

	2007			2008		
	Total ¹	Male	Female	Total	Male	Female
Total	23,192	10,659	12,530	23,745	10,880	12,865
Noninfectious Enteritis & Colitis	4,103	1,786	2,317	4,596	1,989	2,607
Less than 1	251	118	133	228	125	103
1-4	733	393	340	691	399	292
5-9	279	155	124	344	186	158
10-14	179	117	62	228	125	103
15-17	128	58	70	148	64	84
18-24	386	148	238	496	219	277
25-44	999	408	591	1,122	438	684
45-64	646	223	423	781	275	506
65-74	183	60	123	225	76	149
75 and over	319	106	213	333	82	251
Nausea, Vomitting, and Diarrhea	3,545	1,468	2,077	3,462	1,511	1,951
Less than 1	357	197	160	407	213	194
1-4	699	356	343	707	378	329
5-9	243	129	114	265	144	121
10-14	114	58	56	134	67	67
15-17	85	39	46	81	43	38
18-24	330	102	228	297	95	202
25-44	762	268	494	673	241	432
45-64	538	193	345	484	194	290
65-74	156	49	107	161	64	97
75 and over	261	77	184	253	72	181
Diseases of the Oral Cavity	2,754	1,414	1,339	3,001	1,553	1,448
Less than 1	29	14	15	19	10	9
1-4	110	65	45	101	56	45
5-9	88	49	39	103	66	37
10-14	77	44	33	59	30	29
15-17	83	41	42	92	43	49
18-24	493	237	256	536	266	270
25-44	1,233	678	554	1,345	729	616
45-64	476	220	256	577	281	296
65-74	74	34	40	77	37	40
75 and over	91	32	59	92	35	57
Other Diseases of the Digestive System	12,790	5,991	6,797	12,686	5,827	6,859
Less than 1	357	202	155	307	175	132
1-4	325	145	180	314	156	158
5-9	322	188	134	331	159	172
10-14	300	156	143	346	201	145
15-17	258	142	116	275	125	150
18-24	839	339	499	882	367	515
25-44	2,976	1,453	1,523	2,956	1,377	1,579
45-64	3,368	1,697	1,671	3,381	1,656	1,725
65-74	1,280	569	711	1,308	609	699
75 and over	2,765	1,100	1,665	2,586	1,002	1,584

¹ Totals include unknown sex.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 115. Number of Emergency Room Visits Due to Diseases of the Digestive System by Sex and Race/Ethnicity, Westchester County Residents, 2007-2008

	2007			2008		
	Total ¹	Male	Female	Total	Male	Female
Total	23,192	10,659	12,530	23,745	10,880	12,865
Noninfectious Enteritis & Colitis	4,103	1,786	2,317	4,596	1,989	2,607
White	2,108	916	1,192	2,314	998	1,316
Black	864	352	512	1,014	388	626
Other	1,021	464	557	1,214	586	628
Hispanic ²	1,129	518	611	1,324	641	683
Nausea, Vomitting, and Diarrhea	3,545	1,468	2,077	3,462	1,511	1,951
White	1,762	737	1,025	1,736	753	983
Black	859	341	518	774	330	444
Other	806	344	462	921	417	504
Hispanic ²	1,131	496	635	1,177	549	628
Diseases of the Oral Cavity	2,754	1,414	1,339	3,001	1,553	1,448
White	1,158	567	591	1,207	587	620
Black	1,065	579	486	1,226	669	557
Other	451	233	217	540	282	258
Hispanic ²	461	235	226	513	243	270
Other Diseases of the Digestive System	12,790	5,991	6,797	12,686	5,827	6,859
White	7,760	3,760	3,998	7,610	3,565	4,045
Black	2,538	1,048	1,490	2,386	1,035	1,351
Other	2,239	1,070	1,169	2,532	1,162	1,370
Hispanic ²	2,465	1,187	1,278	2,677	1,184	1,493

¹ Totals include unknown race and unknown sex

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 116. Number of Emergency Room Visits Due to Diseases of the Digestive System by Age and Race/Ethnicity, Westchester County Residents, 2007-2008

	2007					2008				
	Total ¹	White	Black	Other	Hispanic ²	Total ¹	White	Black	Other	Hispanic ²
Total¹	23,192	12,788	5,326	4,517	5,186	23,745	12,867	5,400	5,207	5,691
Noninfectious Enteritis & Colitis	4,103	2,108	864	1,021	1,129	4,596	2,314	1,014	1,214	1,324
Less than 1	251	117	44	84	119	228	98	29	98	123
1-4	733	332	110	264	322	691	280	132	268	347
5-9	279	118	61	92	107	344	139	67	133	146
10-14	179	91	39	47	63	228	102	59	65	75
15-17	128	58	28	38	35	148	77	32	37	38
18-24	386	184	97	94	91	496	224	139	128	151
25-44	999	469	262	245	252	1,122	542	290	278	260
45-64	646	366	150	111	103	781	448	181	146	129
65-74	183	117	44	21	17	225	139	41	41	41
75 and over	319	256	29	25	20	333	265	44	20	14
Nausea, Vomitting, & Diarrhea	3,545	1,762	859	806	1,131	3,462	1,736	774	921	1,177
Less than 1	357	151	81	108	180	407	177	92	133	201
1-4	699	313	139	221	343	707	286	152	264	374
5-9	243	94	62	75	107	265	117	61	85	127
10-14	114	52	28	29	55	134	50	32	51	64
15-17	85	39	21	21	25	81	45	22	13	25
18-24	330	142	101	71	104	297	132	87	78	94
25-44	762	358	224	156	182	673	322	191	152	159
45-64	538	316	131	85	95	484	293	86	101	94
65-74	156	99	36	20	16	161	110	26	22	22
75 and over	261	198	36	20	24	253	204	25	22	17
Diseases of the Oral Cavity	2,754	1,158	1,065	451	461	3,001	1,207	1,226	540	513
Less than 1	29	8	7	14	12	19	8	4	7	8
1-4	110	44	29	35	60	101	34	24	42	47
5-9	88	33	34	19	27	103	40	26	36	41
10-14	77	29	27	16	19	59	21	20	17	26
15-17	83	24	33	23	17	92	23	43	24	23
18-24	493	174	200	102	92	536	179	251	99	89
25-44	1,233	486	534	173	175	1,345	512	604	218	201
45-64	476	243	169	55	48	577	283	217	74	60
65-74	74	45	18	10	9	77	39	22	15	13
75 and over	91	72	14	4	2	92	68	15	8	5
Other Diseases of the Digestive System	12,790	7,760	2,538	2,239	2,465	12,686	7,610	2,386	2,532	2,677
Less than 1	357	146	79	119	127	307	134	80	86	110
1-4	325	169	63	82	142	314	156	49	101	142
5-9	322	148	72	93	98	331	163	62	101	132
10-14	300	161	40	88	99	346	195	56	89	108
15-17	258	141	53	57	71	275	150	44	76	92
18-24	839	405	190	226	282	882	399	201	268	291
25-44	2,976	1,411	738	772	876	2,956	1,349	670	893	968
45-64	3,368	2,071	730	509	557	3,381	2,120	644	578	588
65-74	1,280	869	241	142	121	1,308	888	253	157	140
75 and over	2,765	2,239	332	151	92	2,586	2,056	327	183	106

¹ Totals include unknown race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 117. Number of Emergency Room Visits Due to Mental Disorders and Substance Abuse by Sex, Age, and Race/Ethnicity, Westchester County Residents, 2007-2008

2007											
	Total	<1	1-4	5-9	10-14	15-17	18-24	25-44	45-64	65-74	75+
Total¹	15,401	11	20	206	760	1,122	1,888	5,549	4,620	577	648
White	7,857	1	8	57	254	468	925	2,631	2,638	374	501
Black	3,980	1	5	76	246	295	434	1,530	1,181	115	97
Other	3,333	9	7	65	246	335	485	1,321	744	77	44
Hispanic ²	2,692	5	1	45	161	214	403	1,198	576	59	30
Male	8,676	9	13	159	412	555	1,033	3,202	2,761	304	228
White	4,312	0	5	42	136	234	477	1,507	1,547	190	174
Black	2,177	1	3	60	143	150	230	799	699	59	33
Other	2,047	8	5	50	124	154	300	858	481	48	19
Hispanic ²	1,707	5	0	34	86	93	253	785	404	36	11
Female	6,725	2	7	47	348	567	855	2,347	1,859	273	420
White	3,545	1	3	15	118	234	448	1,124	1,091	184	327
Black	1,803	0	2	16	103	145	204	731	482	56	64
Other	1,286	1	2	15	122	181	185	463	263	29	25
Hispanic ²	985	0	1	11	75	121	150	413	172	23	19
2008											
	Total	<1	1-4	5-9	10-14	15-17	18-24	25-44	45-64	65-74	75+
Total¹	15,847	16	21	188	858	1,113	2,182	5,555	4,611	675	628
White	7,756	3	10	37	262	434	1,012	2,491	2,605	418	484
Black	4,020	2	8	77	261	291	477	1,484	1,216	133	71
Other	3,843	11	3	62	317	358	645	1,527	735	120	65
Hispanic ²	2,845	9	3	32	166	185	481	1,282	576	79	32
Male	9,016	14	15	147	441	532	1,242	3,303	2,709	385	228
White	4,285	3	6	23	120	191	584	1,456	1,480	240	182
Black	2,283	1	7	68	157	155	274	797	727	76	21
Other	2,314	10	2	47	153	176	359	1,016	460	67	24
Hispanic ²	1,716	9	2	22	81	95	271	834	349	38	15
Female	6,831	2	6	41	417	581	940	2,252	1,902	290	400
White	3,471	0	4	14	142	243	428	1,035	1,125	178	302
Black	1,737	1	1	9	104	136	203	687	489	57	50
Other	1,529	1	1	15	164	182	286	511	275	53	41
Hispanic ²	1,129	0	1	10	85	90	210	448	227	41	17

¹ Totals include unknown race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 118. Number of Emergency Room Visits Due to Mental Disorders and Substance Abuse by Sex and Age, Westchester County Residents, 2007-2008

	2007			2008		
	Total	Male	Female	Total	Male	Female
Total	15,401	8,676	6,725	15,847	9,016	6,831
Mental Disorders	10,248	4,945	5,303	10,560	5,174	5,386
Less than 1	4	3	1	4	3	1
1-4	18	13	5	20	15	5
5-9	204	158	46	188	147	41
10-14	706	382	324	817	424	393
15-17	906	433	473	889	421	468
18-24	1,289	642	647	1,503	786	717
25-44	3,438	1,662	1,776	3,398	1,685	1,713
45-64	2,718	1,316	1,402	2,708	1,283	1,425
65-74	397	161	236	469	218	251
75 and over	568	175	393	564	192	372
Abuse of Drugs or Alcohol	5,153	3,731	1,422	5,287	3,842	1,445
Less than 1	7	6	1	12	11	1
1-4	2	0	2	1	0	1
5-9	2	1	1	0	0	0
10-14	54	30	24	41	17	24
15-17	216	122	94	224	111	113
18-24	599	391	208	679	456	223
25-44	2,111	1,540	571	2,157	1,618	539
45-64	1,902	1,445	457	1,903	1,426	477
65-74	180	143	37	206	167	39
75 and over	80	53	27	64	36	28

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 119. Number of Emergency Room Visits Due to Mental Disorders by Sex and Race/Ethnicity, Westchester County Residents, 2007-2008

	2007			2008		
	Total	Male	Female	Total	Male	Female
Total¹	15,401	8,676	6,725	15,847	9,016	6,831
Mental Disorders	10,248	4,945	5,303	10,560	5,174	5,386
White	5,074	2,399	2,675	5,067	2,474	2,593
Black	2,893	1,420	1,473	2,855	1,438	1,417
Other	2,139	1,052	1,087	2,482	1,179	1,303
Hispanic ²	1,536	706	830	1,650	703	947
Abuse of Drugs or Alcohol	5,153	3,731	1,422	5,287	3,842	1,445
White	2,783	1,913	870	2,689	1,811	878
Black	1,087	757	330	1,165	845	320
Other	1,194	995	199	1,361	1,135	226
Hispanic ²	1,156	1,001	155	1,195	1,013	182

¹ Totals include unknown race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 120. Number of Emergency Room Visits Due to Mental Disorders by Age and Race/Ethnicity, Westchester County Residents, 2007-2008

	2007					2008				
	Total ¹	White	Black	Other	Hispanic ²	Total	White	Black	Other	Hispanic ²
Total	15,401	7,857	3,980	3,333	2,692	15,847	7,756	4,020	3,843	2,845
Mental Disorders	10,248	5,074	2,893	2,139	1,536	10,560	5,067	2,855	2,482	1,650
Less than 1	4	-	1	3	1	4	2	1	1	1
1-4	18	7	5	6	-	20	10	8	2	2
5-9	204	57	75	64	45	188	37	77	62	32
10-14	706	218	242	233	145	817	241	252	306	154
15-17	906	334	275	283	168	889	304	262	298	137
18-24	1,289	585	343	332	254	1,503	641	378	454	321
25-44	3,438	1,572	1,108	723	599	3,398	1,513	1,035	821	642
45-64	2,718	1,604	665	417	271	2,708	1,558	707	409	283
65-74	397	259	88	44	31	469	316	76	75	54
75 and over	568	438	91	34	22	564	445	59	54	24
Abuse of Drugs or Alcohol	5,153	2,783	1,087	1,194	1,156	5,287	2,689	1,165	1,361	1,195
Less than 1	7	1	-	6	4	12	1	1	10	8
1-4	2	1	-	1	1	1	-	-	1	1
5-9	2	-	1	1	-	-	-	-	-	-
10-14	54	36	4	13	16	41	21	9	11	12
15-17	216	134	20	52	46	224	130	29	60	48
18-24	599	340	91	153	149	679	371	99	191	160
25-44	2,111	1,059	422	598	599	2,157	978	449	706	640
45-64	1,902	1,034	516	327	305	1,903	1,047	509	326	293
65-74	180	115	27	33	28	206	102	57	45	25
75 and over	80	63	6	10	8	64	39	12	11	8

¹ Totals include unknown race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 121. Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2007-2008

2 0 0 7														
New York State Hospitals	Total		Medical		Surgical		Pediatric		Obstetrical¹		Nursery/Newborn		Psychiatric	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Total	114,867	100.0	42,630	100.0	36,184	100.0	4,577	100.0	11,737	100.0	10,461	100.0	9,278	100.0
Westchester County Acute Care Hospitals	90,243	78.6	36,532	85.7	25,922	71.6	3,417	74.7	9,880	84.2	8,799	84.1	5,693	61.4
Westchester Medical Center	14,217	12.4	3,416	8.0	5,648	15.6	1,920	41.9	875	7.5	580	5.5	1,778	19.2
White Plains Hospital Center	13,580	11.8	5,221	12.2	4,327	12.0	349	7.6	1,867	15.9	1,724	16.5	92	1.0
St. John's Riverside Hospital	12,675	11.0	4,866	11.4	2,637	7.3	248	5.4	1,763	15.0	1,601	15.3	1,560	16.8
Sound Shore Medical Center of Westchester	9,716	8.5	4,075	9.6	2,450	6.8	164	3.6	1,457	12.4	1,341	12.8	229	2.5
Lawrence Hospital Center	9,041	7.9	4,628	10.9	2,312	6.4	171	3.7	997	8.5	885	8.5	48	0.5
Northern Westchester Hospital	8,034	7.0	2,957	6.9	2,231	6.2	288	6.3	1,147	9.8	1,133	10.8	278	3.0
Phelps Memorial Hospital Center	7,006	6.1	2,622	6.2	1,957	5.4	54	1.2	962	8.2	924	8.8	487	5.2
Hudson Valley Hospital Center	5,368	4.7	2,418	5.7	1,546	4.3	20	0.4	746	6.4	611	5.8	27	0.3
St. Josephs Hospital (Yonkers)	5,116	4.5	2,988	7.0	1,238	3.4	196	4.3	33	0.3	0	0.0	661	7.1
Mount Vernon Hospital	4,048	3.5	2,390	5.6	1,120	3.1	0	0.0	31	0.3	0	0.0	507	5.5
Community Hospital at Dobbs Ferry	1,442	1.3	951	2.2	456	1.3	7	0.2	2	0.0	0	0.0	26	0.3
Westchester County Specialty Hospitals	3,947	3.4	1,353	3.2	1	0.0	36	0.8	0	0.0	0	0.0	2,557	27.6
SVCMC - St. Vincents Westchester	1,417	1.2	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1,416	15.3
Winifred Masterson Burke Rehabilitation Hospital	1,331	1.2	1330	3.1	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0
New York Presbyterian Hospital at Westchester Division	1,155	1.0	14	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1141	12.3
Blythedale Childrens Hospital	44	0.0	8	0.0	0	0.0	36	0.8	0	0.0	0	0.0	0	0.0
New York County (Manhattan) Hospitals	12,469	10.9	2,025	4.8	7,316	20.2	706	15.4	1,103	9.4	1,036	9.9	283	3.1
New York Presbyterian Hospital at Columbia Presbyterian Center	3,063	2.7	413	1.0	1,768	4.9	357	7.8	262	2.2	220	2.1	43	0.5
Mount Sinai Hospital	2,290	2.0	344	0.8	1,493	4.1	38	0.8	188	1.6	186	1.8	41	0.4
New York Presbyterian Hospital at New York Weill Cornell Center	1,273	1.1	145	0.3	756	2.1	27	0.6	148	1.3	179	1.7	18	0.2
Memorial Hospital for Cancer and Allied Diseases	1,220	1.1	406	1.0	774	2.1	35	0.8	0	0.0	0	0.0	5	0.1
NYU Hospital Center	982	0.9	157	0.4	487	1.3	83	1.8	137	1.2	108	1.0	10	0.1
Lenox Hill Hospital	918	0.8	116	0.3	487	1.3	12	0.3	149	1.3	142	1.4	12	0.1
Hospital for Special Surgery	720	0.6	11	0.0	682	1.9	27	0.6	0	0.0	0	0.0	0	0.0
St. Luke's Roosevelt Hospital Center at Roosevelt Hospital Division	519	0.5	64	0.2	157	0.4	16	0.3	134	1.1	128	1.2	20	0.2
Beth Israel Medical Center/Petrie Campus	456	0.4	69	0.2	206	0.6	90	2.0	29	0.2	28	0.3	34	0.4
Hospital for Joint Diseases at Orthopaedic Institute Inc.	191	0.2	12	0.0	170	0.5	9	0.2	0	0.0	0	0.0	0	0.0

(Continued)

Table 121. Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2007-2008 (cont'd)

2 0 0 7														
New York State Hospitals	Total		Medical		Surgical		Pediatric		Obstetrical¹		Nursery/Newborn		Psychiatric	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
New York County (Manhattan) Hospitals (continued)														
St Luke's Roosevelt Hospital at St. Luke's Hospital Division	167	0.1	40	0.1	93	0.3	2	0.0	5	0.0	2	0.0	25	0.3
St. Vincent's Catholic Medical Center	162	0.1	35	0.1	85	0.2	1	0.0	18	0.2	16	0.2	7	0.1
New York Presbyterian Hospital at Allen Pavilion	145	0.1	55	0.1	40	0.1	0	0.0	23	0.2	22	0.2	5	0.1
Bellevue Hospital Center	72	0.1	32	0.1	23	0.1	0	0.0	1	0.0	0	0.0	16	0.2
All Other Hospitals	291	0.3	126	0.3	95	0.3	9	0.2	9	0.1	5	0.0	47	0.5
Bronx County Hospitals	5,747	5.0	1,836	4.3	2,133	5.9	360	7.9	601	5.1	491	4.7	326	3.5
Montefiore Medical Center at Henry & Lucy Moses Division	2,250	2.0	665	1.6	1,269	3.5	289	6.3	3	0.0	1	0.0	23	0.2
Montefiore Medical Center at Jack D. Weiler Hospital of A. Einstein College	1,277	1.1	189	0.4	371	1.0	0	0.0	388	3.3	327	3.1	2	0.0
Our Lady of Mercy Medical Center	772	0.7	216	0.5	211	0.6	24	0.5	133	1.1	102	1.0	86	0.9
Calvary Hospital Inc.	446	0.4	418	1.0	27	0.1	0	0.0	0	0.0	0	0.0	1	0.0
Jacobi Medical Center	390	0.3	137	0.3	144	0.4	39	0.9	27	0.2	19	0.2	24	0.3
St. Barnabas Hospital	272	0.2	71	0.2	35	0.1	2	0.0	11	0.1	8	0.1	145	1.6
All Other Hospitals	228	0.2	78	0.2	26	0.1	6	0.1	39	0.3	34	0.3	45	0.5
New York Westchester Square Medical Center	112	0.1	62	0.1	50	0.1	0	0.0	0	0.0	0	0.0	0	0.0
Queens County Hospitals	250	0.2	66	0.2	76	0.2	20	0.4	20	0.2	20	0.2	48	0.5
Kings County (Brooklyn) Hospitals	147	0.1	43	0.1	43	0.1	12	0.3	19	0.2	18	0.2	12	0.1
Richmond County (Staten Island) Hospitals	30	0.0	8	0.0	8	0.0	1	0.0	1	0.0	1	0.0	11	0.1
Nassau County Hospitals	217	0.2	72	0.2	79	0.2	3	0.1	31	0.3	28	0.3	4	0.0
North Shore University Hospital	118	0.1	32	0.1	36	0.1	2	0.0	25	0.2	22	0.2	1	0.0
All Other Hospitals	99	0.1	40	0.1	43	0.1	1	0.0	6	0.1	6	0.1	3	0.0
Suffolk County Hospitals	81	0.1	35	0.1	27	0.1	3	0.1	6	0.1	4	0.0	6	0.1
Rockland County Hospitals	291	0.3	149	0.3	28	0.1	3	0.1	15	0.1	14	0.1	82	0.9
Nyack Hospital	148	0.1	22	0.1	25	0.1	3	0.1	12	0.1	10	0.1	76	0.8
Helen Hayes Hospital	127	0.1	126	0.3	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0
All Other Hospitals	16	0.0	1	0.0	2	0.0	0	0.0	3	0.0	4	0.0	6	0.1
Putnam County Hospital(s)	1,015	0.9	375	0.9	389	1.1	5	0.1	47	0.4	39	0.4	160	1.7
Putnam Hospital Center	1,015	0.9	375	0.9	389	1.1	5	0.1	47	0.4	39	0.4	160	1.7
Hospitals North of Putnam and Rockland Counties	430	0.4	136	0.3	162	0.4	11	0.2	14	0.1	11	0.1	96	1.0

(Continued)

Table 121. Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2007-2008 (cont'd)

2008														
New York State Hospitals	Total		Medical		Surgical		Pediatric		Obstetrical ¹		Nursery/Newborn		Psychiatric	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Total	111,638	100.0	42,293	100.0	34,544	100.0	4,245	100.0	11,504	100.0	10,171	100.0	8,881	100.0
Westchester County Acute Care Hospitals	86,485	77.5	35,331	83.5	24,300	70.3	3,140	74.0	9,737	84.6	8,601	84.6	5,376	60.5
Westchester Medical Center	13,714	12.3	3,208	7.6	5,512	16.0	1,912	45.0	789	6.9	559	5.5	1,734	19.5
White Plains Hospital Center	13,340	11.9	5,638	13.3	4,000	11.6	308	7.3	1,713	14.9	1,582	15.6	99	1.1
St. John's Riverside Hospital	12,290	11.0	4,892	11.6	2,519	7.3	133	3.1	1,833	15.9	1,585	15.6	1,328	15.0
Sound Shore Medical Center of Westchester	9,356	8.4	3,847	9.1	2,111	6.1	147	3.5	1,580	13.7	1,402	13.8	269	3.0
Northern Westchester Hospital	8,302	7.4	3,229	7.6	2,334	6.8	275	6.5	1,116	9.7	1,076	10.6	272	3.1
Phelps Memorial Hospital Center	7,233	6.5	2,723	6.4	1,974	5.7	56	1.3	1,058	9.2	986	9.7	436	4.9
Lawrence Hospital Center	6,619	5.9	3,130	7.4	1,600	4.6	115	2.7	894	7.8	838	8.2	42	0.5
Hudson Valley Hospital Center	5,364	4.8	2,551	6.0	1,498	4.3	20	0.5	675	5.9	573	5.6	47	0.5
St. Joseph's Hospital (Yonkers)	4,987	4.5	2,898	6.9	1,248	3.6	171	4.0	45	0.4	0	0.0	625	7.0
Mount Vernon Hospital	3,830	3.4	2,286	5.4	1,007	2.9	0	0.0	32	0.3	0	0.0	505	5.7
Community Hospital at Dobbs Ferry	1,450	1.3	929	2.2	497	1.4	3	0.1	2	0.0	0	0.0	19	0.2
Westchester County Specialty Hospitals	4,358	3.9	1,859	4.4	15	0.0	45	1.1	1	0.0	0	0.0	2,438	27.5
Winifred Masterson Burke Rehabilitation Hospital	1,810	1.6	1,795	4.2	15	0.0	0	0.0	0	0.0	0	0.0	0	0.0
SVCMC - St. Vincent's Westchester	1,327	1.2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1,327	14.9
New York Presbyterian Hospital at Westchester Division	1,170	1.0	58	0.1	0	0.0	0	0.0	1	0.0	0	0.0	1,111	12.5
Blythedale Childrens Hospital	51	0.0	6	0.0	0	0.0	45	1.1	0	0.0	0	0.0	0	0.0
New York County (Manhattan) Hospitals	12,375	11.1	2,110	5.0	7,339	21.2	658	15.5	1,029	8.9	948	9.3	291	3.3
New York Presbyterian Hospital at Columbia Presbyterian Center	2696	2.4	371	0.9	1,595	4.6	314	7.4	212	1.8 #	164	1.6	40	0.5
Mount Sinai Hospital	2125	1.9	367	0.9	1,399	4.0	38	0.9	139	1.2 #	134	1.3	48	0.5
New York Presbyterian Hospital at New York Weill Cornell Center	1808	1.6	250	0.6	1,109	3.2	59	1.4	184	1.6 #	187	1.8	19	0.2
Memorial Hospital for Cancer and Allied Diseases	1156	1.0	377	0.9	758	2.2	20	0.5	0	0.0 #	0	0.0	1	0.0
NYU Hospital Center	1051	0.9	196	0.5	546	1.6	84	2.0	112	1.0 #	102	1.0	11	0.1
Lenox Hill Hospital	873	0.8	121	0.3	400	1.2	7	0.2	165	1.4 #	165	1.6	15	0.2
Hospital for Special Surgery	779	0.7	10	0.0	741	2.1	28	0.7	0	0.0 #	0	0.0	0	0.0
St. Luke's Roosevelt Hospital Center at Roosevelt Hospital Division	500	0.4	48	0.1	186	0.5	7	0.2	127	1.1 #	122	1.2	10	0.1
Beth Israel Medical Center/Petrie Campus	463	0.4	89	0.2	209	0.6	76	1.8	31	0.3 #	27	0.3	31	0.3
Hospital for Joint Diseases at Orthopaedic Institute Inc.	184	0.2	19	0.0	155	0.4	10	0.2	0	0.0 #	0	0.0	0	0.0

(Continued)

Table 121. Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2007-2008 (cont'd)

2 0 0 8														
New York State Hospitals	Total		Medical		Surgical		Pediatric		Obstetrical¹		Nursery/Newborn		Psychiatric	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
New York County (Manhattan) Hospitals (continued)														
St. Vincent's Catholic Medical Center	153	0.1	35	0.1	68	0.2	2	0.0	18	0.2	19	0.2	11	0.1
St. Luke's Roosevelt Hospital at St. Lukes Hospital Division	145	0.1	47	0.1	62	0.2	3	0.1	4	0.0	0	0.0	29	0.3
New York Presbyterian Hospital at Allen Pavilion	126	0.1	54	0.1	30	0.1	0	0.0	18	0.2	17	0.2	7	0.1
Bellevue Hospital Center	92	0.1	32	0.1	34	0.1	2	0.0	2	0.0	1	0.0	21	0.2
All Other Hospitals	224	0.2	94	0.2	47	0.1	8	0.2	17	0.1	10	0.1	48	0.5
Bronx County Hospitals	5,955	5.3	2,058	4.9	2,084	6.0	362	8.5	575	5.0	488	4.8	388	4.4
Montefiore Medical Center at Henry & Lucy Moses Division	2317	2.1	766	1.8	1,212	3.5	295	6.9	6	0.1	3	0.0	35	0.4
Montefiore Medical Center at Jack D. Weiler Hospital of A. Einstein College	1315	1.2	243	0.6	351	1.0	0	0.0	380	3.3	340	3.3	1	0.0
Our Lady of Mercy Medical Center	818	0.7	255	0.6	213	0.6	27	0.6	126	1.1	102	1.0	95	1.1
Calvary Hospital Inc.	452	0.4	418	1.0	29	0.1	0	0.0	0	0.0	0	0.0	5	0.1
Jacobi Medical Center	409	0.4	141	0.3	151	0.4	32	0.8	31	0.3	17	0.2	37	0.4
St. Barnabas Hospital	310	0.3	84	0.2	49	0.1	4	0.1	7	0.1	5	0.0	161	1.8
New York Westchester Square Medical Center	110	0.1	61	0.1	49	0.1	0	0.0	0	0.0	0	0.0	0	0.0
All Other Hospitals	224	0.2	90	0.2	30	0.1	4	0.1	25	0.2	21	0.2	54	0.6
Queens County Hospitals	221	0.2	77	0.2	68	0.2	15	0.4	20	0.2	20	0.2	21	0.2
Kings County (Brooklyn) Hospitals	132	0.1	36	0.1	38	0.1	3	0.1	23	0.2	20	0.2	12	0.1
Richmond County (Staten Island) Hospitals	40	0.0	11	0.0	8	0.0	2	0.0	2	0.0	2	0.0	15	0.2
Nassau County Hospitals	279	0.2	76	0.2	123	0.4	6	0.1	33	0.3	33	0.3	8	0.1
North Shore University Hospital	134	0.1	33	0.1	48	0.1	2	0.0	23	0.2	24	0.2	4	0.0
All Other Hospitals	145	0.1	43	0.1	75	0.2	4	0.1	10	0.1	9	0.1	4	0.0
Suffolk County Hospitals	57	0.1	30	0.1	16	0.0	2	0.0	4	0.0	2	0.0	3	0.0
Rockland County Hospitals	270	0.2	136	0.3	41	0.1	1	0.0	13	0.1	11	0.1	68	0.8
Nyack Hospital	164	0.1	40	0.1	39	0.1	1	0.1	12	0.1	10	0.1	62	0.8
Helen Hayes Hospital	88	0.1	87	0.3	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0
All Other Hospitals	18	0.0	9	0.0	1	0.0	0	0.0	1	0.0	1	0.0	6	0.1
Putnam County Hospital(s)	1,137	1.0	447	1.1	396	1.1	4	0.1	54	0.5	37	0.4	199	2.2
Putnam Hospital Center	1,137	0.9	447	0.9	396	1.1	4	0.1	54	0.4	37	0.4	199	1.7
Hospitals North of Putnam and Rockland Counties	329	0.3	122	0.3	116	0.3	7	0.2	13	0.1	9	0.1	62	0.7

¹ The obstetrical service category does not include abortions and complications to childbirth requiring surgery.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 122. Number of Hospital Discharges and Average Length of Stay by Age and Sex, Westchester County Residents, 2007-2008

2007										
Age (years)	Total ²		Female			Female (excluding obstetric service categories)		Male		
	Number of Discharges	Average Length of Stay (days)	Number of Discharges	%	Average Length of Stay (days)	Number of Discharges	Average Length of Stay (days)	Number of Discharges	%	Average Length of Stay (days)
Total	114,867	6.0	65,310	56.9	5.7	53,573	6.3	49,544	43.1	6.4
Newborn ¹	10,461	3.9	5,141	49.1	3.8	5,141	3.8	5,308	50.7	8.6
<1	1,235	5.9	499	40.4	5.6	499	5.6	736	59.6	16.1
1-2	980	4.0	421	43.0	3.7	421	3.7	559	57.0	9.5
3-4	577	3.6	283	49.0	4.6	283	4.6	294	51.0	2.5
5-6	385	3.9	174	45.2	3.7	174	3.7	211	54.8	6.6
7-8	385	5.8	163	42.3	3.8	163	3.8	222	57.7	7.3
9-10	414	6.4	183	44.2	4.4	183	4.4	231	55.8	8.0
11-12	461	8.3	193	41.9	7.2	193	7.2	268	58.1	9.1
13-14	628	9.2	314	50.0	10.9	310	11.0	313	49.8	7.5
15-16	1014	7.2	541	53.4	6.9	470	7.4	473	46.6	7.5
17-18	1,140	5.8	675	59.2	4.7	405	6.0	465	40.8	7.4
19-20	1,457	5.5	960	65.9	4.8	397	7.0	497	34.1	6.9
21-22	1,527	5.3	1,070	70.1	4.3	386	6.6	457	29.9	7.7
23-24	1,523	5.4	1,087	71.4	3.9	362	5.8	436	28.6	9.3
25-29	4,881	5.1	3,670	75.2	4.3	1,014	7.6	1,211	24.8	7.4
30-34	5,980	4.4	4,729	79.1	3.8	1,162	5.8	1,251	20.9	6.7
35-39	6,262	5.5	4,520	72.2	4.6	2,017	6.2	1,742	27.8	7.8
40-44	5,880	6.2	3,192	54.3	5.5	2,547	6.1	2,688	45.7	7.0
45-49	6,293	6.4	3,187	50.6	5.9	3,146	5.9	3,106	49.4	7.0
50-54	6,760	6.1	3,295	48.7	8.9	3,288	5.9	3,465	51.3	6.3
55-59	6,734	6.0	3,138	46.6	6.0	3,137	6.0	3,596	53.4	6.0
60-64	6,547	6.2	3,180	48.6	6.2	3,180	6.2	3,367	51.4	6.1
65-69	6,762	6.5	3,339	49.4	6.6	3,339	6.6	3,423	50.6	6.4
70-74	7,168	6.6	3,771	52.6	6.9	3,771	6.9	3,397	47.4	6.3
75-79	8,745	7.0	4,839	55.3	7.1	4,839	7.1	3,906	44.7	6.7
80-84	9,095	7.1	5,162	56.8	7.0	5,162	7.0	3,933	43.2	7.2
85 and above	11,573	7.1	7,584	65.5	7.1	7,584	7.1	3,989	34.5	7.2
Total Excluding Newborns	104,406	6.2	60,169	57.6	5.9	--	--	44,236	42.4	6.7
Total Excluding Newborns & Obstetrics	92,669	6.6	48,432	52.3	6.5	--	--	44,236	47.7	6.7

(Continued)

Table 122. Number of Hospital Discharges and Average Length of Stay by Age and Sex, Westchester County Residents, 2007-2008

2008										
Age (years)	Total²		Female			Female (excluding obstetric service categories)		Male		
	Number of Discharges	Average Length of Stay (days)	Number of Discharges	%	Average Length of Stay (days)	Number of Discharges	Average Length of Stay (days)	Number of Discharges	%	Average Length of Stay (days)
Total	111,638	6.1	63,238	56.6	5.7	51,734	6.3	48,372	43.3	6.5
Newborn ¹	10,171	4.0	4,969	48.9	3.8	4,969	3.8	5,175	50.9	4.1
<1	1,145	6.3	497	43.4	7.1	497	7.1	648	56.6	5.6
1-2	815	3.8	343	42.1	4.4	343	4.4	472	57.9	3.3
3-4	566	3.6	223	39.4	3.1	223	3.1	343	60.6	4.0
5-6	394	5.4	176	44.7	4.4	176	4.4	218	55.3	6.2
7-8	345	4.3	143	41.4	3.5	143	3.5	202	58.6	4.9
9-10	399	7.7	157	39.3	4.5	156	4.5	242	60.7	9.9
11-12	470	7.9	202	43.0	6.6	202	6.6	268	57.0	8.9
13-14	635	8.8	312	49.1	8.9	305	9.1	323	50.9	8.7
15-16	909	7.8	468	51.5	6.9	400	7.6	441	48.5	8.9
17-18	1,094	5.5	668	61.1	4.8	385	6.1	426	38.9	6.7
19-20	1,556	4.9	1020	65.6	3.8	386	5.0	536	34.4	7.0
21-22	1,488	5.6	1024	68.8	4.2	361	6.3	464	31.2	8.9
23-24	1,600	5.1	1,171	73.2	4.2	410	6.8	429	26.8	7.3
25-29	4,888	4.7	3,694	75.6	3.8	1013	5.8	1,194	24.4	7.5
30-34	5,666	4.4	4,482	79.1	3.7	1,151	5.7	1,184	20.9	6.9
35-39	5,766	5.1	4,101	71.1	4.4	1,701	6.1	1,665	28.9	6.7
40-44	5,361	6.0	3,071	57.3	5.5	2,445	6.0	2,290	42.7	6.6
45-49	6,040	6.3	3,095	51.2	6.0	3,053	6.0	2,945	48.8	6.6
50-54	6,609	6.5	3,206	48.5	6.2	3,200	6.2	3,403	51.5	6.7
55-59	6,767	6.3	3,063	45.3	6.3	3,062	6.3	3,703	54.7	6.4
60-64	6,727	6.5	3,282	48.8	6.4	3,282	6.4	3,445	51.2	6.5
65-69	6,761	6.3	3,341	49.4	6.5	3,341	6.5	3,420	50.6	6.2
70-74	6,906	6.9	3,720	53.9	7.0	3,720	7.0	3,186	46.1	6.8
75-79	8,297	7.0	4,474	53.9	7.0	4,474	7.0	3,823	46.1	7.0
80-84	8,996	7.2	5,090	56.6	7.3	5,090	7.3	3,906	43.4	7.1
85 and above	11,267	7.3	7,246	64.3	7.1	7,246	7.1	4,021	35.7	7.5
Total Excluding Newborns	101,467	6.3	58,269	57.4	5.9	--	--	43,197	42.6	6.8
Total Excluding Newborns & Obstetrics	89,963	6.7	46,765	52.0	6.6	--	--	43,197	48.0	6.8

¹ Only includes newborns delivered in New York State hospitals.

² Totals include unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009

Table 123. Number of Hospital Discharges and Average Length of Stay by Age and Race/Ethnicity, Westchester County Residents, 2007-2008

2 0 0 7										
<i>Age (years)</i>	Total²		White		Black		Other³		Hispanic⁴	
	N	Average Length of Stay (days)	N	Average Length of Stay (days)	N	Average Length of Stay (days)	N	Average Length of Stay (days)	N	Average Length of Stay (days)
Total	114,867	6.0	73,037	5.9	20,427	6.9	18,068	5.5	15,666	4.8
Newborn ¹	10,461	3.9	5,810	3.6	1,494	4.6	2,547	4.1	2,777	3.4
<1	1,235	5.9	634	6.0	163	7.2	400	5.6	315	5.6
1-2	980	4.0	495	4.2	152	4.1	298	3.5	328	4.9
3-4	577	3.6	274	3.9	96	3.2	180	3.4	148	3.2
5-6	385	3.9	201	4.2	54	3.5	113	4.0	98	3.4
7-8	385	5.8	189	4.3	65	9.9	111	6.5	86	3.9
9-10	414	6.4	193	5.7	79	8.4	132	6.4	101	7.0
11-12	461	8.3	214	5.0	104	14.7	127	9.3	85	7.0
13-14	628	9.2	267	5.8	134	18.3	195	8.3	126	11.6
15-16	1014	7.2	484	5.2	236	10.9	274	8.0	173	6.0
17-18	1,140	5.8	550	4.9	276	6.3	293	7.5	274	4.1
19-20	1,457	5.5	712	4.5	348	7.4	357	5.5	430	4.4
21-22	1,527	5.3	749	5.4	357	5.9	379	5.0	456	4.5
23-24	1,523	5.4	698	4.9	345	8.0	423	4.2	470	3.3
25-29	4,881	5.1	2,215	4.8	1,157	6.2	1,305	4.8	1,423	3.6
30-34	5,980	4.4	3,146	4.9	1,116	5.8	1,389	4.2	1,256	3.9
35-39	6,262	5.5	3,391	6.0	1,373	6.8	1,256	6.0	1,128	5.3
40-44	5,880	6.2	3,087	6.0	1,571	7.0	1,104	6.1	995	6.0
45-49	6,293	6.4	3,388	6.4	1,760	6.8	1,022	6.2	866	5.8
50-54	6,760	6.1	4,099	5.8	1,542	7.1	979	5.7	820	5.4
55-59	6,734	6.0	4,244	5.8	1,412	7.2	912	5.1	734	5.6
60-64	6,547	6.2	4,302	5.8	1,248	7.3	831	6.4	574	5.9
65-69	6,762	6.5	4,524	6.3	1,286	7.2	789	6.3	505	6.2
70-74	7,168	6.6	5,154	6.5	1,104	7.4	770	6.1	443	7.4
75-79	8,745	7.0	6,844	6.9	1,049	7.5	686	6.2	455	6.9
80-84	9,095	7.1	7,489	7.0	845	7.2	629	7.7	324	6.3
85 and above	11,573	7.1	9,684	7.1	1,061	7.5	567	7.0	276	7.1
Total Excluding Newborns	104,406	6.2	67,227	6.1	18,933	7.1	15,521	5.9	12,889	5.1
Total Excluding Newborns & Obstetric	92,669	6.6	61,000	6.4	17,052	7.5	12,606	6.4	9,735	5.7

(Continued)

Table 123. Number of Hospital Discharges and Average Length of Stay by Age and Race/Ethnicity, Westchester County Residents, 2007-2008 (cont'd)

2008										
Age (years)	Total ²		White		Black		Other ³		Hispanic ⁴	
	N	Average Length of Stay (days)	N	Average Length of Stay (days)	N	Average Length of Stay (days)	N	Average Length of Stay (days)	N	Average Length of Stay (days)
Total	111,638	6.1	71,579	6.0	19,662	6.9	18,504	5.8	15,299	5.0
Newborn ¹	10,171	4.0	5,646	3.7	1,565	4.9	2,452	4.3	2,550	3.6
<1	1,145	6.3	567	5.3	194	8.7	369	6.5	352	5.8
1-2	815	3.8	426	3.7	126	5.2	254	3.4	284	3.9
3-4	566	3.6	285	3.3	111	3.7	166	4.3	143	4.4
5-6	394	5.4	183	4.9	70	9.6	138	3.9	93	5.1
7-8	345	4.3	174	3.8	54	5.3	111	4.9	80	4.0
9-10	399	7.7	212	5.1	85	14.8	100	7.5	111	5.9
11-12	470	7.9	244	5.6	102	12.1	120	9.2	77	8.6
13-14	635	8.8	291	7.0	143	13.4	197	8.3	116	7.4
15-16	909	7.8	454	5.8	189	10.4	260	9.6	215	5.9
17-18	1,094	5.5	517	5.3	277	6.1	289	5.3	275	4.5
19-20	1,556	4.9	716	4.7	415	5.3	406	4.9	409	3.9
21-22	1,488	5.6	723	5.8	342	5.4	401	5.6	448	5.0
23-24	1,600	5.1	737	4.4	414	6.0	420	5.5	472	4.3
25-29	4,888	4.7	2,269	4.3	1,104	5.6	1,367	4.9	1,364	4.0
30-34	5,666	4.4	3,055	4.0	1,009	5.6	1,375	4.7	1,225	4.0
35-39	5,766	5.1	3,145	4.6	1,209	6.5	1,254	5.2	1,093	5.2
40-44	5,361	6.0	2,781	5.9	1,418	6.5	1,097	5.4	923	5.6
45-49	6,040	6.3	3,383	5.8	1,657	7.2	949	6.3	772	5.6
50-54	6,609	6.5	3,957	6.3	1,541	7.1	1,030	6.4	787	6.3
55-59	6,767	6.3	4,380	6.1	1,307	7.2	1,016	6.4	749	5.8
60-64	6,727	6.5	4,491	6.3	1,248	7.0	916	6.8	622	6.2
65-69	6,761	6.3	4,555	6.1	1,173	7.2	977	6.3	615	6.0
70-74	6,906	6.9	4,973	6.7	1,076	7.7	802	7.4	451	7.7
75-79	8,297	7.0	6,528	7.0	931	7.3	766	6.8	442	6.3
80-84	8,996	7.2	7,418	7.1	845	8.4	651	7.1	354	7.0
85 and above	11,267	7.3	9,469	7.2	1,057	8.1	621	7.1	277	6.3
Total Excluding Newborns	101,467	6.3	65,933	6.2	18,097	7.0	16,052	6.0	12,749	5.3
Total Excluding Newborns & Obstetric	89,963	6.7	59,831	6.5	16,092	7.5	13,209	6.6	9,764	6.0

¹ Only includes newborns delivered in New York State hospitals.

² Totals include unknown race.

³ Includes Native Americans, Asian, and Pacific Islanders, and Other.

⁴ Hispanic is an ethnic group and may be of any race.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 124. Number of Hospital Discharges by Principal Diagnosis and All Related Diagnoses, Westchester County Residents, 2007-2008

2 0 0 7				
Diagnosis	Principal Diagnosis ¹		All Related Diagnoses ²	
	Number	%	Number	%
Total	114,867	100.0	114,867	--
Circulatory System	16,358	14.2	57,678	50.2
Mental Disorders	9,278	8.1	28,927	25.2
Digestive System	9,248	8.1	25,252	22.0
Respiratory System	7,936	6.9	26,327	22.9
<i>Asthma</i>	1,309	1.1	7,313	6.4
Neoplasms	6,361	5.5	14,094 ³	12.3
<i>Malignant</i>	4,885	4.3	10,736	9.3
<i>Benign</i>	1,207	1.1	2,419	2.1
<i>Carcinoma in Situ & Uncertain</i>	269	0.2	939	0.8
Musculoskeletal System and Connective Tissue	5,422	4.7	17,990	15.7
Injury and Poisoning	5,139 ⁴	4.5	7,454 ⁵	6.5
Genitourinary System	4,717	4.1	24,851	21.6
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	3,968	3.5	50,255	43.8
<i>Diabetes Mellitus</i>	1,499	1.3	18,589	16.2
Infectious and Parasitic Diseases	3,745	3.3	13,783	12.0
<i>HIV and AIDS</i>	209	0.2	1,299 ⁶	1.1
Nervous System and Sensory Organs	2,317	2.0	15,982	13.9
Skin & Subcutaneous Tissue	2,059	1.8	8,260	7.2
Blood and Blood-Forming Organs	1,496	1.3	18,313	15.9
Congenital Anomalies	436	0.4	2,252	2.0
Conditions Originating in the Perinatal Period	277	0.2	4,904	4.3
Symptoms, Signs, and Ill-defined Conditions	7,545	6.6	28,211	24.6
Medical Misadventure, Abnormal Reaction, & Late Effects	3,202 ⁴	2.8	9,721 ⁵	8.5
Supplementary Classifications - Other	3,120	2.7	58,261	50.7
Complications of Pregnancy, Childbirth and Puerperium	11,782 ⁷	10.3	11,801	10.3
Supplementary Classifications - Newborns	10,461	9.1	10,461	9.1

(continued)

Table 124. Number of Hospital Discharges by Principal Diagnosis and All Related Diagnoses, Westchester County Residents, 2007-2008 (cont'd)

2 0 0 8				
Diagnosis	Principal Diagnosis ¹		All Related Diagnoses ²	
	Number	%	Number	%
Total	111,638	100.0	111,638	--
Circulatory System	15,570	13.9	56,145	50.3
Mental Disorders	8,881	8.0	28,990	26.0
Digestive System	8,880	8.0	24,757	22.2
Respiratory System	7,773	7.0	25,779	23.1
<i>Asthma</i>	1,385	1.2	7,306	6.5
Neoplasms	6,027	5.4	13,714 ³	12.3
<i>Malignant</i>	4,630	4.1	10,472	9.4
<i>Benign</i>	1,122	1.0	2,305	2.1
<i>Carcinoma in Situ & Uncertain</i>	275	0.2	937	0.8
Musculoskeletal System and Connective Tissue	5,349	4.8	17,846	16.0
Injury and Poisoning	4,832 ⁴	4.3	6,866 ⁵	6.2
Genitourinary System	4,473	4.0	24,951	22.3
Infectious and Parasitic Diseases	4,171	3.7	13,878	12.4
<i>HIV and AIDS</i>	177	0.2	1,246 ⁶	1.1
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	3,721	3.3	50,156	44.9
<i>Diabetes Mellitus</i>	1,409	1.3	18,087	16.2
Nervous System and Sensory Organs	2,385	2.1	16,838	15.1
Skin & Subcutaneous Tissue	2,011	1.8	8,439	7.6
Blood and Blood-Forming Organs	1,492	1.3	18,520	16.6
Congenital Anomalies	408	0.4	2,340	2.1
Conditions Originating in the Perinatal Period	267	0.2	4,828	4.3
Symptoms, Signs, and Ill-defined Conditions	6,986	6.3	27,114	24.3
Supplementary Classifications - Other	3,821	3.4	60,129	53.9
Medical Misadventure, Abnormal Reaction, & Late Effects	2,872 ⁴	2.6	9,451 ⁵	8.5
Complications of Pregnancy, Childbirth and Puerperium	11,548 ⁷	10.3	11,573	10.4
Supplementary Classifications - Newborns	10,171	9.1	10,171	9.1

¹ The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care, as defined by ICD-9 Numerical Codes. Although the principal diagnosis represents the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. The principal diagnosis reflects clinical findings discovered during the patient's stay, therefore it may differ from admitting diagnosis.

² Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. Diagnoses that related to an earlier episode which had no bearing on the current hospital stay were excluded. A patient may be included in more than one category.

³ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemo-therapy and radio-therapy is also included). Diagnoses that were related to an earlier episode which had no bearing on the current hospital stay were excluded.

⁴ Defined by ICD-9 Numerical Codes and E Codes.

⁵ Including cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recording an external code (E-Code) are: a) principal diagnosis of an injury or poisoning, b) other diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis, and c) other diagnosis with an external cause. Only the first E-Code is recorded in this item.

⁶ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. In addition, it included any V-class coding as V0.80 and any of the variables for current, new or past New York State diagnosis-related groupings in the range of 700 to 716 or any current, new or past federal diagnosis-related groupings in the range of 488 to 490.

⁷ Defined by ICD-9 numerical codes for pregnancy, childbirth, and puerperium. Includes codes for abortion and complications in childbirth requiring surgery.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 125. Number of Hospital Discharges by Principal Diagnosis and Age, Westchester County Residents, 2007-2008

2007																	
Principal Diagnosis ¹	Total ²	<1 ³		1-12		13-17		18-34		35-49		50-64		65-74		75+	
		N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Total	114,867	1,235	100	3,202	100	2,170	100	15,980	100	18,435	100	20,041	100	13,930	100	29,413	100
Circulatory System	16,358	13	1.1	37	1.2	31	1.4	263	1.6	1,439	7.8	3,588	17.9	3,469	24.9	7,518	25.6
Mental Disorders	9,278	2	0.2	236	7.4	722	33.3	2,163	13.5	3,533	19.2	1,853	9.2	351	2.5	418	1.4
Digestive System	9,248	91	7.4	295	9.2	233	10.7	997	6.2	1,624	8.8	2,093	10.4	1,264	9.1	2,651	9.0
Respiratory System	7,936	318	25.7	729	22.8	97	4.5	339	2.1	728	3.9	1,343	6.7	1,198	8.6	3,184	10.8
<i>Asthma</i>	1,309	24	1.9	281	8.8	27	1.2	115	0.7	242	1.3	306	1.5	127	0.9	187	0.6
Neoplasms (including benign)	6,361	10	0.8	59	1.8	27	1.2	224	1.4	1,189	6.4	1,893	9.4	1,290	9.3	1,669	5.7
<i>Malignant Neoplasms</i>	4,885	4	0.3	47	1.5	11	0.5	109	0.7	543	2.9	1,522	7.6	1,147	8.2	1,502	5.1
Musculoskeletal System and Connective Tissue	5,422	0	0.0	79	2.5	110	5.1	253	1.6	879	4.8	1,529	7.6	1,117	8.0	1,455	4.9
Injury and Poisoning	5,139	22	1.8	252	7.9	195	9.0	820	5.1	677	3.7	715	3.6	502	3.6	1,956	6.7
Genitourinary System	4,717	69	5.6	97	3.0	83	3.8	409	2.6	754	4.1	918	4.6	718	5.2	1,669	5.7
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	3,968	51	4.1	264	8.2	49	2.3	316	2.0	662	3.6	880	4.4	502	3.6	1,244	4.2
<i>Diabetes Mellitus</i>	1,499	0	0.0	49	1.5	26	1.2	143	0.9	285	1.5	411	2.1	231	1.7	354	1.2
Infectious and Parasitic Diseases	3,745	65	5.3	148	4.6	43	2.0	226	1.4	441	2.4	612	3.1	499	3.6	1,711	5.8
<i>HIV and AIDS</i>	209	0	0.0	0	0.0	2	0.1	22	0.1	109	0.6	71	0.4	5	0.0	0	0.0
Nervous System and Sensory Organs	2,317	41	3.3	271	8.5	106	4.9	241	1.5	381	2.1	441	2.2	257	1.8	579	2.0
Skin & Subcutaneous Tissue	2,059	16	1.3	125	3.9	52	2.4	195	1.2	388	2.1	444	2.2	255	1.8	584	2.0
Blood and Blood-Forming Organs	1,496	4	0.3	95	3.0	58	2.7	248	1.6	229	1.2	235	1.2	169	1.2	458	1.6
Congenital Anomalies	436	129	10.4	120	3.7	36	1.7	55	0.3	39	0.2	35	0.2	12	0.1	10	0.0
Conditions Originating in the Perinatal Period	277	272	22.0	5	0.2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Symptoms, Signs, and Ill-defined Conditions	7,545	91	7.4	196	6.1	71	3.3	462	2.9	1,345	7.3	1,947	9.7	1,074	7.7	2,359	8.0
Medical Misadventure, Abnormal Reactions, & Late Effects	3,202	18	1.5	101	3.2	42	1.9	189	1.2	513	2.8	840	4.2	638	4.6	861	2.9
Supplementary Classifications - Other	3,120	23	1.9	93	2.9	34	1.6	187	1.2	414	2.2	667	3.3	615	4.4	1,087	3.7
Complications of Pregnancy, Childbirth and Puerperium ⁴	11,782	0	0.0	0	0.0	181	8.3	8,393	52.5	3,200	17.4	8	0.0	0	0.0	0	0.0
Supplementary Classifications - Newborns	10,461	--	--	0	--	0	--	0	--	0	--	0	--	0	--	0	--

(continued)

Table 125. Number of Hospital Discharges by Principal Diagnosis and Age, Westchester County Residents, 2007-2008 (cont'd)

		2008															
Principal Diagnosis ¹	Total ²	<1 ³		1-12		13-17		18-34		35-49		50-64		65-74		75 +	
		N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Total	111,638	1,145	100	2,989	100	2,012	100	15,824	100	17,167	100	20,103	100	13,667	100	28,560	100
Circulatory System	15,570	14	1.2	34	1.1	20	1.0	272	1.7	1325	7.7	3597	17.9	3104	22.7	7204	25.2
Mental Disorders	8,881	0	0.0	265	8.9	682	33.9	2233	14.1	3100	18.1	1811	9.0	421	3.1	369	1.3
Digestive System	8,880	73	6.4	253	8.5	201	10.0	1022	6.5	1590	9.3	2005	10.0	1251	9.2	2485	8.7
Respiratory System	7,773	287	25.1	731	24.5	83	4.1	320	2.0	669	3.9	1403	7.0	1195	8.7	3085	10.8
<i>Asthma</i>	1,385	19	1.7	340	11.4	25	1.2	110	0.7	232	1.4	334	1.7	130	1.0	195	0.7
Neoplasms (including benign)	6,027	4	0.3	43	1.4	38	1.9	211	1.3	1133	6.6	1876	9.3	1218	8.9	1504	5.3
<i>Malignant Neoplasms</i>	4,630	0	0.0	34	1.1	17	0.8	99	0.6	535	3.1	1528	7.6	1081	7.9	1336	4.7
Musculoskeletal System and Connective Tissue	5,349	4	0.3	75	2.5	82	4.1	275	1.7	831	4.8	1550	7.7	1059	7.7	1473	5.2
Injury and Poisoning	4,832	26	2.3	221	7.4	188	9.3	739	4.7	657	3.8	705	3.5	452	3.3	1844	6.5
Genitourinary System	4,473	58	5.1	104	3.5	53	2.6	385	2.4	679	4.0	875	4.4	661	4.8	1658	5.8
Infectious and Parasitic Diseases	4,171	61	5.3	111	3.7	34	1.7	260	1.6	447	2.6	712	3.5	624	4.6	1922	6.7
<i>HIV and AIDS</i>	177	0	0.0	0	0.0	0	0.0	20	0.1	87	0.5	65	0.3	3	0.0	2	0.0
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	3,721	44	3.8	221	7.4	79	3.9	299	1.9	600	3.5	863	4.3	514	3.8	1101	3.9
<i>Diabetes Mellitus</i>	1,409	1	0.1	48	1.6	36	1.8	121	0.8	251	1.5	418	2.1	208	1.5	326	1.1
Nervous System and Sensory Organs	2,385	25	2.2	286	9.6	99	4.9	245	1.5	366	2.1	438	2.2	278	2.0	648	2.3
Skin & Subcutaneous Tissue	2,011	22	1.9	102	3.4	46	2.3	219	1.4	363	2.1	482	2.4	237	1.7	540	1.9
Blood and Blood-Forming Organs	1,492	6	0.5	87	2.9	41	2.0	246	1.6	240	1.4	239	1.2	174	1.3	459	1.6
Congenital Anomalies	408	126	11.0	112	3.7	35	1.7	43	0.3	37	0.2	34	0.2	12	0.1	9	0.0
Conditions Originating in the Perinatal Period	267	265	23.1	2	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Symptoms, Signs, and Ill-defined Conditions	6,986	103	9.0	182	6.1	73	3.6	380	2.4	1221	7.1	1800	9.0	1105	8.1	2122	7.4
Supplementary Classifications - Other	3,821	9	0.8	77	2.6	48	2.4	181	1.1	406	2.4	875	4.4	881	6.4	1344	4.7
Medical Misadventure, Abnormal Reactions, & Late Effects	2,872	18	1.6	81	2.7	45	2.2	196	1.2	427	2.5	831	4.1	481	3.5	793	2.8
Complications of Pregnancy, Childbirth and Puerperium ⁴	11,548	0	0.0	2	0.1	165	8.2	8298	52.4	3076	17.9	7	0.0	0	0.0	0	0.0
Supplementary Classifications - Newborns	10,171	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

¹ The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care. Because the principal diagnosis represents the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. Furthermore, the principal diagnosis reflects clinical findings discovered during the patient's stay, therefore it may differ from admitting diagnosis.

² Totals include newborns.

³ "Under one year of age" category excludes newborns.

⁴ Defined by ICD-9 numerical codes for pregnancy, childbirth, and puerperium. Includes codes for abortion and complications in childbirth requiring surgery.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 126. Number of Hospital Discharges by Principal Diagnosis and Sex, Westchester County Residents, 2007-2008

2 0 0 7					
Principal Diagnosis ¹	Total ²	Female		Male	
		Number	%	Number	%
Total	114,867	65,310	100.0	49,544	100.0
Circulatory System	16,358	7,665	11.7	8,693	17.5
Mental Disorders	9,278	3,870	5.9	5,408	10.9
Digestive System	9,248	4,998	7.7	4,249	8.6
Respiratory System	7,936	4,210	6.4	3,726	7.5
<i>Asthma</i>	1,309	814	1.2	495	1.0
Neoplasms (including benign)	6,361	3,823	5.9	2,538	5.1
<i>Malignant Neoplasms</i>	4,885	2,607	4.0	2,278	4.6
Musculoskeletal System and Connective Tissue	5,422	3,126	4.8	2,296	4.6
Injury and Poisoning	5,139	2,678	4.1	2,461	5.0
Genitourinary System	4,717	2,731	4.2	1,986	4.0
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	3,968	2,297	3.5	1,671	3.4
<i>Diabetes Mellitus</i>	1,499	697	1.1	802	1.6
Infectious and Parasitic Diseases	3,745	1,953	3.0	1,792	3.6
<i>HIV and AIDS</i>	209	86	0.1	123	0.2
Nervous System and Sensory Organs	2,317	1,273	1.9	1,044	2.1
Skin & Subcutaneous Tissue	2,059	1,071	1.6	988	2.0
Blood and Blood-Forming Organs	1,496	906	1.4	590	1.2
Congenital Anomalies	436	177	0.3	259	0.5
Conditions Originating in the Perinatal Period	277	104	0.2	173	0.3
Symptoms, Signs, and Ill-defined Conditions	7,545	4,229	6.5	3,316	6.7
Medical Misadventure, Abnormal Reactions, & Late Effects	3,202	1,606	2.5	1,596	3.2
Supplementary Classifications - Other	3,120	1,670	2.6	1,450	2.9
Complications of Pregnancy, Childbirth and Puerperium ³	11,782	11,782	18.0	0	0.0
Supplementary Classifications - Newborns	10,461	5,141	7.9	5,308	10.7

(continued)

Table 126. Number of Hospital Discharges by Principal Diagnosis and Sex, Westchester County Residents, 2007-2008 (cont'd)

2 0 0 8					
Principal Diagnosis ¹	Total ²	Female		Male	
		Number	%	Number	%
Total	111,638	63,238	100.0	48,372	100.0
Circulatory System	15,570	7,303	11.5	8,267	17.1
Mental Disorders	8,881	3,686	5.8	5,195	10.7
Digestive System	8,880	4,816	7.6	4,064	8.4
Respiratory System	7,773	4,143	6.6	3,630	7.5
<i>Asthma</i>	1,385	863	1.4	522	1.1
Neoplasms (including benign)	6,027	3,540	5.6	2,487	5.1
<i>Malignant Neoplasms</i>	4,630	2,387	3.8	2,243	4.6
Musculoskeletal System and Connective Tissue	5,349	3,079	4.9	2,270	4.7
Injury and Poisoning	4,832	2,458	3.9	2,374	4.9
Genitourinary System	4,473	2,607	4.1	1,866	3.9
Infectious and Parasitic Diseases	4,171	2,224	3.5	1,947	4.0
<i>HIV and AIDS</i>	177	72	0.1	105	0.2
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	3,721	2,084	3.3	1,637	3.4
<i>Diabetes Mellitus</i>	1,409	656	1.0	753	1.6
Nervous System and Sensory Organs	2,385	1,357	2.1	1,028	2.1
Skin & Subcutaneous Tissue	2,011	958	1.5	1,053	2.2
Blood and Blood-Forming Organs	1,492	863	1.4	629	1.3
Congenital Anomalies	408	169	0.3	239	0.5
Conditions Originating in the Perinatal Period	267	117	0.2	150	0.3
Symptoms, Signs, and Ill-defined Conditions	6,986	3,872	6.1	3,113	6.4
Supplementary Classifications - Other	3,821	2,081	3.3	1,740	3.6
Medical Misadventure, Abnormal Reactions, & Late Effects	2,872	1,364	2.2	1,508	3.1
Complications of Pregnancy, Childbirth and Puerperium ³	11,548	11,548	18.3	0	0.0
Supplementary Classifications - Newborns	10,171	4,969	7.9	5,175	10.7

¹ The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care. Because the principal diagnosis represents the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. Furthermore, the principal diagnosis reflects clinical findings discovered during the patient's stay, therefore it may differ from admitting diagnosis.

² Totals include unknown sex.

³ Defined by ICD-9 numerical codes for pregnancy, childbirth, and puerperium. Includes codes for abortion and complications in childbirth requiring surgery.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 127. Number of Hospital Discharges by Principal Diagnosis and Race/Ethnicity, Westchester County Residents, 2007-2008

2007									
Principal Diagnosis ¹	Total ²	White		Black		Other ³		Hispanic ⁴	
		N	%	N	%	N	%	N	%
Total	114,867	73,037	100.0	20,427	100.0	18,068	100.0	15,666	100.0
Circulatory System	16,358	11,376	15.6	2,675	13.1	1,892	10.5	1,163	7.4
Mental Disorders	9,278	4,820	6.6	2,712	13.3	1,683	9.3	1,266	8.1
Digestive System	9,248	6,253	8.6	1,444	7.1	1,364	7.5	1,291	8.2
Respiratory System	7,936	5,363	7.3	1,417	6.9	1,032	5.7	923	5.9
<i>Asthma</i>	1,309	579	0.8	426	2.1	289	1.6	307	2.0
Neoplasms (including benign)	6,361	4,490	6.1	987	4.8	690	3.8	483	3.1
<i>Malignant Neoplasms</i>	4,885	3,637	5.0	638	3.1	472	2.6	323	2.1
Musculoskeletal System and Connective Tissue	5,422	4,042	5.5	662	3.2	539	3.0	351	2.2
Injury and Poisoning	5,139	3,627	5.0	583	2.9	842	4.7	556	3.5
Genitourinary System	4,717	3,197	4.4	729	3.6	683	3.8	637	4.1
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	3,968	2,347	3.2	1,029	5.0	505	2.8	408	2.6
<i>Diabetes Mellitus</i>	1,499	686	0.9	595	2.9	196	1.1	170	1.1
Infectious and Parasitic Diseases	3,745	2,490	3.4	768	3.8	404	2.2	333	2.1
<i>HIV and AIDS</i>	209	46	0.1	131	0.6	29	0.2	34	0.2
Nervous System and Sensory Organs	2,317	1,463	2.0	383	1.9	386	2.1	278	1.8
Skin & Subcutaneous Tissue	2,059	1,387	1.9	355	1.7	266	1.5	244	1.6
Blood and Blood-Forming Organs	1,496	774	1.1	551	2.7	156	0.9	113	0.7
Congenital Anomalies	436	252	0.3	54	0.3	110	0.6	75	0.5
Conditions Originating in the Perinatal Period	277	149	0.2	22	0.1	97	0.5	60	0.4
Symptoms, Signs, and Ill-defined Conditions	7,545	4,578	6.3	1,612	7.9	1,188	6.6	986	6.3
Medical Misadventure, Abnormal Reactions, & Late Effects	3,202	2,133	2.9	605	3.0	385	2.1	288	1.8
Supplementary Classifications - Other	3,120	2,245	3.1	450	2.2	367	2.0	265	1.7
Complications of Pregnancy, Childbirth and Puerperium ⁵	11,782	6,241	8.5	1,895	9.3	2,932	16.2	3,169	20.2
Supplementary Classifications - Newborns	10,461	5,810	8.0	1,494	7.3	2,547	14.1	2,777	17.7

(continued)

Table 127. Number of Hospital Discharges by Principal Diagnosis and Race/Ethnicity, Westchester County Residents, 2007-2008 (cont'd)

2008									
Principal Diagnosis ¹	Total ²	White		Black		Other ³		Hispanic ⁴	
		N	%	N	%	N	%	N	%
Total	111,638	71,579	100.0	19,662	100.0	18,504	100.0	15,299	100.0
Circulatory System	15,570	10,877	15.2	2,550	13.0	2,015	10.9	1,179	7.7
Mental Disorders	8,881	4,626	6.5	2,461	12.5	1,759	9.5	1,136	7.4
Digestive System	8,880	6,048	8.4	1,350	6.9	1,399	7.6	1,313	8.6
Respiratory System	7,773	5,247	7.3	1,410	7.2	1,051	5.7	949	6.2
<i>Asthma</i>	1,385	632	0.9	430	2.2	315	1.7	306	2.0
Neoplasms (including benign)	6,027	4,241	5.9	965	4.9	751	4.1	484	3.2
<i>Malignant Neoplasms</i>	4,630	3,464	4.8	607	3.1	507	2.7	310	2.0
Musculoskeletal System and Connective Tissue	5,349	3,980	5.6	702	3.6	619	3.3	386	2.5
Injury and Poisoning	4,832	3,400	4.7	583	3.0	814	4.4	511	3.3
Genitourinary System	4,473	2,981	4.2	738	3.8	705	3.8	607	4.0
Infectious and Parasitic Diseases	4,171	2,854	4.0	790	4.0	475	2.6	378	2.5
<i>HIV and AIDS</i>	177	47	0.1	101	0.5	29	0.2	25	0.2
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	3,721	2,223	3.1	925	4.7	542	2.9	423	2.8
<i>Diabetes Mellitus</i>	1,409	670	0.9	526	2.7	207	1.1	198	1.3
Nervous System and Sensory Organs	2,385	1,526	2.1	421	2.1	412	2.2	291	1.9
Skin & Subcutaneous Tissue	2,011	1,342	1.9	366	1.9	278	1.5	284	1.9
Blood and Blood-Forming Organs	1,492	833	1.2	471	2.4	169	0.9	129	0.8
Congenital Anomalies	408	244	0.3	50	0.3	113	0.6	92	0.6
Conditions Originating in the Perinatal Period	267	123	0.2	31	0.2	104	0.6	56	0.4
Symptoms, Signs, and Ill-defined Conditions	6,986	4,408	6.2	1,442	7.3	1,059	5.7	940	6.1
Supplementary Classifications - Other	3,821	2,910	4.1	306	1.6	546	3.0	320	2.1
Medical Misadventure, Abnormal Reactions, & Late Effects	2,872	1,958	2.7	515	2.6	380	2.1	273	1.8
Complications of Pregnancy, Childbirth and Puerperium ⁵	11,548	6,112	8.5	2,021	10.3	2,861	15.5	2,998	19.6
Supplementary Classifications - Newborns	10,171	5,646	7.9	1,565	8.0	2,452	13.3	2,550	16.7

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

¹ The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care. Because the principal diagnosis represents the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. Furthermore, the principal diagnosis reflects clinical findings discovered during the patient's stay, therefore it may differ from admitting diagnosis.

² Totals include cases of unknown race.

³ Includes Native Americans, Asian and Pacific Islanders, and Other.

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

⁵ Defined by ICD-9 numerical codes for pregnancy, childbirth, and puerperium. Includes codes for abortion and complications in childbirth requiring surgery.

Table 128. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age, Westchester County Residents, 2007-2008

2007																											
Principal Diagnosis	Number of Discharges																Average Length of Stay (days)										
	Total	<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+	
		N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%										
Total	16,358	13	100	37	100	31	100	263	100	1,439	100	3,588	100	3,469	100	7,518	100	5.5	12.4	3.9	3.6	4.3	5.0	4.4	5.4	6.2	
Diseases of the Heart																											
Ischemic Heart Disease	4,897	0	0.0	1	2.7	1	3.2	17	6.5	440	30.6	1,461	40.7	1,233	35.5	1,744	23.2	3.9	0.0	1.0	1.0	3.1	3.2	3.0	3.9	5.0	
<i>Acute Myocardial Infarction</i>	1,650	0	0.0	1	2.7	0	0.0	12	4.6	169	11.7	391	10.9	323	9.3	754	10.0	5.8	0.0	1.0	0.0	3.8	3.8	4.5	6.4	6.7	
<i>Other Ischemic Heart Disease</i>	3,247	0	0.0	0	0.0	1	3.2	5	1.9	271	18.8	1,070	29.8	910	26.2	990	13.2	3.0	0.0	0.0	1.0	1.4	2.8	2.4	3.0	3.7	
Pulmonary Circulation Disease	361	0	0.0	1	2.7	3	9.7	17	6.5	48	3.3	77	2.1	77	2.2	138	1.8	7.3	0.0	1.0	5.7	4.5	6.8	7.6	6.9	8.0	
Hypertension with Heart Disease	227	0	0.0	0	0.0	0	0.0	7	2.7	28	1.9	37	1.0	53	1.5	102	1.4	6.3	0.0	0.0	0.0	4.4	3.6	4.7	7.4	7.1	
Chronic Rheumatic Fever	105	0	0.0	0	0.0	0	0.0	3	1.1	4	0.3	10	0.3	20	0.6	68	0.9	14.0	0.0	0.0	0.0	6.0	33.8	9.0	8.5	15.5	
Acute Rheumatic Fever	4	0	0.0	1	2.7	0	0.0	1	0.4	0	0.0	0	0.0	0	0.0	2	0.0	5.5	0.0	7.0	0.0	10.0	0.0	0.0	2.5		
Other Diseases of the Heart	5,722	5	38.5	7	18.9	15	48.4	108	41.1	457	31.8	976	27.2	1,065	30.7	3,089	41.1	5.7	10.2	6.6	2.1	3.7	4.3	4.6	5.9	6.2	
Other Cardiovascular Diseases																											
Cerebrovascular Disease	2,628	2	15.4	5	13.5	5	16.1	29	11.0	169	11.7	477	13.3	522	15.0	1,419	18.9	6.6	10.5	3.4	5.4	6.9	8.3	6.1	6.5	6.7	
Hypertension with or without Renal Disease	584	1	7.7	1	2.7	0	0.0	24	9.1	112	7.8	172	4.8	125	3.6	149	2.0	5.7	2.0	7.0	0.0	2.9	6.4	6.1	4.7	5.9	
Arteriosclerosis	347	0	0.0	0	0.0	1	3.2	1	0.4	13	0.9	66	1.8	100	2.9	166	2.2	9.4	0.0	0.0	1.0	8.0	17.9	9.2	8.1	9.7	
Other Diseases of the Circulatory System	1,483	5	38.5	21	56.8	6	19.4	56	21.3	168	11.7	312	8.7	274	7.9	641	8.5	6.1	17.4	3.1	5.5	4.7	5.1	5.6	6.8	6.4	

(continued)

Table 128. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age, Westchester County Residents, 2007-2008 (cont'd)

2008																											
Principal Diagnosis	Number of Discharges																Average Length of Stay (days)										
	Total	<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+	
		N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%										
Total	15,570	14	100	34	100	20	100	272	100	1,325	100	3,597	100	3,104	100	7,204	100	5.5	6.9	4.6	3.9	5.1	5.1	4.8	5.2	6.1	
Diseases of the Heart																											
Ischemic Heart Disease	4,654	0	0.0	0	0.0	0	0.0	19	7.0	417	31.5	1,416	39.4	1,104	35.6	1,698	23.6	4.1	0.0	0.0	0.0	3.5	3.0	3.4	3.7	5.0	
<i>Acute Myocardial Infarction</i>	1,582	0	0.0	0	0.0	0	0.0	5	1.8	148	11.2	430	12.0	265	8.5	734	10.2	5.9	0.0	0.0	0.0	9.8	3.8	5.0	6.1	6.8	
<i>Other Ischemic Heart Disease</i>	3,072	0	0.0	0	0.0	0	0.0	14	5.1	269	20.3	986	27.4	839	27.0	964	13.4	3.1	0.0	0.0	0.0	1.2	2.5	2.7	3.0	3.7	
Pulmonary Circulation Disease	365	0	0.0	2	5.9	0	0.0	23	8.5	74	5.6	92	2.6	59	1.9	115	1.6	7.7	0.0	1.5	0.0	6.1	6.5	7.5	7.1	9.2	
Hypertension with Heart Disease	217	0	0.0	0	0.0	0	0.0	3	1.1	20	1.5	25	0.7	36	1.2	133	1.8	5.9	0.0	0.0	0.0	8.3	3.7	5.4	6.4	6.1	
Chronic Rheumatic Fever	103	0	0.0	1	2.9	0	0.0	3	1.1	4	0.3	16	0.4	19	0.6	60	0.8	9.7	0.0	4.0	0.0	16.7	6.5	8.6	11.3	9.4	
Acute Rheumatic Fever	1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	0	0.0	0	0.0	11.0	0.0	0.0	0.0	10.0	0.0	11.0	0.0	0.0	
Other Diseases of the Heart	5,427	8	57.1	9	26.5	14	70.0	110	40.4	381	28.8	997	27.7	971	31.3	2,937	40.8	5.8	9.8	7.2	4.7	4.6	5.1	4.8	5.5	6.3	
Other Cardiovascular Diseases																											
Cerebrovascular Disease	2,491	1	7.1	5	14.7	3	15.0	26	9.6	157	11.8	557	15.5	474	15.3	1,268	17.6	6.4	2.0	5.4	2.0	7.0	8.3	7.1	6.0	6.0	
Hypertension with or without Renal Disease	577	0	0.0	1	2.9	0	0.0	34	12.5	119	9.0	181	5.0	97	3.1	145	2.0	5.6	0.0	8.0	0.0	3.9	7.5	5.0	5.7	5.0	
Arteriosclerosis	370	0	0.0	0	0.0	0	0.0	0	0.0	11	0.8	68	1.9	89	2.9	202	2.8	8.1	0.0	0.0	0.0	0.0	5.0	7.6	9.2	8.0	
Other Diseases of the Circulatory System	1,365	5	35.7	16	47.1	3	15.0	54	19.9	142	10.7	244	6.8	255	8.2	646	9.0	6.1	3.2	3.1	2.0	5.1	5.5	6.0	6.4	6.4	

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 129. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Sex, Westchester County Residents, 2007-2008

2007									
Principal Diagnosis	Number of Discharges						Average Length of Stay (days)		
	Total ¹		Female		Male		Total	Female	Male
	Number	%	Number	%	Number	%			
Total	16,358	100	7,665	100	8,693	100	5.5	5.8	5.3
Diseases of the Heart									
Ischemic Heart Disease	4,897	29.9	1,832	23.9	3,065	35.3	3.9	4.3	3.8
<i>Acute Myocardial Infarction</i>	1,650	10.1	682	8.9	968	11.1	5.8	6.5	5.4
<i>Other Ischemic Heart Disease</i>	3,247	19.8	1,150	15.0	2,097	24.1	3.0	3.0	3.0
Pulmonary Circulation Disease	361	2.2	224	2.9	137	1.6	7.3	7.3	7.2
Hypertension with Heart Disease	227	1.4	120	1.6	107	1.2	6.3	6.5	6.1
Chronic Rheumatic Fever	105	0.6	62	0.8	43	0.5	14.0	11.0	18.3
Acute Rheumatic Fever	4	0.0	2	0.0	2	0.0	5.5	2.5	8.5
Other Diseases of the Heart	5,722	35.0	2,754	35.9	2,968	34.1	5.7	5.8	5.5
Other Cardiovascular Diseases									
Cerebrovascular Disease	2,628	16.1	1,474	19.2	1,154	13.3	6.6	6.7	6.6
Hypertension with or without Renal Disease	584	3.6	310	4.0	274	3.2	5.7	5.7	5.6
Arteriosclerosis	347	2.1	149	1.9	198	2.3	9.4	9.8	9.1
Other Diseases of the Circulatory System	1,483	9.1	738	9.6	745	8.6	6.1	6.0	6.1

Table 129. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Sex, Westchester County Residents, 2007-2008 (cont'd)

2008									
Principal Diagnosis	Number of Discharges						Average Length of Stay (days)		
	Total ¹		Female		Male		Total	Female	Male
	Number	%	Number	%	Number	%			
Total	15,570	100.0	7,303	100.0	8,267	100.0	5.5	5.8	5.3
Diseases of the Heart									
Ischemic Heart Disease	4,654	28.5	1,762	23.0	2,892	33.3	4.1	4.3	3.9
<i>Acute Myocardial Infarction</i>	1,582	9.9	686	8.7	896	11.0	5.9	6.2	5.7
<i>Other Ischemic Heart Disease</i>	3,072	20.3	1,076	15.5	1,996	24.6	3.1	3.1	3.1
Pulmonary Circulation Disease	365	2.0	197	2.7	168	1.4	7.7	7.8	7.5
Hypertension with Heart Disease	217	1.4	104	1.6	113	1.2	5.9	5.8	5.9
Chronic Rheumatic Fever	103	0.6	53	0.8	50	0.5	9.7	9.8	9.5
Acute Rheumatic Fever	1	0.0	1	0.0	0	0.0	11.0	11.0	0.0
Other Diseases of the Heart	5,427	35.0	2,672	35.9	2,755	34.2	5.8	6.0	5.5
Other Cardiovascular Diseases									
Cerebrovascular Disease	2,491	15.9	1,337	19.1	1,154	13.1	6.4	6.5	6.3
Hypertension with or without Renal Disease	577	3.5	326	4.0	251	3.1	5.6	5.5	5.7
Arteriosclerosis	370	2.2	155	2.0	215	2.3	8.1	8.7	7.7
Other Diseases of the Circulatory System	1,365	9.1	696	9.6	669	8.6	6.1	6.0	6.3

¹Total includes cases of unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 130. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Race/Ethnicity, Westchester County Residents, 2007-2008

2007															
Principal Diagnosis	Number of Discharges										Average Length of Stay (days)				
	Total ¹		White		Black		Other ²		Hispanic ³		Total	White	Black	Other ²	Hispanic ³
	N	%	N	%	N	%	N	%	N	%					
Total	16,358	100	11,376	100	2,675	100	1,892	100	1,163	100	5.5	5.4	6.0	5.1	5.3
Diseases of the Heart															
Ischemic Heart Disease	4,897	29.9	3,443	30.3	518	19.4	767	40.5	362	31.1	3.9	4.0	3.9	3.5	3.4
<i>Acute Myocardial Infarction</i>	1,650	10.1	1,164	10.2	164	6.1	252	13.3	108	9.3	5.8	5.9	5.9	5.0	5.2
<i>Other Ischemic Heart Disease</i>	3,247	19.8	2,279	20.0	354	13.2	515	27.2	254	21.8	3.0	3.0	3.0	2.8	2.6
Pulmonary Circulation Disease	361	2.2	250	2.2	76	2.8	29	1.5	20	1.7	7.3	6.8	8.2	8.8	9.4
Hypertension with Heart Disease	227	1.4	114	1.0	95	3.6	17	0.9	14	1.2	6.3	6.4	6.1	7.0	6.4
Chronic Rheumatic Fever	105	0.6	78	0.7	7	0.3	15	0.8	7	0.6	14.0	13.7	22.7	9.6	5.3
Acute Rheumatic Fever	4	0.0	2	0.0	1	0.0	1	0.1	1	0.1	5.5	2.5	7.0	10.0	10.0
Other Diseases of the Heart	5,722	35.0	4,157	36.5	877	32.8	565	29.9	359	30.9	5.7	5.8	5.5	5.1	5.5
Other Cardiovascular Diseases															
Cerebrovascular Disease	2,628	16.1	1,840	16.2	495	18.5	242	12.8	172	14.8	6.6	6.2	7.6	8.1	6.7
Hypertension with or without Renal Disease	584	3.6	218	1.9	265	9.9	85	4.5	71	6.1	5.7	4.9	5.9	5.0	4.0
Arteriosclerosis	347	2.1	241	2.1	65	2.4	34	1.8	21	1.8	9.4	8.2	13.6	10.6	9.4
Other Diseases of the Circulatory System	1,483	9.1	1,033	9.1	276	10.3	137	7.2	136	11.7	6.1	6.0	6.2	6.6	7.0

(continued)

Table 130. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Race/Ethnicity, Westchester County Residents, 2007-2008 (cont'd)

2008															
Principal Diagnosis	Number of Discharges										Average Length of Stay (days)				
	Total ¹		White		Black		Other ²		Hispanic ³		Total	White	Black	Other ²	Hispanic ³
	N	%	N	%	N	%	N	%	N	%					
Total	15,570	100	10,877	100	2,550	100	2,015	100	1,179	100	5.5	5.4	6.2	5.5	5.0
Diseases of the Heart															
Ischemic Heart Disease	4,654	30.3	3,255	30.6	547	19.6	815	41.0	397	31.4	4.1	4.0	4.1	5.6	3.8
<i>Acute Myocardial Infarction</i>	1,582	9.9	1,078	10.0	197	6.1	300	13.2	122	9.1	5.9	6.0	5.4	5.3	5.6
<i>Other Ischemic Heart Disease</i>	3,072	20.3	2,177	20.5	350	13.5	515	27.8	275	22.3	3.1	3.0	3.4	5.8	3.0
Pulmonary Circulation Disease	365	2.0	247	2.0	81	2.7	30	1.5	17	1.6	7.7	7.4	8.4	7.7	9.4
Hypertension with Heart Disease	217	1.4	139	1.0	64	3.6	12	0.8	10	1.1	5.9	5.7	6.2	5.3	4.7
Chronic Rheumatic Fever	103	0.6	79	0.7	6	0.2	17	0.8	9	0.6	9.7	9.5	7.7	11.5	9.0
Acute Rheumatic Fever	1	0.0	0	0.0	1	0.0	0	0.1	0	0.1	11.0	0.0	11.0	0.0	0.0
Other Diseases of the Heart	5,427	35.0	3,946	36.6	879	32.7	562	30.0	358	31.4	5.8	5.7	6.1	6.1	5.5
Other Cardiovascular Diseases															
Cerebrovascular Disease	2,491	15.9	1,747	16.0	434	18.7	292	12.3	162	14.6	6.4	5.9	7.7	7.3	6.2
Hypertension with or without Renal Disease	577	3.5	234	1.9	247	9.9	92	4.3	88	5.7	5.6	5.2	5.9	5.8	5.6
Arteriosclerosis	370	2.2	257	2.1	79	2.5	32	1.9	22	1.8	8.1	7.7	10.4	6.0	5.0
Other Diseases of the Circulatory System	1,365	9.1	973	9.1	212	10.2	163	7.4	116	11.8	6.1	6.0	7.3	5.3	5.0

¹ Totals include cases of unknown race.

² Includes Native Americans, Asian and Pacific Islanders, and Other.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 131. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age and Sex, Westchester County Residents, 2007-2008

2007								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total ¹	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	16,358	7,665	46.9	8,693	53.1	5.5	5.8	5.3
Less than 1	13	6	46.2	7	53.8	12.4	20.7	5.3
1-2	12	6	50.0	6	50.0	2.8	3.3	2.3
3-4	8	5	62.5	3	37.5	4.0	3.4	5.0
5-6	3	2	66.7	1	33.3	2.3	1.5	4.0
7-8	3	1	33.3	2	66.7	8.0	7.0	8.5
9-10	7	5	71.4	2	28.6	4.0	5.2	1.0
11-12	4	2	50.0	2	50.0	5.0	5.0	5.0
13-14	7	1	14.3	6	85.7	1.4	1.0	1.5
15-16	15	6	40.0	9	60.0	3.9	4.5	3.4
17-18	23	12	52.2	11	47.8	4.6	5.5	3.6
19-20	24	9	37.5	15	62.5	3.0	3.6	2.7
21-22	28	12	42.9	16	57.1	3.4	3.2	3.6
23-24	13	5	38.5	8	61.5	3.6	4.6	3.0
25-29	77	32	41.6	45	58.4	5.0	5.7	4.5
30-34	107	48	44.9	59	55.1	4.3	5.0	3.8
35-39	235	86	36.6	149	63.4	5.1	6.3	4.5
40-44	478	190	39.7	288	60.3	4.4	5.0	4.0
45-49	726	264	36.4	462	63.6	5.3	4.7	5.6
50-54	981	313	31.9	668	68.1	4.4	4.5	4.4
55-59	1,236	414	33.5	822	66.5	4.1	4.3	4.0
60-64	1,371	511	37.3	860	62.7	4.8	5.2	4.5
65-69	1,595	611	38.3	984	61.7	5.5	5.8	5.2
70-74	1,874	831	44.3	1,043	55.7	5.4	5.5	5.3
75-79	2,192	1,098	50.1	1,094	49.9	5.9	6.0	5.8
80-84	2,378	1,272	53.5	1,106	46.5	6.2	6.2	6.3
85 and above	2,948	1,923	65.2	1,025	34.8	6.5	6.5	6.5

(continued)

Table 131. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age and Sex, Westchester County Residents, 2007-2008 (cont'd)

2008								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total ¹	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	15,570	7,303	46.9	8,267	53.1	5.5	5.8	5.3
Less than 1	14	8	57.1	6	42.9	6.9	9.1	3.8
1-2	9	7	77.8	2	22.2	5.0	5.9	2.2
3-4	7	3	42.9	4	57.1	4.6	4.0	5.0
5-6	4	0	0.0	4	100.0	9.5	2.0	9.5
7-8	3	1	33.3	2	66.7	4.0	2.7	5.0
9-10	5	3	60.0	2	40.0	3.0	2.5	3.5
11-12	6	4	66.7	2	33.3	2.5	5.5	2.5
13-14	7	2	28.6	5	71.4	4.7	5.8	4.4
15-16	12	5	41.7	7	58.3	3.4	3.7	1.7
17-18	13	7	53.8	6	46.2	3.3	7.3	2.8
19-20	12	4	33.3	8	66.7	3.3	5.3	1.4
21-22	18	13	72.2	5	27.8	4.7	2.9	3.0
23-24	19	9	47.4	10	52.6	3.6	8.5	4.3
25-29	85	41	48.2	44	51.8	6.0	5.4	3.7
30-34	126	53	42.1	73	57.9	5.1	5.6	4.8
35-39	203	76	37.4	127	62.6	5.0	7.2	4.7
40-44	398	159	39.9	239	60.1	5.7	5.0	4.7
45-49	724	286	39.5	438	60.5	4.9	4.9	4.8
50-54	1,003	358	35.7	645	64.3	4.6	4.7	4.5
55-59	1,185	371	31.3	814	68.7	4.7	5.0	4.8
60-64	1,409	540	38.3	869	61.7	5.1	5.3	5.1
65-69	1,473	566	38.4	907	61.6	5.3	5.8	5.2
70-74	1,631	769	47.1	862	52.9	5.1	5.3	5.0
75-79	2,100	1,019	48.5	1,081	51.5	5.7	5.8	5.6
80-84	2,336	1,208	51.7	1,128	48.3	6.0	6.4	5.6
85 and above	2,768	1,791	64.7	977	35.3	6.4	6.3	6.5

¹ Totals include cases with unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 132. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age and Race/Ethnicity, Westchester County Residents, 2007-2008

2007														
Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total ¹	White		Black		Other ²		Hispanic ³		Total	White	Black	Other ²	Hispanic ³
		N	%	N	%	N	%	N	%					
Total	16,358	11,376	69.5	2,675	16.4	1,892	11.6	1,163	7.1	5.5	5.4	6.0	5.1	5.3
Less than 1	13	6	46.2	2	15.4	4	30.8	4	30.8	12.4	13.5	3.0	18.0	12.3
1-2	12	3	25.0	7	58.3	2	16.7	0	0.0	2.8	2.3	2.9	3.5	0.0
3-4	8	5	62.5	1	12.5	2	25.0	3	37.5	4.0	4.8	4.0	2.0	3.3
5-6	3	1	33.3	0	0.0	2	66.7	2	66.7	2.3	1.0	0.0	3.0	1.5
7-8	3	2	66.7	1	33.3	0	0.0	2	66.7	8.0	8.5	7.0	0.0	8.5
9-10	7	3	42.9	4	57.1	0	0.0	2	28.6	4.0	1.0	6.3	0.0	1.0
11-12	4	1	25.0	1	25.0	1	25.0	0	0.0	5.0	3.0	7.0	9.0	0.0
13-14	7	3	42.9	1	14.3	1	14.3	1	14.3	1.4	1.0	1.0	1.0	1.0
15-16	15	7	46.7	4	26.7	3	20.0	1	6.7	3.9	3.4	5.8	3.3	1.0
17-18	23	10	43.5	4	17.4	9	39.1	6	26.1	4.6	5.0	7.0	3.1	5.0
19-20	24	16	66.7	3	12.5	5	20.8	4	16.7	3.0	2.9	2.0	3.8	4.5
21-22	28	12	42.9	10	35.7	6	21.4	5	17.9	3.4	3.3	3.8	3.0	2.8
23-24	13	7	53.8	3	23.1	3	23.1	2	15.4	3.6	2.3	6.0	4.3	4.0
25-29	77	27	35.1	27	35.1	23	29.9	18	23.4	5.0	2.9	5.3	7.2	5.9
30-34	107	34	31.8	36	33.6	29	27.1	22	20.6	4.3	4.5	3.9	4.3	4.1
35-39	235	101	43.0	94	40.0	35	14.9	36	15.3	5.1	4.6	6.1	4.6	5.1
40-44	478	238	49.8	144	30.1	83	17.4	69	14.4	4.4	4.0	4.7	5.1	4.2
45-49	726	368	50.7	201	27.7	135	18.6	101	13.9	5.3	5.3	5.7	4.9	6.4
50-54	981	579	59.0	217	22.1	156	15.9	105	10.7	4.4	3.9	5.7	4.7	5.3
55-59	1,236	754	61.0	255	20.6	192	15.5	140	11.3	4.1	3.7	5.3	3.9	4.7
60-64	1,371	843	61.5	273	19.9	205	15.0	102	7.4	4.8	4.1	6.3	4.6	4.6
65-69	1,595	1,004	62.9	311	19.5	232	14.5	133	8.3	5.5	5.2	5.9	6.1	5.8
70-74	1,874	1,265	67.5	311	16.6	251	13.4	141	7.5	5.4	5.2	5.9	5.2	4.8
75-79	2,192	1,663	75.9	281	12.8	199	9.1	125	5.7	5.9	5.9	6.6	4.6	5.0
80-84	2,378	1,946	81.8	231	9.7	158	6.6	76	3.2	6.2	6.2	7.3	5.5	5.3
85 and above	2,948	2,478	84.1	253	8.6	156	5.3	63	2.1	6.5	6.4	7.1	7.0	7.8

(continued)

Table 132. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age and Race/Ethnicity, Westchester County Residents, 2007-2008 (cont'd)

2008														
Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total ¹	White		Black		Other ²		Hispanic ³		Total	White	Black	Other ²	Hispanic ³
		N	%	N	%	N	%	N	%					
Total	15,570	10,877	69.9	2,550	16.4	2,015	12.9	1,179	7.6	5.5	5.4	6.2	5.5	5.0
Less than 1	14	9	64.3	1	7.1	4	28.6	8	57.1	6.9	8.3	7.0	3.5	6.5
1-2	9	5	55.6	2	22.2	2	22.2	1	11.1	5.0	5.6	2.0	6.5	3.0
3-4	7	3	42.9	1	14.3	3	42.9	2	28.6	4.6	6.7	2.0	3.3	6.0
5-6	4	3	75.0	0	0.0	1	25.0	1	25.0	9.5	4.0	0.0	26.0	2.0
7-8	3	1	33.3	1	33.3	1	33.3	0	0.0	4.0	2.0	8.0	2.0	0.0
9-10	5	4	80.0	0	0.0	1	20.0	1	20.0	3.0	3.5	0.0	1.0	1.0
11-12	6	5	83.3	0	0.0	1	16.7	0	0.0	2.5	2.8	0.0	1.0	0.0
13-14	7	4	57.1	0	0.0	3	42.9	3	42.9	4.7	3.5	0.0	6.3	6.3
15-16	12	9	75.0	2	16.7	1	8.3	2	16.7	3.4	4.0	2.0	1.0	2.0
17-18	13	9	69.2	3	23.1	1	7.7	1	7.7	3.3	3.3	4.0	1.0	1.0
19-20	12	5	41.7	4	33.3	3	25.0	1	8.3	3.3	2.2	3.8	4.7	1.0
21-22	18	7	38.9	6	33.3	5	27.8	3	16.7	4.7	4.0	6.3	3.6	2.0
23-24	19	9	47.4	8	42.1	2	10.5	2	10.5	3.6	4.0	2.6	6.0	7.5
25-29	85	34	40.0	26	30.6	25	29.4	27	31.8	6.0	4.1	4.3	10.3	4.7
30-34	126	63	50.0	37	29.4	23	18.3	16	12.7	5.1	4.6	5.0	6.0	6.9
35-39	203	86	42.4	74	36.5	42	20.7	30	14.8	5.0	3.9	5.4	6.6	4.8
40-44	398	171	43.0	149	37.4	74	18.6	69	17.3	5.7	4.8	7.6	4.1	4.4
45-49	724	370	51.1	202	27.9	143	19.8	97	13.4	4.9	4.4	5.5	5.2	4.4
50-54	1,003	559	55.7	248	24.7	187	18.6	128	12.8	4.6	4.6	5.3	4.0	4.3
55-59	1,185	748	63.1	221	18.6	203	17.1	128	10.8	4.7	4.3	6.4	4.5	4.5
60-64	1,409	890	63.2	262	18.6	245	17.4	138	9.8	5.1	4.6	5.7	5.8	5.5
65-69	1,473	946	64.2	270	18.3	247	16.8	132	9.0	5.3	4.9	6.4	5.7	4.6
70-74	1,631	1,116	68.4	280	17.2	223	13.7	100	6.1	5.1	4.9	5.8	5.7	6.3
75-79	2,100	1,611	76.7	245	11.7	231	11.0	130	6.2	5.7	5.6	6.5	5.2	4.7
80-84	2,336	1,884	80.7	236	10.1	197	8.4	101	4.3	6.0	5.8	7.5	6.3	6.3
85 and above	2,768	2,326	84.0	272	9.8	147	5.3	58	2.1	6.4	6.3	7.1	6.4	5.6

¹ Totals include cases of unknown race.

² Includes Native Americans, Asian and Pacific Islanders, and Other.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 133. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Age, Westchester County Residents, 2007-2008

2007																												
Principal Diagnosis	Number of Discharges																		Average Length of Stay (days)									
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%										
Total	9,248	100	91	100	295	100	233	100	997	100	1,624	100	2,093	100	1,264	100	2,651	100	5.6	4.8	3.6	3.3	3.8	4.7	6.0	6.2	6.8	
Diseases of Esophagus, Stomach, and Duodenum	1,271	13.7	49	53.8	33	11.2	15	6.4	80	8.0	221	13.6	259	12.4	168	13.3	446	16.8	5.2	3.4	4.3	2.7	4.4	4.8	5.7	5.1	5.6	
Appendicitis	930	10.1	0	0.0	130	44.1	117	50.2	274	27.5	203	12.5	133	6.4	38	3.0	35	1.3	3.3	0.0	3.5	2.6	2.3	2.9	4.1	7.7	8.1	
Noninfectious enteritis and colitis	828	9.0	10	11.0	53	18.0	32	13.7	117	11.7	143	8.8	154	7.4	102	8.1	217	8.2	5.2	12.4	2.7	5.0	4.2	4.7	4.8	6.4	6.2	
Hernia of Abdominal Cavity	574	6.2	17	18.7	5	1.7	2	0.9	29	2.9	94	5.8	164	7.8	100	7.9	163	6.1	5.5	1.4	1.8	5.0	2.7	4.9	4.6	6.1	7.5	
Diseases of Oral Cavity, Salivary Glands, and Jaws	177	1.9	1	1.1	11	3.7	14	6.0	31	3.1	31	1.9	33	1.6	17	1.3	39	1.5	3.9	7.0	2.5	1.9	1.7	3.9	4.8	4.2	5.8	
Other Diseases of Digestive System	2,944	31.8	5	5.5	21	7.1	27	11.6	328	32.9	578	35.6	766	36.6	397	31.4	822	31.0	6.1	19.6	4.1	4.6	4.4	4.9	6.3	6.6	6.9	
<i>Chronic Liver Disease, including Cirrhosis</i>	257	2.8	0	0.0	2	0.7	0	0.0	7	0.7	61	3.8	123	5.9	40	3.2	24	0.9	8.8	0.0	10.5	0.0	6.7	9.4	8.1	10.8	7.6	
Other Diseases of Intestines and Peritoneum	2,524	27.3	9	9.9	42	14.2	26	11.2	138	13.8	354	21.8	584	27.9	442	35.0	929	35.0	6.5	2.7	4.6	4.2	5.3	5.5	6.8	6.2	7.4	
<i>Diverticula of intestine</i>	1,011	10.9	0	0.0	0	0.0	0	0.0	35	3.5	184	11.3	282	13.5	181	14.3	329	12.4	6.3	0.0	0.0	0.0	4.7	5.3	5.9	6.4	7.3	

2008																												
Principal Diagnosis	Number of Discharges																		Average Length of Stay (days)									
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%										
Total	8,880	96	66	73	261	88	216	93	1,003	101	1,509	93	1,997	95	1,229	97	2,461	93	5.5	6.0	4.1	3.8	3.7	4.7	5.3	6.3	6.8	
Diseases of Esophagus, Stomach, and Duodenum	1,143	12.9	23	34.8	33	12.6	19	8.8	78	7.8	165	10.9	242	12.1	188	15.3	395	16.1	5.4	5.4	4.8	4.4	4.9	3.7	4.1	6.0	6.7	
Appendicitis	894	10.1	0	0.0	115	44.1	100	46.3	296	29.5	185	12.3	125	6.3	44	3.6	29	1.2	3.1	0.0	4.1	2.8	2.2	2.8	3.3	5.5	7.0	
Noninfectious enteritis and colitis	854	9.6	13	19.7	35	13.4	31	14.4	135	13.5	150	9.9	166	8.3	108	8.8	216	8.8	5.0	2.5	2.8	7.0	5.1	3.6	5.2	6.8	5.2	
Hernia of Abdominal Cavity	518	5.8	16	24.2	5	1.9	1	0.5	23	2.3	105	7.0	138	6.9	85	6.9	145	5.9	5.0	1.6	2.4	1.0	2.9	3.8	4.3	6.8	6.3	
Diseases of Oral Cavity, Salivary Glands, and Jaws	157	1.8	1	1.5	12	4.6	12	5.6	36	3.6	23	1.5	31	1.6	16	1.3	26	1.1	4.9	88.0	3.8	1.9	2.5	8.2	4.3	4.2	5.5	
Other Diseases of Digestive System	2,852	32.1	4	6.1	21	8.0	27	12.5	307	30.6	548	36.3	736	36.9	381	31.0	779	31.7	5.8	14.6	7.2	3.0	3.9	5.2	5.7	6.3	6.8	
<i>Chronic Liver Disease, including Cirrhosis</i>	258	2.9	0	0.0	0	0.0	0	0.0	10	1.0	62	4.1	132	6.6	33	2.7	21	0.9	8.1	0.0	0.0	0.0	2.3	8.0	8.1	8.5	10.5	
Other Diseases of Intestines and Peritoneum	2,462	27.7	9	13.6	40	15.3	26	12.0	128	12.8	333	22.1	559	28.0	407	33.1	871	35.4	6.3	3.0	3.0	4.8	4.8	5.5	6.0	6.2	7.3	
<i>Diverticula of intestine</i>	954	10.7	0	0.0	0	0.0	0	0.0	29	2.9	164	10.9	278	13.9	159	12.9	324	13.2	6.0	0.0	0.0	0.0	4.7	5.1	5.7	5.7	6.9	

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 134. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Sex, Westchester County Residents, 2007-2008

2007								
Principal Diagnosis	Number of Discharges					Average Length of Stay (days)		
	Total ¹	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	9,248	4,998	100.0	4,249	100.0	5.6	5.6	5.7
Diseases of Esophagus, Stomach, and Duodenum	1,271	683	13.7	588	13.8	5.2	4.9	5.5
Appendicitis	930	412	8.2	517	12.2	3.3	3.6	3.1
Noninfectious enteritis and colitis	828	500	10.0	328	7.7	5.2	5.3	5.1
Hernia of Abdominal Cavity	574	273	5.5	301	7.1	5.5	6.2	4.9
Diseases of Oral Cavity, Salivary Glands, and Jaws	177	92	1.8	85	2.0	3.9	4.0	3.8
Other Diseases of Digestive System ¹	2,944	1,631	32.6	1,313	30.9	6.1	5.4	6.8
<i>Chronic Liver Disease, including Cirrhosis</i>	257	80	1.6	177	4.2	8.8	9.7	8.3
Other Diseases of Intestines and Peritoneum	2,524	1,407	28.2	1,117	26.3	6.5	6.9	6.1
<i>Diverticula of intestine</i>	1,011	571	11.4	440	10.4	6.3	6.5	6.0
2008								
Total	8,880	4,816	100.0	4,064	100.0	5.5	5.7	5.3
Diseases of Esophagus, Stomach, and Duodenum	1,143	611	12.7	532	13.1	5.4	5.6	5.1
Appendicitis	894	378	7.8	516	12.7	3.1	3.1	3.1
Noninfectious enteritis and colitis	854	509	10.6	345	8.5	5.0	5.1	4.9
Hernia of Abdominal Cavity	518	277	5.8	241	5.9	5.0	6.1	3.8
Diseases of Oral Cavity, Salivary Glands, and Jaws	157	78	1.6	79	1.9	4.9	5.9	4.0
Other Diseases of Digestive System	2,852	1,560	32.4	1,292	31.8	5.8	5.7	5.9
<i>Chronic Liver Disease, including Cirrhosis</i>	258	94	2.0	164	4.0	8.1	10.7	6.6
Other Diseases of Intestines and Peritoneum	2,462	1,403	29.1	1,059	26.1	6.3	6.5	6.1
<i>Diverticula of intestine</i>	954	554	11.5	400	9.8	6.0	6.1	5.9

¹Total include cases with unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 135. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Race/Ethnicity, Westchester County Residents, 2007-2008

2007														
Principal Diagnosis	Number of Discharges								Average Length of Stay (days)					
	Total ¹	White		Black		Other ²		Hispanic ³		Total	White	Black	Other ²	Hispanic ³
		N	%	N	%	N	%	N	%					
Total	9,248	6,253	100.0	1,444	100.0	1,364	100.0	1,291	100.0	5.6	5.7	5.8	5.3	4.9
Diseases of Esophagus, Stomach, and Duodenum	1,271	809	12.9	263	18.2	175	12.8	140	10.8	5.2	5.0	6.3	4.0	4.5
Appendicitis	930	577	9.2	80	5.5	250	18.3	255	19.8	3.3	3.3	3.9	3.2	3.1
Noninfectious enteritis and colitis	828	560	9.0	127	8.8	120	8.8	99	7.7	5.2	5.6	4.2	4.8	5.0
Hernia of Abdominal Cavity	574	435	7.0	72	5.0	62	4.5	58	4.5	5.5	5.6	4.6	6.0	5.9
Diseases of Oral Cavity, Salivary Glands, and Jaws	177	107	1.7	32	2.2	28	2.1	23	1.8	3.9	4.5	3.1	3.0	3.4
Other Diseases of Digestive System	2,944	1,928	30.8	469	32.5	491	36.0	196	15.2	6.1	6.1	5.6	6.5	6.7
<i>Chronic Liver Disease, including Cirrhosis</i>	257	174	2.8	30	2.1	51	3.7	64	5.0	8.8	9.0	9.3	7.9	8.3
Other Diseases of Intestines and Peritoneum	2,524	1,837	29.4	401	27.8	238	17.4	520	40.3	6.6	6.5	7.0	6.3	5.2
<i>Diverticula of intestine</i>	1,011	764	12.2	149	10.3	83	6.1	83	6.4	6.3	6.4	6.1	5.6	4.3
2008														
Total	8,880	6,048	100.0	1,350	100.0	1,399	100.0	1,313	100.0	5.5	5.6	5.9	4.6	4.6
Diseases of Esophagus, Stomach, and Duodenum	1,143	766	12.7	204	15.1	164	11.7	130	9.9	5.4	5.7	5.6	3.7	4.8
Appendicitis	894	578	9.6	75	5.6	229	16.4	252	19.2	3.1	3.0	3.7	3.1	3.0
Noninfectious enteritis and colitis	854	575	9.5	129	9.6	143	10.2	119	9.1	5.0	5.0	4.7	5.5	4.7
Hernia of Abdominal Cavity	518	355	5.9	103	7.6	54	3.9	51	3.9	5.0	5.3	4.3	4.3	5.0
Diseases of Oral Cavity, Salivary Glands, and Jaws	157	101	1.7	26	1.9	29	2.1	18	1.4	4.9	5.8	4.1	3.0	3.6
Other Diseases of Digestive System	2,852	1,866	30.9	436	32.3	526	37.6	510	38.8	5.9	5.8	6.7	5.2	5.2
<i>Chronic Liver Disease, including Cirrhosis</i>	258	168	2.8	34	2.5	55	3.9	61	4.6	8.1	9.1	6.9	6.0	6.6
Other Diseases of Intestines and Peritoneum	2,462	1,807	29.9	377	27.9	254	18.2	233	17.7	6.3	6.4	6.4	5.0	5.0
<i>Diverticula of intestine</i>	954	708	11.7	128	9.5	106	7.6	105	8.0	6.0	6.1	6.3	4.8	4.6

¹ Totals may include cases of unknown race.

² Includes Native Americans, Asian and Pacific Islanders, and Other.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 136. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Age, Westchester County Residents, 2007-2008

2007																											
Principal Diagnosis	Number of Discharges																		Average Length of Stay (days)								
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+										
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
Total	7,936	100	318	100	729	100	97	100	339	100	728	100	1,343	100	1,198	100	3,184	100	6.7	6.1	3.3	4.1	4.6	5.1	6.5	7.6	7.9
Chronic Obstructive Pulmonary Disease & Allied Conditions	2,698	34.0	25	7.9	284	39.0	30	30.9	116	34.2	296	40.7	580	43.2	439	36.6	928	29.1	5.3	2.9	2.5	3.2	3.0	4.3	5.1	6.0	6.6
<i>Asthma</i>	1,309	16.5	24	7.5	281	38.5	27	27.8	115	33.9	242	33.2	306	22.8	127	10.6	187	5.9	4.0	2.8	2.5	2.5	3.0	3.9	4.3	5.5	5.8
<i>Chronic Bronchitis</i>	1,184	14.9	0	0.0	0	0.0	0	0.0	1	0.3	33	4.5	241	17.9	277	23.1	632	19.8	6.3	0.0	0.0	0.0	1.0	7.5	5.9	6.0	6.5
Pneumonia	2,609	32.9	48	15.1	219	30.0	21	21.6	78	23.0	241	33.1	381	28.4	398	33.2	1,223	38.4	6.7	3.6	3.5	4.4	6.7	5.4	6.4	7.1	7.7
Acute Respiratory Infections	618	7.8	223	70.1	135	18.5	11	11.3	35	10.3	42	5.8	51	3.8	32	2.7	89	2.8	3.2	3.3	2.5	2.0	3.0	3.8	3.4	3.8	3.8
Other Diseases of the Upper Respiratory Tract	133	1.7	5	1.6	31	4.3	12	12.4	25	7.4	25	3.4	19	1.4	9	0.8	7	0.2	2.3	5.6	1.7	1.7	1.9	3.0	2.2	2.6	2.6
Influenza	26	0.3	6	1.9	4	0.5	1	1.0	1	0.3	4	0.5	3	0.2	2	0.2	5	0.2	4.9	4.3	3.5	3.0	2.0	2.0	3.0	12.5	8.0
Other Respiratory Diseases	1,852	23.3	11	3.5	56	7.7	22	22.7	84	24.8	120	16.5	309	23.0	318	26.5	932	29.3	10.2	81.7	8.8	7.5	6.3	7.8	10.1	10.8	10.1
2008																											
Total	7,773	100	287	100	731	100	83	100	320	100	669	100	1,403	100	1,195	100	3,085	100	6.9	5.3	3.3	5.1	4.5	5.3	6.9	8.0	8.1
Chronic Obstructive Pulmonary Disease & Allied Conditions	2,713	34.9	19	6.6	345	47.2	27	32.5	119	37.2	268	40.1	590	42.1	442	37.0	903	29.3	5.3	1.8	2.7	3.3	3.4	3.8	5.3	6.0	6.9
<i>Asthma</i>	1,385	17.8	19	6.6	340	46.5	25	30.1	110	34.4	232	34.7	334	23.8	130	10.9	195	6.3	4.2	1.8	2.6	2.6	3.0	3.7	4.8	5.4	6.9
<i>Chronic Bronchitis</i>	1,140	14.7	0	0.0	0	0.0	0	0.0	1	0.3	20	3.0	231	16.5	275	23.0	613	19.9	6.5	0.0	0.0	0.0	3.0	4.4	5.9	6.3	7.0
Pneumonia	2,320	29.8	44	15.3	186	25.4	9	10.8	90	28.1	189	28.3	382	27.2	338	28.3	1,082	35.1	6.7	2.9	3.2	2.7	5.1	5.2	6.5	7.9	7.5
Acute Respiratory Infections	580	7.5	190	66.2	88	12.0	10	12.0	23	7.2	50	7.5	68	4.8	37	3.1	114	3.7	3.5	3.1	3.3	1.8	3.2	3.9	3.2	4.2	4.3
Other Diseases of the Upper Respiratory Tract	148	1.9	3	1.0	49	6.7	11	13.3	16	5.0	22	3.3	22	1.6	13	1.1	12	0.4	3.1	5.0	2.4	1.8	3.0	2.5	3.0	3.3	7.9
Influenza	60	0.8	12	4.2	4	0.5	2	2.4	2	0.6	2	0.3	6	0.4	9	0.8	23	0.7	5.1	4.4	3.0	1.5	2.5	1.5	6.8	5.3	6.2
Other Respiratory Diseases	1,952	25.1	19	6.6	59	8.1	24	28.9	70	21.9	138	20.6	335	23.9	356	29.8	951	30.8	10.7	36.8	7.7	11.5	6.6	9.2	11.1	11.1	10.6

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 137. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Sex, Westchester County Residents, 2007-2008

2 0 0 7									
Principal Diagnosis	Number of Discharges						Average Length of Stay (days)		
	Total		Female		Male		Total	Female	Male
	N	%	N	%	N	%			
Total	7,936	100	4,210	100	3,726	100	6.7	6.8	7.4
Chronic Obstructive Pulmonary Disease & Allied Conditions	2,698	34.0	1,600	38.0	1,098	29.5	5.3	5.7	4.6
<i>Asthma</i>	1,309	16.5	814	19.3	495	13.3	4.0	4.5	3.1
<i>Chronic Bronchitis</i>	1,184	14.9	665	15.8	519	13.9	6.3	6.7	5.8
Pneumonia	2,609	32.9	1,322	31.4	1,287	34.5	6.7	6.9	6.5
Acute Respiratory Infections	618	7.8	289	6.9	329	8.8	3.2	3.6	3.1
Other Diseases of the Upper Respiratory Tract	133	1.7	58	1.4	75	2.0	2.3	1.9	2.6
Influenza	26	0.3	14	0.3	12	0.3	4.9	5.9	3.7
Other Respiratory Diseases	1,852	23.3	927	22.0	925	24.8	10.2	10.1	10.4
2 0 0 8									
Total	7,773	100	4,143	100	3,630	100	6.9	6.8	7.0
Chronic Obstructive Pulmonary Disease & Allied Conditions	2,713	34.9	1,588	38.3	1,125	31.0	5.3	5.6	4.9
<i>Asthma</i>	1,385	17.8	863	20.8	522	14.4	4.2	4.7	3.4
<i>Chronic Bronchitis</i>	1,140	14.7	629	15.2	511	14.1	6.5	6.7	6.4
Pneumonia	2,320	29.8	1,217	29.4	1,103	30.4	6.7	6.8	6.5
Acute Respiratory Infections	580	7.5	289	7.0	291	8.0	3.5	3.6	3.3
Other Diseases of the Upper Respiratory Tract	148	1.9	62	1.5	86	2.4	3.1	3.3	3.0
Influenza	60	0.8	33	0.8	27	0.7	5.1	5.2	5.0
Other Respiratory Diseases	1,952	25.1	954	23.0	998	27.5	10.7	10.2	11.2

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 138. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Race/Ethnicity, Westchester County Residents, 2007-2008

2 0 0 7															
Principal Diagnosis	Number of Discharges									Average Length of Stay (days)					
	Total ¹		White		Black		Other ²		Hispanic ³		Total	White	Black	Other ²	Hispanic ³
	N	%	N	%	N	%	N	%	N	%					
Total	7,936	100	5,363	100	1,417	100	1,032	100	923	100	6.7	7.0	6.4	5.4	4.9
Chronic Obstructive Pulmonary Disease & Allied Conditions	2,698	34.0	1,659	30.9	613	43.3	397	38.5	376	40.7	5.3	5.7	4.9	3.9	3.6
<i>Asthma</i>	1,309	16.5	579	10.8	426	30.1	289	28.0	307	33.3	4.0	4.3	4.0	3.4	3.3
<i>Chronic Bronchitis</i>	1,184	14.9	929	17.3	161	11.4	82	7.9	58	6.3	6.3	6.3	7.2	5.4	5.3
Pneumonia	2,609	32.9	1,914	35.7	385	27.2	271	26.3	252	27.3	6.7	6.8	6.9	5.6	4.9
Acute Respiratory Infections	618	7.8	353	6.6	109	7.7	134	13.0	140	15.2	3.2	3.1	3.4	3.4	3.0
Other Diseases of the Upper Respiratory Tract	133	1.7	80	1.5	22	1.6	26	2.5	18	2.0	2.3	2.4	1.8	2.3	2.1
Influenza	26	0.3	10	0.2	8	0.6	8	0.8	5	0.5	4.9	5.1	4.5	5.0	2.8
Other Respiratory Diseases	1,852	23.3	1,347	25.1	280	19.8	196	19.0	132	14.3	10.2	10.3	10.6	9.7	11.4
2 0 0 8															
Total	7,773	100	5,247	100	1,410	100	1,051	100	949	100	6.9	7.2	6.7	5.6	5.7
Chronic Obstructive Pulmonary Disease & Allied Conditions	2,713	34.9	1,681	32.0	602	42.7	410	39.0	379	39.9	5.3	5.9	4.8	4.7	4.1
<i>Asthma</i>	1,385	17.8	632	12.0	430	30.5	315	30.0	306	32.2	4.2	4.7	4.0	3.4	3.8
<i>Chronic Bronchitis</i>	1,140	14.7	913	17.4	144	10.2	72	6.9	50	5.3	6.5	6.7	6.6	4.8	4.9
Pneumonia	2,320	29.8	1,664	31.7	359	25.5	277	26.4	260	27.4	6.7	6.9	6.7	5.2	4.8
Acute Respiratory Infections	580	7.5	354	6.7	109	7.7	111	10.6	119	12.5	3.5	3.6	3.7	3.1	3.3
Other Diseases of the Upper Respiratory Tract	148	1.9	77	1.5	30	2.1	40	3.8	31	3.3	3.1	3.0	3.4	2.8	1.9
Influenza	60	0.8	45	0.9	10	0.7	5	0.5	8	0.8	5.1	4.9	6.8	3.6	3.3
Other Respiratory Diseases	1,952	25.1	1,426	27.2	300	21.3	208	19.8	152	16.0	10.7	10.3	12.0	11.6	14.0

¹ Totals include cases with unknown race.

² Includes Native Americans, Asian and Pacific Islanders, and Other.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 139. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses¹ by Age, Westchester County Residents, 2007-2008

2007																											
Principal Diagnosis	Number of Discharges																		Average Length of Stay (days)								
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%									
Total	14,094	100	70	100	194	100	75	100	523	100	2,125	100	3,558	100	2,884	100	4,665	100	7.5	5.4	7.7	4.8	5.7	5.4	7.1	8.0	8.8
Malignant Neoplasms	10,736	76.2	6	8.6	173	89.2	45	60.0	252	48.2	1,130	53.2	2,895	81.4	2,466	85.5	3,769	80.8	8.1	5.7	7.4	5.4	6.7	6.8	7.6	8.2	9.1
Genital and Urinary Organs	2,305	16.4	0	0.0	8	4.1	1	1.3	19	3.6	150	7.1	665	18.7	583	20.2	879	18.8	6.7	0.0	4.6	1.0	10.8	6.3	5.7	6.4	7.6
Prostate	981	7.0	0	0.0	1	0.5	0	0.0	0	0.0	17	0.8	270	7.6	241	8.4	452	9.7	5.4	0.0	1.0	0.0	0.0	2.7	3.5	4.7	6.9
Urinary Bladder	343	2.4	0	0.0	0	0.0	0	0.0	0	0.0	9	0.4	48	1.3	102	3.5	184	3.9	6.5	0.0	0.0	0.0	0.0	3.7	6.2	6.2	7.0
Uterus	238	1.7	0	0.0	0	0.0	0	0.0	2	0.4	24	1.1	101	2.8	65	2.3	46	1.0	5.8	0.0	0.0	0.0	2.5	3.8	6.0	5.2	7.4
Kidney	251	1.8	0	0.0	1	0.5	1	1.3	2	0.4	23	1.1	72	2.0	74	2.6	78	1.7	7.8	0.0	13.0	1.0	4.5	10.1	6.7	6.1	10.0
Digestive Organs and Peritoneum	2,107	14.9	0	0.0	2	1.0	0	0.0	10	1.9	240	11.3	609	17.1	501	17.4	745	16.0	9.2	0.0	8.0	0.0	9.0	7.0	8.4	9.3	10.6
Colon	1,082	7.7	0	0.0	0	0.0	0	0.0	4	0.8	144	6.8	323	9.1	241	8.4	370	7.9	8.8	0.0	0.0	0.0	6.3	6.4	7.4	9.2	10.8
Lymphatic and Hematopoietic Tissues	2,002	14.2	0	0.0	82	42.3	32	42.7	75	14.3	187	8.8	430	12.1	360	12.5	836	17.9	8.9	0.0	7.8	5.9	7.6	8.7	9.1	9.1	9.0
Respiratory and Intrathoracic Organs	1,567	11.1	0	0.0	0	0.0	0	0.0	14	2.7	120	5.6	391	11.0	455	15.8	587	12.6	9.1	0.0	0.0	0.0	5.1	7.7	8.6	8.8	10.1
Lung	1,460	10.4	0	0.0	0	0.0	0	0.0	5	1.0	108	5.1	363	10.2	424	14.7	560	12.0	9.0	0.0	0.0	0.0	4.6	7.2	8.3	8.8	10.1
Bone, Connective Tissue, Skin, Breast	1,113	7.9	0	0.0	30	15.5	8	10.7	75	14.3	212	10.0	307	8.6	177	6.1	304	6.5	6.3	0.0	5.9	4.3	4.2	4.7	5.6	6.4	8.6
Breast (female)	774	5.5	0	0.0	0	0.0	0	0.0	15	2.9	182	8.6	231	6.5	147	5.1	199	4.3	5.8	0.0	0.0	0.0	5.5	4.7	5.7	6.2	6.7
Skin	140	1.0	0	0.0	0	0.0	0	0.0	1	0.2	6	0.3	39	1.1	17	0.6	77	1.7	9.6	0.0	0.0	0.0	2.0	6.8	5.6	5.5	12.9
Lip, Oral Cavity, Pharynx	171	1.2	0	0.0	0	0.0	0	0.0	0	0.0	30	1.4	60	1.7	49	1.7	32	0.7	9.0	0.0	0.0	0.0	0.0	5.2	9.9	9.6	9.8
Other & Unspecified Malignant Sites	1,471	10.4	6	8.6	51	26.3	4	5.3	59	11.3	191	9.0	433	12.2	341	11.8	386	8.3	8.1	5.7	8.2	4.2	7.4	7.0	7.5	8.7	8.8
Benign	2,419	17.2	62	88.6	11	5.7	19	25.3	235	44.9	884	41.6	497	14.0	272	9.4	439	9.4	4.8	6.2	2.9	2.9	4.7	3.5	4.7	6.6	7.0
Carcinoma in Situ²	138	1.0	0	0.0	0	0.0	0	0.0	3	0.6	43	2.0	43	1.2	21	0.7	28	0.6	4.0	0.0	0.0	0.0	2.0	4.0	3.1	4.6	5.3
Uncertain & Unspecified Neoplasms	801	5.7	2	2.9	10	5.2	11	14.7	33	6.3	68	3.2	123	3.5	125	4.3	429	9.2	7.7	2.5	17.8	4.8	5.6	8.5	7.2	7.7	7.7

(continued)

Table 139. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses¹ by Age, Westchester County Residents, 2007-2008 (continued)

2008																												
Principal Diagnosis	Number of Discharges																		Average Length of Stay (days)									
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%										
Total	13,714	100	47	100	148	100	95	100	545	100	2,018	100	3,667	100	2,784	100	4,410	100	7.7	7.4	8.3	8.8	6.5	5.7	7.5	8.2	8.8	
Malignant Neoplasms	10,472	76.4	0	0.0	129	87.2	66	69.5	270	49.5	1,070	53.0	3,025	82.5	2,388	85.8	3,524	79.9	8.4	0.0	6.9	10.7	8.2	7.3	8.1	8.4	9.0	
Genital and Urinary Organs	2,211	16.1	0	0.0	1	0.7	3	3.2	29	5.3	146	7.2	626	17.1	551	19.8	855	19.4	6.3	0.0	0.0	4.3	8.1	5.1	4.5	6.3	7.9	
Prostate	1,009	7.4	0	0.0	0	0.0	0	0.0	0	0.0	19	0.9	262	7.1	257	9.2	471	10.7	5.8	0.0	0.0	0.0	0.0	2.3	2.7	5.8	7.7	
Urinary Bladder	292	2.1	0	0.0	0	0.0	0	0.0	0	0.0	6	0.3	42	1.1	80	2.9	164	3.7	7.8	0.0	0.0	0.0	0.0	6.7	6.4	8.5	8.0	
Kidney	267	1.9	0	0.0	1	0.7	0	0.0	5	0.9	20	1.0	90	2.5	63	2.3	88	2.0	7.1	0.0	4.0	0.0	10.2	8.7	5.4	7.9	7.7	
Uterus	224	1.6	0	0.0	0	0.0	0	0.0	1	0.2	20	1.0	83	2.3	63	2.3	57	1.3	6.3	0.0	0.0	0.0	4.0	3.2	6.0	6.4	7.6	
Digestive Organs and Peritoneum	2,074	15.1	0	0.0	1	0.7	1	1.1	7	1.3	206	10.2	692	18.9	476	17.1	691	15.7	9.5	0.0	1.0	5.0	10.5	8.3	9.1	8.9	10.7	
Colon	1,024	7.5	0	0.0	0	0.0	0	0.0	6	1.1	146	7.2	317	8.6	226	8.1	329	7.5	8.7	0.0	0.0	0.0	11.8	7.1	8.0	8.4	10.1	
Lymphatic and Hematopoietic Tissues	2,022	14.7	0	0.0	73	49.3	44	46.3	116	21.3	223	11.1	445	12.1	369	13.3	752	17.1	9.6	0.0	9.1	6.5	9.2	9.9	10.9	10.3	8.8	
Respiratory and Intrathoracic Organs	1,549	11.3	0	0.0	0	0.0	0	0.0	17	3.1	79	3.9	391	10.7	459	16.5	603	13.7	9.3	0.0	0.0	0.0	4.7	8.7	9.2	9.2	9.5	
Lung	1,443	10.5	0	0.0	0	0.0	0	0.0	10	1.8	72	3.6	352	9.6	436	15.7	573	13.0	9.2	0.0	0.0	0.0	4.5	9.0	8.9	9.2	9.4	
Bone, Connective Tissue, Skin, Breast	1,032	7.5	0	0.0	15	10.1	6	6.3	49	9.0	211	10.5	333	9.1	199	7.1	219	5.0	5.7	0.0	4.4	5.6	3.1	4.6	5.7	6.2	7.4	
Breast (female)	717	5.2	0	0.0	0	0.0	0	0.0	14	2.6	175	8.7	262	7.1	145	5.2	121	2.7	5.6	0.0	0.0	0.0	2.6	4.3	5.3	6.1	8.1	
Skin	128	0.9	0	0.0	1	0.7	0	0.0	0	0.0	11	0.5	28	0.8	33	1.2	55	1.2	6.0	0.0	1.0	0.0	0.0	5.0	5.8	7.5	5.4	
Lip, Oral Cavity, Pharynx	203	1.5	0	0.0	0	0.0	0	0.0	0	0.0	28	1.4	102	2.8	41	1.5	32	0.7	7.5	0.0	0.0	0.0	0.0	6.7	9.0	5.7	5.9	
Other & Unspecified Malignant Sites	1,381	9.8	0	0.0	39	20.1	12	16.0	52	9.9	177	8.3	436	12.3	293	10.2	372	8.0	8.9	0.0	4.0	26.7	11.6	6.8	8.8	8.6	9.4	
Benign	2,305	16.8	44	93.6	12	8.1	26	27.4	233.0	42.8	856	42.4	491	13.4	253	9.1	390	8.8	5.0	7.1	2.7	4.4	4.0	3.6	4.6	6.8	8.0	
Carcinoma in Situ²	118	0.9	0	0.0	0	0.0	0	0.0	4.0	0.7	33	1.6	43	1.2	14	0.5	24	0.5	3.5	0.0	0.0	0.0	1.8	2.6	3.0	4.6	5.4	
Uncertain & Unspecified Neoplasms	819	6.0	3	6.4	7	4.7	3	3.2	38.0	7.0	59	2.9	108	2.9	129	4.6	472	10.7	7.8	4.7	43.0	5.3	10.1	7.7	6.0	7.1	7.7	

¹Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemotherapy and radiotherapy is also included). Diagnoses that were related to an earlier episode which had no bearing on the current hospital stay was excluded.

²Carcinoma in Situ may be Benign or Malignant.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 140. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses¹ by Sex, Westchester County Residents, 2007-2008

2007								
Principal Diagnosis	Number of Discharges					Average Length of Stay (days)		
	Total ²	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	14,094	7,866	100.0	6,228	100.0	7.5	7.3	7.8
Malignant Neoplasms	10,736	5,402	68.7	5,334	85.6	8.2	8.3	7.6
Genital and Urinary Organs	2,305	879	11.2	1,426	22.9	6.7	7.5	5.0
Prostate	981	0	0.0	981	15.8	5.4	0.0	5.4
Urinary Bladder	343	98	1.2	245	3.9	6.5	8.0	6.1
Uterus	238	238	3.0	0	0.0	5.8	5.8	0.0
Kidney	251	76	1.0	175	2.8	7.8	9.5	7.1
Digestive Organs and Peritoneum	2,107	940	12.0	1,167	18.7	9.2	9.9	8.7
Colon	1,082	555	7.1	527	8.5	8.8	9.3	8.3
Lymphatic and Hematopoietic Tissues	2,002	946	12.0	1,056	17.0	8.9	8.7	9.1
Respiratory and Intrathoracic Organs	1,567	828	10.5	739	11.9	9.1	9.3	8.9
Lung	1,460	796	10.1	664	10.7	9.0	9.2	8.9
Bone, Connective Tissue, Skin, Breast	1,113	895	11.4	218	3.5	6.3	6.4	5.9
Breast (female)	774	774	9.8	0	0.0	5.8	5.8	0.0
Skin	140	44	0.6	96	1.5	9.6	16.9	6.3
Lip, Oral Cavity, Pharynx	171	54	0.7	117	1.9	9.0	10.8	8.2
Other & Unspecified Malignant Sites	1,471	860	10.9	611	9.8	8.3	7.9	8.5
Benign	2,419	1,927	24.5	492	7.9	4.8	4.2	7.2
Carcinoma in Situ³	138	113	1.4	25	0.4	4.0	3.7	5.5
Uncertain & Unspecified Neoplasms	801	424	5.4	377	6.1	7.7	7.7	7.6

(continued)

Table 140. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses¹ by Sex, Westchester County Residents, 2007-2008 (continued)

2008								
Principal Diagnosis	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	13,714	7,524	100.0	6,190	100.0	7.7	7.4	8.1
Malignant Neoplasms	10,472	5,119	68.0	5,353	86.5	8.4	8.6	8.2
Genital and Urinary Organs	2,211	804	10.7	1,407	22.7	6.3	7.6	5.9
Prostate	1,009	0	0.0	1,009	16.3	5.8	0.0	5.8
Urinary Bladder	292	77	1.0	215	3.5	7.8	9.4	7.3
Kidney	267	115	1.5	152	2.5	7.1	7.1	7.1
Uterus	224	224	3.0	0	0.0	6.3	6.3	0.0
Digestive Organs and Peritoneum	2,074	906	12.0	1,168	18.9	9.5	10.4	8.8
Colon	1,024	494	6.6	530	8.6	8.7	8.9	8.4
Lymphatic and Hematopoietic Tissues	2,022	899	11.9	1,123	18.1	9.6	10.0	9.3
Respiratory and Intrathoracic Organs	1,549	776	10.3	773	12.5	9.3	9.2	9.3
Lung	1,443	753	10.0	690	11.1	9.2	9.2	9.1
Bone, Connective Tissue, Skin, Breast	1,032	853	11.3	179	2.9	5.7	5.7	6.0
Breast (female)	717	717	9.5	0	0.0	5.6	5.6	3.1
Skin	128	65	0.9	63	1.0	6.0	6.5	5.4
Lip, Oral Cavity, Pharynx	203	66	0.9	137	2.2	7.5	7.7	7.5
Other & Unspecified Malignant Sites	1,381	815	10.4	566	9.1	8.9	8.9	8.7
Benign	2,305	1,847	24.5	458	7.4	5.0	4.5	7.2
Carcinoma in Situ³	118	104	1.4	14	0.2	3.5	3.1	6.6
Uncertain & Unspecified Neoplasms	819	454	6.0	365	5.9	7.8	6.8	9.1

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemotherapy and radiotherapy is also included).

² Total may include cases of unknown sex.

³ Carcinoma in Situ may be Benign or Malignant.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 141. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses¹ by Race/Ethnicity, Westchester County Residents, 2007-2008

2007														
Principal Diagnosis	Number of Discharges								Average Length of Stay (days)					
	Total ²	White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
		N	%	N	%	N	%	N	%					
Total	14,094	10,073	100.0	2,219	100.0	1,462	100.0	1,052	100.0	7.5	7.3	8.5	7.4	7.0
Malignant Neoplasms	10,736	7,945	78.9	1,537	69.3	1,011	69.2	741	70.4	8.2	7.8	9.9	8.2	7.8
Genital and Urinary Organs	2,305	1,748	17.4	308	13.9	193	13.2	127	12.1	6.7	6.4	8.5	6.9	5.7
Prostate	981	753	7.5	133	6.0	67	4.6	39	3.7	5.4	5.3	5.8	6.0	5.6
Urinary Bladder	343	285	2.8	22	1.0	27	1.8	13	1.2	6.5	6.4	9.7	5.9	8.4
Uterus	238	160	1.6	40	1.8	31	2.1	18	1.7	5.8	4.5	11.1	6.1	3.8
Kidney	251	195	1.9	27	1.2	23	1.6	14	1.3	7.8	7.7	10.9	6.7	5.4
Digestive Organs and Peritoneum	2,107	1,491	14.8	317	14.3	255	17.4	213	20.2	9.2	8.7	12.5	8.4	7.2
Colon	1,082	766	7.6	149	6.7	138	9.4	121	11.5	8.8	8.6	11.2	7.8	7.4
Lymphatic and Hematopoietic Tissues	2,002	1,437	14.3	306	13.8	207	14.2	168	16.0	8.9	8.8	9.2	9.1	8.3
Respiratory and Intrathoracic Organs	1,567	1,214	12.1	235	10.6	91	6.2	46	4.4	9.1	8.5	10.2	12.8	14.9
Lung	1,460	1,147	11.4	213	9.6	80	5.5	35	3.3	9.0	8.5	10.1	12.6	16.1
Bone, Connective Tissue, Skin, Breast	1,113	807	8.0	178	8.0	105	7.2	50	4.8	6.3	6.1	7.1	5.3	4.6
Breast (female)	774	548	5.4	137	6.2	71	4.9	43	4.1	5.8	5.4	7.4	5.2	4.6
Skin	140	114	1.1	10	0.5	15	1.0	5	0.5	9.6	10.5	7.2	3.7	3.8
Lip, Oral Cavity, Pharynx	171	106	1.1	26	1.2	24	1.6	21	2.0	9.0	9.0	10.3	7.6	7.4
Other & Unspecified Malignant Sites	1,471	1,142	11.3	167	7.5 #	136	9.3	116	11.0	8.3	7.8	11.4	7.9	9.0
Benign	2,419	1,407	14.0	559	25.2	370	25.3	256	24.3	4.8	5.0	4.7	4.8	4.2
Carcinoma in Situ⁵	138	103	1.0	17	0.8	14	1.0	15	1.4	4.0	4.2	4.1	2.8	2.5
Uncertain & Unspecified Neoplasms	801	618	6.1	106	4.8	67	4.6	40	3.8	7.7	7.2	7.9	9.4	11.7

(continued)

Table 141. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses¹ by Race/Ethnicity, Westchester County Residents, 2007-2008 (continued)

2008														
Principal Diagnosis	Number of Discharges								Average Length of Stay (days)					
	Total ²	White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
		N	%	N	%	N	%	N	%					
Total	13,714	9,932	100.0	2,103	100.0	1,533	100.0	1,067	100.0	7.7	7.5	8.7	8.0	6.2
Malignant Neoplasms	10,472	7,942	80.0	1,409	67.0	1,023	66.7	714	66.9	8.4	8.0	10.1	9.4	7.2
Genital and Urinary Organs	2,211	1,700	17.1	295	14.0	195	12.7	131	12.3	6.3	6.2	9.0	6.9	8.5
Prostate	1,009	785	7.9	126	6.0	91	5.9	47	4.4	5.8	5.3	9.1	5.7	5.8
Urinary Bladder	292	256	2.6	26	1.2	8	0.5	3	0.3	7.8	7.5	9.7	13.1	7.8
Kidney	267	213	2.1	21	1.0	27	1.8	15	1.4	7.1	6.8	10.0	7.4	7.9
Uterus	224	175	1.8	34	1.6	13	0.8	12	1.1	6.3	5.8	8.3	6.6	6.4
Digestive Organs and Peritoneum	2,074	1,564	15.7	302	14.4	192	12.5	211	19.8	9.5	9.1	11.3	10.6	10.6
Colon	1,024	774	7.8	149	7.1	91	5.9	129	12.1	10.3	8.4	9.5	9.9	8.8
Lymphatic and Hematopoietic Tissues	2,022	1,509	15.2	267	12.7	237	15.5	164	15.4	9.6	9.2	10.3	11.5	10.4
Respiratory and Intrathoracic Organs	1,549	1,192	12.0	222	10.6	119	7.8	43	4.0	9.3	9.0	10.1	11.5	13.2
Lung	1,443	1,122	11.3	197	9.4	109	7.1	41	3.8	9.2	9.0	9.9	10.4	13.0
Bone, Connective Tissue, Skin, Breast	1,032	767	7.7	136	6.5	109	7.1	60	5.6	5.7	5.5	7.6	5.3	6.1
Breast (female)	717	509	5.1	114	5.4	76	5.0	45	4.2	5.6	5.5	6.7	5.2	5.6
Skin	128	106	1.1	9	0.4	11	0.7	7	0.7	6.0	5.4	14.6	4.2	4.1
Lip, Oral Cavity, Pharynx	203	141	1.4	23	1.1	35	2.3	20	1.9	7.5	6.8	9.0	9.8	6.4
Other & Unspecified Malignant Sites	1,381	1,069	10.8	164	7.8 #	136	8.9	85	8.0	8.9	8.4	12.0	9.0	7.3
			0.0		0.0		0.0		0.0					
Benign	2,305	1,282	12.9	585	27.8	404	26.4	306	28.7	5.0	5.2	5.0	4.6	4.5
Carcinoma in Situ⁵	118	80	0.8	20	1.0	13	0.8	4	0.4	3.5	3.5	5.0	2.2	2.0
Uncertain & Unspecified Neoplasms	819	628	6.3	89	4.2	93	6.1	43	4.0	7.8	7.2	11.3	8.5	6.1

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. Including diagnoses in the V58.0-V58.10 range (chemotherapy and radiotherapy).

² Total include cases with unknown race.

³ Includes Native Americans, Asian and Pacific Islanders, and Other.

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

⁵ Carcinoma in Situ may be Benign or Malignant.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 142. Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses¹ by Age and Sex, Westchester County Residents, 2007-2008

2007								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total ²	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	10,736	5,402	50.3	5,334	49.7	7.5	7.3	7.8
Less than 1	6	5	0.0	1	0.0	24.5	7.8	108.0
1-2	44	19	43.2	25	56.8	10.0	8.9	10.9
3-4	17	8	47.1	9	52.9	4.8	4.6	4.9
5-6	24	20	83.3	4	16.7	7.9	8.3	6.0
7-8	21	12	57.1	9	42.9	6.8	8.6	4.3
9-10	51	28	54.9	23	45.1	7.4	6.5	8.6
11-12	16	13	81.3	3	18.8	3.8	4.1	2.3
13-14	12	5	41.7	7	58.3	9.5	16.0	4.9
15-16	23	20	87.0	3	13.0	3.4	3.3	4.0
17-18	29	19	65.5	10	34.5	4.2	4.5	3.5
19-20	48	9	18.8	39	81.3	3.6	4.4	3.4
21-22	30	13	43.3	17	56.7	8.5	7.1	9.6
23-24	9	4	44.4	5	55.6	11.7	6.8	15.6
25-29	63	22	34.9	41	65.1	7.5	9.5	6.5
30-34	83	47	56.6	36	43.4	7.5	8.5	6.1
35-39	230	140	60.9	90	39.1	7.1	7.2	6.9
40-44	304	174	57.2	130	42.8	7.5	7.7	7.3
45-49	596	339	56.9	257	43.1	6.3	6.2	6.3
50-54	806	419	52.0	387	48.0	7.0	8.2	5.8
55-59	1,048	517	49.3	531	50.7	7.6	7.9	7.3
60-64	1,041	526	50.5	515	49.5	7.9	7.6	8.1
65-69	1,278	595	46.6	683	53.4	8.4	8.8	8.0
70-74	1,188	627	52.8	561	47.2	8.0	8.5	7.5
75-79	1,380	679	49.2	701	50.8	8.8	9.1	8.5
80-84	1,216	591	48.6	625	51.4	8.9	8.6	9.2
85 and above	1,173	551	47.0	622	53.0	9.7	10.7	8.9

(continued)

Table 142. Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses¹ by Age and Sex, Westchester County Residents, 2007-2008

2008								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	10,472	5,119	48.9	5,353	51.1	8.4	8.6	8.2
Less than 1	0	0	0.0	0	0.0	0.0	7.8	0.0
1-2	17	16	94.1	1	5.9	15.2	15.9	4.0
3-4	39	9	23.1	30	76.9	5.2	4.6	5.4
5-6	21	18	85.7	3	14.3	4.0	2.8	11.0
7-8	16	9	56.3	7	43.8	5.7	5.6	5.9
9-10	21	21	100.0	0	0.0	3.4	3.4	0.0
11-12	15	15	100.0	0	0.0	12.3	12.3	0.0
13-14	21	4	19.0	17	81.0	9.9	15.8	8.5
15-16	41	20	48.8	21	51.2	11.7	5.5	17.6
17-18	13	11	84.6	2	15.4	3.7	3.8	3.0
19-20	52	13	25.0	39	75.0	5.5	8.7	4.4
21-22	46	5	10.9	41	89.1	9.7	1.8	10.7
23-24	17	8	47.1	9	52.9	10.2	14.8	6.2
25-29	61	36	59.0	25	41.0	5.4	6.3	4.2
30-34	85	47	55.3	38	44.7	11.1	12.4	9.6
35-39	185	117	63.2	68	36.8	7.8	7.5	8.3
40-44	403	260	64.5	143	35.5	6.9	5.7	9.1
45-49	482	254	52.7	228	47.3	7.4	6.7	8.0
50-54	797	439	55.1	358	44.9	7.8	7.9	7.6
55-59	1,079	486	45.0	593	55.0	8.3	8.9	7.8
60-64	1,149	551	48.0	598	52.0	8.2	8.2	8.2
65-69	1,208	547	45.3	661	54.7	7.7	8.5	7.0
70-74	1,180	587	49.7	593	50.3	9.1	9.7	8.6
75-79	1,297	598	46.1	699	53.9	8.7	9.1	8.3
80-84	1,156	546	47.2	610	52.8	8.8	9.4	8.2
85 and above	1,071	502	46.9	569	53.1	9.6	9.9	9.4

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemotherapy and radiotherapy is also included).

² Total includes cases of unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 143. Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses¹ by Age and Race/Ethnicity, Westchester County Residents, 2007-2008

2007														
Age (years)	Number of Discharges								Average Length of Stay (days)					
	Total ²	White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
		N	%	N	%	N	%	N	%					
Total	10,736	7,945	74.0	1,537	14.3	1,011	9.4	741	6.9	7.5	7.3	8.5	7.4	7.0
Less than 1	6	3	50.0	0	0.0	3	50.0	2	33.3	24.5	40.3	0.0	8.7	60.0
1-2	44	29	65.9	3	6.8	10	22.7	17	38.6	10.0	11.4	16.3	4.8	9.4
3-4	17	2	11.8	12	70.6	3	17.6	4	23.5	4.8	2.0	5.7	3.0	3.5
5-6	24	20	83.3	4	16.7	0	0.0	2	8.3	7.9	8.3	5.8	0.0	4.5
7-8	21	20	95.2	1	4.8	0	0.0	7	33.3	6.8	7.0	2.0	0.0	5.1
9-10	51	21	41.2	7	13.7	23	45.1	19	37.3	7.4	10.4	5.0	5.4	5.0
11-12	16	12	75.0	0	0.0	4	25.0	3	18.8	3.8	3.8	0.0	3.8	3.7
13-14	12	11	91.7	0	0.0	1	8.3	11	91.7	9.5	9.7	0.0	7.0	9.7
15-16	23	17	73.9	1	4.3	5	21.7	0	0.0	3.4	3.2	1.0	4.4	0.0
17-18	29	23	79.3	0	0.0	6	20.7	0	0.0	4.2	4.5	0.0	3.0	0.0
19-20	48	38	79.2	1	2.1	9	18.8	9	18.8	3.6	3.3	3.0	5.0	5.3
21-22	30	20	66.7	8	26.7	2	6.7	3	10.0	8.5	4.7	16.9	13.0	14.0
23-24	9	2	22.2	4	44.4	2	22.2	2	22.2	11.7	1.0	18.8	13.0	13.0
25-29	63	25	39.7	25	39.7	11	17.5	14	22.2	7.5	9.3	5.9	7.7	7.4
30-34	83	46	55.4	23	27.7	14	16.9	16	19.3	7.5	8.0	6.7	7.1	6.1
35-39	230	121	52.6	43	18.7	56	24.3	53	23.0	7.1	5.2	12.2	7.1	6.9
40-44	304	181	59.5	65	21.4	49	16.1	42	13.8	7.5	6.7	9.1	9.0	9.5
45-49	596	373	62.6	129	21.6	81	13.6	100	16.8	6.3	5.5	8.6	6.0	4.4
50-54	806	541	67.1	151	18.7	83	10.3	80	9.9	7.0	6.2	9.3	8.4	7.5
55-59	1,048	700	66.8	180	17.2	135	12.9	104	9.9	7.6	7.2	8.9	7.4	7.9
60-64	1,041	745	71.6	183	17.6	90	8.6	62	6.0	7.9	7.0	10.6	10.1	8.1
65-69	1,278	964	75.4	192	15.0	86	6.7	52	4.1	8.4	7.8	12.1	7.6	8.2
70-74	1,188	905	76.2	145	12.2	110	9.3	37	3.1	8.0	7.8	9.3	8.4	4.9
75-79	1,380	1,136	82.3	136	9.9	85	6.2	37	2.7	8.8	8.5	11.5	9.2	8.9
80-84	1,216	1,009	83.0	102	8.4	89	7.3	44	3.6	8.9	8.7	8.5	11.5	14.9
85 and above	1,173	981	83.6	122	10.4	54	4.6	21	1.8	9.7	9.7	10.2	8.1	8.1

(continued)

Table 143. Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses¹ by Age and Race/Ethnicity, Westchester County Residents, 2007-2008 (cont'd)

2008														
Age (years)	Number of Discharges								Average Length of Stay (days)					
	Total ²	White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
		N	%	N	%	N	%	N	%					
Total	10,472	7,942	75.8	1,409	13.5	1,023	9.8	714	6.8	8.4	7.5	8.7	8.0	6.2
Less than 1	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
1-2	17	11	64.7	1	5.9	5	29.4	6	35.3	15.2	18.1	4.0	11.0	12.8
3-4	39	17	43.6	13	33.3	9	23.1	9	23.1	5.2	4.6	5.6	5.7	5.3
5-6	21	13	61.9	1	4.8	7	33.3	0	0.0	4.0	3.0	19.0	3.6	0.0
7-8	16	11	68.8	5	31.3	0	0.0	2	12.5	5.7	5.1	7.0	0.0	3.0
9-10	21	19	90.5	0	0.0	2	9.5	11	52.4	3.4	3.4	0.0	3.5	3.3
11-12	15	15	100.0	0	0.0	0	0.0	0	0.0	12.3	12.3	0.0	0.0	0.0
13-14	21	17	81.0	3	14.3	1	4.8	4	19.0	9.9	7.5	24.3	7.0	17.3
15-16	41	34	82.9	3	7.3	4	9.8	17	41.5	11.7	4.8	101.7	3.0	2.7
17-18	13	8	61.5	3	23.1	2	15.4	1	7.7	3.7	4.0	4.3	1.5	2.0
19-20	52	30	57.7	0	0.0	22	42.3	0	0.0	5.5	3.6	0.0	8.0	0.0
21-22	46	36	78.3	0	0.0	10	21.7	9	19.6	9.7	5.5	0.0	25.1	29.7
23-24	17	13	76.5	3	17.6	1	5.9	6	35.3	10.2	7.0	26.3	4.0	15.3
25-29	61	30	49.2	9	14.8	22	36.1	31	50.8	5.4	4.4	7.0	6.2	6.3
30-34	85	55	64.7	7	8.2	23	27.1	25	29.4	11.1	6.8	2.7	24.0	11.4
35-39	185	132	71.4	30	16.2	20	10.8	28	15.1	7.8	7.2	8.9	9.9	13.6
40-44	403	249	61.8	73	18.1	78	19.4	72	17.9	6.9	6.5	8.7	6.7	7.4
45-49	482	304	63.1	115	23.9	58	12.0	51	10.6	7.4	6.5	9.9	6.8	6.5
50-54	797	524	65.7	152	19.1	100	12.5	69	8.7	7.8	7.1	9.8	9.0	8.8
55-59	1,079	754	69.9	170	15.8	144	13.3	99	9.2	8.3	7.6	10.0	10.2	11.5
60-64	1,149	869	75.6	172	15.0	101	8.8	71	6.2	8.2	8.0	8.6	9.8	8.5
65-69	1,208	912	75.5	159	13.2	126	10.4	68	5.6	7.7	7.2	9.2	9.0	9.2
70-74	1,180	917	77.7	159	13.5	93	7.9	47	4.0	9.1	8.5	11.1	11.8	14.8
75-79	1,297	1,058	81.6	145	11.2	84	6.5	39	3.0	8.7	8.6	9.7	8.3	8.2
80-84	1,156	977	84.5	96	8.3	69	6.0	34	2.9	8.8	8.5	11.7	8.3	8.6
85 and above	1,071	937	87.5	90	8.4	42	3.9	15	1.4	9.6	9.4	13.0	8.6	5.5

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemotherapy and radiotherapy is also included).

² Totals include cases with unknown race.

³ Includes Native Americans, Asian and Pacific Islanders, and Other.

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 144. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning¹ by Etiology and Age, Westchester County Residents, 2007-2008

2007																											
Etiology	Number of Discharges																		Average Length of Stay (days)								
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%									
Total	7,454	100.0	36	100.0	297	100.0	245	100.0	1,057	100.0	965	100.0	1,114	100.0	784	100.0	2,956	100.0	6.6	6.2	3.2	4.7	6.2	6.6	6.5	6.9	7.1
Falls	3,978	53.4	14	38.9	122	41.1	48	19.6	188	17.8	291	30.2	494	44.3	498	63.5	2323	78.6	6.4	6.3	2.2	3.4	5.4	7.1	6.3	6.1	6.8
Motor Vehicle Accident	482	6.5	0	0.0	7	2.4	30	12.2	182	17.2	102	10.6	77	6.9	37	4.7	47	1.6	5.9	0.0	1.6	2.8	5.5	7.0	7.4	5.7	5.2
Self-Inflicted	341	4.6	0	0.0	1	0.3	34	13.9	128	12.1	76	7.9	71	6.4	13	1.7	18	0.6	8.6	0.0	3.0	2.9	9.7	10.3	8.4	6.6	6.8
Assault	309	4.1	4	11.1	5	1.7	27	11.0	175	16.6	59	6.1	26	2.3	6	0.8	7	0.2	6.0	7.0	15.8	5.9	5.9	3.8	10.3	2.0	5.6
Poisoning	286	3.8	2	5.6	16	5.4	5	2.0	41	3.9	72	7.5	75	6.7	24	3.1	51	1.7	4.3	1.5	3.0	1.6	4.4	4.5	3.6	4.9	5.6
Struck by Object/Person	234	3.1	2	5.6	39	13.1	35	14.3	42	4.0	39	4.0	33	3.0	13	1.7	31	1.0	4.7	3.5	3.9	3.6	4.0	4.0	5.6	5.8	7.3
Pedestrian	146	2.0	0	0.0	8	2.7	8	3.3	26	2.5	24	2.5	27	2.4	20	2.6	33	1.1	7.6	0.0	4.4	3.6	3.7	4.2	7.1	21.2	7.2
Overexertion	115	1.5	0	0.0	2	0.7	8	3.3	17	1.6	28	2.9	16	1.4	11	1.4	33	1.1	7.3	0.0	1.5	34.0	2.1	5.7	5.9	7.2	6.1
Cutting Instrument	111	1.5	1	2.8	10	3.4	10	4.1	37	3.5	25	2.6	12	1.1	5	0.6	11	0.4	3.2	3.0	2.1	3.4	2.7	3.8	3.6	3.8	3.9
Bicycle	76	1.0	0	0.0	14	4.7	7	2.9	17	1.6	16	1.7	15	1.3	4	0.5	3	0.1	3.9	0.0	4.8	2.4	3.7	3.3	4.5	4.3	3.0
Scalds	59	0.8	2	5.6	16	5.4	0	0.0	11	1.0	12	1.2	9	0.8	0	0.0	9	0.3	9.3	4.0	4.8	0.0	6.8	8.8	12.4	0.0	18.9
Fire/Flame	47	0.6	1	2.8	3	1.0	0	0.0	11	1.0	11	1.1	5	0.4	6	0.8	10	0.3	9.0	3.0	7.7	0.0	6.5	6.5	6.0	10.8	15.9
Respiratory Interference	33	0.4	0	0.0	1	0.3	1	0.4	0	0.0	2	0.2	5	0.4	8	1.0	16	0.5	10.0	0.0	2.0	19.0	0.0	17.0	7.6	9.9	9.4
Machinery	29	0.4	0	0.0	0	0.0	0	0.0	15	1.4	9	0.9	3	0.3	0	0.0	2	0.1	7.2	0.0	0.0	0.0	5.9	11.2	3.3	0.0	5.5
Other	1,208	16.2	10	27.8	53	17.8	32	13.1	167	15.8	199	20.6	246	22.1	139	17.7	362	12.2	7.6	8.2	2.8	4.7	8.4	7.0	6.5	8.4	8.8

2008																											
Total	6,866	100.0	31	100.0	254	100.0	232	100.0	936	100.0	912	100.0	1,048	100.0	702	100.0	2,751	100.0	6.5	32.3	3.4	4.2	4.9	6.1	6.9	6.8	7.4
Falls	3,687	53.7	13	41.9	89	35.0	55	23.7	146	15.6	215	23.6	501	47.8	463	66.0	2205	80.2	6.6	1.6	2.3	2.4	5.7	5.2	6.6	6.2	7.2
Motor Vehicle Accident	420	6.1	0	0.0	4	1.6	15	6.5	145	15.5	92	10.1	56	5.3	38	5.4	70	2.5	7.2	0.0	6.3	3.3	6.5	7.9	7.9	7.4	7.7
Self-Inflicted	338	4.9	0	0.0	2	0.8	25	10.8	133	14.2	95	10.4	62	5.9	6	0.9	15	0.5	4.6	0.0	2.5	5.7	4.3	4.4	4.2	7.8	7.6
Assault	328	4.8	0	0.0	3	1.2	38	16.4	173	18.5	84	9.2	21	2.0	4	0.6	5	0.2	4.5	0.0	6.3	4.0	3.5	6.3	5.9	4.3	5.4
Poisoning	327	4.8	3	9.7	17	6.7	13	5.6	48	5.1	95	10.4	71	6.8	31	4.4	49	1.8	3.9	13.3	2.4	2.2	3.8	3.3	3.9	4.9	5.2
Struck by Object/Person	198	2.9	1	3.2	29	11.4	20	8.6	48	5.1	38	4.2	23	2.2	12	1.7	27	1.0	5.6	10.0	4.9	2.0	6.0	7.0	4.6	5.8	6.9
Pedestrian	145	2.1	0	0.0	16	6.3	13	5.6	29	3.1	33	3.6	25	2.4	10	1.4	19	0.7	9.5	0.0	4.8	3.8	9.1	11.4	12.0	12.5	9.9
Overexertion	85	1.2	0	0.0	1	0.4	7	3.0	15	1.6	15	1.6	16	1.5	9	1.3	22	0.8	6.0	0.0	5.0	3.4	3.5	12.5	4.1	3.4	6.5
Cutting Instrument	79	1.2	0	0.0	3	1.2	2	0.9	26	2.8	26	2.9	14	1.3	7	1.0	1	0.0	4.7	0.0	2.0	1.5	3.8	5.7	6.4	3.0	1.0
Bicycle	77	1.1	0	0.0	20	7.9	9	3.9	11	1.2	15	1.6	18	1.7	4	0.6	0	0.0	3.6	0.0	2.9	3.9	2.9	5.5	3.4	2.3	0.0
Scalds	69	1.0	5	16.1	21	8.3	0	0.0	9	1.0	13	1.4	10	1.0	2	0.3	9	0.3	8.6	4.8	6.1	0.0	9.2	11.1	11.0	5.0	10.2
Respiratory Interference	40	0.6	1	3.2	0	0.0	1	0.4	0	0.0	2	0.2	10	1.0	9	1.3	17	0.6	22.8	2.0	0.0	1.0	0.0	136.0	34.3	18.4	7.5
Fire/Flame	22	0.3	0	0.0	3	1.2	0	0.0	5	0.5	1	0.1	5	0.5	5	0.7	3	0.1	12.2	0.0	16.0	0.0	5.2	17.0	7.2	23.6	8.0
Machinery	20	0.3	0	0.0	0	0.0	0	0.0	8	0.9	5	0.5	6	0.6	0	0.0	1	0.0	2.0	0.0	0.0	0.0	2.4	1.8	1.8	0.0	1.0
Other	1,031	15.0	8	25.8	46	18.1	34	14.7	140	15.0	183	20.1	210	20.0	102	14.5	308	11.2	7.1	15.1	2.3	9.4	4.0	5.0	8.0	8.3	8.9

¹ Including cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recording an external code (E-Code) are: a) principal diagnosis of an injury or poisoning, b) other diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis, and c) other diagnosis with an external cause. Only the first E-Code is recorded in this item.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 145. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning¹ by Etiology and Sex, Westchester County Residents, 2007-2008

2007									
Etiology	Number of Discharges						Average Length of Stay (days)		
	Total ²		Female		Male		Total	Female	Male
	Number	%	Number	%	Number	%			
Total	7,454	100.0	3,878	100.0	3,576	100.0	6.6	6.7	6.3
Falls	3,978	53.4	2,442	63.0	1,536	43.0	6.4	6.3	6.7
Motor Vehicle Accident	482	6.5	180	4.6	302	8.4	5.9	5.0	6.4
Self-Inflicted	341	4.6	196	5.1	145	4.1	8.6	7.3	10.4
Assault	309	4.1	39	1.0	270	7.6	6.0	12.5	5.0
Poisoning	286	3.8	139	3.6	147	4.1	4.3	4.5	4.1
Pedestrian	146	2.0	72	1.9	74	2.1	4.7	9.0	6.3
Struck by Object/Person	234	3.1	70	1.8	164	4.6	7.6	6.0	4.1
Overexertion	115	1.5	63	1.6	52	1.5	7.3	10.8	3.1
Cutting Instrument	111	1.5	27	0.7	84	2.3	3.2	3.1	3.2
Bicycle	76	1.0	15	0.4	61	1.7	3.9	3.9	3.8
Scalds	59	0.8	26	0.7	33	0.9	9.3	8.7	9.8
Fire/Flame	47	0.6	18	0.5	29	0.8	9.0	12.6	6.8
Respiratory Interference	33	0.4	19	0.5	14	0.4	7.2	10.5	8.8
Machinery	29	0.4	3	0.1	26	0.7	10.0	16.3	6.2
Other	1,208	16.2	569	14.7	639	17.9	7.6	8.2	7.0
2008									
Total	6,866	100.0	3,557	100.0	3,309	100.0	6.5	6.5	6.5
Falls	3,687	53.7	2,252	63.3	1,435	43.4	6.6	6.5	6.8
Motor Vehicle Accident	420	6.1	172	4.8	248	7.5	7.2	5.5	8.3
Self-Inflicted	338	4.9	186	5.2	152	4.6	4.6	4.0	5.4
Assault	328	4.8	43	1.2	285	8.6	4.5	5.9	4.3
Poisoning	327	4.8	154	4.3	173	5.2	3.9	4.0	3.8
Struck by Object/Person	198	2.9	50	1.4	148	4.5	5.6	6.4	5.3
Pedestrian	145	2.1	72	2.0	73	2.2	9.5	11.0	8.1
Overexertion	85	1.2	43	1.2	42	1.3	6.0	7.5	4.4
Cutting Instrument	79	1.2	16	0.4	63	1.9	4.7	5.7	4.4
Bicycle	77	1.1	18	0.5	59	1.8	3.6	3.0	3.8
Scalds	69	1.0	29	0.8	40	1.2	8.6	9.6	7.9
Respiratory Interference	40	0.6	16	0.4	24	0.7	22.8	20.6	24.3
Fire/Flame	22	0.3	10	0.3	12	0.4	12.2	15.2	9.8
Machinery	20	0.3	3	0.1	17	0.5	2.0	1.3	2.1
Other	1,031	15.0	493	13.9	538	16.3	7.1	7.1	7.1

¹ Including cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recording an external code (E-Code) are: a) principal diagnosis of an injury or poisoning, b) other diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis, and c) other diagnosis with an external cause.

² Total may include cases with unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 146. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning¹ by Etiology and Race/Ethnicity, Westchester County Residents, 2007-2008

2007															
Etiology	Number of Discharges										Average Length of Stay (days)				
	Total ²		White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
	N	%	N	%	N	%	N	%	N	%					
Total	7,454	100.0	5,276	100.0	920	100.0	1,137	100.0	755	100.0	6.6	6.4	7.4	6.9	5.6
Falls	3,978	53.4	3,166	60.0	308	33.5	433	38.1	277	36.7	6.4	6.3	7.9	6.7	5.3
Motor Vehicle Accident	482	6.5	287	5.4	63	6.8	129	11.3	68	9.0	5.9	5.8	6.1	6.1	5.0
Self-Inflicted	341	4.6	219	4.2	46	5.0	74	6.5	48	6.4	8.6	7.0	6.4	14.7	6.6
Assault	309	4.1	102	1.9	100	10.9	101	8.9	79	10.5	6.0	4.1	5.0	9.0	9.4
Poisoning	286	3.8	190	3.6	56	6.1	35	3.1	31	4.1	4.3	4.1	4.8	4.3	3.8
Pedestrian	146	2.0	92	1.7	17	1.8	37	3.3	24	3.2	4.7	4.4	5.6	10.8	8.8
Struck by Object/Person	234	3.1	146	2.8	38	4.1	45	4.0	37	4.9	7.6	6.7	5.6	4.6	4.0
Overexertion	115	1.5	78	1.5	16	1.7	20	1.8	13	1.7	7.3	5.7	20.2	3.6	2.8
Cutting Instrument	111	1.5	62	1.2	17	1.8	29	2.6	29	3.8	3.2	3.6	3.1	2.4	2.8
Scalds	59	0.8	33	0.6	9	1.0	16	1.4	16	2.1	9.3	11.2	6.8	7.1	7.0
Bicycle	76	1.0	43	0.8	10	1.1	22	1.9	10	1.3	3.9	4.5	2.2	3.4	3.8
Machinery	29	0.4	13	0.2	2	0.2	12	1.1	9	1.2	10.0	9.1	8.0	5.2	7.3
Fire/Flame	47	0.6	29	0.5	4	0.4	13	1.1	8	1.1	9.0	10.7	9.5	5.5	6.6
Respiratory Interference	33	0.4	27	0.5	1	0.1	5	0.4	1	0.1	7.2	10.6	19.0	3.6	5.0
Other	1,208	16.2	789	15.0	233	25.3	166	14.6	105	13.9	7.6	7.7	8.8	5.7	4.6
2008															
Total	6,866	100.0	4,906	100.0	856	100.0	1,040	100.0	669	100.0	6.5	6.6	6.9	5.9	4.7
Falls	3,687	53.7	2,973	60.6	270	31.5	410	39.4	219	32.7	6.6	6.7	7.5	5.7	5.6
Motor Vehicle Accident	420	6.1	264	5.4	48	5.6	107	10.3	58	8.7	7.2	6.9	5.8	8.4	4.6
Self-Inflicted	338	4.9	240	4.9	45	5.3	49	4.7	33	4.9	4.6	4.8	4.5	4.3	3.7
Assault	328	4.8	87	1.8	127	14.8	113	10.9	66	9.9	4.5	4.8	3.7	5.1	3.7
Poisoning	327	4.8	211	4.3	66	7.7	46	4.4	36	5.4	3.9	4.1	3.4	3.9	3.7
Struck by Object/Person	198	2.9	114	2.3	32	3.7	49	4.7	43	6.4	5.6	4.8	7.3	6.3	5.9
Pedestrian	145	2.1	67	1.4	29	3.4	49	4.7	33	4.9	9.5	10.5	9.2	8.3	5.8
Overexertion	85	1.2	59	1.2	14	1.6	11	1.1	10	1.5	6.0	4.7	13.9	2.5	3.2
Cutting Instrument	79	1.2	49	1.0	10	1.2	19	1.8	19	2.8	4.7	4.6	5.1	4.3	3.4
Bicycle	77	1.1	54	1.1	8	0.9	15	1.4	13	1.9	3.6	3.6	3.4	3.5	2.6
Scalds	69	1.0	40	0.8	13	1.5	15	1.4	15	2.2	8.6	8.6	8.7	8.9	5.3
Respiratory Interference	40	0.6	33	0.7	4	0.5	3	0.3	1	0.1	22.8	17.2	78.5	10.0	2.0
Fire/Flame	22	0.3	13	0.3	5	0.6	4	0.4	4	0.6	12.2	12.9	10.6	12.0	8.3
Machinery	20	0.3	13	0.3	2	0.2	5	0.5	8	1.2	2.0	1.7	3.5	2.2	2.3
Other	1,031	15.0	689	14.0	183	21.4	145	13.9	111	16.6	7.1	7.3	7.7	5.4	4.0

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

¹ Including cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recording an external code (E-Code) are: a) principal diagnosis of an injury or poisoning, b) other diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis, and c) other diagnosis with an external cause.

² Totals include cases with unknown race.

³ Includes Native Americans, Asian and Pacific Islanders, and Other

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories

Table 147. Number of Hospital Discharges and Average Length of Stay Due to Diabetes-Related Diagnoses¹ by Age and Sex, Westchester County Residents, 2007-2008

Age (years)	2007								2008							
	Number of Discharges					Average Length of Stay (days)			Number of Discharges					Average Length of Stay (days)		
	Total ²	Female		Male		Total	Female	Male	Total	Female		Male		Total	Female	Male
		Number	%	Number	%					Number	%	Number	%			
Total	18,589	9,682	52.1	8,907	47.9	6.6	6.7	6.5	18,087	9,179	50.7	8,908	49.3	6.7	6.8	6.6
Less than 1	1	0	0.0	1	100.0	4.0	0.0	4.0	2	0	0.0	2	100.0	17.5	0.0	17.5
1-2	5	2	40.0	3	60.0	6.0	5.0	6.7	0	0	0.0	0	0.0	0.0	0.0	0.0
3-4	7	4	57.1	3	42.9	5.0	6.3	3.3	8	4	50.0	4	50.0	4.5	4.3	4.8
5-6	9	6	66.7	3	33.3	4.0	3.7	4.7	6	4	66.7	2	33.3	23.8	5.3	61.0
7-8	7	5	71.4	2	28.6	3.7	4.2	2.5	4	3	75.0	1	25.0	4.0	3.7	5.0
9-10	16	13	81.3	3	18.8	4.4	5.0	1.7	20	11	55.0	9	45.0	6.9	4.6	9.7
11-12	15	6	40.0	9	60.0	5.2	4.7	5.6	26	15	57.7	11	42.3	4.3	2.9	9.2
13-14	20	7	35.0	13	65.0	16.3	39.7	3.6	27	9	33.3	18	66.7	8.0	6.9	8.0
15-16	27	7	25.9	20	74.1	8.2	3.1	10.0	28	8	28.6	20	71.4	8.9	7.2	9.7
17-18	24	10	41.7	14	58.3	7.2	6.4	7.8	20	11	55.0	9	45.0	6.2	4.6	4.9
19-20	28	17	60.7	11	39.3	7.2	9.5	3.7	33	18	54.5	15	45.5	6.9	4.0	9.7
21-22	46	25	54.3	21	45.7	4.0	3.1	5.0	27	14	51.9	13	48.1	4.6	4.7	5.2
23-24	39	24	61.5	15	38.5	5.1	4.5	6.0	25	18	72.0	7	28.0	4.9	5.5	5.6
25-29	118	68	57.6	50	42.4	5.9	6.3	5.3	127	72	56.7	55	43.3	5.6	4.6	5.7
30-34	196	122	62.2	74	37.8	4.5	4.3	4.9	160	83	51.9	77	48.1	5.4	6.5	6.3
35-39	414	258	62.3	156	37.7	7.2	7.0	7.5	340	181	53.2	159	46.8	6.6	6.2	6.6
40-44	644	316	49.1	328	50.9	6.2	5.8	6.6	607	278	45.8	329	54.2	7.1	5.7	7.9
45-49	965	495	51.3	470	48.7	7.3	6.6	7.9	959	471	49.1	488	50.9	6.1	6.2	6.4
50-54	1,293	562	43.5	731	56.5	5.9	6.0	5.8	1,365	597	43.7	768	56.3	6.2	7.1	6.3
55-59	1,656	761	46.0	895	54.0	6.0	6.0	6.0	1,621	673	41.5	948	58.5	6.6	6.1	6.3
60-64	1,849	891	48.2	958	51.8	6.0	6.0	6.1	1,959	937	47.8	1,022	52.2	6.5	6.6	6.9
65-69	2,100	1,060	50.5	1,040	49.5	6.2	6.4	5.9	2,005	999	49.8	1,006	50.2	6.3	6.9	6.0
70-74	2,276	1,144	50.3	1,132	49.7	6.9	7.3	6.6	2,088	1,105	52.9	983	47.1	6.6	7.2	6.2
75-79	2,408	1,272	52.8	1,136	47.2	6.8	7.0	6.6	2,349	1,233	52.5	1,116	47.5	7.0	7.6	6.8
80-84	2,237	1,218	54.4	1,019	45.6	7.4	7.3	7.5	2,134	1,129	52.9	1,005	47.1	7.2	7.3	6.8
85 and above	2,189	1,389	63.5	800	36.5	7.3	7.3	7.2	2,147	1,306	60.8	841	39.2	7.3	7.3	7.3

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment.

² Totals include cases with unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 148. Number of Hospital Discharges and Average Length of Stay Due to Diabetes-Related Diagnoses¹ by Age and Race/Ethnicity, Westchester County Residents, 2007-2008

2007														
Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total ²	White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
		N	%	N	%	N	%	N	%					
Total	18,589	11,030	59.3	4,702	25.3	2,492	13.4	1,977	10.6	6.6	6.7	6.8	6.2	5.9
Less than 1	1	1	0.0	0	0.0	0	0.0	1	0.0	4.0	4.0	0.0	0.0	4.0
1-2	5	2	40.0	0	0.0	3	60.0	0	0.0	6.0	7.5	0.0	5.0	0.0
3-4	7	2	28.6	0	0.0	5	71.4	1	14.3	5.0	2.5	0.0	6.0	3.0
5-6	9	6	66.7	1	11.1	2	22.2	0	0.0	4.0	3.5	10.0	2.5	0.0
7-8	7	2	28.6	2	28.6	3	42.9	1	14.3	3.7	6.5	2.0	3.0	6.0
9-10	16	5	31.3	8	50.0	2	12.5	3	18.8	4.4	2.4	6.0	3.3	1.7
11-12	15	5	33.3	7	46.7	3	20.0	0	0.0	5.2	6.2	4.9	4.3	0.0
13-14	20	9	45.0	3	15.0	8	40.0	0	0.0	16.3	3.3	90.0	3.1	0.0
15-16	27	10	37.0	3	11.1	13	48.1	5	18.5	8.2	5.9	8.7	9.8	3.0
17-18	24	11	45.8	8	33.3	5	20.8	6	25.0	7.2	6.1	9.3	6.4	6.3
19-20	28	11	39.3	13	46.4	2	7.1	1	3.6	7.2	2.0	4.5	30.3	2.0
21-22	46	14	30.4	27	58.7	4	8.7	6	13.0	4.0	4.2	4.1	2.8	6.0
23-24	39	16	41.0	16	41.0	7	17.9	8	20.5	5.1	5.4	5.9	2.7	3.5
25-29	118	39	33.1	57	48.3	21	17.8	24	20.3	5.9	6.4	5.7	5.6	4.0
30-34	196	69	35.2	73	37.2	48	24.5	56	28.6	4.5	4.5	4.7	4.4	5.1
35-39	414	171	41.3	198	47.8	42	10.1	93	22.5	7.2	6.1	8.3	6.4	6.6
40-44	644	234	36.3	237	36.8	159	24.7	148	23.0	6.2	5.7	6.7	6.3	5.4
45-49	965	410	42.5	357	37.0	191	19.8	161	16.7	7.3	7.9	7.0	6.4	6.8
50-54	1,293	642	49.7	392	30.3	237	18.3	220	17.0	5.9	5.7	6.5	5.3	5.3
55-59	1,656	842	50.8	516	31.2	269	16.2	232	14.0	6.0	6.1	6.4	5.0	5.8
60-64	1,849	977	52.8	520	28.1	306	16.5	223	12.1	6.0	5.9	6.8	5.3	5.2
65-69	2,100	1,162	55.3	583	27.8	310	14.8	231	11.0	6.2	6.3	6.0	5.8	5.8
70-74	2,276	1,412	62.0	536	23.6	284	12.5	184	8.1	6.9	6.9	7.6	6.0	5.2
75-79	2,408	1,659	68.9	461	19.1	237	9.8	192	8.0	6.8	6.7	7.6	6.8	6.1
80-84	2,237	1,668	74.6	323	14.4	206	9.2	115	5.1	7.4	7.3	7.1	8.5	8.9
85 and above	2,189	1,651	75.4	361	16.5	125	5.7	66	3.0	7.3	7.3	6.9	7.6	7.2

(continued)

Table 148. Number of Hospital Discharges and Average Length of Stay Due to Diabetes-Related Diagnoses¹ by Age and Race/Ethnicity, Westchester County Residents, 2007-2008 (cont'd)

2008														
Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total ²	White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
		N	%	N	%	N	%	N	%					
Total	18,087	10,874	60.1	4,339	24.0	2,714	15.0	1,978	10.9	6.7	6.7	7.0	6.3	6.0
Less than 1	2	1	50.0	1	50.0	0	0.0	0	0.0	17.5	18.0	17.0	0.0	0.0
1-2	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
3-4	8	4	50.0	2	25.0	2	25.0	1	12.5	4.5	4.3	6.0	3.5	5.0
5-6	6	3	50.0	3	50.0	0	0.0	0	0.0	23.8	4.0	43.7	0.0	0.0
7-8	4	2	50.0	0	0.0	2	50.0	1	25.0	4.0	3.0	0.0	5.0	1.0
9-10	20	9	45.0	7	35.0	4	20.0	4	20.0	6.9	8.4	6.7	3.8	4.5
11-12	26	8	30.8	14	53.8	4	15.4	2	7.7	4.3	3.9	3.6	7.5	2.0
13-14	27	14	51.9	5	18.5	8	29.6	4	14.8	8.0	4.8	13.4	10.3	2.5
15-16	28	15	53.6	3	10.7	10	35.7	7	25.0	8.9	9.0	7.0	9.3	5.7
17-18	20	11	55.0	5	25.0	4	20.0	6	30.0	6.2	5.0	5.0	10.8	8.0
19-20	33	15	45.5	9	27.3	8	24.2	9	27.3	6.9	3.9	15.4	3.4	4.3
21-22	27	4	14.8	19	70.4	3	11.1	2	7.4	4.6	2.0	5.4	3.0	1.5
23-24	25	8	32.0	8	32.0	9	36.0	12	48.0	4.9	3.9	5.0	5.8	3.5
25-29	127	36	28.3	55	43.3	36	28.3	31	24.4	5.6	4.2	6.1	6.4	4.5
30-34	160	67	41.9	49	30.6	43	26.9	46	28.8	5.4	5.4	6.1	4.6	5.8
35-39	340	146	42.9	127	37.4	64	18.8	81	23.8	6.6	5.2	8.1	6.5	5.9
40-44	607	252	41.5	242	39.9	112	18.5	101	16.6	7.1	6.9	7.2	7.4	8.5
45-49	959	411	42.9	367	38.3	176	18.4	151	15.7	6.1	6.4	5.9	5.7	4.5
50-54	1,365	628	46.0	450	33.0	273	20.0	185	13.6	6.2	6.6	6.4	5.3	5.2
55-59	1,621	841	51.9	437	27.0	329	20.3	263	16.2	6.6	6.5	7.5	6.0	4.5
60-64	1,959	1,051	53.6	528	27.0	355	18.1	236	12.0	6.5	6.6	6.6	6.1	6.3
65-69	2,005	1,144	57.1	485	24.2	362	18.1	272	13.6	6.3	6.0	6.8	6.4	6.0
70-74	2,088	1,263	60.5	498	23.9	313	15.0	190	9.1	6.6	6.4	7.1	6.3	7.1
75-79	2,349	1,617	68.8	432	18.4	275	11.7	194	8.3	7.0	7.1	6.9	6.9	6.1
80-84	2,134	1,659	77.7	266	12.5	194	9.1	117	5.5	7.2	7.1	8.2	6.8	6.5
85 and above	2,147	1,665	77.6	327	15.2	128	6.0	63	2.9	7.3	7.3	7.6	7.1	5.7

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay.

² Totals include cases with unknown race.

³ Includes Native Americans, Asian and Pacific Islanders, and Other.

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 149. Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses¹ by Age and Sex, Westchester County Residents, 2007-2008

2007								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	1,293	550	42.5	743	57.5	7.7	6.9	8.2
Less than 1	0	0	0.0	0	0.0	0.0	0.0	0.0
1-2	0	0	0.0	0	0.0	0.0	0.0	0.0
3-4	0	0	0.0	0	0.0	0.0	0.0	0.0
5-6	0	0	0.0	0	0.0	0.0	0.0	0.0
7-8	0	0	0.0	0	0.0	0.0	0.0	0.0
9-10	0	0	0.0	0	0.0	0.0	0.0	0.0
11-12	1	0	0.0	1	0.1	5.0	0.0	5.0
13-14	3	1	0.2	2	0.3	11.3	1.0	16.5
15-16	10	2	0.4	8	1.1	3.9	5.0	3.6
17-18	11	3	0.5	8	1.1	7.4	8.7	6.9
19-20	3	1	0.2	2	0.3	1.7	1.0	2.0
21-22	10	8	1.5	2	0.3	6.3	6.5	5.5
23-24	11	8	1.5	3	0.4	5.3	4.4	7.7
25-29	50	16	2.9	34	4.6	5.4	5.3	5.4
30-34	53	22	4.0	31	4.2	5.7	4.7	6.4
35-39	108	57	10.4	51	6.9	11.8	6.6	17.5
40-44	231	111	20.2	120	16.2	6.5	6.9	6.2
45-49	230	88	16.0	142	19.1	7.7	7.7	7.7
50-54	237	84	15.3	153	20.6	8.1	7.7	8.3
55-59	146	51	9.3	95	12.8	7.3	6.2	8.0
60-64	91	40	7.3	51	6.9	8.3	8.4	8.3
65-69	29	11	2.0	18	2.4	8.6	3.5	11.6
70-74	27	17	3.1	10	1.3	6.6	6.5	6.7
75-79	17	11	2.0	6	0.8	11.8	12.2	11.0
80-84	19	14	2.5	5	0.7	5.6	5.8	5.0
85 and above	6	5	0.9	1	0.1	7.7	4.2	25.0

(continued)

Table 149. Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses¹ by Age and Sex, Westchester County Residents, 2007-2008 (cont'd)

2008								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	1,246	543	43.6	703	56.4	8.0	8.4	7.7
Less than 1	3	2	0.4	1	0.1	16.1	14.0	76.0
1-2	1	0	0.0	1	0.1	1.0	0.0	1.0
3-4	0	0	0.0	0	0.0	0.0	0.0	0.0
5-6	0	0	0.0	0	0.0	0.0	0.0	0.0
7-8	2	1	0.2	1	0.1	4.0	6.0	2.0
9-10	2	1	0.2	1	0.1	2.0	3.0	1.0
11-12	1	1	0.2	0	0.0	2.0	2.0	0.0
13-14	3	2	0.4	1	0.1	6.0	8.0	2.0
15-16	6	3	0.6	3	0.4	16.0	9.0	23.0
17-18	5	4	0.7	1	0.1	3.8	4.3	2.0
19-20	8	3	0.6	5	0.7	3.0	4.3	2.2
21-22	7	2	0.4	5	0.7	3.1	3.5	3.0
23-24	12	9	1.7	3	0.4	3.9	4.3	2.7
25-29	55	16	2.9	39	5.5	7.1	5.1	8.0
30-34	61	30	5.5	31	4.4	6.3	5.5	7.1
35-39	87	36	6.6	51	7.3	6.7	5.6	7.5
40-44	213	121	22.3	92	13.1	8.8	10.0	7.4
45-49	209	78	14.4	131	18.6	8.4	8.3	8.5
50-54	205	104	19.2	101	14.4	8.3	10.2	6.4
55-59	147	42	7.7	105	14.9	7.8	8.1	7.6
60-64	91	31	5.7	60	8.5	10.7	11.0	10.6
65-69	46	17	3.1	29	4.1	6.2	4.1	7.4
70-74	27	15	2.8	12	1.7	8.0	9.5	6.0
75-79	25	12	2.2	13	1.8	5.5	7.1	4.1
80-84	19	8	1.5	11	1.6	7.2	8.1	6.5
85 and above	11	5	0.9	6	0.9	4.4	3.8	4.8

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. In addition, it included any V-class coding as V0.80 and any of the variables for current, new or past New York State diagnosis-related group in the range of 700 to 716 or any current, new or past federal diagnosis-related group in the range of 488 to 490.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 150. Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses¹ by Age and Race/Ethnicity, Westchester County Residents, 2007-2008

2007																	
Age (years)	Number of Discharges										Average Length of Stay (days)						
	Total ²	White		Black		Other ³		Unknown		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴	
		N	%	N	%	N	%	N	%	N	%						
Total	1,293	420	32.5	655	50.7	193	14.9	25			198	15.3	7.7	7.3	7.4	9.2	10.1
Less than 1	0	0	0.0	0	0.0	0	0.0	0			0	0.0	0.0	0.0	0.0	0.0	0.0
1-2	0	0	0.0	0	0.0	0	0.0	0			0	0.0	0.0	0.0	0.0	0.0	0.0
3-4	0	0	0.0	0	0.0	0	0.0	0			0	0.0	0.0	0.0	0.0	0.0	0.0
5-6	0	0	0.0	0	0.0	0	0.0	0			0	0.0	0.0	0.0	0.0	0.0	0.0
7-8	0	0	0.0	0	0.0	0	0.0	0			0	0.0	0.0	0.0	0.0	0.0	0.0
9-10	0	0	0.0	0	0.0	0	0.0	0			0	0.0	0.0	0.0	0.0	0.0	0.0
11-12	1	0	0.0	1	0.2	0	0.0	0			0	0.0	5.0	0.0	5.0	0.0	2.0
13-14	3	0	0.0	3	0.5	0	0.0	0			0	0.0	11.3	0.0	11.3	0.0	0.0
15-16	10	4	1.0	4	0.6	2	1.0	0			0	0.0	3.9	3.3	5.8	1.5	0.0
17-18	11	1	0.2	8	1.2	2	1.0	0			1	0.5	7.4	1.0	5.4	18.5	1.0
19-20	3	1	0.2	2	0.3	0	0.0	0			0	0.0	1.7	1.0	2.0	0.0	0.0
21-22	10	4	1.0	4	0.6	2	1.0	0			3	1.5	6.3	5.5	8.0	4.5	6.0
23-24	11	2	0.5	5	0.8	4	2.1	0			4	2.0	5.3	1.0	6.0	6.5	6.0
25-29	50	5	1.2	35	5.3	9	4.7	1			6	3.0	5.4	3.2	5.5	6.0	4.2
30-34	53	13	3.1	28	4.3	10	5.2	2			9	4.5	5.7	4.2	7.6	2.8	3.4
35-39	108	36	8.6	55	8.4	17	8.8	0			16	8.1	11.8	8.0	5.4	40.4	42.9
40-44	231	56	13.3	124	18.9	48	24.9	3			54	27.3	6.5	7.0	6.8	5.5	7.7
45-49	230	69	16.4	123	18.8	32	16.6	6			38	19.2	7.7	7.4	8.0	7.1	6.9
50-54	237	80	19.0	131	20.0	20	10.4	6			16	8.1	8.1	8.5	8.3	5.8	5.2
55-59	146	52	12.4	75	11.5	15	7.8	4			18	9.1	7.3	6.5	8.2	6.3	8.4
60-64	91	28	6.7	32	4.9	28	14.5	3			27	13.6	8.3	5.6	9.2	10.0	10.3
65-69	29	15	3.6	12	1.8	2	1.0	0			4	2.0	8.6	10.4	6.4	7.5	4.5
70-74	27	17	4.0	9	1.4	1	0.5	0			1	0.5	6.6	7.5	4.8	7.0	7.0
75-79	17	14	3.3	2	0.3	1	0.5	0			1	0.5	11.8	12.9	8.5	2.0	1.0
80-84	19	17	4.0	2	0.3	0	0.0	0			0	0.0	5.6	5.7	4.5	0.0	0.0
85 and above	6	6	1.4	0	0.0	0	0.0	0			0	0.0	7.7	7.7	0.0	0.0	0.0

(continued)

Table 150. Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses¹ by Age and Race/Ethnicity, Westchester County Residents, 2007-2008 (cont'd)

2008																
Age (years)	Number of Discharges										Average Length of Stay (days)					
	Total ²	White		Black		Other ³		Unknown		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
		N	%	N	%	N	%	N	%	N	%					
Total	1,246	430	34.5	629	50.5	175	14.0	12	1.0	178	14.3	8.0	7.9	7.9	8.9	8.3
Less than 1	3	2	0.5	0	0.0	1	0.6	0		2	1.1	34.7	14.0	0.0	76.0	14.0
1-2	1	1	0.2	0	0.0	0	0.0	0		0	0.0	1.0	1.0	0.0	0.0	0.0
3-4	0	0	0.0	0	0.0	0	0.0	0		0	0.0	0.0	0.0	0.0	0.0	0.0
5-6	0	0	0.0	0	0.0	0	0.0	0		0	0.0	0.0	0.0	0.0	0.0	0.0
7-8	2	2	0.5	0	0.0	0	0.0	0		1	0.6	4.0	4.0	0.0	0.0	6.0
9-10	2	1	0.2	1	0.2	0	0.0	0		0	0.0	2.0	1.0	3.0	0.0	0.0
11-12	1	0	0.0	0	0.0	1	0.6	0		0	0.0	2.0	0.0	0.0	2.0	0.0
13-14	3	1	0.2	1	0.2	1	0.6	0		0	0.0	6.0	2.0	8.0	8.0	0.0
15-16	6	6	1.4	0	0.0	0	0.0	0		4	2.2	16.0	16.0	0.0	0.0	22.3
17-18	5	2	0.5	1	0.2	1	0.6	1		0	0.0	3.8	2.0	3.0	6.0	0.0
19-20	8	3	0.7	5	0.8	0	0.0	0		0	0.0	3.0	2.3	3.4	0.0	0.0
21-22	7	4	0.9	0	0.0	3	1.7	0		4	2.2	3.1	3.3	0.0	3.0	2.8
23-24	12	2	0.5	8	1.3	2	1.1	0		2	1.1	3.9	1.5	4.8	3.0	3.0
25-29	55	13	3.0	39	6.2	3	1.7	0		4	2.2	7.1	10.0	6.5	3.0	8.0
30-34	61	10	2.3	40	6.4	11	6.3	0		8	4.5	6.3	6.7	6.4	5.7	9.4
35-39	87	31	7.2	35	5.6	21	12.0	0		24	13.5	6.7	6.6	6.7	7.0	8.6
40-44	213	62	14.4	109	17.3	40	22.9	2		31	17.4	8.8	6.8	10.9	6.5	7.9
45-49	209	61	14.2	117	18.6	31	17.7	0		31	17.4	8.4	7.2	8.1	11.9	7.8
50-54	205	69	16.0	116	18.4	20	11.4	0		30	16.9	8.3	11.7	6.4	7.6	6.6
55-59	147	44	10.2	82	13.0	14	8.0	7		18	10.1	7.8	7.9	7.9	7.0	5.2
60-64	91	40	9.3	35	5.6	14	8.0	2		11	6.2	10.7	10.0	8.5	17.3	19.9
65-69	46	18	4.2	21	3.3	7	4.0	0		4	2.2	6.2	5.8	6.7	5.9	5.0
70-74	27	14	3.3	10	1.6	3	1.7	0		2	1.1	8.0	6.1	10.6	8.0	5.0
75-79	25	18	4.2	5	0.8	2	1.1	0		2	1.1	5.5	5.7	6.4	2.0	2.0
80-84	19	15	3.5	4	0.6	0	0.0	0		0	0.0	7.2	6.0	11.5	0.0	0.0
85 and above	11	11	2.6	0	0.0	0	0.0	0		0	0.0	4.4	4.4	0.0	0.0	0.0

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. In addition, it included any V-class coding as V0.80 and any of the variables for current, new or past New York State diagnosis-related group in the range of 700 to 716 or any current, new or past federal diagnosis-related group in the range of 488 to 490.

² Totals include cases with unknown race.

³ Includes Native Americans, Asian and Pacific Islanders, and Other.

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2009.

Table 151. Reported Cases and Rates of Reportable Diseases, Westchester County, 2004-2008¹

		2008		2007		2006		2005		2004	
Communicable Disease Category		Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
	Measles	0	0.0	1	0.1	0	0.0	1	0.1	0	0.0
	Mumps	1	0.1	3	0.3	0	0.0	0	0.0	1	0.1
	Pertussis ²	20	2.2	13	1.4	10	1.1	62	6.7	81	8.8
CNS Diseases and Bacteremias	Encephalitis	5	0.5	6	0.6	3	0.3	4	0.4	8	0.9
	<i>West Nile Encephalitis (lab positive)</i>	2	0.2	0	0.0	2	0.2	2	0.2	1	0.1
	<i>Non-West Nile Encephalitis</i>	3	0.3	6	0.6	1	0.1	2	0.2	7	0.8
	Haemophilus Influenzae Type B	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
	Listeriosis	7	0.8	4	0.4	4	0.4	8	0.9	10	1.1
	Meningitis	49	5.3	41	4.4	112	12.1	128	13.9	124	13.4
	<i>Aseptic Meningitis</i>	24	2.6	30	3.2	18	1.9	19	2.1	41	4.4
	<i>Meningococcal Diseases</i> ²	1	0.1	1	0.1	5	0.5	1	0.1	3	0.3
	<i>Other Meningitis/Bacteremias</i> ³	24	2.6	10	1.1	89	9.6	108	11.7	80	8.7
	StrepA	29	3.1	25	2.7						
	Strep B	67	7.3	51	5.5						
	Invasive Strep Pneumoniae ⁴	98	10.6	109	11.8	75	8.1	88	9.5	70	7.6
	<i>Invasive Strep Pneumoniae</i>	94	10.2	108	11.7	69	7.5	76	8.2	60	6.5
<i>Drug-Resistant Strep Pneumoniae</i>	4	0.4	1	0.1	7	0.8	12	1.3	10	1.1	
Enteric Infections	Amebiasis	19	2.1	24	2.6	27	2.9	27	2.9	22	2.4
	Campylobacteriosis	147	15.9	174	18.8	156	16.9	132	14.3	121	13.1
	Cryptosporidiosis	11	1.2	19	2.1	14	1.5	83	9.0	8	0.9
	Cyclosporidiosis	1	0.1	3	0.3	1	0.1	11	1.2	12	1.3
	Giardiasis	82	8.9	110	11.9	119	12.9	124	13.4	132	14.3
	Salmonellosis	148	16.0	156	16.9	112	12.1	126	13.6	133	14.4
	Shigellosis ²	21	2.3	18	1.9	14	1.5	27	2.9	23	2.5
	STEC (E. Coli 0157) ^{2,5}	22	2.4	27	2.9	6	0.6	9	1.0	12	1.3
	Hemolytic Uremic Syndrome	0	0.0	3	0.3	0	0.0	0	0.0	1	0.1
	Typhoid	0	0.0	0	0.0	1	0.1	0	0.0	0	0.0
	Vibrio	0	0.0	1	0.1	2	0.2	0	0.0	3	0.3
	Yersiniosis	1	0.1	1	0.1	6	0.6	1	0.1	0	0.0
Viral Hepatitis	Hepatitis A	14	1.5	13	1.4	12	1.3	15	1.6	22	2.4
	Hepatitis B										
	Acute ²	8	0.9	6	0.6	9	1.0	5	0.5	4	0.4
	Chronic ^{2,6}	172	18.6	242	26.2	256	27.7	179	19.4	245	26.5
	<i>Infant Perinatal</i>	0	0.0	1	0.1	0	0.0	0	0.0	0	0.0
	Hepatitis C										
	Acute	0	0.0	2	0.2	1	0.1	0	0.0	0	0.0
Chronic ^{2,6}	427	46.2	721	78.1	890	96.4	723	78.3	554	60.0	
Other Hepatitis	0	0.0	1	0.1	0	0.0	0	0.0	0	0.0	
Sexually Transmitted Diseases	Chlamydia ⁷	2,541	275.2	2,465	266.9	2,143	232.1	1,676	181.5	1,645	178.1
	Gonorrhea ^{7,8}	376	40.7	364	39.4	435	47.1	396	42.9	432	46.8
	Syphilis (All Stages) ^{7,9}	186	20.1	163	17.7	173	18.7	133	14.4	141	15.3
	Early Syphilis	52	5.6	56	6.1	30	3.2	23	2.5	33	3.6
	<i>Primary and Secondary</i>	26	2.8	30	3.2	22	2.4	13	1.4	21	2.3
	<i>Early Latent</i>	26	2.8	26	2.8	8	0.9	10	1.1	12	1.3
	Congenital Syphilis ¹⁰	0	0.0	2	16.6	3	24.8	2	16.6	3	24.2
Tuberculosis		62	6.7	44	4.8	72	7.8	53	5.7	63	6.8
Vector-Borne, Zoonoses	Babesiosis	36	3.9	29	3.1	25	2.7	13	1.4	9	1.0
	Ehrlichiosis ²	21	2.3	41	4.4	61	6.6	0	0.0	0	0.0
	Lyme Disease ¹¹	256	27.7	247	26.7	253	27.4	435	47.1	722	78.2
	Malaria	2	0.2	13	1.4	12	1.3	10	1.1	8	0.9
Other	Legionellosis	31	3.4	16	1.7	18	1.9	41	4.4	8	0.9
	Toxic Shock Syndrome	0	0.0	3	0.3	0	0.0	0	0.0	0	0.0

¹ As of April, 2009. Rates are per 100,000 population.

² Includes probable cases.

³ Invasive Group A and B Strep are included under Other Meningitis/Bacteremias 2003-06 and listed separately from 200

⁴ As of January 2000, Invasive Strep Pneumoniae includes Invasive Strep Pneumoniae (Sensitive), Bacteremia and Meningiti

⁵ Shiga toxin producing E. Coli (STEC); may include non-0157 shiga toxin producing strains of E. Coli.

⁶ Chronic Hepatitis B and C became reportable in NYS in June 2002. Includes probable cases

⁷ Rates include Westchester County Correctional Facility Population:

⁸ Penicillinase producing N. Gonorrhoea. PPNG cases are included in Gonorrhoea total.

⁹ Total Syphilis cases do not include Congenital Syphilis. Early syphilis includes primary, secondary, and early latent Syphil

¹⁰ Rates for Congenital Syphilis are per 100,000 live births

¹¹ Lyme disease totals includes number of confirmed cases from sentinel surveillance, erythema migrans (EM) rash and provider reporting. Sentinel surveillance randomly extracts 20% of cases reported to WCDOH through the Electronic Clinical Laboratory Reporting System (ECLRS)

Source: Westchester County Department of Health, Division of Disease Control.

Table 152. The Top Ten Reported Communicable Diseases in Westchester County Compared to New York State and United States, 2007-2008

Disease	Geographical Region							
	Westchester ¹ (2008)		New York State (exc. New York City) ² (2008)		New York State ² (2008)		United States ³ (2008)	
	Number	Rate ⁴	Number	Rate ⁴	Number	Rate ⁴	Number	Rate ⁴
Chlamydia	2,541	275.2	27,595	258.7	85,967	453.0	1,093,514	388.6
Gonorrhea	376	40.7	6,041	56.6	16,814	88.6	299,315	106.4
Lyme Disease ⁵	256	27.7	5,861	54.9	5,914	31.2	26,739	9.5
Syphilis All Stages ⁶	186	20.1	763	7.2	4,999	25.9	40,920	13.7
Syphilis (Primary & Secondary)	52	5.6	141	1.3	1,212	6.4	11,466	4.1
Salmonellosis	148	16.0	1,441	13.5	2,700	14.2	46,151	16.4
Campylobacteriosis ^{7,8}	147	15.9	1,511	14.2	2,523	13.3	n/a	n/a
Invasive Strep Pneumoniae ^{7,8}	92	10.0	1,263	11.8	2,267	11.9	n/a	n/a
Giardiasis	82	8.9	1,202	11.3	2,009	10.6	17,160	6.1
Strep Group B Invasive ^{7,8}	67	7.3	755	7.1	810	4.3	n/a	n/a
Tuberculosis ⁸	62	6.7	261	2.4	1,175	6.2	13,299	4.7

¹ As of April, 2009. Westchester County Department of Health, Division of Disease Control

² As of January, 2009. Data is preliminary for 2008.

³ As of January, 2009. Completeness of reporting varies by disease and state. Data from Centers of Disease Control and Prevention, National Notifiable Diseases Surveillance System.

⁴ Rate per 100,000 population.

⁵ Lyme disease totals includes number of confirmed cases from sentinel surveillance, erythema migrans (EM) rash and provider reporting. Sentinel surveillance randomly extracts 20% of cases reported to WCDOH through the Electronic Clinical Laboratory Reporting System (ECLRS).

⁶ Syphilis data available for 2007 for NY State and United States.

 New York City: Bureau of Sexually Transmitted Disease Control, <http://www.nyc.gov/html/doh/downloads/pdf/std/std-quarterlyreport2007-4.pdf>.

 New York State: Centers for Disease Control and Prevention, www.cdc.gov/std/stats07/tables/22.htm.

 United States: Centers for Disease Control and Prevention, www.cdc.gov/std/stats07/tables/1.htm.

⁷ Disease not reportable for the United States.

⁸ Data available for 2007 for NY State.

Sources: Westchester County Department of Health, Division of Disease Control.

 New York State Department of Health.

 Centers of Disease Control and Prevention, National Notifiable Diseases Surveillance System.

Table 153. Reported Cases and Rates of Chlamydia by Municipality, Westchester County, 2004-2008¹

Health Planning Region and Municipality	2008		2007		2006		2005		2004	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
Westchester County	2,499	270.6	2,413	261.3	2,143	232.1	1,676	181.5	1,645	178.1
Northwest	280	199.1	284	201.9	228	162.1	267	189.8	206	146.4
Briarcliff Manor	5	65.0	7	91.0	1	13.0	3	39.0	6	78.0
Buchanan	2	91.4	3	137.0	0	0.0	1	45.7	4	182.7
Cortlandt	36	125.6	24	83.7	10	34.9	18	62.8	20	69.8
Croton on Hudson	7	92.0	3	39.4	3	39.4	6	78.9	4	52.6
Mount Pleasant	47	179.7	55	210.3	69	263.9	78	298.3	25	95.6
Ossining (TOV)	4	72.5	3	54.4	1	18.1	6	108.8	3	54.4
Ossining (V)	79	329.0	85	354.0	59	245.7	46	191.6	45	187.4
Peekskill	72	320.8	70	311.9	54	240.6	76	338.7	77	343.1
Pleasantville	4	55.8	9	125.5	11	153.4	5	69.7	10	139.4
Sleepy Hollow	24	260.5	25	271.4	20	217.1	28	304.0	12	130.3
Northeast	133	99.7	101	75.7	80	60.0	84	63.0	84	63.0
Bedford	10	55.1	12	66.2	10	55.1	11	60.7	8	44.1
Lewisboro	6	48.7	8	64.9	3	24.3	3	24.3	1	8.1
Mount Kisco	25	250.4	19	190.3	14	140.2	10	100.2	20	200.3
New Castle	8	45.7	6	34.3	6	34.3	7	40.0	7	40.0
North Castle	16	147.5	6	55.3	10	92.2	10	92.2	15	138.3
North Salem	0	0.0	1	19.3	0	0.0	3	58.0	1	19.3
Pound Ridge	3	63.5	2	42.3	1	21.2	3	63.5	1	21.2
Somers	17	92.7	17	92.7	11	60.0	8	43.6	5	27.3
Yorktown	48	132.2	30	82.6	25	68.8	29	79.9	26	71.6
West Central	348	220.7	321	203.6	295	187.1	219	138.9	225	142.7
Ardsley	1	23.4	1	23.4	0	0.0	2	46.8	1	23.4
Dobbs Ferry	24	225.9	24	225.9	27	254.2	14	131.8	13	122.4
Elmsford	16	342.2	23	491.9	16	342.2	15	320.8	8	171.1
Greenburgh	78	186.5	59	141.1	80	191.3	51	121.9	59	141.1
Hastings on Hudson	16	209.2	6	78.5	6	78.5	7	91.5	8	104.6
Irvington	28	422.3	14	211.1	6	90.5	2	30.2	3	45.2
Scarsdale	13	72.9	8	44.9	10	56.1	5	28.1	6	33.7
Tarrytown	14	126.2	15	135.3	15	135.3	13	117.2	12	108.2
White Plains	158	297.7	171	322.2	135	254.3	110	207.2	115	216.7
East Central	171	152.7	126	112.5	103	92.0	96	85.7	103	92.0
Harrison	35	144.9	39	161.5	36	149.0	26	107.6	39	161.5
Larchmont	8	123.4	4	61.7	5	77.1	4	61.7	2	30.8
Mamaroneck (TOV)	8	71.8	7	62.8	4	35.9	2	18.0	5	44.9
Mamaroneck (V)	28	149.3	18	96.0	18	96.0	10	53.3	11	58.7
Port Chester	81	290.7	47	168.7	32	114.8	39	140.0	38	136.4
Rye	5	33.4	10	66.9	6	40.1	9	60.2	5	33.4
Rye Brook	6	69.8	1	11.6	2	23.3	6	69.8	3	34.9
Southwest	718	366.2	733	373.8	689	351.4	480	244.8	531	270.8
Yonkers	718	366.2	733	373.8	689	351.4	480	244.8	531	270.8
Southeast	845	459.9	848	461.5	727	395.7	521	283.5	488	265.6
Bronxville	8	122.3	8	122.3	7	107.0	2	30.6	2	30.6
Eastchester	5	26.9	11	59.3	7	37.7	6	32.3	7	37.7
Mount Vernon	592	865.7	568	830.6	500	731.2	349	510.4	325	475.3
New Rochelle	221	306.2	236	327.0	185	256.3	145	200.9	139	192.6
Pelham	4	62.5	5	78.1	12	187.5	11	171.9	6	93.8
Pelham Manor	5	91.5	6	109.8	4	73.2	3	54.9	0	0.0
Tuckahoe	10	161.0	14	225.4	12	193.2	5	80.5	9	144.9
Westchester County Correctional Facilities²	42	-	47	-	-	-	-	-	-	-
Unknown	4	-	0	-	21	-	9	-	8	-

¹ As of April 2009. All are confirmed cases. Rates are per 100,000 population.

² Westchester County Correctional Facilities' Populations are counted separately beginning 2007 and are not reflected in the overall rate.

Source: Westchester Department of Health, Division of Disease Control.

Table 154. Reported Cases and Rates of Gonorrhea by Municipality, Westchester County, 2004-2008¹

Health Planning Region and Municipality	2008		2007		2006		2005		2004	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
Westchester County	365	39.5	364	39.4	435	47.1	396	42.9	432	46.8
Northwest	25	17.8	33	23.5	46	32.7	40	28.4	56	39.8
Briarcliff Manor	0	0.0	0	0.0	1	13.0	0	0.0	1	13.0
Buchanan	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Cortlandt	5	17.4	1	3.5	2	7.0	4	14.0	6	20.9
Croton on Hudson	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Mount Pleasant	10	38.2	15	57.4	18	68.8	15	57.4	10	38.2
Ossining (TOV)	0	0.0	0	0.0	0	0.0	0	0.0	1	18.1
Ossining (V)	4	16.7	4	16.7	8	33.3	9	37.5	12	50.0
Peekskill	5	22.3	11	49.0	14	62.4	8	35.6	22	98.0
Pleasantville	1	13.9	2	27.9	1	13.9	1	13.9	3	41.8
Sleepy Hollow	0	0.0	0	0.0	2	21.7	3	32.6	1	10.9
Northeast	14	10.5	14	10.5	12	9.0	13	9.7	17	12.7
Bedford	0	0.0	1	5.5	1	5.5	2	11.0	2	11.0
Lewisboro	0	0.0	3	24.3	1	8.1	1	8.1	0	0.0
Mount Kisco	2	20.0	1	10.0	1	10.0	2	20.0	3	30.1
New Castle	0	0.0	1	5.7	2	11.4	2	11.4	2	11.4
North Castle	2	18.4	0	0.0	1	9.2	2	18.4	2	18.4
North Salem	0	0.0	0	0.0	1	19.3	1	19.3	3	58.0
Pound Ridge	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Somers	2	10.9	3	16.4	0	0.0	2	10.9	1	5.5
Yorktown	8	22.0	5	13.8	5	13.8	1	2.8	4	11.0
West Central	45	28.5	32	20.3	53	33.6	44	27.9	59	37.4
Ardsley	0	0.0	0	0.0	0	0.0	1	23.4	0	0.0
Dobbs Ferry	7	65.9	6	56.5	6	56.5	4	37.7	3	28.2
Elmsford	5	106.9	1	21.4	0	0.0	2	42.8	2	42.8
Greenburgh	10	23.9	7	16.7	23	55.0	12	28.7	18	43.0
Hastings on Hudson	4	52.3	0	0.0	0	0.0	6	78.5	4	52.3
Irvington	3	45.2	1	15.1	0	0.0	1	15.1	2	30.2
Scarsdale	0	0.0	3	16.8	0	0.0	2	11.2	2	11.2
Tarrytown	1	9.0	0	0.0	1	9.0	3	27.1	2	18.0
White Plains	15	28.3	14	26.4	23	43.3	13	24.5	26	49.0
East Central	18	16.1	15	13.4	10	8.9	18	16.1	10	8.9
Harrison	6	24.8	5	20.7	6	24.8	7	29.0	5	20.7
Larchmont	0	0.0	2	30.8	0	0.0	1	15.4	0	0.0
Mamaroneck (TOV)	3	26.9	1	9.0	1	9.0	0	0.0	0	0.0
Mamaroneck (V)	2	10.7	2	10.7	1	5.3	1	5.3	2	10.7
Port Chester	7	25.1	4	14.4	2	7.2	7	25.1	3	10.8
Rye	0	0.0	0	0.0	0	0.0	1	6.7	0	0.0
Rye Brook	0	0.0	1	11.6	0	0.0	1	11.6	0	0.0
Southwest	98	50.0	123	62.7	149	76.0	121	61.7	135	68.8
Yonkers	98	50.0	123	62.7	149	76.0	121	61.7	135	68.8
Southeast	165	89.8	147	80.0	161	87.6	156	84.9	152	82.7
Bronxville	1	15.3	1	15.3	0	0.0	0	0.0	3	45.9
Eastchester	1	5.4	4	21.5	3	16.2	0	0.0	3	16.2
Mount Vernon	128	187.2	105	153.6	130	190.1	123	179.9	108	157.9
New Rochelle	32	44.3	33	45.7	26	36.0	27	37.4	37	51.3
Pelham	1	15.6	3	46.9	0	0.0	3	46.9	1	15.6
Pelham Manor	1	18.3	0	0.0	0	0.0	1	18.3	0	0.0
Tuckahoe	1	16.1	1	16.1	2	32.2	2	32.2	0	0.0
Westchester County Correctional Facilities²	11	-	9	-	-	-	-	-	-	-
Unknown	0	-	0	-	4	-	4	-	3	-

¹ As of April 2009. All are confirmed cases. Rates are per 100,000 population.

² Westchester County Correctional Facilities' Populations are counted separately beginning 2007 and are not reflected in the overall rate.

Source: Westchester Department of Health, Division of Disease Control.

Table 155. Reported Cases and Rates of Syphilis (All Stages) by Municipality, Westchester County, 2004-2008¹

Health Planning Region and Municipality	2008		2007		2006		2005		2004	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
Westchester County	182	19.7	162	17.5	173	18.7	####	14.4	141	15.3
Northwest	8	5.7	13	9.2	19	13.5	9	6.4	27	19.2
Briarcliff Manor	0	0.0	0	0.0	1	13.0	0	0.0	0	0.0
Buchanan	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Cortlandt	1	3.5	0	0.0	3	10.5	0	0.0	1	3.5
Croton on Hudson	1	13.1	1	13.1	0	0.0	2	26.3	0	0.0
Mount Pleasant	0	0.0	4	15.3	0	0.0	0	0.0	6	22.9
Ossining (TOV)	0	0.0	0	0.0	1	18.1	0	0.0	0	0.0
Ossining (V)	3	12.5	4	16.7	6	25.0	4	16.7	12	50.0
Peekskill	2	8.9	3	13.4	4	17.8	2	8.9	6	26.7
Pleasantville	0	0.0	1	13.9	1	13.9	1	13.9	0	0.0
Sleepy Hollow	1	10.9	0	0.0	3	32.6	0	0.0	2	21.7
Northeast	10	7.5	9	6.7	7	5.2	8	6.0	6	4.5
Bedford	1	5.5	2	11.0	0	0.0	0	0.0	0	0.0
Lewisboro	0	0.0	0	0.0	0	0.0	1	8.1	0	0.0
Mount Kisco	4	40.1	0	0.0	2	20.0	1	10.0	4	40.1
New Castle	2	11.4	0	0.0	1	5.7	0	0.0	0	0.0
North Castle	1	9.2	0	0.0	1	9.2	1	9.2	0	0.0
North Salem	0	0.0	0	0.0	0	0.0	1	19.3	0	0.0
Pound Ridge	0	0.0	1	21.2	0	0.0	0	0.0	0	0.0
Somers	0	0.0	2	10.9	0	0.0	1	5.5	0	0.0
Yorktown	2	5.5	4	11.0	3	8.3	3	8.3	2	5.5
West Central	18	11.4	27	17.1	22	14.0	34	21.6	20	12.7
Ardsley	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Dobbs Ferry	1	9.4	3	28.2	1	9.4	0	0.0	1	9.4
Elmsford	1	21.4	2	42.8	1	21.4	4	85.5	3	64.2
Greenburgh	4	9.6	2	4.8	4	9.6	12	28.7	9	21.5
Hastings on Hudson	0	0.0	1	13.1	0	0.0	0	0.0	0	0.0
Irvington	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Scarsdale	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Tarrytown	0	0.0	2	18.0	1	9.0	2	18.0	0	0.0
White Plains	12	22.6	17	32.0	15	28.3	16	30.1	7	13.2
East Central	16	14.3	10	8.9	10	8.9	11	9.8	7	6.3
Harrison	1	4.1	4	16.6	3	12.4	0	0.0	1	4.1
Larchmont	1	15.4	0	0.0	0	0.0	0	0.0	1	15.4
Mamaroneck (TOV)	0	0.0	1	9.0	0	0.0	1	9.0	0	0.0
Mamaroneck (V)	8	42.7	2	10.7	0	0.0	2	10.7	1	5.3
Port Chester	5	17.9	3	10.8	6	21.5	7	25.1	4	14.4
Rye	1	6.7	0	0.0	0	0.0	1	6.7	0	0.0
Rye Brook	0	0.0	0	0.0	1	11.6	0	0.0	0	0.0
Southwest	76	38.8	53	27.0	55	28.0	26	13.3	38	19.4
Yonkers	76	38.8	53	27.0	55	28.0	26	13.3	38	19.4
Southeast	54	29.4	50	27.2	59	32.1	45	24.5	41	22.3
Bronxville	1	15.3	0	0.0	0	0.0	0	0.0	0	0.0
Eastchester	0	0.0	1	5.4	0	0.0	1	5.4	0	0.0
Mount Vernon	44	64.3	29	42.4	38	55.6	29	42.4	27	39.5
New Rochelle	9	12.5	20	27.7	21	29.1	15	20.8	13	18.0
Pelham	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Pelham Manor	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Tuckahoe	0	0.0	0	0.0	0	0.0	0	0.0	1	16.1
Westchester County Correctional Facilities²	4	-	1	-	-	-	-	-	-	-
Unknown	0	-	0	-	1	-	0	-	2	-

¹As of April 2009. All are confirmed cases. Rates are per 100,000 population.

²Westchester County Correctional Facilities' Populations are counted separately beginning 2007 and are not reflected in the overall rate.

Source: Westchester Department of Health, Division of Disease Control.

Table 156. Reported Cases and Rates of Chlamydia by Age Group, Sex, and Race/Ethnicity, Westchester County, 2008¹

Sex and Race/Ethnicity	Total		<15		15-19		20-24		25-29		30-34		35-39		40+	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total²	2,499	270.6	38	19.4	848	1559.9	898	1912.2	392	716.2	153	222.6	88	110.3	82	19.4
White	327	49.6	0	0.0	94	278.3	130	466.3	55	163.3	23	50.9	13	23.6	12	3.6
Black	955	728.3	20	63.3	379	3716.8	322	3976.8	140	1661.7	41	393.0	30	253.2	23	45.5
Other	494	370.1	9	25.9	154	1483.1	174	1583.5	87	689.1	39	296.8	18	140.6	13	33.5
Unknown	723	..	9	..	221	..	272	..	110	..	50	..	27	..	34	..
Hispanic ³	655	454.5	8	21.2	191	1607.5	239	1748.9	124	857.3	55	169.0	25	65.5	13	6.7
Non-Hispanic	1,844	236.6	30	19.0	657	1546.6	659	1979.2	268	643.2	98	270.8	63	151.2	69	30.1
Male	707	160.1	6	6.0	189	667.2	254	1086.7	142	528.8	58	175.0	29	75.3	29	15.2
White	101	32.0	0	0.0	19	108.0	39	280.2	26	156.6	7	31.7	6	22.1	4	2.6
Black	298	505.2	5	30.9	91	1730.0	99	2647.8	60	1613.8	19	423.6	14	278.1	10	48.6
Other	133	199.1	1	5.6	38	693.7	50	874.9	20	306.0	20	304.3	0	0.0	4	21.8
Unknown	175	..	0	..	41	..	66	..	36	..	12	..	9	..	11	..
Hispanic ³	178	242.5	1	5.2	41	631.8	67	898.8	37	473.3	26	102.0	3	9.5	3	1.7
Non-Hispanic	529	143.6	5	6.2	148	677.7	187	1174.7	105	551.6	32	125.5	26	82.6	26	15.0
Female	1,792	372.0	32	33.5	659	2531.1	644	2730.1	250	896.6	95	266.9	59	142.8	53	22.9
White	226	65.9	0	0.0	75	463.2	91	652.0	29	169.7	16	69.3	7	24.9	8	4.4
Black	657	910.6	15	97.3	288	5833.5	223	5117.0	80	1699.6	22	369.9	16	234.8	13	43.4
Other	361	541.4	8	47.1	116	2364.5	124	2351.6	67	1100.2	19	289.4	18	279.7	9	44.1
Unknown	548	..	9	..	180	..	206	..	74	..	38	..	18	..	23	..
Hispanic ³	477	674.5	7	38.1	150	2781.4	172	2768.8	87	1308.9	29	411.2	22	329.9	10	49.1
Non-Hispanic	1,315	319.9	25	32.4	509	2465.7	472	2716.2	163	767.6	66	231.2	37	106.8	43	20.3

¹ As of April 2009. All are confirmed cases. Rates are per 100,000 population.

² Total excludes 42 Westchester County Correctional Facility Cases.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: Westchester County Department of Health, Division of Disease Control.

Table 157. Reported Cases and Rates of Gonorrhea by Age Group, Sex, and Race/Ethnicity, Westchester County, 2008¹

Sex and Race/Ethnicity	Total		<15		15-19		20-24		25-29		30-34		35-39		40+	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total²	365	39.5	6	3.1	89	163.7	121	257.7	62	113.3	33	48.0	20	25.1	34	8.0
White	42	6.4	0	0.0	4	11.8	14	50.2	10	29.7	5	11.1	1	1.8	8	2.4
Black	237	180.7	5	15.8	69	676.7	76	938.6	38	451.0	17	163.0	14	118.2	18	35.6
Other	44	33.0	1	2.9	11	105.9	14	127.4	7	55.4	4	30.4	3	23.4	4	10.3
Unknown	42	..	0	..	5	..	17	..	7	..	7	..	2	..	4	..
Hispanic ³	39	27.1	1	2.7	12	101.0	12	87.8	5	34.6	5	34.0	1	7.3	3	7.9
Non-Hispanic	326	41.8	5	3.2	77	181.3	109	327.4	57	86.2	28	51.8	19	28.7	31	8.1
Male	184	41.7	0	0.0	28	98.8	60	256.7	36	134.1	22	66.4	10	26.0	28	14.7
White	24	7.6	0	0.0	3	17.1	3	21.6	7	42.2	5	22.6	0	0.0	6	3.9
Black	119	201.7	0	0.0	19	361.2	45	1203.5	23	618.6	11	245.3	6	119.2	15	72.9
Other	18	27.0	0	0.0	3	54.8	5	87.5	3	45.9	2	30.4	2	31.4	3	16.3
Unknown	23	..	0	..	3	..	7	..	3	..	4	..	2	..	4	..
Hispanic ³	17	23.2	0	0.0	4	61.6	4	53.7	2	28.5	3	39.2	1	14.2	3	17.0
Non-Hispanic	167	45.3	0	0.0	24	109.9	56	351.8	34	108.0	19	74.5	9	28.6	25	14.4
Female	181	37.6	6	6.3	61	234.3	61	258.6	26	93.2	11	30.9	10	24.2	6	2.6
White	18	5.2	0	0.0	1	6.2	11	78.8	3	17.6	0	0.0	1	3.6	2	1.1
Black	118	163.6	5	32.4	50	1012.8	31	711.3	15	318.7	6	100.9	8	117.4	3	10.0
Other	26	39.0	1	5.9	8	163.1	9	170.7	4	65.7	2	30.5	1	15.5	1	4.9
Unknown	19	..	0	..	2	..	10	..	4	..	3	..	0	..	0	..
Hispanic ³	22	31.1	1	5.4	8	148.3	8	128.8	3	45.1	2	28.4	0	0.0	0	0.0
Non-Hispanic	159	58.4	5	11.2	53	490.7	53	684.2	23	220.3	9	56.1	10	46.7	6	3.7

¹ As of April 2009. All are confirmed cases. Rates are per 100,000 population.

² Total excludes 11 Westchester County Correctional Facility Cases.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: Westchester County Department of Health, Division of Disease Control.

Table 158. Reported Cases and Rates of Syphilis (All Stages) by Age Group, Sex, and Race/Ethnicity, Westchester County, 2008¹

Sex and Race/Ethnicity	Total		<15		15-19		20-24		25-29		30-34		35-39		40+	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total²	182	19.7	1	0.5	7	12.9	13	27.7	15	27.4	9	13.1	21	26.3	116	27.4
White	23	3.5	0	0.0	1	3.0	2	7.2	2	5.9	1	2.2	2	3.6	15	4.5
Black	75	57.2	1	3.2	5	49.0	7	86.5	7	83.1	4	38.3	5	42.2	46	91.0
Other	54	40.5	0	0.0	1	9.6	3	27.3	5	39.6	3	22.8	10	78.1	32	82.5
Unknown	30	..	0	..	0	..	1	..	1	..	1	..	4	..	23	..
Hispanic ³	72	50.0	0	0.0	2	16.8	5	36.6	8	55.3	5	34.0	14	102.3	38	99.9
Non-Hispanic	110	14.1	1	0.6	5	11.8	8	24.0	7	17.4	4	7.4	7	10.6	78	20.3
Male	109	24.7	0	0.0	6	21.2	11	47.1	8	29.8	7	21.1	17	44.2	60	31.4
White	15	4.7	0	0.0	1	5.7	2	14.4	1	6.0	1	4.5	2	7.4	8	5.3
Black	38	64.4	0	0.0	4	76.0	6	160.5	5	134.5	3	66.9	4	79.5	16	77.8
Other	36	53.9	0	0.0	1	18.3	2	35.0	1	15.3	2	30.4	8	125.6	22	119.8
Unknown	20	..	0	..	0	..	1	..	1	..	1	..	3	..	14	..
Hispanic ³	46	62.7	0	0.0	2	30.8	4	53.7	3	38.4	3	39.2	12	170.9	22	124.6
Non-Hispanic	63	17.1	0	0.0	4	18.3	7	44.0	5	26.3	4	15.7	5	15.9	38	21.9
Female	73	15.2	1	1.0	1	3.8	2	8.5	7	25.1	2	5.6	4	9.7	56	24.1
White	8	2.3	0	0.0	0	0.0	0	0.0	1	5.9	0	0.0	0	0.0	7	3.9
Black	37	51.3	1	6.5	1	20.3	1	22.9	2	42.5	1	16.8	1	14.7	30	100.1
Other	18	27.0	0	0.0	0	0.0	1	19.0	4	65.7	1	15.2	2	31.1	10	49.0
Unknown	10	..	0	..	0	..	0	..	0	..	0	..	1	..	9	..
Hispanic ³	26	36.8	0	0.0	0	0.0	1	16.1	5	75.2	2	28.4	2	30.0	16	78.6
Non-Hispanic	47	11.4	1	0.0	1	0.0	1	5.8	2	9.4	0	0.0	2	5.8	40	18.9

¹ As of April 2009. All are confirmed cases. Rates are per 100,000 population.

² Total excludes 4 Westchester County Correctional Facility Cases.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: Westchester County Department of Health, Division of Disease Control.

Table 159. Reported Cases and Rates of Lyme Disease by Municipality, Westchester County, 2003-2008¹

Health Planning Region and Municipality	2008		2007		2006		2005		2004	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
Westchester County	256	27.7	245	26.5	253	27.4	454	49.2	736	79.7
Northwest	61	43.4	64	45.5	42	29.9	92	65.4	176	125.1
Briarcliff Manor	2	26.0	3	39.0	1	13.0	5	65.0	6	78.0
Buchanan	2	91.4	1	45.7	1	45.7	1	45.7	4	182.7
Cortlandt	16	55.8	16	55.8	9	31.4	29	101.1	56	195.3
Croton on Hudson	7	92.0	2	26.3	2	26.3	3	39.4	20	263.0
Mount Pleasant	13	49.7	13	49.7	9	34.4	23	88.0	39	149.1
Ossining (TOV)	1	18.1	4	72.5	3	54.4	1	18.1	4	72.5
Ossining (V)	10	41.6	8	33.3	10	41.6	13	54.1	14	58.3
Peekskill	6	26.7	8	35.6	4	17.8	7	31.2	21	93.6
Pleasantville	3	41.8	4	55.8	1	13.9	6	83.7	6	83.7
Sleepy Hollow	1	10.9	5	54.3	2	21.7	4	43.4	6	65.1
Northeast	107	80.2	132	99.0	141	105.7	247	185.2	304	228.0
Bedford	19	104.8	17	93.8	30	165.4	57	314.3	43	237.1
Lewisboro	14	113.6	19	154.2	17	137.9	34	275.9	39	316.5
Mount Kisco	5	50.1	8	80.1	11	110.2	15	150.3	17	170.3
New Castle	15	85.8	10	57.2	19	108.6	32	183.0	43	245.8
North Castle	4	36.9	9	83.0	7	64.5	18	165.9	13	119.8
North Salem	4	77.3	12	232.0	10	193.3	10	193.3	12	232.0
Pound Ridge	5	105.8	8	169.3	9	190.4	13	275.1	9	190.4
Somers	13	70.9	22	119.9	28	152.6	34	185.3	55	299.8
Yorktown	28	77.1	27	74.3	10	27.5	34	93.6	73	201.0
West Central	42	26.6	28	17.8	23	14.6	28	17.8	117	74.2
Ardsley	4	93.7	0	0.0	1	23.4	2	46.8	3	70.3
Dobbs Ferry	3	28.2	4	37.7	2	18.8	3	28.2	14	131.8
Elmsford	1	21.4	1	21.4	0	0.0	0	0.0	0	0.0
Greenburgh	8	19.1	13	31.1	7	16.7	4	9.6	24	57.4
Hastings on Hudson	5	65.4	1	13.1	3	39.2	4	52.3	10	130.8
Irvington	3	45.2	1	15.1	2	30.2	1	15.1	11	165.9
Scarsdale	2	11.2	0	0.0	4	22.4	4	22.4	16	89.8
Tarrytown	7	63.1	3	27.1	2	18.0	3	27.1	16	144.3
White Plains	9	17.0	5	9.4	2	3.8	7	13.2	23	43.3
East Central	17	15.2	10	8.9	19	17.0	22	19.7	50	44.7
Harrison	7	29.0	3	12.4	4	16.6	5	20.7	10	41.4
Larchmont	0	0.0	0	0.0	0	0.0	1	15.4	1	15.4
Mamaroneck (TOV)	4	35.9	2	18.0	1	9.0	1	9.0	6	53.9
Mamaroneck (V)	3	16.0	1	5.3	1	5.3	1	5.3	7	37.3
Port Chester	1	3.6	2	7.2	3	10.8	6	21.5	11	39.5
Rye	2	13.4	1	6.7	10	66.9	8	53.5	11	73.6
Rye Brook	0	0.0	1	11.6	0	0.0	0	0.0	4	46.5
Southwest	17	8.7	7	3.6	2	1.0	12	6.1	40	20.4
Yonkers	17	8.7	7	3.6	2	1.0	12	6.1	40	20.4
Southeast	11	6.0	4	2.2	3	1.6	14	7.6	33	18.0
Bronxville	0	0.0	0	0.0	0	0.0	4	61.1	4	61.1
Eastchester	2	10.8	0	0.0	0	0.0	3	16.2	6	32.3
Mount Vernon	1	1.5	1	1.5	0	0.0	3	4.4	7	10.2
New Rochelle	6	8.3	3	4.2	3	4.2	3	4.2	16	22.2
Pelham	1	15.6	0	0.0	0	0.0	0	0.0	0	0.0
Pelham Manor	1	18.3	0	0.0	0	0.0	0	0.0	0	0.0
Tuckahoe	0	0.0	0	0.0	0	0.0	1	16.1	0	0.0
Unknown	1	-	0	-	23	-	39	-	16	-

¹As of April, 2009. Rates per 100,000 population. Data is incomplete due to surveillance limitations, therefore the rates of infection by municipality may be skewed.

Table 160. Reported Cases and Rates of Lyme Disease by Age and Sex, Westchester County, 2008¹

Age	Total		Male		Female	
	Number	Rate	Number	Rate	Number	Rate
Total	256	27.7	143	32.4	113	23.5
0-9	33	25.0	16	23.7	17	26.3
10-19	43	36.4	25	40.8	18	31.7
20-29	13	12.8	7	13.9	6	11.7
30-39	20	13.5	7	9.8	13	16.9
40-49	47	32.3	27	38.6	20	26.5
50-59	47	42.7	29	56.0	18	30.8
60-69	22	30.4	13	39.7	9	22.7
70+	31	32.7	19	52.2	12	20.5

¹ As of April, 2009. All are confirmed cases. Rates are per 100,000 population. Lyme disease totals includes number of confirmed cases from sentinel surveillance, erythema migrans (EM) rash and provider reporting. Sentinel surveillance randomly extracts 20% of cases reported to WCDOH through the Electronic Clinical Laboratory Reporting System (ECLRS).

Source: Westchester County Department of Health, Division of Disease Control.

Table 161. Reported Cases and Rates of Ehrlichiosis by Municipality, Westchester County, 2008¹

Health Planning Region and Municipality	Ehrlichiosis	
	Cases	Rate
Westchester County	21	2.3
Northwest	5	3.6
Briarcliff Manor	0	0.0
Buchanan	0	0.0
Cortlandt	3	10.5
Croton on Hudson	0	0.0
Mount Pleasant	2	7.6
Ossining (TOV)	0	0.0
Ossining (V)	0	0.0
Peekskill	0	0.0
Pleasantville	0	0.0
Sleepy Hollow	0	0.0
Northeast	13	9.7
Bedford	5	27.6
Lewisboro	2	16.2
Mount Kisco	0	0.0
New Castle	0	0.0
North Castle	2	18.4
North Salem	1	19.3
Pound Ridge	0	0.0
Somers	2	10.9
Yorktown	1	2.8
West Central	1	0.6
Ardsley	0	0.0
Dobbs Ferry	0	0.0
Elmsford	0	0.0
Greenburgh	0	0.0
Hastings on Hudson	0	0.0
Irvington	0	0.0
Scarsdale	0	0.0
Tarrytown	0	0.0
White Plains	1	1.9
East Central	1	0.9
Harrison	1	4.1
Larchmont	0	0.0
Mamaroneck (TOV)	0	0.0
Mamaroneck (V)	0	0.0
Port Chester	0	0.0
Rye	0	0.0
Rye Brook	0	0.0
Southwest	0	0.0
Yonkers	0	0.0
Southeast	1	0.5
Bronxville	0	0.0
Eastchester	0	0.0
Mount Vernon	0	0.0
New Rochelle	0	0.0
Pelham	1	15.6
Pelham Manor	0	0.0
Tuckahoe	0	0.0
Unknown	0	-

¹As of April 2009. Rates per 100,000 population. Data is incomplete due to surveillance limitations, therefore the rates of infection by municipality may be skewed.

Source: Westchester County Department of Health, Division of Disease Control.

Table 162. Reported Cases and Rates of Major Enteric Infections, Westchester County, 2008¹

Health Planning Region and Municipality	Campylobacteriosis		Giardiasis		Salmonellosis	
	Cases	Rate	Cases	Rate	Cases	Rate
Westchester County	147	15.9	82	8.9	148	16.0
Northwest	33	23.5	9	6.4	20	14.2
Briarcliff Manor	2	26.0	0	0.0	2	26.0
Buchanan	0	0.0	0	0.0	0	0.0
Cortlandt	6	20.9	1	3.5	3	10.5
Croton on Hudson	3	39.4	4	52.6	1	13.1
Mount Pleasant	4	15.3	0	0.0	4	15.3
Ossining (TOV)	5	90.7	0	0.0	0	0.0
Ossining (V)	7	29.2	1	4.2	6	25.0
Peekskill	3	13.4	2	8.9	2	8.9
Pleasantville	0	0.0	0	0.0	1	13.9
Sleepy Hollow	3	32.6	1	10.9	1	10.9
Northeast	26	19.5	17	12.7	29	21.7
Bedford	4	22.1	3	16.5	5	27.6
Lewisboro	1	8.1	5	40.6	2	16.2
Mount Kisco	1	10.0	1	10.0	0	0.0
New Castle	8	45.7	1	5.7	6	34.3
North Castle	4	36.9	5	46.1	2	18.4
North Salem	0	0.0	0	0.0	0	0.0
Pound Ridge	0	0.0	0	0.0	1	21.2
Somers	4	21.8	2	10.9	7	38.2
Yorktown	4	11.0	0	0.0	6	16.5
West Central	30	19.0	15	9.5	25	15.9
Ardsley	1	23.4	0	0.0	2	46.8
Dobbs Ferry	1	9.4	1	9.4	3	28.2
Elmsford	0	0.0	0	0.0	0	0.0
Greenburgh	7	16.7	6	14.3	5	12.0
Hastings on Hudson	2	26.2	1	13.1	2	26.2
Irvington	0	0.0	3	45.2	1	15.1
Scarsdale	6	33.7	1	5.6	3	16.8
Tarrytown	1	9.0	0	0.0	2	18.0
White Plains	12	22.6	3	5.7	7	13.2
East Central	25	22.3	11	9.8	28	25.0
Harrison	6	24.8	5	20.7	8	33.1
Larchmont	0	0.0	0	0.0	1	15.4
Mamaroneck (TOV)	3	26.9	0	0.0	1	9.0
Mamaroneck (V)	2	10.7	4	21.3	4	21.3
Port Chester	3	10.8	0	0.0	6	21.5
Rye	6	40.1	2	13.4	6	40.1
Rye Brook	5	58.1	0	0.0	2	23.3
Southwest	13	6.6	9	4.6	28	14.3
Yonkers	13	6.6	9	4.6	28	14.3
Southeast	18	9.8	21	11.4	18	9.8
Bronxville	1	15.3	3	45.9	1	15.3
Eastchester	1	5.4	3	16.2	4	21.5
Mount Vernon	0	0.0	0	0.0	6	8.8
New Rochelle	12	16.6	10	13.9	7	9.7
Pelham	3	46.9	2	31.3	0	0.0
Pelham Manor	1	18.3	1	18.3	0	0.0
Tuckahoe	0	0.0	2	32.2	0	0.0
Unknown	2	-	0	-	0	-

¹As of April 2009. All are confirmed cases. Rates are per 100,000 population.
Source: Westchester County Department of Health, Division of Disease Control.

Tables 163. Reported Cases and Rates of Major Enteric Diseases by Age, Westchester County, 2008¹

Age	Campylobacteriosis			Giardiasis			Salmonellosis		
	Number	Rate	% ²	Number	Rate	% ²	Number	Rate	% ²
Total	147	15.9	100.0	82	8.9	100.0	148	16.0	100.0
Under 1	0	0.0	0.0	0	0.0	0.0	1	8.0	0.7
1-4	18	34.8	12.2	9	17.4	11.0	23	44.5	15.5
5-9	6	8.8	4.1	7	10.3	8.5	14	20.6	9.5
10-19	20	16.9	13.6	8	6.8	9.8	18	15.2	12.2
20-29	16	15.7	10.9	4	3.9	4.9	23	22.6	15.5
30-39	14	9.4	9.5	7	4.7	8.5	29	19.5	19.6
40-49	31	21.3	21.1	17	11.7	20.7	10	6.9	6.8
50-59	20	18.2	13.6	14	12.7	17.1	8	7.3	5.4
60+	22	13.1	15.0	16	9.6	19.5	22	13.1	14.9
Unknown	0	-	-	0	-	-	0	-	-

¹ As of April 2009. Rates are per 100,000 population. Percentages are calculated with unknown age excluded from denominator. Note that rates that have a numerator less than 25 are unstable.

² Percentages are calculated with unknown age excluded from denominator.

Source: Westchester County Department of Health, Division of Disease Control.

Table 164. Reported Cases and Rates of Selected Central Nervous System Diseases and Bacteremias, Westchester County, 2008¹

Health Planning Region and Municipality	Meningitis		Invasive Strep Pneumoniae	
	Cases	Rate	Cases	Rate
Westchester County	49	5.3	91	9.9
Northwest	9	6.4	10	7.1
Briarcliff Manor	1	13.0	2	26.0
Buchanan	0	0.0	0	0.0
Cortlandt	0	0.0	1	3.5
Croton on Hudson	2	26.3	0	0.0
Mount Pleasant	3	11.5	2	7.6
Ossining (TOV)	0	0.0	1	18.1
Ossining (V)	2	8.3	2	8.3
Peekskill	0	0.0	2	8.9
Pleasantville	0	0.0	0	0.0
Sleepy Hollow	1	10.9	0	0.0
Northeast	3	2.2	12	9.0
Bedford	1	5.5	1	5.5
Lewisboro	0	0.0	2	16.2
Mount Kisco	1	10.0	1	10.0
New Castle	0	0.0	1	5.7
North Castle	0	0.0	0	0.0
North Salem	0	0.0	0	0.0
Pound Ridge	0	0.0	1	21.2
Somers	0	0.0	1	5.5
Yorktown	1	2.8	5	13.8
West Central	11	7.0	16	10.1
Ardsley	0	0.0	0	0.0
Dobbs Ferry	0	0.0	1	9.4
Elmsford	0	0.0	1	21.4
Greenburgh	3	7.2	3	7.2
Hastings on Hudson	2	26.2	1	13.1
Irvington	1	15.1	0	0.0
Scarsdale	1	5.6	0	0.0
Tarrytown	0	0.0	3	27.1
White Plains	4	7.5	7	13.2
East Central	7	6.3	9	8.0
Harrison	0	0.0	3	12.4
Larchmont	0	0.0	1	15.4
Mamaroneck (TOV)	1	9.0	0	0.0
Mamaroneck (V)	2	10.7	1	5.3
Port Chester	2	7.2	2	7.2
Rye	2	13.4	1	6.7
Rye Brook	0	0.0	1	11.6
Southwest	13	6.6	25	12.7
Yonkers	13	6.6	25	12.7
Southeast	6	3.3	19	10.3
Bronxville	0	0.0	1	15.3
Eastchester	0	0.0	1	5.4
Mount Vernon	3	4.4	8	11.7
New Rochelle	3	4.2	8	11.1
Pelham	0	0.0	0	0.0
Pelham Manor	0	0.0	0	0.0
Tuckahoe	0	0.0	1	16.1
Westchester County Correctional Facilities²	0	0.0	1	-
Unknown	0	-	0	-

¹As of April 2009. All are confirmed cases. The meningitis disease category include aseptic meningitis, meningococcal diseases, and other meningitis/bacteremias. Rates are per 100,000 population.

²Westchester County Correctional Facility Populations are counted separately beginning 2007.

Source: Westchester County Department of Health, Division of Disease Control.

Table 165. Reported Cases and Rates of Meningitis by Age and Sex, Westchester County, 2008¹

Age	Total			Male			Female		
	Number	Rate	%	Number	Rate	%	Number	Rate	%
Total	49	5.3	100.0	17	4.2	100.0	32	7.6	100.0
0-9	13	9.8	26.5	6	8.9	35.3	7	10.8	21.9
10-19	6	5.1	12.2	3	4.9	17.6	3	5.3	9.4
20-29	5	4.9	10.2	2	4.0	11.8	3	5.8	9.4
30-39	5	3.4	10.2	1	1.4	5.9	4	5.2	12.5
40-49	4	2.8	8.2	1	1.4	5.9	3	4.0	9.4
50-59	4	3.6	8.2	0	0.0	0.0	4	6.9	12.5
60+	12	16.6	24.5	4	12.2	23.5	8	20.2	25.0

¹ As of April 2009. All are confirmed cases. This disease category includes aseptic meningitis, meningococcal diseases, and other meningitis/bacteremias. Rates are per 100,000 population.

Source: Westchester County Department of Health, Division of Disease Control.

Table 166. Reported Cases and Rates of Invasive Strep Pneumoniae by Age and Sex, Westchester County, 2008¹

Age	Total			Male			Female		
	Number	Rate	%	Number	Rate	%	Number	Rate	%
Total²	91	9.9	100.0	44	10.9	100.0	47	11.1	100.0
0-9	14	10.6	15.4	7	10.3	15.9	7	10.8	14.9
10-19	2	1.7	2.2	1	1.6	2.3	1	1.8	2.1
20-29	3	2.9	3.3	2	4.0	4.5	1	1.9	2.1
30-39	3	2.0	3.3	3	4.2	6.8	0	0.0	0.0
40-49	9	6.2	9.9	5	7.1	11.4	4	5.3	8.5
50-59	20	18.2	22.0	10	19.3	22.7	10	17.1	21.3
60+	40	55.2	44.0	16	48.8	36.4	24	60.6	51.1

¹ As of April 2009. All are confirmed cases. Rates are per 100,000 population.

Source: Westchester County Department of Health, Division of Disease Control.

Table 167. Number of Tuberculosis Cases and Contacts, Westchester County, 2003-2008

	2008	2007	2006	2005	2004	2003
New Tuberculosis Cases¹	62	44	72	53	63	57
Sex						
Male	40	21	42	28	33	33
Female	22	23	30	25	30	24
Race						
White	46	25	36	33	42	41
Black	4	12	16	7	12	11
Asian	12	7	20	13	9	5
Ethnicity						
Hispanic	35	21	31	27	37	32
Non-Hispanic	27	23	41	26	26	25
Foreign Born²	52	36	53	45	45	42
%	84%	82%	74%	85%	71%	74%
U.S. Born	10	8	19	8	18	15
%	16%	18%	26%	15%	29%	26%
Site of Infection						
Pulmonary	56	34	62	41	48	49
Extra-Pulmonary-Only ³	6	10	10	12	15	8
Drug Resistant						
None Identified ⁴	55	40	67	47	54	52
Drug Resistant (non-MDR) ⁵	7	4	5	4	7	4
Multi-Drug Resistant ⁶	0	0	0	2	2	1
HIV Status						
Negative	50	31	50	33	45	35
Positive	7	5	8	6	4	2
Unknown	5	8	14	14	14	20
Active Cases⁷	56	35	65	42	55	32
Contacts Identified⁸	1,047	1,801	3,825	1,058	2,244	993
Incidence Rate⁹ (per 100,000 population)	6.7	4.8	7.8	5.7	6.8	6.2

¹ Persons being treated with two or more drugs for Tuberculosis as of December 31st of year shown. The number includes patients reported by DOCS and followed by NYS DOH.

² Among the foreign born cases in 2008: 2 Albania, 1 Bangladesh, 1 Botswana, 1 from Brazil, 2 from Colombia, 3 Dominican Republic, 10 from Ecuador, 1 Greece, 1 from Guatemala, 1 from Haiti, 1 Hong Kong, 3 from India, 1 Liberia, 5 from Mexico, 1 Nicaragua, 1 from Pakistan, 8 from Peru, 3 from Philippines, 1 from Portugal, 1 from Puerto Rico, 1 from Thailand, 1 from Vietnam, 1 from Yemen, and 1 from Zimbabwe.

³ Pulmonary cases may also have extra-pulmonary presentations. Extra-pulmonary-only cases have no pulmonary parenchymal involvement.

⁴ Includes culture-confirmed cases and clinical cases without positive culture.

⁵ Resistant to any other drugs, but not the combination of INH + Rifampin.

⁶ Resistant to at least INH + Rifampin.

⁷ Persons being monitored on December 31st of the year shown.

⁸ As of February 27, 2009.

⁹ New cases per 100,000 population.

Source: Westchester County Department of Health, Division of Disease Control.

Table 168. Reported Cases and Rates of Tuberculosis by Age, Westchester County, 2003-2006¹

Age	2008			2007			2006			2005			2004			2003		
	Number	Rate	%	Number	Rate	%	Number	Rate	%	Number	Rate	%	Number	Rate	%	Number	Rate	%
Total	62	6.7	100	44	4.8	100	72	7.8	100	53	5.7	100	63	6.8	100	57	6.2	100
Under 5	3	4.7	4.8	2	3.1	4.5	2	3.1	2.8	3	4.7	5.7	1	1.6	1.6	1	1.6	1.8
5-9	0	0.0	0.0	1	1.5	2.3	0	0.0	0.0	0	0.0	0.0	2	2.9	3.2	1	1.5	1.8
10-14	0	0.0	0.0	0	0.0	0.0	2	3.1	2.8	2	3.1	3.8	0	0.0	0.0	1	1.6	1.8
15-19	2	3.7	3.2	4	7.4	9.1	2	3.7	2.8	3	5.5	5.7	2	3.7	3.2	3	5.5	5.3
20-24	7	14.9	11.3	7	14.9	15.9	10	21.3	13.9	5	10.6	9.4	9	19.2	14.3	3	6.4	5.3
25-34	20	16.2	32.3	8	6.5	18.2	12	9.7	16.7	16	13.0	30.2	19	15.4	30.2	11	8.9	19.3
35-44	7	4.5	11.3	8	5.1	18.2	11	7.0	15.3	8	5.1	15.1	9	5.7	14.3	19	12.1	33.3
45-54	6	4.6	9.7	5	3.8	11.4	13	10.0	18.1	4	3.1	7.5	8	6.2	12.7	7	5.4	12.3
55-64	10	11.5	16.1	1	1.2	2.3	9	10.4	12.5	3	3.5	5.7	8	9.2	12.7	0	0.0	0.0
65+	7	5.4	11.3	8	6.2	18.2	11	8.5	15.3	9	7.0	17.0	5	3.9	7.9	11	8.5	19.3

¹ As of April 25, 2009. Persons being treated with two or more drugs for Tuberculosis as of December 31st of year shown. The 2004 total case number includes one patient reported by DOCS and followed by NYS DOH. Rates are per 100,000 population.

Source: Westchester County Department of Health, Division of Disease Control.

Table 169. Newly Diagnosed HIV and AIDS Cases by Year of Diagnosis, Westchester County, December 2007*

Year of Diagnosis	HIV	AIDS
Prior to 1987		291
1987		190
1988		214
1989		246
1990		267
1991		322
1992		431
1993		397
1994		387
1995		387
1996		326
1997		254
1998		251
1999		184
2000	246	193
2001	145	212
2002	149	192
2003	124	192
2004	155	165
2005	114	159
2006	154	142
2007	140	143
Total	1,227	5,545

* Data as of April 2009

Includes state prison inmates. County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

HIV reporting began in June, 2000.

Persons diagnosed with HIV may also be diagnosed with AIDS in the same or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

Source: New York State Department of Health, Bureau of HIV/AIDS Epidemiology.

Table 170. Average Annual Newly Diagnosed HIV and AIDS Cases and Cumulative AIDS Cases by Sex, Age, Race/Ethnicity, and Risk, Westchester County, December 2007*

	HIV Diagnoses		AIDS Diagnoses		Cumulative AIDS Cases	
	Annual Average		Annual Average		Through Dec. 2007	
	Jan. 2005-Dec. 2007	Jan. 2005-Dec. 2007	Jan. 2005-Dec. 2007	Jan. 2005-Dec. 2007	Through Dec. 2007	Through Dec. 2007
	Number	%	Number	%	Number	%
Total	136.0	100.0	148.0	100.0	5,545	100.0
Sex						
Male	87.7	64.5	89.0	60.1	3,834	69.1
Female	48.3	35.5	59.0	39.9	1,711	30.9
Age at Diagnosis						
12 and under	0.3	0.2	0.7	0.5	59	1.1
13-19	6.7	4.9	3.3	2.3	46	0.8
20-24	11.0	8.1	5.3	3.6	136	2.5
25-29	13.7	10.0	10.3	7.0	487	8.8
30-39	37.3	27.5	35.7	24.1	2,170	39.1
40-49	40.7	29.9	56.0	37.8	1,836	33.1
50-59	21.0	15.4	29.7	20.0	601	10.8
60+	5.3	3.9	7.0	4.7	210	3.8
Unknown	0.0	0.0	0.0	0.0	0	0.0
Race/Ethnicity						
White	21.7	15.9	23.3	15.7	1,495	27.0
Black	62.3	45.8	65.3	44.1	2,693	48.6
Hispanic	43.3	31.9	49.0	33.1	1,225	22.1
Multi Race	7.7	5.6	8.7	5.9	112	2.0
Other	1.0	0.7	1.7	1.1	17	0.3
Unknown	0.0	0.0	0.0	0.0	3	0.1
Risk Group						
MSM ¹	40.3	29.7	36.0	24.3	1,208	21.8
IDU ²	10.7	7.8	35.7	24.1	2,572	46.4
MSM ¹ /IDU ²	2.3	1.7	4.0	2.7	227	4.1
Heterosexual Contact	44.0	32.4	40.3	27.3	958	17.3
Blood Products	0.0	0.0	0.0	0.0	43	0.8
Pediatric Risk	0.3	0.2	2.0	1.4	76	1.4
Unknown	38.3	28.2	30.0	20.3	461	8.3

* Data as of April 2009

Includes state prison inmates. County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

HIV reporting began in June, 2000.

Persons diagnosed with HIV may also be diagnosed with AIDS in the same or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

¹MSM: Men who have sex with men.

²IDU: Injection Drug Users.

Source: New York State Department of Health, Bureau of HIV/AIDS Epidemiology.

Table 171. Newly Diagnosed HIV and AIDS Cases and Cumulative AIDS Cases by Sex and Risk, Westchester County, December 2007*

	HIV Diagnoses		AIDS Diagnoses		Cumulative AIDS Cases	
	Annual Average		Annual Average		Through Dec. 2007	
	Jan. 2005-Dec. 2007		Jan. 2005-Dec. 2007		Through Dec. 2007	
	Number	%	Number	%	Number	%
Total	136.0	100.0	148.0	100.0	5,545	100.0
MSM ¹	40.3	29.7	36.0	24.3	1,208	21.8
IDU ²	10.7	7.8	35.7	24.1	2,572	46.4
MSM ¹ /IDU ²	2.3	1.7	4.0	2.7	227	4.1
Heterosexual Contact	44.0	32.4	40.3	27.2	958	17.3
Blood Products	0.0	0.0	0.0	0.0	43	0.8
Pediatric Risk	0.3	0.2	2.0	1.4	76	1.4
Unknown	38.3	28.2	30.0	20.3	461	8.3
Male	87.7	100.0	89.0	100.0	3,834	100.0
MSM ¹	40.3	46.0	36.0	40.4	1,208	31.5
IDU ²	6.3	7.2	18.0	20.2	1,793	46.8
MSM ¹ /IDU ²	2.3	2.7	4.0	4.5	227	5.9
Heterosexual Contact	17.0	19.4	16.7	18.7	271	7.1
Blood Products	0.0	0.0	0.0	0.0	30	0.8
Pediatric Risk	0.3	0.4	0.0	0.0	35	0.9
Unknown	21.3	24.3	14.3	16.1	270	7.0
Female	48.3	100.0	59.0	100.0	1,711	100.0
MSM ¹	0.0	0.0	0.0	0.0	0	0.0
IDU ²	4.3	9.0	17.7	29.9	779	45.5
MSM ¹ /IDU ²	0.0	0.0	0.0	0.0	0	0.0
Heterosexual Contact	27.0	55.9	23.7	40.3	687	40.2
Blood Products	0.0	0.0	0.0	0.0	13	0.8
Pediatric Risk	0.0	0.0	2.0	3.4	41	2.4
Unknown	17.0	35.2	15.7	26.6	191	11.2

* Data as of April 2009

Includes state prison inmates. County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

HIV reporting began in June, 2000.

Persons diagnosed with HIV may also be diagnosed with AIDS in the same or a later year and their AIDS diagnosis will be counted in the AIDS diagnosis tables. HIV and AIDS diagnoses cannot be added together in a meaningful way.

¹ MSM: Men who have sex with men.

² IDU: Injection Drug Users.

Source: New York State Department of Health, Bureau of HIV/AIDS Epidemiology.

Table 172. Living HIV and AIDS Cases by Sex, Age, Race/Ethnicity, and Risk, Westchester County, December 2007*

	Living HIV (not AIDS) Cases		Living AIDS Cases		Living HIV & AIDS Cases	
	Number	%	Number	%	Number	%
Total	1,294	100.0	2,545	100.0	3,839	100.0
Sex						
Male	693	53.6	1,580	62.1	2,273	59.2
Female	601	46.4	965	37.9	1,566	40.8
Current Age						
12 and under	14	1.1	0	0.0	14	0.4
13-19	27	2.1	18	0.7	45	1.2
20-24	48	3.7	36	1.4	84	2.2
25-29	75	5.8	54	2.1	129	3.4
30-39	288	22.3	338	13.3	626	16.3
40-49	457	35.3	978	38.4	1,435	37.4
50-59	296	22.9	872	34.3	1,168	30.4
60+	85	6.6	247	9.7	332	8.6
Unknown	4	0.3	2	0.1	6	0.2
Race/Ethnicity						
White	282	21.8	477	18.7	759	19.8
Black	608	47.0	1,241	48.8	1,849	48.2
Hispanic	351	27.1	720	28.3	1,071	27.9
Multi Race	46	3.6	97	3.8	143	3.7
Other	6	0.5	8	0.3	14	0.4
Unknown	1	0.1	2	0.1	3	0.1
Risk Group						
MSM ¹	299	23.1	513	20.2	812	21.2
IDU ²	282	21.8	963	37.8	1,245	32.4
MSM ¹ /IDU ²	17	1.3	111	4.4	128	3.3
Heterosexual Contact	359	27.7	610	24.0	969	25.2
Blood Products	4	0.3	10	0.4	14	0.4
Pediatric Risk	37	2.9	29	1.1	66	1.7
Unknown	296	22.9	309	12.1	605	15.8

* Data as of April 2009.

Includes state prison inmates. County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

¹ MSM: Men who have sex with men.

² IDU: Injection Drug Users.

Source: New York State Department of Health, Bureau of HIV/AIDS Epidemiology.

Table 173. Living HIV and AIDS Cases by Sex and Risk, Westchester County, December 2007*

	Living HIV (not AIDS) Cases		Living AIDS Cases		Living HIV & AIDS Cases	
	Number	%	Number	%	Number	%
Total	1,294	100.0	2,545	100.0	3,839	100.0
MSM ¹	299	23.1	513	20.2	812	21.2
IDU ²	282	21.8	963	37.8	1,245	32.4
MSM ¹ /IDU ²	17	1.3	111	4.4	128	3.3
Heterosexual Contact	359	27.7	610	24.0	969	25.2
Blood Products	4	0.3	10	0.4	14	0.4
Pediatric Risk	37	2.9	29	1.1	66	1.7
Unknown	296	22.9	309	12.1	605	15.8
Male	693	100.0	1,580	100.0	2,273	59.2
MSM ¹	299	43.1	513	32.5	812	21.2
IDU ²	109	15.7	590	37.3	699	18.2
MSM ¹ /IDU ²	17	2.5	111	7.0	128	3.3
Heterosexual Contact	90	13.0	189	12.0	279	7.3
Blood Products	4	0.6	6	0.4	10	0.3
Pediatric Risk	21	3.0	12	0.8	33	0.9
Unknown	153	22.1	159	10.1	312	8.1
Female	601	100.0	965	100.0	1,566	40.8
MSM ¹	0	0.0	0	0.0	0	0.0
IDU ²	173	28.8	373	38.7	546	14.2
MSM ¹ /IDU ²	0	0.0	0	0.0	0	0.0
Heterosexual Contact	269	44.8	421	43.6	690	18.0
Blood Products	0	0.0	4	0.4	4	0.1
Pediatric Risk	16	2.7	17	1.8	33	0.9
Unknown	143	23.8	150	15.5	293	7.6

*Data as of April 2009.

Includes state prison inmates. County of diagnosis for prison inmates usually reflects location of the prison rather than the inmate's home county. For counties with state correctional facilities, case counts and rates that include inmates may be substantially higher than those that exclude inmates.

¹MSM: Men who have sex with men.

²IDU: Injection Drug Users.

Source: New York State Department of Health, Bureau of HIV/AIDS Epidemiology.

Table 174. Average Annual Cancer Incidence Rates by Sex, Westchester County, New York State, and the United States, 2002-2006¹

Site of Cancer	Westchester County ²				New York State ²				New York State - excluding New York City ²				United States ³	
	Male		Female		Male		Female		Male		Female		Male	Female
	Rate per 100,000 Males	95% CI (+/-)	Rate per 100,000 Females	95% CI (+/-)	Rate per 100,000 Males	95% CI (+/-)	Rate per 100,000 Females	95% CI (+/-)	Rate per 100,000 Males	95% CI (+/-)	Rate per 100,000 Females	95% CI (+/-)	Rate per 100,000 Males	Rate per 100,000 Females
All Invasive Malignant Tumors	568.3	9.9	447.5	7.7	577.5	2.3	434.4	1.7	610.4	3.0	464.4	2.3	541.8	408.5
Oral cavity and pharynx	13.1	1.5	5.8	0.9	14.6	0.4	5.9	0.2	14.9	0.5	6.1	0.3	15.4	6.1
Esophagus	7.2	1.1	2.6	0.6	8.7	0.3	2.4	0.1	9.7	0.4	2.3	0.2	7.7	2.0
Stomach	12.4	1.5	6.6	0.9	13.1	0.3	6.7	0.2	11.1	0.4	5.3	0.2	11.0	5.5
Colorectal	56.7	3.1	44.6	2.4	60.8	0.7	45.8	0.5	61.8	1.0	46.8	0.7	57.3	42.8
Colon excluding rectum	40.7	2.7	34.0	2.1	43.1	0.6	34.3	0.5	43.6	0.8	35.2	0.6	NA	NA
Rectum & rectosigmoid	16.0	1.7	10.6	1.2	17.8	0.4	11.4	0.3	18.2	0.5	11.7	0.4	NA	NA
Liver / intrahepatic bile duct	10.4	1.3	3.4	0.7	11.2	0.3	3.6	0.2	8.5	0.3	2.8	0.2	10.2	3.6
Pancreas	13.4	1.5	11.2	1.2	14.4	0.4	11.4	0.3	14.8	0.5	11.8	0.4	13.1	10.4
Larynx	6.2	1.0	0.9	0.4	7.2	0.3	1.6	0.1	7.2	0.3	1.7	0.1	6.2	1.3
Lung and bronchus	66.5	3.4	51.4	2.6	79.5	0.9	54.1	0.6	86.9	1.1	63.3	0.9	77.7	52.5
Melanoma of the skin	23.4	2.0	13.4	1.4	18.4	0.4	11.7	0.3	22.0	0.6	13.7	0.4	25.0	15.8
Female breast			136.4	4.3			124.5	0.9			134.2	1.3		123.8
Cervix uteri			7.5	1.0			8.7	0.3			7.5	0.3		8.2
Corpus uterus and NOS			30.3	2.0			28.5	0.4			29.4	0.6		23.3
Ovary			14.9	1.4			14.0	0.3			14.8	0.4		13.1
Prostate	169.9	5.4			166.3	1.2			173.7	1.6			159.3	
Testis	6.6	1.1			5.3	0.2			6.3	0.3			5.4	
Urinary bladder (incl. in situ)	43.9	2.8	11.8	1.2	42.3	0.6	11.1	0.3	49.3	0.9	13.0	0.4	37.1	9.3
Kidney and renal pelvis	20.7	1.9	9.0	1.1	20.3	0.4	9.8	0.3	21.6	0.6	10.8	0.4	18.6	9.5
Brain and other nervous system	9.3	1.3	5.8	0.9	8.3	0.3	5.7	0.2	9.0	0.4	6.2	0.3	7.6	5.4
Thyroid	7.4	1.1	18.8	1.7	5.9	0.2	16.2	0.3	6.3	0.3	17.6	0.5	4.9	14.2
Hodgkin lymphoma	4.1	0.8	3.8	0.8	3.8	0.2	3.0	0.2	3.9	0.2	3.1	0.2	3.1	2.5
Non-Hodgkin lymphomas	27.4	2.2	18.7	1.6	24.7	0.5	17.3	0.3	25.8	0.6	18.4	0.5	23.5	16.4
Multiple myeloma	8.2	1.2	4.3	0.7	7.9	0.3	5.4	0.2	7.9	0.3	4.8	0.2	7.1	4.6
Leukemias	17.5	1.8	10.0	1.2	16.9	0.4	10.1	0.3	18.8	0.5	11.3	0.4	15.8	9.5

¹Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

²Source: New York State Cancer Registry. <http://www.health.state.ny.us/statistics/cancer/registry>.

³Source: National Cancer Institute, SEER Cancer Statistics Review. These rates are based on cases diagnosed in 2002-2006 from 17 SEER geographic areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, and New Jersey).

Table 175. Average Annual Cancer Incidence Rates among White and Black Males, Westchester County, New York State, and the United States, 2002-2006¹

Site of Cancer	Westchester County ²				New York State ²				New York State - excluding New York City ²				United States ³	
	White		Black		White		Black		White		Black		White	Black
	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	Rate
All Invasive Malignant Tumors	559.9	10.6	600.7	32.5	579.4	2.5	582.3	6.7	607.9	3.1	648.3	13.8	544.3	633.7
Oral cavity and pharynx	13.2	1.6	11.5	4.4	14.4	0.4	14.7	1.0	14.9	0.5	15.4	2.0	15.6	16.7
Esophagus	6.9	1.2	11.9	4.8	8.9	0.3	9.2	0.8	9.8	0.4	11.1	1.8	7.9	9.3
Stomach	11.3	1.5	18.6	5.9	11.7	0.4	17.7	1.2	10.6	0.4	16.3	2.3	9.8	16.8
Colorectal	55.5	3.4	58.9	10.5	61.2	0.8	58.9	2.2	61.4	1.0	68.0	4.6	56.9	69.3
Colon excluding rectum	39.3	2.8	46.0	9.3	43.0	0.7	44.2	1.9	43.1	0.8	53.3	4.2	NA	NA
Rectum & rectosigmoid	16.2	1.8	13.0	4.7	18.2	0.4	14.7	1.1	18.4	0.5	14.7	2.0	NA	NA
Liver / intrahepatic bile duct	9.2	1.4	15.4	5.0	9.6	0.3	14.4	1.0	7.9	0.3	14.8	1.9	8.6	13.4
Pancreas	13.4	1.6	16.7	5.7	14.7	0.4	14.4	1.1	14.8	0.5	18.0	2.4	13.1	16.6
Larynx	5.9	1.1	9.8	4.1	7.3	0.3	8.2	0.8	7.2	0.3	9.8	1.6	6.2	10.5
Lung and bronchus	67.0	3.7	68.3	10.8	81.4	0.9	75.6	2.4	87.2	1.2	97.0	5.4	77.6	104.3
Melanoma of the skin	24.5	2.2	1.3 ⁴	1.5	20.5	0.5	1.0	0.3	22.7	0.6	1.1 ⁴	0.5	28.9	1.1
Prostate	157.6	5.6	244.9	20.6	155.3	1.3	242.5	4.3	167.3	1.6	256.6	8.6	153.0	239.8
Testis	7.2	1.3	3.7 ⁴	2.1	6.5	0.3	1.4	0.3	7.1	0.3	1.0	0.4	6.3	1.3
Urinary bladder (incl. in situ)	47.2	3.1	21.0	6.4	46.9	0.7	16.7	1.2	51.3	0.9	19.6	2.6	40.3	20.0
Kidney and renal pelvis	20.9	2.0	21.2	5.9	21.5	0.5	15.5	1.0	21.9	0.6	18.6	2.2	19.2	21.3
Brain and other nervous system	10.1	1.4	6.2 ⁴	3.1	9.1	0.3	4.8	0.6	9.4	0.4	4.7	1.1	8.4	4.7
Thyroid	7.5	1.2	3.4 ⁴	2.3	6.4	0.3	2.7	0.4	6.5	0.3	3.5	1.0	5.2	2.7
Hodgkin lymphoma	4.2	1.0	3.4 ⁴	2.0	4.1	0.2	3.0	0.4	4.1	0.3	3.0	0.7	3.3	2.9
Non-Hodgkin lymphomas	28.5	2.4	16.2	5.3	26.0	0.5	17.3	1.1	26.2	0.6	19.1	2.2	24.4	18.3
Multiple myeloma	7.5	1.2	15.4	5.3	7.4	0.3	12.6	1.0	7.6	0.3	14.1	2.1	6.6	14.3
Leukemias	18.2	1.9	14.4	5.1	18.0	0.4	11.0	0.9	19.2	0.6	12.7	1.9	16.5	12.7

¹Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

²Source: New York State Cancer Registry. <http://www.health.state.ny.us/statistics/cancer/registry>.

³Source: National Cancer Institute, SEER Cancer Statistics Review. These rates are based on cases diagnosed in 2002-2006 from 17 SEER geographic areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, and New Jersey).

⁴Rates based on fewer than 4 cases per year should be used with caution.

Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are reported in race categories.

Table 176. Average Annual Cancer Incidence Rates among White and Black Females, Westchester County, New York State, and the United States, 2002-2006¹

Site of Cancer	Westchester County ²				New York State ²				New York State - excluding New York City ²				United States ³	
	White		Black		White		Black		White		Black		White	Black
	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	Rate
All Invasive Malignant Tumors	455.8	8.6	401.4	20.2	449.9	2.0	365.2	4.1	470.3	2.5	401.5	8.8	420.5	398.9
Oral cavity and pharynx	5.5	0.9	5.8	2.4	5.9	0.2	5.3	0.5	6.1	0.3	5.7	1.0	6.1	5.8
Esophagus	2.4	0.6	3.9 ⁴	2.0	2.2	0.1	3.5	0.4	2.2	0.2	3.5	0.8	1.9	3.0
Stomach	6.1	1.0	8.8	3.0	5.8	0.2	10.3	0.7	4.9	0.2	9.5	1.4	4.7	9.0
Colorectal	43.3	2.6	54.3	7.6	45.4	0.6	46.7	1.5	46.7	0.8	50.9	3.2	42.1	53.5
Colon excluding rectum	32.8	2.2	43.9	6.9	34.0	0.5	36.5	1.3	34.9	0.6	40.3	2.9	NA	NA
Rectum & rectosigmoid	10.5	1.3	10.4	3.2	11.5	0.3	10.2	0.7	11.7	0.4	10.6	1.4	NA	NA
Liver / intrahepatic bile duct	3.1	0.7	5.8	2.6	3.3	0.2	4.2	0.4	2.7	0.2	4.4	1.0	3.0	4.2
Pancreas	11.2	1.3	11.6	3.6	11.5	0.3	12.0	0.8	11.7	0.4	14.4	1.7	10.2	14.6
Larynx	0.9	0.4	1.8 ⁴	1.3	1.6	0.1	1.7	0.3	1.7	0.1	1.8	0.6	1.3	2.0
Lung and bronchus	53.5	2.9	44.1	6.8	58.2	0.7	40.5	1.4	65.0	0.9	50.1	3.2	54.8	54.7
Melanoma of the skin	15.1	1.6	0.9 ⁴	0.9	13.2	0.4	0.9	0.2	14.3	0.4	0.9 ⁴	0.4	18.7	1.0
Female breast	140.0	4.8	114.6	10.6	129.5	1.1	102.4	2.1	136.3	1.3	113.4	4.6	127.8	117.7
Cervix uteri	6.5	1.1	12.7	3.5	7.7	0.3	12.8	0.8	7.1	0.3	11.2	1.4	8.1	10.4
Corpus uterus and NOS	31.6	2.3	24.5	5.0	29.6	0.5	24.6	1.1	30.1	0.6	22.3	2.1	24.2	20.3
Ovary	15.7	1.6	9.7	3.1	14.9	0.4	9.7	0.7	15.3	0.4	9.2	1.3	13.8	10.1
Urinary bladder (incl. in situ)	12.9	1.4	5.2	2.3	12.3	0.3	5.8	0.5	13.5	0.4	6.4	1.2	9.9	7.9
Kidney and renal pelvis	9.2	1.2	10.4	3.2	10.4	0.3	8.2	0.6	10.9	0.4	10.6	1.4	9.9	10.3
Brain and other nervous system	6.1	1.0	4.6 ⁴	2.2	6.3	0.2	3.6	0.4	6.4	0.3	3.8	0.8	5.9	3.4
Thyroid	20.0	2.0	7.6	2.7	17.5	0.4	8.8	0.6	18.2	0.5	9.8	1.3	15.0	8.4
Hodgkin lymphoma	4.0	0.9	2.4 ⁴	1.5	3.3	0.2	2.2	0.3	3.3	0.2	2.5	0.6	2.7	2.3
Non-Hodgkin lymphomas	19.5	1.8	11.8	3.4	18.2	0.4	12.0	0.7	18.7	0.5	12.8	1.6	17.2	12.2
Multiple myeloma	3.1	0.7	12.2	3.6	4.5	0.2	10.1	0.7	4.4	0.2	11.6	1.5	4.1	10.0
Leukemias	10.6	1.3	7.4	2.7	10.9	0.3	6.7	0.6	11.5	0.4	8.0	1.2	9.9	7.8

¹Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

²Source: New York State Cancer Registry. <http://www.health.state.ny.us/statistics/cancer/registry>.

³Source: National Cancer Institute, SEER Cancer Statistics Review. These rates are based on cases diagnosed in 2002-2006 from 17 SEER geographic areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, and New Jersey).

⁴Rates based on fewer than 4 cases per year should be used with caution.

Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are reported in race categories.

Table 177. Average Annual Cancer Incidence Rates among Hispanic and Non-Hispanic Males, Westchester County and New York State, 2002-2006¹

Site of Cancer	Westchester County ²				New York State ²				New York State - excluding New York City ²			
	Non-Hispanic		Hispanic		Non-Hispanic		Hispanic		Non-Hispanic		Hispanic	
	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)
All Invasive Malignant Tumors	579.5	10.5	493.9	40.0	588.5	2.4	468.6	7.3	616.2	3.1	451.2	16.0
Oral cavity and pharynx	13.2	1.6	12.6	6.0	14.8	0.4	13.4	1.2	15.0	0.5	11.6	2.4
Esophagus	7.3	1.2	7.4	5.6	8.9	0.3	7.8	1.0	9.9	0.4	6.6	2.1
Stomach	12.3	1.5	11.8	6.2	12.7	0.4	16.9	1.4	10.9	0.4	14.4	2.8
Colorectal	58.0	3.3	43.1	11.8	61.3	0.8	54.6	2.5	62.2	1.0	49.8	5.4
Colon excluding rectum	41.9	2.8	26.5	9.3	43.4	0.7	38.1	2.2	43.9	0.8	34.3	4.6
Rectum & rectosigmoid	16.1	1.7	16.7	7.3	17.9	0.4	16.5	1.3	18.3	0.5	15.5	2.8
Liver / intrahepatic bile duct	9.5	1.3	19.3	7.4	10.2	0.3	20.0	1.4	8.2	0.3	15.8	2.9
Pancreas	13.6	1.6	10.7 ³	5.8	14.7	0.4	11.0	1.1	14.9	0.5	12.1	2.6
Larynx	6.2	1.1	7.1 ³	5.0	7.2	0.3	7.5	0.9	7.3	0.3	5.2	1.7
Lung and bronchus	67.1	3.6	67.7	16.2	82.4	0.9	49.4	2.4	88.0	1.2	52.4	5.8
Melanoma of the skin	25.5	2.2	4.7 ³	3.8	20.1	0.4	3.9	0.6	22.8	0.6	4.3	1.3
Prostate	171.1	5.6	170.3	23.3	168.1	1.3	150.4	4.1	174.8	1.6	142.4	9.0
Testis	7.7	1.4	3.0 ³	1.5	5.9	0.2	2.8	0.4	6.7	0.3	2.5	0.6
Urinary bladder (incl. in situ)	45.9	2.9	30.8	11.0	44.2	0.7	21.5	1.7	50.0	0.9	26.4	4.2
Kidney and renal pelvis	21.4	2.0	16.4	7.1	21.0	0.5	14.4	1.2	21.9	0.6	15.4	2.8
Brain and other nervous system	9.9	1.4	7.2 ³	4.0	8.5	0.3	6.6	0.8	9.2	0.4	6.4	1.7
Thyroid	8.0	1.2	3.2 ³	2.0	6.3	0.2	3.4	0.6	6.5	0.3	4.3	1.4
Hodgkin lymphoma	4.5	1.0	4.9 ³	3.4	3.9	0.2	3.9	0.5	4.0	0.3	3.4	1.1
Non-Hodgkin lymphomas	28.1	2.3	19.1	7.4	24.7	0.5	22.9	1.5	25.9	0.6	22.5	3.3
Multiple myeloma	8.3	1.2	5.5 ³	3.7	7.8	0.3	8.7	1.0	7.9	0.3	7.4	2.1
Leukemias	17.8	1.9	13.2	6.0	17.4	0.4	11.4	1.1	19.1	0.5	11.7	2.4

¹Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

²Source: New York State Cancer Registry. <http://www.health.state.ny.us/statistics/cancer/registry>.

³Rates based on fewer than 4 cases per year should be used with caution.

Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are reported in race categories.

Table 178. Average Annual Cancer Incidence Rates among Hispanic and Non-Hispanic Females, Westchester County and New York State, 2002-2006¹

Site of Cancer	Westchester County ²				New York State ²				New York State - excluding New York City ²			
	Non-Hispanic		Hispanic		Non-Hispanic		Hispanic		Non-Hispanic		Hispanic	
	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)
All Invasive Malignant Tumors	460.4	8.3	335.4	24.4	449.0	1.9	314.5	4.6	470.0	2.4	328.2	10.9
Oral cavity and pharynx	5.9	0.9	5.3 ³	3.1	6.1	0.2	4.9	0.6	6.2	0.3	5.3	1.4
Esophagus	2.7	0.6	1.7 ³	2.0	2.4	0.1	1.6	0.4	2.3	0.2	1.9 ³	0.9
Stomach	6.1	0.9	11.7	4.7	6.4	0.2	9.5	0.9	5.1	0.2	9.4	1.9
Colorectal	44.7	2.5	42.2	9.3	46.7	0.6	36.0	1.7	47.1	0.7	37.0	3.9
Colon excluding rectum	34.2	2.2	31.4	8.1	35.1	0.5	26.6	1.4	35.4	0.6	27.1	3.3
Rectum & rectosigmoid	10.5	1.2	10.7	4.5	11.6	0.3	9.4	0.9	11.7	0.4	9.9	1.9
Liver / intrahepatic bile duct	3.2	0.7	7.0 ³	3.9	3.3	0.2	7.1	0.7	2.8	0.2	5.7	1.5
Pancreas	11.6	1.2	6.5 ³	4.0	11.7	0.3	8.5	0.8	11.8	0.4	9.5	2.0
Larynx	1.0	0.4	0.3 ³	0.6	1.7	0.1	1.2	0.3	1.8	0.1	0.3 ³	0.3
Lung and bronchus	53.5	2.7	24.6	6.9	57.5	0.7	23.3	1.3	64.5	0.9	25.9	3.2
Melanoma of the skin	14.7	1.5	4.6 ³	3.0	13.0	0.3	2.8	0.4	14.2	0.4	4.6	1.2
Female breast	141.5	4.7	92.3	12.2	129.5	1.0	85.4	2.4	136.2	1.3	88.9	5.4
Cervix uteri	7.2	1.1	12.0	4.1	8.4	0.3	11.6	0.8	7.3	0.3	10.6	1.7
Corpus uterus and NOS	31.1	2.1	21.8	6.2	29.5	0.5	20.0	1.1	29.9	0.6	17.5	2.4
Ovary	15.4	1.5	9.7	4.1	14.4	0.3	10.4	0.8	15.0	0.4	10.6	1.9
Urinary bladder (incl. in situ)	12.2	1.3	5.0 ³	3.2	11.6	0.3	6.2	0.7	13.2	0.4	6.6	1.6
Kidney and renal pelvis	9.3	1.2	6.1 ³	3.3	10.1	0.3	7.6	0.7	10.9	0.4	8.2	1.7
Brain and other nervous system	5.8	1.0	6.2	2.8	5.9	0.2	4.5	0.5	6.2	0.3	5.1	1.2
Thyroid	20.0	1.9	14.6	4.3	17.0	0.4	11.7	0.8	17.8	0.5	15.3	2.0
Hodgkin lymphoma	4.4	1.0	2.5 ³	1.8	3.1	0.2	2.7	0.4	3.3	0.2	2.1	0.8
Non-Hodgkin lymphomas	19.3	1.7	12.1	4.6	17.5	0.4	14.6	1.0	18.5	0.5	15.2	2.4
Multiple myeloma	4.4	0.8	4.1 ³	3.0	5.3	0.2	6.1	0.7	4.8	0.2	4.4	1.3
Leukemias	10.2	1.2	8.3	3.9	10.4	0.3	7.4	0.7	11.4	0.4	7.4	1.6

¹Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

²Source: New York State Cancer Registry. <http://www.health.state.ny.us/statistics/cancer/registry>.

³Rates based on fewer than 4 cases per year should be used with caution.

Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are reported in race categories.

Table 179. Average Annual Cancer Mortality Rates by Sex, Westchester County, New York State, and the United States - 2002-2006¹

Site of Cancer	Westchester County ²				New York State ²				New York State - excluding New York City ²				United States ³	
	Male		Female		Male		Female		Male		Female		Male	Female
	Rate per 100,000 Males	95% CI (+/-)	Rate per 100,000 Females	95% CI (+/-)	Rate per 100,000 Males	95% CI (+/-)	Rate per 100,000 Females	95% CI (+/-)	Rate per 100,000 Males	95% CI (+/-)	Rate per 100,000 Females	95% CI (+/-)	Rate per 100,000 Males	Rate per 100,000 Females
All Invasive Malignant Tumors	191.6	5.9	149.6	4.3	210.2	1.4	152.5	1.0	222.8	1.8	163.3	1.3	229.9	157.8
Oral cavity and pharynx	2.7	0.7	1.1	0.4	3.5	0.2	1.3	0.1	3.4	0.2	1.3	0.1	3.9	1.5
Esophagus	5.8	1.0	1.7	0.5	7.6	0.3	1.9	0.1	8.7	0.4	1.9	0.1	7.8	1.7
Stomach	5.9	1.0	4.1	0.7	6.7	0.3	3.6	0.2	5.6	0.3	2.8	0.2	5.5	2.8
Colorectal	19.7	1.9	15.4	1.4	22.0	0.5	15.6	0.3	22.0	0.6	15.8	0.4	21.9	15.4
Colon excluding rectum	16.2	1.7	13.3	1.3	18.4	0.4	13.4	0.3	18.0	0.5	13.4	0.4	NA	NA
Rectum & rectosigmoid	3.4	0.8	2.1	0.5	3.6	0.2	2.2	0.1	4.0	0.2	2.4	0.2	NA	NA
Liver / intrahepatic bile duct	7.4	1.1	2.9	0.6	7.8	0.3	3.1	0.1	6.4	0.3	2.7	0.2	7.5	3.2
Pancreas	11.8	1.4	10.0	1.1	12.3	0.3	9.6	0.2	13.0	0.4	10.2	0.3	12.3	9.3
Larynx	1.7	0.5	0.4 ⁴	0.2	2.5	0.1	0.5	0.1	2.2	0.2	0.6	0.1	2.3	0.5
Lung and bronchus	49.5	3.0	32.8	2.0	59.4	0.7	37.1	0.5	65.5	1.0	43.6	0.7	70.5	40.9
Melanoma of the skin	2.9	0.7	1.6	0.5	3.0	0.2	1.6	0.1	3.7	0.2	1.9	0.1	3.9	1.7
Female breast			24.7	1.8			24.5	0.4			24.5	0.5		24.5
Cervix uteri			2.0	0.5			2.6	0.1			2.2	0.2		2.5
Corpus uterus and NOS			5.3	0.8			5.0	0.2			4.7	0.2		4.1
Ovary			8.7	1.1			8.7	0.2			9.5	0.3		8.8
Prostate	23.7	2.1			24.4	0.5			24.0	0.6			25.6	
Testis	0.1 ⁴	0.1			0.2	0.0			0.3	0.1			0.3	
Urinary bladder (incl. in situ)	7.4	1.2	2.6	0.6	7.5	0.3	2.4	0.1	8.4	0.4	2.6	0.2	7.5	2.2
Kidney and renal pelvis	5.4	1.0	2.0	0.5	5.0	0.2	2.3	0.1	5.7	0.3	2.6	0.2	6.0	2.7
Brain and other nervous system	4.7	0.9	3.2	0.7	4.7	0.2	2.9	0.1	5.3	0.3	3.4	0.2	5.7	3.5
Thyroid	0.4 ⁴	0.3	0.4 ⁴	0.2	0.5	0.1	0.5	0.1	0.4	0.1	0.4	0.1	0.5	0.5
Hodgkin lymphoma	0.5 ⁴	0.3	0.8	0.3	0.5	0.1	0.4	0.1	0.5	0.1	0.4	0.1	0.5	0.4
Non-Hodgkin lymphomas	8.8	1.3	5.5	0.8	8.2	0.3	5.3	0.2	8.7	0.4	5.7	0.2	9.0	5.7
Multiple myeloma	4.2	0.9	2.4	0.6	4.0	0.2	2.6	0.1	4.4	0.3	2.6	0.2	4.5	3.0
Leukemias	10.1	1.4	5.1	0.8	9.2	0.3	5.2	0.2	10.2	0.4	5.6	0.2	9.8	5.5

¹Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

²Source: New York State Cancer Registry. <http://www.health.state.ny.us/statistics/cancer/registry>

³Source: National Cancer Institute, SEER Cancer Statistics Review. These rates are based on cases diagnosed in 2002-2006 from 17 SEER geographic areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, and New Jersey).

⁴Rates based on fewer than 4 deaths per year should be used with caution.

Table 180. Average Annual Cancer Mortality Rates among White and Black Males, Westchester County, New York State, and the United States, 2002-2006¹

Site of Cancer	Westchester County ²				New York State ²				New York State - excluding New York City ²				United States ³	
	White		Black		White		Black		White		Black		White	Black
	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	Rate
All Invasive Malignant Tumors	186.6	6.2	248.8	21.9	210.5	1.5	226.9	4.4	221.5	1.9	268.5	9.5	226.7	304.2
Oral cavity and pharynx	2.7	0.7	3.1 ⁴	2.3	3.2	0.2	5.2	0.6	3.2	0.2	6.3	1.3	3.7	6.5
Esophagus	5.3	1.0	11.1	4.6	7.8	0.3	7.3	0.8	8.8	0.4	10.0	1.8	7.9	9.2
Stomach	5.3	1.0	9.3	4.3	5.8	0.3	10.6	1.0	5.2	0.3	11.1	2.0	4.8	11.0
Colorectal	19.1	2.0	26.0	7.1	21.8	0.5	25.2	1.5	21.8	0.6	26.9	3.0	21.4	31.4
Colon excluding rectum	15.7	1.8	21.8	6.5	18.1	0.5	21.6	1.4	17.8	0.5	22.3	2.8	NA	NA
Rectum & rectosigmoid	3.4	0.8	4.2 ⁴	2.7	3.7	0.2	3.7	0.6	4.0	0.3	4.6	1.2	NA	NA
Liver / intrahepatic bile duct	6.5	1.1	9.9	4.1	6.9	0.3	9.7	0.8	6.0	0.3	8.7	1.5	6.8	10.8
Pancreas	11.4	1.5	13.3	5.1	12.6	0.4	12.0	1.0	13.0	0.5	14.7	2.2	12.2	15.4
Larynx	1.5	0.5	3.1 ⁴	2.3	2.3	0.2	4.2	0.6	2.1	0.2	4.2	1.1	2.1	4.7
Lung and bronchus	49.1	3.2	59.6	10.3	60.5	0.8	57.7	2.2	65.4	1.0	77.7	4.9	69.9	90.1
Melanoma of the skin	3.3	0.8	0.7 ⁴	1.3	3.5	0.2	0.3 ⁴	0.2	4.0	0.3	0.6 ⁴	0.5	4.4	0.5
Prostate	21.3	2.1	50.1	10.7	22.1	0.5	46.5	2.2	23.0	0.6	48.2	4.4	23.6	56.3
Testis	0.2 ⁴	0.2	0.0 ⁴	0.0	0.3	0.1	0.1 ⁴	0.1	0.3	0.1	0.0 ⁴	0.0	0.3	0.2
Urinary bladder (incl. in situ)	7.8	1.3	4.3 ⁴	3.0	8.1	0.3	4.3	0.6	8.6	0.4	5.1	1.4	7.9	5.5
Kidney and renal pelvis	5.3	1.0	6.2 ⁴	3.6	5.3	0.2	3.9	0.6	5.8	0.3	4.8	1.2	6.1	6.0
Brain and other nervous system	5.4	1.0	2.0 ⁴	2.1	5.1	0.2	2.4	0.4	5.6	0.3	2.3	0.7	5.7	3.2
Thyroid	0.3 ⁴	0.3	0.7 ⁴	0.9	0.5	0.1	0.4	0.2	0.4	0.1	0.5 ⁴	0.4	0.5	0.3
Hodgkin lymphoma	0.6 ⁴	0.4	0.3 ⁴	0.6	0.6	0.1	0.5	0.2	0.5	0.1	0.6 ⁴	0.3	0.6	0.5
Non-Hodgkin lymphomas	8.8	1.4	7.3	3.3	8.6	0.3	5.8	0.7	8.8	0.4	5.9	1.3	9.3	5.9
Multiple myeloma	3.9	0.9	7.9	3.5	4.0	0.2	5.5	0.7	4.3	0.3	7.3	1.5	4.3	8.2
Leukemias	10.7	1.5	6.3 ⁴	3.4	9.8	0.3	5.9	0.7	10.5	0.4	6.9	1.5	10.1	8.5

¹Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

²Source: New York State Cancer Registry. <http://www.health.state.ny.us/statistics/cancer/registry>.

³Source: National Cancer Institute, SEER Cancer Statistics Review. These rates are based on cases diagnosed in 2002-2006 from 17 SEER geographic areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, and New Jersey).

⁴Rates based on fewer than 4 deaths per year should be used with caution.

Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are reported in race categories.

Table 181. Average Annual Cancer Mortality Rates among White and Black Females, Westchester County, New York State, and the United States, 2002-2006¹

Site of Cancer	Westchester County ²				New York State ²				New York State - excluding New York City ²				United States ³	
	White		Black		White		Black		White		Black		White	Black
	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	Rate
All Invasive Malignant Tumors	149.6	4.7	161.1	13.0	155.4	1.1	148.9	2.6	163.9	1.4	170.6	5.9	157.3	183.7
Oral cavity and pharynx	1.2	0.4	1.4 ⁴	1.2	1.3	0.1	1.2	0.2	1.3	0.1	1.4	0.5	1.4	1.6
Esophagus	1.7	0.5	1.8 ⁴	1.3	1.8	0.1	2.8	0.4	1.9	0.2	2.7	0.7	1.6	2.7
Stomach	3.8	0.8	5.8	2.5	3.1	0.2	5.3	0.5	2.6	0.2	5.0	1.0	2.4	5.3
Colorectal	15.1	1.5	19.0	4.5	15.4	0.3	17.4	0.9	15.6	0.4	19.7	2.0	14.9	21.6
Colon excluding rectum	13.0	1.3	17.0	4.2	13.2	0.3	15.5	0.9	13.2	0.4	17.5	1.9	NA	NA
Rectum & rectosigmoid	2.1	0.6	2.0 ⁴	1.5	2.3	0.1	1.9	0.3	2.5	0.2	2.2	0.7	NA	NA
Liver / intrahepatic bile duct	2.8	0.6	3.6 ⁴	2.1	2.9	0.2	3.4	0.4	2.5	0.2	3.3	0.8	2.9	3.9
Pancreas	10.1	1.2	9.4	3.2	9.7	0.3	9.5	0.7	10.2	0.3	11.5	1.5	9.4	12.4
Larynx	0.3 ⁴	0.2	1.3 ⁴	1.1	0.5	0.1	0.7	0.2	0.5	0.1	0.8 ⁴	0.4	0.5	0.7
Lung and bronchus	33.5	2.2	30.7	5.7	39.4	0.6	29.2	1.2	44.5	0.7	37.4	2.8	41.9	40.0
Melanoma of the skin	2.0	0.6	0.0 ⁴	0.0	1.9	0.1	0.2	0.1	2.0	0.2	0.3 ⁴	0.2	2.0	0.4
Female breast	24.1	1.9	29.2	5.4	24.2	0.5	28.0	1.1	24.2	0.5	29.6	2.4	23.9	33.0
Cervix uteri	1.7	0.5	3.5 ⁴	1.8	2.2	0.1	4.2	0.4	2.0	0.2	3.7	0.8	2.2	4.6
Corpus uteris and NOS	5.0	0.9	6.7	2.6	4.5	0.2	7.9	0.6	4.5	0.2	7.6	1.2	3.9	7.2
Ovary	9.3	1.2	6.8	2.7	9.3	0.3	6.6	0.6	9.7	0.3	7.5	1.2	9.1	7.3
Urinary bladder (incl. in situ)	2.7	0.6	2.0 ⁴	1.5	2.5	0.1	2.1	0.3	2.6	0.2	2.5	0.7	2.2	2.8
Kidney and renal pelvis	2.1	0.5	1.9 ⁴	1.3	2.4	0.1	1.6	0.3	2.7	0.2	1.7	0.6	2.8	2.7
Brain and other nervous system	3.4	0.8	1.9 ⁴	1.4	3.3	0.2	1.5	0.3	3.6	0.2	1.7	0.6	3.8	2.1
Thyroid	0.4 ⁴	0.2	0.9 ⁴	0.9	0.5	0.1	0.5	0.2	0.4	0.1	0.6 ⁴	0.4	0.5	0.5
Hodgkin lymphoma	0.8 ⁴	0.4	0.2 ⁴	0.5	0.4	0.1	0.2 ⁴	0.1	0.5	0.1	0.0 ⁴	0.1	0.4	0.3
Non-Hodgkin lymphomas	5.8	0.9	3.9 ⁴	2.0	5.6	0.2	3.7	0.4	5.8	0.3	4.2	0.9	5.9	4.1
Multiple myeloma	2.2	0.6	4.5 ⁴	2.2	2.3	0.1	4.6	0.5	2.5	0.2	5.4	1.1	2.7	5.8
Leukemias	5.3	0.9	5.2 ⁴	2.4	5.5	0.2	3.9	0.4	5.7	0.3	5.3	1.0	5.7	5.1

¹Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

²Source: New York State Cancer Registry. <http://www.health.state.ny.us/statistics/cancer/registry>.

³Source: National Cancer Institute, SEER Cancer Statistics Review. These rates are based on cases diagnosed in 2002-2006 from 17 SEER geographic areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, and New Jersey).

⁴Rates based on fewer than 4 deaths per year should be used with caution.

Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are reported in race categories.

Table 182. Average Annual Cancer Mortality Rates among Hispanic and Non-Hispanic Males, Westchester County and New York State, 2002-2006¹

Site of Cancer	Westchester County ²				New York State ²				New York State - excluding New York City ²			
	Non-Hispanic		Hispanic		Non-Hispanic		Hispanic		Non-Hispanic		Hispanic	
	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)
All Invasive Malignant Tumors	193.7	6.1	160.2	23.7	214.3	1.5	163.5	4.6	225.0	1.9	146.7	9.9
Oral cavity and pharynx	2.9	0.7	0.7 ³	1.1	3.5	0.2	3.4	0.6	3.4	0.2	2.8	1.2
Esophagus	6.0	1.1	2.7 ³	3.0	7.8	0.3	5.6	0.8	8.9	0.4	5.1	1.8
Stomach	5.8	1.1	7.1 ³	5.3	6.4	0.3	9.6	1.1	5.5	0.3	8.5	2.4
Colorectal	19.8	2.0	17.3	7.6	22.3	0.5	18.2	1.6	22.2	0.6	15.2	3.2
Colon excluding rectum	16.4	1.8	14.2	7.1	18.6	0.4	15.6	1.4	18.1	0.5	12.9	3.0
Rectum & rectosigmoid	3.4	0.8	3.1 ³	2.7	3.7	0.2	2.7	0.6	4.1	0.3	2.4	1.1
Liver / intrahepatic bile duct	6.6	1.1	17.0	7.2	7.3	0.3	12.6	1.2	6.2	0.3	9.5	2.2
Pancreas	11.9	1.5	13 ³	7.6	12.6	0.4	9.0	1.1	13.1	0.4	10.9	2.8
Larynx	1.6	0.5	2.6 ³	3.3	2.4	0.2	3.1	0.6	2.2	0.2	1.9 ³	1.2
Lung and bronchus	50.2	3.1	40.6	12.0	61.8	0.8	34.3	2.1	66.5	1.0	31.4	4.5
Melanoma of the skin	3.0	0.8	0.6 ³	0.9	3.2	0.2	0.5	0.2	3.9	0.2	0.4 ³	0.3
Prostate	24.2	2.2	11.6 ³	6.3	24.4	0.5	24.1	2.0	24.2	0.6	16.6	3.6
Testis	0.2 ³	0.2	0.0 ³	0.0	0.3	0.1	0.2 ³	0.1	0.3	0.1	0.1 ³	0.1
Urinary bladder (incl. in situ)	7.5	1.2	4.7 ³	4.2	7.7	0.3	4.3	0.8	8.4	0.4	4.8	1.9
Kidney and renal pelvis	5.3	1.0	6.6 ³	4.9	5.2	0.2	2.9	0.6	5.8	0.3	3.2	1.4
Brain and other nervous system	5.0	1.0	3.9 ³	3.5	4.9	0.2	2.9	0.5	5.5	0.3	2.3	1.1
Thyroid	0.4 ³	0.3	0.2 ³	0.4	0.4	0.1	0.6 ³	0.3	0.4	0.1	1.2 ³	1.0
Hodgkin lymphoma	0.6 ³	0.3	1.0 ³	2.0	0.5	0.1	0.8	0.3	0.6	0.1	0.5 ³	0.6
Non-Hodgkin lymphomas	9.0	1.3	5.4 ³	4.2	8.3	0.3	6.4	0.9	8.7	0.4	6.5	1.9
Multiple myeloma	4.3	0.9	4.1 ³	4.3	4.1	0.2	3.6	0.7	4.4	0.3	3.8	1.7
Leukemias	10.5	1.4	3.0 ³	3.3	9.4	0.3	5.9	0.8	10.3	0.4	5.7	1.9

¹Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

²Source: New York State Cancer Registry. <http://www.health.state.ny.us/statistics/cancer/registry>.

³Rates based on fewer than 4 deaths per year should be used with caution.

Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are reported in race categories. 226

Table 183. Average Annual Cancer Mortality Rates among Hispanic and Non-Hispanic Females, Westchester County and New York State, 2002-2006¹

Site of Cancer	Westchester County ²				New York State ²				New York State - excluding New York City ²			
	Non-Hispanic		Hispanic		Non-Hispanic		Hispanic		Non-Hispanic		Hispanic	
	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)	Rate	95% CI (+/-)
All Invasive Malignant Tumors	153.3	4.6	95.7	13.8	157.6	1.1	103.1	2.7	165.1	1.4	105.5	6.6
Oral cavity and pharynx	1.1	0.4	0.8 ³	1.1	1.3	0.1	0.9	0.3	1.3	0.1	0.5 ³	0.5
Esophagus	1.7	0.5	0.6 ³	1.1	2.0	0.1	1.3	0.3	2.0	0.1	1.1 ³	0.7
Stomach	3.8	0.7	6.6 ³	3.6	3.4	0.2	5.2	0.6	2.7	0.2	5.0	1.4
Colorectal	15.8	1.4	9.1 ³	4.4	15.9	0.3	12.5	1.0	15.9	0.4	11.3	2.2
Colon excluding rectum	13.7	1.3	8.0 ³	4.3	13.7	0.3	10.8	0.9	13.5	0.4	9.9	2.1
Rectum & rectosigmoid	2.1	0.5	1.0 ³	1.1	2.2	0.1	1.8	0.4	2.4	0.2	1.4 ³	0.7
Liver / intrahepatic bile duct	3.0	0.6	1.7 ³	2.0	3.0	0.1	4.7	0.6	2.6	0.2	3.6	1.2
Pancreas	10.3	1.2	6.5 ³	4.0	9.9	0.3	6.4	0.7	10.3	0.3	7.5	1.8
Larynx	0.4 ³	0.2	0.3 ³	0.6	0.5	0.1	0.2 ³	0.1	0.6	0.1	0.1 ³	0.1
Lung and bronchus	34.3	2.2	11.8	4.9	39.5	0.5	14.5	1.0	44.5	0.7	14.3	2.5
Melanoma of the skin	1.7	0.5	1.7 ³	2.0	1.7	0.1	0.7	0.2	1.9	0.2	1.0 ³	0.7
Female breast	25.0	1.9	19.7	6.1	25.3	0.4	16.9	1.1	24.7	0.5	18.8	2.7
Cervix uteri	1.9	0.6	2.4 ³	2.0	2.5	0.1	3.4	0.5	2.2	0.2	2.6	0.9
Corpus uterus and NOS	5.3	0.9	4.6 ³	3.0	5.1	0.2	3.7	0.5	4.7	0.2	3.8	1.3
Ovary	9.2	1.1	3.4 ³	2.4	9.1	0.3	5.6	0.6	9.7	0.3	4.7	1.3
Urinary bladder (incl. in situ)	2.6	0.6	1.2 ³	1.4	2.4	0.1	1.6	0.4	2.6	0.2	1.7 ³	0.9
Kidney and renal pelvis	2.0	0.5	1.5 ³	1.6	2.4	0.1	1.3	0.3	2.6	0.2	1.5 ³	0.8
Brain and other nervous system	3.2	0.7	2.7 ³	1.9	3.1	0.2	1.7	0.3	3.5	0.2	2.1	0.8
Thyroid	0.4 ³	0.2	0.7 ³	1.4	0.5	0.1	0.4	0.2	0.4	0.1	0.3 ³	0.3
Hodgkin lymphoma	0.7 ³	0.3	1.0 ³	1.3	0.4	0.1	0.4	0.2	0.4	0.1	0.5 ³	0.4
Non-Hodgkin lymphomas	5.7	0.9	3.6 ³	2.8	5.4	0.2	4.3	0.6	5.7	0.3	3.9	1.3
Multiple myeloma	2.5	0.6	1.3 ³	4.3	2.6	0.1	2.5	0.4	2.6	0.2	2.2	1.0
Leukemias	5.1	0.8	2.6 ³	2.0	5.3	0.2	3.7	0.5	5.6	0.3	4.1	1.2

¹Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals.

²Source: New York State Cancer Registry. <http://www.health.state.ny.us/statistics/cancer/registry>.

³Rates based on fewer than 4 deaths per year should be used with caution.

Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are reported in race categories.

Table 184. Childhood Lead Poisoning Prevention Program: Total of Tests Conducted, Test Results by Blood Lead Level, & Number of Initial Screen Tests by Municipality, Westchester County, 2008

Health Planning Region and Municipality	Total Tests	Blood Lead Levels (BLLs)					Initial Screen Tests
		<10	10-14	15-19	20+	UC ¹	
Westchester County	32,959	32,201	485	118	154	1	31,702
Northwest	4,347	4,217	56	34	40	0	4,181
Briarcliff Manor	151	151	0	0	0	0	151
Buchanan	34	33	0	1	0	0	33
Cortlandt	569	568	1	0	0	0	563
Croton on Hudson	198	194	1	2	1	0	193
Mount Pleasant	543	533	6	3	1	0	535
Ossining (TOV)	116	116	0	0	0	0	115
Ossining (V)	1,262	1,223	24	9	6	0	1,203
Peekskill	803	783	11	7	2	0	777
Pleasantville	215	166	8	12	29	0	165
Sleepy Hollow	456	450	5	0	1	0	446
Northeast	2,662	2,646	12	2	2	0	2,623
Bedford	421	417	2	2	0	0	401
Lewisboro	166	162	4	0	0	0	162
Mount Kisco	296	292	3	0	1	0	290
New Castle	391	390	1	0	0	0	390
North Castle	267	267	0	0	0	0	267
North Salem	78	78	0	0	0	0	78
Pound Ridge	74	74	0	0	0	0	74
Somers	319	318	0	0	1	0	318
Yorktown	650	648	2	0	0	0	643
West Central	4,941	4,878	31	16	15	1	4,835
Ardsville	83	82	1	0	0	0	82
Dobbs Ferry	240	239	1	0	0	0	238
Elmsford	204	203	1	0	0	0	202
Greenburgh	1,266	1,254	6	3	3	0	1,253
Hastings on Hudson	180	177	2	1	0	0	175
Irvington	139	138	1	0	0	0	137
Scarsdale	431	431	0	0	0	0	424
Tarrytown	341	339	0	0	2	0	338
White Plains	2,057	2,015	19	12	10	1	1,986
East Central	3,733	3,624	89	11	9	0	3,547
Harrison	505	502	3	0	0	0	500
Larchmont	232	229	2	0	1	0	229
Mamaroneck (TOV)	456	452	2	2	0	0	449
Mamaroneck (V)	623	618	3	1	1	0	609
Port Chester	1,385	1,295	76	7	7	0	1,233
Rye	351	347	3	1	0	0	346
Rye Brook	181	181	0	0	0	0	181
Southwest	7,953	7,844	71	14	24	0	7,698
Yonkers	7,953	7,844	71	14	24	0	7,698
Southeast	8,070	7,768	204	37	61	0	7,614
Bronxville	183	177	3	2	1	0	170
Eastchester	545	537	5	2	1	0	535
Mount Vernon	3,389	3,178	159	13	39	0	3,119
New Rochelle	3,280	3,216	28	18	18	0	3,140
Pelham	286	276	7	1	2	0	272
Pelham Manor	182	181	1	0	0	0	179
Tuckahoe	205	203	1	1	0	0	199
Unknown	1,253	1,224	22	4	3	0	1,204

¹ Unable to classify: includes test results which were questionable, clotted, or the result of a lab accident.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 185. Childhood Lead Poisoning Prevention Program: Total Number of Tests Conducted, Test Results by Blood Lead Level, and Number of Initial Screen Tests by Age, Westchester County, 2008

Age	Total Tests	Blood Lead Levels (BLL)					Initial Screen Tests
		<10	10-14	15-19	20+	UC ¹	
Total	32,959	32,201	485	118	154	1	31,702
0	3,722	3,669	19	16	18	0	3,693
1	8,102	7,976	72	22	32	0	7,942
2	8,188	7,942	178	34	34	0	7,889
3	3,813	3,726	71	7	8	1	3,632
4	3,062	3,012	35	8	7	0	2,938
5	2,193	2,083	78	12	20	0	2,011
6-9	2,791	2,764	21	3	3	0	2,622
10+	1,062	1,003	11	16	32	0	949
Unknown	26	26	0	0	0	0	26

¹ Unable to classify: includes test results which were questionable, clotted, or the result of a lab accident.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 186. Childhood Lead Poisoning Prevention Program: Number of Children Tested, Number of Children with Multiple Tests, and Number of Children with Lead Poisoning, and Number of Lead Registry Cases, Westchester County, 2008

Health Planning Region and Municipality	Number of Children			Lead Registry Cases ²		
	Tested	With Multiple Tests	With Lead Poisoning ¹ (≥20 ug/dL)	Total	New	Continuing
Westchester County	30,510	1,762	32	114	21	93
Northwest	4,018	233	4	14	1	13
Briarcliff Manor	146	5	0	0	0	0
Buchanan	33	1	0	0	0	0
Cortlandt	538	28	0	1	0	1
Croton on Hudson	187	9	1	3	1	2
Mount Pleasant	519	20	0	1	0	1
Ossining (TOV)	111	5	0	0	0	0
Ossining (V)	1,164	64	1	5	0	5
Peekskill	741	55	0	2	0	2
Pleasantville	165	10	2	1	0	1
Sleepy Hollow	414	36	0	1	0	1
Northeast	2,550	90	0	2	0	2
Bedford	391	15	0	1	0	1
Lewisboro	159	5	0	0	0	0
Mount Kisco	278	17	0	0	0	0
New Castle	375	16	0	0	0	0
North Castle	256	11	0	0	0	0
North Salem	76	2	0	0	0	0
Pound Ridge	72	1	0	0	0	0
Somers	309	10	0	0	0	0
Yorktown	634	13	0	1	0	1
West Central	4,652	233	5	16	5	11
Ardsley	80	3	0	0	0	0
Dobbs Ferry	224	12	0	1	0	1
Elmsford	193	9	0	0	0	0
Greenburgh	1,207	51	1	1	1	0
Hastings on Hudson	170	9	0	0	0	0
Irvington	127	11	0	0	0	0
Scarsdale	407	13	0	2	0	2
Tarrytown	332	9	0	0	0	0
White Plains	1,912	116	4	12	4	8
East Central	3,421	174	1	10	2	8
Harrison	485	17	0	1	0	1
Larchmont	218	14	0	0	0	0
Mamaroneck (TOV)	440	14	0	0	0	0
Mamaroneck (V)	586	31	0	2	0	2
Port Chester	1,181	78	1	6	2	4
Rye	333	17	0	1	0	1
Rye Brook	178	3	0	0	0	0
Southwest	7,360	493	7	38	3	35
Yonkers	7,360	493	7	38	3	35
Southeast	7,333	486	14	34	10	24
Bronxville	169	8	1	0	0	0
Eastchester	519	23	0	1	0	1
Mount Vernon	2,988	226	7	15	4	11
New Rochelle	3,028	191	6	15	6	9
Pelham	264	17	0	2	0	2
Pelham Manor	174	7	0	0	0	0
Tuckahoe	191	14	0	1	0	1
Unknown	1,176	53	1	0	0	0

¹ As of March 1, 2005, a child has lead poisoning if he/she has a blood lead level (bll) greater than or equal to 20ug/dL.

² New cases were admitted into the lead registry during the current year. Continuing cases are cases that were admitted into the registry prior to the current year but were still active at some time during the current year. The municipality for each case is based on the address on admission into the registry.

Source: Westchester County Department of Health, Division of Community Health Services

Table 187. Number of Patients Served, Number of Clinic Visits, and Number of Vaccines Administered by District Office, Westchester County Department of Health, 2008

Clinic/Program	District Office			
	Total	New Rochelle	White Plains	Yonkers
Total				
Patients ¹	4,263	472	2,177	1,675
Visits ²	10,467	742	5,989	3,726
Immunization				
Patients	339	89	120	135
Visits	402	104	134	164
Sexually Transmitted Diseases²				
Patients	2,346	339	1,045	1,004
Visits	4,314	581	1,978	1,755
Tuberculosis²				
Patients	898	0	651	260
Visits	4,072	0	2,972	1,095
PPD³				
Patients	508	0	281	227
Visits	982	0	516	462
Social Work				
Patients	96	0	56	42
Visits	104	0	58	45
School-based Dental				
Patients	423
Visits	441
HIV Counseling & Testing⁴				
<i>Confidential Tests</i>	2,375	294	1,081	993
Patients	2,173	258	1,004	863
Visits	2,317	291	1,076	948
<i>Anonymous Tests</i>	327	38	207	82
Visits	327	38	207	82
Pretest counseling Only				
Patients	84	1	55	28
Visits	84	1	55	28
Certified Home Health Program				
Patients	3,502
Visits Received	16,501
Vaccination⁵				
Flu Vaccines Administered	3,620			
Pneumococcal Vaccines Administered	192			
All Other Vaccines Administered	1,590			

¹ Patients may visit one or more clinic programs during the year; total includes anonymous patients who visited clinics for HIV test and/or counseling only. Does not include the School Dental Program or the Home Health Program.

² Does not include patients who visited the clinics only for HIV test and/or counseling services and their visits.

³Totals (patients & visits) include PPDs given in clinics.

⁴ Includes patients who visited STD clinics for HIV tests and/or counseling. Such patients may or may not receive other services in addition to an HIV test and/or counseling. Therefore, a proportion of these patients and visits may also be counted in STD. Patients and visits at each center may not add upto total due to miscoded information.

⁵ Including vaccines administered in Health Department District Offices as well as special Flu clinics.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 188. Number of Patients Served by Age, Sex, and Race/Ethnicity, Westchester County, 2008

Demographics	District Office Clinics		Certified Home Health Program	
	Number	%	Number	%
Total¹	4,263	100	3,502	100
Age Group				
<1	9	0.2	250	7.1
1-4	42	1.0	351	10
5-9	145	3.4	62	1.7
10 - 14	147	3.4	85	2.4
15 - 19	553	13.0	93	2.6
20 - 24	923	21.7	112	3.2
25 - 29	708	16.6	72	2
30 - 34	471	11.0	78	2.3
35 - 39	326	7.6	77	2.2
40 - 44	290	6.8	97	2.8
45 - 64	547	12.8	587	16.8
65+	102	2.4	1638	46.7
Sex³				
Female	1,877	44.0	2356	67.2
Male	2,386	56.0	1146	32.7
Race/Ethnicity				
White - Non Hispanic ²	835	19.6	1259	35.9
Black - Non Hispanic ²	1,421	33.3	681	19.4
Hispanic - White	584	13.7	534	15.2
Hispanic - Black	34	0.8	27	0.7
Hispanic - Race unspecified	444	10.4	62	1.7
Asian/Native Hawaiian/Pacific Islander	94	2.2	59	1.6
Multicultural/Some Other Race/Unknown	603	14.1	880	25.1

¹Excludes clients receiving influenza and pneumococcal vaccines administered at Westchester County Department of Health influenza and special epidemic clinics.

²White-Non Hispanic includes unknown ethnicity and Black-Non Hispanic includes unknown ethnicity.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 189. Number of Patients and Visits to Sexually Transmitted Diseases Clinics by Patient Age Group, Sex, and Race/Ethnicity, Westchester County, 2008

Demographics	Total Patients	Total Visits	Visits per Patient
Total¹	2,346	4,314	1.8
Age Group			
<15	15	25	1.7
15 - 19	380	701	1.8
20 - 24	698	1,231	1.8
25 - 29	433	776	1.8
30 - 34	257	444	1.7
34 - 39	162	294	1.8
40 - 44	133	239	1.8
45+	272	604	2.2
Sex			
Female	1,013	1,871	1.8
Male	1,337	2,443	1.8
Race/Ethnicity			
White - Non Hispanic ²	479	807	1.7
Black - Non Hispanic ²	1,076	1,976	1.8
Hispanic - White	133	232	1.7
Hispanic - Black	16	39	2.4
Hispanic - Race unspecified	187	408	2.2
Asian/Native Hawaiian/Pacific Islander	18	24	1.3
Multicultural/Some Other Race/ Unknown	435	828	1.9

¹Total represents unduplicated patients; includes unknown sex and unknown race/ethnicity.

²White-Non Hispanic includes 6 cases of unknown ethnicity and Black-Non Hispanic includes 10 cases of unknown ethnicity.

Source: Westchester County Department of Health.

Table 190. Number of Patients and Visits With HIV Tests and/or Counseling¹ by Patient Age Group, Sex, and Race/Ethnicity, Westchester County, 2008

Demographics	Total Patients	Total Visits	Visits per Patient
Total²	2,584	2,728	1.1
Age Group			
<10	2	2	1.0
10 - 14	16	17	1.1
15 - 19	352	378	1.1
20 - 24	648	712	1.1
25 - 29	534	501	0.9
30 - 34	313	329	1.1
35 - 39	201	217	1.1
40 - 44	276	204	0.7
45+	242	368	1.5
Sex			
Female	1,707	1,805	1.1
Male	877	923	1.1
Race/Ethnicity			
White - Non Hispanic ³	473	487	1.0
Black - Non Hispanic ³	492	575	1.2
Hispanic - White	965	985	1.0
Hispanic - Black	19	23	1.2
Hispanic - Race unspecified	250	261	1.0
Asian/Native Hawaiian/Pacific Islander	35	36	1.0
Multicultural/Some Other Race/Unknown	342	361	1.1

¹ Including patients who visited STD clinics for HIV tests and/or counseling only. Such patients may or may not receive other services in addition to HIV test and/or counseling; includes anonymous patients.

² Total includes unknown age, sex, and race/ethnicity.

³ White-Non Hispanic includes 3 cases of unknown ethnicity and Black-Non Hispanic includes 8 cases of unknown ethnicity.

Source: Westchester County Department of Health.

Table 191. Number of Patients and Visits to Tuberculosis Clinics by Patient Age Group, Sex, and Race/Ethnicity, Westchester County, 2008

Demographics	Total Patients	Total Visits	Visits per Patient
Total¹	898	4,072	4.5
Age Group			
<10	88	329	3.7
10 - 14	59	307	5.2
15 - 19	64	288	4.5
20 - 24	84	382	4.5
25 - 29	127	599	4.7
30 - 34	120	571	4.8
35 - 39	80	422	5.3
40 - 44	72	337	4.7
45 - 64	159	680	4.3
65+	45	157	3.5
Sex			
Female	422	1,859	4.4
Male	476	2,213	4.6
Race/Ethnicity			
White - Non Hispanic ²	90	383	4.3
Black - Non Hispanic ²	79	291	3.7
Hispanic - White	297	1,369	4.6
Hispanic - Black	6	16	2.7
Hispanic - Race unspecified	232	1,012	4.4
Asian/Native Hawaiian/Pacific Islander	41	132	3.2
Multicultural/Some Other Race/Other/Unknown	150	704	4.7

¹ Total represents unduplicated patients; includes unknown race/ethnicity.

² White-Non Hispanic includes 3 cases of unknown ethnicity and Black-Non Hispanic includes 1 case of unknown ethnicity.

Source: Westchester County Department of Health.

Table 192. Number of Patients Enrolled in Home Health Program and Number of Home Health Visits Received by Patient Age Group, Sex, and Race/Ethnicity, Westchester County, 2008

Demographics	Total Patients	Total Visits Received	Average Visits per Patient
Total¹	3,502	16,501	4.7
Age Group			
<1	250	545	2.2
1 - 4	351	1,713	4.9
5 - 9	62	576	9.3
10 - 14	85	423	5.0
15 - 19	93	381	4.1
20 - 24	112	838	7.5
25 - 29	72	974	13.5
30 - 34	78	826	10.6
35 - 39	77	777	10.1
40 - 44	97	730	7.5
45 - 49	135	766	5.7
50 - 54	138	433	3.1
55 - 59	148	523	3.5
60 - 64	166	1,203	7.2
65 - 69	148	973	6.6
70 - 74	189	755	4.0
75 - 79	259	887	3.4
80 - 84	338	1,049	3.1
85 - 89	328	968	3.0
90+	376	1,161	3.1
Sex			
Female	2,356	9,433	4.0
Male	1,146	7,068	6.2
Race/Ethnicity			
White - Non Hispanic ²	1,259	4,857	3.9
Black - Non Hispanic ²	681	2,213	3.2
Hispanic - White	534	3,891	7.3
Hispanic - Black	27	112	4.1
Hispanic - Race unspecified	62	1,612	26.0
Asian/Native Hawaiian/Pacific Islander	59	593	10.1
Multicultural/Some Other Race/Other/Unknown	880	2866	3.3

¹Total represents unduplicated patients; total includes unknown race/ethnicity.

² White-Non Hispanic includes 17 cases of unknown ethnicity and Black-Non Hispanic includes 23 cases of unknown ethnicity.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 193. Public Health Protection and Environmental Quality: Number of Inspection Related Activities, 2008

Program	Inspection Related Activities¹
Total	29,351
Air Quality	510
Air Quality Complaint Investigation / Enforcement	217
Industrial Facilities	250
Sampling	10
Fuel Burning Equipment, Motor Vehicles, etc.	33
Water	2,680
Water Supply	1,206
Community Water Supply	709
Non-Community Water Supply	454
Other ²	43
Water Quality	1,304
Investigation on Water Quality Complaints, Identification of Polluters, etc.	829
Waste Water Treatment Facilities, Sewage System	273
Water Quality Surveillance on Bathing Beaches	200
Other ³	2
Watershed	170
Food	12,769
Food Service Establishments with Indoor Seats	11,789
Food for the Aged and Day Care	140
Other Food Service Establishments ⁴	825
Foodborne Illness	15
Housing	1,993
Housing ⁵	216
Lead Poisoning Investigation and Lead Inspection ⁶	794
Healthy Neighborhoods Programs ⁶	777
Injury Control	206
Temporary Residences	821
Hotel, Motel, Rooming House	131
Children's Camps	675
Other Temporary Residences ⁷	15
Land Development	313
Additions, Pools and Decks	29
Individual Sewage Disposal Systems	240
Realty Subdivisions	44
Swimming Pools and Beaches	1,254
Swimming Pools, Spas, etc.	1,115
Beaches	139
Solid Waste	111
Hazardous Waste, Toxic Substance, and Petroleum Bulk Storage (PBS)	1,697
PBS General	797
PBS Facilities and Tanks	809
Hazardous Waste	91

continued

Table 193. Public Health Protection and Environmental Quality: Number of Inspection Related Activities, 2008

Program	Inspection Related Activities¹
Radiological	356
X-Ray Facilities	239
Other Radiological ⁸	117
Animal Control	2,437
Animal Bites and Rabies Exposure ⁹	1,104
Mosquito Control ¹⁰	1,224
Animal Facilities	98
Other ¹¹	11
Tobacco Control	4,335
Adolescent Tobacco Use Prevention (ATUPA)	4,308
Tobacco Control	4
Clean In-Door Air (In-Door Smoking Restriction)	23
Other¹²	75
Nuisance and Service Request	75

¹ Including regular and follow up inspections and investigations, sampling visits, and conferences with client.

² Including individual water supply, bottled and bulk water.

³ Including water quality management plans and waste water treatment plant operator qualification.

⁴ Including caterer, commissary, mobile unit, vending machine, bakeries, frozen desserts, deli, etc.

⁵ Including heat, insect pest, rodent control, and housing structure.

⁶ Including field activities by Community Health Services' Lead Poisoning Prevention and Healthy Neighborhoods Program.

⁷ Including mobile home, trailer home, migrant labor house, campgrounds, campsites.

⁸ Including nuclear facility, radiological emergency.

⁹ Including inspections and relevant field activities on animal bites, quarantine of animals, specimen pickup.

¹⁰ Including mosquito larvae and adult control and surveillance, larvicide application, other mosquito control related activities.

¹¹ Including Lyme disease investigation, and pesticides.

¹² Including asbestos, emergency sanitation, fetal alcohol syndrome, and inspections to institutions licensed by New York State.

Source: Westchester County Department of Health, Division of Environmental Health.

Table 194. Public Health Complaints Received and Investigated by Program, 2008

Program	Total	Resolved and Closed	Under Investigation	Referred to Other Agencies	Invalid
Total	5,425	4,765	241	407	12
Air Quality	117	102	13	2	0
Outdoor air quality	82	69	12	1	0
Indoor air quality	35	33	1	1	0
Water	569	541	23	5	0
Water Quality	158	145	13	0	0
Sewage Systems	411	396	10	5	0
Food	567	423	20	118	6
Housing	1,166	879	41	242	4
Nuisance (including Lack of Heating in Houses)	932	711	38	181	2
Housing	234	168	3	61	2
Rodents	194	146	2	45	1
Insects	40	22	1	16	1
Solid Waste	90	49	4	36	1
Garbage	90	49	4	36	1
Hazardous Waste, Toxic Substance, Petroleum Spills	602	459	139	4	0
Hazardous Waste	407	310	93	4	0
Toxic Hazardous Materials	3	2	1	0	0
Gasoline/Oil Spills	189	145	44	0	0
Animal Control	2,208	2,208	0	0	0
Animal Bites and Rabies Exposure	2,208	2,208	0	0	0
Tobacco Control	68	68	0	0	0
Adolescent Tobacco Use Prevention (ATUPA)	2	2	0	0	0
Smoking (Clean Indoor Air Act)	66	66	0	0	0
Other	38	36	1	0	1
Health Concerns	36	35	1	0	0
General	2	1	0	0	1

Source: Westchester County Department of Health, Bureau of Complaint.

Table 195. Public Health Protection: Facility Permits Issued, Westchester County, 2008

Program	Number of Permits Issued
Total	6,770
Food Sanitation	5,437
Bakeries	81
Caterers	99
Commissaries	73
Delicatessens	163
Eating Places	3,172
Food Vending Machine Operations	29
Frozen Dessert Manufacturers	461
Ice Manufacturers	1
Meals on Wheels Programs	13
Mobile Food Units	486
Public Functions	13
Schools	350
Temporary Food Permits	496
General Environmental	1,051
Children's Summer Camps	273
Hotels/Motels/Rooming Houses	52
Migrant Labor Camps	1
Mobile Home Park	3
Bathing Beaches	40
Swimming Pools	682
Animal Facilities	282
Breeders	7
Grooming Parlors	92
Kennels	43
Pet Shops	48
Shelters	14
Stables	43
Temporary Animal Facilities	13
Trainers	14
Wholesalers	8

Source: Westchester County Department of Health, Division of Environmental Health.

Table 196. Rabies Control Program: Number of Animal Bites Reported to the Westchester County Department of Health, Number of Animals Tested, Number of Animals Confirmed Rabid by Type of Animal and Human Rabies Post-Exposure Prophylaxis, 2004-2008

	2008	2007	2006	2005	2004
Total Animals Bites	1,107	1,068	1,004	1,027	1,133
Total Animals Tested	615	596	724	680	686
Rabid Animals	31	31	51	52	46
Raccoon	17	15	32	37	20
Skunk	3	5	5	8	6
Bat	9	9	12	5	18
Cat	1	1	2	2	0
Fox	0	1	0	0	1
Woodchuck	1	0	0	0	0
Deer	0	0	0	0	1
<i>As % of Total Tested</i>	<i>5.0</i>	<i>5.2</i>	<i>7.0</i>	<i>7.6</i>	<i>6.7</i>
Human Rabies Post-Exposure Prophylaxis	359	332	396	432	433

Source: Westchester County Department of Health.

Table 197. Rabies Control Program: Number of Human Rabies Post-Exposure Prophylaxis Treatments Administered by Animal Rabies Status, 2004-2008

Rabies Status and Type of Animal	2008		2007		2006		2005		2004	
	N	%	N	%	N	%	N	%	N	%
Total	359	100.0	332	100.0	396	100.0	432	100.0	433	100.0
Known	20	5.6	26	7.8	39	9.8	24	5.6	37	8.5
<i>Non-Bat</i>	7	1.9	13	3.9	19	4.8	19	4.4	17	3.9
<i>Bat</i>	13	3.6	13	3.9	20	5.1	5	1.2	20	4.6
Unknown	339	94.4	306	92.2	357	90.2	408	94.4	396	91.5
<i>Non-Bat</i>	81	22.6	74	22.3	74	18.7	100	23.1	91	21.0
<i>Bat</i>	258	71.9	232	69.9	283	71.5	308	71.3	305	70.4

Source: Westchester County Department of Health.

Table 198. Rabies Control Program: Number of Animals Confirmed Rabid, 2004-2008

	2008	2007	2006	2005	2004
Health Planning Region and Municipality					
Westchester County	31	31	51	52	46
Northwest	6	4	6	8	11
Briarcliff Manor	0	0	0	0	0
Buchanan	0	0	1	0	0
Cortlandt	1	3	1	3	5
Croton on Hudson	0	0	0	0	0
Mount Pleasant	2	0	1	2	2
Ossining (TOV)	0	0	2	0	0
Ossining (V)	1	1	0	0	0
Peekskill	2	0	1	1	2
Pleasantville	0	0	0	1	1
Sleepy Hollow	0	0	0	1	1
Northeast	16	21	20	17	24
Bedford	7	5	5	6	4
Lewisboro	0	3	2	1	5
Mount Kisco	0	1	0	1	0
New Castle	3	2	1	1	3
North Castle	2	1	3	0	2
North Salem	0	2	4	4	1
Pound Ridge	1	2	2	2	1
Somers	1	1	0	1	3
Yorktown	2	4	3	1	5
West Central	4	3	11	21	8
Ardsley	1	0	0	1	0
Dobbs Ferry	0	0	0	1	0
Elmsford	0	0	0	0	1
Greenburgh	1	0	3	11	3
Hastings on Hudson	0	0	2	1	1
Irvington	0	0	3	1	0
Scarsdale	1	1	2	4	1
Tarrytown	0	0	0	1	1
White Plains	1	2	1	1	1
East Central	2	0	3	3	1
Harrison	1	0	2	3	0
Larchmont	0	0	0	0	0
Mamaroneck (TOV)	0	0	0	0	0
Mamaroneck (V)	0	0	0	0	0
Port Chester	0	0	0	0	1
Rye	1	0	1	0	0
Rye Brook	0	0	0	0	0
Southwest	3	2	5	0	1
Yonkers	3	2	5	0	1
Southeast	0	1	6	3	0
Bronxville	0	0	1	0	0
Eastchester	0	0	2	0	0
Mount Vernon	0	0	0	0	0
New Rochelle	0	1	1	2	0
Pelham	0	0	1	0	0
Pelham Manor	0	0	0	1	0
Tuckahoe	0	0	1	0	0
Unknown	0	0	0	0	1

Source: Westchester County Department of Health.

Table 199. Services for Children with Special Needs: Number of Children Served, Westchester County Department of Health, 2008

Program	N
Physically Handicapped Children's Program (PHCP) ¹	603
Preschool Educational Advocacy Program (4410) (3-5 Years) ²	4,469
Early Intervention (0-2 Years) ²	5,853

¹. Calendar year.

². Program year (July 2008 - June 2009).

Source: Westchester County Department of Health

Table 200. Facilitated Enrollment Program: Child Health Plus Enrollment and Family Health Plus/Medicaid Enrollment, Westchester County Department of Health, 2008

Program	N
A. Child Health Plus A (formerly Medicaid)	890
B. Child Health Plus B	995
C. Family Health Plus/Medicaid	320
D. Medicaid (Adults)	289

Source: Westchester County Department of Health

APPENDICES

Appendix 1. Data Sources and Definitions

A. 2000 Census and American Community Survey (2005-2007)

Demographic and socio-economic information for Westchester County for the 2009 Annual Data Book is based on data from the 2000 Census and 2005-2007 American Community Survey, collected by the United States Census Bureau.

Data from the 2000 Census are used for calculation of relevant rates in the Annual Data Book. The data are extracted from the Census Summary File 1 (SF 1) and the Census Summary File 3 (SF 3). Summary File 1 presents basic demographic information collected from all people and housing units (100% characteristics, short form). This information includes age, sex, race, Hispanic or Latino origin, household relationship, whether the residence is owned or rented, and vacancy characteristics.

Summary File 3 collects additional socio-economic information from a sample of the total population (long form). Summary File 3 presents data on marital status, place of birth, citizenship and year of entry into the U.S., school enrollment and educational attainment, ancestry, migration, language spoken at home and ability to speak English, veteran status, disability, grandparents as caregivers, employment status, occupation, industry, place of work, commuting habits, class of worker, and work status and income in 1999. Additional information in SF 3 includes housing and residence, vehicle ownership, telephone and utility use, mortgages, taxes, insurance, fuel use, etc. Throughout the United States, the rate of sampling varied from 1 in 2 households in sparsely populated areas, to 1 in 8 for more densely populated areas. The overall sampling rate is 1 in 6 households, or 17%. In Westchester County, the sampling rate in 2000 was 13.5% of all occupied housing units and 13.6% of the population. The SF-3 is generally referred to as the 5% sampling file.

The American Community Survey (ACS) is a nationwide survey designed to replace the ‘long form’ of the 10-year census and provides updated demographic, economic, social, and housing information of the communities of this country. Data for the ACS is collected every month throughout the year, and reflects sampling from the current Master Address File of the 2000 Census, updated with information from the United States Postal Service (USPS) Delivery Sequence File, USPS field operations, and address information from partnerships with local governments. Data now includes all county and county-equivalents nationwide and all *municipios* of Puerto Rico, for areas with a population of 65,000 or more, including Westchester County. In 2006, the ACS began collection of data from sampled persons in group quarters (for example, military barracks, college dormitories, nursing homes, and correctional facilities). The 2005-2007 ACS estimates describe the average characteristics of the population over the period from January 1, 2005 to December 31, 2007. Data definitions of demographic, housing, and socioeconomic information are identical to those used in the 2000 Census.

The three-year averages were calculated by pooling the 36 months of collected data. The pooled data were weighted to adjust for geographic factors, month-specific weighting steps, population and housing unit controls, and inflation factors. Geographic corrections were referenced to the final year in the multiyear period. For example, average estimates for the 2005-2007 time period are referenced to geographic boundaries from 2007. The exception is for group quarters data: as

the ACS did not begin collection of group quarters data until 2006, the 2005-2007 ACS estimates which include group quarters data only includes the data from 2006 and 2007.

In several instances throughout the demographic tables, standard errors of combined categories (such as the sum of males and females) were estimated by the WCDH. As noted on page 9 of **Accuracy of the 2005-2007 ACS 3-Year Data**, a US Census Bureau publication dated 12/10/2008, "the estimate of the standard error of a sum or difference is approximately the square root of the sum of the two individual standard errors squared. This method, however, will underestimate (overestimate) the standard error if the two items in a sum are highly positively (negatively) correlated or if the two items in a difference are highly negatively (positively) correlated."

For additional detailed information on Census and ACS 3-year estimates, consult the Census Bureau's website at www.census.gov and <http://www.census.gov/acs/www/Downloads/ACS/accuracy2007.pdf>.

Race and Ethnicity

The concept of race, as defined by the U.S. Census Bureau, reflects self-identification by people according to the race or races with which they most closely identify. The categories of race are considered to be socio-political and should not be interpreted as scientific or anthropological in nature.

White: A person having origins in any of the original peoples of Europe, the Middle East, or North Africa. It includes people who indicate their race as "White" or report entries such as Irish, German, Italian, Lebanese, Near Easterner, Arab, or Polish.

Black or African American: A person having origins in any of the original peoples of sub-Saharan Africa. It includes people who indicate their race as "Black or African American" or provide written entries such as African American, Ethiopian, Somalian, Senegalese, Sudanese, Ghanaian, Kenyan, Nigerian, or Haitian.

American Indian or Alaska Native: A person having origins in any of the original peoples of North or South America (including Central America) and who maintain tribal affiliation or community attachment.

Asian: A person having origins in any of the original peoples of the Far East, Southeast Asia, or the Indian subcontinent, for example Cambodia, China, India, Japan, Korea, Malaysia, Pakistan, the Philippine Islands, Thailand, and Vietnam.

Native Hawaiian or Other Pacific Islander: A person having origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands. It includes people who indicate their race as "Native Hawaiian," "Guamanian or Chamorro," "Samoan," and "Other Pacific Islander."

Other Race: Includes all other responses not included in the "White," "Black or African American," "American Indian or Alaska Native," "Asian," and "Native Hawaiian or

Other Pacific Islander” race categories described above. Respondents providing write-in entries such as multiracial, mixed, interracial, or a Hispanic/Latino group (for example, Mexican, Puerto Rican, or Cuban) in the “Some other race” write-in space are included in this category.

Hispanic or Latino: The data on the Hispanic or Latino population were derived from answers to a question on the 2000 census that was asked of all people. The terms “Spanish,” “Hispanic origin,” and “Latino” are used interchangeably. Some respondents identified with all three terms while others identify with only one of these three specific terms. Origin can be viewed as the heritage, nationality group, lineage, or country of birth of the person or the person’s parents or ancestors before their arrival in the United States. People who identify their origin as Spanish, Hispanic, or Latino may be of any race.

Two or More Races: People may have chosen to provide two or more races either by checking two or more race response check boxes, by providing multiple write-in responses, or by some combination of check boxes and write-in responses. The race response categories shown on the questionnaire are collapsed into the five minimum race groups identified by the Office of management and Budget (OMB), and the Census Bureau “Some other race” category. For data product purposes, “Two or more races” refers to combinations of two or more of the following race categories:

- White
- Black or African American
- American Indian or Alaska Native
- Asian
- Native Hawaiian or Other Pacific Islander
- Some other race

Educational Attainment

Refers to the highest level of education completed in terms of the highest degree or the highest level of schooling completed.

Labor Force Participation and Employment

Labor force: The labor force includes all people classified in the civilian labor force, plus members of the U.S. Armed Forces (people on active duty with the United States Army, Air Force, Navy, Marine Corps, or Coast Guard). The Civilian Labor Force consists of people classified as employed or unemployed.

Employed: Employed includes all civilians 16 years old and over who were either (1) "at work" -- those who did any work at all during the reference week as paid employees, worked in their own business or profession, worked on their own farm, or worked 15 hours or more as unpaid workers on a family farm or in a family business; or (2) were "with a job but not at work" -- those who did not work during the reference week but had jobs or businesses from which they were temporarily absent due to illness, bad weather, industrial dispute, vacation, or other personal reasons. Excluded from the employed are

people whose only activity consisted of work around the house or unpaid volunteer work for religious, charitable, and similar organizations; also excluded are people on active duty in the United States Armed Forces. The reference week is the calendar week proceeding the date on which the respondents completed their questionnaires or were interviewed. This week may not be the same for all respondents.

Immigration and Language Spoken at Home

Immigrants: Aliens admitted for legal permanent residence in the United States.

Foreign-born population: People who are not U.S. citizens at birth.

Native population: People born in either the United States, Puerto Rico, or a U.S. Island Area such as Guam or the U.S. Virgin Islands, or people born in a foreign country to a U.S. citizen parent(s).

Citizen: People who indicate that they were born in the United States, Puerto Rico, a U.S. Island Area, or abroad of a U.S. citizen parent(s) are citizens. People who indicate that they are U.S. citizens through naturalization are also citizens. Naturalized citizens are foreign-born people who identify themselves as naturalized. Naturalization is the conferring, by any means, of citizenship upon a person after birth.

Language spoken at home: The language currently used by respondents at home, either "English only" or a non-English language which is used in addition to English or in place of English.

Family Structure

Household: A household consists of all the people who occupy a housing unit. A house, an apartment or other group of rooms, or a single room, is regarded as a housing unit when it is occupied or intended for occupancy as separate living quarters; that is, when the occupants do not live and eat with any other persons in the structure and there is direct access from the outside or through a common hall.

Family Household: A group of people living in a household who are related to the householder by birth, marriage, or adoption.

Non-Family Household: A non-family household consists of a householder living alone (a one-person household) or where the householder shares the home exclusively with people to whom he/she is not related.

Family: A household whose members are related by birth, marriage or adoption. Family households may also include unrelated individuals.

Married-Couple Family: A family consisting of two legally married people, with or without own children under 18.

Single Mother Family or Single Father Family: A family household consisting of one parent, no spouse, and own children under 18. Other adults may share the household as well.

Related children: Includes all people in a household under the age of 18, regardless of marital status, who are related to the householder. Does not include householder's spouse or foster children, regardless of age.

Income and Poverty

Total income: The sum of the amounts reported separately for wages, salary, commissions, bonuses, or tips; self-employment income from own non-farm or farm businesses, including proprietorships and partnerships; interest, dividends, net rental income, royalty income, or income from estates and trusts; Social Security or Railroad Retirement income; Supplemental Security Income (SSI); any public assistance or welfare payments from the state or local welfare office; retirement, survivor, or disability pensions; and any other sources of income received regularly such as Veterans' (VA) payments, unemployment compensation, child support, or alimony.

In 2000 Census, income is reported for the calendar year 1999. In ACS surveys income is reported for the period covering the last 12 months. For the 2005-2007 ACS, monetary values were inflation-adjusted for the final year of the period, using the national Consumer Price Index by the Census Bureau.

Poverty: Following the Office of Management and Budget's (OMB's) Directive 14, the Census Bureau uses a set of money income thresholds that vary by family size and composition to detect who is poor. If the total income for a family or unrelated individual falls below the relevant poverty threshold, then the family or unrelated individual is classified as being "below the poverty level."

B. Vital Statistics

The vital statistics presented in this report are based on the certificate records of live births, deaths, and fetal deaths of Westchester County residents in the United States or Canada. The source of this information is the New York State Department of Health and the New York City Department of Health and Mental Hygiene.

Beginning on January 1, 2004, the NYSDOH implemented a web-based registration of all live birth certificates for all counties of New York State excluding New York City (NYSENYC). The web-based live birth certificates were revised to incorporate National Center of Health Statistics (NCHS) guidelines. New York City continues to use the older version of the live birth certificate.

Race: For the live births occurred prior to 2004, definitions for “White”, “Black” and “Hispanic” racial or ethnic categories were defined according to the 1990 US Census Bureau. The definition for “Other” includes the 1990 US Census Bureau racial categories of “American Indian”, “Asian”, “Native Hawaiian or Other Pacific Islander”, “Other Race”, and “Two or More Races”. For the live births occurred in 2004 and later, racial categories were defined according to the 2000 US Census Bureau guidelines. The new guidelines allow for more than one race to be selected among multiple race categories, and also has the new categories of White Alone and Black Alone, which are exclusive of any other race categories. All other respondents are included in the category “Other.” This change in the coding of race is the main reason for the decrease of whites and blacks and the increase in people of ‘other’ race in live birth data from 2004 onwards (Vital Statistics of New York State 2004, Technical Notes, New York State Department of Health).

Live Births: A live birth is defined as "the complete expulsion or extraction from its mother of a product of conception, irrespective of duration of pregnancy, which, after such separation, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached" (Vital Statistics of New York State 1999, New York State Department of Health).

Birth Rate: Annual number of live births per 1,000 total population.

Infant Birthweight: Infant Birthweight is grouped as very low birthweight (less than 1,500 grams), low birthweight (1,500 to 2,499 grams), and normal birthweight (2,500 grams or more).

Gestation Weeks: Gestation Weeks are grouped as premature birth (less than 37 weeks gestational period), and normal length of gestation (gestational period of 37 weeks or more). Gestation week was estimated for the few cases with incomplete information.

Time Starting Prenatal Care: Time starting prenatal care is measured by the number of months of the pregnancy at the time prenatal care was initiated.

Maternal Exposure to Smoking during Pregnancy: Mother used any tobacco products during pregnancy. This is self-reported.

Maternal Exposure to Drug Use during Pregnancy: Mother used any of the following: cocaine, crack, heroin, methadone, marijuana, amphetamines, or un-prescribed sedatives during pregnancy. This is self-reported.

Fetal Deaths: A fetal death is defined as "the death prior to the complete expulsion or extraction from its mother of a product of conception; the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles" (*Vital Statistics of New York State 1999*, New York State Department of Health). New York State Public Health Law requires the registration of all fetal deaths regardless of the length of gestation of the fetus.

Induced Abortions: Induced abortions include the operative procedures of "dilation and curettage (D&C), suction and curettage, dilation and evacuation (D&E), saline injection, prostaglandin injection, medical (non-surgical) and other which includes hysterectomy, hysterotomy and other procedures" (*Vital Statistics of New York State 2000*, New York State Department of Health).

Mother's Country/Region of Origin:

- The Caribbean Region includes Antigua and Barbuda, the Antilles, the Bahamas, Barbados, Cuba, Dominica, Dominican Republic, Guyana, Haiti, Jamaica, Montserrat, Nevis & St. Christopher, Puerto Rico, St. Lucia, St. Martin, Trinidad, and the Virgin Isles.
- Central and South America includes the countries of Argentina, Belize, Bolivia, Brazil, Chile, Colombia, Costa Rica, Ecuador, El Salvador, Guatemala, Honduras, Nicaragua, Panama, Paraguay, Peru, Uruguay, and Venezuela.
- Countries of Asia include Afghanistan, Bangladesh, Cambodia, China, Hong Kong, Indonesia, India, Iran, Israel, Japan, Jordan, North Korea, Kuwait, Laos, Lebanon, Nepal, Pakistan, Palestine, the Philippines, Saudi Arabia, Sri Lanka, Syria, Taiwan, Thailand, Turkey, Vietnam, and Yemen.
- The region of Europe, Canada, and Australia includes the countries of Albania, Armenia, Austria, Belarus, Belgium, Bosnia, Bulgaria, Croatia, Czechoslovakia, Denmark, Estonia, Finland, France, Georgia, Germany, Greece, Hungary, Ireland, Italy, Latvia, Lithuania, the Netherlands, Norway, Poland, Portugal, Romania, Russia, Slovakia, Spain, Sweden, Switzerland, Ukraine, the United Kingdom, and Yugoslavia. Canada, Australia, and New Zealand are also included in this geographic region.
- Africa includes the countries of Algeria, Angola, Burkina Faso, Cameroon, Central African Republic, Chad, Côte D'Ivoire, the Democratic Republic of Congo, Egypt, Ethiopia, Gabon, Gambia, Ghana, Kenya, Liberia, Morocco, Mozambique, Nigeria,

Senegal, Sierra Leone, South Africa, Swaziland, Tanzania, Uganda, Zambia, and Zimbabwe.

Causes of Deaths: In this report, the cause of death is the underlying cause classified according to the International Classification of Diseases (ICD), Tenth Revision.

Infant Mortality Rate: Annual number of deaths under one year of age per 1,000 live births occurring during the year.

Death Rate: Annual number of deaths per 100,000 total population.

C. The Statewide Planning and Research Cooperatives System (SPARCS)

Information on emergency room visits and hospitalizations comes from the Statewide Planning and Research Cooperative System (SPARCS) data for the years 2007 and 2008. SPARCS was implemented by the New York State Department of Health in 1979, with the cooperation and initial financial support of the U.S. Department of Health and Human Services. SPARCS receives, processes, stores, and analyzes inpatient hospitalization data from hospitals in New York State and outpatient data from hospitals with emergency departments, hospitals providing ambulatory surgery services, and all other facilities providing ambulatory surgery services.

To protect patient privacy, any personal identifiers are omitted from the SPARCS data set, such as patient names, individual medical record numbers, and detailed residence addresses. Data reported are the number of cases of diseases or conditions requiring emergency care and hospitalizations, rather than individual patients.

Due to the fact that the SPARCS data is continually being updated, the completeness of reporting by individual facilities varies over time. All SPARCS tables included in this data book reflect the information as of June 2009.

Hospitalizations and Emergency Room Visits

Hospitalizations: Cases admitted to an acute-care hospital. Data are extracted from the in-patient data files.

Emergency Room Visits: Cases received treatment from a hospital emergency department or ambulatory surgery services. Data are extracted from both the out-patient data files and the in-patient data files. From the out-patient data files, an emergency room visit is indicated when the record contains an emergency department ancillary revenue code of 045X. From the in-patient data files, an emergency room visit is indicated where the patient record contains an emergency department ancillary revenue codes, where the patient is admitted to the facility upon recommendation of the facility's emergency room physician, or the patient's admission type indicates that the patient required immediate medical intervention as a result of severe, life threatening, or potentially disabling conditions.

Please note that a case may be counted as hospitalization and Emergency Department incident if the individual is admitted to a hospital following an initial admittance to the emergency department. .

Length of Stay

SPARCS calculates a length of stay for each discharge record by subtracting the date of admission from the date of discharge. If a patient is admitted and discharged the same day, the length of stay is one day.

Service Categories

The service categories are based on categories developed by the New York State Department of Health and are defined in terms of diagnosis and procedure codes from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

Nursery: Including patients whose age equals zero and have an ICD-9-CM code of V30.0, V30.1, V31.0, V31.1, V32.0, V32.1, V33.0, V33.1, V34.0, V34.1, V35.0, V35.1, V36.0, V36.1, V37.0, or V37.1. These codes refer only to live-born infants.

Obstetrical: Including female patients of any age with an ICD-9-CM code within the range of 630 through 634.9 and 640 through 676.9.

Psychiatric: Including patients of any age with an ICD-9-CM code within the range of 290 through 319.

Pediatric: Including patients aged 14 years and younger whose primary diagnosis is neither included in the nursery, obstetrical, or psychiatric categories nor classified by ICD-9-CM codes 614 through 629.9 (gynecological) or 635 through 639.9 (abortion).

Medical: Including patients aged 15 years or older with no reported procedure code or with reported procedure codes greater than 86.99. This category also includes gynecological patients (ICD-9-CM codes 614 through 629.9) of all ages with no reported procedure code or with reported procedure codes greater than 86.99. Newborn, obstetrical, psychiatric, and pediatric patients are excluded.

Surgical: Including patients aged 15 years or older with at least one procedure code in the range 01 through 86.99. This category also include gynecological patients (ICD-9-CM codes 614 through 629.9) of all ages with at least one such procedure code and all patients whose principal diagnoses are codes 635 through 639.9 (abortion). Newborn, obstetrical, psychiatric, pediatric, and medical patients are excluded.

Principal Diagnosis and Other Diagnosis

The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care. Because it represents the reason for the patient's stay and reflects clinical findings discovered during the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. It may also differ from the admitting diagnosis.

There are 14 additional diagnosis codes in the SPARCS discharge record. These additional codes describe the diagnoses that coexist at the time of admission or have developed subsequently, which affect the treatment received and/or length of stay. The diagnoses that are related to an earlier episode which have no bearing on the current hospital stay are not included.

Diagnosis-Related Groups

The Diagnosis-Related Group (DRG) is developed by the U.S. Department of Health and Human Services to categorize patient records for reimbursement and research purposes for the calendar year of the date of discharge. It is based on ICD-9 data in the principal and secondary diagnoses, surgical procedures, age, sex, and discharge disposition within the patient medical record.

Classification of Neoplasms

According to the New York State Department of Health, neoplasm data is categorized by considering the principal diagnosis and other fourteen diagnoses in the SPARCS discharge record on the basis of metastatic nature of cancer. The intent of the logic was to develop a comprehensive categorization of all hospital discharges related to neoplasms. The procedure used to extract and categorize neoplasm-related records is as the following¹:

- Extract all records with **any** diagnosis fields containing a three digit ICD-9 code prefix indicating a neoplasm (i.e. between 140 and 239) or Chemo/Radiation therapy encounter (V58).
- If the principal diagnosis is associated with a primary site (140 through 194 or 200 through 208), the principal diagnosis identifies the primary site of cancer. If the principal diagnosis corresponds to a secondary or ill defined site (195 or 196 through 199), the other diagnosis fields are searched for a primary site. If one is found, that diagnosis identifies the primary site of cancer. If a primary site is not found, the principal diagnosis identifies the secondary site of cancer.
- If the principal diagnosis does not correspond to a primary or a secondary site of cancer, the primary or the secondary site of cancer is identified through searching the other 14 diagnoses based on the same logic stated at step 2.
- If a primary or a secondary site of cancer is not identified by the above 3 steps, an other-than-malignant neoplasm (210 through 239) is identified by checking the principal diagnosis and the 14 other diagnoses.

Classification of HIV and AIDS

Cases of HIV and AIDS were classified by considering the principal diagnosis code and the fourteen other diagnosis codes (ICD-9: 042, 043, 044, 079.51, 079.53, 136.3, 279.10, 279.19, 279.3, 795.71, and V08), as well as the current, new, and prior New York DRG's (in the range of 700-716) and the current, new, and prior Federal DRG's (in the range of 488-490) in the NYS DOH SPARCS discharge record.²

¹ Archived on the New York State Department Of Health web page at <https://commerce.health.state.ny.us/hpn/ctrldocs/sparcs/deriveneo.html>.

² Archived on the New York State Department Of Health web page at <https://commerce.health.state.ny.us/hpn/ctrldocs/sparcs/deriveaidsh.html>

Classification of Injury

Injury was classified by considering both the principal diagnosis code, the 14 other diagnosis codes, and a separate variable of the external cause of injury, using the E-code supplement of the International Classification of Diseases, Ninth Revision. The priorities for recording the E-code categories are: a) principal diagnosis of an injury or poisoning; b) other diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis; and c) other diagnosis with an external cause. Only the first E-Code is recorded.

D. New York State Department of Health Cancer Registry

The New York State Department of Health Cancer Registry processes and reports information on every resident diagnosed with cancer in New York.

As required by the Public Health Law 2401, the Cancer registry receives reports from the hospitals where a person is diagnosed a new tumor and/or treated for the tumor. Data on the anatomic site of the tumor, the stage at diagnosis, the cell type of the cancer and some treatment information are reported, along with information on the patient's demographic and socioeconomic characteristics, such as age, sex, race, ethnicity, residence, place of birth, etc. Patients diagnosed with multiple types of cancer are reported for each separate tumor. Information on the date and cause of death of persons diagnosed with cancer is also collected, generally from the death certificates.

The Cancer Registry includes report of all malignant cancers, except certain skin cancers, such as the basal cell and squamous cell cancers of the skin because they are rarely fatal and usually do not require hospitalization. The Cancer Registry also collects data on brain and nervous system tumors classified as benign or with uncertain behavior.

The incidence and mortality rates reported by the New York State Department of Health Cancer Registry are age-adjusted to the 2000 U.S. standard population, with 95% confidence intervals. Five years of data (2002-2006) are combined because the number of cases and rates for single years varies considerably.

In 2001, the behavior classification of some neoplasia changed with the introduction of the 3rd Edition of the International Classification of Diseases for Oncology (ICD-O-3). Thus, some cancers coded as malignant prior to 2001 (based on ICD-O-2) might be classified as borderline malignancy according to the ICD-O-3 and were not included in these statistics. Conversely, some conditions with borderline malignant behavior based on ICD-O-2 might be coded as malignant according to ICD-O-3 and were reported. Comparisons of cancer incidence over time should be made with precaution.

The New York State Cancer Registry is a member of the North American Association of Central Cancer Registries (NAACCR). The National Cancer Institute also runs a large cancer registry called the Surveillance, Epidemiology and End-Results (SEER) program.

E. Expanded Behavioral Risk Factor Surveillance System

The Expanded Behavioral Risk Factor Surveillance System (BRFSS) augments the CDC's Behavioral Risk Factor Surveillance System, which is a telephone survey conducted annually in all 50 states and U.S. territories. The purpose of the BRFSS is to monitor the preventive health practices and risk behaviors among the adult (18 years and older), non-institutionalized population. Indicators assessed by the BRFSS include physical activity, health insurance coverage, utilization of preventative care services, prevalence of communicable diseases, alcohol and tobacco use, and other factors contributing to chronic disease and early mortality.

New York State has participated in the BRFSS annually since 1985. In order to meet the needs of county departments of health and other organizations for local-level risk behavior data, the Expanded BRFSS surveys were conducted in New York State in 2003 and 2008. Data collected from the Expanded BRFSS are useful for needs assessment, planning and evaluating community health interventions, policy formulation, and monitoring progress toward achieving established health goals and objectives.

The Expanded BRFSS is administered throughout 58 distinct areas, collecting information representative of the population of each of New York State's 57 counties outside of New York City, and of New York City as a whole. A standard questionnaire was developed and used across all 58 areas. The health indicators reported in the Expanded BRFSS are based on answers to one or more questions within the survey and weighted to reflect accurately the adult population under study. Weighting procedures take gender, race, and age into account. For each area, approximately 650 interviews are completed. The survey results released in the April 2009 Interim Report of the Expanded BRFSS are based on data collected from July 1, 2008 through December 31, 2008.

The questionnaires, datasets, survey results, and technical documentation for the current, as well as past, BRFSS reports are available at the CDC's website. Additional information about the Expanded BRFSS can be found at the New York State Department of Health's website.

Appendix 2. The International Classification of Diseases (ICD-10): Codes for Selected Causes of Death

Disease Category	ICD-10
Accidents	V01-X59, Y85-Y86
AIDS	B20-B24
Certain Conditions Originating in the Perinatal Period	P00-P96
Congenital Anomalies	Q00-Q99
Chronic Liver Diseases including Cirrhosis	K70, K73-K74
Chronic Lower Respiratory Disease (CLRD)	J40-J47
Gastritis, Enteritis, Colitis, Diverticulitis	K29, K50-K52, K57
Diabetes Mellitus	E10-E14
Homicide and Legal Intervention	X85-Y09, Y35, Y87.1, Y89.0
Influenza	J10-J11
Major Cardiovascular Diseases	I00-199
Diseases of the Heart	I00-109, I11, I13, I20-I51
Acute Rheumatic Fever	I00-I02
Chronic Rheumatic Fever	I05-I09
Diseases of Pulmonary Circulation	I26-I28
Hypertension with Heart Disease	I11, I13
Ischemic Heart Diseases	I20-I25
<i>Acute Myocardial Infarction</i>	I21-I22
<i>Other Ischemic Heart Diseases</i>	I20, I24-I25
Other Diseases of the Heart	I30-I51
Atherosclerosis	I70
Cerebrovascular Disease	I60-I69
Hypertension with or without Renal Disease	I10, I12
Other Diseases of the Circulatory System	I71-I78, I80-199
Neoplasms (Malignant)	C00-C97
Breast	C50
Buccal Cavity and Pharynx	C00-C14
Digestive Organs and Peritoneum	C15-C26
Genital Organs	C51-C63
Lymphatic and Hematopoietic Tissues	C81-C96
Respiratory System	C30-C39
Urinary Organs	C64-C68
Other and Unspecified Sites	C40-C49, C69-C80, C97
Nephritis, Nephrotic Syndrome and Nephrosis	N00-N07, N17-N19, N25-N27
Pneumonia	J12-J18
Septicemia	A40-A41
Sudden Infant Death Syndrome	R95
Suicide and Self-Inflicted Injury	X60-X84, Y87.0
Tuberculosis	A16-A19

Appendix 3. The International Classification of Diseases (ICD-9): Codes for Selected Diseases for Emergency Room Visits and Hospitalizations

Disease Category	ICD-9
Infectious and Parasitic Diseases	001-139
AIDS	042
Neoplasms (including benign)	140-239
Breast	174
Buccal Cavity and Pharynx	140-149
Digestive Organs and Peritoneum	150-159
Genital Organs	179-187
Lymphatic and Hematopoietic Tissues	200-208
Respiratory System	160-165
Urinary Organs	188-189
Other and Unspecified Sites	170-173,175,190-199
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	240-279
Diabetes Mellitus	250
Blood and Blood-Forming Organs	280-289
Mental Disorders	290-319
Psychoses	290-299
Alcoholic Psychoses	291
Drug-Induced Psychoses	292
Schizophrenia	295
Other	293-294, 296-299
Neurotic, Personality, & Other Non-Psychotic Mental Disorders	300-316
Alcohol Dependence Syndrome	303
Drug Dependence Syndrome	304
Non-Dependent Drug Abuse	305
Other	300-302, 306-316
Mental Retardation	317-319
Nervous System and Sensory Organs	320-389
Circulatory System	390-459
Diseases of the Heart	390-398,402,404-429
Acute Rheumatic Fever	390-392
Chronic Rheumatic Fever	393-398
Diseases of Pulmonary Circulation	415-417
Hypertension with Heart Disease	402,404
Ischemic Heart Diseases	410-414
<i>Acute Myocardial Infarction</i>	410
<i>Other Ischemic Heart Diseases</i>	411-414
Other Diseases of the Heart	420-429
Atherosclerosis	440
Cerebrovascular Disease	430-438
Hypertension with or without Renal Disease	401,403,405
Other Diseases of the Circulatory System	441-459
Respiratory System	460-519
Acute Respiratory Infections	460-466
Other Diseases of the Upper Respiratory Tract	470-478
Pneumonia	480-486
Influenza	487
Chronic Obstructive Pulmonary Disease	490-496
Chronic Bronchitis	491
Asthma	493
Other Respiratory Diseases	496

Appendix 3. The International Classification of Diseases (ICD-9): Codes for Selected Diseases for Emergency Room Visits and Hospitalizations (*cont'd*)

Disease Category	ICD-9
Digestive System	520-579
Diseases of Oral Cavity, Salivary Glands, and Jaws	520-529
Diseases of Esophagus, Stomach, and Duodenum	530-539
Appendicitis	540-543
Hernia of Abdominal Cavity	550-553
Noninfectious Enteritis and Colitis	555-558
Other Disease of Intestines and Peritoneum	560-569
Diverticula of Intestine	562
Other Diseases of Digestive System	570-579
Chronic Liver Diseases and Cirrhosis	571
Genitourinary System	580-629
Pregnancy, Childbirth, and Puerperium	630-679
Skin and Subcutaneous Tissue	680-709
Musculoskeletal System and Connective Tissue	710-739
Congenital Anomalies	740-759
Conditions Originating in the Perinatal Period	760-779
Symptoms, Signs, and Ill-Defined Conditions	780-799
Injury and Poisoning	800-999
Assault	E960-E968.9
Bicycle	E800.3, E801.3, E802.3, E803.3, E804.3, E805.3, E806.3, E807.3, E810.6, E811.6, E812.6, E813.6, E814.6, E815.6, E816.6, E817.6, E818.6, E819.6, E820.6, E821.6, E822.6, E823.6, E824.6, E825.6, E826.1
Cutting Instrument	E920.0-E929.9
Falls	E880.0-E886.9, E888.0-E888.9
Fire/Flame	E890.0-E899.9
Machinery	E919.0-E919.9
Motor Vehicle Crash	E810.0-E810.3, E810.8-E810.9, E811.0-E811.3, E811.8-E811.9, E812.0-E812.3, E812.8-E812.9, E813.0-E813.3, E813.8-E813.9, E814.0-E814.3, E814.8-E814.9, E815.0-E815.3, E815.8-E815.9, E816.0-E816.3, E816.8-E816.9, E819.0-E819.3, E819.8-E819.9, E822.0-E822.3, E822.8-E822.9, E823.0-E823.3, E823.8-E823.9, E825.0-E825.3, E825.8-E825.9
Overexertion	E927
Pedestrian	E810.7, E811.7, E812.7, E813.7, E814.7, E815.7, E816.7, E817.7, E818.7, E819.7, E820.7, E821.7, E822.7, E823.7, E824.7, E825.7
Poisonings	E850.0-E858.9, E860.0-E869.9
Respiratory Interference	E911-E913
Scalds	E924.0, E924.8-E924.9
Self-Inflicted	E950.0-E959.9
Struck by Object / Person	E916.0-E918.9
Submersion	E910.0-E919.9, E830, E832
Unintentional Firearms	E922
Other	
Railway	E800.0-E800.2, E800.8-E800.9, E801.0-E801.2, E801.8-E801.9, E802.0-E802.2, E802.8-E802.9, E803.0-E803.2, E803.8-E803.9, E804.0-E804.2, E804.8-E804.9, E805.0-E805.2, E805.8-E805.9, E806.0-E806.2, E806.8-E806.9, E807.0-E807.2, E807.8-E807.9
Motor Vehicle / Traffic	E810.4-E810.5, E811.4-E811.5, E812.4-E812.5, E813.4-E813.5, E814.4-E814.5, E816.4-E816.5, E817.0-E817.5, E817.8-E817.9, E818.0-E818.5, E818.8-E818.9, E819.4-E819.5
Motor Vehicle / Non-traffic	E820.0-E820.9, E821.0-E821.9, E822.4-E822.5, E823.4-E823.5, E824.0-E824.5, E824.8-E824.9, E825.4-E825.5

Appendix 3. The International Classification of Diseases (ICD-9): Codes for Selected Diseases for Hospitalizations (*cont'd*)

Diseases	ICD-9
Injury and Poisoning (<i>cont'd</i>)	800-999
Other (<i>cont'd</i>)	
Water Transport	E831, E833.0-E838.9
Air and Space Transport	E840.0-E845.9
Vehicle, Not Elsewhere Classified	E846.0-E848.9
Falls (other)	E887
Natural and Environmental	E900.0-E909.9
Submersion, Suffocation, Foreign Body	E914.0-E915.9
Other Road Vehicle	E826.0, E826.2-826.9, E827.0-E829.9
Explosion of a Pressure Vessel	E921.0-E921.9
Explosive Material	E923
Caustic and Corrosive Substances	E924.1
Other Unintentional	E925.0-E926.9, E928
Legal Intervention	E970.0-E976.9, E978
Injury, Undetermined Whether Accidentally or Purposefully Inflicted	E980.0-E988.9
Medical Misadventures, Adverse Reactions, and Late Effects	800-999
Medical Misadventures	E870-E876
Abnormal Reactions to Medical Procedures	E878-E879
Adverse Effects of Therapeutic Substances	E930-E949
Late Effects of Injuries	E929, E959,E969,E977,E989,E999
War	E990-E998
Medical Misadventures (late effects)	905-909, 996-999
Reasons for Hospitalization that are not Disease or Injury	V01-V71.2, V71.7-V82.9
Certain Adverse Effects, Not Elsewhere Classified	995
Supplementary Classifications - Newborns	V30-V39
Supplementary Classifications - Other	V01-V29, V40-V83

Appendix 4. Westchester County Department of Health, Communicable Disease Reporting Requirements

Reporting of suspected or confirmed communicable diseases is mandated under the New York Sanitary Code (10NYCRR 2.10) and Westchester County Sanitary Code Article IV, Section 873.402. The primary responsibility for reporting rests with the physician; moreover, laboratories (PHL 2102), school nurses (10NYCRR 2.12), day care center directors, nursing homes/hospitals (10NYCRR 405.3d) and state institutions (10NYCRR 2.10a) or other locations providing health services (10NYCRR 2.12) are also required to report the diseases listed below.

Amebiasis	Listeriosis	Group B strep
(Animal bites for which rabies prophylaxis is given ¹	Lyme disease	Streptococcus pneumoniae
(Anthrax ²	(Lymphogranuloma venereum	(Syphilis, specify stage ⁷
(Arboviral Infection ³	(Malaria	Tetanus
Babesiosis	Measles	Toxic shock syndrome
(Botulism ²	Melioidosis ²	Transmissible spongiform encephalopathies ⁸
(Brucellosis ²	Meningitis	(Trichinosis
Campylobacteriosis	Aseptic or viral	(Tuberculosis current disease (specify site)
Chancroid	(Haemophilus	(Tularemia ²
Chlamydia trachomatis infection	((Meningococcal	Typhoid
(Cholera	(Other (specify type)	(Vibriosis ⁶
Cryptosporidiosis	Meningococcemia	(Vaccinia Disease ⁹
Cyclosporiasis	Monkeypox	Viral hemorrhagic fever ²
(Diphtheria	(Mumps	Yellow Fever
E. coli O157:H7 infection ⁴	(Pertussis	Yersiniosis
Ehrlichiosis	Plague ²	
(Encephalitis	(Poliomyelitis	
(Foodborne illness	(Psittacosis	
Giardiasis	Q Fever ²	
(Glanders ²	(Rabies	
Gonococcal infection	Rocky Mountain spotted fever	
Haemophilus influenzae ⁵	Rubella (including congenital	
(invasive disease)	(rubella syndrome)	
(Hantavirus Disease	Salmonellosis	
Hemolytic uremic syndrome (HUS)	Severe Acute Respiratory	
Hepatitis A	Syndrome (SARS)	
(Hepatitis A in a food handler	(Shigatoxin-producing infection ⁴	
Hepatitis B, C	Shigellosis ⁴	
(specify acute or chronic)	Smallpox ²	
Pregnant Hepatitis B carrier	Staphylococcus aureus ⁶	
Herpes Infection, infants age 60 days or younger	(due to strains showing reduced	
Hospital associated infections	(susceptibility or resistance to	
(as defined in section 2.2	vancomycin)	
10NYCRR)	Staphylococcal	
Influenza, laboratory confirmed	enterotoxin B poisoning ²	
Legionellosis	Streptococcal infection	
	(invasive disease) ⁵	
	Group A beta-hemolytic strep	

1. Local health department must be notified prior to initiating rabies prophylaxis.
2. Diseases that are possible indicators of bioterrorism.
3. Including, but not limited to, infections caused by eastern equine encephalitis virus, western equine encephalitis virus, West Nile virus, St. Louis encephalitis virus, La Crosse virus, Powassan virus, and Jamestown Canyon virus.
4. Positive shigatoxin test results should be reported as presumptive evidence of disease.
5. Only report cases with positive cultures from blood, CSF, joint, peritoneal or pleural fluid. Do not report cases with positive cultures from skin, saliva, sputum or throat.
6. Proposed addition to list.
7. Any non-treponemal test \geq 1:16 or any positive primary or secondary stage disease or prenatal or delivery test result regardless of titer should be reported by phone; all others may be reported by mail.
8. Including Creutzfeldt-Jakob disease. Cases should be reported directly to the New York State Department of Health Alzheimer's Disease and Other Dementias Registry at (518) 473-7817 upon suspicion of disease. In NYC, Cases should be reported to the NYCDOHMH
9. Persons with vaccinia infection due to contact transmission, and persons with the following complications from vaccination: eczema vaccinatum, erythema multiforme major or Stevens-Johnson syndrome, fetal vaccinia, generalized vaccinia, inadvertent inoculation, ocular vaccinia, post-vaccinal encephalitis or encephalomyelitis, progressive vaccinia, pyogenic infection of the vaccination site, and any other serious adverse events.

SPECIAL NOTES

- Diseases listed in **bold type (t)** warrant prompt action and should be reported **immediately** to local health departments by phone followed by submission of the confidential case report form (DOH-389). In NYC use case report form 395V.
- In addition to the diseases listed above, any unusual disease (defined as a newly apparent or emerging disease or syndrome that could possibly be caused by a transmissible infectious agent or microbial toxin) is reportable.
- Outbreaks: while individual cases of some diseases (e.g., streptococcal sore throat, head lice, impetigo, scabies, and pneumonia) are not reportable, a cluster or outbreak of cases of any communicable disease is a reportable event.
- **Cases of HIV infection, HIV-related illness and AIDS are reportable to:**
 Division of Epidemiology
 P.O. Box 2073, ESP Station
 Albany, New York 12220-2073
 (518) 474-4284
 In New York City: New York City Department of Health
 For HIV/AIDS reporting, call:
 (212) 442-3388

For more information on disease reporting,
 call Westchester County Department of Health
 Division of Disease Control at (914) 813-5159, or
 New York State Department of Health
 Bureau of Communicable Disease Control at (518)-473-4439.
 In New York City 1(866) NYC-DOH1.
 To obtain reporting forms (DOH-389), call (518) 474-0548

WHO SHOULD REPORT?

Physicians, nurses, laboratory directors, infection control practitioners, health care facilities, state institutions, schools.

WHERE SHOULD REPORT BE MADE?

Report to local health department where patient resides.

Name/Address: **Westchester County**
Department of Health – DDC
145 Huguenot Street – 8th Floor
New Rochelle, New York 10801

Phone: **(914) 813-5159 [M-F 8:30-4:30]**
(914) 813-5000 [After Hours & Weekends]

Fax: **(914) 813-5182**

WHEN SHOULD REPORT BE MADE?

Within 24 hours of diagnosis:

- phone or fax diseases in bold type,
- mail case report, DOH-389, for all other diseases,
- in New York City use form 395V.


Appendix 5. Westchester County Hospitals

Name	Address	Telephone
Acute Hospitals		
Community Hospital at Dobbs Ferry	128 Ashford Avenue, Dobbs Ferry, NY 10522	914-693-0700
Hudson Valley Hospital Center	1980 Crompond Road, Cortlandt Manor, NY 10567	914-737-9000
Lawrence Hospital Center	55 Palmer Avenue, Bronxville, NY 10708	914-787-1000
Mount Vernon Hospital	12 North Seventh Avenue, Mount Vernon, NY 10550	914-664-8000
New York United Hospital Medical Center ¹	406 Boston Post Road, Port Chester, NY 10573	914-934-3100
Northern Westchester Hospital	400 Main Street, Mount Kisco, NY 10549	914-666-1303
Phelps Memorial Hospital Association	701 North Broadway, Sleepy Hollow, NY 10591	914-366-3000
Sound Shore Medical Center of Westchester	16 Guion Place, New Rochelle, NY 10802	914-632-5000
St. John's Riverside Hospital - Andrus Pavilion	967 North Broadway, Yonkers, NY 10701	914-964-4200
<i>Park Care Pavilion Division¹</i>	<i>2 Park Avenue, Yonkers, New York 10703</i>	<i>914-964-7300</i>
St. Joseph's Hospital	127 South Broadway, Yonkers, NY 10701	914-378-7000
Westchester Medical Center	95 Grasslands Road, Valhalla, NY 10595	914-493-7000
White Plains Hospital Center	14 East Post Road, White Plains, NY 10604	914-681-0600
Specialty Hospitals		
Blythedale Children's Hospital	Bradhurst Avenue, Valhalla, NY 10595	914-592-7555
W.M. Burke Rehabilitation Hospital	785 Mamaroneck Avenue, White Plains, NY 10605	914-597-2500
Four Winds Hospital	800 Cross River Road, Katonah, NY 10536	914-763-8151
New York Presbyterian Hospital - Westchester Division	21 Bloomingdale Road, White Plains, NY 10605	914-682-9100
Rye Hospital Center	754 Boston Post Road, Rye, NY 10580	914-967-4567
St. Vincent's Westchester Catholic Medical Center - St. Vincent's Westchester	275 North Street, Harrison, NY 10528	914-967-6500
Stony Lodge Hospital	40 Croton Dam Road, Ossining, NY 10562	914-941-7400
VA Hudson Valley Health Care System	2094 Albany Post Road, Montrose, NY 10548	914-737-4400

¹As of 11/01/2001, Yonkers General Hospital has been merged with St. John's Riverside Hospital. The original Yonkers General Hospital is currently an urgent care center that is open 24 hours a day, 7 days a week. The center is limited to walk-in detoxification and rehabilitation patients only and is known as the Park Care Pavilion. Patients in need of hospital care are admitted to St. John's Riverside Hospital.

Source: New York State Department of Health, July 2007.

Hospitals in Westchester County, 2009



Appendix 6. Westchester County Department of Health District Offices

Mount Kisco District Office¹

118 North Bedford Suite, Suite 100
Mount Kisco, New York 10549
(914) 864-7358

New Rochelle District Office

420 North Avenue
New Rochelle, New York 10801
(914) 813-5525

Port Chester WIC Program

One Gateway Plaza, 1st Floor
South Main Street
Port Chester, New York 10573
(914) 813-7244

White Plains District Office

134 Court Street, 1st Floor
White Plains, New York 10601
(914) 995-5800

White Plains WIC Program

112 East Post Road, 1st Floor
White Plains, New York 10601
(914) 995-6350

Yonkers District Office

20 South Broadway
Yonkers, New York 10701
Clinical Health Services: (914) 231-2500
Public Health Protection: (914) 231-2975
WIC Program: (914) 231-2510

¹ Environmental Only

Westchester County Board of Health
2009

Douglas G. Aspros, D.V.M., President

James E. Carnicelli, Vice President

Harold Adel, M.D.

Robert H. Baker, M.D.

William Davis

Richard Klein, M.D.

Peter Liebert, M.D.

Anthony M. Maddalena

Mary Ellen McGurty

Ruth Merkatz, R.N., Ph.D.

Judy Myers

R. Steven Nakashima

Nancy Seligson

**Westchester County Department of Health
Senior Administrative Staff
2009**

Joshua Lipsman, M.D., J.D., M.P.H.
Commissioner

Patsy Yang, Dr.P.H.
First Deputy Commissioner

Administration

Alyse Portera, M.H.S.A. Deputy Commissioner

Community Health

Cheryl Archbald, M.D., M.P.H. Deputy Commissioner

Disease Control

Ada Huang, M.D. Deputy Commissioner

Planning and Evaluation

Renee Recchia, M.P.H. Assistant Commissioner

Children with Special Needs

Lorraine Chun, B.S. Assistant Commissioner

Public Health Information and Communication

Caren Halbfinger Director

Environmental Health

Leonard Meyerson, P.E. Deputy Commissioner

**Project Staff
Planning and Evaluation**

Renee Recchia, M.P.H.
Assistant Commissioner

Jiali Li, Ph.D.
Director of Research and Evaluation

.....

Mary Ellen Bubnis	Senior Control Clerk
Megan Cea, M.P.H.	Assistant Statistician
Stanley Cho, M.P.H.	Medical Data Analyst I
Emma Hoy, M.P.H.	Medical Data Analyst II
Rosemary James, M.P.H.	Medical Data Analyst I
Rosemarie Linton, M.P.H.	Research Analyst
Segun Okunoye, M.P.H.	Management Analyst
Milagros Venuti, M.A.	Assistant Statistician