



**2004
Annual Data Book**

**COUNTY OF WESTCHESTER
ANDREW J. SPANO
COUNTY EXECUTIVE**

**DEPARTMENT OF HEALTH
ANNUAL DATA BOOK
2004**

**JOSHUA LIPSMAN, M.D., M.P.H.
COMMISSIONER OF HEALTH
WESTCHESTER COUNTY DEPARTMENT OF HEALTH
145 HUGUENOT STREET – 8TH FLOOR
NEW ROCHELLE, NY 10801**

**For questions, please contact the Department's Planning and Evaluation Unit:
Phone: (914) 813-5100**

Westchester County Department of Health

Mission Statement

The mission of the Westchester County Department of Health is to promote health, prevent disease and prolong meaningful life for Westchester residents.

The Commissioner of Health is vested with all of the powers and duties necessary under the mandates of the New York State Public Health Law to

- monitor and control the spread of communicable disease,
- monitor and regulate air and water quality,
- enforce the state and local sanitary code,
- promote and ensure local public health activities and
- assure the availability of community health services.

Westchester County Department of Health

Foreword

The Annual Data Book 2004 contains community demographic and health data that are valuable for describing the health and well being of Westchester County residents. In addition, it includes information on services delivered by the Department of Health. The data book contains three major sections. The first section provides general demographic and health status profiles of the county in detail with illustrative figures and maps. The second section contains the detailed statistic tables used in the databook. The last section provides information on data sources, definitions, data analysis methods, disease codes, and other information on Westchester County hospitals, nursing homes, and Health Department district offices and personnel.

The following are the principal areas contained in the data book:

For 2003,

- Births and Pregnancies, including the numbers of births, birth rates, and demographic characteristics of mothers.
- Deaths, including the numbers of deaths, death rates, leading causes of death and demographic characteristics.

For 2003 and 2004,

- Hospitalizations, including number of hospital discharges, average length of stay, type of services received, primary diagnosis for hospitalization, and demographic characteristics of patients.

For 2004,

- Demographics, including population figures and social economic characteristics.
- Communicable Diseases, including the number of communicable diseases reported to the Westchester County Department of Health.
- Community Health Program, including information on the Lead Poisoning Prevention Program and the activities of the Department of Health's community clinics.
- Environmental Health Program, including information on inspections conducted.
- Services for Children with Special Needs.
- Child Health Plus Enrollment.

Westchester County Municipalities

Health Planning Region and Municipality ¹	Code ²
Northwest	
Cortlandt Town	T
Buchanan Village	V
Croton-on-Hudson Village	V
Cortlandt Unincorporated	TOV
Mount Pleasant Town	T
Briarcliff Manor Village (Mount Pleasant Part) ²	V
Pleasantville Village	V
Sleepy Hollow Village	V
Mount Pleasant Unincorporated	TOV
Ossining Town	T
Briarcliff Manor Village (Ossining Part) ²	V
Ossining Village	V
Ossining Unincorporated	TOV
Peekskill	C
Northeast	
Bedford Town	T
Lewisboro Town	T
Mount Kisco Town/Village	T/V
New Castle Town	T
North Castle Town	T
North Salem Town	T
Pound Ridge Town	T
Somers Town	T
Yorktown Town	T
West Central	
Greenburgh Town	T
Ardsley Village	V
Dobbs Ferry Village	V
Elmsford Village	V
Hastings-on-Hudson Village	V
Irvington Village	V
Tarrytown Village	V
Greenburgh Unincorporated	TOV
Scarsdale Town/Village	T/V
White Plains	C

Health Planning Region and Municipality¹	Code²
East Central	
Harrison Town/Village	T/V
Mamaroneck Town	T
Larchmont Village	V
Mamaroneck Village (Mamaroneck Part) ³	V
Mamaroneck Unincorporated	TOV
Rye City	C
Rye Town	T
Mamaroneck Village (Rye Part) ³	V
Port Chester Village	V
Rye Brook Village	V
Southwest	
Yonkers	C
Southeast	
Eastchester Town	T
Bronxville Village	V
Tuckahoe Village	V
Eastchester Unincorporated	TOV
Mount Vernon	C
New Rochelle	C
Pelham Town	T
Pelham Village	V
Pelham Manor Village	V

¹ For regional planning purposes, municipalities are grouped into six geographic health planning regions.

² A town may or may not include incorporated villages located within the town boundary. When it does not include any incorporated villages within the town boundary, the statistics refer to the town as a whole (T). When it does include incorporated villages within its boundary, the statistics refer to the unincorporated area within the town boundary (TOV). The entities of Harrison, Mount Kisco, and Scarsdale are both towns and villages (V/T). The land in two towns, Pelham and Rye, has all been incorporated into separated villages. Therefore, no data are reported for these two towns.

³ The Village of Briarcliff Manor and the Village of Mamaroneck are split between two towns. Briarcliff Manor is within the Town of Ossining (92% of its surface area and 91% of its population) and the Town of Mount Pleasant (8% of its surface area and 9% of its population). The Village of Mamaroneck is within the Town of Mamaroneck (63% of its surface area and 60% of its population) and the Town of Rye (37% of its surface area and 40% of its population).

MUNICIPALITIES AND HEALTH PLANNING REGIONS WESTCHESTER COUNTY




Table of Contents

Foreword.....	i
Westchester County Municipalities.....	ii
List of Tables.....	vi
List of Figures/Maps.....	xiii
Westchester County Demographic and Health Status Profiles.....	1
<i>Demographics</i>	2
<i>Births and Pregnancies</i>	4
<i>Deaths</i>	9
<i>Morbidity: Hospitalizations</i>	14
<i>Morbidity: Selected Diseases</i>	26
Tables.....	36
<i>Demographics</i>	36
<i>Births and Pregnancies</i>	40
<i>Deaths</i>	48
<i>Morbidity: Hospitalizations</i>	59
<i>Morbidity: Selected Diseases</i>	116
<i>Selected Services Provided by Westchester County Department of Health</i>	136
Appendices.....	156
<i>Data Sources and Definitions</i>	156
<i>Data Analysis and Significance Test</i>	162
<i>The International Classification of Diseases (ICD-10): Codes for Selected Causes of Death</i>	163
<i>The International Classification of Diseases (ICD-9): Codes for Selected Diseases for</i>	
<i>Hospitalizations</i>	164
<i>Westchester County Department of Health, Communicable Disease Reporting Requirements</i>	167
<i>Westchester County Hospitals</i>	168
<i>Westchester County Nursing Homes</i>	170
<i>Westchester County Department of Health’s District Offices</i>	173
<i>Westchester County Board of Health</i>	174
<i>Westchester County Department of Health - Administrative Staff</i>	175
<i>Westchester County Department of Health - Project Staff</i>	176

List of Tables

Population: Demographic Profile

Table 1	Age, Sex, and Race/Ethnicity, Westchester County, 2000 and 2004	36
Table 2	Educational Attainment, Population 25 Years and Over, Westchester County, 2000 and 2004	37
Table 3	Labor Force Participation and Unemployment Rate, Population 16 Years and Over, Westchester County, 2000 and 2004	37
Table 4	Immigration and Language Spoken at Home, Westchester County, 2000 and 2004	38
Table 5	Household Structure, Westchester County, 2000 and 2004	38
Table 6	Number of Households by Income Group, Median Household Income, Source of Household Income, and Number and Percent of Population Under Poverty Level, Westchester County, 1999 and 2003	39

Population: Health Status Profile

Births and Pregnancies

Table 7	Total Number of Births, Westchester County, 2003	40
Table 8	Average Maternal Age and Number of Births by Mother's Age, Westchester County, 2003	41
Table 9	Percentage of Infants with Low Birthweight, Less Than 37 Gestation Weeks, and Late or No Prenatal Care, Westchester County, 2003	42
Table 10	Number of Births by Mother's Age and Race/Ethnicity, Westchester County, 2003	43
Table 11	Number of Births by Birthweight and Mother's Race/Ethnicity and Age, Westchester County, 2003	44
Table 12	Average Birthweight by Maternal Exposure to Smoking and Drug Use During Pregnancy by Mother's Race/Ethnicity, Westchester County, 2003	45
Table 13	Number of Births by Time Starting Prenatal Care and Mother's Age and Race/Ethnicity, Westchester County, 2003	46
Table 14	Number of Total Pregnancies, Live Births, Spontaneous Fetal Deaths, and Induced Abortions by Maternal Age, Westchester County, 2003	47

Deaths

Table 15	Total Number of Deaths and Infant Deaths, Westchester County, 2003	48
Table 16	Number of Deaths and Death Rates by Age Group and Sex, and Average Age of Death by Sex, Westchester County, 2003	49
Table 17	Number of Deaths and Death Rates by Age Group and Race/Ethnicity, and Average Age of Death by Race/Ethnicity, Westchester County, 2003	50
Table 18	Number of Infant Deaths and Infant Mortality Rates by Race/Ethnicity, Westchester County, 2003	51
Table 19	Number of Deaths and Death Rates by Selected Causes and Sex, Westchester County, 2003	52
Table 20	Number of Deaths and Death Rates by Selected Causes and Age Group, Westchester County, 2003	53
Table 21	Number of Deaths and Death Rates by Selected Causes and Race/Ethnicity, Westchester County, 2003	54
Table 22	Number of Deaths Due to Cardiovascular Diseases by Age Group and Sex, Westchester County, 2003	55
Table 23	Number of Deaths Due to Cardiovascular Diseases by Race/Ethnicity, Westchester County, 2003	56
Table 24	Number of Deaths Due to Malignant Neoplasms by Age Group and Sex, Westchester County, 2003	57
Table 25	Number of Deaths Due to Malignant Neoplasms by Race/Ethnicity, Westchester County, 2003	58

Morbidity: Hospitalizations

Table 26	Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2003-2004	59
Table 27	Number of Hospital Discharges and Average Length of Stay by Age and Sex, Westchester County Residents, 2003-2004	63
Table 28	Number of Hospital Discharges and Average Length of Stay by Age and Race/Ethnicity, Westchester County Residents, 2003-2004	65
Table 29	Number of Hospital Discharges by Principal Diagnosis and All Related Diagnoses, Westchester County Residents, 2003-2004	67
Table 30	Number of Hospital Discharges by Principal Diagnosis and Age, Westchester County Residents, 2003-2004	69

Table 31	Number of Hospital Discharges by Principal Diagnosis and Sex, Westchester County Residents, 2003-2004	71
Table 32	Number of Hospital Discharges by Principal Diagnosis and Race/Ethnicity, Westchester County Residents, 2003-2004	73
Table 33	Number of Hospital Discharges and Average Length of Stay Due Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age, Westchester County Residents, 2003-2004	75
Table 34	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System, by Sex, Westchester County Residents, 2003-2004	77
Table 35	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System, by Race/Ethnicity, Westchester County Residents, 2003-2004	79
Table 36	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age and Sex, Westchester County Residents, 2003-2004	81
Table 37	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age and Race/Ethnicity, Westchester County Residents, 2003-2004	83
Table 38	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Mental Disorder by Age, Westchester County Residents, 2003-2004	85
Table 39	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Mental Disorder by Sex, Westchester County Residents, 2003-2004	87
Table 40	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Mental Disorder by Race/Ethnicity, Westchester County Residents, 2003-2004	88
Table 41	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Age, Westchester County Residents, 2003-2004	89
Table 42	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Sex, Westchester County Residents, 2003-2004	90
Table 43	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Race/Ethnicity, Westchester County Residents, 2003-2004	91
Table 44	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Age, Westchester County Residents, 2003-2004	92

Table 45	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Sex, Westchester County Residents, 2003-2004	93
Table 46	Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Race/Ethnicity, Westchester County Residents, 2003-2004	94
Table 47	Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses by Age, Westchester County Residents, 2003-2004	95
Table 48	Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses by Sex, Westchester County Residents, 2003-2004	96
Table 49	Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses by Race/Ethnicity, Westchester County Residents, 2003-2004	97
Table 50	Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses by Age and Sex, Westchester County Residents, 2003-2004	99
Table 51	Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses by Age and Race/Ethnicity, Westchester County Residents, 2003-2004	101
Table 52	Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning by Etiology and Age, Westchester County Residents, 2003-2004	103
Table 53	Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning by Etiology and Sex, Westchester County Residents, 2003-2004	105
Table 54	Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning by Etiology and Race/Ethnicity, Westchester County Residents, 2003-2004	106
Table 55	Number of Hospital Discharges and Average Length of Stay Due to Diabetes Related Diagnoses by Age and Sex, Westchester County Residents, 2003-2004	108
Table 56	Number of Hospital Discharges and Average Length of Stay Due to Diabetes Related Diagnoses by Age and Race/Ethnicity, Westchester County Residents, 2003-2004	110
Table 57	Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses by Age and Sex, Westchester County Residents, 2003-2004	112
Table 58	Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses by Age and Race/Ethnicity, Westchester County Residents, 2003-2004	114

Morbidity: Selected Diseases

Table 59	Reported Cases and Rates of Reportable Diseases, Westchester County, 2002-2004	116
Table 60	Reported Cases and Rates of Sexually Transmitted Diseases, Westchester County, 2004	117
Table 61	Reported Cases and Rates of Chlamydia by Age Group, Sex, and Race/Ethnicity, Westchester County, 2004	118
Table 62	Reported Cases and Rates of Gonorrhea by Age Group, Sex, and Race/Ethnicity, Westchester County, 2004	119
Table 63	Reported Cases and Rates of Syphilis (All Stages) by Age Group, Sex, and Race/Ethnicity, Westchester County, 2004	120
Table 64	Reported Cases and Rates of Lyme Disease, Westchester County, 2004	121
Table 65	Reported Cases and Rates of Lyme Disease by Age and Sex, Westchester County, 2004	122
Table 66	Reported Cases And Rates of Major Enteric Infections, Westchester County, 2004	123
Table 67	Reported Cases and Rates of Salmonellosis by Age, Westchester County, 2002-2004	124
Table 68	Reported Cases and Rates of Giardiasis by Age, Westchester County, 2002-2004	124
Table 69	Reported Cases and Rates of Campylobacteriosis by Age, Westchester County, 2002-2004	125
Table 70	Reported Cases and Rates of Selected Central Nervous System Diseases and Bacteremias, Westchester County, 2004	126
Table 71	Reported Cases and Rates of Meningitis by Age and Sex, Westchester County, 2004	127
Table 72	Reported Cases and Rates of Invasive Strep Pneumoniae by Age and Sex, Westchester County, 2004	127
Table 73	Reported Cases and Rates of Pertussis by Age, Westchester County, 2003-2004	128
Table 74	Number of Tuberculosis Cases and Contacts, Westchester County, 1998-2004	129
Table 75	Reported Cases and Rates of Tuberculosis by Age, Westchester County, 2002-2004	130
Table 76	Summary of Cumulative AIDS and Living HIV and AIDS Cases by Sex, Age, Race/Ethnicity, and Risk, Westchester County, 1982-2003	131

Table 77	AIDS Cases by Sex and Year of Diagnosis, Westchester County Residents, 1982-2003	132
Table 78	AIDS Cases by Age and Year of Diagnosis, Westchester County Residents, 1982-2003	133
Table 79	AIDS Cases by Race/Ethnicity and Year of Diagnosis, Westchester County Residents, 1982-2003	134
Table 80	AIDS Cases by Risk and Year of Diagnosis, Westchester County Residents, 1982-2003	135

Selected Services Provided by Westchester County Department of Health

Table 81	Childhood Lead Poisoning Prevention Program: Total Number of Tests Conducted, Test Results by Blood Lead Level, and Number of Initial Screen Tests by Municipality, Westchester County, 2004	136
Table 82	Childhood Lead Poisoning Prevention Program: Total Number of Tests Conducted, Test Results by Blood Lead Level, and Number of Initial Screen Tests by Age, Westchester County, 2004	137
Table 83	Childhood Lead Poisoning Prevention Program: Number of Children Tested, Number of Children with Multiple Tests, Number of Children with Lead Poisoning, Number of Lead Registry Cases, Westchester County, 2004	138
Table 84	Number of Patients Served and Number of Clinic Visits by District Office, Westchester County, 2004	139
Table 85	Number of Patients Served at District Offices and Home Health Programs by Age, Sex, and Race/Ethnicity, 2004	140
Table 86	Number of Patients and Visits to Family Planning Clinics by Patient Age Group and District Office, Westchester County, 2004	141
Table 87	Number of Patients and Visits to Sexually Transmitted Disease Clinics by Patient Age Group and District Office, Westchester County, 2004	142
Table 88	Number of Patients and Visits to Tuberculosis Clinics by Patient Age Group and District Office, Westchester County, 2004	143
Table 89	Number of Home Health Visits by Discipline and District Office, Westchester County, 2004	144
Table 90	Number of Vaccines Administered at District Offices and Influenza/Special Epidemic Clinics, Westchester County, 2004	145
Table 91	Number of Animal Bites Reported to the Westchester County Department of Health, Number of Animals Tested, Number of Animals Confirmed Rabid by Type of Animal and Rabies Post-Exposure Treatments Administered, 1991-2004	146

Table 92	Number of Rabies Post-Exposure Treatments Administered by Rabies Status, 2000-2004	147
Table 93	Number of Animals Confirmed Rabid, Westchester County, 1991-2004	148
Table 94	West Nile Virus - Mosquito Surveillance by Westchester County Department of Health, 2004	149
Table 95	Public Health Protection and Environmental Quality: Number of Inspection Related Activities, 2004	150
Table 96	Public Health Complaints Received and Investigated by Program, 2004	152
Table 97	Public Health Protection: Facility Permits Issued, Westchester County, 2004	153
Table 98	Services For Children With Special Needs: Number of Children Served, Westchester County Department of Health, 2004	154
Table 99	Child Health Plus Enrollment and Family Health Plus/Medicaid Enrollment, Westchester County Department of Health, 2004	155

List of Figures and Maps

Figure 1	Percentage Distribution of Infants by Birthplace, Westchester County, 2003	4
Figure 2	Average Maternal Age by Birthplace, Westchester County, 2003	4
Figure 3	Percent Distribution of Births by Maternal Age, Westchester County, 2003	5
Figure 4	Percent Distribution of Births by Maternal Age and Race/Ethnicity, Westchester County, 2003	5
Figure 5	Percent of Infants with Low Birthweight by Race/Ethnicity, Westchester County, 2003	6
Figure 6	Average Birthweight of Infants by Mother's Risk Behavior During Pregnancy, Westchester County, 2003	7
Figure 7	Percent of Mothers Who Delayed or Did Not Seek Prenatal Care by Maternal Age, Westchester County, 2003	7
Figure 8	Percent of Mothers Who Delayed or Did Not Seek Prenatal Care by Race/Ethnicity, Westchester County, 2003	8
Figure 9	Average Age at Death by Race/Ethnicity, Westchester County, 2003	9
Figure 10	Infant Mortality Rate by Race/Ethnicity, Westchester County, 2003	10
Figure 11	Percentage Distribution of Death by Selected Causes and Sex, Westchester County, 2003	10
Figure 12	Percentage Distribution of Deaths by Selected Causes and Race/Ethnicity, Westchester County, 2003	11
Figure 13	Percentage Distribution of Deaths Due to Cardiovascular Diseases, Westchester County, 2003	12
Figure 14	Percentage Distribution of Deaths Due to Malignant Neoplasms, by Sex, Westchester County Residents, 2003	12
Figure 15	Percent Distribution of Hospital Discharges by Service Category, Westchester County Residents, 2004	14
Figure 16	Number of Hospital Discharges by Principal Diagnosis, Westchester County Residents, 2004	15
Figure 17	Causes of Hospitalizations by Sex, Westchester County, 2004	16
Figure 18	Causes of Hospitalizations by Race, Westchester County, 2004	17

Figure 19	Percentage Distribution of Hospital Discharges Due to Cardiovascular and Other Diseases of the Circulatory System by Principal Diagnosis, Westchester County Residents, 2004	18
Figure 20	Percentage Distribution of Hospital Discharges Due to Cardiovascular and Other Circulatory Diseases by Age and Race/Ethnicity, Westchester County Residents, 2004	19
Figure 21	Percentage Distribution of Asthma-Related Hospital Discharges by Race, Westchester County Residents, 2004	21
Figure 22	Percentage Distribution of Hospital Discharges Due to Malignant Neoplasms by General Diagnosis Category and Sex, Westchester County Residents, 2004	22
Figure 23	Percent Distribution of Hospital Discharges Due to Malignant Neoplasms by Age and Race/Ethnicity, Westchester County Residents, 2004	22
Figure 24	Percentage Distribution of Hospital Discharges Due to Injury and Poisoning by Etiology, Westchester County Residents, 2004	23
Figure 25	Percent Distribution of Hospital Discharges Due to Injury and Poisoning by Top Five Causes by Race, Westchester County Residents, 2004	24
Figure 26	Percentage Distribution of AIDS Related Hospital Discharges by Race, Westchester County Residents, 2004	25
Figure 27	Reported Rates of Sexually Transmitted Diseases, Westchester County, 2002-2004	27
Figure 28	Reported Rates of Sexually Transmitted Diseases by Health Planning Region, Westchester County, 2004	27
Figure 29	Reported Rates of Chlamydia by Age and Sex, Westchester County, 2004	28
Figure 30	Reported Rates of Gonorrhea by Age and Sex, Westchester County, 2004	28
Figure 31	Reported Rates of Chlamydia by Race/Ethnicity and Sex, Westchester County, 2004	29
Figure 32	Reported Rates of Gonorrhea by Race/Ethnicity and Sex, Westchester County, 2004	29
Figure 33	Reported Cases of Early Syphilis, 2002-2004	30
Figure 34	Reported Rates of Lyme Disease by Health Planning Region, Westchester County, 2004	30
Figure 35	Comparison of Municipality Lyme Disease Infection Rates with Westchester County Average, 2004	31
Figure 36	Reported Rates of Lyme Disease by Age and Sex, Westchester County, 2004	32

Figure 37	AIDS Cases by Sex and Year of Diagnosis, Westchester County Residents, 1989-2003	34
Figure 38	Percentage Distribution of AIDS Cases by Age and Year of Diagnosis, Westchester County Residents, 1982-2003	34
Figure 39	Percentage Distribution of AIDS Cases by Race/Ethnicity and Year of Diagnosis, Westchester County Residents, 1982-2003	35
Figure 40	Percentage Distribution of AIDS Cases by Risk and Year of Diagnosis, Westchester County Residents, 1982-2003	35

Maps

Municipalities and Health Planning Regions, Westchester County	iv
Comparison of Municipality Lyme Disease Infection Rates with Westchester County Average, 2004	31
Hospitals Located in Westchester County, 2004	169
Nursing Homes Located in Westchester County, 2004	172

**Westchester County Demographic and
Health Status Profiles**

Introduction

The Westchester County Demographic Profile offers a summary of the county's basic demographics in 2004 (2003 for income statistics) and presents the population distribution by age, sex, race/ethnicity, education, family structure, and poverty status.

Following the demographic profile is a profile for the county's health status. The health status profile presents information for the county's vital statistics, including births, pregnancies, and deaths, as well as morbidity statistics, including hospitalization discharges by various diseases and the reported cases and rates of communicable diseases in Westchester County.

Significance tests were performed for all the indicators discussed in the profiles. Only statistically significant differences, defined as a p-value less than .05 ($p < 0.05$) are highlighted in the profiles unless noted otherwise.

Demographics

Age, Sex, and Race Distribution

- According to the 2004 American Community Survey, an estimate of 917,956 people, excluding people living in institutions, college dormitories, and other group quarters, lived in Westchester County in 2004. Among them, 6.9% were under five years of age. Twenty percent were from 5 to 19 years of age and 13.4% were ages 65 years and older. The median age was 38.5 years.
- The number of males was 442,672 (48.2%) and the number of females was 475,284 (51.8%).
- Seventy-one percent (71.6%) of the population was white. Fourteen percent (14.4%) of the population was black. Overall, Hispanics represented about 18% of the population.

Educational Attainment

- The majority (88.6%) of Westchester County residents, ages 25 years and older, had received at least a high school education; about half (49.6%) had received at least an associates degree.
- Over one-fifth (21.5%) had a graduate or professional degree.

Labor Force Participation and Unemployment Rate

- The overall unemployment rate was 6.9% in 2004 among the civilian labor force population. The unemployment rate among the female civilian labor force population was 7.1% in 2004.

Immigration and Language Spoken at Home

- Among all Westchester County residents, nearly one in five persons were born in a foreign country, of which 45.7% were non-citizens.
- For the population 5 years and older, the percentage of people who spoke primarily a non-English language at home was 28.2%. Spanish was the primary language spoken at home for 15.5% of the population.

Household Structure

- Among the 332,865 households in Westchester County, 69.5% were family households, defined as those with two or more related people living together. Over half (52.3%) of the family households had related children under age 18.
- Of all the family households with related children under age 18, one-fifth were single-parent families: 16.4% were single-mother families and 3.7% were single-father families.


Household Income and Poverty Level

- About half (47.5%) of Westchester County households had a total annual income of \$75,000 and above in 2003. Over one-third of the households had an annual income over \$100,000.
- The number of households receiving public assistance income was two percent. The number of households with social security income was 28.4% and 17.7% of the households had retirement income.
- The median household income was \$70,095 in 2003.
- The poverty rate was 6.6% in 2003.


Births and Pregnancies

Births/Birth Rates


- A total of 12,784 infants were born to Westchester County residents in 2003, with a birth rate of 13.8 live births per 1,000 people. Among these infants, the majority was born within the county, accounting for 76.6% of all the infants born to Westchester County residents; 1,785 were born in the city of New York (NYC), accounting for 14.2% of all the infants born to Westchester County residents. Less than 10% were born in other New York State (NYS) counties or outside of NYS (9.4%) (Figure 1).




- The average maternal age at birth for Westchester County was 30.8 years. Women who delivered their infants in Westchester County were about three years younger than women who delivered in NYC (Figure 2).



- Over half of the children born in 2003 were born to women between the ages of 25 and 34. About 4% of children were born to mothers under 20 years of age in 2003 (Figure 3).




- Among children born to white women in 2003, 11.2% was born to women aged 20-24; 18.9% was born to women aged 25-29; more than one-third was born to women aged 30-34; over one quarter was born to women aged 35-39; and 6.0% was born to women aged 40 or more. Less than 4.0% was born to women under the age of 20 (Figure 4). The average maternal age among white mothers was 31.3 years in 2003.



- The average maternal age among black mothers was younger than that of white mothers (28.4 vs. 31.3 years). Among children born to black women in 2003, 23.3% was born to women aged 20-24; 24.1% was born to women aged 25-29; 23.3% was born to women aged 30-34; and 16.1% was born to children aged 35-39. Less than 5.0% was born to mothers over the age of 40; 8.7% of children was born to mothers younger than 20 (Figure 4).
- Hispanic women, on average, have children at a younger age than white women. Among children born to Hispanic women in 2003, over half was born to women aged 20-29; 21.9% was born to mothers aged 30-34; and 13.6% was born to women aged 35-39. Hispanic women had the lowest percentage of children born to women over age 40, at 2.8%; 8.3% of children was born to mothers younger than 20 (Figure 4). The average maternal age was 27.8 years.


Birthweight

- Among infants born in 2003, 6.2% was born with a birthweight between 1,500 to 2,499 grams, and 1.4% was born with a birthweight of below 1,500 grams (very low birthweight)¹ (Figure 5).
- The proportion of infants born with low birthweight (<2,500 grams) varied by race (Figure 5). Blacks had the highest proportion of low birthweight babies (11.5%). Whites and Hispanics had similar proportions of infants with low birthweights (6.9% and 6.3%, respectively).




¹ Low birthweight, <2500 grams; Very low birthweight, <1500 grams.

- Infant birthweight was associated with mother's behavior during pregnancy (Figure 6). The average birthweight for children born to women who did not smoke or use illicit drugs during pregnancy was 3,288 grams. Among infants born to mothers who smoked during pregnancy, the average birthweight was 3,149 grams. Among infants born to mothers who reported using illicit drugs, the average birthweight was 3,122 grams. Among infants born to mothers who smoked as well as used any of the illicit drugs, the average birthweight was 2,840 grams.




Prenatal Care

- Among infants born in 2003, about one-quarter (23.4%) was born to women who delayed or sought no prenatal care. About 19.1% was born to women who did not seek prenatal care until their second trimester, 3.2% was born to women who did not seek prenatal care until their third trimester, and 1.1% was born to women who never sought prenatal care (Figure 7).




- Young women were more likely to delay or seek no prenatal care. Among infants born to women of ages 10-17 years, over half were born to mothers who did not seek prenatal care until their second or third trimester or who never sought prenatal care (Figure 7). The percentage of infants born to mothers of older ages (ages 40+) who did not seek or delayed prenatal care decreased to less than 20%.
- Women of Hispanic ethnicity were more likely to delay or seek no prenatal care compared to white women (Figure 8). Among infants born to Hispanic mothers, 29.9% did not seek prenatal care until the second trimester, 4.8% did not seek care until the third trimester, and 1.4% did not seek any prenatal care.
- Black women were also more likely to delay or seek no prenatal care compared to white women. About 32% of infants born to black women had delayed prenatal care; about 3% did not receive any prenatal care (Figure 8).




Deaths

Deaths/Death Rates

- A total of 7,269 Westchester County residents died in 2003. The death rate for Westchester County was 7.9 per 1,000 people. Of the total Westchester County deaths in 2003, 732 (10.1%) occurred in NYC.
- The average age of death for Westchester County was 76.1 years. The average age at death for females was higher than for males (79.6 versus 72.0 years).
- The average age of death varied by race and ethnicity (Figure 9). The average age of death was the highest for whites, at 78.0 years. Among blacks, the average age of death was 66.5 years; and among Hispanics, the average was 60.6 years.




- The infant mortality rate for Westchester County was 3.9 per 1,000 live births. The infant mortality rate was the highest among blacks (11.3 per 1,000 live births), almost three times the county average (Figure 10).




Major Causes of Deaths

- Major cardiovascular disease was the leading cause of death in Westchester County in 2003, followed by malignant neoplasms (Figure 11). Together, these diseases were responsible for approximately 70% of all deaths.




- Conditions originating in the perinatal period accounted for the majority of the deaths among children under one year of age (46%), followed by congenital anomalies (22%).
- Among people under 30 years of age (excluding those under 1 year), the major cause of death was accidents (28.9%).
- Among people aged 30-49, the two major causes of death were malignant neoplasms (28.2%), followed by major cardiovascular diseases (20.1%). Malignant neoplasms were also the major cause of death among persons between 50 to 64 years of age (41.7%), followed by major cardiovascular diseases (29.1%). Major cardiovascular disease was the leading cause of death for people aged 65 and over (47.0%), followed by malignant neoplasms (22.9%).
- The major causes of death varied among people of different race/ethnicities. While major cardiovascular disease was the leading cause of death for all groups, it accounted for 43.2% of all deaths among whites and 38.5% of all deaths among blacks. Among Hispanics, major cardiovascular disease accounted for 32.8% of all deaths during 2003 (Figure 12).




- Malignant neoplasms accounted for 24.8% of all deaths among whites and 27.8% of all deaths among blacks. Among Hispanics, malignant neoplasms accounted for 25.8% of all deaths (Figure 12).
- Chronic lower respiratory diseases and pneumonia accounted for higher proportions of deaths among whites (5.0% and 2.7%) than among blacks (2.6% and 1.5%). Diabetes mellitus accounted for higher percentage of deaths among blacks (3.4%) and Hispanics (4.2%) than among whites (2.0%) (Figure 12).
- Death due to accidents was the third leading cause of death among Hispanics, accounting for 7.8% of all deaths. Accidents accounted for 2.8% and 2.2% of deaths among whites and blacks, respectively (Figure 12).

- A total of 3,067 individuals died due to major cardiovascular diseases in Westchester County in 2003, accounting for 42.2% of total deaths (Figure 13). Among people who died of major cardiovascular diseases, the majority (63.7%) were due to ischemic heart diseases, including acute myocardial infarction.



- Malignant neoplasms were the cause of death for 1,835 individuals in Westchester County in 2003, accounting for 25.2% of total deaths (Figure 14). There were slightly more female than males that died of malignant neoplasms (984 vs. 851). Among females, over a quarter (25.3%) was due to malignant neoplasms located in the digestive organs and peritoneum. Nearly a quarter (22.5%) was due to malignant neoplasms of the respiratory system. Breast cancer was the third leading cause of death among female cancer victims, accounting for 17.4% of all female deaths due to malignant neoplasms in 2003. Malignant neoplasms of the genital organs accounted for 11.3% and lymphatic and hematopoietic systems accounted for 8.0%.




- Among males, 28.2% of the cancer deaths were due to malignant neoplasms of the digestive organs and peritoneum (Figure 14). Over a quarter (27.8%) of male cancer deaths were due to malignant neoplasms of the respiratory system. Malignant neoplasms of the lymphatic and hematopoietic system accounted for 14.0% of male cancer deaths and malignant neoplasms of the genital organs accounted for 12.3% of male cancer deaths.

Morbidity: Hospitalizations

Total Hospital Discharges²

- The total number of reported hospitalization discharges during 2004 was 103,369 among Westchester County residents. The number of reported hospitalization discharges was 116,621 during 2003.
- During 2004, over one-third of the reported hospital discharges occurred for medical services (34.3%). Another third was for surgical services (31.7%). Newborns accounted for 9.4% of all hospital discharges and 10.6% of hospital discharges were obstetric related (excluding induced abortions and complications from induced abortions). The remaining discharges were psychiatric (9.8%) and pediatric services (4.2%) (Figure 15).




- The majority of reported hospital discharges (83.7%) occurred within Westchester County hospitals during 2004. Westchester Medical Center accounted for the largest percent of cases (13.2%), followed by St. John's Riverside Hospital (13.1%), White Plains Hospital Center (9.6%), and Sound Shore Medical Center of Westchester (8.7%).

² Due to the fact that the SPARCS data are continually being updated, the completeness of reporting by individual facilities varies over time. Information reported for 2004 reflects data received as of March 2005.

- During 2004, the top three hospitals for medical related hospitalizations were St. John’s Riverside Hospital (13.6%), White Plains Hospital Center (10.1%), and Lawrence Hospital Center (9.2%). The top three hospitals for surgical related hospitalizations were Westchester Medical Center (17.3%), White Plains Hospital Center (8.8%), and St. John’s Riverside Hospital (8.7%). Over one-third of the pediatric cases were hospitalized at Westchester Medical Center (38.7%). Westchester Medical Center was also one of the top three sites for psychiatric hospital discharge cases (16.1%), along with St. Johns Riverside Hospital (18.7%), and St. Vincent’s Westchester (16.4%).
- Excluding newborns and hospitalizations due to complications of pregnancy, childbirth, and puerperium, the top three causes of hospitalization, as defined by the principal diagnosis³, were diseases of the circulatory system (15.2%), mental disorders (9.8%), and diseases of the digestive system (8.0%) during 2004. The next three major causes of hospitalizations were diseases of the respiratory system (6.9%), neoplasms (5.9%), and diseases of the musculoskeletal system and connective tissue (4.4%) (Figure 16).

Figure 16. Number of Hospital Discharges by Principal Diagnosis, Westchester County Residents, 2004




Source: NYS DOH, Statewide Planning and Research Cooperative System SPARCS 2004

³ The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care. Because the principal diagnosis represents the reason for the patient’s stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. Furthermore, the principal diagnosis reflects clinical findings discovered during the patient’s stay, therefore, it may differ from the admitting diagnosis.

Total Hospital Discharges by Sex

- There were more hospitalization discharges among females than among males for Westchester County residents during 2004, with females accounting for 56.7% of all the reported hospitalized cases. Excluding obstetric related causes and newborns, females accounted for 51.9% of all reported hospitalized cases.
- The average length of hospital stay for all Westchester County cases was about six days: 5.8 days for females and 6.4 days for males. Excluding newborns and obstetric related cases, the average length of stay was 6.8 days for females and 6.7 days for males. Generally, people hospitalized at an older age spent a longer time in the hospital. However, teenage patients, as well as patients in their early twenties, had a longer length of stay than other age groups.
- The top three causes for all males, excluding newborns, were diseases of the circulatory system (18.6%), mental disorder (13.5%), and diseases of the digestive system (8.3%). Excluding newborns, the top three causes of hospitalization for all females were complication of pregnancy, childbirth, and puerperium (18.7%), diseases of the circulatory system (12.6%), followed by diseases of the digestive system (7.7%) (Figure 17).


Figure 17. Causes of Hospitalizations by Sex, Westchester County, 2004



* Excluding supplementary classifications - newborns.
 Source: NYS DOH, Statewide Planning and Research Cooperative System
 SPARCS 2004

Total Hospital Discharges by Race/Ethnicity

- Among the hospitalization discharges for Westchester County residents during 2004, whites accounted for 64.2% of all the reported hospitalized cases. Blacks accounted for 17.8%, Asian and other races accounted for 13.7%. Hispanics represented 10% of all reported hospitalization cases. Excluding obstetric related causes and newborns, whites accounted for 62.0% of the cases, blacks accounted for 17.2% and asian and other races accounted for 16.4% of the cases. Thirteen percent (13.1%) of all hospital cases were among Hispanics.
- Excluding newborns and obstetric related cases, the average length of stay among whites was 6.6 days. The average length of stay was 8 days among blacks and 6 days among Hispanics.
- During 2004, excluding newborns and cases due to complications of pregnancy, childbirth, and puerperium, the top three causes of hospitalization for all whites were diseases of the circulatory system (16.5%), diseases of the digestive system (8.6%), and mental disorders (8.2%) (Figure 18).




- Among blacks, the top three causes of hospitalization, excluding newborns and cases due to complications of pregnancy, childbirth, and puerperium, were mental disorders (17.4%), diseases of the circulatory system (12.8%), and diseases of the digestive system (7.5%) (Figure 18).

- Among Hispanics, the top three causes of hospitalization, excluding newborns and cases due to complications of pregnancy, childbirth, and puerperium, were mental disorders (11.4%), diseases of the digestive system (8.3%), and diseases of the circulatory system (7.1%).
- During 2004, 10.6% of the hospitalized cases were related to complications of pregnancy, childbirth, and puerperium. Such cases accounted for 8.9% and 9.5% of all cases for whites and blacks, respectively. Among Hispanics, they accounted for 20.4% of all cases.


Hospital Discharges Due to Diseases of the Circulatory System

- During 2004, a total of 15,704 cases were hospitalized due to cardiovascular and other diseases of the circulatory system. Among these cases, one-third was due to ischemic heart diseases consisting of acute myocardial infarctions (12.2%) and of other ischemic heart diseases (21.4%). Cerebrovascular disease accounted for 14.8% and one-third was due to other diseases of the heart (Figure 19).



- The number of hospital discharges due to diseases of the circulatory system generally increased by age. There were more males than females hospitalized due to diseases of the circulatory system, especially among those aged 35 to 74.
- Among people hospitalized due to diseases of the circulatory system, 67.4% was among whites, 14.5% was among blacks, and 12.8% was among other races.

- Among whites hospitalized due to circulatory diseases, 6.8% was under the age of 50, 19.0% was between the ages of 50-64, 21.6% was between the ages of 65-74, and 52.6% was over the age of 75 (Figure 20).



- In comparison to whites, Hispanics had a higher proportion of patients under the age of 50 hospitalized due to circulatory diseases: 25.1% was under the age of 50, 32.0% was between the ages of 50-64, 21.7% was between the ages of 65-74 years, and 21.2% was over the age of 75.
- Similar to Hispanics, blacks had a higher proportion of patients under the age of 50 hospitalized due to diseases of the circulatory system compared to whites. For example, 19.4% was under age 50, 27.7% was between age 50 and 64, 24.8% was between age 65 to 74, and 28.0% was over 75.

Hospital Discharges Due to Diseases of Mental Disorders

- A total of 10,092 hospitalized cases were due to mental disorders, which was the second most frequent cause of hospitalization for Westchester County residents during 2004, excluding newborns and obstetric cases.
- Among the cases hospitalized due to mental disorders, over half were due to psychoses (5,493 cases, 54.4%). Of all the psychosis-related hospitalizations, 425 were hospitalized due to alcoholic psychoses (4.2% of total mental disorders), 655 were hospitalized due to drug-induced psychoses (6.5% of total mental disorders), and 1,481 were hospitalized due to schizophrenia (14.7% of total mental disorders).

- About one-third of the mental disorder cases was due to substance abuse (33.3%): 12.1% was due to alcohol dependence syndrome, 20.3% was due to drug dependence syndrome, and 1.0% was due to non-dependence drug abuse.
- Two-thirds of the mental disorder cases occurred among people aged 18 to 49 with 24.1% among people aged 18 to 34 and 42.2% among people aged 35 to 49.
- Among the cases with alcoholic psychoses, the majority were among males (83.1%) and, for drug-induced psychoses, about two-thirds (67.2%) were among males. Male patients also accounted for the majority of the cases with alcohol dependence syndrome (77.6%), drug dependency syndrome (71.1%), and non-dependent drug abuse (64.9%).
- Blacks were over represented in mental disorder hospital discharges. While blacks represent only 14.2% of the total population, 30.6% of all mental disorder cases were among blacks. In addition, blacks accounted for 23.8% of the alcoholic psychoses cases, 34.4% of the drug-induced psychoses cases, 38.1% of the schizophrenia cases, 32.5% of the alcohol dependence syndrome cases, 40.0% of the drug dependence syndrome cases, and 26.8% of the non-dependent drug abuse cases.


Hospital Discharges Due to Diseases of the Digestive System

- A total of 8,248 hospitalized cases were due to diseases of the digestive system during 2004.
- Over a quarter of the cases were due to other diseases of intestines and peritoneum (27.3%) and 15.4% was due to diseases of esophagus, stomach, and duodenum (1,269 cases).
- There was a higher proportion of females than males hospitalized due to digestive system diseases (55.0% vs. 45.0%).

Hospital Discharges Due to Diseases of the Respiratory System

- There was a total of 7,164 hospital discharges due to diseases of the respiratory system, which was the fourth most frequent cause of hospitalization among Westchester County residents during 2004, excluding newborns and obstetric cases.
- Over one-third of respiratory disease hospitalizations was due to pneumonia (2,517 cases, or 35.1%).
- Almost one-third was due to chronic obstructive pulmonary diseases (COPD) (2,210 cases, or 30.8%). Among which, a total of 1,107 cases (15.5%) were due to asthma.
- Over a quarter (28.7%) of the asthma related hospital discharges occurred among children aged 12 years or younger.

- Although blacks comprise only 14.2% of Westchester County’s population, 30.9% of the hospitalized asthma cases were among black residents (Figure 21).




Hospital Discharges Due to Neoplasms


- During 2004, 6,065 cases were hospitalized with neoplasms as the principal diagnosis. An additional 6,336 cases were hospitalized with neoplasms identified as one of the major related diagnoses. The total number of neoplasm-related hospitalizations reached 12,401 cases, including benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior or unspecified nature⁴.
- Over three quarters (76.3%) of the neoplasm-related hospitalizations were due to malignant neoplasms (a total of 9,459 cases). There were generally more males than females in all of the malignant neoplasms hospitalizations, except breast cancer. Among females, 18.8% was due to cancer of the digestive organs and peritoneum and 16.0% were due to cancer of lymphatic and hematopoietic tissue. Almost 14% was due to breast cancer. About 13% was due to cancer of the respiratory and intrathoracic organs and another 12.7% due to cancer of the genital organs.

⁴ Neoplasms related hospitalizations include cases with the principal diagnosis and/or 14 other diagnoses in the numeric ranges 140-239 or the V-class ranges V58.00-V58.10.

- Among males hospitalized due to malignant neoplasms, 20.6% was due to cancer of the digestive systems, another 20.0% was due to cancer of the lymphatic and hematopoietic tissue, and peritoneum, 19.4% was due to cancer of the genital organs, and 14.3% was due to cancer of the respiratory system (Figure 22).




- There were more female (73.1%) than male cases who were hospitalized for benign neoplasms and neoplasms of uncertain behavior or unspecified nature (2152 females vs. 790 males).
- The age distribution of hospital discharges due to malignant neoplasms varied across racial and ethnic categories. Among whites, less than 5% of the cases was under the age of 30, 9.4% was between the ages of 30-49, 23.5% was between the ages of 50-64, 24.4% between the ages of 65-74, and 38.2% was over 75 years of age (Figure 23).



- Among blacks hospitalized due to malignant neoplasms, 5.5% was under age 30, 15.0% was between the ages of 30-49, 31.4% was between the ages of 50-64, 23.7% was of 65-74, and 24.5% was over the age of 75.
- Among Hispanics, 16.8% of the hospitalized cases due to malignant neoplasms was under 30 years of age, 26.8% was between the ages 30-49, another 27.9% was between the ages 50-64, 15.5% was of ages 65-74, and only 13.1% was over the age of 75.

Hospital Discharges Due to Injuries and Poisonings


- During 2004, 4,433 cases were hospitalized due to injuries and poisonings as the principal diagnosis. An additional 1,724 cases were hospitalized with injury and poisoning identified as one of the related causes⁵. The number of hospitalized cases due to injuries and poisonings totaled 6,157 during 2004.
- Over half of the hospitalized injuries and poisoning cases were due to falls (52.9%). Other major hospitalized injuries included motor vehicle accidents (7.5%), self-inflicted injuries (5.0%), injuries related to assault (4.4%), and accidental poisonings (3.6%) (Figure 24).



- Of all hospital discharges due to falls, 71.5% occurred among persons 65 years of age and older. More females were hospitalized due to falls (1,983 cases; 60.9%) than males (1,275 cases; 39.1%).

⁵ Including all the cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recording an external code (E-code) are: a) principal diagnosis of an injury or poisoning, b) 14 other diagnosis and admission diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis, and c) other diagnosis with an external cause. Only the first E-Code is recorded in this item.

- White residents accounted for 78.5% of all hospital discharges due to falls, while blacks accounted for 7.2%. (Figure 25).



- Among all the hospitalized injuries due to motor vehicle accidents, 59.5% occurred among people 18-49 years of age and 60.1% occurred among men. About half of the hospital discharges due to motor vehicle accidents was among whites (45.5%) (Figure 25).
- There were more females than males among the self-inflicted injuries (59.6% vs. 40.4%). Whites accounted for 62.5% of the hospital discharges due to self-inflicted injuries (Figure 25).
- The majority of hospitalized injuries due to assaults was among men (232 out of 270 cases).
- About a quarter (27.4%) of the injuries due to assaults occurred among whites while 32.2% occurred among blacks (Figure 25).

Other Hospitalized Cases


Diabetes:

- Diabetes was the principal diagnosis for a total of 1,334 hospital discharges in 2004.
- Among the diabetes cases, 50.4% was among whites and 35.2% among blacks, with blacks being disproportionately represented in diabetes hospital discharges.

- Over fifteen thousand (15,627) hospital cases had diabetes, as defined by having at least one of the 15 diagnoses⁶ for hospitalization.

HIV and AIDS:

- There were 1,235 hospital discharges related to HIV and AIDS⁷ in 2004 among Westchester County residents, of which 54.0% was among men.
- Over half (57.7%) of hospital discharges for HIV and AIDS were among black residents and 26.3% were among white residents (Figure 26).



⁶ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. Diagnoses that related to an earlier episode which had no bearing on the current hospital stay were excluded. A patient may be included in more than one category.

⁷ Defined by considering principal diagnosis and all other relevant diagnoses. For details, please refer to Appendix 4.

Morbidity: Selected Diseases

Diseases Reported


- In 2004, communicable diseases in 34 categories were reported among Westchester County residents.
- Some categories with the highest number of reported cases were:
 - Sexually Transmitted Diseases (STD)
 - Chlamydia (1,645 cases)
 - Gonorrhea (431 cases)
 - Vector-Borne
 - Lyme Disease (729 cases)
 - Enteric Infections
 - Salmonellosis (136 cases)
 - Giardiasis (132 cases)
 - Campylobacteriosis (121 cases)
 - CNS Diseases and Bacteremias
 - Meningitis (124 cases) consisting of:
 - Aseptic meningitis (41 cases)*
 - Meningococcal diseases (3 cases)*
 - Other Meningitis/Bacteremias (80 cases)*
 - Invasive Strep Pneumoniae (60 cases)
 - Vaccine-Preventable Diseases
 - Pertussis (81 cases)
 - Tuberculosis (63 cases)

Sexually Transmitted Diseases

- Of the reportable diseases, Chlamydia⁸ was the most prevalent (178.1 cases per 100,000) in Westchester County. Gonorrhea was the second most prevalent STD in Westchester County (46.7 per 100,000), followed by Syphilis (15.3 per 100,000).
- During the past three years (2002-2004), the reported infection rate for Chlamydia increased by 21% from 146.9 per 100,000 in 2002 to 178.1 per 100,000 in 2004. The reported infection rate of Syphilis increased significantly by 54% from 2003 to 2004. This increase was largely due to an Early Syphilis outbreak that occurred among the men who have sex with men (MSM) population. The reported infection rate for Gonorrhea increased significantly by 28% from 2002 to 2003, but from 2003 to 2004 the rate decreased significantly by 27% (Figure 27).

⁸ Mandatory reporting of Chlamydia started in 1999.


Figure 27. Reported Rates of Sexually Transmitted Diseases, Westchester County, 2002-2004



Source: Westchester County Department of Health, Division of Disease Control.

- The reported rate of Chlamydia infection was higher in the Southeast and Southwest Health Planning Regions (HPRs) (265.6 and 270.3 per 100,000, respectively) than in the overall county (Figure 28). The reported rate of Chlamydia infection was significantly higher in Mount Vernon, Yonkers, Peekskill, and White Plains.


Figure 28. Reported Rates of Sexually Transmitted Diseases by Health Planning Region, Westchester County, 2004




Source: Westchester County Department of Health, Division of Disease Control.

- The reported rate of Gonorrhea infection was higher in the Southeast and Southwest HPRs (82.7 and 68.3 per 100,000) than in the overall county (Figure 28). The municipalities with significantly higher rates of Gonorrhea infection included Peekskill, Mount Vernon, and Yonkers.


- The reported rate of Chlamydia infection was the highest in the 20-24 age group (1254.2 per 100,000), followed by the 15-19 age group (962.1 per 100,000). Females had significantly higher reported infection rates than males in all but one age group (40+). Among females ages 20-24, the reported chlamydia infection rate reached 1903.4 per 100,000. Among females ages 15-19, the reported infection rate was 1751.4 per 100,000. The higher reported rates among females may be biased due to the fact that females are more likely to be screened than males (Figure 29).




- The reported rate of Gonorrhea infection was the highest in the 20-24 age group (325.8 per 100,000), followed by the 15-19 age group (193.1 per 100,000). Males and females ages 20-24 years had the highest reported rate of infection (Figure 30). Among people ages 15-24, females had significantly higher rates of infection than males.



- The reported infection rates of Chlamydia were higher among blacks and Hispanics than whites for both males and females. The reported Chlamydia infection rate for black women (769.3 per 100,000) was significantly higher compared to 81.7 per 100,000 for white women (Figure 31).




- The reported rate of Gonorrhea for blacks (195.2 per 100,000) was significantly higher than that for whites (13.4 per 100,000) (Figure 32).




- Blacks are disproportionately represented among the reported cases of Chlamydia and Gonorrhea. Although blacks represent only 14.2% of Westchester County’s population, 44.5% of the reported Chlamydia cases and 59.4% of the reported Gonorrhea cases were among blacks.

- In the year 2004, 33 cases of Early Syphilis (primary, secondary, and early latent) were reported, more than double the 16 cases reported in 2002 (Figure 33). This increase was due to an Early Syphilis outbreak among the men who have sex with men (MSM) population. Among the 2004 cases, 23 (69.9%) occurred among the MSM population. By comparison, only two (16.7%) out of the 12 early Syphilis cases reported in the year 2000 occurred among men who have sex with men. The outbreak was followed up with increased surveillance and aggressive investigation.




Tick-Borne Diseases

- Lyme Disease represented the majority of tick-borne disease cases in Westchester County (78.9 per 100,000) in 2004. Lyme Disease was more prevalent in the Northeast and Northwest HPRs (226.5 and 123.0 per 100,000, respectively) than in the overall county (Figure 34). Due to surveillance limitations, the prevalence of Lyme Disease might be underreported.




- While most of the Lyme Disease cases were located in the Northeast and Northwest HPRs, Irvington, Tarrytown, and Dobbs Ferry located in the West Central HPR, also had significantly higher rates of Lyme Disease infection than the county average (78.9 per 100,000) (Figure 35).

Figure 35. Comparison of Municipality Lyme Disease Infection Rates with Westchester County Average, 2004



- The reported rate of Lyme Disease was high among people under age 20 and people aged 40 and above. The reported rate of Lyme Disease was the highest among persons ages 60-69 and lowest among persons ages 20-39 (Figure 36).



Enteric Diseases

- The three most prevalent enteric diseases in Westchester County in 2004 were Campylobacteriosis, Giardiasis, and Salmonellosis. Of these three, Salmonellosis was the most prevalent (14.7 per 100,000), followed by Giardiasis (14.3 per 100,000), and Campylobacteriosis (13.1 per 100,000).
- The reported rates of Salmonellosis were 55.9 per 100,000 for children under one and 52.2 per 100,000 for children ages 1-4. For adolescents aged 15-19, the reported rate of Salmonellosis was 23.5 per 100,000. Of all the reported cases, over one-third (36.8%) were among children under the age of 10.
- The reported rate of Giardiasis was the highest among children under age one (55.9 per 100,000). The Giardiasis rates were also higher among other young age groups. For children ages 1-4, the reported rate of Giardiasis was 32.9 per 100,000 and it was 19.1 per 100,000 for children ages 5-9. Of all the reported Giardiasis cases, 28% were among children under age 10.
- Among people with reported Campylobacteriosis, 12.4% was among children under the age of 10 and 20.7% was among people aged 60 and above.

Meningitis and Pneumonia

- A total of 124 Meningitis cases were reported during 2004, with 41 Aseptic Meningitis, 3 Meningococcal diseases, and 80 classified as other Meningitis/Bacteremias. About a quarter was among people under 20 years of age. About half occurred among people 50 years and older.

- During 2004, 60 cases with Invasive Strep Pneumoniae were reported. Among them, over sixty percent resided in three municipalities: Yonkers (18 cases; 30%), Mount Vernon (12 cases; 20%), and New Rochelle (8 cases; 13.3%).
- The majority of Invasive Strep Pneumoniae cases occurred among those aged 50 and over, accounting for 68.3% of the total.

Pertussis

- Eighty-one (81) Pertussis cases were reported during 2004. In September 2003, a new laboratory test with higher sensitivity of pertussis detection was introduced. As a result, the number of reported Pertussis cases increased from 5 cases in 2002 to 71 cases in 2003 and 81 cases in 2004. Prior to September 2003, the reported number of Pertussis cases was 8 for the 8-month period.
- The majority of Pertussis cases occurred among young people. Among the 81 cases reported during 2004, 30 cases were under age 10 (37.0%) and 39 cases were between ages 10-19 (48.1%).


Tuberculosis

- There were 63 Tuberculosis cases reported in 2004. Among these cases, 71.0% were among the foreign born population. About 60% of all cases were among Hispanics.


HIV and AIDS

- HIV reporting became effective on June 2000. As of December 31, 2003, 901 persons were reported as living with HIV and 2,105 persons were reported as living with AIDS. The total number of people living with HIV and/or AIDS was 3,006 (including inmate cases and excluding cases under 13 years of age).
- Among people living with HIV, about half (49.3%) were men and half were women. Almost 70% was in the age group 30-49. More than half (52.4%) were non-Hispanic blacks, 25.6% were Hispanics (including whites and blacks), and 20.3% were non-Hispanic whites.
- About 30% of the people living with HIV were among the intravenous drug users (IDU). Another 30% was among people with heterosexual contacts. Men having sex with men represented 14.1% of living HIV cases.
- Among people living with AIDS, 63.4% were men and 36.6% were women. The majority of them (76.1%) were in the age group 30-49. More than half (52.5%) were non-Hispanic blacks, 23.5% were Hispanics (including whites and blacks), and 22.6% were non-Hispanic whites.
- Over 40% of the people living with AIDS were among the intravenous drug users (IDU). About a quarter of them (23.8%) were among people with heterosexual contacts. Men having sex with men represented 17.9% of living AIDS cases.
- As of December 31, 2003, the cumulative AIDS cases were 4,827 among Westchester County residents (13 years of age and older). Among them, 70.5% were men and 29.5% were women.


- The percentage of females as a total of all AIDS cases in Westchester County increased significantly during the past 14 years. Women accounted for 39.8% of all AIDS cases diagnosed from 1999-2003 compared to 25.8% of those diagnosed during 1989-1993 (Figure 37). Among cases diagnosed prior to 1989, 15.9% were female.




- Overall, the majority of all AIDS cases was among persons 30-49 years of age (41.5% was 30-39 years of age and 33.2% was 40-49 years of age). The proportion of AIDS cases 30-39 years of age has decreased from 43.6% in 1989-1993 to 35.7% in 1999-2003, while the proportion of AIDS cases 50+ years of age has increased from 10.8% in 1989-1993 to 20.2% in 1999-2003 (Figure 38).



- From 1999-2003, 57.7% of the reported AIDS cases were black non-Hispanic compared to 40.5% prior to 1989 (Figure 39). Although black non-Hispanics represent 13.6% of Westchester County's population, 57.3% of the reported AIDS cases in 2003 were among black non-Hispanics.



- The mode of transmission for AIDS has shifted over the past 21 years. Prior to 1989, one-third (32.7%) of the AIDS cases were among men having sex with men (MSM). Over half (53.6%) was among intravenous drug users (IDU). The number of cases due to heterosexual contact was small. By 2003, of all AIDS cases diagnosed in that year, 16.5% was among MSM, 28.7% was among IDU, and almost one-third (29.9%) was among people with heterosexual contact. For all cases diagnosed during 1999-2003, 17.2% were MSM, a decrease from 32.7% prior to 1989; 33.0% were IDU, a decrease from 53.6% prior to 1989; and 32.0% of the cases were heterosexual, an increase from 4.0% prior to 1989 (Figure 40).



Tables

Table 1. Age, Sex, and Race/Ethnicity, Westchester County, 2000 and 2004

Demographics	Year 2000 Census ¹	2004 American Community Survey ²			
	Total	Total	%	90% Confidence Interval ³	
				Lower	Upper
Total	923,459	917,956	100.0	*****	*****
Under 5	64,242	63,227	6.9	*****	*****
5-9	67,993	59,031	6.4	54,122	63,940
10-14	63,757	71,295	7.8	66,590	76,000
15-19	54,363	56,443	6.1	53,042	59,844
20-24	46,962	45,589	5.0	42,511	48,667
25-34	123,467	109,137	11.9	105,498	112,776
35-44	157,033	150,046	16.3	147,579	152,513
45-54	129,998	140,226	15.3	138,507	141,945
55-64	86,680	99,822	10.9	91,705	107,939
65-74	66,785	64,608	7.0	62,551	66,665
75-84	44,520	43,600	4.7	39,414	47,786
85+	17,659	14,932	1.6	11,404	18,460
Median Age	37.6	38.5	-	38.1	38.9
Sex					
Male	441,722	442,672	48.2	438,939	446,405
Female	481,737	475,284	51.8	471,551	479,017
Race					
White	658,858	657,705	71.6	642,562	672,848
Black	131,132	132,257	14.4	128,942	135,572
American Indian	2,343	853	0.1	0	1,773
Asian and Pacific Islander	41,738	49,623	5.4	47,434	51,812
Other Race	61,227	66,852	7.3	51,596	82,108
Two or More Races	28,161	10,666	1.2	7,056	14,276
Ethnicity					
Hispanic ⁴	144,124	162,834	17.7	*****	*****
Hispanic White	67,082	86,616	53.2	71,551	101,681
Hispanic Black	5,905	4,932	3.0	2,296	7,568
Non-Hispanic	779,335	755,122	82.3	*****	*****
Non-Hispanic White	591,776	571,089	75.6	570,440	571,738
Non-Hispanic Black	125,227	127,325	16.9	125,241	129,409

¹ 2000 Census Summary File 1.

² 2004 American Community Survey: estimate excludes residents in institutions, dormitories, and other group quarters.

³ Certain estimates in the 2004 ACS are 'controlled estimates' and lower and upper bounds of confidence intervals do not apply.

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 2. Educational Attainment, Population 25 Years and Over, Westchester County, 2000 and 2004

Educational Attainment	Year 2000 Census ¹		2004 American Community Survey ²			
	Number	%	Number	%	90% Confidence Interval	
					Lower	Upper
Population 25 and Over	628,941	100.0	622,371	100.0	619,603	625,139
With Less Than 9th Grade	43,762	7.0	28,052	4.5	20,945	35,159
Some High School, No Diploma	59,694	9.5	42,705	6.9	35,270	50,140
High School Graduate or Equivalency Exam	138,814	22.1	152,404	24.5	143,312	161,496
Some College, No Degree	95,004	15.1	90,645	14.6	82,493	98,797
Associate's Degree	34,743	5.5	33,995	5.5	28,302	39,688
Bachelor's Degree	132,557	21.1	140,986	22.7	129,343	152,629
Graduate or Professional Degree	124,367	19.8	133,584	21.5	124,074	143,094

¹ 2000 Census Summary File 3. Five percent sample of the households.

² 2004 American Community Survey: estimate excludes residents in institutions, dormitories, and other group quarters.

Table 3. Labor Force Participation and Unemployment Rate, Population 16 Years and Over, Westchester County, 2000 and 2004

Employment Status	Year 2000 Census ¹		2004 American Community Survey ²			
	Number	%	Number	%	90% Confidence Interval	
					Lower	Upper
Population 16 years and Over	716,252	100.0	713,009	100.0	710,266	715,752
Civilian Labor Force	452,417	63.2	478,457	66.8	461,180	483,130
<i>Employed</i>	432,600	95.6	445,329	93.1	433,564	457,094
<i>Unemployed</i>	19,817	4.4	33,128	6.9	27,100	39,156
Female Population, 16 years and over	382,194	60.8	375,064	60.3	372,593	377,535
Civilian Labor Force	213,866	56.0	222,003	58.1	213,238	230,768
<i>Employed</i>	204,099	95.4	206,181	92.9	197,973	214,389
<i>Unemployed</i>	9,767	4.6	15,822	7.1	*****	*****

¹ 2000 Census Summary File 3. Five percent sample of the households.

² 2004 American Community Survey: estimate excludes residents in institutions, dormitories, and other group quarters.

Table 4. Immigration and Language Spoken at Home, Westchester County, 2000 and 2004

Immigration and Language Spoken at Home	Year 2000 Census ¹		2004 American Community Survey ²			
	Number	%	Number	%	90% Confidence Interval ³	
					Lower	Upper
Total Population	923,459	100.0	917,956	100.0	*****	*****
Native	718,030	77.8	721,753	78.6	705,783	737,723
Foreign Born	205,429	22.2	196,203	21.4	180,233	212,173
<i>Non-Citizen</i>	<i>119,883</i>	<i>58.4</i>	<i>89,568</i>	<i>45.7</i>	<i>77,676</i>	<i>101,460</i>
Population 5 Years and Over	859,662	100.0	854,729	100.0	*****	*****
English Only	615,323	71.6	613,575	71.8	597,565	629,585
Non-English Language	244,339	28.4	241,154	28.2	225,144	257,164
<i>Spanish</i>	<i>123,616</i>	<i>50.6</i>	<i>132,260</i>	<i>54.8</i>	<i>123,844</i>	<i>140,676</i>
<i>Other Indo-European</i>	<i>84,695</i>	<i>34.7</i>	<i>71,842</i>	<i>29.8</i>	<i>58,623</i>	<i>85,061</i>
<i>Asian and Pacific Islander</i>	<i>26,176</i>	<i>10.7</i>	<i>28,905</i>	<i>12.0</i>	<i>24,171</i>	<i>33,639</i>
<i>Other</i>	<i>9,852</i>	<i>4.0</i>	<i>8,147</i>	<i>3.4</i>	<i>4,711</i>	<i>11,583</i>

¹ 2000 Census Summary File 1.

² 2004 American Community Survey: estimate excludes residents in institutions, dormitories, and other group quarters.

³ Certain estimates in the 2004 ACS are 'controlled estimates' and lower and upper bounds of confidence intervals do not apply.

Table 5. Household Structure, Westchester County, 2000 and 2004

Household Structure	Year 2000 Census ¹		2004 American Community Survey ²			
	Number	%	Number	%	90% Confidence Interval ³	
					Lower	Upper
Total Households	337,142	100.0	332,865	100.0	326,706	339,024
Non-Family Households	101,941	30.2	101,473	30.5	91,934	111,012
Family Households	235,201	69.8	231,392	69.5	222,895	239,889
Family Households	235,201	100.0	231,392	100.0	222,895	239,889
With No Related Children Under Age 18	113,047	48.1	110,435	47.7	*****	*****
With Related Children Under Age 18	122,154	51.9	120,957	52.3	114,256	127,658
<i>Married-Couple Families</i>	<i>91,995</i>	<i>75.3</i>	<i>96,659</i>	<i>79.9</i>	<i>90,288</i>	<i>103,030</i>
<i>Single-Mother Families</i>	<i>24,646</i>	<i>20.2</i>	<i>19,797</i>	<i>16.4</i>	<i>14,685</i>	<i>24,909</i>
<i>Single-Father Families</i>	<i>5,513</i>	<i>4.5</i>	<i>4,501</i>	<i>3.7</i>	<i>2,277</i>	<i>6,725</i>

¹ 2000 Census Summary File 1. Five percent sample of the households.

² 2004 American Community Survey: estimate excludes residents in institutions, dormitories, and other group quarters.

³ Certain estimates in the 2004 ACS are 'controlled estimates' and lower and upper bounds of confidence intervals do not apply.

Table 6. Number of Households by Income Group, Median Household Income, Source of Household Income, and Number and Percent of Population Under Poverty Level, Westchester County, 1999 and 2003

Socioeconomic Characteristics	Year 2000 Census ¹ (data for 1999)		2004 American Community Survey ² (data for 2003)			
	Number	%	Number	%	90% Confidence Interval	
					Lower	Upper
Total Number of Households	337,486	100.0	332,865	100.0	326,706	339,024
Income Groups³						
Less than \$10,000	24,492	7.3	20,609	6.2	15,814	25,404
\$10,000 - \$14,999	14,518	4.3	8,449	2.5	5,185	11,713
\$15,000 - \$24,999	27,654	8.2	28,329	8.5	22,816	33,842
\$25,000 - \$34,999	28,000	8.3	27,408	8.2	21,934	32,882
\$35,000 - \$49,999	39,970	11.8	34,917	10.5	29,299	40,535
\$50,000 - \$74,999	56,607	16.8	54,985	16.5	48,526	61,444
\$75,000 - \$99,999	41,497	12.3	44,268	13.3	38,307	50,229
\$100,000 and over	104,748	31.0	113,900	34.2	98,067	129,733
Median Household Income (dollars)	63,582	-	70,095	-	64,974	75,216
Source of Household Income						
With Social Security	90,540	26.8	94,552	28.4	89,734	99,370
With Supplemental Security Income	11,378	3.4	6,807	2.0	4,715	8,899
With Retirement Income	57,901	17.2	58,968	17.7	53,106	64,830
With Public Assistance Income	9,274	2.7	7,146	2.1	4,669	9,623
Population Below Poverty Level	78,967	8.8	60,840	6.6	46,440	75,240

¹ 2000 Census Summary File 3. Five percent sample of the households.

² 2004 American Community Survey: estimate excludes residents in institutions, dormitories, and other group quarters.

³ In 2004 inflation-adjusted dollars.

Table 7. Total Number of Births, Westchester County, 2003

Health Planning Region and Municipality	Number of Births
Westchester County	12,784
Northwest	1,832
Briarcliff Manor (V)	54
Buchanan (V)	35
Cortlandt (TOV)	331
Croton-on-Hudson (V)	92
Mount Pleasant (TOV)	234
Ossining (TOV)	52
Ossining (V)	406
Peekskill (C)	389
Pleasantville (V)	85
Sleepy Hollow (V)	154
Northeast	1,444
Bedford (T)	218
Lewisboro (T)	121
Mount Kisco (T/V)	146
New Castle (T)	174
North Castle (T)	105
North Salem (T)	60
Pound Ridge (T)	64
Somers (T)	191
Yorktown (T)	365
West Central	1,667
Ardsley (V)	28
Dobbs Ferry (V)	84
Elmsford (V)	96
Greenburgh (TOV)	472
Hastings-on-Hudson (V)	50
Irvington (V)	31
Scarsdale (T/V)	79
Tarrytown (V)	121
White Plains (C)	706
East Central	1,422
Harrison (T/V)	237
Larchmont (V)	57
Mamaroneck (TOV)	108
Mamaroneck (V)	231
Port Chester (V)	515
Rye (C)	170
Rye Brook (V)	104
Southwest	2,520
Yonkers (C)	2,520
Southeast	2,067
Bronxville (V)	33
Eastchester (TOV)	200
Mount Vernon (C)	816
New Rochelle (C)	842
Pelham (V)	67
Pelham Manor (V)	39
Tuckahoe (V)	70
Unknown	47
Births Occurred in NYC¹	1,785

¹ Residence information was not available for births in NYC.

Source: New York State Department of Health.

Table 8. Average Maternal Age and Number of Births by Mother's Age, Westchester County, 2003

Health Planning Region and Municipality	Average Maternal Age	Mother's Age								
		Total ¹	10-17	18-19	20-24	25-29	30-34	35-39	40-45	45+
Westchester County	30.8	12,784	177	363	1,638	2,580	4,274	3,026	681	44
Northwest	30.9	1,832	19	35	228	393	645	424	85	3
Briarcliff Manor (V)	33.3	54	0	0	2	10	17	21	4	0
Buchanan (V)	30.6	35	0	2	5	5	13	10	0	0
Cortlandt (TOV)	32.6	331	2	2	15	60	139	91	22	0
Croton-on-Hudson (V)	33.4	92	0	0	2	19	33	27	10	1
Mount Pleasant (TOV)	32.7	234	0	0	13	34	99	81	7	0
Ossining (TOV)	31.9	52	1	0	4	11	22	12	1	1
Ossining (V)	29.9	406	6	11	70	90	134	76	18	1
Peekskill (C)	29.0	389	9	10	82	105	109	59	15	0
Pleasantville (V)	32.2	85	0	1	1	20	41	18	4	0
Sleepy Hollow (V)	28.8	154	1	9	34	39	38	29	4	0
Northeast	32.9	1,444	2	17	78	199	571	467	108	2
Bedford (T)	32.5	218	0	6	22	28	77	64	21	0
Lewisboro (T)	34.0	121	0	0	2	13	53	39	13	1
Mount Kisco (T/V)	30.4	146	1	5	18	36	47	32	7	0
New Castle (T)	34.3	174	0	0	3	17	61	74	18	1
North Castle (T)	32.8	105	0	1	6	8	59	25	6	0
North Salem (T)	33.5	60	0	0	2	5	28	22	3	0
Pound Ridge (T)	34.0	64	1	1	0	6	26	23	7	0
Somers (T)	33.7	191	0	1	4	23	79	71	13	0
Yorktown (T)	32.5	365	0	3	21	63	141	117	20	0
West Central	31.1	1,667	18	42	195	345	557	420	86	4
Ardsley (V)	34.1	28	0	0	1	4	10	11	2	0
Dobbs Ferry (V)	32.8	84	0	1	4	17	27	28	7	0
Elmsford (V)	28.8	96	3	5	20	25	21	18	2	2
Greenburgh (TOV)	31.3	472	4	12	45	94	183	112	21	1
Hastings-on-Hudson (V)	33.1	50	0	1	2	9	17	17	4	0
Irvington (V)	34.8	31	0	0	0	4	9	15	3	0
Scarsdale (T/V)	34.6	79	0	1	0	5	32	34	7	0
Tarrytown (V)	32.1	121	0	1	12	23	41	32	12	0
White Plains (C)	30.1	706	11	21	111	164	217	153	28	1
East Central	31.2	1,422	13	38	148	269	532	341	77	4
Harrison (T/V)	32.9	237	0	2	10	34	103	74	13	1
Larchmont (V)	33.8	57	1	0	1	7	25	15	7	1
Mamaroneck (TOV)	33.1	108	0	2	4	9	48	39	6	0
Mamaroneck (V)	30.5	231	4	6	28	43	93	50	7	0
Port Chester (V)	28.8	515	8	28	102	144	136	75	22	0
Rye (C)	33.8	170	0	0	2	17	79	56	15	1
Rye Brook (V)	33.6	104	0	0	1	15	48	32	7	1
Southwest	28.4	2,520	82	140	511	663	673	379	68	4
Yonkers (C)	28.4	2,520	82	140	511	663	673	379	68	4
Southeast	29.8	2,067	33	68	370	468	624	414	85	5
Bronxville (V)	33.5	33	0	0	0	5	17	8	2	1
Eastchester (TOV)	33.0	200	0	0	10	25	90	66	9	0
Mount Vernon (C)	28.8	816	17	36	183	208	198	139	34	1
New Rochelle (C)	29.3	842	16	32	160	198	256	149	28	3
Pelham (V)	32.5	67	0	0	6	11	22	21	7	0
Pelham Manor (V)	33.9	39	0	0	2	3	13	17	4	0
Tuckahoe (V)	30.6	70	0	0	9	18	28	14	1	0
Unknown	30.6	47	0	2	8	7	13	14	2	0
Births Occurred in NYC²	33.2	1,785	10	21	100	236	659	567	170	22

¹ Total includes cases with unknown maternal age.

² Residence information was not available for births in NYC.

Source: New York State Department of Health.

Table 9. Percentage of Infants with Low Birthweight, Less Than 37 Gestation Weeks, and Late or No Prenatal Care, Westchester County, 2003

Health Planning Region and Municipality	Percentage of Infants Born With		
	Low Birthweight ¹	<37 Weeks Gestation ²	Late or No Prenatal Care ³
Westchester County	7.7	9.4	22.5
Northwest	6.7	8.4	23.1
Briarcliff Manor (V)	3.7	5.6	7.7
Buchanan (V)	2.9	5.7	14.7
Cortlandt (TOV)	5.4	10.0	12.5
Croton-on-Hudson (V)	12.0	10.9	16.5
Mount Pleasant (TOV)	6.0	7.7	9.6
Ossining (TOV)	7.7	17.3	10.9
Ossining (V)	4.9	6.4	34.5
Peekskill (C)	8.2	8.8	32.4
Pleasantville (V)	12.9	12.9	9.9
Sleepy Hollow (V)	5.8	5.2	37.1
Northeast	7.5	9.8	12.8
Bedford (T)	4.6	8.7	16.2
Lewisboro (T)	6.6	7.4	10.0
Mount Kisco (T/V)	5.5	8.2	22.3
New Castle (T)	12.1	11.5	6.1
North Castle (T)	8.6	15.2	11.4
North Salem (T)	13.3	17.0	14.9
Pound Ridge (T)	14.1	18.8	19.4
Somers (T)	5.2	7.3	8.4
Yorktown (T)	6.9	8.0	12.6
West Central	7.0	8.3	23.2
Ardsville (V)	0.0	3.6	8.0
Dobbs Ferry (V)	6.0	6.0	23.3
Elmsford (V)	5.2	11.5	29.7
Greenburgh (TOV)	8.1	8.1	19.9
Hastings-on-Hudson (V)	6.0	8.0	18.8
Irvington (V)	3.2	0.0	22.2
Scarsdale (T/V)	5.1	3.8	12.1
Tarrytown (V)	5.0	4.1	17.0
White Plains (C)	7.7	10.2	27.5
East Central	7.4	8.3	29.0
Harrison (T/V)	11.4	13.6	16.8
Larchmont (V)	3.5	3.6	21.7
Mamaroneck (TOV)	5.6	4.6	14.0
Mamaroneck (V)	5.2	6.1	23.4
Port Chester (V)	7.6	9.0	40.1
Rye (C)	4.7	5.9	16.7
Rye Brook (V)	10.6	8.7	26.9
Southwest	8.2	11.1	38.3
Yonkers (C)	8.2	11.1	38.3
Southeast	7.5	8.5	21.2
Bronxville (V)	6.1	9.1	3.9
Eastchester (TOV)	9.0	10.5	10.6
Mount Vernon (C)	8.7	10.6	24.4
New Rochelle (C)	6.5	6.3	22.0
Pelham (V)	1.5	4.6	12.7
Pelham Manor (V)	2.6	7.7	0.0
Tuckahoe (V)	8.6	10.0	25.8
Unknown	8.5	6.5	29.7
Births Occurred in NYC⁴	9.4	10.5	10.1

¹ Low birthweight is defined as less than 2,500 grams at birth. Those with no information on birthweight are excluded.

² Cases with no information on length of gestation are excluded.

³ Late or no prenatal care is defined as prenatal care begun at the second or third trimester, or no prenatal care throughout pregnancy. Those with no reported information on prenatal care were excluded.

⁴ Residence information was not available for births in NYC.

Source: New York State Department of Health.

Table 10. Number of Births by Mother's Age and Race/Ethnicity, Westchester County, 2003

Mother's Age	Total ¹		White		Black		Other		Hispanic ²	
	Number	%	Number	%	Number	%	Number	%	Number	%
Total	12,784	100.0	9,905	100.0	1,865	100.0	799	100.0	3,475	100.0
10-14	11	0.1	10	0.1	1	0.1	0	0.0	7	0.2
15-17	167	1.3	105	1.1	56	3.0	3	0.4	90	2.6
18-19	363	2.8	242	2.4	105	5.6	4	0.5	191	5.5
20-24	1,638	12.8	1,109	11.2	434	23.3	41	5.1	862	24.8
25-29	2,580	20.2	1,872	18.9	450	24.1	199	24.9	996	28.7
30-34	4,274	33.4	3,465	35.0	434	23.3	328	41.1	761	21.9
35-39	3,026	23.7	2,512	25.4	301	16.1	185	23.2	472	13.6
40-44	681	5.3	556	5.6	76	4.1	37	4.6	92	2.6
45+	44	0.3	34	0.3	8	0.4	2	0.3	4	0.1
Average Age	30.8		31.3		28.4		31.8		27.8	

¹Totals include mothers of unknown race.

²Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 11. Number of Births by Birthweight and Mother's Race/Ethnicity and Age, Westchester County, 2003

Race/Ethnicity and Birthweight	Total ¹	%	Mother's Age							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
Total	12,784	100.0	178	363	1,638	2,580	4,274	3,026	681	44
<1500 grams	185	1.4	5	11	19	39	54	45	10	2
1500-2499 grams	798	6.2	16	24	79	152	266	205	45	11
2500 grams+	11,799	92.3	157	328	1,540	2,389	3,952	2,776	626	31
White	9,905	100.0	115	242	1,109	1,872	3,465	2,512	556	34
<1500 grams	101	1.0	1	6	7	19	37	24	6	1
1500-2499 grams	586	5.9	11	13	48	104	205	159	37	9
2500 grams+	9,216	93.0	103	223	1,054	1,749	3,221	2,329	513	24
Black	1,865	100.0	57	105	434	450	434	301	76	8
<1500 grams	73	3.9	3	4	12	16	15	18	4	1
1500-2499 grams	142	7.6	4	10	28	26	38	29	6	1
2500 grams+	1,650	88.5	50	91	394	408	381	254	66	6
Other	799	100.0	3	4	41	199	328	185	37	2
<1500 grams	11	1.4	1	1	0	4	2	3	0	0
1500-2499 grams	64	8.0	1	0	3	20	21	16	2	1
2500 grams+	724	90.6	1	3	38	175	305	166	35	1
Unknown	215	100.0	3	12	54	59	47	28	12	0
<1500 grams	0	0.0	0	0	0	0	0	0	0	0
1500-2499 grams	6	2.8	0	1	0	2	2	1	0	0
2500 grams+	209	97.2	3	11	54	57	45	27	12	0
Hispanic²	3,475	100.0	97	191	862	996	761	472	92	4
<1500 grams	36	1.0	1	4	3	11	10	7	0	0
1500-2499 grams	185	5.3	10	10	34	53	39	34	3	2
2500 grams+	3,254	93.6	86	177	825	932	712	431	89	2

¹ Includes cases with unknown birthweight.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 12. Average Birthweight by Maternal Exposure to Smoking and Drug Use During Pregnancy by Mother's Race/Ethnicity, Westchester County, 2003

Mother's Race/Ethnicity		No Smoking & No Drug Use	Smoking Only ¹	Drug Use Only ²	Both Smoking & Drug Use
Total ³	Birthweight (g)	3,288	3,149 *	3,122 *	2,840 *
	n	12,387	292	55	48
White	Birthweight (g)	3,324	3,224 *	3,221	2,885 *
	n	9,660	196	26	21
Black	Birthweight (g)	3,140	2,990 *	3,036	2,806 *
	n	1,719	91	28	27
Hispanic ⁴	Birthweight (g)	3,313	3,202	3,039	2,885
	n	3,427	40	5	3

¹ Any use of tobacco products during pregnancy.

² Any use of cocaine, crack, heroin, methadone, marijuana, amphetamines, or unprescribed sedatives during pregnancy.

³ Total includes 'other' and 'unknown' racial categories. Individuals without birthweight information were excluded.

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanic ethnicity is reported among racial groups.

* Statistically significant by Student's t-test, p-value<0.05. All comparisons are between the risk group and non-risk group, (the "no smoking and no drug use" group).

Source: New York State Department of Health.

Table 13. Number of Births by Time Starting Prenatal Care and Mother's Age and Race/Ethnicity, Westchester County, 2003

Mother's Race/Ethnicity and Time Starting Prenatal Care	Total ¹	%	Mother's Age							
			10-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
Total	12,784	100.0	178	363	1,638	2,580	4,274	3,026	681	44
First Trimester (1st-3rd Month)	8,730	76.6	70	175	932	1718	3087	2227	488	33
Second Trimester (4th-6th Month)	2,173	19.1	78	127	510	519	516	329	89	5
Third Trimester (7th-9th Month)	361	3.2	20	35	98	92	64	40	11	1
None	131	1.1	7	9	36	32	26	18	3	0
Not stated	1,389	--	3	17	62	219	581	412	90	5
White	9,905	100.0	115	242	1,109	1,872	3,465	2,512	556	34
First Trimester (1st-3rd Month)	6,913	79.1	49	116	633	1288	2526	1870	405	26
Second Trimester (4th-6th Month)	1,515	17.3	48	86	352	346	380	236	64	3
Third Trimester (7th-9th Month)	242	2.8	14	25	61	61	47	25	8	1
None	75	0.9	3	6	19	16	14	14	3	0
Not stated	1,160	--	1	9	44	161	498	367	76	4
Black	1,865	100.0	57	105	434	450	434	301	76	8
First Trimester (1st-3rd Month)	1,142	65.3	19	55	248	270	299	194	52	5
Second Trimester (4th-6th Month)	461	26.4	28	34	125	115	77	66	14	2
Third Trimester (7th-9th Month)	94	5.4	6	7	31	22	15	10	3	0
None	51	2.9	2	3	17	13	12	4	0	0
Not stated	117	--	2	6	13	30	31	27	7	1
Other	799	100.0	3	4	41	199	328	185	37	2
First Trimester (1st-3rd Month)	579	80.5	1	2	28	137	240	143	26	2
Second Trimester (4th-6th Month)	117	16.3	1	0	8	34	43	25	6	0
Third Trimester (7th-9th Month)	19	2.6	0	2	4	8	1	4	0	0
None	4	0.6	1	0	0	3	0	0	0	0
Not stated	80	--	0	0	1	17	44	13	5	0
Unknown	215	100.0	3	12	54	59	47	28	12	0
First Trimester (1st-3rd Month)	96	52.5	1	2	23	23	22	20	5	0
Second Trimester (4th-6th Month)	80	43.7	1	7	25	24	16	2	5	0
Third Trimester (7th-9th Month)	6	3.3	0	1	2	1	1	1	0	0
None	1	0.5	1	0	0	0	0	0	0	0
Not stated	32	--	0	2	4	11	8	5	2	0
Hispanic²	3,475	100.0	97	191	862	996	761	472	92	4
First Trimester (1st-3rd Month)	2,075	63.9	37	91	475	623	496	297	53	3
Second Trimester (4th-6th Month)	969	29.9	44	68	293	248	187	107	22	0
Third Trimester (7th-9th Month)	157	4.8	12	17	45	43	23	12	4	1
None	45	1.4	4	5	16	8	6	6	0	0
Not stated	229	--	0	10	33	74	49	50	13	0

¹ Includes cases with unknown maternal age.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 14. Number of Total Pregnancies, Live Births, Spontaneous Fetal Deaths, and Induced Abortions by Maternal Age, Westchester County, 2003

Age (years)	Total Pregnancies	Live Births	Spontaneous Fetal Deaths	Induced Abortions	As % of Total Pregnancies		
					Live Births	Spontaneous Fetal Deaths	Induced Abortions
Total	16,638	12,784	450	3,404	76.8	2.7	20.5
10-14	25	11	0	14	44.0	0.0	56.0
15-17	453	167	4	282	36.9	0.9	62.3
18-19	742	363	6	373	48.9	0.8	50.3
20-24	2,704	1,638	41	1,025	60.6	1.5	37.9
25-29	3,342	2,580	48	714	77.2	1.4	21.4
30-34	4,906	4,274	127	505	87.1	2.6	10.3
35-39	3,511	3,026	148	337	86.2	4.2	9.6
40-44	871	681	56	134	78.2	6.4	15.4
45+	64	44	6	14	68.8	9.4	21.9
Unknown	20	0	14	6	0.0	70.0	30.0

Source: New York State Department of Health.

Table 15. Total Number of Deaths and Infant Deaths, Westchester County, 2003

Health Planning Region and Municipality	Total Number of Deaths	Number of Infant Deaths
Westchester County	7,269	50
Northwest	1,117	8
Briarcliff Manor (V)	74	0
Buchanan (V)	12	0
Cortlandt (TOV)	287	1
Croton-on-Hudson (V)	42	1
Mount Pleasant (TOV)	218	0
Ossining (TOV)	43	0
Ossining (V)	194	3
Peekskill (C)	175	1
Pleasantville (V)	27	0
Sleepy Hollow (V)	45	2
Northeast	775	1
Bedford (T)	77	0
Lewisboro (T)	35	1
Mount Kisco (T/V)	64	0
New Castle (T)	55	0
North Castle (T)	46	0
North Salem (T)	42	0
Pound Ridge (T)	13	0
Somers (T)	183	0
Yorktown (T)	260	0
West Central	1,075	3
Ardsey (V)	36	0
Dobbs Ferry (V)	105	0
Elmsford (V)	25	0
Greenburgh (TOV)	274	0
Hastings-on-Hudson (V)	63	0
Irvington (V)	32	0
Scarsdale (T/V)	63	0
Tarrytown (V)	92	0
White Plains (C)	385	3
East Central	661	4
Harrison (T/V)	116	1
Larchmont (V)	22	1
Mamaroneck (TOV)	55	0
Mamaroneck (V)	147	1
Port Chester (V)	171	1
Rye (C)	100	0
Rye Brook (V)	50	0
Southwest	1,484	9
Yonkers (C)	1,484	9
Southeast	1,290	9
Bronxville (V)	33	0
Eastchester (TOV)	157	0
Mount Vernon (C)	480	3
New Rochelle (C)	554	6
Pelham (V)	30	0
Pelham Manor (V)	15	0
Tuckahoe (V)	21	0
Unknown	135	1
Deaths Occurred in NYC¹	732	15

¹ Residence information was not available for deaths in NYC.

Source: New York State Department of Health.

Table 16. Number of Deaths and Death Rates by Age Group and Sex, and Average Age of Death by Sex, Westchester County, 2003

Age Group	Number			Death Rate <i>(per 1,000 population)</i>		
	Total	Female	Male	Total	Female	Male
Total	7,269	3,940	3,329	7.9	8.2	7.5
0-4	70	26	44	1.1	0.8	1.3
5-9	7	4	3	0.1	0.1	0.1
10-19	27	2	25	0.2	0.0	0.4
20-29	74	16	58	0.7	0.3	1.2
30-39	112	43	69	0.8	0.6	1.0
40-49	282	116	166	1.9	1.5	2.4
50-59	577	232	345	5.2	4.0	6.7
60-69	837	378	459	11.6	9.5	14.0
70-79	1,575	753	822	26.6	21.9	33.0
80+	3,708	2,370	1,338	104.0	98.2	116.3
Average Age of Death	76.1	79.6	72.0	-	-	-

Source: New York State Department of Health.

Table 17. Number of Deaths and Death Rates by Age Group and Race/Ethnicity, and Average Age of Death by Race/Ethnicity, Westchester County, 2003

Age Group	Number					Death Rate (per 1,000 population)				
	Total ¹	White	Black	Other	Hispanic ²	Total	White	Black	Other	Hispanic ²
Total	7,269	6,060	944	250	384	7.9	9.2	7.2	1.9	2.7
0-4	70	36	26	8	16	1.1	0.8	2.8	0.6	1.2
5-9	7	4	1	2	1	0.1	0.1	0.1	0.2	0.1
10-19	27	16	11	0	3	0.2	0.2	0.5	0.0	0.1
20-29	74	39	26	7	20	0.7	0.6	1.6	0.3	0.7
30-39	112	77	28	4	30	0.8	0.8	1.3	0.2	1.1
40-49	282	187	68	27	45	1.9	1.7	3.6	1.4	2.4
50-59	577	398	146	31	59	5.2	4.7	10.1	2.8	5.8
60-69	837	620	175	40	50	11.6	10.7	19.2	7.6	9.4
70-79	1,575	1330	183	56	81	26.6	25.9	34.2	22.1	31.4
80+	3,708	3353	280	75	79	104.0	106.0	97.1	66.3	76.9
Average Age of Death	76.1	78.0	66.5	66.8	60.6	-	-	-	-	-

¹Totals include deaths of unknown race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 18. Number of Infant Deaths and Infant Mortality Rates by Race/Ethnicity, Westchester County, 2003

Race/Ethnicity	Number	Infant Mortality Rate <i>(per 1,000 live births)</i>
Total	50	3.9
White	22	2.2
Black	21	11.3
Other	7	8.8
Unknown	0	--
Hispanic ¹	14	4.0

¹ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are reported in race categories.

Source: New York State Department of Health.

Table 19. Number of Deaths and Death Rates by Selected Causes and Sex, Westchester County, 2003

Cause of Death	Number of Deaths			Death Rate (per 1,000 population)		
	Total	Female	Male	Total	Female	Male
Total	7,269	3,940	3,329	7.9	8.2	7.5
Major Cardiovascular Diseases	3,067	1,746	1,321	3.3	3.6	3.0
Malignant Neoplasms	1,835	984	851	2.0	2.0	1.9
Chronic Lower Respiratory Disease (CLRD)	336	190	146	0.4	0.4	0.3
Accidents (Total)	205	71	134	0.2	0.1	0.3
Pneumonia	186	98	88	0.2	0.2	0.2
Diabetes Mellitus	164	83	81	0.2	0.2	0.2
Septicemia	154	84	70	0.2	0.2	0.2
Nephritis, Nephrotic Syndrome and Nephrosis	127	65	62	0.1	0.1	0.1
Chronic Liver Diseases including Cirrhosis	61	18	43	0.1	0.0	0.1
Suicide	43	10	33	0.0	0.0	0.1
Homicide and Legal Intervention	33	7	26	0.0	0.0	0.1
Certain Conditions Originating in the Perinatal Period	31	12	19	0.0	0.0	0.0
AIDS	31	11	20	0.0	0.0	0.0
Congenital Anomalies	27	12	15	0.0	0.0	0.0
Gastritis, Enteritis, Colitis, Diverticulitis	18	13	5	0.0	0.0	0.0
Tuberculosis	3	2	1	0.0	0.0	0.0
Sudden Infant Death Syndrome	2	0	2	0.0	0.0	0.0
Influenza	2	2	0	0.0	0.0	0.0
Complications of Pregnancy, Childbirth, and Puerperium	1	1	0	0.0	0.0	0.0
All Other Causes	943	531	412	1.0	1.1	0.9

Source: New York State Department of Health.

Table 20. Number of Deaths and Death Rates by Selected Causes and Age Group, Westchester County, 2003

Cause of Death	Number of Deaths								Death Rate ¹ (per 1,000 population)							
	Total	<1	1-9	10-19	20-29	30-49	50-64	65+	Total	<1	1-9	10-19	20-29	30-49	50-64	65+
Total	7,269	50	27	27	74	394	986	5,711	7.9	3.9	0.2	0.2	0.7	1.3	6.6	44.3
Major Cardiovascular Diseases	3,067	1	0	2	11	79	287	2,687	3.3	0.1	0.0	0.0	0.1	0.3	1.9	20.8
Malignant Neoplasms	1,835	0	2	1	4	111	411	1,306	2.0	0.0	0.0	0.0	0.0	0.4	2.8	10.1
Chronic Lower Respiratory Disease (CLRD)	336	0	0	1	0	5	20	310	0.4	0.0	0.0	0.0	0.0	0.0	0.1	2.4
Accidents (Total)	205	1	4	10	23	52	30	85	0.2	0.1	0.0	0.1	0.2	0.2	0.2	0.7
Pneumonia	186	2	0	0	1	8	6	169	0.2	0.2	0.0	0.0	0.0	0.0	0.0	1.3
Diabetes Mellitus	164	0	0	0	0	5	24	135	0.2	0.0	0.0	0.0	0.0	0.0	0.2	1.0
Septicemia	154	1	1	0	0	5	12	135	0.2	0.1	0.0	0.0	0.0	0.0	0.1	1.0
Nephritis, Nephrotic Syndrome and Nephrosis	127	0	0	0	1	7	16	103	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.8
Chronic Liver Diseases including Cirrhosis	61	0	0	0	0	12	24	25	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.2
Suicide	43	0	0	2	4	12	16	9	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1
Homicide and Legal Intervention	33	1	1	4	14	7	3	3	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0
Certain Conditions Originating in the Perinatal Period	31	23	8	0	0	0	0	0	0.0	1.8	0.1	0.0	0.0	0.0	0.0	0.0
AIDS	31	0	0	0	1	19	10	1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0
Congenital Anomalies	27	11	6	1	2	1	5	1	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0
Gastritis, Enteritis, Colitis, Diverticulitis	18	0	0	0	0	1	2	15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Tuberculosis	3	0	0	0	0	1	0	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sudden Infant Death Syndrome	2	2	0	0	0	0	0	0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
Influenza	2	0	1	0	0	0	0	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Complications of Pregnancy, Childbirth, and Puerperium	1	0	0	0	0	1	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
All Other Causes	943	8	4	6	13	68	120	724	1.0	0.6	0.0	0.1	0.1	0.2	0.8	5.6

¹For infants under one year of age, the rate is calculated as per 1,000 live births (defined as infant mortality).

Source: New York State Department of Health.

Table 21. Number of Deaths and Death Rates by Selected Causes and Race/Ethnicity, Westchester County, 2003

Cause of Death	Number of Deaths						Death Rate (per 1,000 population)				
	Total	White	Black	Other	Unknown	Hispanic ¹	Total	White	Black	Other	Hispanic ¹
Total	7,269	6,060	944	250	15	384	7.9	9.2	7.2	1.9	2.7
Major Cardiovascular Diseases	3,067	2,616	363	82	6	126	3.3	4.0	2.8	0.6	0.9
Malignant Neoplasms	1,835	1,505	262	65	3	99	2.0	2.3	2.0	0.5	0.7
Chronic Lower Respiratory Disease (CLRD)	336	301	25	10	0	11	0.4	0.5	0.2	0.1	0.1
Accidents (Total)	205	170	21	13	1	30	0.2	0.3	0.2	0.1	0.2
Pneumonia	186	165	14	7	0	5	0.2	0.3	0.1	0.1	0.0
Diabetes Mellitus	164	121	32	10	1	16	0.2	0.2	0.2	0.1	0.1
Septicemia	154	126	22	6	0	8	0.2	0.2	0.2	0.0	0.1
Nephritis, Nephrotic Syndrome and Nephrosis	127	91	31	4	1	5	0.1	0.1	0.2	0.0	0.0
Chronic Liver Diseases including Cirrhosis	61	53	4	4	0	7	0.1	0.1	0.0	0.0	0.0
Suicide	43	32	5	6	0	5	0.0	0.0	0.0	0.0	0.0
Homicide and Legal Intervention	33	13	17	3	0	8	0.0	0.0	0.1	0.0	0.1
Certain Conditions Originating in the Perinatal Period	31	13	14	4	0	6	0.0	0.0	0.1	0.0	0.0
AIDS	31	12	17	1	1	7	0.0	0.0	0.1	0.0	0.0
Congenital Anomalies	27	18	5	4	0	6	0.0	0.0	0.0	0.0	0.0
Gastritis, Enteritis, Colitis, Diverticulitis	18	17	1	0	0	0	0.0	0.0	0.0	0.0	0.0
Tuberculosis	3	2	1	0	0	0	0.0	0.0	0.0	0.0	0.0
Sudden Infant Death Syndrome	2	0	2	0	0	0	0.0	0.0	0.0	0.0	0.0
Influenza	2	2	0	0	0	0	0.0	0.0	0.0	0.0	0.0
Complications of Pregnancy, Childbirth, and Puerperium	1	0	1	0	0	0	0.0	0.0	0.0	0.0	0.0
All Other Causes	943	803	107	31	2	45	1.0	1.2	0.8	0.2	0.3

¹ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 22. Number of Deaths Due to Cardiovascular Diseases by Age Group and Sex, Westchester County, 2003

Disease Category	Total	Age				Sex	
		0-29	30-49	50-64	65+	Female	Male
Total	3,067	14	79	287	2,687	1,746	1,321
Diseases of the Heart	2,525	13	63	239	2,210	1,413	1,112
Ischemic Heart Diseases	1,956	2	31	172	1,751	1,078	878
Acute Myocardial Infarction	559	0	11	54	494	297	262
Other Ischemic Heart Diseases	1,397	2	20	118	1,257	781	616
Hypertension with Heart Disease	98	0	3	16	79	55	43
Pulmonary Circulation Disease	32	5	2	4	21	21	11
Chronic Rheumatic Fever	9	0	0	3	6	7	2
Acute Rheumatic Fever	0	0	0	0	0	0	0
Other Diseases of the Heart	430	6	27	44	353	252	178
Other Cardiovascular Diseases	542	1	16	48	477	333	209
Cerebrovascular Disease	341	1	4	33	303	34	20
Hypertension with or without Renal Disease	54	0	2	2	50	211	130
Atherosclerosis	52	0	0	1	51	41	11
Other Diseases of the Circulatory System	95	0	10	12	73	47	48

Source: New York State Department of Health.

Table 23. Number of Deaths Due to Cardiovascular Diseases by Race/Ethnicity, Westchester County, 2003

Disease Category	Total¹	White	Black	Other	Hispanic²
Total	3,067	2,616	363	82	126
Diseases of the Heart	2,525	2,157	302	61	98
Ischemic Heart Diseases	1,956	1,689	214	51	71
Acute Myocardial Infarction	559	476	64	17	21
Other Ischemic Heart Diseases	1,397	1,213	150	34	50
Hypertension with Heart Disease	98	72	24	1	2
Pulmonary Circulation Disease	32	23	7	2	4
Chronic Rheumatic Fever	9	8	1	0	0
Acute Rheumatic Fever	0	0	0	0	0
Other Diseases of the Heart	430	365	56	7	21
Other Cardiovascular Diseases	542	459	61	21	28
Cerebrovascular Disease	341	288	37	15	20
Hypertension with or without Renal Disease	54	43	6	5	3
Atherosclerosis	52	48	4	0	0
Other Diseases of the Circulatory System	95	80	14	1	5

¹ Includes cases with unknown race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 24. Number of Deaths Due to Malignant Neoplasms by Age Group and Sex, Westchester County, 2003

Disease Category	Total	Age				Sex	
		0-29	30-49	50-64	65+	Female	Male
Total	1,835	7	111	411	1,306	984	851
Digestive Organs and Peritoneum	489	0	32	105	352	249	240
Respiratory System	458	0	17	118	323	221	237
Genital Organs	216	2	7	41	166	111	105
Lymphatic and Hematopoietic Tissues	198	2	13	31	152	79	119
Breast	173	0	20	48	105	171	2
Urinary Organs	90	0	4	11	75	35	55
Buccal Cavity and Pharynx	21	0	1	7	13	6	15
Other and Unspecified Sites	190	3	17	50	120	112	78

Source: New York State Department of Health.

Table 25. Number of Deaths Due to Malignant Neoplasms by Race/Ethnicity, Westchester County, 2003

Disease Category	Total	White	Black	Other	Unknown	Hispanic¹
Total	1,835	1,505	262	65	3	99
Digestive Organs and Peritoneum	489	401	72	14	2	46
Respiratory System	458	372	73	12	1	12
Genital Organs	216	173	37	6	0	12
Lymphatic and Hematopoietic Tissues	198	165	22	11	0	3
Breast	173	138	21	14	0	11
Urinary Organs	90	76	13	1	0	3
Buccal Cavity and Pharynx	21	15	5	1	0	1
Other and Unspecified Sites	190	165	19	6	0	11

¹ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 26. Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2003-2004

2003														
New York State Hospitals	Total		Medical		Surgical		Pediatric		Obstetrical ¹		Nursery/Newborn		Psychiatric	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Total	116,621	100.0	40,373	100.0	36,910	100.0	4,841	100.0	12,677	100.0	11,381	100.0	10,439	100.0
Westchester County Acute Care Hospitals	93,805	80.4	35,028	86.8	27,510	74.5	3,708	76.6	10,757	84.9	9,630	84.6	7,172	68.7
Westchester Medical Center	13,590	11.7	2,848	7.1	5,586	15.1	1,654	34.2	1,127	8.9	812	7.1	1,563	15.0
St. John's Riverside Hospital	13,125	11.3	4,693	11.6	2,937	8.0	485	10.0	1,743	13.7	1,591	14.0	1,676	16.1
White Plains Hospital Center	13,087	11.2	4,659	11.5	3,911	10.6	270	5.6	2,027	16.0	1,876	16.5	344	3.3
Lawrence Hospital Center	9,037	7.7	4,233	10.5	2,269	6.1	211	4.4	1,172	9.2	1,069	9.4	83	0.8
Sound Shore Medical Center of Westchester	8,340	7.2	3,000	7.4	2,377	6.4	196	4.0	1,398	11.0	1,266	11.1	103	1.0
Northern Westchester Hospital	8,016	6.9	2,741	6.8	2,146	5.8	385	8.0	1,270	10.0	1,235	10.9	239	2.3
Phelps Memorial Hospital Center	7,258	6.2	2,837	7.0	2,041	5.5	126	2.6	896	7.1	870	7.6	488	4.7
Hudson Valley Hospital Center	4,844	4.2	1,915	4.7	1,489	4.0	67	1.4	724	5.7	628	5.5	21	0.2
St. Josephs Hospital Yonkers	4,820	4.1	2,199	5.4	1,467	4.0	184	3.8	29	0.2	0	0.0	941	9.0
Mount Vernon Hospital	4,491	3.9	2,338	5.8	1,211	3.3	0	0.0	29	0.2	0	0.0	913	8.7
New York United Hospital Medical Center	3,805	3.3	2,126	5.3	1,037	2.8	14	0.3	6	0.0	0	0.0	622	6.0
St. Agnes Hospital ²	2,223	1.9	712	1.8	632	1.7	103	2.1	335	2.6	283	2.5	158	1.5
Community Hospital at Dobbs Ferry	1,169	1.0	727	1.8	407	1.1	13	0.3	1	0.0	0	0.0	21	0.2
Westchester County Specialty Hospitals	3,742	3.2	1,200	3.0	0	0.0	34	0.7	0	0.0	0	0.0	2,508	24.0
SVCMC - St. Vincents Westchester	1,628	1.4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1,628	15.6
Winifred Masterson Burke Rehabilitation Hospital	1,191	1.0	1,191	2.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
New York Presbyterian Hospital at Westchester Division	880	0.8	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	880	8.4
Blythedale Childrens Hospital	43	0.0	9	0.0	0	0.0	34	0.7	0	0.0	0	0.0	0	0.0
New York County (Manhattan) Hospitals	11,816	10.1	1,883	4.7	6,478	17.6	703	14.5	1,298	10.2	1,233	10.8	221	2.1
New York Presbyterian Hospital at Columbia Presbyterian Center	2,460	2.1	423	1.0	1,280	3.5	317	6.5	207	1.6	189	1.7	44	0.4
New York Presbyterian Hospital at New York Weill Cornell Center	2,024	1.7	179	0.4	1,097	3.0	87	1.8	327	2.6	317	2.8	17	0.2
Mount Sinai Hospital	1,327	1.1	205	0.5	714	1.9	56	1.2	171	1.3	167	1.5	14	0.1
Lenox Hill Hospital	1,224	1.0	97	0.2	604	1.6	9	0.2	253	2.0	244	2.1	17	0.2
NYU Hospital Center	1,058	0.9	178	0.4	465	1.3	68	1.4	176	1.4	168	1.5	3	0.0
Memorial Hospital for Cancer and Allied Diseases	890	0.8	283	0.7	565	1.5	41	0.8	0	0.0	0	0.0	1	0.0
Hospital for Special Surgery	599	0.5	20	0.0	555	1.5	23	0.5	1	0.0	0	0.0	0	0.0
St. Lukes Roosevelt Hospital Center at Roosevelt Hospital Division	411	0.4	62	0.2	165	0.4	2	0.0	85	0.7	79	0.7	18	0.2
Beth Israel Medical Center/Petrie Campus	480	0.4	103	0.3	223	0.6	79	1.6	25	0.2	23	0.2	27	0.3
St Lukes Roosevelt Hospital at St. Lukes Hospital Division	298	0.3	37	0.1	237	0.6	2	0.0	5	0.0	5	0.0	12	0.1

(Continued)

Table 26. Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2003-2004 (cont'd)

2003														
New York State Hospitals	Total		Medical		Surgical		Pediatric		Obstetrical ¹		Nursery/Newborn		Psychiatric	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
New York County (Manhattan) Hospitals (continued)														
Beth Israel Medical Center/Herbert & Nell Singer Division	229	0.2	31	0.1	189	0.5	9	0.2	0	0.0	0	0.0	0	0.0
St. Vincent's Catholic Medical Center	178	0.2	43	0.1	85	0.2	1	0.0	23	0.2	20	0.2	6	0.1
Hospital for Joint Diseases at Orthopaedic Institute Inc.	156	0.1	30	0.1	119	0.3	7	0.1	0	0.0	0	0.0	0	0.0
New York Presbyterian Hospital at Allen Pavilion	114	0.1	37	0.1	36	0.1	0	0.0	19	0.1	17	0.1	5	0.0
All Other Hospitals	368	0.4	155	0.4	144	0.4	2	0.0	6	0.0	4	0.0	57	0.5
Bronx County Hospitals	5,014	4.3	1,487	3.7	2,124	5.8	343	7.1	456	3.6	377	3.3	227	2.2
Montefiore Medical Center at Henry & Lucy Moses Division	2,123	1.8	529	1.3	1,302	3.5	271	5.6	3	0.0	0	0.0	18	0.2
Montefiore Medical Center at Jack D. Weiler Hospital of A. Einstein College	1,126	1.0	179	0.4	399	1.1	0	0.0	281	2.2	266	2.3	1	0.0
Our Lady of Mercy Medical Center	692	0.6	234	0.6	180	0.5	40	0.8	137	1.1	84	0.7	17	0.2
Calvary Hospital Inc.	316	0.3	301	0.7	14	0.0	0	0.0	0	0.0	0	0.0	1	0.0
Jacobi Medical Center	275	0.2	83	0.2	104	0.3	25	0.5	19	0.1	14	0.1	30	0.3
St. Barnabas Hospital	231	0.2	48	0.1	31	0.1	4	0.1	8	0.1	4	0.0	136	1.3
New York Westchester Square Medical Center	107	0.1	46	0.1	60	0.2	1	0.0	0	0.0	0	0.0	0	0.0
All Other Hospitals	144	0.1	67	0.1	34	0.1	2	0.0	8	0.1	9	0.1	24	0.2
Queens County Hospitals	193	0.2	35	0.1	72	0.2	18	0.4	26	0.2	24	0.2	18	0.2
Kings County (Brooklyn) Hospitals	151	0.1	59	0.1	41	0.1	9	0.2	14	0.1	14	0.1	14	0.1
Richmond County (Staten Island) Hospitals	33	0.0	8	0.0	8	0.0	3	0.1	0	0.0	0	0.0	14	0.1
Nassau County Hospitals	211	0.2	40	0.1	118	0.3	2	0.0	20	0.2	20	0.2	11	0.1
North Shore University Hospital	115	0.1	16	0.0	60	0.2	2	0.0	18	0.1	18	0.2	1	0.0
All Other Hospitals	96	0.1	24	0.1	58	0.2	0	0.0	2	0.0	2	0.0	10	0.1
Suffolk County Hospitals	45	0.0	18	0.0	17	0.0	1	0.0	1	0.0	1	0.0	7	0.1
Rockland County Hospitals	195	0.2	107	0.3	42	0.1	3	0.1	12	0.1	10	0.1	21	0.2
Nyack Hospital	113	0.1	36	0.1	38	0.1	3	0.1	11	0.1	9	0.1	16	0.2
All Other Hospitals	82	0.1	71	0.2	4	0.0	0	0.0	1	0.0	1	0.0	5	0.0
Putnam County Hospital(s)	1,083	0.9	409	1.0	376	1.0	2	0.0	82	0.6	66	0.6	148	1.4
Putnam Hospital Center	1,083	0.9	409	1.0	376	1.0	2	0.0	82	0.6	66	0.6	148	1.4
Hospitals North of Putnam and Rockland Counties	333	0.3	99	0.2	124	0.3	15	0.3	11	0.1	6	0.1	78	0.7

(Continued)

Table 26. Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2003-2004 (cont'd)

2004														
New York State Hospitals	Total		Medical		Surgical		Pediatric		Obstetrical ¹		Nursery/Newborn		Psychiatric	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Total	103,369	100.0	35,467	100.0	32,748	100.0	4,376	100.0	10,941	100.0	9,747	100.0	10,090	100.0
Westchester County Acute Care Hospitals	82,743	80.0	30,812	86.9	24,203	73.9	3,230	73.8	9,414	86.0	8,353	85.7	6,731	66.7
Westchester Medical Center	13,609	13.2	3,094	8.7	5,658	17.3	1,694	38.7	903	8.3	633	6.5	1,627	16.1
St. John's Riverside Hospital	13,511	13.1	4,821	13.6	2,836	8.7	416	9.5	1,870	17.1	1,685	17.3	1,883	18.7
White Plains Hospital Center	9,920	9.6	3,574	10.1	2,895	8.8	207	4.7	1,616	14.8	1,425	14.6	203	2.0
Sound Shore Medical Center of Westchester	8,972	8.7	3,153	8.9	2,541	7.8	212	4.8	1,599	14.6	1,393	14.3	74	0.7
Lawrence Hospital Center	6,794	6.6	3,251	9.2	1,707	5.2	174	4.0	848	7.8	774	7.9	40	0.4
Phelps Memorial Hospital Center	6,750	6.5	2,482	7.0	1,859	5.7	102	2.3	954	8.7	918	9.4	435	4.3
Northern Westchester Hospital	5,844	5.7	2,004	5.7	1,621	4.9	235	5.4	918	8.4	899	9.2	167	1.7
Hudson Valley Hospital Center	4,495	4.3	1,809	5.1	1,354	4.1	34	0.8	650	5.9	626	6.4	22	0.2
St. Josephs Hospital Yonkers	4,349	4.2	2,036	5.7	1,349	4.1	135	3.1	24	0.2	0	0.0	805	8.0
Mount Vernon Hospital	3,986	3.9	2,045	5.8	1,117	3.4	0	0.0	31	0.3	0	0.0	793	7.9
New York United Hospital Medical Center	3,372	3.3	1,723	4.9	963	2.9	16	0.4	1	0.0	0	0.0	669	6.6
Community Hospital at Dobbs Ferry	1,141	1.1	820	2.3	303	0.9	5	0.1	0	0.0	0	0.0	13	0.1
Westchester County Specialty Hospitals	3,791	3.7	1,066	3.0	1	0.0	33	0.8	1	0.0	0	0.0	2,690	26.7
SVCMC - St. Vincents Westchester	1,653	1.6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1,653	16.4
Winifred Masterson Burke Rehabilitation Hospital	1,060	1.0	1,059	3.0	0	0.0	0	0.0	1	0.0	0	0.0	0	0.0
New York Presbyterian Hospital at Westchester Division	1,038	1.0	0	0.0	0	0.0	1	0.0	0	0.0	0	0.0	1,037	10.3
Blythedale Childrens Hospital	40	0.0	7	0.0	1	0.0	32	0.7	0	0.0	0	0.0	0	0.0
New York County (Manhattan) Hospitals	10,057	9.7	1,534	4.3	5,808	17.7	745	17.0	918	8.4	874	9.0	178	1.8
New York Presbyterian Hospital at Columbia Presbyterian Center	2,671	2.6	393	1.1	1,425	4.4	384	8.8	226	2.1	202	2.1	41	0.4
New York Presbyterian Hospital at New York Weill Cornell Center	2,068	2.0	216	0.6	1,249	3.8	76	1.7	253	2.3	244	2.5	30	0.3
Memorial Hospital for Cancer and Allied Diseases	1,032	1.0	316	0.9	679	2.1	36	0.8	0	0.0	0	0.0	1	0.0
NYU Hospital Center	1,004	1.0	149	0.4	448	1.4	95	2.2	157	1.4	150	1.5	5	0.0
Lenox Hill Hospital	978	0.9	105	0.3	511	1.6	12	0.3	173	1.6	170	1.7	7	0.1
Hospital for Special Surgery	635	0.6	12	0.0	603	1.8	20	0.5	0	0.0	0	0.0	0	0.0
St. Lukes Roosevelt Hospital Center at Roosevelt Hospital Division	304	0.3	39	0.1	127	0.4	2	0.0	61	0.6	66	0.7	9	0.1
Beth Israel Medical Center/Petrie Campus	374	0.4	64	0.2	166	0.5	87	2.0	21	0.2	17	0.2	19	0.2
St Lukes Roosevelt Hospital at St. Lukes Hospital Division	218	0.2	25	0.1	157	0.5	8	0.2	2	0.0	2	0.0	24	0.2
Hospital for Joint Diseases at Orthopaedic Institute Inc.	172	0.2	21	0.1	136	0.4	15	0.3	0	0.0	0	0.0	0	0.0

(Continued)

Table 26. Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2003-2004 (cont'd)

2004														
New York State Hospitals	Total		Medical		Surgical		Pediatric		Obstetrical ¹		Nursery/Newborn		Psychiatric	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
New York County (Manhattan) Hospitals (continued)														
Beth Israel Medical Center/Herbert & Nell Singer Division	115	0.1	10	0.0	102	0.3	2	0.0	1	0.0	0	0.0	0	0.0
St. Vincent's Catholic Medical Center	127	0.1	28	0.1	67	0.2	3	0.1	12	0.1	12	0.1	5	0.0
New York Presbyterian Hospital at Allen Pavilion	70	0.1	29	0.1	26	0.1	0	0.0	7	0.1	6	0.1	2	0.0
Mount Sinai Hospital	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
All Other Hospitals	289	0.3	127	0.4	112	0.3	5	0.1	5	0.0	5	0.1	35	0.3
Bronx County Hospitals	4,857	4.7	1,428	4.0	2,083	6.4	327	7.5	440	4.0	386	4.0	193	1.9
Montefiore Medical Center at Henry & Lucy Moses Division	2,124	2.1	569	1.6	1,276	3.9	261	6.0	3	0.0	0	0.0	15	0.1
Montefiore Medical Center at Jack D. Weiler Hospital of A. Einstein College	1,224	1.2	202	0.6	437	1.3	0	0.0	302	2.8	282	2.9	1	0.0
Our Lady of Mercy Medical Center	614	0.6	215	0.6	136	0.4	30	0.7	104	1.0	84	0.9	45	0.4
Jacobi Medical Center	288	0.3	96	0.3	112	0.3	25	0.6	15	0.1	11	0.1	29	0.3
Calvary Hospital Inc.	268	0.3	245	0.7	23	0.1	0	0.0	0	0.0	0	0.0	0	0.0
St. Barnabas Hospital	167	0.2	34	0.1	15	0.0	9	0.2	12	0.1	5	0.1	92	0.9
New York Westchester Square Medical Center	86	0.1	28	0.1	58	0.2	0	0.0	0	0.0	0	0.0	0	0.0
All Other Hospitals	86	0.1	39	0.1	26	0.1	2	0.0	4	0.0	4	0.0	11	0.1
Queens County Hospitals	178	0.2	39	0.1	51	0.2	14	0.3	30	0.3	30	0.3	14	0.1
Kings County (Brooklyn) Hospitals	135	0.1	43	0.1	26	0.1	4	0.1	25	0.2	16	0.2	21	0.2
Richmond County (Staten Island) Hospitals	29	0.0	8	0.0	3	0.0	4	0.1	0	0.0	0	0.0	14	0.1
Nassau County Hospitals	233	0.2	55	0.2	101	0.3	1	0.0	35	0.3	29	0.3	12	0.1
North Shore University Hospital	129	0.1	25	0.1	51	0.2	1	0.0	28	0.3	24	0.2	0	0.0
All Other Hospitals	104	0.1	30	0.1	50	0.2	0	0.0	7	0.1	5	0.1	12	0.1
Suffolk County Hospitals	61	0.1	19	0.1	19	0.1	3	0.1	7	0.1	6	0.1	7	0.1
Rockland County Hospitals	175	0.2	78	0.2	20	0.1	2	0.0	7	0.1	7	0.1	61	0.6
Nyack Hospital	112	0.1	29	0.1	19	0.1	2	0.0	3	0.0	3	0.0	56	0.6
All Other Hospitals	63	0.1	49	0.1	1	0.0	0	0.0	4	0.0	4	0.0	5	0.0
Putnam County Hospital(s)	859	0.8	296	0.8	347	1.1	7	0.2	56	0.5	40	0.4	113	1.1
Putnam Hospital Center	859	0.8	296	0.8	347	1.1	7	0.2	56	0.5	40	0.4	113	1.1
Hospitals North of Putnam and Rockland Counties	251	0.2	89	0.3	86	0.3	6	0.1	8	0.1	6	0.1	56	0.6

¹ The obstetrical service category does not include abortions and complications to childbirth requiring surgery.

² St. Agnes Hospital closed at the end of 2003.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 27. Number of Hospital Discharges and Average Length of Stay by Age and Sex, Westchester County Residents, 2003 - 2004

2003										
Age (years)	Total ²		Female			Female (excluding obstetric service categories)		Male		
	Number of Discharges	Average Length of Stay (days)	Number of Discharges	%	Average Length of Stay (days)	Number of Discharges	Average Length of Stay (days)	Number of Discharges	%	Average Length of Stay (days)
Total	116,621	6.2	66,922	57.4	5.9	54,245	6.6	49,695	42.6	6.6
Newborn ¹	11,382	3.6	5,673	49.8	3.5	5,673	3.5	5,708	50.1	3.7
<1	1,474	6.7	629	42.7	6.1	629	6.1	845	57.3	7.1
1-2	942	3.8	406	43.1	4.4	406	4.4	536	56.9	3.3
3-4	507	3.7	222	43.8	3.0	222	3.0	285	56.2	4.3
5-6	464	3.9	189	40.7	3.4	189	3.4	275	59.3	4.3
7-8	383	5.0	134	35.0	2.9	134	2.9	249	65.0	6.1
9-10	414	5.7	162	39.1	4.8	162	4.8	252	60.9	6.3
11-12	490	9.9	212	43.3	9.0	212	9.0	278	56.7	10.6
13-14	637	10.3	332	52.1	9.8	321	10.0	305	47.9	10.8
15-16	901	10.8	523	58.0	10.3	435	11.8	378	42.0	11.6
17-18	1,004	7.4	631	62.8	5.9	368	8.0	373	37.2	10.0
19-20	1,301	5.7	879	67.6	4.1	313	6.2	422	32.4	9.1
21-22	1,606	5.3	1,148	71.5	4.3	419	6.5	458	28.5	7.8
23-24	1,612	5.3	1,161	72.0	4.1	399	6.3	451	28.0	8.4
25-29	5,031	4.7	3,847	76.5	4.0	1,164	6.3	1,184	23.5	7.2
30-34	7,136	4.5	5,608	78.6	3.9	1,574	5.9	1,528	21.4	6.5
35-39	7,418	5.2	5,003	67.4	4.5	2,159	6.1	2,415	32.6	6.6
40-44	6,226	6.1	3,442	55.3	5.4	2,788	5.9	2,783	44.7	7.0
45-49	6,101	6.4	3,093	50.7	5.9	3,052	5.9	3,008	49.3	6.9
50-54	6,067	6.6	2,882	47.5	6.4	2,880	6.4	3,185	52.5	6.8
55-59	6,191	6.5	3,062	49.5	6.8	3,062	6.8	3,129	50.5	6.3
60-64	6,170	6.6	3,041	49.3	6.9	3,041	6.9	3,129	50.7	6.3
65-69	6,538	7.0	3,340	51.1	7.4	3,340	7.4	3,197	48.9	6.6
70-74	8,281	7.1	4,288	51.8	7.4	4,288	7.4	3,993	48.2	6.8
75-79	9,244	7.4	4,933	53.4	7.6	4,933	7.6	4,311	46.6	7.3
80-84	8,441	7.6	4,862	57.6	7.6	4,862	7.6	3,579	42.4	7.5
85 and above	10,660	7.5	7,220	67.7	7.4	7,220	7.4	3,439	32.3	7.7
Total Excluding Newborns	105,239	6.5	61,249	58.2	6.1	--	--	43,987	41.8	7.0
Total Excluding Newborns & Obstetric	92,562	7.0	48,572	52.5	6.9	--	--	43,987	47.5	7.0

(Continued)

Table 27. Number of Hospital Discharges and Average Length of Stay by Age and Sex, Westchester County Residents, 2003 - 2004 (cont'd)

2004										
Age (years)	Total ²		Female			Female (excluding obstetric service categories)		Male		
	Number of Discharges	Average Length of Stay (days)	Number of Discharges	%	Average Length of Stay (days)	Number of Discharges	Average Length of Stay (days)	Number of Discharges	%	Average Length of Stay (days)
Total	103,369	6.1	58,654	56.7	5.8	47,713	6.5	44,714	43.3	6.4
Newborn ¹	9,747	3.8	4,801	49.3	3.9	4,801	3.9	4,946	50.7	3.8
<1	1,238	6.0	548	44.3	6.1	548	6.1	690	55.7	5.9
1-2	849	4.0	382	45.0	4.7	382	4.7	467	55.0	3.5
3-4	462	3.0	196	42.4	2.9	196	2.9	266	57.6	3.1
5-6	403	6.0	184	45.7	4.3	184	4.3	219	54.3	7.4
7-8	380	5.2	179	47.1	6.0	179	6.0	201	52.9	4.5
9-10	390	5.5	163	41.8	4.9	163	4.9	227	58.2	5.9
11-12	498	9.0	209	42.0	8.2	209	8.2	289	58.0	9.5
13-14	662	9.6	352	53.2	9.0	338	9.3	310	46.8	10.2
15-16	848	8.3	492	58.0	9.0	402	10.3	356	42.0	7.5
17-18	1,001	6.1	641	64.0	5.7	376	7.7	360	36.0	6.9
19-20	1,156	5.3	809	70.0	4.0	316	5.9	347	30.0	8.3
21-22	1,479	5.8	977	66.1	4.6	349	6.9	502	33.9	8.1
23-24	1,514	5.1	1,084	71.6	4.3	351	7.3	430	28.4	7.3
25-29	4,502	4.8	3,422	76.0	3.9	986	6.2	1,080	24.0	7.6
30-34	5,950	4.5	4,673	78.5	3.7	1,276	5.6	1,277	21.5	7.2
35-39	6,221	5.2	4,210	67.7	4.6	1,985	5.9	2,011	32.3	6.5
40-44	5,720	5.9	3,144	55.0	5.5	2,524	6.1	2,575	45.0	6.4
45-49	5,565	6.2	2,785	50.0	5.9	2,749	5.9	2,780	50.0	6.6
50-54	5,738	6.2	2,570	44.8	6.0	2,566	6.0	3,168	55.2	6.4
55-59	5,726	6.4	2,848	49.7	6.6	2,848	6.6	2,878	50.3	6.1
60-64	5,457	6.5	2,632	48.2	6.6	2,632	6.6	2,825	51.8	6.3
65-69	6,058	6.8	3,047	50.3	7.1	3,047	7.1	3,011	49.7	6.5
70-74	6,903	6.9	3,516	50.9	7.2	3,516	7.2	3,387	49.1	6.6
75-79	8,102	7.3	4,369	53.9	7.4	4,369	7.4	3,733	46.1	7.3
80-84	7,610	7.3	4,278	56.2	7.3	4,278	7.3	3,332	43.8	7.3
85 and above	9,190	7.3	6,143	66.8	7.2	6,143	7.2	3,047	33.2	7.3
Total Excluding Newborns	93,622	6.3	53,853	57.5	6.0	--	--	39,768	42.5	6.7
Total Excluding Newborns & Obstetric	82,681	6.8	42,912	51.9	6.8	--	--	39,768	48.1	6.7

¹ Only includes newborns delivered in New York State hospitals.

² Totals may include unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 28. Number of Hospital Discharges and Average Length of Stay by Age and Race/Ethnicity, Westchester County Residents, 2003-2004

2003										
Age (years)	Total ²		White		Black		Other ³		Hispanic ⁴	
	N	Average Length of Stay (days)	N	Average Length of Stay (days)	N	Average Length of Stay (days)	N	Average Length of Stay (days)	N	Average Length of Stay (days)
Total	116,621	6.2	73,806	6.2	18,727	7.4	17,337	5.8	13,609	5.3
Newborn ¹	11,382	3.6	6,558	3.3	1,429	4.2	2,873	4.0	2,596	3.3
<1	1,474	6.7	743	6.6	170	9.6	508	5.9	379	6.0
1-2	942	3.8	480	3.6	145	5.2	275	3.5	249	4.1
3-4	507	3.7	251	3.3	86	5.5	145	3.6	106	3.2
5-6	464	3.9	237	3.6	86	4.5	127	4.2	96	4.1
7-8	383	5.0	204	4.0	59	6.5	106	6.3	93	3.8
9-10	414	5.7	210	4.9	73	9.0	113	5.2	90	5.8
11-12	490	9.9	218	4.9	148	16.0	108	12.4	78	12.8
13-14	637	10.3	296	7.1	165	16.3	145	10.9	117	11.5
15-16	901	10.8	407	9.4	205	14.6	236	11.3	196	16.2
17-18	1,004	7.4	501	6.2	228	11.7	214	6.9	233	4.5
19-20	1,301	5.7	570	5.7	311	6.5	305	6.1	356	4.8
21-22	1,606	5.3	696	5.6	352	6.1	419	4.8	438	4.0
23-24	1,612	5.3	712	5.1	328	5.8	444	5.8	467	4.9
25-29	5,031	4.7	2,305	4.7	909	6.3	1,409	4.3	1,310	4.2
30-34	7,136	4.5	3,989	4.2	1,175	6.2	1,517	4.3	1,135	4.3
35-39	7,418	5.2	3,991	4.8	1,546	6.5	1,396	5.3	1,109	5.3
40-44	6,226	6.1	3,295	5.8	1,650	7.3	930	6.3	815	6.0
45-49	6,101	6.4	3,294	6.4	1,552	7.6	896	5.3	712	5.5
50-54	6,067	6.6	3,532	6.5	1,284	7.7	831	6.6	620	5.8
55-59	6,191	6.5	3,845	6.4	1,233	7.4	686	6.8	484	7.1
60-64	6,170	6.6	3,949	6.2	1,096	8.2	729	7.2	455	5.8
65-69	6,538	7.0	4,427	6.7	1,037	8.4	697	7.1	423	7.6
70-74	8,281	7.1	6,103	7.0	999	8.3	673	7.7	360	7.9
75-79	9,244	7.4	7,294	7.4	843	8.1	630	7.7	293	7.1
80-84	8,441	7.6	6,838	7.5	734	8.3	479	8.4	188	7.1
85 and above	10,660	7.5	8,861	7.5	884	8.3	446	7.9	211	7.7
Total Excluding Newborns	105,239	6.5	67,248	6.5	17,298	7.7	14,464	6.1	11,013	5.7
Total Excluding Newborns & Obstetric	92,562	7.0	60,648	6.8	15,744	8.1	11,199	7.0	8,415	6.6

(Continued)

Table 28. Number of Hospital Discharges and Average Length of Stay by Age and Race/Ethnicity, Westchester County Residents, 2003-2004 (cont'd)

2004										
Age (years)	Total ²		White		Black		Other ³		Hispanic ⁴	
	N	Average Length of Stay (days)	N	Average Length of Stay (days)	N	Average Length of Stay (days)	N	Average Length of Stay (days)	N	Average Length of Stay (days)
Total	103,369	6.1	64,090	6.0	17,745	7.2	16,975	5.5	13,522	4.8
Newborn ¹	9,747	3.8	5,334	3.5	1,361	4.0	2,611	4.3	2,523	3.2
<1	1,238	6.0	583	5.9	157	8.2	464	5.5	319	6.5
1-2	849	4.0	440	4.5	129	3.8	247	3.1	214	4.6
3-4	462	3.0	224	2.9	84	3.1	138	3.2	103	3.3
5-6	403	6.0	199	6.8	52	7.4	142	4.6	86	4.0
7-8	380	5.2	184	3.6	69	10.9	111	4.5	75	4.2
9-10	390	5.5	189	4.6	79	8.9	104	4.9	82	4.6
11-12	498	9.0	208	5.7	119	15.9	148	8.7	76	8.0
13-14	662	9.6	295	7.7	149	14.6	206	9.1	114	10.6
15-16	848	8.3	348	7.4	213	11.8	266	7.3	160	7.1
17-18	1,001	6.1	445	5.5	248	7.8	285	5.8	280	6.1
19-20	1,156	5.3	544	4.7	272	6.9	288	5.3	355	4.2
21-22	1,479	5.8	628	5.8	355	6.8	453	5.2	482	3.8
23-24	1,514	5.1	665	5.0	364	6.6	436	4.3	506	3.3
25-29	4,502	4.8	2,136	4.4	900	6.2	1,257	4.5	1,193	3.6
30-34	5,950	4.5	3,113	4.2	1,096	5.8	1,455	4.3	1,102	4.4
35-39	6,221	5.2	3,346	4.8	1,386	6.8	1,225	4.9	1,056	4.4
40-44	5,720	5.9	2,960	5.5	1,485	7.1	1,013	6.0	947	5.7
45-49	5,565	6.2	3,013	6.1	1,486	7.2	806	5.8	723	5.5
50-54	5,738	6.2	3,350	5.9	1,244	7.3	849	6.2	595	5.9
55-59	5,726	6.4	3,474	6.1	1,125	7.4	769	6.9	556	5.9
60-64	5,457	6.5	3,401	6.2	1,017	7.8	742	6.4	466	6.3
65-69	6,058	6.8	4,020	6.8	1,039	7.5	688	6.6	412	5.9
70-74	6,903	6.9	4,918	6.9	995	8.1	657	6.3	330	6.3
75-79	8,102	7.3	6,269	7.1	856	8.9	649	8.1	331	8.5
80-84	7,610	7.3	6,128	7.2	710	8.3	485	6.9	219	6.3
85 and above	9,190	7.3	7,676	7.2	755	8.4	481	7.1	217	6.5
Total Excluding Newborns	93,622	6.3	58,756	6.3	16,384	7.5	14,364	5.8	10,999	5.2
Total Excluding Newborns & Obstetric	82,681	6.8	53,096	6.6	14,710	8.0	11,339	6.4	8,247	6.0

¹ Only includes newborns delivered in New York State hospitals.

² Totals include unknown race.

³ Include Native Americans, Asian, and Pacific Islanders, and Other.

⁴ Hispanic is an ethnic group and may be of any race.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 29. Number of Hospital Discharges by Principal Diagnosis and All Related Diagnoses, Westchester County Residents, 2003-2004

2 0 0 3				
Diagnosis	Principal Diagnosis ¹		All Related Diagnoses ²	
	Number	%	Number	%
Total	116,621	100.0	116,621	..
Circulatory System	17,267	14.8	53,350	45.7
Mental Disorders	10,442	9.0	25,390	21.8
Digestive System	9,351	8.0	22,347	19.2
Respiratory System	8,687	7.4	24,689	21.2
<i>Asthma</i>	1,243	1.1	5,798	5.0
Neoplasms	7,044	6.0	14,186 ³	12.2
<i>Malignant</i>	5,302	4.5	10,666	9.1
<i>Benign</i>	1,742	1.5	3,520	3.0
Injury and Poisoning	5,142 ⁴	4.4	7,033 ⁵	6.0
Musculoskeletal System and Connective Tissue	4,956	4.2	15,767	13.5
Genitourinary System	4,419	3.8	19,316	16.6
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	4,169	3.6	41,755	35.8
<i>Diabetes Mellitus</i>	1,512	1.3	16,998	14.6
Infectious and Parasitic Diseases	2,754	2.4	11,624	10.0
<i>HIV and AIDS</i>	216	0.2	1,246 ⁶	1.1
Skin & Subcutaneous Tissue	1,812	1.6	7,597	6.5
Nervous System and Sensory Organs	1,707	1.5	11,810	10.1
Blood and Blood-Forming Organs	1,416	1.2	16,952	14.5
Congenital Anomalies	437	0.4	2,190	1.9
Conditions Originating in the Perinatal Period	315	0.3	4,614	4.0
Symptoms, Signs, and Ill-defined Conditions	6,502	5.6	24,154	20.7
Supplementary Classifications - Other	3,259	2.8	40,586	34.8
Medical Misadventure, Abnormal Reaction, & Late Effects	2,830 ⁴	2.4	7,569 ⁵	6.5
Complications of Pregnancy, Childbirth and Puerperium	12,730 ⁷	10.9	12,765	10.9
Supplementary Classifications - Newborns	11,382	9.8	11,382	9.8

(continued)

Table 29. Number of Hospital Discharges by Principal Diagnosis and All Related Diagnoses, Westchester County Residents, 2003-2004 (cont'd)

2004				
Diagnosis	Principal Diagnosis ¹		All Related Diagnoses ²	
	Number	%	Number	%
Total	103,369	100.0	103,369	..
Circulatory System	15,704	15.2	48,768	47.2
Mental Disorders	10,092	9.8	24,312	23.5
Digestive System	8,248	8.0	20,514	19.8
Respiratory System	7,164	6.9	21,960	21.2
<i>Asthma</i>	1,107	1.1	5,457	5.3
Neoplasms	6,065	5.9	12,401 ³	12.0
<i>Malignant</i>	4,681	4.5	9,459	9.2
<i>Benign</i>	1,384	1.3	2,942	2.8
Musculoskeletal System and Connective Tissue	4,527	4.4	14,579	14.1
Injury and Poisoning	4,433 ⁴	4.3	6,157 ⁵	6.0
Genitourinary System	3,830	3.7	17,576	17.0
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	3,727	3.6	38,919	37.7
<i>Diabetes Mellitus</i>	1,334	1.3	15,627	15.1
Infectious and Parasitic Diseases	2,565	2.5	10,701	10.4
<i>HIV and AIDS</i>	234	0.2	1,235 ⁶	1.2
Nervous System and Sensory Organs	1,561	1.5	11,295	10.9
Skin & Subcutaneous Tissue	1,519	1.5	6,571	6.4
Blood and Blood-Forming Organs	1,323	1.3	15,737	15.2
Congenital Anomalies	417	0.4	2,054	2.0
Conditions Originating in the Perinatal Period	251	0.2	3,838	3.7
Symptoms, Signs, and Ill-defined Conditions	6,034	5.8	22,704	22.0
Supplementary Classifications - Other	2,793	2.7	38,757	37.5
Medical Misadventure, Abnormal Reaction, & Late Effects	2,375 ⁴	2.3	6,719 ⁵	6.5
Complications of Pregnancy, Childbirth and Puerperium	10,994 ⁷	10.6	11,021	10.7
Supplementary Classifications - Newborns	9,747	9.4	9,747	9.4

¹ The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care, as defined by ICD-9 Numerical Codes. Because the principal diagnosis represents the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. Furthermore, the principal diagnosis reflects clinical findings discovered during the patient's stay, therefore it may differ from admitting diagnosis.

² Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. Diagnoses that related to an earlier episode which had no bearing on the current hospital stay were excluded. A patient may be included in more than one

³ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemo-therapy and radio-therapy is also included). Diagnoses that were related to an earlier episode which had no bearing on the current hospital stay were excluded.

⁴ Defined by ICD-9 Numerical Codes and E Codes.

⁵ Including cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recording an external code (E-Code) are: a) principal diagnosis of an injury or poisoning, b) other diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis, and c) other diagnosis with an external cause. Only the first E-Code is recorded in this item.

⁶ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. In addition, it included any V-class coding as V0.80 and any of the variables for current, new or past New York State diagnosis-related group in the range of 700 to 716 or any current, new or past federal diagnosis-related group in the range of 488 to 490.

⁷ Defined by ICD-9 numerical codes for pregnancy, childbirth, and puerperium. Includes codes for abortion and complications in childbirth requiring surgery.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 30. Number of Hospital Discharges by Principal Diagnosis and Age, Westchester County Residents, 2003-2004

2003																	
Principal Diagnosis ¹	Total ²	<1 ³		1-12		13-17		18-34		35-49		50-64		65-74		75 +	
		N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Total	116,621	1,474	100.0	3,200	100.0	2,036	100.0	17,192	100.0	19,745	100.0	18,428	100.0	14,819	100.0	28,345	100.0
Circulatory System	17,267	14	0.9	37	1.2	35	1.7	278	1.6	1,471	7.4	3,614	19.6	3,899	26.3	7,919	27.9
Mental Disorders	10,442	1	0.1	237	7.4	662	32.5	2,786	16.2	4,314	21.8	1,517	8.2	404	2.7	521	1.8
Digestive System	9,351	101	6.9	335	10.5	183	9.0	1,012	5.9	1,740	8.8	1,937	10.5	1,345	9.1	2,698	9.5
Respiratory System	8,687	390	26.5	785	24.5	116	5.7	415	2.4	816	4.1	1,297	7.0	1,398	9.4	3,470	12.2
<i>Asthma</i>	<i>1,243</i>	<i>37</i>	<i>2.5</i>	<i>316</i>	<i>9.9</i>	<i>33</i>	<i>1.6</i>	<i>143</i>	<i>0.8</i>	<i>255</i>	<i>1.3</i>	<i>237</i>	<i>1.3</i>	<i>102</i>	<i>0.7</i>	<i>120</i>	<i>0.4</i>
Neoplasms (including benign)	7,044	11	0.7	71	2.2	30	1.5	278	1.6	1,412	7.2	1,974	10.7	1,444	9.7	1,824	6.4
<i>Malignant Neoplasms</i>	<i>5,302</i>	<i>3</i>	<i>0.2</i>	<i>55</i>	<i>1.7</i>	<i>13</i>	<i>0.6</i>	<i>119</i>	<i>0.7</i>	<i>623</i>	<i>3.2</i>	<i>1,608</i>	<i>8.7</i>	<i>1,284</i>	<i>8.7</i>	<i>1,597</i>	<i>5.6</i>
Injury and Poisoning	5,142	28	1.9	304	9.5	228	11.2	736	4.3	789	4.0	641	3.5	566	3.8	1,850	6.5
Musculoskeletal System and Connective Tissue	4,956	5	0.3	66	2.1	70	3.4	297	1.7	939	4.8	1,284	7.0	999	6.7	1,296	4.6
Genitourinary System	4,419	55	3.7	92	2.9	63	3.1	451	2.6	795	4.0	846	4.6	706	4.8	1,411	5.0
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	4,169	52	3.5	296	9.3	82	4.0	330	1.9	690	3.5	880	4.8	622	4.2	1,217	4.3
<i>Diabetes Mellitus</i>	<i>1,512</i>	<i>0</i>	<i>0.0</i>	<i>70</i>	<i>2.2</i>	<i>44</i>	<i>2.2</i>	<i>121</i>	<i>0.7</i>	<i>257</i>	<i>1.3</i>	<i>414</i>	<i>2.2</i>	<i>298</i>	<i>2.0</i>	<i>308</i>	<i>1.1</i>
Infectious and Parasitic Diseases	2,754	126	8.5	125	3.9	42	2.1	217	1.3	425	2.2	420	2.3	381	2.6	1,018	3.6
<i>HIV and AIDS</i>	<i>216</i>	<i>0</i>	<i>0.0</i>	<i>1</i>	<i>0.0</i>	<i>1</i>	<i>0.0</i>	<i>35</i>	<i>0.2</i>	<i>137</i>	<i>0.7</i>	<i>34</i>	<i>0.2</i>	<i>6</i>	<i>0.0</i>	<i>2</i>	<i>0.0</i>
Skin & Subcutaneous Tissue	1,812	22	1.5	83	2.6	38	1.9	187	1.1	335	1.7	382	2.1	244	1.6	521	1.8
Nervous System and Sensory Organs	1,707	48	3.3	186	5.8	56	2.8	175	1.0	284	1.4	315	1.7	187	1.3	456	1.6
Blood and Blood-Forming Organs	1,416	10	0.7	98	3.1	40	2.0	252	1.5	210	1.1	202	1.1	189	1.3	415	1.5
Congenital Anomalies	437	155	10.5	106	3.3	44	2.2	43	0.3	41	0.2	32	0.2	8	0.1	8	0.0
Conditions Originating in the Perinatal Period	315	311	21.1	4	0.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Symptoms, Signs, and Ill-defined Conditions	6,502	109	7.4	238	7.4	80	3.9	417	2.4	1,192	6.0	1,501	8.1	990	6.7	1,975	7.0
Supplementary Classifications - Other	3,259	24	1.6	79	2.5	33	1.6	161	0.9	336	1.7	835	4.5	833	5.6	958	3.4
Medical Misadventure, Abnormal Reactions, & Late Effects	2,830	12	0.8	58	1.8	28	1.4	183	1.1	408	2.1	749	4.1	604	4.1	788	2.8
Complications of Pregnancy, Childbirth and Puerperium	12,730 ⁴	0	0.0	0	0.0	206	10.1	8,974	52.2	3,548	18.0	2	0.0	0	0.0	0	0.0
Supplementary Classifications - Newborns	11,382	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

(continued)

Table 30. Number of Hospital Discharges by Principal Diagnosis and Age, Westchester County Residents, 2003-2004 (cont'd)

2004																	
Principal Diagnosis ¹	Total ²	<1 ³		1-12		13-17		18-34		35-49		50-64		65-74		75 +	
		N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Total	103,369	1,238	100.0	2,982	100.0	1,991	100.0	15,121	100.0	17,506	100.0	16,921	100.0	12,961	100.0	24,902	100.0
Circulatory System	15,704	15	1.2	50	1.7	33	1.7	282	1.9	1,244	7.1	3,482	20.6	3,570	27.5	7,028	28.2
Mental Disorders	10,092	0	0.0	231	7.7	673	33.8	2,433	16.1	4,257	24.3	1,623	9.6	387	3.0	488	2.0
Digestive System	8,248	93	7.5	284	9.5	177	8.9	899	5.9	1,486	8.5	1,720	10.2	1,180	9.1	2,409	9.7
Respiratory System	7,164	301	24.3	639	21.4	86	4.3	304	2.0	617	3.5	1,071	6.3	1,171	9.0	2,975	11.9
<i>Asthma</i>	1,107	22	1.8	296	9.9	15	0.8	96	0.6	198	1.1	218	1.3	129	1.0	133	0.5
Neoplasms (including benign)	6,065	3	0.2	84	2.8	39	2.0	216	1.4	1,169	6.7	1,682	9.9	1,269	9.8	1,603	6.4
<i>Malignant Neoplasms</i>	4,681	1	0.1	65	2.2	19	1.0	105	0.7	594	3.4	1,355	8.0	1,133	8.7	1,409	5.7
Musculoskeletal System and Connective Tissue	4,527	0	0.0	71	2.4	72	3.6	274	1.8	778	4.4	1,231	7.3	945	7.3	1,156	4.6
Injury and Poisoning	4,433	30	2.4	262	8.8	231	11.6	663	4.4	656	3.7	583	3.4	416	3.2	1,592	6.4
Genitourinary System	3,830	52	4.2	93	3.1	55	2.8	414	2.7	712	4.1	756	4.5	608	4.7	1,140	4.6
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	3,727	50	4.0	277	9.3	64	3.2	309	2.0	590	3.4	797	4.7	535	4.1	1,105	4.4
<i>Diabetes Mellitus</i>	1,334	0	0.0	58	1.9	36	1.8	107	0.7	209	1.2	373	2.2	263	2.0	288	1.2
Infectious and Parasitic Diseases	2,565	96	7.8	135	4.5	46	2.3	209	1.4	376	2.1	422	2.5	333	2.6	948	3.8
<i>HIV and AIDS</i>	234	0	0.0	2	0.1	4	0.2	41	0.3	122	0.7	60	0.4	5	0.0	0	0.0
Nervous System and Sensory Organs	1,561	34	2.7	172	5.8	65	3.3	151	1.0	275	1.6	273	1.6	187	1.4	404	1.6
Skin & Subcutaneous Tissue	1,519	18	1.5	70	2.3	38	1.9	159	1.1	313	1.8	312	1.8	193	1.5	416	1.7
Blood and Blood-Forming Organs	1,323	8	0.6	111	3.7	38	1.9	220	1.5	186	1.1	195	1.2	176	1.4	389	1.6
Congenital Anomalies	417	143	11.6	130	4.4	40	2.0	29	0.2	37	0.2	19	0.1	8	0.1	11	0.0
Conditions Originating in the Perinatal Period	251	250	20.2	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Symptoms, Signs, and Ill-defined Conditions	6,034	104	8.4	187	6.3	68	3.4	377	2.5	1,178	6.7	1,524	9.0	868	6.7	1,728	6.9
Supplementary Classifications - Other	2,793	34	2.7	118	4.0	27	1.4	158	1.0	339	1.9	619	3.7	644	5.0	854	3.4
Medical Misadventure, Abnormal Reactions, & Late Effects	2,375	7	0.6	67	2.2	28	1.4	138	0.9	400	2.3	608	3.6	471	3.6	656	2.6
Complications of Pregnancy, Childbirth and Puerperium	10,994 ⁴	0	0.0	0	0.0	211	10.6	7,886	52.2	2,893	16.5	4	0.0	0	0.0	0	0.0
Supplementary Classifications - Newborns	9,747	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

¹ The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care. Because the principal diagnosis represents the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. Furthermore, the principal diagnosis reflects clinical findings discovered during the patient's stay, therefore it may differ from admitting diagnosis.

² Totals include newborns.

³ "Under one year of age" category excludes newborns.

⁴ Defined by ICD-9 numerical codes for pregnancy, childbirth, and puerperium. Includes codes for abortion and complications in childbirth requiring surgery.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 31. Number of Hospital Discharges by Principal Diagnosis and Sex, Westchester County Residents, 2003-2004

2 0 0 3					
Principal Diagnosis¹	Total²	Female		Male	
		Number	%	Number	%
Total	116,621	66,922	100.0	49,695	100.0
Circulatory System	17,267	8,135	12.2	9,130	18.4
Mental Disorders	10,442	4,333	6.5	6,109	12.3
Digestive System	9,351	5,137	7.7	4,214	8.5
Respiratory System	8,687	4,580	6.8	4,107	8.3
<i>Asthma</i>	<i>1,243</i>	<i>744</i>	<i>1.1</i>	<i>499</i>	<i>1.0</i>
Neoplasms (including benign)	7,044	4,267	6.4	2,777	5.6
<i>Malignant Neoplasms</i>	<i>5,302</i>	<i>2,841</i>	<i>4.2</i>	<i>2,461</i>	<i>5.0</i>
Injury and Poisoning	5,142	2,791	4.2	2,350	4.7
Musculoskeletal System and Connective Tissue	4,956	2,899	4.3	2,057	4.1
Genitourinary System	4,419	2,575	3.8	1,844	3.7
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	4,169	2,460	3.7	1,709	3.4
<i>Diabetes Mellitus</i>	<i>1,512</i>	<i>703</i>	<i>1.1</i>	<i>809</i>	<i>1.6</i>
Infectious and Parasitic Diseases	2,754	1,473	2.2	1,281	2.6
<i>HIV and AIDS</i>	<i>216</i>	<i>105</i>	<i>0.2</i>	<i>111</i>	<i>0.2</i>
Skin & Subcutaneous Tissue	1,812	993	1.5	819	1.6
Nervous System and Sensory Organs	1,707	937	1.4	770	1.5
Blood and Blood-Forming Organs	1,416	818	1.2	598	1.2
Congenital Anomalies	437	208	0.3	229	0.5
Conditions Originating in the Perinatal Period	315	137	0.2	178	0.4
Symptoms, Signs, and Ill-defined Conditions	6,502	3,566	5.3	2,936	5.9
Supplementary Classifications - Other	3,259	1,829	2.7	1,430	2.9
Medical Misadventure, Abnormal Reactions, & Late Effects	2,830	1,381	2.1	1,449	2.9
Complications of Pregnancy, Childbirth and Puerperium	12,730	12,730	19.0	0	0.0
Supplementary Classifications - Newborns	11,382	5,673	8.5	5,708	11.5

(continued)

Table 31. Number of Hospital Discharges by Principal Diagnosis and Sex, Westchester County Residents, 2003-2004 (cont'd)

2004					
Principal Diagnosis ¹	Total ²	Female		Male	
		Number	%	Number	%
Total	103,369	58,654	100.0	44,714	100.0
Circulatory System	15,704	7,365	12.6	8,339	18.6
Mental Disorders	10,092	4,075	6.9	6,016	13.5
Digestive System	8,248	4,538	7.7	3,710	8.3
Respiratory System	7,164	3,897	6.6	3,267	7.3
<i>Asthma</i>	<i>1,107</i>	<i>719</i>	<i>1.2</i>	<i>388</i>	<i>0.9</i>
Neoplasms (including benign)	6,065	3,659	6.2	2,406	5.4
<i>Malignant Neoplasms</i>	<i>4,681</i>	<i>2,549</i>	<i>4.3</i>	<i>2,132</i>	<i>4.8</i>
Musculoskeletal System and Connective Tissue	4,527	2,614	4.5	1,913	4.3
Injury and Poisoning	4,433	2,263	3.9	2,170	4.9
Genitourinary System	3,830	2,223	3.8	1,607	3.6
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	3,727	2,179	3.7	1,548	3.5
<i>Diabetes Mellitus</i>	<i>1,334</i>	<i>637</i>	<i>1.1</i>	<i>697</i>	<i>1.6</i>
Infectious and Parasitic Diseases	2,565	1,324	2.3	1,241	2.8
<i>HIV and AIDS</i>	<i>234</i>	<i>111</i>	<i>0.2</i>	<i>123</i>	<i>0.3</i>
Nervous System and Sensory Organs	1,561	856	1.5	705	1.6
Skin & Subcutaneous Tissue	1,519	778	1.3	741	1.7
Blood and Blood-Forming Organs	1,323	746	1.3	577	1.3
Congenital Anomalies	417	189	0.3	228	0.5
Conditions Originating in the Perinatal Period	251	111	0.2	140	0.3
Symptoms, Signs, and Ill-defined Conditions	6,034	3,311	5.6	2,723	6.1
Supplementary Classifications - Other	2,793	1,538	2.6	1,255	2.8
Medical Misadventure, Abnormal Reactions, & Late Effects	2,375	1,193	2.0	1,182	2.6
Complications of Pregnancy, Childbirth and Puerperium	10,994	10,994	18.7	0	0.0
Supplementary Classifications - Newborns	9,747	4,801	8.2	4,946	11.1

¹ The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care. Because the principal diagnosis represents the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. Furthermore, the principal diagnosis reflects clinical findings discovered during the patient's stay, therefore it may differ from admitting diagnosis.

² Totals include unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 32. Number of Hospital Discharges by Principal Diagnosis and Race/Ethnicity, Westchester County Residents, 2003-2004

2003									
Principal Diagnosis ¹	Total ²	White		Black		Other ³		Hispanic ⁴	
		N	%	N	%	N	%	N	%
Total	116,621	73,806	100.0	18,727	100.0	17,337	100.0	13,609	100.0
Circulatory System	17,267	11,850	16.1	2,383	12.7	1,820	10.5	891	6.5
Mental Disorders	10,442	5,537	7.5	3,260	17.4	1,414	8.2	1,549	11.4
Digestive System	9,351	6,404	8.7	1,362	7.3	1,210	7.0	1,149	8.4
Respiratory System	8,687	5,876	8.0	1,444	7.7	1,061	6.1	915	6.7
<i>Asthma</i>	<i>1,243</i>	<i>528</i>	<i>0.7</i>	<i>377</i>	<i>2.0</i>	<i>302</i>	<i>1.7</i>	<i>288</i>	<i>2.1</i>
Neoplasms (including benign)	7,044	4,816	6.5	1,091	5.8	664	3.8	423	3.1
<i>Malignant Neoplasms</i>	<i>5,302</i>	<i>3,851</i>	<i>5.2</i>	<i>694</i>	<i>3.7</i>	<i>443</i>	<i>2.6</i>	<i>270</i>	<i>2.0</i>
Injury and Poisoning	5,142	3,450	4.7	574	3.1	877	5.1	448	3.3
Musculoskeletal System and Connective Tissue	4,956	3,467	4.7	560	3.0	426	2.5	250	1.8
Genitourinary System	4,419	3,016	4.1	592	3.2	581	3.4	467	3.4
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	4,169	2,497	3.4	909	4.9	463	2.7	352	2.6
<i>Diabetes Mellitus</i>	<i>1,512</i>	<i>748</i>	<i>1.0</i>	<i>532</i>	<i>2.8</i>	<i>181</i>	<i>1.0</i>	<i>169</i>	<i>1.2</i>
Infectious and Parasitic Diseases	2,754	1,816	2.5	526	2.8	313	1.8	301	2.2
<i>HIV and AIDS</i>	<i>216</i>	<i>49</i>	<i>0.1</i>	<i>122</i>	<i>0.7</i>	<i>35</i>	<i>0.2</i>	<i>36</i>	<i>0.3</i>
Skin & Subcutaneous Tissue	1,812	1,165	1.6	319	1.7	212	1.2	161	1.2
Nervous System and Sensory Organs	1,707	1,127	1.5	269	1.4	217	1.3	157	1.2
Blood and Blood-Forming Organs	1,416	769	1.0	453	2.4	140	0.8	100	0.7
Congenital Anomalies	437	281	0.4	35	0.2	90	0.5	73	0.5
Conditions Originating in the Perinatal Period	315	148	0.2	33	0.2	121	0.7	82	0.6
Symptoms, Signs, and Ill-defined Conditions	6,502	4,232	5.7	1,133	6.1	827	4.8	664	4.9
Supplementary Classifications - Other	3,259	2,326	3.2	331	1.8	423	2.4	216	1.6
Medical Misadventure, Abnormal Reactions, & Late Effects	2,830	1,854	2.5	459	2.5	317	1.8	208	1.5
Complications of Pregnancy, Childbirth and Puerperium	12,730	6,617	9.0	1,565	8.4	3,288	19.0	2,607	19.2
Supplementary Classifications - Newborns	11,382	6,558	8.9	1,429	7.6	2,873	16.6	2,596	19.1

(continued)

Table 32. Number of Hospital Discharges by Principal Diagnosis and Race/Ethnicity, Westchester County Residents, 2003-2004 (cont'd)

2004									
Principal Diagnosis ¹	Total ²	White		Black		Other ³		Hispanic ⁴	
		N	%	N	%	N	%	N	%
Total	103,369	64,090	100.0	17,745	100.0	16,975	100.0	13,522	100.0
Circulatory System	15,704	10,586	16.5	2,271	12.8	2,003	11.8	965	7.1
Mental Disorders	10,092	5,226	8.2	3,092	17.4	1,569	9.2	1,545	11.4
Digestive System	8,248	5,485	8.6	1,335	7.5	1,175	6.9	1,124	8.3
Respiratory System	7,164	4,910	7.7	1,202	6.8	875	5.2	780	5.8
<i>Asthma</i>	<i>1,107</i>	<i>469</i>	<i>0.7</i>	<i>342</i>	<i>1.9</i>	<i>273</i>	<i>1.6</i>	<i>261</i>	<i>1.9</i>
Neoplasms (including benign)	6,065	4,150	6.5	919	5.2	648	3.8	384	2.8
<i>Malignant Neoplasms</i>	<i>4,681</i>	<i>3,381</i>	<i>5.3</i>	<i>592</i>	<i>3.3</i>	<i>472</i>	<i>2.8</i>	<i>250</i>	<i>1.8</i>
Musculoskeletal System and Connective Tissue	4,527	3,001	4.7	568	3.2	390	2.3	243	1.8
Injury and Poisoning	4,433	2,883	4.5	498	2.8	902	5.3	429	3.2
Genitourinary System	3,830	2,547	4.0	536	3.0	588	3.5	486	3.6
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	3,727	2,225	3.5	859	4.8	461	2.7	341	2.5
<i>Diabetes Mellitus</i>	<i>1,334</i>	<i>673</i>	<i>1.1</i>	<i>470</i>	<i>2.6</i>	<i>171</i>	<i>1.0</i>	<i>153</i>	<i>1.1</i>
Infectious and Parasitic Diseases	2,565	1,628	2.5	536	3.0	335	2.0	285	2.1
<i>HIV and AIDS</i>	<i>234</i>	<i>56</i>	<i>0.1</i>	<i>140</i>	<i>0.8</i>	<i>30</i>	<i>0.2</i>	<i>38</i>	<i>0.3</i>
Nervous System and Sensory Organs	1,561	1,029	1.6	236	1.3	226	1.3	137	1.0
Skin & Subcutaneous Tissue	1,519	1,005	1.6	244	1.4	205	1.2	156	1.2
Blood and Blood-Forming Organs	1,323	715	1.1	441	2.5	134	0.8	118	0.9
Congenital Anomalies	417	225	0.4	51	0.3	104	0.6	72	0.5
Conditions Originating in the Perinatal Period	251	118	0.2	24	0.1	101	0.6	62	0.5
Symptoms, Signs, and Ill-defined Conditions	6,034	3,843	6.0	1,130	6.4	901	5.3	718	5.3
Supplementary Classifications - Other	2,793	2,008	3.1	302	1.7	408	2.4	185	1.4
Medical Misadventure, Abnormal Reactions, & Late Effects	2,375	1,500	2.3	453	2.6	286	1.7	209	1.5
Complications of Pregnancy, Childbirth and Puerperium	10,994	5,672	8.9	1,687	9.5	3,053	18.0	2,760	20.4
Supplementary Classifications - Newborns	9,747	5,334	8.3	1,361	7.7	2,611	15.4	2,523	18.7

¹ The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care. Because the principal diagnosis represents the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. Furthermore, the principal diagnosis reflects clinical findings discovered during the patient's stay, therefore it may differ from admitting diagnosis.

² Totals include cases of unknown race.

³ Include Native Americans, Asian and Pacific Islanders, and Other.

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 33. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age, Westchester County Residents, 2003-2004

2003																											
Principal Diagnosis	Number of Discharges												Average Length of Stay (days)														
	Total	<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+	
		N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%										
Total	17,267	14	100.0	37	100.0	35	100.0	278	100.0	1,471	100.0	3,614	100.0	3,899	100.0	7,919	100.0	6.0	6.1	2.6	5.7	6.4	4.4	5.1	5.8	6.7	
Diseases of the Heart																											
Ischemic Heart Disease	5,844	0	0.0	1	2.7	0	0.0	33	11.9	519	35.3	1,640	45.4	1,493	38.3	2,158	27.3	4.4	0.0	1.0	0.0	3.0	2.8	3.5	4.3	5.6	
<i>Acute Myocardial Infarction</i>	2,271	0	0.0	0	0.0	0	0.0	22	7.9	189	12.8	577	16.0	445	11.4	1,038	13.1	6.1	0.0	0.0	0.0	3.4	3.7	4.8	6.4	7.2	
<i>Other Ischemic Heart Disease</i>	3,573	0	0.0	1	2.7	0	0.0	11	4.0	330	22.4	1,063	29.4	1,048	26.9	1,120	14.1	3.3	0.0	1.0	0.0	2.3	2.3	2.8	3.4	4.1	
Hypertension with Heart Disease	247	0	0.0	0	0.0	0	0.0	2	0.7	21	1.4	53	1.5	43	1.1	128	1.6	6.5	0.0	0.0	0.0	4.5	4.7	6.4	7.4	6.5	
Pulmonary Circulation Disease	254	0	0.0	0	0.0	1	2.9	9	3.2	41	2.8	58	1.6	64	1.6	81	1.0	8.6	0.0	0.0	4.0	6.4	6.5	8.7	8.5	9.8	
Chronic Rheumatic Fever	111	0	0.0	0	0.0	2	5.7	3	1.1	7	0.5	11	0.3	22	0.6	66	0.8	8.5	0.0	0.0	4.0	2.3	6.3	7.9	9.2	9.0	
Acute Rheumatic Fever	5	0	0.0	1	2.7	0	0.0	2	0.7	1	0.1	1	0.0	0	0.0	0	0.0	11.8	0.0	12.0	0.0	8.0	5.0	26.0	0.0	0.0	
Other Diseases of the Heart	5,853	7	50.0	15	40.5	16	45.7	104	37.4	438	29.8	914	25.3	1,222	31.3	3,137	39.6	6.2	8.6	1.3	3.4	4.0	4.3	6.0	6.3	6.6	
Other Cardiovascular Diseases																											
Cerebrovascular Disease	2,580	1	7.1	4	10.8	3	8.6	35	12.6	140	9.5	450	12.5	536	13.7	1,411	17.8	7.0	14.0	4.8	16.0	10.5	8.1	6.5	6.2	7.2	
Hypertension with or without Renal Disease	513	1	7.1	1	2.7	1	2.9	34	12.2	121	8.2	125	3.5	92	2.4	138	1.7	5.4	3.0	10.0	2.0	6.6	4.2	5.6	5.6	6.0	
Arteriosclerosis	344	0	0.0	0	0.0	0	0.0	0	0.0	9	0.6	69	1.9	95	2.4	171	2.2	10.4	0.0	0.0	0.0	0.0	7.7	8.4	13.1	9.8	
Other Diseases of the Circulatory System	1,516	5	35.7	15	40.5	12	34.3	56	20.1	174	11.8	293	8.1	332	8.5	629	7.9	7.3	1.6	2.3	7.0	10.2	5.4	6.1	7.1	8.3	

(continued)

Table 33. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age, Westchester County Residents, 2003-2004 (cont'd)

2004																										
Principal Diagnosis	Number of Discharges														Average Length of Stay (days)											
	Total	<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
		N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%									
Total	15,704	15	100.0	50	100.0	33	100.0	282	100.0	1,244	100.0	3,482	100.0	3,570	100.0	7,028	100.0	5.6	12.3	9.8	5.7	4.8	4.5	4.6	5.3	6.4
Diseases of the Heart																										
Ischemic Heart Disease	5,274	0	0.0	0	0.0	0	0.0	21	7.4	463	37.2	1,581	45.4	1,383	38.7	1,826	26.0	4.2	0.0	0.0	0.0	2.2	2.9	3.3	4.0	5.4
<i>Acute Myocardial Infarction</i>	1,917	0	0.0	0	0.0	0	0.0	10	3.5	143	11.5	499	14.3	437	12.2	828	11.8	6.0	0.0	0.0	0.0	3.4	4.3	4.4	5.9	7.3
<i>Other Ischemic Heart Disease</i>	3,357	0	0.0	0	0.0	0	0.0	11	3.9	320	25.7	1,082	31.1	946	26.5	998	14.2	3.1	0.0	0.0	0.0	1.2	2.3	2.8	3.1	3.8
Hypertension with Heart Disease	330	0	0.0	0	0.0	0	0.0	6	2.1	24	1.9	50	1.4	63	1.8	187	2.7	6.1	0.0	0.0	0.0	4.8	4.3	5.3	6.3	6.5
Pulmonary Circulation Disease	254	1	6.7	2	4.0	3	9.1	17	6.0	42	3.4	53	1.5	56	1.6	80	1.1	7.7	7.0	2.0	4.0	4.9	6.8	6.0	9.2	9.2
Chronic Rheumatic Fever	80	0	0.0	1	2.0	0	0.0	1	0.4	8	0.6	7	0.2	16	0.4	47	0.7	9.1	0.0	7.0	0.0	5.0	13.4	13.4	6.5	8.7
Acute Rheumatic Fever	2	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	1	0.0	0	0.0	0	0.0	4.5	0.0	0.0	0.0	7.0	0.0	2.0	0.0	0.0
Other Diseases of the Heart	5,325	5	33.3	17	34.0	13	39.4	95	33.7	346	27.8	907	26.0	1,098	30.8	2,844	40.5	6.0	19.2	4.5	5.0	4.6	4.5	5.3	6.0	6.5
Other Cardiovascular Diseases																										
Cerebrovascular Disease	2,324	5	33.3	4	8.0	5	15.2	36	12.8	126	10.1	435	12.5	489	13.7	1,224	17.4	6.8	9.8	82.0	8.8	4.7	6.1	6.9	5.2	7.3
Hypertension with or without Renal Disease	543	0	0.0	0	0.0	3	9.1	40	14.2	117	9.4	132	3.8	108	3.0	143	2.0	5.6	0.0	0.0	4.3	5.6	6.9	4.6	5.0	5.9
Arteriosclerosis	288	0	0.0	0	0.0	1	3.0	1	0.4	9	0.7	44	1.3	80	2.2	153	2.2	7.9	0.0	0.0	1.0	1.0	4.2	5.5	7.9	9.0
Other Diseases of the Circulatory System	1,284	4	26.7	26	52.0	8	24.2	64	22.7	109	8.8	272	7.8	277	7.8	524	7.5	6.3	8.0	2.9	6.5	5.4	5.3	5.9	6.7	6.8

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 34. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Sex, Westchester County Residents, 2003-2004

2003									
Principal Diagnosis	Number of Discharges						Average Length of Stay (days)		
	Total ¹		Female		Male		Total	Female	Male
	Number	%	Number	%	Number	%			
Total	17,267	100.0	8,135	100.0	9,130	100.0	5.9	6.2	5.6
Diseases of the Heart									
Ischemic Heart Disease	5,844	33.8	2,218	27.3	3,625	39.7	4.4	4.9	4.2
<i>Acute Myocardial Infarction</i>	2,271	13.2	958	11.8	1,313	14.4	6.1	6.7	5.7
<i>Other Ischemic Heart Disease</i>	3,573	20.7	1,260	15.5	2,312	25.3	3.3	3.5	3.3
Hypertension with Heart Disease	247	1.4	140	1.7	107	1.2	6.5	5.7	7.5
Pulmonary Circulation Disease	254	1.5	142	1.7	112	1.2	8.6	9.1	7.8
Chronic Rheumatic Fever	111	0.6	70	0.9	41	0.4	8.5	8.3	8.8
Acute Rheumatic Fever	5	0.0	3	0.0	2	0.0	11.8	14.3	8.0
Other Diseases of the Heart	5,853	33.9	2,979	36.6	2,873	31.5	6.2	6.4	6.0
Other Cardiovascular Diseases									
Cerebrovascular Disease	2,580	14.9	1,404	17.3	1,176	12.9	7.0	7.1	6.9
Hypertension with or without Renal Disease	513	3.0	284	3.5	229	2.5	5.4	5.3	5.6
Arteriosclerosis	344	2.0	160	2.0	184	2.0	10.4	9.0	11.6
Other Diseases of the Circulatory System	1,516	8.8	735	9.0	781	8.6	7.3	7.4	7.1

(continued)

Table 34. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Sex, Westchester County Residents, 2003-2004 (cont'd)

2004									
Principal Diagnosis	Number of Discharges						Average Length of Stay (days)		
	Total		Female		Male		Total	Female	Male
	Number	%	Number	%	Number	%			
Total	15,704	100.0	7,365	100.0	8,339	100.0	5.6	6.0	5.2
Diseases of the Heart									
Ischemic Heart Disease	5,274	33.6	2,047	27.8	3,227	38.7	4.2	4.7	3.8
<i>Acute Myocardial Infarction</i>	1,917	12.2	844	11.5	1,073	12.9	6.0	6.8	5.3
<i>Other Ischemic Heart Disease</i>	3,357	21.4	1,203	16.3	2,154	25.8	3.1	3.2	3.1
Hypertension with Heart Disease	330	2.1	217	2.9	113	1.4	6.1	6.6	5.1
Pulmonary Circulation Disease	254	1.6	148	2.0	106	1.3	7.7	8.3	6.9
Chronic Rheumatic Fever	80	0.5	44	0.6	36	0.4	9.1	7.7	10.7
Acute Rheumatic Fever	2	0.0	0	0.0	2	0.0	4.5	0.0	4.5
Other Diseases of the Heart	5,325	33.9	2,638	35.8	2,687	32.2	6.0	6.4	5.6
Other Cardiovascular Diseases									
Cerebrovascular Disease	2,324	14.8	1,227	16.7	1,097	13.2	6.8	6.8	6.8
Hypertension with or without Renal Disease	543	3.5	298	4.0	245	2.9	5.6	5.1	6.2
Arteriosclerosis	288	1.8	160	2.2	128	1.5	7.9	7.9	7.9
Other Diseases of the Circulatory System	1,284	8.2	586	8.0	698	8.4	6.3	6.6	6.1

¹Total includes cases of unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 35. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Race/Ethnicity, Westchester County Residents, 2003-2004

2003															
Principal Diagnosis	Number of Discharges										Average Length of Stay (days)				
	Total ¹		White		Black		Other ²		Hispanic ³		Total	White	Black	Other ²	Hispanic ³
	N	%	N	%	N	%	N	%	N	%					
Total	17,267	100.0	11,850	100.0	2,383	100.0	1,820	100.0	891	100.0	5.9	5.9	7.0	5.8	5.5
Diseases of the Heart															
Ischemic Heart Disease	5,844	33.8	3,869	32.6	524	22.0	804	44.2	301	33.8	4.4	4.4	5.1	4.7	4.1
<i>Acute Myocardial Infarction</i>	2,271	13.2	1,563	13.2	218	9.1	274	15.1	125	14.0	6.1	5.9	7.1	6.7	6.0
<i>Other Ischemic Heart Disease</i>	3,573	20.7	2,306	19.5	306	12.8	530	29.1	176	19.8	3.3	3.3	3.6	3.6	2.8
Hypertension with Heart Disease	247	1.4	148	1.2	82	3.4	13	0.7	13	1.5	6.5	6.8	6.1	4.9	5.1
Pulmonary Circulation Disease	254	1.5	194	1.6	34	1.4	18	1.0	12	1.3	8.6	7.8	11.0	9.8	9.3
Chronic Rheumatic Fever	111	0.6	87	0.7	5	0.2	9	0.5	2	0.2	8.5	8.9	6.2	7.9	5.5
Acute Rheumatic Fever	5	0.0	1	0.0	1	0.0	3	0.2	0	0.0	11.8	26.0	4.0	9.7	0.0
Other Diseases of the Heart	5,853	33.9	4,215	35.6	837	35.1	479	26.3	276	31.0	6.2	6.1	7.1	6.0	6.0
Other Cardiovascular Diseases															
Cerebrovascular Disease	2,580	14.9	1,816	15.3	410	17.2	239	13.1	124	13.9	7.0	6.7	8.5	7.8	6.6
Hypertension with or without Renal Disease	513	3.0	218	1.8	215	9.0	66	3.6	58	6.5	5.4	4.9	5.9	6.3	5.3
Arteriosclerosis	344	2.0	257	2.2	39	1.6	32	1.8	16	1.8	10.4	10.2	17.4	6.3	12.9
Other Diseases of the Circulatory System	1,516	8.8	1,045	8.8	236	9.9	157	8.6	89	10.0	7.3	7.3	7.8	7.3	5.4

(continued)

Table 35. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Race/Ethnicity, Westchester County Residents, 2003-2004 (cont'd)

2004															
Principal Diagnosis	Number of Discharges										Average Length of Stay (days)				
	Total ¹		White		Black		Other ²		Hispanic ³		Total	White	Black	Other ²	Hispanic ³
	N	%	N	%	N	%	N	%	N	%					
Total	15,704	100.0	10,586	100.0	2,271	100.0	2,003	100.0	965	100.0	5.6	5.6	6.5	4.9	5.0
Diseases of the Heart															
Ischemic Heart Disease	5,274	33.6	3,426	32.4	506	22.3	880	43.9	328	34.0	4.2	4.2	4.9	4.0	3.7
<i>Acute Myocardial Infarction</i>	1,917	12.2	1,299	12.3	208	9.2	276	13.8	115	11.9	6.0	5.8	7.1	6.6	5.4
<i>Other Ischemic Heart Disease</i>	3,357	21.4	2,127	20.1	298	13.1	604	30.2	213	22.1	3.1	3.2	3.4	2.8	2.8
Hypertension with Heart Disease	330	2.1	213	2.0	98	4.3	15	0.7	19	2.0	6.1	6.2	5.8	5.7	6.5
Pulmonary Circulation Disease	254	1.6	177	1.7	46	2.0	25	1.2	21	2.2	7.7	7.8	8.4	6.5	5.8
Chronic Rheumatic Fever	80	0.5	54	0.5	6	0.3	8	0.4	5	0.5	9.1	9.0	10.3	10.4	11.4
Acute Rheumatic Fever	2	0.0	1	0.0	1	0.0	0	0.0	1	0.1	4.5	7.0	2.0	0.0	7.0
Other Diseases of the Heart	5,325	33.9	3,774	35.7	790	34.8	567	28.3	309	32.0	6.0	6.2	6.2	5.1	5.3
Other Cardiovascular Diseases															
Cerebrovascular Disease	2,324	14.8	1,637	15.5	364	16.0	243	12.1	123	12.7	6.8	6.6	8.3	6.2	6.3
Hypertension with or without Renal Disease	543	3.5	249	2.4	198	8.7	87	4.3	54	5.6	5.6	5.6	6.0	5.0	5.7
Arteriosclerosis	288	1.8	187	1.8	48	2.1	35	1.7	10	1.0	7.9	7.4	11.7	7.0	12.0
Other Diseases of the Circulatory System	1,284	8.2	868	8.2	214	9.4	143	7.1	95	9.8	6.3	6.3	6.9	6.1	5.4

¹ Totals include cases of unknown race.

² Include Native Americans, Asian and Pacific Islanders, and Other.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 36. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age and Sex, Westchester County Residents, 2003-2004

2003								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total ¹	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	17,267	8,135	47.1	9,130	52.9	5.9	6.2	5.6
Less than 1	14	6	42.9	8	57.1	6.1	9.3	3.6
1-2	8	4	50.0	4	50.0	1.5	1.5	1.5
3-4	9	5	55.6	4	44.4	2.4	1.8	3.3
5-6	6	2	33.3	4	66.7	2.2	1.0	2.8
7-8	7	1	14.3	6	85.7	3.7	1.0	4.2
9-10	3	2	66.7	1	33.3	4.0	1.0	10.0
11-12	4	3	75.0	1	25.0	3.0	2.3	5.0
13-14	10	3	30.0	7	70.0	5.8	3.0	7.0
15-16	10	3	30.0	7	70.0	3.5	4.3	3.1
17-18	22	11	50.0	11	50.0	6.4	3.4	9.5
19-20	16	6	37.5	10	62.5	3.9	5.3	3.0
21-22	22	12	54.5	10	45.5	5.7	5.5	5.9
23-34	21	12	57.1	9	42.9	4.4	4.8	3.9
25-29	68	22	32.4	46	67.6	10.4	9.2	10.9
30-34	144	59	41.0	85	59.0	5.2	5.1	5.3
35-39	271	100	36.9	171	63.1	4.7	4.6	4.8
40-44	488	176	36.1	312	63.9	4.5	5.4	4.0
45-49	712	257	36.1	455	63.9	4.1	4.1	4.1
50-54	951	295	31.0	656	69.0	4.9	5.0	4.9
55-59	1,255	464	37.0	791	63.0	5.1	5.6	4.8
60-64	1,408	535	38.0	873	62.0	5.1	5.4	4.9
65-69	1,730	718	41.5	1,011	58.4	5.6	5.8	5.5
70-74	2,169	951	43.8	1,218	56.2	5.9	6.1	5.8
75-79	2,477	1,172	47.3	1,305	52.7	6.3	6.9	5.8
80-84	2,422	1,324	54.7	1,098	45.3	6.8	6.7	7.0
85 and above	3,020	1,992	66.0	1,027	34.0	6.9	6.8	6.9

(continued)

Table 36. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age and Sex, Westchester County Residents, 2003-2004 (cont'd)

2004								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total ¹	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	15,704	7,365	46.9	8,339	53.1	5.6	6.0	5.2
Less than 1	15	8	53.3	7	46.7	12.3	19.5	4.0
1-2	10	2	20.0	8	80.0	31.4	149.0	2.0
3-4	14	3	21.4	11	78.6	2.3	1.7	2.5
5-6	6	5	83.3	1	16.7	5.0	5.8	1.0
7-8	5	1	20.0	4	80.0	4.8	4.0	5.0
9-10	8	8	100.0	0	0.0	3.8	3.8	0.0
11-12	7	2	28.6	5	71.4	8.7	21.5	3.6
13-14	10	6	60.0	4	40.0	8.1	8.8	7.0
15-16	17	11	64.7	6	35.3	5.1	6.8	2.0
17-18	20	13	65.0	7	35.0	4.3	4.4	4.0
19-20	16	7	43.8	9	56.3	4.8	3.4	5.8
21-22	14	3	21.4	11	78.6	3.6	3.7	3.6
23-34	23	8	34.8	15	65.2	3.0	3.3	2.9
25-29	72	23	31.9	49	68.1	5.7	9.7	3.8
30-34	143	73	51.0	70	49.0	4.7	4.2	5.4
35-39	242	100	41.3	142	58.7	4.3	4.5	4.1
40-44	390	160	41.0	230	59.0	4.6	4.8	4.5
45-49	612	210	34.3	402	65.7	4.5	5.1	4.1
50-54	960	292	30.4	668	69.6	4.4	4.8	4.2
55-59	1,180	437	37.0	743	63.0	4.5	4.8	4.4
60-64	1,342	494	36.8	848	63.2	4.9	5.4	4.6
65-69	1,594	648	40.7	946	59.3	5.3	5.6	5.1
70-74	1,976	855	43.3	1,121	56.7	5.2	5.5	5.0
75-79	2,246	1,054	46.9	1,192	53.1	5.9	6.3	5.6
80-84	2,166	1,171	54.1	995	45.9	6.5	6.3	6.6
85 and above	2,616	1,771	67.7	845	32.3	6.8	7.0	6.5

¹ Totals include cases with unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 37. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System, by Age and Race/Ethnicity, Westchester County Residents, 2003-2004

2003														
Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total ¹	White		Black		Other ²		Hispanic ³		Total	White	Black	Other ²	Hispanic ³
		N	%	N	%	N	%	N	%					
Total	17,267	11,850	68.6	2,383	13.8	1,820	10.5	891	4.4	5.9	5.9	7.0	5.8	5.5
Less than 1	14	6	42.9	2	14.3	6	42.9	1	7.1	6.1	8.3	3.0	4.8	3.0
1-2	8	8	100.0	0	0.0	0	0.0	0	0.0	1.5	1.5	0.0	0.0	0.0
3-4	9	6	66.7	0	0.0	3	33.3	1	11.1	2.4	1.8	0.0	3.7	1.0
5-6	6	1	16.7	1	16.7	4	66.7	2	33.3	2.2	1.0	1.0	2.8	2.5
7-8	7	2	28.6	0	0.0	5	71.4	2	28.6	3.7	2.5	0.0	4.2	2.5
9-10	3	1	33.3	0	0.0	2	66.7	0	0.0	4.0	1.0	0.0	5.5	0.0
11-12	4	4	100.0	0	0.0	0	0.0	1	25.0	3.0	3.0	0.0	0.0	5.0
13-14	10	4	40.0	2	20.0	4	40.0	2	20.0	5.8	9.5	3.5	3.3	16.0
15-16	10	7	70.0	3	30.0	0	0.0	0	0.0	3.5	3.7	3.0	0.0	0.0
17-18	22	12	54.5	3	13.6	5	22.7	1	4.5	6.4	4.3	3.0	15.6	3.0
19-20	16	11	68.8	3	18.8	2	12.5	2	12.5	3.9	4.5	3.0	2.0	2.5
21-22	22	13	59.1	6	27.3	3	13.6	6	27.3	5.7	4.8	7.5	5.7	5.3
23-34	21	9	42.9	3	14.3	7	33.3	3	14.3	4.4	3.2	6.0	5.3	8.7
25-29	68	34	50.0	16	23.5	16	23.5	11	16.2	10.4	9.7	8.6	14.1	7.5
30-34	144	58	40.3	54	37.5	23	16.0	15	10.4	5.2	3.8	6.5	5.7	4.6
35-39	271	120	44.3	80	29.5	51	18.8	36	13.3	4.7	3.9	6.1	4.7	5.2
40-44	488	223	45.7	143	29.3	78	16.0	70	14.3	4.5	4.1	5.7	4.3	4.3
45-49	712	372	52.2	158	22.2	119	16.7	86	12.1	4.1	3.8	5.0	4.6	3.5
50-54	951	533	56.0	188	19.8	139	14.6	92	9.7	4.9	4.7	6.1	5.4	5.7
55-59	1,255	729	58.1	259	20.6	166	13.2	86	6.9	5.1	4.8	6.6	5.0	4.9
60-64	1,408	844	59.9	234	16.6	207	14.7	107	7.6	5.1	4.5	7.6	5.3	5.0
65-69	1,730	1,077	62.3	283	16.4	218	12.6	114	6.6	5.6	5.3	7.3	5.8	5.8
70-74	2,169	1,540	71.0	247	11.4	218	10.1	81	3.7	5.9	5.7	7.8	5.9	6.0
75-79	2,477	1,867	75.4	212	8.6	232	9.4	73	2.9	6.3	6.3	7.5	6.3	6.7
80-84	2,422	1,908	78.8	217	9.0	168	6.9	51	2.1	6.8	6.8	7.8	7.2	7.1
85 and above	3,020	2,461	81.5	269	8.9	144	4.8	48	1.6	6.9	6.8	8.1	6.9	8.0

(continued)

Table 37. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System, by Age and Race/Ethnicity, Westchester County Residents, 2003-2004 (cont'd)

2004														
Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total ¹	White		Black		Other ²		Hispanic ³		Total	White	Black	Other ²	Hispanic ³
		N	%	N	%	N	%	N	%					
Total	15,704	10,586	67.4	2,271	14.5	2,003	12.8	965	6.1	5.6	5.6	6.5	4.9	5.0
Less than 1	15	13	86.7	1	6.7	1	6.7	4	26.7	12.3	13.8	4.0	1.0	7.8
1-2	10	4	40.0	0	0.0	6	60.0	2	20.0	31.4	75.8	0.0	1.8	1.5
3-4	14	9	64.3	2	14.3	2	14.3	1	7.1	2.3	2.4	1.5	1.5	1.0
5-6	6	4	66.7	0	0.0	2	33.3	0	0.0	5.0	4.8	0.0	5.5	0.0
7-8	5	3	60.0	1	20.0	1	20.0	2	40.0	4.8	2.3	13.0	4.0	2.5
9-10	8	3	37.5	4	50.0	1	12.5	0	0.0	3.8	2.7	4.5	4.0	0.0
11-12	7	3	42.9	1	14.3	3	42.9	0	0.0	8.7	1.7	1.0	18.3	0.0
13-14	10	5	50.0	1	10.0	3	30.0	0	0.0	8.1	4.4	8.0	16.7	0.0
15-16	17	6	35.3	2	11.8	8	47.1	3	17.6	5.1	4.5	15.0	3.5	7.0
17-18	20	8	40.0	3	15.0	9	45.0	5	25.0	4.3	4.9	5.3	3.3	6.0
19-20	16	12	75.0	3	18.8	1	6.3	1	6.3	4.8	3.9	8.7	3.0	9.0
21-22	14	6	42.9	3	21.4	3	21.4	4	28.6	3.6	2.2	4.3	4.3	3.8
23-34	23	11	47.8	4	17.4	8	34.8	5	21.7	3.0	3.4	3.0	2.6	4.2
25-29	72	37	51.4	16	22.2	16	22.2	19	26.4	5.7	6.5	4.7	4.5	4.3
30-34	143	55	38.5	59	41.3	25	17.5	18	12.6	4.7	4.4	4.7	5.7	3.3
35-39	242	88	36.4	82	33.9	56	23.1	26	10.7	4.3	3.7	5.6	3.7	4.5
40-44	390	181	46.4	89	22.8	93	23.8	78	20.0	4.6	4.2	5.6	4.9	4.7
45-49	612	274	44.8	170	27.8	127	20.8	74	12.1	4.5	5.0	4.4	3.7	4.8
50-54	960	545	56.8	164	17.1	181	18.9	94	9.8	4.4	4.4	5.1	4.2	4.6
55-59	1,180	704	59.7	202	17.1	195	16.5	115	9.7	4.5	4.3	5.8	4.6	5.1
60-64	1,342	767	57.2	263	19.6	216	16.1	100	7.5	4.9	4.5	7.1	4.2	5.9
65-69	1,594	949	59.5	294	18.4	246	15.4	113	7.1	5.3	5.3	6.4	4.7	4.6
70-74	1,976	1,335	67.6	270	13.7	259	13.1	96	4.9	5.2	5.1	6.7	5.0	5.5
75-79	2,246	1,690	75.2	209	9.3	244	10.9	92	4.1	5.9	5.9	7.7	5.3	4.5
80-84	2,166	1,704	78.7	200	9.2	152	7.0	57	2.6	6.5	6.4	7.8	5.9	6.2
85 and above	2,616	2,170	83.0	228	8.7	145	5.5	56	2.1	6.8	6.7	7.5	7.2	5.9

¹ Totals include cases of unknown race.

² Include Native Americans, Asian and Pacific Islanders, and Other.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 38. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Mental Disorder by Age, Westchester County Residents, 2003-2004

2003																												
Principal Diagnosis	Number of Discharges																Average Length of Stay (days)											
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total		<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	Total									
Total	10,442	100.0	1	100.0	237	100.0	662	100.0	2,786	100.0	4,314	100.0	1,517	100.0	404	100.0	521	100.0	12.6	1.0	22.5	18.9	11.8	10.6	13.7	16.5	13.6	
Psychoses	5,837	55.9	0	0.0	42	17.7	293	44.3	1,610	57.8	2,196	50.9	919	60.6	324	80.2	453	86.9	14.8	0.0	16.0	19.1	13.8	13.3	17.5	18.9	14.3	
<i>Schizophrenia</i>	1,461	14.0	0	0.0	4	1.7	25	3.8	478	17.2	588	13.6	272	17.9	71	17.6	23	4.4	24.1	0.0	14.3	25.5	21.5	23.4	28.8	29.5	22.5	
<i>Drug-Induced Psychoses</i>	824	7.9	0	0.0	0	0.0	6	0.9	235	8.4	480	11.1	87	5.7	4	1.0	12	2.3	6.6	0.0	0.0	4.2	6.3	6.8	6.2	13.8	5.7	
<i>Alcoholic Psychoses</i>	476	4.6	0	0.0	0	0.0	1	0.2	75	2.7	254	5.9	114	7.5	20	5.0	12	2.3	5.2	0.0	0.0	2.0	3.9	5.0	5.4	6.6	11.5	
<i>Other</i>	3,076	29.5	0	0.0	38	16.0	261	39.4	822	29.5	874	20.3	446	29.4	229	56.7	406	77.9	14.0	0.0	16.2	18.9	12.3	12.4	15.9	16.8	14.1	
Neurotic, Personality, & Other Nonpsychotic Mental Disorders	4,604	44.1	1	100.0	195	82.3	369	55.7	1,176	42.2	2,118	49.1	597	39.4	80	19.8	68	13.1	9.8	1.0	23.9	18.8	9.2	7.9	7.9	6.5	9.3	
<i>Drug Dependence Syndrome</i>	1,964	18.8	0	0.0	0	0.0	0	0.0	605	21.7	1,117	25.9	236	15.6	6	1.5	0	0.0	8.3	0.0	0.0	0.0	8.1	8.3	8.6	7.0	0.0	
<i>Alcohol Dependence Syndrome</i>	1,165	11.2	0	0.0	0	0.0	0	0.0	185	6.6	684	15.9	250	16.5	39	9.7	7	1.3	7.4	0.0	0.0	0.0	8.4	7.4	6.7	6.6	9.4	
<i>Non-Dependent Drug Abuse</i>	116	1.1	0	0.0	0	0.0	12	1.8	32	1.1	46	1.1	17	1.1	3	0.7	6	1.2	6.0	0.0	0.0	1.7	4.5	9.3	4.7	2.3	2.7	
<i>Other</i>	1,359	13.0	1	100.0	195	82.3	357	53.9	354	12.7	271	6.3	94	6.2	32	7.9	55	10.6	14.4	1.0	23.9	19.4	12.0	7.3	9.7	6.6	10.1	
Mental Retardation	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0	0	0.0	9.0	0.0	0.0	0.0	0.0	0.0	9.0	0.0	0.0	

(continued)

Table 38. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Mental Disorder by Age, Westchester County Residents, 2003-2004 (cont'd)

2004																											
Principal Diagnosis	Number of Discharges																		Average Length of Stay (days)								
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%									
Total	10,092	100.0	0	0.0	231	100.0	673	100.0	2,433	100.0	4,257	100.0	1,623	100.0	387	100.0	488	100.0	11.9	0.0	18.7	14.6	11.6	10.0	13.1	18.1	13.9
Psychoses	5,493	54.4	0	0.0	44	19.0	307	45.6	1,385	56.9	2,058	48.3	958	59.0	307	79.3	434	88.9	14.2	0.0	13.7	13.1	13.5	12.5	16.8	20.4	14.9
<i>Schizophrenia</i>	1,481	14.7	0	0.0	0	0.0	13	1.9	443	18.2	571	13.4	340	20.9	78	20.2	36	7.4	22.2	0.0	0.0	21.5	20.5	19.9	24.6	32.0	34.8
<i>Drug-Induced Psychoses</i>	655	6.5	0	0.0	0	0.0	3	0.4	198	8.1	364	8.6	71	4.4	6	1.6	13	2.7	5.8	0.0	0.0	8.0	6.6	5.2	6.2	7.0	5.8
<i>Alcoholic Psychoses</i>	425	4.2	0	0.0	0	0.0	0	0.0	55	2.3	235	5.5	110	6.8	21	5.4	4	0.8	5.9	0.0	0.0	0.0	7.3	5.3	5.7	8.4	10.5
<i>Other</i>	2,932	29.1	0	0.0	44	19.0	291	43.2	689	28.3	888	20.9	437	26.9	202	52.2	381	78.1	13.2	0.0	13.7	12.8	11.6	12.6	15.2	17.5	13.3
Neurotic, Personality, & Other Nonpsychotic Mental Disorders	4,596	45.5	0	0.0	187	81.0	366	54.4	1,047	43.0	2,197	51.6	665	41.0	80	20.7	54	11.1	9.1	0.0	19.9	15.9	9.0	7.7	7.8	9.5	5.8
<i>Drug Dependence Syndrome</i>	2,046	20.3	0	0.0	1	0.4	2	0.3	558	22.9	1,203	28.3	280	17.3	1	0.3	1	0.2	8.0	0.0	1.0	1.5	8.0	7.9	8.2	6.0	7.0
<i>Alcohol Dependence Syndrome</i>	1,220	12.1	0	0.0	0	0.0	0	0.0	153	6.3	708	16.6	298	18.4	54	14.0	7	1.4	7.2	0.0	0.0	0.0	8.9	7.0	7.2	5.2	7.0
<i>Non-Dependent Drug Abuse</i>	97	1.0	0	0.0	1	0.4	6	0.9	21	0.9	46	1.1	16	1.0	4	1.0	3	0.6	8.2	0.0	1.0	2.0	11.8	8.3	6.4	9.8	3.3
<i>Other</i>	1,233	12.2	0	0.0	185	80.1	358	53.2	315	12.9	240	5.6	71	4.4	21	5.4	43	8.8	13.0	0.0	20.1	16.2	10.5	8.1	8.9	20.7	5.7
Mental Retardation	3	0.0	0	0.0	0	0.0	0	0.0	1	0.0	2	0.0	0	0.0	0	0.0	0	0.0	11.7	0.0	0.0	0.0	2.0	16.5	0.0	0.0	0.0

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 39. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Mental Disorder by Sex, Westchester County Residents, 2003-2004

2003									
Principal Diagnosis	Number of Discharges						Average Length of Stay (days)		
	Total		Female		Male		Total	Female	Male
	Number	%	Number	%	Number	%			
Total	10,442	100.0	4,333	100.0	6,109	100.0	12.6	13.8	11.7
Psychoses	5,837	55.9	2,751	63.5	3,086	50.5	14.8	15.5	14.1
<i>Schizophrenia</i>	1,461	14.0	606	14.0	855	14.0	24.1	25.6	23.0
<i>Drug-Induced Psychoses</i>	824	7.9	253	5.8	571	9.3	6.6	7.2	6.3
<i>Alcoholic Psychoses</i>	476	4.6	113	2.6	363	5.9	5.2	5.0	5.2
<i>Other</i>	3,076	29.5	1,779	41.1	1,297	21.2	14.0	13.9	14.2
Neurotic, Personality, & Other Nonpsychotic Mental Disorders	4,604	44.1	1,582	36.5	3,022	49.5	9.8	10.9	9.2
<i>Drug Dependence Syndrome</i>	1,964	18.8	529	12.2	1,435	23.5	8.3	9.2	7.9
<i>Alcohol Dependence Syndrome</i>	1,165	11.2	315	7.3	850	13.9	7.4	8.3	7.1
<i>Non-Dependent Drug Abuse</i>	116	1.1	42	1.0	74	1.2	6.0	4.5	6.8
<i>Other</i>	1,359	13.0	696	16.1	663	10.9	14.4	13.7	15.0
Mental Retardation	1	0.0	0	0.0	1	0.0	9.0	0.0	9.0
2004									
Total	10,092	100.0	4,075	100.0	6,016	100.0	11.9	13.2	11.0
Psychoses	5,493	54.4	2,592	63.6	2,901	48.2	14.2	14.9	13.5
<i>Schizophrenia</i>	1,481	14.7	635	15.6	846	14.1	22.2	23.5	21.2
<i>Drug-Induced Psychoses</i>	655	6.5	215	5.3	440	7.3	5.8	5.9	5.7
<i>Alcoholic Psychoses</i>	425	4.2	72	1.8	353	5.9	5.9	5.4	6.0
<i>Other</i>	2,932	29.1	1,670	41.0	1,262	21.0	13.2	13.2	13.2
Neurotic, Personality, & Other Nonpsychotic Mental Disorders	4,596	45.5	1,483	36.4	3,112	51.7	9.1	10.3	8.6
<i>Drug Dependence Syndrome</i> ¹	2,046	20.3	591	14.5	1,454	24.2	8.0	9.1	7.5
<i>Alcohol Dependence Syndrome</i>	1,220	12.1	273	6.7	947	15.7	7.2	7.9	7.0
<i>Non-Dependent Drug Abuse</i>	97	1.0	34	0.8	63	1.0	8.2	7.4	8.6
<i>Other</i>	1,233	12.2	585	14.4	648	10.8	13.0	12.9	13.2
Mental Retardation	3	0.0	0	0.0	3	0.0	11.7	0.0	11.7

¹ Totals include one case with unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 40. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Mental Disorder by Race/Ethnicity, Westchester County Residents, 2003-2004

2003														
Principal Diagnosis	Number of Discharges								Average Length of Stay (days)					
	Total ¹	White		Black		Other ²		Hispanic ³		Total	White	Black	Other ²	Hispanic ³
		N	%	N	%	N	%	N	%					
Total	10,442	5,537	100.0	3,260	100.0	1,414	100.0	1,549	100.0	12.6	12.0	13.2	13.9	11.6
Psychoses	5,837	3,278	59.2	1,607	49.3	840	59.4	762	49.2	14.8	14.7	15.2	14.6	12.3
<i>Schizophrenia</i>	1,461	725	13.1	533	16.3	194	13.7	149	9.6	24.1	24.6	22.9	25.9	21.0
<i>Drug-Induced Psychoses</i>	824	357	6.4	297	9.1	149	10.5	185	11.9	6.6	6.7	6.6	6.4	7.3
<i>Alcoholic Psychoses</i>	476	283	5.1	92	2.8	85	6.0	79	5.1	5.2	5.1	6.0	4.5	5.2
<i>Other</i>	3,076	1,913	34.5	685	21.0	412	29.1	349	22.5	14.0	13.8	14.2	14.4	12.9
Neurotic, Personality, & Other Nonpsychotic Mental Disorders	4,604	2,258	40.8	1,653	50.7	574	40.6	786	50.7	9.8	8.2	11.3	12.8	10.8
<i>Drug Dependence Syndrome</i>	1,964	934	16.9	813	24.9	166	11.7	397	25.6	8.3	8.1	9.1	6.4	7.6
<i>Alcohol Dependence Syndrome</i>	1,165	644	11.6	388	11.9	96	6.8	143	9.2	7.4	7.1	8.6	6.0	5.7
<i>Non-Dependent Drug Abuse</i>	116	70	1.3	27	0.8	11	0.8	7	0.5	6.0	4.8	9.6	7.5	8.0
<i>Other</i>	1,359	610	11.0	425	13.0	301	21.3	239	15.4	14.4	9.7	18.2	18.6	19.3
Mental Retardation	1	1	0.0	0	0.0	0	0.0	1	0.1	9.0	9.0	0.0	0.0	9.0
2004														
Total	10,092	5,226	100.0	3,092	100.0	1,569	100.0	1,545	100.0	11.9	11.3	13.0	12.2	9.2
Psychoses	5,493	2,929	56.0	1,473	47.6	1,000	63.7	758	49.1	14.2	14.1	15.4	13.1	10.6
<i>Schizophrenia</i>	1,481	668	12.8	564	18.2	235	15.0	166	10.7	22.2	23.8	20.8	21.0	15.7
<i>Drug-Induced Psychoses</i>	655	286	5.5	225	7.3	123	7.8	139	9.0	5.8	5.6	6.6	4.7	5.1
<i>Alcoholic Psychoses</i>	425	206	3.9	101	3.3	104	6.6	89	5.8	5.9	5.8	6.3	5.9	5.8
<i>Other</i>	2,932	1,769	33.8	583	18.9	538	34.3	364	23.6	13.2	12.7	15.1	12.9	11.6
Neurotic, Personality, & Other Nonpsychotic Mental Disorders	4,596	2,297	44.0	1,618	52.3	567	36.1	787	50.9	9.1	7.8	10.8	10.6	7.8
<i>Drug Dependence Syndrome</i>	2,046	1,014	19.4	818	26.5	146	9.3	428	27.7	8.0	7.2	9.2	7.7	6.6
<i>Alcohol Dependence Syndrome</i>	1,220	699	13.4	397	12.8	85	5.4	161	10.4	7.2	7.0	7.9	6.1	5.7
<i>Non-Dependent Drug Abuse</i>	97	56	1.1	26	0.8	13	0.8	12	0.8	8.2	6.4	13.3	6.8	5.7
<i>Other</i>	1,233	528	10.1	377	12.2	323	20.6	186	12.0	13.0	10.0	17.2	13.2	12.7
Mental Retardation	3	0	0.0	1	0.0	2	0.1	0	0.0	11.7	0.0	2.0	16.5	0.0

¹ Totals include those of unknown race.

² Include Native Americans, Asian and Pacific Islanders, and Other.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 41. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Age, Westchester County Residents, 2003-2004

2003																											
Principal Diagnosis	Number of Discharges																Average Length of Stay (days)										
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%									
Total	9,351	100.0	101	100.0	335	100.0	183	100.0	1,012	100.0	1,740	100.0	1,937	100.0	1,345	100.0	2,698	100.0	5.9	4.2	3.3	6.6	3.5	5.0	5.8	6.9	7.3
Diseases of Esophagus, Stomach, and Duodenum	1,422	15.2	45	44.6	56	16.7	13	7.1	107	10.6	199	11.4	257	13.3	221	16.4	524	19.4	5.8	4.6	2.9	45.8	2.7	3.5	4.6	5.7	7.3
Appendicitis	937	10.0	0	0.0	137	40.9	99	54.1	286	28.3	217	12.5	121	6.2	45	3.3	32	1.2	3.7	0.0	3.6	2.9	2.8	3.8	4.1	6.0	8.3
Noninfectious enteritis and colitis	907	9.7	14	13.9	73	21.8	25	13.7	137	13.5	140	8.0	152	7.8	127	9.4	239	8.9	5.1	3.8	2.7	5.4	3.6	4.2	5.7	6.3	6.1
Hernia of Abdominal Cavity	591	6.3	20	19.8	5	1.5	1	0.5	39	3.9	122	7.0	131	6.8	95	7.1	178	6.6	4.5	1.6	2.6	5.0	3.0	3.0	4.8	5.4	5.7
Diseases of Oral Cavity, Salivary Glands, and Jaws	121	1.3	1	1.0	16	4.8	5	2.7	24	2.4	24	1.4	25	1.3	10	0.7	16	0.6	4.2	5.0	2.8	1.4	3.6	2.8	3.3	3.3	11.6
Other Diseases of Digestive System	2,926	31.3	4	4.0	16	4.8	30	16.4	304	30.0	679	39.0	722	37.3	431	32.0	740	27.4	6.3	8.8	4.5	4.4	4.1	6.0	6.6	6.5	7.3
<i>Chronic Liver Disease, including Cirrhosis</i>	318	3.4	0	0.0	0	0.0	3	1.6	11	1.1	114	6.6	132	6.8	27	2.0	31	1.1	8.6	0.0	0.0	4.0	5.6	6.7	10.5	8.6	8.6
Other Diseases of Intestines and Peritoneum	2,447	26.2	17	16.8	32	9.6	10	5.5	115	11.4	359	20.6	529	27.3	416	30.9	969	35.9	7.0	5.3	3.8	3.7	4.2	6.1	5.9	8.7	7.8
<i>Diverticula of intestine</i>	990	10.6	0	0.0	0	0.0	0	0.0	27	2.7	151	8.7	232	12.0	188	14.0	392	14.5	6.4	0.0	0.0	0.0	4.5	5.1	5.4	7.4	7.3
2004																											
Total	8,248	100.0	93	100.0	284	100.0	177	100.0	899	100.0	1,486	100.0	1,720	100.0	1,180	100.0	2,409	100.0	5.7	4.0	3.3	3.3	3.9	4.8	5.7	6.6	7.1
Diseases of Esophagus, Stomach, and Duodenum	1,269	15.4	46	49.5	35	12.3	17	9.6	78	8.7	166	11.2	269	15.6	172	14.6	486	20.2	5.3	5.6	3.8	4.2	3.4	3.4	5.2	6.3	6.0
Appendicitis	838	10.2	0	0.0	123	43.3	80	45.2	253	28.1	195	13.1	107	6.2	40	3.4	40	1.7	3.4	0.0	3.1	2.5	2.7	3.1	4.3	6.4	6.6
Noninfectious enteritis and colitis	649	7.9	9	9.7	59	20.8	18	10.2	114	12.7	96	6.5	111	6.5	84	7.1	158	6.6	5.3	4.1	2.0	2.8	4.4	4.8	4.5	7.3	7.2
Hernia of Abdominal Cavity	530	6.4	19	20.4	6	2.1	3	1.7	31	3.4	93	6.3	138	8.0	76	6.4	164	6.8	4.4	1.3	5.3	1.3	3.4	3.1	4.3	4.2	6.1
Diseases of Oral Cavity, Salivary Glands, and Jaws	117	1.4	0	0.0	13	4.6	11	6.2	30	3.3	24	1.6	17	1.0	6	0.5	16	0.7	3.5	0.0	4.7	2.1	1.9	4.1	2.9	5.2	5.8
Other Diseases of Digestive System	2,590	31.4	5	5.4	24	8.5	36	20.3	282	31.4	571	38.4	600	34.9	386	32.7	686	28.5	6.1	3.0	5.9	5.3	4.3	5.4	6.2	6.6	7.3
<i>Chronic Liver Disease, including Cirrhosis</i>	223	2.7	0	0.0	1	0.4	1	0.6	7	0.8	71	4.8	88	5.1	33	2.8	22	0.9	7.2	0.0	1.0	3.0	4.0	6.4	7.1	7.0	11.9
Other Diseases of Intestines and Peritoneum	2,255	27.3	14	15.1	24	8.5	12	6.8	111	12.3	341	22.9	478	27.8	416	35.3	859	35.7	6.9	2.8	2.8	4.6	6.0	5.8	6.6	7.0	7.9
<i>Diverticula of intestine</i>	940	11.4	0	0.0	0	0.0	0	0.0	37	4.1	147	9.9	217	12.6	191	16.2	348	14.4	6.0	0.0	0.0	0.0	4.6	4.8	5.9	5.9	6.9

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 42. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Sex, Westchester County Residents, 2003-2004

2003								
Principal Diagnosis	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	9,351	5,137	100.0	4,214	100.0	5.9	6.0	5.8
Diseases of Esophagus, Stomach, and Duodenum	1,422	767	14.9	655	15.5	5.8	5.9	5.7
Appendicitis	937	399	7.8	538	12.8	3.7	4.0	3.4
Noninfectious enteritis and colitis	907	570	11.1	337	8.0	5.1	5.0	5.2
Hernia of Abdominal Cavity	591	311	6.1	280	6.6	4.5	5.3	3.7
Diseases of Oral Cavity, Salivary Glands, and Jaws	121	57	1.1	64	1.5	4.2	3.8	4.6
Other Diseases of Digestive System	2,926	1,613	31.4	1,313	31.2	6.3	5.9	6.8
<i>Chronic Liver Disease, including Cirrhosis</i>	318	110	2.1	208	4.9	8.6	9.3	8.2
Other Diseases of Intestines and Peritoneum	2,447	1,420	27.6	1,027	24.4	7.0	7.3	6.7
<i>Diverticula of intestine</i>	990	560	10.9	430	10.2	6.4	6.5	6.3
2004								
Total	8,248	4,538	100.0	3,710	100.0	5.7	5.7	5.8
Diseases of Esophagus, Stomach, and Duodenum	1,269	682	15.0	587	15.8	5.3	5.3	5.2
Appendicitis	838	369	8.1	469	12.6	3.4	3.5	3.3
Noninfectious enteritis and colitis	649	413	9.1	236	6.4	5.3	5.5	4.9
Hernia of Abdominal Cavity	530	275	6.1	255	6.9	4.4	4.6	4.3
Diseases of Oral Cavity, Salivary Glands, and Jaws	117	56	1.2	61	1.6	3.5	3.1	3.9
Other Diseases of Digestive System	2,590	1,452	32.0	1,138	30.7	6.1	5.7	6.7
<i>Chronic Liver Disease, including Cirrhosis</i>	223	62	1.4	161	4.3	7.2	7.6	7.1
Other Diseases of Intestines and Peritoneum	2,255	1,291	28.4	964	26.0	6.9	6.9	7.0
<i>Diverticula of intestine</i>	940	526	11.6	414	11.2	6.0	6.3	5.7

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 43. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Race/Ethnicity, Westchester County Residents, 2003-2004

2003														
Principal Diagnosis	Number of Discharges								Average Length of Stay (days)					
	Total	White		Black		Other ¹		Hispanic ²		Total	White	Black	Other ¹	Hispanic ²
		N	%	N	%	N	%	N	%					
Total	9,351	6,404	100.0	1,362	100.0	1,210	100.0	1,149	100.0	5.9	6.0	6.5	5.2	4.7
Diseases of Esophagus, Stomach, and Duodenum	1,422	948	14.8	252	18.5	168	13.9	119	10.4	5.8	6.0	6.3	3.6	3.8
Appendicitis	937	612	9.6	80	5.9	202	16.7	245	21.3	3.7	3.7	4.0	3.6	3.4
Noninfectious enteritis and colitis	907	621	9.7	127	9.3	120	9.9	122	10.6	5.1	5.3	4.2	4.9	3.9
Hernia of Abdominal Cavity	591	414	6.5	83	6.1	74	6.1	54	4.7	4.5	4.7	3.9	4.6	3.8
Diseases of Oral Cavity, Salivary Glands, and Jaws	121	62	1.0	21	1.5	20	1.7	15	1.3	4.2	4.7	4.0	5.1	5.8
Other Diseases of Digestive System	2,926	1,933	30.2	451	33.1	431	35.6	407	35.4	6.3	6.2	7.0	6.7	5.3
<i>Chronic Liver Disease, including Cirrhosis</i>	318	193	3.0	50	3.7	69	5.7	42	3.7	8.6	8.4	8.7	9.2	6.2
Other Diseases of Intestines and Peritoneum	2,447	1,814	28.3	348	25.6	195	16.1	187	16.3	7.0	7.1	8.3	5.4	6.0
<i>Diverticula of intestine</i>	990	763	11.9	139	10.2	54	4.5	73	6.4	6.4	6.5	6.8	5.6	7.1
2004														
Total	8,248	5,485	100.0	1,335	100.0	1,175	100.0	1,124	100.0	5.7	5.8	6.2	4.9	4.6
Diseases of Esophagus, Stomach, and Duodenum	1,269	803	14.6	261	19.6	170	14.5	129	11.5	5.3	5.5	5.4	4.5	3.6
Appendicitis	838	553	10.1	68	5.1	200	17.0	213	19.0	3.4	3.4	4.7	3.1	3.1
Noninfectious enteritis and colitis	649	428	7.8	105	7.9	96	8.2	100	8.9	5.3	5.6	4.9	4.0	3.3
Hernia of Abdominal Cavity	530	362	6.6	88	6.6	57	4.9	34	3.0	4.4	4.7	3.8	3.6	3.8
Diseases of Oral Cavity, Salivary Glands, and Jaws	117	62	1.1	14	1.0	28	2.4	18	1.6	3.5	4.3	2.4	2.7	5.0
Other Diseases of Digestive System	2,590	1,678	30.6	399	29.9	427	36.3	455	40.5	6.1	6.1	6.8	5.9	5.6
<i>Chronic Liver Disease, including Cirrhosis</i>	223	127	2.3	31	2.3	63	5.4	60	5.3	7.2	8.0	7.0	5.6	5.5
Other Diseases of Intestines and Peritoneum	2,255	1,599	29.2	400	30.0	197	16.8	175	15.6	6.9	6.9	7.4	6.1	5.3
<i>Diverticula of intestine</i>	940	695	12.7	149	11.2	67	5.7	73	6.5	6.0	6.0	6.7	5.4	5.1

¹ Include Native Americans, Asian and Pacific Islanders, and Other.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 44. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Age, Westchester County Residents, 2003-2004

2003																											
Principal Diagnosis	Number of Discharges																Average Length of Stay (days)										
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%									
Total	8,687	100.0	390	100.0	785	100.0	116	100.0	415	100.0	816	100.0	1,297	100.0	1,398	100.0	3,470	100.0	7.3	4.9	3.2	5.0	5.3	5.6	7.1	8.3	8.9
Pneumonia	3,210	37.0	48	12.3	245	31.2	29	25.0	110	26.5	296	36.3	392	30.2	507	36.3	1,583	45.6	6.8	4.1	3.4	5.2	5.8	5.0	6.4	7.4	7.8
Chronic Obstructive Pulmonary Disease & Allied Conditions	2,649	30.5	39	10.0	316	40.3	35	30.2	150	36.1	298	36.5	514	39.6	476	34.0	821	23.7	5.8	5.3	2.5	3.3	2.9	4.3	5.7	7.5	7.4
<i>Asthma</i>	1,243	14.3	37	9.5	316	40.3	33	28.4	143	34.5	255	31.3	237	18.3	102	7.3	120	3.5	4.1	5.5	2.5	3.1	2.9	4.3	4.7	5.7	6.4
<i>Chronic Bronchitis</i>	1,177	13.5	0	0.0	0	0.0	1	0.9	2	0.5	29	3.6	238	18.4	317	22.7	590	17.0	6.9	0.0	0.0	8.0	1.5	4.7	5.8	7.5	7.1
Acute Respiratory Infections	643	7.4	269	69.0	126	16.1	15	12.9	41	9.9	44	5.4	50	3.9	28	2.0	70	2.0	3.6	4.3	2.9	2.9	2.7	2.6	3.1	3.6	4.2
Other Diseases of the Upper Respiratory Tract	152	1.7	1	0.3	37	4.7	11	9.5	32	7.7	24	2.9	24	1.9	13	0.9	10	0.3	3.0	2.0	2.4	2.0	5.4	1.9	3.1	2.0	2.2
Influenza	64	0.7	18	4.6	13	1.7	2	1.7	4	1.0	5	0.6	8	0.6	4	0.3	10	0.3	4.0	3.9	2.8	1.5	2.5	4.0	3.6	3.0	7.3
Other Respiratory Diseases	1,969	22.7	15	3.8	48	6.1	24	20.7	78	18.8	149	18.3	309	23.8	370	26.5	976	28.1	11.8	19.2	8.9	10.2	10.3	11.0	11.2	11.3	12.5
2004																											
Total	7,164	100.0	301	100.0	639	100.0	86	100.0	304	100.0	617	100.0	1,071	100.0	1,171	100.0	2,975	100.0	7.3	4.2	3.6	6.7	5.5	5.5	7.1	8.9	8.5
Pneumonia	2,517	35.1	49	16.3	176	27.5	27	31.4	76	25.0	190	30.8	321	30.0	409	34.9	1,269	42.7	7.0	4.1	3.7	10.9	5.4	5.2	6.7	7.6	7.6
Chronic Obstructive Pulmonary Disease & Allied Conditions	2,210	30.8	22	7.3	296	46.3	15	17.4	102	33.6	238	38.6	425	39.7	425	36.3	687	23.1	5.8	3.1	2.7	3.1	3.2	4.3	6.1	7.3	7.2
<i>Asthma</i>	1,107	15.5	22	7.3	296	46.3	15	17.4	96	31.6	198	32.1	218	20.4	129	11.0	133	4.5	4.4	3.1	2.7	3.1	3.1	3.9	5.6	6.7	5.8
<i>Chronic Bronchitis</i>	899	12.5	0	0.0	0	0.0	0	0.0	1	0.3	31	5.0	169	15.8	243	20.8	455	15.3	6.8	0.0	0.0	0.0	5.0	5.4	6.1	6.9	7.2
Acute Respiratory Infections	514	7.2	201	66.8	81	12.7	12	14.0	28	9.2	29	4.7	42	3.9	29	2.5	92	3.1	3.4	3.3	3.0	2.5	2.8	2.5	3.7	4.0	4.1
Other Diseases of the Upper Respiratory Tract	136	1.9	2	0.7	34	5.3	10	11.6	28	9.2	25	4.1	13	1.2	6	0.5	18	0.6	3.3	8.0	2.2	1.9	3.4	1.8	2.4	3.0	8.3
Influenza	36	0.5	9	3.0	6	0.9	0	0.0	1	0.3	6	1.0	2	0.2	3	0.3	9	0.3	4.6	3.3	4.3	0.0	6.0	4.3	3.5	3.3	6.8
Other Respiratory Diseases	1,751	24.4	18	6.0	46	7.2	22	25.6	69	22.7	129	20.9	268	25.0	299	25.5	900	30.3	11.3	15.5	10.4	8.4	11.0	9.8	10.0	13.7	11.2

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 45. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Sex, Westchester County Residents, 2003-2004

2003									
Principal Diagnosis	Number of Discharges						Average Length of Stay (days)		
	Total ¹		Female		Male		Total	Female	Male
	N	%	N	%	N	%			
Total	8,687	100.0	4,580	100.0	4,107	100.0	7.3	7.3	7.3
Pneumonia	3,210	37.0	1,656	36.2	1,554	37.8	6.8	7.0	6.6
Chronic Obstructive Pulmonary Disease & Allied Conditions	2,649	30.5	1,545	33.7	1,104	26.9	5.8	5.9	5.7
<i>Asthma</i>	1,243	14.3	744	16.2	499	12.1	4.1	4.4	3.6
<i>Chronic Bronchitis</i>	1,177	13.5	674	14.7	503	12.2	6.9	7.0	6.8
Acute Respiratory Infections	643	7.4	288	6.3	355	8.6	3.6	3.8	3.5
Other Diseases of the Upper Respiratory Tract	152	1.7	60	1.3	92	2.2	3.0	2.8	3.1
Influenza	64	0.7	39	0.9	25	0.6	4.0	3.8	4.2
Other Respiratory Diseases	1,969	22.7	992	21.7	977	23.8	11.8	11.4	12.3
2004									
Total	7,164	100.0	3,897	100.0	3,267	100.0	7.3	7.3	7.4
Pneumonia	2,517	35.1	1,319	33.8	1,198	36.7	7.0	7.3	6.6
Chronic Obstructive Pulmonary Disease & Allied Conditions	2,210	30.8	1,352	34.7	858	26.3	5.8	6.0	5.6
<i>Asthma</i>	1,107	15.5	719	18.5	388	11.9	4.4	4.8	3.6
<i>Chronic Bronchitis</i>	899	12.5	516	13.2	383	11.7	6.8	6.8	6.9
Acute Respiratory Infections	514	7.2	268	6.9	246	7.5	3.4	3.4	3.4
Other Diseases of the Upper Respiratory Tract	136	1.9	61	1.6	75	2.3	3.3	3.4	3.2
Influenza	36	0.5	13	0.3	23	0.7	4.6	5.4	4.2
Other Respiratory Diseases	1,751	24.4	884	22.7	867	26.5	11.3	11.0	11.7

¹ Totals include cases with unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 46. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Race/Ethnicity, Westchester County Residents, 2003-2004

2003															
Principal Diagnosis	Number of Discharges									Average Length of Stay (days)					
	Total ¹		White		Black		Other ²		Hispanic ³		Total	White	Black	Other ²	Hispanic ³
	N	%	N	%	N	%	N	%	N	%					
Total	8,687	100.0	5,876	100.0	1,444	100.0	1,061	100.0	915	100.0	7.3	7.8	6.7	5.7	5.1
Pneumonia	3,210	37.0	2,354	40.1	445	30.8	293	27.6	266	29.1	6.8	7.0	6.6	6.2	5.1
Chronic Obstructive Pulmonary Disease & Allied Conditions	2,649	30.5	1,584	27.0	585	40.5	385	36.3	352	38.5	5.8	6.6	5.0	4.1	4.2
<i>Asthma</i>	<i>1,243</i>	<i>14.3</i>	<i>528</i>	<i>9.0</i>	<i>377</i>	<i>26.1</i>	<i>302</i>	<i>28.5</i>	<i>54</i>	<i>5.9</i>	<i>4.1</i>	<i>4.4</i>	<i>4.1</i>	<i>3.6</i>	<i>7.1</i>
<i>Chronic Bronchitis</i>	<i>1,177</i>	<i>13.5</i>	<i>888</i>	<i>15.1</i>	<i>179</i>	<i>12.4</i>	<i>57</i>	<i>5.4</i>	<i>288</i>	<i>31.5</i>	<i>6.9</i>	<i>7.1</i>	<i>6.5</i>	<i>6.4</i>	<i>3.5</i>
Acute Respiratory Infections	643	7.4	350	6.0	104	7.2	167	15.7	145	15.8	3.6	3.8	3.0	3.5	3.5
Other Diseases of the Upper Respiratory Tract	152	1.7	91	1.5	21	1.5	33	3.1	23	2.5	3.0	3.1	2.3	3.2	3.1
Influenza	64	0.7	41	0.7	5	0.3	18	1.7	10	1.1	4.0	4.0	2.4	4.4	2.7
Other Respiratory Diseases	1,969	22.7	1,456	24.8	284	19.7	165	15.6	119	13.0	11.8	11.9	12.0	11.4	10.6
2004															
Total	7,164	100.0	4,910	100.0	1,202	100.0	875	100.0	780	100.0	7.3	7.6	7.4	5.8	5.5
Pneumonia	2,517	35.1	1,848	37.6	357	29.7	242	27.7	217	27.8	7.0	7.1	7.1	5.9	6.3
Chronic Obstructive Pulmonary Disease & Allied Conditions	2,210	30.8	1,354	27.6	489	40.7	328	37.5	327	41.9	5.8	6.4	5.5	4.0	4.2
<i>Asthma</i>	<i>1,107</i>	<i>15.5</i>	<i>469</i>	<i>9.6</i>	<i>342</i>	<i>28.5</i>	<i>273</i>	<i>31.2</i>	<i>55</i>	<i>7.1</i>	<i>4.4</i>	<i>4.5</i>	<i>4.7</i>	<i>3.6</i>	<i>5.9</i>
<i>Chronic Bronchitis</i>	<i>899</i>	<i>12.5</i>	<i>736</i>	<i>15.0</i>	<i>112</i>	<i>9.3</i>	<i>37</i>	<i>4.2</i>	<i>261</i>	<i>33.5</i>	<i>6.8</i>	<i>7.0</i>	<i>6.6</i>	<i>5.6</i>	<i>3.7</i>
Acute Respiratory Infections	514	7.2	303	6.2	74	6.2	123	14.1	104	13.3	3.4	3.4	3.4	3.3	3.3
Other Diseases of the Upper Respiratory Tract	136	1.9	78	1.6	16	1.3	34	3.9	20	2.6	3.3	3.2	4.3	3.6	4.3
Influenza	36	0.5	27	0.5	3	0.2	5	0.6	8	1.0	4.6	4.7	4.3	4.2	5.3
Other Respiratory Diseases	1,751	24.4	1,300	26.5	263	21.9	143	16.3	104	13.3	11.3	11.0	12.8	12.7	10.6

¹ Totals include cases with unknown race.

² Include Native Americans, Asian and Pacific Islanders, and Other.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 47. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses¹ by Age, Westchester County Residents, 2003-2004

2003																											
Principal Diagnosis	Number of Discharges																Average Length of Stay (days)										
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%									
Total	14,186	100.0	85	100.0	194	100.0	78	100.0	564	100.0	2,220	100.0	3,550	100.0	3,063	100.0	4,432	100.0	7.9	6.7	6.0	4.2	5.3	5.6	7.9	8.3	9.2
Malignant Neoplasms	10,666	75.2	9	10.6	168	86.6	51	65.4	265	47.0	1,083	48.8	2,909	81.9	2,632	85.9	3,549	80.1	8.6	17.3	6.5	4.7	7.3	7.5	8.4	8.4	9.5
Digestive Organs and Peritoneum	1,967	13.9	0	0.0	2	1.0	1	1.3	30	5.3	187	8.4	572	16.1	476	15.5	699	15.8	9.6	0.0	2.0	8.0	12.1	8.7	8.7	8.7	11.1
Lymphatic and Hematopoietic Tissues	1,764	12.4	7	8.2	62	32.0	10	12.8	87	15.4	185	8.3	391	11.0	431	14.1	591	13.3	9.2	20.6	7.1	3.6	8.2	9.4	10.6	8.2	9.3
Genital Organs	1,755	12.4	0	0.0	0	0.0	0	0.0	35	6.2	147	6.6	466	13.1	441	14.4	666	15.0	7.5	0.0	0.0	0.0	7.3	6.6	6.7	7.4	8.4
Respiratory and Intrathoracic Organs	1,507	10.6	1	1.2	9	4.6	9	11.5	1	0.2	78	3.5	429	12.1	521	17.0	459	10.4	9.6	11.0	13.8	6.3	4.0	10.8	9.8	8.7	10.1
Breast (female)	836	5.9	0	0.0	0	0.0	0	0.0	15	2.7	182	8.2	271	7.6	158	5.2	210	4.7	5.6	0.0	0.0	0.0	2.7	4.1	5.3	6.1	7.1
Urinary Organs	615	4.3	0	0.0	10	5.2	0	0.0	4	0.7	33	1.5	111	3.1	150	4.9	307	6.9	8.0	0.0	3.7	0.0	11.3	6.3	8.6	8.4	7.9
Lip, Oral Cavity, Pharynx	167	1.2	0	0.0	0	0.0	0	0.0	2	0.4	15	0.7	80	2.3	36	1.2	34	0.8	7.9	0.0	0.0	0.0	6.0	5.1	8.7	6.1	9.1
Other and Unspecified Sites	2,055	14.5	1	1.2	85	43.8	31	39.7	91	16.1	256	11.5	589	16.6	419	13.7	583	13.2	8.8	1.0	5.6	4.5	5.6	7.4	8.3	9.8	10.5
Non-Malignant Neoplasms	3,520	24.8	76	89.4	26	13.4	27	34.6	299	53.0	1,137	51.2	641	18.1	431	14.1	883	19.9	5.7	5.4	3.0	3.0	3.5	3.8	5.9	8.1	7.9
Benign	2,748	19.4	73	85.9	18	9.3	19	24.4	269	47.7	1,054	47.5	522	14.7	304	9.9	489	11.0	5.3	5.5	2.4	2.9	3.4	3.7	5.6	7.5	8.1
Carcinoma in Situ, Uncertain Unspecified	772	5.4	3	3.5	8	4.1	8	10.3	30	5.3	83	3.7	119	3.4	127	4.1	394	8.9	7.3	2.7	4.3	3.4	5.1	4.5	7.2	9.4	7.5

2004																											
Principal Diagnosis	Number of Discharges																Average Length of Stay (days)										
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%									
Total	12,401	100.0	60	100.0	272	100.0	83	100.0	481	100.0	1,895	100.0	3,008	100.0	2,613	100.0	3,989	100.0	7.8	4.5	7.7	7.0	6.3	5.9	7.7	8.0	8.9
Malignant Neoplasms	9,459	76.3	3	5.0	245	90.1	57	68.7	240	49.9	1,017	53.7	2,423	80.6	2,242	85.8	3,232	81.0	8.4	3.0	8.0	9.0	8.4	7.6	8.0	8.3	9.0
Digestive Organs and Peritoneum	1,860	15.0	0	0.0	17	6.3	0	0.0	18	3.7	155	8.2	481	16.0	489	18.7	700	17.5	9.3	0.0	7.6	0.0	13.2	8.9	8.2	8.7	10.5
Lymphatic and Hematopoietic Tissues	1,701	13.7	2	3.3	98	36.0	29	34.9	101	21.0	145	7.7	411	13.7	389	14.9	526	13.2	9.5	3.0	9.7	11.9	10.4	9.2	9.8	9.7	8.9
Genital Organs	1,513	12.2	0	0.0	4	1.5	0	0.0	22	4.6	148	7.8	374	12.4	355	13.6	610	15.3	7.1	0.0	6.3	0.0	5.3	8.1	6.5	6.1	8.0
Respiratory and Intrathoracic Organs	1,289	10.4	0	0.0	0	0.0	0	0.0	1	0.2	82	4.3	355	11.8	400	15.3	451	11.3	8.9	0.0	0.0	0.0	7.0	9.1	8.1	9.1	9.4
Breast (female)	667	5.4	0	0.0	0	0.0	0	0.0	13	2.7	177	9.3	188	6.3	113	4.3	176	4.4	5.2	0.0	0.0	0.0	4.3	3.7	5.5	6.4	5.8
Urinary Organs	589	4.7	1	1.7	8	2.9	0	0.0	10	2.1	40	2.1	128	4.3	145	5.5	257	6.4	7.2	3.0	4.5	0.0	8.5	7.3	7.2	6.2	7.9
Lip, Oral Cavity, Pharynx	175	1.4	0	0.0	0	0.0	0	0.0	7	1.5	23	1.2	70	2.3	39	1.5	36	0.9	8.5	0.0	0.0	0.0	13.6	7.8	9.6	7.6	7.0
Other and Unspecified Sites	1,665	13.4	0	0.0	118	43.4	28	33.7	68	14.1	247	13.0	416	13.8	312	11.9	476	11.9	8.5	0.0	6.9	5.9	5.4	7.9	8.6	8.7	9.5
Non-Malignant Neoplasms	2,942	23.7	57	95.0	27	9.9	26	31.3	241	50.1	878	46.3	585	19.4	371	14.2	757	19.0	5.9	4.6	5.2	2.7	4.1	3.9	6.1	6.8	8.4
Benign	2,259	18.2	56	93.3	25	9.2	19	22.9	210	43.7	808	42.6	460	15.3	240	9.2	441	11.1	5.5	4.5	5.4	2.7	3.6	3.8	5.8	6.8	8.5
Carcinoma in Situ, Uncertain Unspecified	683	5.5	1	1.7	2	0.7	7	8.4	31	6.4	70	3.7	125	4.2	131	5.0	316	7.9	7.2	7.0	2.0	2.6	7.5	4.8	7.3	6.7	8.1

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemo-therapy and radio-therapy is also included). Diagnoses that were related to an earlier episode which had no bearing on the current hospital stay was excluded.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 48. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses¹ by Sex, Westchester County Residents, 2003-2004

2003								
Principal Diagnosis	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	14,186	8,004	100.0	6,182	100.0	7.9	7.9	7.9
Malignant Neoplasms	10,666	5,393	67.4	5,273	85.3	8.6	9.1	8.1
Digestive Organs and Peritoneum	1,967	952	11.9	1,015	16.4	9.6	10.8	8.5
Lymphatic and Hematopoietic Tissues	1,764	797	10.0	967	15.6	9.2	9.7	8.8
Genital Organs	1,755	623	7.8	1,132	18.3	7.5	9.8	6.3
Respiratory and Intrathoracic Organs	1,507	738	9.2	769	12.4	9.6	9.9	9.3
Breast (female)	836	836	10.4	0	0.0	5.6	5.6	0.0
Urinary Organs	615	196	2.4	419	6.8	8.0	9.5	7.4
Lip, Oral Cavity, Pharynx	167	61	0.8	106	1.7	7.9	8.8	7.3
Other and Unspecified Sites	2,055	1,190	14.9	865	14.0	8.8	9.1	8.4
Non-Malignant Neoplasms	3,520	2,611	32.6	909	14.7	5.7	5.2	7.2
Benign	2,748	2,182	27.3	566	9.2	5.3	4.9	6.8
Carcinoma in Situ, Uncertain, & Unspecified	772	429	5.4	343	5.5	7.3	6.8	7.8
2004								
Total	12,401	6,941	100.0	5,460	100.0	7.8	7.5	8.1
Malignant Neoplasms	9,459	4,789	69.0	4,670	85.5	8.4	8.7	8.1
Digestive Organs and Peritoneum	1,860	900	13.0	960	17.6	9.3	9.7	8.9
Lymphatic and Hematopoietic Tissues	1,701	766	11.0	935	17.1	9.5	9.5	9.6
Genital Organs	1,513	607	8.7	906	16.6	7.1	8.5	6.2
Respiratory and Intrathoracic Organs	1,289	620	8.9	669	12.3	8.9	9.9	8.1
Breast (female)	667	667	9.6	0	0.0	5.2	5.2	0.0
Urinary Organs	589	179	2.6	410	7.5	7.2	8.6	6.7
Lip, Oral Cavity, Pharynx	175	66	1.0	109	2.0	8.5	6.9	9.5
Other and Unspecified Sites	1,665	984	14.2	681	12.5	8.5	8.8	8.0
Non-Malignant Neoplasms	2,942	2,152	31.0	790	14.5	5.9	5.0	8.4
Benign	2,259	1,774	25.6	485	8.9	5.5	4.7	8.4
Carcinoma in Situ, Uncertain, & Unspecified	683	378	5.4	305	5.6	7.2	6.3	8.4

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemo-therapy and radio-therapy is also included). Diagnoses that related to an earlier episode which had no bearing on the current hospital stay was excluded.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 49. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses¹ by Race/Ethnicity, Westchester County Residents, 2003-2004

2003														
Principal Diagnosis	Number of Discharges								Average Length of Stay (days)					
	Total ²	White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
		N	%	N	%	N	%	N	%					
Total	14,186	9,992	100.0	2,087	100.0	1,314	100.0	897	100.0	7.9	7.8	8.4	8.7	7.9
Malignant Neoplasms	10,666	7,834	78.4	1,379	66.1	889	67.7	588	65.6	8.6	8.3	9.8	10.2	9.3
Digestive Organs and Peritoneum	1,967	1,381	13.8	280	13.4	176	13.4	136	15.2	9.6	9.1	11.9	11.5	11.2
Lymphatic and Hematopoietic Tissues	1,764	1,330	13.3	197	9.4	158	12.0	129	14.4	9.2	8.8	10.8	11.6	8.7
Genital Organs	1,755	1,228	12.3	289	13.8	154	11.7	92	10.3	7.5	7.3	8.4	8.6	10.1
Respiratory and Intrathoracic Organs	1,507	1,147	11.5	206	9.9	94	7.2	52	5.8	9.6	8.9	10.6	14.6	10.6
Breast (female)	836	614	6.1	108	5.2	63	4.8	39	4.3	5.6	5.7	6.5	3.9	3.0
Urinary Organs	615	488	4.9	54	2.6	38	2.9	22	2.5	8.0	7.9	10.1	9.3	7.0
Lip, Oral Cavity, Pharynx	167	101	1.0	26	1.2	27	2.1	10	1.1	7.9	7.6	11.0	7.7	9.3
Other and Unspecified Sites	2,055	1,545	15.5	219	10.5	179	13.6	108	12.0	8.8	9.0	8.4	9.4	9.2
Non-Malignant Neoplasms	3,520	2,158	21.6	708	33.9	425	32.3	309	34.4	5.7	6.0	5.6	5.6	5.1
Benign Neoplasms	2,748	1,566	15.7	639	30.6	358	27.2	272	30.3	5.3	5.5	5.3	5.1	5.0
Carcinoma in Situ, Uncertain, & Unspecified Neoplasms	772	592	5.9	69	3.3	67	5.1	37	4.1	7.3	7.2	8.5	7.7	5.9

(continued)

Table 49. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses¹ by Race/Ethnicity, Westchester County Residents, 2003-2004 (cont'd)

2004														
Principal Diagnosis	Number of Discharges								Average Length of Stay (days)					
	Total ²	White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
		N	%	N	%	N	%	N	%					
Total	12,401	8,630	100.0	1,846	100.0	1,329	100.0	818	100.0	7.8	7.8	8.7	7.7	7.0
Malignant Neoplasms	9,459	6,857	79.5	1,230	66.6	955	71.9	542	66.3	8.4	8.2	10.0	8.5	8.2
Digestive Organs and Peritoneum	1,860	1,272	14.7	262	14.2	219	16.5	107	13.1	9.3	8.8	11.9	10.1	8.4
Lymphatic and Hematopoietic Tissues	1,701	1,306	15.1	166	9.0	175	13.2	153	18.7	9.5	9.4	9.9	10.5	10.3
Genital Organs	1,513	1,021	11.8	253	13.7	167	12.6	97	11.9	7.1	6.8	9.0	7.3	7.2
Respiratory and Intrathoracic Organs	1,289	956	11.1	189	10.2	106	8.0	45	5.5	8.9	8.9	10.1	7.9	10.2
Breast (female)	667	473	5.5	98	5.3	66	5.0	45	5.5	5.2	5.4	5.4	4.3	2.6
Urinary Organs	589	470	5.4	40	2.2	40	3.0	22	2.7	7.2	7.3	8.3	8.7	6.3
Lip, Oral Cavity, Pharynx	175	107	1.2	19	1.0	35	2.6	8	1.0	8.5	9.6	7.9	7.1	17.4
Other and Unspecified Sites	1,665	1,252	14.5	203	11.0	147	11.1	65	7.9	8.5	8.2	11.8	7.8	6.4
Non-Malignant Neoplasms	2,942	1,773	20.5	616	33.4	374	28.1	276	33.7	5.9	6.1	5.9	5.6	4.6
Benign Neoplasms	2,259	1,243	14.4	549	29.7	315	23.7	246	30.1	5.5	5.7	5.7	5.1	4.5
Carcinoma in Situ, Uncertain, & Unspecified Neoplasms	683	530	6.1	67	3.6	59	4.4	30	3.7	7.2	7.1	8.0	7.9	5.2

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemo-therapy and radio-therapy is also included). Diagnoses that related to an earlier episode which had no bearing on the current hospital stay was excluded.

² Total include cases with unknown race.

³ Include Native Americans, Asian and Pacific Islanders, and Other.

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 50. Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses¹ by Age and Sex, Westchester County Residents, 2003-2004

2003								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	10,666	5,393	50.6	5,273	49.4	8.6	9.1	8.1
Less than 1	9	8	88.9	1	11.1	17.3	18.1	11.0
1-2	26	15	57.7	11	42.3	9.4	8.7	10.3
3-4	30	13	43.3	17	56.7	7.0	5.8	7.8
5-6	45	24	53.3	21	46.7	6.3	4.5	8.3
7-8	30	9	30.0	21	70.0	3.5	3.9	3.3
9-10	8	5	62.5	3	37.5	3.1	2.8	3.7
11-12	29	24	82.8	5	17.2	7.7	8.6	3.2
13-14	19	7	36.8	12	63.2	4.8	3.6	5.6
15-16	13	5	38.5	8	61.5	4.0	3.0	4.6
17-18	38	10	26.3	28	73.7	5.1	3.9	5.6
19-20	20	8	40.0	12	60.0	6.8	10.3	4.4
21-22	31	11	35.5	20	64.5	4.7	6.9	3.5
23-34	18	12	66.7	6	33.3	8.8	9.0	8.3
25-29	61	25	41.0	36	59.0	7.8	8.6	7.1
30-34	116	85	73.3	31	26.7	8.1	7.4	10.1
35-39	243	112	46.1	131	53.9	5.8	5.2	6.4
40-44	321	228	71.0	93	29.0	8.8	8.0	10.7
45-49	519	315	60.7	204	39.3	7.4	7.1	8.0
50-54	765	427	55.8	338	44.2	8.0	7.6	8.4
55-59	1,001	516	51.5	485	48.5	8.0	8.6	7.4
60-64	1,143	512	44.8	631	55.2	9.0	10.3	8.0
65-69	1,163	572	49.2	591	50.8	8.2	9.2	7.3
70-74	1,469	710	48.3	759	51.7	8.5	9.4	7.6
75-79	1,425	705	49.5	720	50.5	9.4	9.9	8.9
80-84	1,101	536	48.7	565	51.3	9.8	10.8	8.8
85 and above	1,023	499	48.8	524	51.2	9.4	10.2	8.7

(continued)

Table 50. Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses¹ by Age and Sex, Westchester County Residents, 2003-2004 (cont'd)

2004								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	9,459	4,789	50.6	4,670	49.4	8.4	8.7	8.1
Less than 1	3	3	100.0	0	0.0	3.0	3.0	0.0
1-2	57	34	59.6	23	40.4	10.9	11.0	10.8
3-4	26	2	7.7	24	92.3	4.5	4.0	4.5
5-6	42	18	42.9	24	57.1	7.2	5.7	8.3
7-8	64	55	85.9	9	14.1	5.6	5.9	3.8
9-10	17	6	35.3	11	64.7	6.5	8.0	5.6
11-12	39	24	61.5	15	38.5	11.4	9.7	14.0
13-14	28	25	89.3	3	10.7	7.9	8.6	1.7
15-16	11	5	45.5	6	54.5	4.3	4.6	4.0
17-18	19	6	31.6	13	68.4	13.1	5.8	16.4
19-20	40	13	32.5	27	67.5	8.6	6.2	9.8
21-22	51	9	17.6	42	82.4	9.3	12.4	8.7
23-34	18	12	66.7	6	33.3	7.6	8.4	5.8
25-29	54	25	46.3	29	53.7	7.4	5.3	9.1
30-34	76	49	64.5	27	35.5	8.7	8.6	8.8
35-39	246	165	67.1	81	32.9	7.6	6.7	9.5
40-44	341	218	63.9	123	36.1	6.7	6.0	7.8
45-49	430	269	62.6	161	37.4	8.4	8.2	8.7
50-54	622	329	52.9	293	47.1	7.7	6.3	9.4
55-59	853	443	51.9	410	48.1	8.3	8.6	8.0
60-64	948	464	48.9	484	51.1	8.0	8.6	7.4
65-69	1,022	502	49.1	520	50.9	8.4	8.9	7.9
70-74	1,220	554	45.4	666	54.6	8.2	9.1	7.3
75-79	1,287	611	47.5	676	52.5	8.6	9.5	7.8
80-84	1,021	460	45.1	561	54.9	9.0	10.2	8.0
85 and above	924	488	52.8	436	47.2	9.4	9.6	9.3

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemo-therapy and radio-therapy is also included). Diagnoses that related to an earlier episode which had no bearing on the current hospital stay was excluded.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 51. Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses¹ by Age and Race/Ethnicity, Westchester County Residents, 2003-2004

2003														
Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total ²	White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
		N	%	N	%	N	%	N	%					
Total	10,666	7,834	73.4	1,379	12.9	889	8.3	588	5.5	8.6	8.3	9.8	10.2	9.3
Less than 1	9	8	88.9	0	0.0	1	11.1	0	0.0	17.3	14.1	0.0	43.0	0.0
1-2	26	15	57.7	0	0.0	10	38.5	12	46.2	9.4	9.0	0.0	10.1	13.3
3-4	30	18	60.0	9	30.0	3	10.0	0	0.0	7.0	5.1	10.9	6.7	0.0
5-6	45	18	40.0	22	48.9	5	11.1	3	6.7	6.3	4.8	7.6	5.8	3.7
7-8	30	30	100.0	0	0.0	0	0.0	6	20.0	3.5	3.5	0.0	0.0	2.7
9-10	8	8	100.0	0	0.0	0	0.0	0	0.0	3.1	3.1	0.0	0.0	0.0
11-12	29	19	65.5	6	20.7	4	13.8	0	0.0	7.7	3.9	9.5	22.5	0.0
13-14	19	15	78.9	4	21.1	0	0.0	0	0.0	4.8	4.9	4.8	0.0	0.0
15-16	13	11	84.6	1	7.7	0	0.0	6	46.2	4.0	3.9	7.0	0.0	5.0
17-18	38	31	81.6	4	10.5	3	7.9	3	7.9	5.1	5.4	3.8	4.7	3.3
19-20	20	20	100.0	0	0.0	0	0.0	1	5.0	6.8	6.8	0.0	0.0	4.0
21-22	31	19	61.3	0	0.0	11	35.5	2	6.5	4.7	5.4	0.0	3.5	9.0
23-34	18	17	94.4	0	0.0	0	0.0	0	0.0	8.8	9.2	0.0	0.0	0.0
25-29	61	39	63.9	7	11.5	10	16.4	19	31.1	7.8	7.2	3.7	14.1	9.1
30-34	116	53	45.7	20	17.2	35	30.2	18	15.5	8.1	7.3	14.2	6.6	6.1
35-39	243	144	59.3	24	9.9	67	27.6	60	24.7	5.8	6.1	4.1	5.9	5.3
40-44	321	191	59.5	63	19.6	39	12.1	23	7.2	8.8	7.3	12.6	9.5	9.7
45-49	519	313	60.3	86	16.6	76	14.6	55	10.6	7.4	7.6	8.2	6.5	7.9
50-54	765	469	61.3	138	18.0	95	12.4	56	7.3	8.0	8.1	8.3	8.7	7.9
55-59	1,001	671	67.0	177	17.7	90	9.0	79	7.9	8.0	7.5	10.0	10.3	11.6
60-64	1,143	798	69.8	203	17.8	90	7.9	45	3.9	9.0	8.3	11.4	11.8	9.7
65-69	1,163	861	74.0	140	12.0	93	8.0	63	5.4	8.2	7.8	9.6	11.4	10.1
70-74	1,469	1,125	76.6	164	11.2	93	6.3	54	3.7	8.5	8.0	9.4	13.9	13.8
75-79	1,425	1,183	83.0	131	9.2	58	4.1	38	2.7	9.4	9.3	8.9	12.8	11.0
80-84	1,101	900	81.7	99	9.0	59	5.4	15	1.4	9.8	9.7	10.9	11.0	7.9
85 and above	1,023	858	83.9	81	7.9	47	4.6	30	2.9	9.4	9.2	10.4	10.4	8.8

(continued)

Table 51. Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses¹ by Age and Race/Ethnicity, Westchester County Residents, 2003-2004 (cont'd)

2004														
Age (years)	Number of Discharges									Average Length of Stay (days)				
	Total ²	White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
		N	%	N	%	N	%	N	%					
Total	9,459	6,857	72.5	1,230	13.0	955	10.1	542	5.7	8.4	8.2	10.0	8.5	8.2
Less than 1	3	2	66.7	0	0.0	1	33.3	0	0.0	3.0	3.0	0.0	3.0	0.0
1-2	57	33	57.9	17	29.8	2	3.5	8	14.0	10.9	12.5	6.8	15.0	14.3
3-4	26	25	96.2	0	0.0	1	3.8	1	3.8	4.5	4.4	0.0	7.0	6.0
5-6	42	24	57.1	5	11.9	13	31.0	2	4.8	7.2	5.0	18.0	6.9	2.5
7-8	64	40	62.5	14	21.9	7	10.9	6	9.4	5.6	5.2	7.5	5.6	3.7
9-10	17	15	88.2	0	0.0	2	11.8	10	58.8	6.5	6.0	0.0	10.0	7.1
11-12	39	28	71.8	7	17.9	4	10.3	7	17.9	11.4	11.9	4.3	19.8	5.3
13-14	28	16	57.1	3	10.7	9	32.1	1	3.6	7.9	5.9	7.0	11.7	2.0
15-16	11	10	90.9	0	0.0	1	9.1	1	9.1	4.3	4.0	0.0	7.0	7.0
17-18	19	6	31.6	5	26.3	8	42.1	12	63.2	13.1	19.8	7.2	11.6	8.5
19-20	40	31	77.5	1	2.5	8	20.0	20	50.0	8.6	7.0	5.0	15.4	4.4
21-22	51	32	62.7	6	11.8	12	23.5	10	19.6	9.3	9.1	9.2	10.7	11.7
23-34	18	15	83.3	1	5.6	0	0.0	0	0.0	7.6	8.1	12.0	0.0	0.0
25-29	54	27	50.0	9	16.7	16	29.6	13	24.1	7.4	7.3	7.6	7.8	6.9
30-34	76	38	50.0	9	11.8	19	25.0	19	25.0	8.7	12.1	4.6	5.0	16.0
35-39	246	137	55.7	35	14.2	65	26.4	41	16.7	7.6	7.8	10.4	6.3	6.1
40-44	341	195	57.2	61	17.9	71	20.8	52	15.2	6.7	5.5	7.1	10.0	6.8
45-49	430	272	63.3	79	18.4	60	14.0	33	7.7	8.4	7.3	10.5	11.2	14.3
50-54	622	404	65.0	96	15.4	91	14.6	47	7.6	7.7	7.0	11.4	7.2	6.8
55-59	853	570	66.8	149	17.5	87	10.2	49	5.7	8.3	8.3	8.6	9.4	7.7
60-64	948	640	67.5	141	14.9	121	12.8	55	5.8	8.0	7.8	10.1	7.4	8.4
65-69	1,022	755	73.9	137	13.4	83	8.1	48	4.7	8.4	8.0	10.2	9.7	8.0
70-74	1,220	921	75.5	154	12.6	79	6.5	36	3.0	8.2	8.2	9.3	8.4	8.9
75-79	1,287	1,022	79.4	138	10.7	81	6.3	36	2.8	8.6	8.5	10.1	9.3	7.6
80-84	1,021	835	81.8	91	8.9	64	6.3	16	1.6	9.0	8.7	12.8	6.4	6.8
85 and above	924	764	82.7	72	7.8	50	5.4	19	2.1	9.4	9.4	13.1	7.4	8.1

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemo-therapy and radio-therapy is also included). Diagnoses that related to an earlier episode which had no bearing on the current hospital stay was excluded.

² Totals include cases with unknown race.

³ Include Native Americans, Asian and Pacific Islanders, and Other.

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 52. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning¹ by Etiology and Age, Westchester County Residents, 2003-2004

2003																											
Etiology	Number of Discharges																Average Length of Stay (days)										
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%									
Total	7,033	100.0	40	100.0	345	100.0	259	100.0	915	100.0	1,062	100.0	895	100.0	845	100.0	2,672	100.0	6.3	5.2	3.9	3.9	5.2	5.6	6.2	7.1	7.3
Falls	3,865	55.0	11	27.5	129	37.4	49	18.9	138	15.1	322	30.3	458	51.2	565	66.9	2193	82.1	6.6	4.5	2.3	2.9	4.8	5.5	6.4	7.1	7.2
Motor Vehicle Crash	584	8.3	1	2.5	7	2.0	33	12.7	204	22.3	127	12.0	72	8.0	65	7.7	75	2.8	7.0	2.0	2.7	7.0	6.4	7.8	5.9	7.2	8.6
Self-Inflicted	313	4.5	0	0.0	1	0.3	43	16.6	101	11.0	113	10.6	43	4.8	3	0.4	9	0.3	5.9	0.0	1.0	2.2	6.9	6.0	6.2	3.7	12.2
Assault	296	4.2	2	5.0	4	1.2	32	12.4	159	17.4	78	7.3	16	1.8	2	0.2	3	0.1	4.4	4.0	12.3	3.2	3.5	6.1	5.9	6.5	6.0
Poisonings	260	3.7	3	7.5	19	5.5	9	3.5	55	6.0	73	6.9	40	4.5	19	2.2	42	1.6	3.8	2.0	2.3	1.6	2.5	3.5	5.0	5.0	5.5
Struck by Object/Person	171	2.4	2	5.0	21	6.1	24	9.3	23	2.5	35	3.3	26	2.9	11	1.3	29	1.1	4.3	4.0	4.5	3.1	4.0	4.5	4.7	6.3	4.4
Pedestrian	170	2.4	0	0.0	33	9.6	9	3.5	22	2.4	37	3.5	27	3.0	15	1.8	27	1.0	8.5	0.0	7.4	8.7	9.4	9.9	9.7	6.4	7.0
Overexertion	98	1.4	0	0.0	3	0.9	7	2.7	16	1.7	21	2.0	13	1.5	16	1.9	22	0.8	3.8	0.0	5.3	1.7	2.0	2.7	3.8	6.1	4.8
Cutting Instrument	93	1.3	0	0.0	6	1.7	4	1.5	32	3.5	20	1.9	14	1.6	6	0.7	11	0.4	4.7	0.0	2.3	1.5	3.5	2.6	4.9	7.5	12.7
Scalds	75	1.1	7	17.5	32	9.3	4	1.5	7	0.8	9	0.8	5	0.6	2	0.2	9	0.3	5.8	4.4	5.5	5.3	6.9	6.6	6.2	5.5	6.6
Bicycle	66	0.9	0	0.0	17	4.9	8	3.1	4	0.4	19	1.8	12	1.3	6	0.7	0	0.0	3.8	0.0	2.2	5.8	4.8	3.1	5.1	4.8	0.0
Fire/Flame	41	0.6	0	0.0	4	1.2	3	1.2	8	0.9	13	1.2	5	0.6	3	0.4	5	0.2	10.4	0.0	4.8	29.0	6.9	9.9	7.4	21.7	6.6
Respiratory Interference	35	0.5	2	5.0	5	1.4	0	0.0	1	0.1	3	0.3	8	0.9	6	0.7	10	0.4	9.1	1.5	15.0	0.0	4.0	5.3	2.5	9.3	14.5
Machinery	21	0.3	0	0.0	0	0.0	0	0.0	7	0.8	8	0.8	3	0.3	2	0.2	1	0.0	2.1	0.0	0.0	0.0	2.4	1.6	2.7	3.0	1.0
Unintentional Firearms	12	0.2	0	0.0	1	0.3	2	0.8	5	0.5	4	0.4	0	0.0	0	0.0	0	0.0	2.8	0.0	2.0	1.0	2.4	4.3	0.0	0.0	0.0
Submersion	4	0.1	0	0.0	2	0.6	1	0.4	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0	10.5	0.0	3.0	25.0	0.0	0.0	0.0	0.0	11.0
Other	929	13.2	12	30.0	61	17.7	31	12.0	133	14.5	180	16.9	153	17.1	124	14.7	235	8.8	6.4	8.5	4.1	2.7	6.0	4.7	6.5	7.5	8.3

(continued)

Table 52. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning¹ by Etiology and Age, Westchester County Residents, 2003-2004 (cont'd)

2004																											
Etiology	Number of Discharges																Average Length of Stay (days)										
	Total		<1		1-12		13-17		18-34		35-49		50-64		65-74		75+		Total	<1	1-12	13-17	18-34	35-49	50-64	65-74	75+
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N	%									
Total	6,157	100.0	40	100.0	290	100.0	262	100.0	843	100.0	870	100.0	819	100.0	633	100.0	2,400	100.0	6.1	4.0	2.8	5.0	4.5	5.0	6.3	7.5	7.2
Falls	3,258	52.9	14	35.0	107	36.9	57	21.8	126	14.9	236	27.1	390	47.6	401	63.3	1927	80.3	6.7	2.9	1.7	5.3	3.9	4.8	7.4	7.4	7.2
Motor Vehicle Crash	459	7.5	1	2.5	11	3.8	27	10.3	171	20.3	102	11.7	58	7.1	43	6.8	46	1.9	5.3	3.0	2.9	4.7	5.0	5.6	4.0	6.3	7.0
Self-Inflicted	307	5.0	0	0.0	4	1.4	30	11.5	114	13.5	98	11.3	38	4.6	9	1.4	14	0.6	5.3	0.0	3.5	3.2	4.4	6.1	4.3	7.2	13.1
Assault	270	4.4	3	7.5	5	1.7	32	12.2	136	16.1	66	7.6	22	2.7	2	0.3	4	0.2	4.9	8.3	7.8	3.3	5.2	4.2	6.7	1.5	7.3
Poisonings	220	3.6	0	0.0	17	5.9	16	6.1	39	4.6	54	6.2	43	5.3	18	2.8	33	1.4	3.9	0.0	2.1	2.6	2.5	4.1	3.6	5.6	6.4
Struck by Object/Person	161	2.6	2	5.0	20	6.9	18	6.9	30	3.6	26	3.0	22	2.7	13	2.1	30	1.3	5.0	1.0	5.6	2.7	4.4	6.7	3.6	6.5	5.8
Pedestrian	118	1.9	0	0.0	18	6.2	12	4.6	18	2.1	19	2.2	20	2.4	10	1.6	21	0.9	7.7	0.0	3.8	29.9	3.1	6.8	6.4	6.5	5.1
Cutting Instrument	109	1.8	1	2.5	9	3.1	7	2.7	34	4.0	27	3.1	17	2.1	5	0.8	9	0.4	3.8	1.0	1.9	2.1	4.4	3.6	4.4	3.0	5.2
Overexertion	82	1.3	0	0.0	1	0.3	5	1.9	9	1.1	23	2.6	17	2.1	11	1.7	16	0.7	3.7	0.0	2.0	4.6	1.7	3.0	5.2	4.6	3.7
Bicycle	81	1.3	0	0.0	17	5.9	16	6.1	12	1.4	18	2.1	12	1.5	3	0.5	3	0.1	3.7	0.0	2.8	1.8	2.9	4.8	3.5	15.7	3.7
Scalds	53	0.9	9	22.5	16	5.5	3	1.1	4	0.5	7	0.8	5	0.6	3	0.5	6	0.3	7.0	4.8	4.8	5.3	13.5	6.1	4.6	26.0	6.0
Respiratory Interference	28	0.5	3	7.5	0	0.0	0	0.0	4	0.5	1	0.1	3	0.4	5	0.8	12	0.5	13.2	2.3	0.0	0.0	13.3	1.0	15.0	6.6	19.2
Fire/Flame	25	0.4	0	0.0	3	1.0	0	0.0	5	0.6	6	0.7	1	0.1	2	0.3	8	0.3	6.5	0.0	2.3	0.0	3.8	5.3	31.0	5.0	8.0
Machinery	23	0.4	0	0.0	1	0.3	0	0.0	11	1.3	10	1.1	1	0.1	0	0.0	0	0.0	4.4	0.0	2.0	0.0	5.9	3.3	2.0	0.0	0.0
Submersion	2	0.0	0	0.0	1	0.3	1	0.4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0
Unintentional Firearms	2	0.0	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0	1	0.1	0	0.0	0	0.0	4.5	0.0	0.0	0.0	5.0	0.0	4.0	0.0	0.0
Other	959	15.6	7	17.5	60	20.7	38	14.5	129	15.3	177	20.3	169	20.6	108	17.1	271	11.3	6.2	5.3	3.0	3.6	4.5	5.2	6.1	9.0	7.7

¹ Including cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recording an external code (E-Code) are: a) principal diagnosis of an injury or poisoning, b) other diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis, and c) other diagnosis with an external cause. Only the first E-Code is recorded in this item.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 53. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning¹ by Etiology and Sex, Westchester County Residents, 2003-2004

2003									
Etiology	Number of Discharges						Average Length of Stay (days)		
	Total		Female		Male		Total	Female	Male
	Number	%	Number	%	Number	%			
Total	7,033	100.0	3,831	100.0	3,201	100.0	6.3	6.2	6.4
Falls	3,865	55.0	2,455	64.1	1,410	44.0	6.6	6.5	6.9
Motor Vehicle Crash	584	8.3	256	6.7	328	10.2	7.0	6.2	7.6
Self-Inflicted	313	4.5	195	5.1	118	3.7	5.9	4.7	8.0
Assault ²	296	4.2	31	0.8	264	8.2	4.4	3.0	4.6
Poisonings	260	3.7	130	3.4	130	4.1	3.8	3.8	3.8
Struck by Object/Person	171	2.4	54	1.4	117	3.7	4.3	4.5	4.3
Pedestrian	170	2.4	88	2.3	82	2.6	8.5	7.7	9.4
Overexertion	98	1.4	52	1.4	46	1.4	3.8	4.1	3.4
Cutting Instrument	93	1.3	28	0.7	65	2.0	4.7	4.4	4.8
Scalds	75	1.1	39	1.0	36	1.1	5.8	5.7	5.9
Bicycle	66	0.9	15	0.4	51	1.6	3.8	2.5	4.2
Fire/Flame	41	0.6	15	0.4	26	0.8	10.4	13.2	8.7
Respiratory Interference	35	0.5	13	0.3	22	0.7	9.1	10.5	8.3
Machinery	21	0.3	2	0.1	19	0.6	2.1	4.0	1.9
Unintentional Firearms	12	0.2	2	0.1	10	0.3	2.8	1.0	3.1
Submersion	4	0.1	0	0.0	4	0.1	10.5	0.0	10.5
Other	929	13.2	456	11.9	473	14.8	6.4	6.3	6.5
2004									
Total	6,157	100.0	3,166	100.0	2,991	100.0	6.1	6.3	6.0
Falls	3,258	52.9	1,983	62.6	1,275	42.6	6.7	6.7	6.8
Motor Vehicle Crash	459	7.5	183	5.8	276	9.2	5.3	5.2	5.3
Self-Inflicted	307	5.0	183	5.8	124	4.1	5.3	4.2	6.8
Assault	270	4.4	38	1.2	232	7.8	4.9	7.1	4.6
Poisonings	220	3.6	97	3.1	123	4.1	3.9	4.5	3.5
Struck by Object/Person	161	2.6	48	1.5	113	3.8	5.0	5.0	5.0
Pedestrian	118	1.9	53	1.7	65	2.2	7.7	9.9	6.0
Cutting Instrument	109	1.8	34	1.1	75	2.5	3.8	3.3	4.1
Overexertion	82	1.3	29	0.9	53	1.8	3.7	4.2	3.5
Bicycle	81	1.3	12	0.4	69	2.3	3.7	3.8	3.7
Scalds	53	0.9	18	0.6	35	1.2	7.0	4.1	8.4
Respiratory Interference	28	0.5	18	0.6	10	0.3	13.2	14.4	10.9
Fire/Flame	25	0.4	11	0.3	14	0.5	6.5	7.9	5.4
Machinery	23	0.4	1	0.0	22	0.7	4.4	1.0	4.6
Submersion	2	0.0	0	0.0	2	0.1	1.0	0.0	1.0
Unintentional Firearms	2	0.0	0	0.0	2	0.1	4.5	0.0	4.5
Other	959	15.6	458	14.5	501	16.8	6.2	6.0	6.4

¹ Including cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recording an external code (E-Code) are: a) principal diagnosis of an injury or poisoning, b) other diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis, and c) other diagnosis with an external cause.

² Total include cases with unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 54. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning¹ by Etiology and Race/Ethnicity, Westchester County Residents, 2003-2004

2003															
Etiology	Number of Discharges										Average Length of Stay (days)				
	Total ²		White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
	N	%	N	%	N	%	N	%	N	%					
Total	7,033	100.0	4,813	100.0	782	100.0	1,112	100.0	584	100.0	6.3	6.4	6.1	6.4	5.5
Falls	3,865	55.0	3,019	62.7	291	37.2	361	32.5	195	33.4	6.6	6.6	7.1	7.0	5.4
Motor Vehicle Crash	584	8.3	295	6.1	48	6.1	217	19.5	67	11.5	7.0	6.8	5.4	7.6	10.0
Self-Inflicted	313	4.5	188	3.9	48	6.1	71	6.4	58	9.9	5.9	6.5	4.9	5.3	5.8
Assault	296	4.2	85	1.8	92	11.8	114	10.3	51	8.7	4.4	4.6	4.3	4.4	3.1
Poisonings	260	3.7	164	3.4	49	6.3	38	3.4	29	5.0	3.8	4.0	3.9	2.9	2.5
Struck by Object/Person	171	2.4	108	2.2	27	3.5	28	2.5	15	2.6	4.3	4.7	4.1	3.5	6.1
Pedestrian	170	2.4	87	1.8	24	3.1	55	4.9	27	4.6	8.5	9.1	6.2	8.7	5.4
Overexertion	98	1.4	67	1.4	7	0.9	11	1.0	7	1.2	3.8	4.2	3.1	3.3	3.3
Cutting Instrument	93	1.3	57	1.2	15	1.9	18	1.6	15	2.6	4.7	5.1	3.0	5.4	2.9
Scalds	75	1.1	37	0.8	8	1.0	26	2.3	14	2.4	5.8	5.3	7.6	6.3	5.6
Bicycle	66	0.9	30	0.6	9	1.2	24	2.2	8	1.4	3.8	3.8	6.0	3.3	2.8
Fire/Flame	41	0.6	24	0.5	9	1.2	7	0.6	1	0.2	10.4	11.0	10.2	8.4	1.0
Respiratory Interference	35	0.5	23	0.5	6	0.8	5	0.4	1	0.2	9.1	11.0	7.7	3.4	1.0
Machinery	21	0.3	11	0.2	2	0.3	7	0.6	8	1.4	2.1	1.7	3.5	2.4	2.6
Unintentional Firearms	12	0.2	4	0.1	4	0.5	4	0.4	4	0.7	2.8	2.8	1.3	4.3	2.8
Submersion	4	0.1	3	0.1	1	0.1	0	0.0	0	0.0	10.5	12.3	5.0	0.0	0.0
Other	929	13.2	611	12.7	142	18.2	126	11.3	84	14.4	6.4	6.2	7.1	7.2	5.5

(continued)

Table 54. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning¹ by Etiology and Race/Ethnicity, Westchester County Residents, 2003-2004 (cont'd)

2004															
Etiology	Number of Discharges										Average Length of Stay (days)				
	Total ²		White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
	N	%	N	%	N	%	N	%	N	%					
Total	6,157	100.0	4,157	100.0	695	100.0	1,112	100.0	559	100.0	6.1	6.2	6.6	5.7	4.6
Falls	3,258	52.9	2,558	61.5	236	34.0	351	31.6	164	29.3	6.7	6.7	7.0	7.1	5.7
Motor Vehicle Crash	459	7.5	209	5.0	43	6.2	193	17.4	50	8.9	5.3	4.6	6.2	5.9	3.4
Self-Inflicted	307	5.0	192	4.6	37	5.3	72	6.5	46	8.2	5.3	5.3	3.4	6.1	4.0
Assault	270	4.4	74	1.8	87	12.5	102	9.2	53	9.5	4.9	4.5	5.9	4.2	4.3
Poisonings	220	3.6	134	3.2	45	6.5	38	3.4	36	6.4	3.9	4.0	4.4	3.1	3.7
Struck by Object/Person	161	2.6	97	2.3	18	2.6	45	4.0	21	3.8	5.0	5.4	3.6	4.8	3.9
Pedestrian	118	1.9	47	1.1	20	2.9	48	4.3	15	2.7	7.7	11.8	5.8	4.8	4.1
Cutting Instrument	109	1.8	58	1.4	14	2.0	37	3.3	34	6.1	3.8	3.7	5.1	3.6	4.1
Overexertion	82	1.3	54	1.3	10	1.4	13	1.2	7	1.3	3.7	3.9	3.9	3.9	3.0
Bicycle	81	1.3	39	0.9	16	2.3	21	1.9	9	1.6	3.7	3.8	5.9	2.4	3.8
Scalds	53	0.9	24	0.6	10	1.4	18	1.6	6	1.1	7.0	7.0	7.1	7.2	11.7
Respiratory Interference	28	0.5	20	0.5	2	0.3	4	0.4	0	0.0	13.2	16.3	7.0	5.5	0.0
Fire/Flame	25	0.4	11	0.3	4	0.6	10	0.9	2	0.4	6.5	4.7	10.0	7.1	5.5
Machinery	23	0.4	7	0.2	2	0.3	10	0.9	7	1.3	4.4	6.1	3.5	2.9	5.9
Submersion	2	0.0	0	0.0	0	0.0	2	0.2	0	0.0	1.0	0.0	0.0	1.0	0.0
Unintentional Firearms	2	0.0	0	0.0	1	0.1	1	0.1	0	0.0	4.5	0.0	5.0	4.0	0.0
Other	959	15.6	633	15.2	150	21.6	147	13.2	109	19.5	6.2	5.9	8.8	5.1	4.1

¹ Including cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recording an external code (E-Code) are: a) principal diagnosis of an injury or poisoning, b) other diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis, and c) other diagnosis with an external cause. Only the first E-Code is recorded in this item.

² Totals include cases with unknown race.

³ Include Native Americans, Asian and Pacific Islanders, and Other.

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 55. Number of Hospital Discharges and Average Length of Stay Due to Diabetes-Related Diagnoses¹ by Age and Sex, Westchester County Residents, 2003-2004

2003								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	16,998	8,779	51.6	8,218	48.3	7.6	7.7	7.4
Less than 1	0	0	0.0	0	0.0	0.0	0.0	0.0
1-2	6	4	66.7	2	33.3	3.5	3.5	3.5
3-4	12	5	41.7	7	58.3	5.4	4.2	6.3
5-6	15	5	33.3	10	66.7	3.3	3.6	3.2
7-8	10	7	70.0	3	30.0	4.3	4.6	3.7
9-10	18	6	33.3	12	66.7	4.2	4.3	4.1
11-12	17	4	23.5	13	76.5	5.2	2.5	6.1
13-14	30	15	50.0	15	50.0	12.7	21.5	3.8
15-16	18	8	44.4	10	55.6	6.2	8.5	4.4
17-18	24	10	41.7	14	58.3	5.7	9.8	2.8
19-20	32	28	87.5	4	12.5	13.1	14.6	2.5
21-22	30	22	73.3	8	26.7	9.7	11.8	3.9
23-34	35	21	60.0	14	40.0	4.3	5.0	3.2
25-29	84	52	61.9	32	38.1	7.6	8.4	6.2
30-34	202	104	51.5	98	48.5	7.3	7.6	6.9
35-39	400	201	50.3	199	49.8	5.9	5.1	6.8
40-44 ²	567	239	42.2	327	57.7	6.9	6.1	7.6
45-49	758	325	42.9	433	57.1	6.4	6.2	6.6
50-54	1,156	515	44.6	641	55.4	7.4	7.1	7.6
55-59	1,473	733	49.8	740	50.2	7.0	7.4	6.6
60-64	1,640	815	49.7	825	50.3	7.2	7.6	6.9
65-69	1,909	1,015	53.2	894	46.8	7.9	8.0	7.7
70-74	2,229	1,112	49.9	1,117	50.1	7.7	7.7	7.7
75-79	2,436	1,194	49.0	1,242	51.0	7.8	7.9	7.7
80-84	1,985	1,078	54.3	907	45.7	8.1	8.6	7.6
85 and above	1,912	1,261	66.0	651	34.0	8.1	7.9	8.5

(continued)

Table 55. Number of Hospital Discharges and Average Length of Stay Due to Diabetes-Related Diagnoses¹ by Age and Sex, Westchester County Residents, 2003-2004 (cont'd)

2004								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	15,627	7,985	51.1	7,642	48.9	7.0	7.0	7.0
Less than 1	0	0	0.0	0	0.0	0.0	0.0	0.0
1-2	3	1	33.3	2	66.7	4.7	5.0	4.5
3-4	8	3	37.5	5	62.5	4.9	3.3	5.8
5-6	12	3	25.0	9	75.0	4.3	5.3	4.0
7-8	16	8	50.0	8	50.0	3.8	4.5	3.0
9-10	9	6	66.7	3	33.3	4.1	3.7	5.0
11-12	22	12	54.5	10	45.5	7.2	8.6	5.6
13-14	24	9	37.5	15	62.5	3.0	4.0	2.5
15-16	21	12	57.1	9	42.9	4.8	6.1	3.1
17-18	23	10	43.5	13	56.5	5.1	4.9	5.3
19-20	23	10	43.5	13	56.5	3.4	2.2	4.3
21-22	35	22	62.9	13	37.1	5.9	4.4	8.5
23-34	31	20	64.5	11	35.5	2.8	2.9	2.5
25-29	95	56	58.9	39	41.1	6.1	5.7	6.7
30-34	160	100	62.5	60	37.5	5.9	5.3	7.0
35-39	357	192	53.8	165	46.2	6.0	5.3	6.7
40-44	504	244	48.4	260	51.6	6.0	6.2	5.9
45-49	770	362	47.0	408	53.0	5.8	5.4	6.2
50-54	1,067	433	40.6	634	59.4	6.3	6.5	6.2
55-59	1,355	674	49.7	681	50.3	6.9	6.9	6.9
60-64	1,550	732	47.2	818	52.8	6.8	7.1	6.5
65-69	1,824	904	49.6	920	50.4	7.0	6.9	7.0
70-74	2,065	1,011	49.0	1,054	51.0	7.1	7.5	6.8
75-79	2,271	1,201	52.9	1,070	47.1	7.8	7.5	8.1
80-84	1,756	928	52.8	828	47.2	7.6	7.6	7.6
85 and above	1,626	1,032	63.5	594	36.5	7.7	7.4	8.0

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay.

² Totals include cases with unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 56. Number of Hospital Discharges and Average Length of Stay Due to Diabetes-Related Diagnoses¹ by Age and Race/Ethnicity, Westchester County Residents, 2003-2004

2003														
Age (years)	Number of Discharges								Average Length of Stay (days)					
	Total ²	White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
		N	%	N	%	N	%	N	%					
Total	16,998	10,495	61.7	3,740	22.0	1,978	11.6	1,337	7.9	7.6	7.5	8.1	7.6	7.4
Less than 1	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
1-2	6	5	83.3	0	0.0	1	16.7	1	16.7	3.5	3.4	0.0	4.0	5.0
3-4	12	8	66.7	2	16.7	1	8.3	2	16.7	5.4	3.4	14.0	4.0	5.0
5-6	15	9	60.0	1	6.7	4	26.7	3	20.0	3.3	3.2	3.0	4.0	4.0
7-8	10	4	40.0	2	20.0	4	40.0	1	10.0	4.3	3.0	5.0	5.3	14.0
9-10	18	8	44.4	0	0.0	9	50.0	2	11.1	4.2	4.4	0.0	3.7	7.5
11-12	17	5	29.4	3	17.6	6	35.3	2	11.8	5.2	2.4	6.3	8.3	3.0
13-14	30	10	33.3	10	33.3	10	33.3	5	16.7	12.7	4.1	21.2	12.7	22.2
15-16	18	7	38.9	6	33.3	5	27.8	0	0.0	6.2	4.1	10.8	3.6	0.0
17-18	24	10	41.7	10	41.7	4	16.7	4	16.7	5.7	2.7	9.9	2.8	2.5
19-20	32	6	18.8	20	62.5	6	18.8	5	15.6	13.1	3.0	6.7	44.8	39.6
21-22	30	10	33.3	14	46.7	6	20.0	8	26.7	9.7	4.8	3.9	31.3	17.1
23-34	35	18	51.4	11	31.4	3	8.6	7	20.0	4.3	4.1	4.5	7.3	5.1
25-29	84	26	31.0	35	41.7	19	22.6	17	20.2	7.6	4.1	8.7	11.3	11.6
30-34	202	80	39.6	75	37.1	36	17.8	35	17.3	7.3	6.1	9.4	6.3	5.7
35-39	400	179	44.8	131	32.8	70	17.5	66	16.5	5.9	5.6	6.9	4.8	4.2
40-44	567	242	42.7	199	35.1	98	17.3	102	18.0	6.9	6.5	7.0	8.6	7.8
45-49	758	312	41.2	265	35.0	139	18.3	100	13.2	6.4	6.5	6.8	5.8	7.3
50-54	1,156	584	50.5	323	27.9	189	16.3	169	14.6	7.4	7.3	8.3	7.2	6.6
55-59	1,473	766	52.0	425	28.9	217	14.7	154	10.5	7.0	7.0	7.4	7.0	6.8
60-64	1,640	844	51.5	458	27.9	256	15.6	157	9.6	7.2	6.4	8.6	8.3	6.9
65-69	1,909	1,058	55.4	504	26.4	267	14.0	175	9.2	7.9	7.9	8.6	6.9	7.7
70-74	2,229	1,485	66.6	423	19.0	226	10.1	124	5.6	7.7	7.7	8.0	8.1	8.9
75-79	2,436	1,787	73.4	341	14.0	183	7.5	84	3.4	7.8	7.8	8.7	7.5	7.2
80-84	1,985	1,524	76.8	251	12.6	119	6.0	47	2.4	8.1	8.1	9.1	8.1	6.4
85 and above	1,912	1,508	78.9	231	12.1	100	5.2	67	3.5	8.1	8.1	8.1	7.8	8.0

(continued)

Table 56. Number of Hospital Discharges and Average Length of Stay Due to Diabetes-Related Diagnoses¹ by Age and Race/Ethnicity, Westchester County Residents, 2003-2004 (cont'd)

2004														
Age (years)	Number of Discharges								Average Length of Stay (days)					
	Total ²	White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
		N	%	N	%	N	%	N	%					
Total	15,627	9,401	60.2	3,678	23.5	2,001	12.8	1,469	9.4	7.0	6.9	7.6	6.9	6.6
Less than 1	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
1-2	3	2	66.7	0	0.0	1	33.3	1	33.3	4.7	5.0	0.0	4.0	4.0
3-4	8	5	62.5	2	25.0	1	12.5	1	12.5	4.9	3.4	8.5	5.0	2.0
5-6	12	4	33.3	5	41.7	3	25.0	0	0.0	4.3	4.0	5.0	3.7	0.0
7-8	16	13	81.3	0	0.0	3	18.8	3	18.8	3.8	2.8	0.0	7.7	3.7
9-10	9	6	66.7	1	11.1	2	22.2	0	0.0	4.1	3.3	9.0	4.0	0.0
11-12	22	11	50.0	2	9.1	9	40.9	3	13.6	7.2	8.8	10.0	4.7	5.7
13-14	24	8	33.3	6	25.0	10	41.7	2	8.3	3.0	2.8	3.7	2.9	3.5
15-16	21	11	52.4	6	28.6	3	14.3	3	14.3	4.8	3.0	8.5	5.0	3.3
17-18	23	6	26.1	15	65.2	2	8.7	1	4.3	5.1	2.7	6.5	2.5	4.0
19-20	23	7	30.4	6	26.1	10	43.5	8	34.8	3.4	3.9	5.0	2.1	1.9
21-22	35	11	31.4	10	28.6	14	40.0	4	11.4	5.9	6.4	4.5	6.6	4.0
23-34	31	10	32.3	12	38.7	9	29.0	6	19.4	2.8	1.7	3.6	2.9	3.2
25-29	95	33	34.7	34	35.8	27	28.4	29	30.5	6.1	3.8	9.0	5.3	4.7
30-34	160	55	34.4	68	42.5	36	22.5	34	21.3	5.9	5.1	6.8	5.6	5.0
35-39	357	143	40.1	139	38.9	63	17.6	76	21.3	6.0	5.9	6.7	5.0	4.5
40-44	504	214	42.5	186	36.9	90	17.9	90	17.9	6.0	5.4	6.8	5.8	5.7
45-49	770	344	44.7	279	36.2	114	14.8	133	17.3	5.8	6.1	6.0	5.1	5.6
50-54	1,067	530	49.7	289	27.1	213	20.0	154	14.4	6.3	6.1	7.0	5.6	5.7
55-59	1,355	656	48.4	398	29.4	229	16.9	168	12.4	6.9	6.8	6.9	8.0	6.6
60-64	1,550	808	52.1	428	27.6	251	16.2	210	13.5	6.8	6.2	8.0	6.8	6.8
65-69	1,824	996	54.6	486	26.6	261	14.3	177	9.7	7.0	6.9	7.5	6.7	6.1
70-74	2,065	1,291	62.5	468	22.7	236	11.4	134	6.5	7.1	7.1	7.9	6.8	6.7
75-79	2,271	1,629	71.7	361	15.9	218	9.6	126	5.5	7.8	7.2	9.1	10.7	12.6
80-84	1,756	1,329	75.7	257	14.6	115	6.5	62	3.5	7.6	7.7	8.1	6.4	6.0
85 and above	1,626	1,279	78.7	220	13.5	81	5.0	44	2.7	7.7	7.5	8.8	7.3	7.3

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay.

² Totals include cases with unknown race.

³ Include Native Americans, Asian and Pacific Islanders, and Other.

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 57. Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses¹ by Age and Sex, Westchester County Residents, 2003-2004

2003								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	1,246	542	43.5	704	56.5	8.1	7.8	8.3
Less than 1	5	4	80.0	1	20.0	21.2	6.0	82.0
1-2	0	0	0.0	0	0.0	0.0	0.0	0.0
3-4	0	0	0.0	0	0.0	0.0	0.0	0.0
5-6	1	1	100.0	0	0.0	3.0	3.0	0.0
7-8	1	1	100.0	0	0.0	3.0	3.0	0.0
9-10	0	0	0.0	0	0.0	0.0	0.0	0.0
11-12	7	0	0.0	7	100.0	5.6	0.0	5.6
13-14	1	0	0.0	1	100.0	2.0	0.0	2.0
15-16	3	3	100.0	0	0.0	5.7	5.7	0.0
17-18	3	3	100.0	0	0.0	11.3	11.3	0.0
19-20	12	11	91.7	1	8.3	6.0	6.3	3.0
21-22	23	8	34.8	15	65.2	4.0	4.0	4.1
23-34	15	7	46.7	8	53.3	4.7	4.6	4.9
25-29	38	27	71.1	11	28.9	6.7	5.4	9.7
30-34	74	43	58.1	31	41.9	6.0	4.6	7.8
35-39	150	87	58.0	63	42.0	6.5	6.6	6.5
40-44	238	110	46.2	128	53.8	8.5	9.5	7.7
45-49	324	117	36.1	207	63.9	9.2	9.5	9.0
50-54	204	66	32.4	138	67.6	8.7	7.3	9.4
55-59	80	27	33.8	53	66.3	7.1	8.4	6.5
60-64	33	11	33.3	22	66.7	9.4	11.5	8.4
65-69	11	2	18.2	9	81.8	9.4	4.5	10.4
70-74	14	10	71.4	4	28.6	8.1	6.7	11.5
75-79	8	3	37.5	5	62.5	5.5	1.3	8.0
80-84	0	0	0.0	0	0.0	0.0	0.0	0.0
85 and above	1	1	100.0	0	0.0	22.0	22.0	0.0

(continued)

Table 57. Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses¹ by Age and Sex, Westchester County Residents, 2003-2004 (cont'd)

2004								
Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
Total	1,235	568	46.0	667	54.0	8.4	8.0	8.7
Less than 1	0	0	0.0	0	0.0	0.0	0.0	0.0
1-2	2	1	50.0	1	50.0	10.0	18.0	2.0
3-4	2	2	100.0	0	0.0	3.0	3.0	0.0
5-6	1	1	100.0	0	0.0	1.0	1.0	0.0
7-8	4	0	0.0	4	100.0	3.0	0.0	3.0
9-10	3	2	66.7	1	33.3	10.0	9.5	11.0
11-12	2	0	0.0	2	100.0	26.5	0.0	26.5
13-14	0	0	0.0	0	0.0	0.0	0.0	0.0
15-16	5	1	20.0	4	80.0	15.0	3.0	18.0
17-18	12	10	83.3	2	16.7	10.9	12.8	1.5
19-20	6	4	66.7	2	33.3	5.0	5.3	4.5
21-22	16	4	25.0	12	75.0	7.6	6.5	8.0
23-34	18	3	16.7	15	83.3	10.4	5.3	11.4
25-29	37	31	83.8	6	16.2	7.0	7.1	6.3
30-34	94	51	54.3	43	45.7	8.1	6.5	10.0
35-39	166	97	58.4	69	41.6	7.2	7.1	7.4
40-44	252	105	41.7	147	58.3	9.0	7.6	10.1
45-49	264	111	42.0	153	58.0	7.8	7.3	8.3
50-54	188	76	40.4	112	59.6	8.8	9.5	8.3
55-59	98	39	39.8	59	60.2	8.8	11.5	6.9
60-64	34	12	35.3	22	64.7	8.0	3.5	10.5
65-69	14	8	57.1	6	42.9	14.1	20.9	5.2
70-74	12	6	50.0	6	50.0	7.5	5.3	9.7
75-79	4	3	75.0	1	25.0	9.3	7.7	14.0
80-84	0	0	0.0	0	0.0	0.0	0.0	0.0
85 and above	1	1	100.0	0	0.0	8.0	8.0	0.0

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. In addition, it included any V-class coding as V0.80 and any of the variables for current, new or past New York State diagnosis-related group in the range of 700 to 716 or any current, new or past federal diagnosis-related group in the range of 488 to 490.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 58. Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses¹ by Age and Race/Ethnicity, Westchester County Residents, 2003-2004

2003														
Age (years)	Number of Discharges								Average Length of Stay (days)					
	Total ²	White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
		N	%	N	%	N	%	N	%					
Total	1,246	319	25.6	679	54.5	203	16.3	187	15.0	8.1	7.0	8.6	8.2	6.5
Less than 1	5	2	40.0	3	60.0	0	0.0	2	40.0	21.2	9.0	29.3	0.0	9.0
1-2	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
3-4	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
5-6	1	0	0.0	1	100.0	0	0.0	0	0.0	3.0	0.0	3.0	0.0	0.0
7-8	1	0	0.0	1	100.0	0	0.0	0	0.0	3.0	0.0	3.0	0.0	0.0
9-10	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
11-12	7	0	0.0	7	100.0	0	0.0	0	0.0	5.6	0.0	5.6	0.0	0.0
13-14	1	0	0.0	0	0.0	1	100.0	0	0.0	2.0	0.0	0.0	2.0	0.0
15-16	3	2	66.7	1	33.3	0	0.0	1	33.3	5.7	6.0	5.0	0.0	4.0
17-18	3	0	0.0	2	66.7	1	33.3	0	0.0	11.3	0.0	3.5	27.0	0.0
19-20	12	1	8.3	8	66.7	3	25.0	1	8.3	6.0	10.0	6.9	2.3	10.0
21-22	23	0	0.0	16	69.6	6	26.1	0	0.0	4.0	0.0	4.3	3.3	0.0
23-34	15	0	0.0	10	66.7	4	26.7	1	6.7	4.7	0.0	4.8	4.8	5.0
25-29	38	8	21.1	14	36.8	5	13.2	10	26.3	6.7	6.1	5.9	12.0	8.9
30-34	74	21	28.4	33	44.6	17	23.0	19	25.7	6.0	6.7	5.8	5.8	5.4
35-39	150	36	24.0	65	43.3	42	28.0	37	24.7	6.5	6.1	6.8	5.4	5.2
40-44	238	72	30.3	120	50.4	44	18.5	43	18.1	8.5	5.8	9.5	10.7	5.9
45-49	324	103	31.8	166	51.2	45	13.9	37	11.4	9.2	7.3	10.9	7.6	6.3
50-54	204	37	18.1	144	70.6	18	8.8	23	11.3	8.7	9.1	7.8	15.2	10.2
55-59	80	17	21.3	50	62.5	10	12.5	9	11.3	7.1	5.3	8.3	4.8	3.6
60-64	33	6	18.2	24	72.7	2	6.1	0	0.0	9.4	8.3	10.3	6.0	0.0
65-69	11	4	36.4	3	27.3	4	36.4	3	27.3	9.4	8.5	8.0	11.3	14.7
70-74	14	6	42.9	6	42.9	1	7.1	1	7.1	8.1	8.3	9.0	6.0	6.0
75-79	8	3	37.5	5	62.5	0	0.0	0	0.0	5.5	7.7	4.2	0.0	0.0
80-84	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
85 and above	1	1	100.0	0	0.0	0	0.0	0	0.0	22.0	22.0	0.0	0.0	0.0

(continued)

Table 58. Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses¹ by Age and Race/Ethnicity, Westchester County Residents, 2003-2004 (cont'd)

2004														
Age (years)	Number of Discharges								Average Length of Stay (days)					
	Total ²	White		Black		Other ³		Hispanic ⁴		Total	White	Black	Other ³	Hispanic ⁴
		N	%	N	%	N	%	N	%					
Total	1,235	325	26.3	713	57.7	172	13.9	210	17.0	8.4	8.9	8.4	7.8	7.9
Less than 1	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
1-2	2	1	50.0	1	50.0	0	0.0	0	0.0	10.0	18.0	2.0	0.0	0.0
3-4	2	2	100.0	0	0.0	0	0.0	2	100.0	3.0	3.0	0.0	0.0	3.0
5-6	1	0	0.0	1	100.0	0	0.0	0	0.0	1.0	0.0	1.0	0.0	0.0
7-8	4	0	0.0	4	100.0	0	0.0	0	0.0	3.0	0.0	3.0	0.0	0.0
9-10	3	0	0.0	3	100.0	0	0.0	0	0.0	10.0	0.0	10.0	0.0	0.0
11-12	2	0	0.0	1	50.0	0	0.0	0	0.0	26.5	0.0	50.0	0.0	0.0
13-14	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
15-16	5	0	0.0	4	80.0	1	20.0	0	0.0	15.0	0.0	18.0	3.0	0.0
17-18	12	1	8.3	10	83.3	1	8.3	2	16.7	10.9	1.0	12.8	2.0	1.5
19-20	6	2	33.3	2	33.3	2	33.3	2	33.3	5.0	4.5	5.5	5.0	4.5
21-22	16	9	56.3	5	31.3	2	12.5	5	31.3	7.6	9.0	6.6	4.0	7.8
23-34	18	3	16.7	12	66.7	3	16.7	2	11.1	10.4	5.7	7.8	25.3	8.5
25-29	37	7	18.9	20	54.1	6	16.2	7	18.9	7.0	8.9	6.1	7.5	6.3
30-34	94	30	31.9	46	48.9	15	16.0	29	30.9	8.1	7.5	7.7	10.8	7.9
35-39	166	45	27.1	80	48.2	39	23.5	37	22.3	7.2	8.9	7.0	6.1	4.9
40-44	252	71	28.2	143	56.7	35	13.9	49	19.4	9.0	11.4	8.4	7.3	11.1
45-49	264	66	25.0	162	61.4	32	12.1	26	9.8	7.8	8.5	8.0	6.0	6.0
50-54	188	45	23.9	125	66.5	13	6.9	27	14.4	8.8	8.3	8.9	10.8	9.5
55-59	98	24	24.5	56	57.1	17	17.3	17	17.3	8.8	6.4	9.3	10.6	9.2
60-64	34	9	26.5	20	58.8	4	11.8	3	8.8	8.0	8.7	8.5	3.3	2.3
65-69	14	3	21.4	8	57.1	2	14.3	2	14.3	14.1	9.7	18.1	7.0	7.0
70-74	12	5	41.7	7	58.3	0	0.0	0	0.0	7.5	9.0	6.4	0.0	0.0
75-79	4	1	25.0	3	75.0	0	0.0	0	0.0	9.3	14.0	7.7	0.0	0.0
80-84	0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
85 and above	1	1	100.0	0	0.0	0	0.0	0	0.0	8.0	8.0	0.0	0.0	0.0

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. In addition, it included any V-class coding as V0.80 and any of the variables for current, new or past New York State diagnosis-related group in the range of 700 to 716 or any current, new or past federal diagnosis-related group in the range of 488 to 490.

² Totals include cases with unknown race.

³ Include Native Americans, Asian and Pacific Islanders, and Other.

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2005.

Table 59. Reported Cases and Rates of Reportable Diseases, Westchester County, 2002-2004¹

Communicable Disease Category		2004		2003		2002	
		Cases	Rate	Cases	Rate	Cases	Rate
Vaccine-Preventable Diseases	Measles	0	0.0	0	0.0	0	0.0
	Mumps	1	0.1	0	0.0	0	0.0
	Pertussis ²	81	8.8	71	7.7	5	0.5
	Rubella	0	0.0	0	0.0	0	0.0
CNS Diseases and Bacteremias	Encephalitis						
	<i>West Nile Encephalitis (lab positive)</i>	1	0.1	4	0.4	2	0.2
	<i>Non-West Nile Encephalitis</i>	7	0.8	9	1.0	3	0.3
	Haemophilus Influenzae Type B	0	0.0	0	0.0	1	0.1
	Listeriosis	10	1.1	6	0.6	7	0.8
	Meningitis						
	<i>Aseptic Meningitis</i>	41	4.4	39	4.2	23	2.5
	<i>Meningococcal Diseases</i>	3	0.3	3	0.3	8	0.9
	<i>Other Meningitis/Bacteremias</i> ³	80	8.7	80	8.7	76	8.2
Strep Pneumoniae							
<i>Invasive Strep Pneumoniae</i> ⁴	60	6.5	65	7.0	33	3.6	
<i>Drug-Resistant Strep Pneumoniae</i>	10	1.1	14	1.5	16	1.7	
Enteric Infections	Amebiasis ²	21	2.3	26	2.8	27	2.9
	Campylobacteriosis	121	13.1	125	13.5	116	12.6
	Cryptosporidiosis	8	0.9	9	1.0	4	0.4
	Cyclosporidiosis	12	1.3	1	0.1	3	0.3
	Giardiasis	132	14.3	110	11.9	152	16.5
	Salmonellosis	136	14.7	138	14.9	135	14.6
	Shigellosis	23	2.5	21	2.3	42	4.5
	STEC (E. Coli 0157) ^{2,5}	12	1.3	10	1.1	21	2.3
	Hemolytic Uremic Syndrome	1	0.1	3	0.3	3	0.3
	Typhoid	0	0.0	3	0.3	1	0.1
	Vibrio	3	0.3	2	0.2	0	0.0
Yersiniosis	0	0.0	2	0.2	0	0.0	
Viral Hepatitis	Hepatitis A	22	2.4	15	1.6	26	2.8
	Hepatitis B						
	<i>Acute</i>	4	0.4	5	0.5	12	1.3
	<i>Chronic</i> ^{2,6,7}	118	12.8	117	12.7	22	2.4
	<i>Infant Perinatal</i>	0	0.0	0	0.0	0	0.0
	Hepatitis C ⁷						
	<i>Acute</i>	0	0.0	0	0.0	2	0.2
<i>Chronic</i> ^{2,6}	455	49.3	179	19.4	235	25.4	
Other Hepatitis	0	0.0	0	0.0	0	0.0	
Sexually Transmitted Diseases	Chlamydia	1,645	178.1	1,569	169.9	1,357	146.9
	Gonorrhea	431	46.7	587	63.6	458	49.6
	<i>PPNG</i> ⁸	0	0.0	0	0.0	1	0.1
	Syphilis (All Stages) ⁹	141	15.3	91	9.9	87	9.4
	<i>Early Syphilis</i>	33	3.6	18	1.9	16	1.7
Congenital Syphilis ¹⁰	3	n/a	1	n/a	1	7.8	
Tuberculosis		63	6.8	57	6.2	63	6.8
Vector-Borne, Zoonoses	Babesiosis ⁷	9	1.0	13	1.4	4	0.4
	Ehrlichiosis ^{2,7}	0	0.0	0	0.0	53	5.7
	Lyme Disease	729	78.9	624	67.6	342	37.0
	<i>Reported by Westchester Medical Ctr</i>	14	1.5	30	3.2	13	1.4
	Malaria	8	0.9	17	1.8	9	1.0
Tularemia	0	0.0	1	0.1	0	0.0	
Other	Legionellosis ²	7	0.8	10	1.1	6	0.6
	Toxic Shock Syndrome	0	0.0	1	0.1	1	0.1

¹ As of April 25, 2005. Rates are per 100,000 population.

² Includes probable cases.

³ Include Invasive Group A, Group B Strep, Invasive H. Influenzae.

⁴As of January 2000, Invasive Strep Pneumoniae includes Invasive Strep Pneumoniae (Sensitive), Bacteremia and Meningitis.

⁵ Shiga toxin producing E. Coli (STEC); may include non-0157 shiga toxin producing strains of E. Coli.

⁶Chronic Hepatitis B and C became reportable in NYS in June 2002. Includes probable cases.

⁷ Incomplete data due to surveillance limitations.

⁸ Penicillinase producing N. Gonorrhea. PPNG cases are included in Gonorrhea total.

⁹ Total Syphilis cases do not include Congenital Syphilis. Early syphilis includes primary, secondary, and early latent Syphilis.

¹⁰ Rates for Congenital Syphilis are per 100,000 live births.

Table 60. Reported Cases and Rates of Sexually Transmitted Diseases, Westchester County, 2004¹

Health Planning Region and Municipality	Chlamydia		Gonorrhea		Syphilis	
	Cases	Rate	Cases	Rate	Cases	Rate
Westchester County	1,645	178.1	431	46.7	141	15.3
Northwest	206	146.4	56	39.8	27	19.2
Briarcliff Manor	6	78.0	1	13.0	0	0.0
Buchanan	4	182.7	0	0.0	0	0.0
Cortlandt	20	69.8	6	20.9	1	3.5
Croton on Hudson	4	52.6	0	0.0	0	0.0
Mount Pleasant	25	95.6	10	38.2	6	22.9
Ossining (T)	3	54.4	1	18.1	0	0.0
Ossining (V)	45	187.4	12	50.0	12	50.0
Peekskill	77	343.1	22	98.0	6	26.7
Pleasantville	10	139.4	3	41.8	0	0.0
Sleepy Hollow	12	130.3	1	10.9	2	21.7
Northeast	84	63.0	17	12.7	6	4.5
Bedford	8	44.1	2	11.0	0	0.0
Lewisboro	1	8.1	0	0.0	0	0.0
Mount Kisco	20	200.3	3	30.1	4	40.1
New Castle	7	40.0	2	11.4	0	0.0
North Castle	15	138.3	2	18.4	0	0.0
North Salem	1	19.3	3	58.0	0	0.0
Pound Ridge	1	21.2	0	0.0	0	0.0
Somers	5	27.3	1	5.5	0	0.0
Yorktown	26	71.6	4	11.0	2	5.5
West Central	226	143.3	59	37.4	20	12.7
Ardsley	1	23.4	0	0.0	0	0.0
Dobbs Ferry	13	122.4	3	28.2	1	9.4
Elmsford	8	171.1	2	42.8	3	64.2
Greenburgh	59	141.1	18	43.0	9	21.5
Hastings on Hudson	8	104.6	4	52.3	0	0.0
Irvington	3	45.2	2	30.2	0	0.0
Scarsdale	6	33.7	2	11.2	0	0.0
Tarrytown	12	108.2	2	18.0	0	0.0
White Plains	116	218.6	26	49.0	7	13.2
East Central	103	92.0	10	8.9	7	6.3
Harrison	39	161.5	5	20.7	1	4.1
Larchmont	2	30.8	0	0.0	1	15.4
Mamaroneck (T)	5	44.9	0	0.0	0	0.0
Mamaroneck (V)	11	58.7	2	10.7	1	5.3
Port Chester	38	136.4	3	10.8	4	14.4
Rye	5	33.4	0	0.0	0	0.0
Rye Brook	3	34.9	0	0.0	0	0.0
Southwest	530	270.3	134	68.3	38	19.4
Yonkers	530	270.3	134	68.3	38	19.4
Southeast	488	265.6	152	82.7	41	22.3
Bronxville	2	30.6	3	45.9	0	0.0
Eastchester	7	37.7	3	16.2	0	0.0
Mount Vernon	325	475.3	108	157.9	27	39.5
New Rochelle	139	192.6	37	51.3	13	18.0
Pelham	6	93.8	1	15.6	0	0.0
Pelham Manor	0	0.0	0	0.0	0	0.0
Tuckahoe	9	144.9	0	0.0	1	16.1
Unknown	8	-	3	-	2	-

¹ As of April 25, 2005. All are confirmed cases. Rates are per 100,000 population.

Source: Westchester Department of Health, Division of Disease Control.

Table 61. Reported Cases and Rates of Chlamydia by Age Group, Sex, and Race/Ethnicity, Westchester County, 2004¹

Sex and Race/Ethnicity	Total ²		<15		15-19		20-24		25-29		30-34		35-39		40+	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total	1,645	178.1	23	11.7	523	962.1	589	1254.2	265	484.2	123	179.0	58	72.7	58	13.7
Male	347	78.6	1	1.0	67	236.5	140	599.0	70	260.7	28	84.5	16	41.6	23	12.0
White	64	20.3	0	0.0	8	45.5	25	179.6	14	84.3	4	18.1	3	11.1	9	5.9
Black	177	300.1	1	6.2	47	893.5	66	1765.2	33	887.6	16	356.7	2	39.7	11	53.5
Other/Unknown	106	..	0	..	12	..	49	..	23	..	8	..	11	..	3	..
Hispanic ³	74	100.8	0	0.0	9	138.7	36	483.0	13	166.3	6	78.5	7	99.7	2	11.3
Female	1,298	269.4	22	23.1	456	1751.4	449	1903.4	195	699.4	95	266.9	42	101.7	35	15.1
White	280	81.7	1	1.6	87	537.3	119	852.6	43	251.7	14	60.7	9	32.1	6	3.3
Black	555	769.3	13	84.4	238	4820.7	192	4405.7	57	1211.0	26	437.2	14	205.5	13	43.4
Other/Unknown	463	..	8	..	131	..	138	..	95	..	55	..	19	..	16	..
Hispanic ³	349	493.5	1	5.4	118	2188.0	114	1835.2	71	1068.2	27	382.9	11	164.9	6	29.5

¹ As of April 25, 2005. All are confirmed cases. Rates are per 100,000 population.

² Total includes cases with unknown information on age.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: Westchester County Department of Health, Division of Disease Control.

Table 62. Reported Cases and Rates of Gonorrhea by Age Group, Sex, and Race/Ethnicity, Westchester County, 2004¹

Sex and Race/Ethnicity	Total ²		<15		15-19		20-24		25-29		30-34		35-39		40+	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total	431	46.7	4	2.0	105	193.1	153	325.8	73	133.4	26	37.8	34	42.6	34	8.0
Male	179	40.5	1	1.0	28	98.8	62	265.3	31	115.5	12	36.2	19	49.4	24	12.6
White	26	8.2	0	0.0	3	17.1	5	35.9	4	24.1	0	0.0	9	33.2	5	3.3
Black	117	198.4	1	6.2	19	361.2	43	1150.0	21	564.8	9	200.7	6	119.2	17	82.7
Other/Unknown	36	..	0	..	6	..	14	..	6	..	3	..	4	..	2	..
Hispanic ³	22	30.0	0	0.0	5	77.1	10	134.2	4	51.2	1	13.1	2	28.5	0	0.0
Female	252	52.3	3	3.1	77	295.7	91	385.8	42	150.6	14	39.3	15	36.3	10	4.3
White	62	18.1	0	0.0	19	117.3	20	143.3	11	64.4	2	8.7	4	14.3	6	3.3
Black	139	192.7	2	13.0	46	931.7	51	1170.3	23	488.6	6	100.9	8	117.4	3	10.0
Other/Unknown	51	..	1	..	12	..	20	..	8	..	6	..	3	..	1	..
Hispanic ³	46	65.0	0	0.0	14	259.6	16	257.6	5	75.2	6	85.1	3	45.0	2	9.8

¹ As of April 25, 2005. All are confirmed cases. Rates are per 100,000 population.

² Total includes cases with unknown information on age.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: Westchester County Department of Health, Division of Disease Control.

Table 63. Reported Cases and Rates of Syphilis (All Stages) by Age Group, Sex, and Race/Ethnicity, Westchester County, 2004¹

Sex and Race/Ethnicity	Total ²		<15		15-19		20-24		25-29		30-34		35-39		40+	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Total	141	15.3	0	0.0	4	7.4	8	17.0	9	16.4	22	32.0	15	18.8	82	19.4
Male	80	18.1	0	0.0	0	0.0	5	21.4	4	14.9	14	42.2	11	28.6	45	23.6
White	35	11.1	0	0.0	0	0.0	4	28.7	1	6.0	8	36.2	9	33.2	13	8.6
Black	21	35.6	0	0.0	0	0.0	0	0.0	3	80.7	2	44.6	1	19.9	14	68.1
Other/Unknown	24	..	0	..	0	..	1	..	0	..	4	..	1	..	18	..
Hispanic ³	35	47.7	0	0.0	0	0.0	3	40.2	0	0.0	8	104.6	6	85.5	18	102.0
Female	61	12.7	0	0.0	4	15.4	3	12.7	5	17.9	8	22.5	4	9.7	37	16.0
White	15	4.4	0	0.0	1	6.2	0	0.0	1	5.9	2	8.7	1	3.6	10	5.5
Black	25	34.7	0	0.0	3	60.8	2	45.9	0	0.0	3	50.4	1	14.7	16	53.4
Other/Unknown	21	..	0	..	0	..	1	..	4	..	3	..	2	..	11	..
Hispanic ³	26	36.8	0	0.0	1	18.5	1	16.1	5	75.2	4	56.7	3	45.0	12	58.9

¹ As of April 25, 2005. All are confirmed cases. Rates per 100,000 population.

² Total includes cases with unknown information on age.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: Westchester County Department of Health, Division of Disease Control.

Table 64. Reported Cases and Rates of Lyme Disease, Westchester County, 2004¹

Health Planning Region and Municipality	Lyme Disease	
	Cases	Rate
Westchester County	729	78.9
Northwest	173	123.0
Briarcliff Manor	6	78.0
Buchanan	4	182.7
Cortlandt	55	191.8
Croton on Hudson	20	263.0
Mount Pleasant	39	149.1
Ossining (T)	4	72.5
Ossining (V)	14	58.3
Peekskill	20	89.1
Pleasantville	6	83.7
Sleepy Hollow	5	54.3
Northeast	302	226.5
Bedford	43	237.1
Lewisboro	38	308.3
Mount Kisco	17	170.3
New Castle	43	245.8
North Castle	13	119.8
North Salem	12	232.0
Pound Ridge	9	190.4
Somers	54	294.3
Yorktown	73	201.0
West Central	117	74.2
Ardsley	3	70.3
Dobbs Ferry	14	131.8
Elmsford	0	0.0
Greenburgh	24	57.4
Hastings on Hudson	10	130.8
Irvington	11	165.9
Scarsdale	16	89.8
Tarrytown	16	144.3
White Plains	23	43.3
East Central	50	44.7
Harrison	10	41.4
Larchmont	1	15.4
Mamaroneck (T)	6	53.9
Mamaroneck (V)	7	37.3
Port Chester	11	39.5
Rye	11	73.6
Rye Brook	4	46.5
Southwest	40	20.4
Yonkers	40	20.4
Southeast	31	16.9
Bronxville	3	45.9
Eastchester	6	32.3
Mount Vernon	7	10.2
New Rochelle	15	20.8
Pelham	0	0.0
Pelham Manor	0	0.0
Tuckahoe	0	0.0
Unknown	16	-

¹As of April 25, 2005. Rates per 100,000 population.

Source: Westchester County Department of Health, Division of Disease Control.

Table 65. Reported Cases and Rates of Lyme Disease by Age and Sex, Westchester County, 2004¹

Age	Total		Male		Female	
	Number	Rate	Number	Rate	Number	Rate
Total	729	78.9	378	85.6	351	72.9
0-9	121	91.5	68	100.5	53	82.0
10-19	107	90.6	66	107.7	41	72.1
20-29	34	33.4	15	29.9	19	36.9
30-39	73	49.1	35	48.9	38	49.4
40-49	122	83.9	64	91.4	58	76.9
50-59	100	90.8	48	92.7	52	89.1
60-69	96	132.6	52	158.7	44	111.0
70+	76	80.1	30	82.4	46	78.6

¹ As of April 25, 2005. All are confirmed cases. Rates are per 100,000 population.
Source: Westchester County Department of Health, Division of Disease Control.

Table 66. Reported Cases and Rates of Major Enteric Infections, Westchester County, 2004¹

Health Planning Region and Municipality	Campylobacteriosis		Giardiasis		Salmonellosis	
	Cases	Rate	Cases	Rate	Cases	Rate
Westchester County	121	13.1	132	14.3	136	14.7
Northwest	23	16.4	11	7.8	21	14.9
Briarcliff Manor	1	13.0	0	0.0	0	0.0
Buchanan	1	45.7	0	0.0	0	0.0
Cortlandt	6	20.9	2	7.0	2	7.0
Croton on Hudson	1	13.1	2	26.3	1	13.1
Mount Pleasant	4	15.3	1	3.8	6	22.9
Ossining (T)	2	36.3	0	0.0	1	18.1
Ossining (V)	3	12.5	1	4.2	5	20.8
Peekskill	1	4.5	1	4.5	5	22.3
Pleasantville	1	13.9	2	27.9	0	0.0
Sleepy Hollow	3	32.6	2	21.7	1	10.9
Northeast	35	26.2	26	19.5	26	19.5
Bedford	3	16.5	4	22.1	4	22.1
Lewisboro	6	48.7	4	32.5	1	8.1
Mount Kisco	4	40.1	4	40.1	4	40.1
New Castle	5	28.6	3	17.2	6	34.3
North Castle	5	46.1	2	18.4	4	36.9
North Salem	2	38.7	1	19.3	0	0.0
Pound Ridge	3	63.5	1	21.2	0	0.0
Somers	3	16.4	5	27.3	3	16.4
Yorktown	4	11.0	2	5.5	4	11.0
West Central	22	14.0	24	15.2	21	13.3
Ardsley	0	0.0	0	0.0	3	70.3
Dobbs Ferry	1	9.4	1	9.4	0	0.0
Elmsford	1	21.4	0	0.0	1	21.4
Greenburgh	4	9.6	6	14.3	1	2.4
Hastings on Hudson	1	13.1	0	0.0	2	26.2
Irvington	1	15.1	1	15.1	0	0.0
Scarsdale	1	5.6	3	16.8	4	22.4
Tarrytown	1	9.0	1	9.0	1	9.0
White Plains	12	22.6	12	22.6	9	17.0
East Central	16	14.3	29	25.9	20	17.9
Harrison	4	16.6	10	41.4	5	20.7
Larchmont	1	15.4	2	30.8	0	0.0
Mamaroneck (T)	3	26.9	0	0.0	3	26.9
Mamaroneck (V)	2	10.7	7	37.3	6	32.0
Port Chester	3	10.8	2	7.2	2	7.2
Rye	3	20.1	6	40.1	3	20.1
Rye Brook	0	0.0	2	23.3	1	11.6
Southwest	15	7.6	17	8.7	23	11.7
Yonkers	15	7.6	17	8.7	23	11.7
Southeast	9	4.9	23	12.5	22	12.0
Bronxville	0	0.0	4	61.1	2	30.6
Eastchester	0	0.0	3	16.2	2	10.8
Mount Vernon	1	1.5	2	2.9	5	7.3
New Rochelle	6	8.3	7	9.7	8	11.1
Pelham	1	15.6	5	78.1	2	31.3
Pelham Manor	0	0.0	1	18.3	0	0.0
Tuckahoe	1	16.1	1	16.1	3	48.3
Unknown	1	-	2	-	3	-

¹ As of April 25, 2005. All are confirmed cases. Rates are per 100,000 population.

Source: Westchester County Department of Health, Division of Disease Control.

Table 67. Reported Cases and Rates of Salmonellosis by Age, Westchester County, 2002-2004¹

Age	2004		2003		2002	
	Number	Rate	Number	Rate	Number	Rate
Total	136	14.7	138	14.9	135	14.6
Under 1	7	55.9	13	103.8	9	71.8
1-4	27	52.2	26	50.3	19	36.7
5-9	16	23.5	15	22.1	14	20.6
10-19	14	11.9	18	15.2	22	18.6
20-29	16	15.7	8	7.9	18	17.7
30-39	17	11.4	13	8.8	17	11.4
40-49	12	8.3	16	11.0	11	7.6
50-59	9	8.2	12	10.9	15	13.6
60+	18	10.8	16	9.6	9	5.4
Unknown	0	-	1	-	1	-

¹ As of April 25, 2005. Rates are per 100,000 population. Note that rates that have a numerator less than 25 are unstable, meaning that a small change in the numerator can lead to a large change in the rate from one year to the next.

Source: Westchester County Department of Health, Division of Disease Control.

Table 68. Reported Cases and Rates of Giardiasis by Age, Westchester County, 2002-2004¹

Age	2004		2003		2002	
	Number	Rate	Number	Rate	Number	Rate
Total	132	14.3	110	11.9	152	16.5
Under 1	7	55.9	5	39.9	5	39.9
1-4	17	32.9	15	29.0	32	61.9
5-9	13	19.1	9	13.2	16	23.5
10-19	10	8.5	13	11.0	10	8.5
20-29	6	5.9	14	13.8	4	3.9
30-39	21	14.1	17	11.4	19	12.8
40-49	25	17.2	20	13.8	27	18.6
50-59	13	11.8	5	4.5	19	17.3
60+	18	10.8	11	6.6	19	11.4
Unknown	2	-	1	-	1	-

¹ As of April 25, 2005. Rates are per 100,000 population. Note that rates that have a numerator less than 25 are unstable, meaning that a small change in the numerator can lead to a large change in the rate from one year to the next.

Source: Westchester County Department of Health, Division of Disease Control.

Table 69. Reported Cases and Rates of Campylobacteriosis by Age, Westchester County, 2002-2004¹

Age	2004		2003		2002	
	Number	Rate	Number	Rate	Number	Rate
Total	121	13.1	125	13.5	116	12.6
Under 1	1	8.0	4	31.9	6	47.9
1-4	9	17.4	4	7.7	13	25.1
5-9	5	7.4	6	8.8	6	8.8
10-19	14	11.9	16	13.5	7	5.9
20-29	15	14.7	16	15.7	21	20.6
30-39	22	14.8	14	9.4	13	8.8
40-49	20	13.8	15	10.3	19	13.1
50-59	9	8.2	26	23.6	11	10.0
60+	25	14.9	24	14.3	19	11.4
Unknown	1	-	0	-	1	-

¹ As of April 25, 2005. Rates are per 100,000 population. Note that rates that have a numerator less than 25 are unstable, meaning that a small change in the numerator can lead to a large change in the rate from one year to the next.

Source: Westchester County Department of Health, Division of Disease Control.

Table 70. Reported Cases and Rates of Selected Central Nervous System Diseases and Bacteremias, Westchester County, 2004¹

Health Planning Region and Municipality	Meningitis		Invasive Strep Pneumoniae	
	Cases	Rate	Cases	Rate
Westchester County	124	13.4	60	6.5
Northwest	20	14.2	5	3.6
Briarcliff Manor	2	26.0	0	0.0
Buchanan	0	0.0	0	0.0
Cortlandt	6	20.9	3	10.5
Croton on Hudson	0	0.0	0	0.0
Mount Pleasant	1	3.8	0	0.0
Ossining (T)	0	0.0	0	0.0
Ossining (V)	1	4.2	1	4.2
Peekskill	9	40.1	0	0.0
Pleasantville	0	0.0	1	13.9
Sleepy Hollow	1	10.9	0	0.0
Northeast	15	11.2	6	4.5
Bedford	3	16.5	0	0.0
Lewisboro	0	0.0	0	0.0
Mount Kisco	1	10.0	0	0.0
New Castle	1	5.7	1	5.7
North Castle	1	9.2	2	18.4
North Salem	0	0.0	0	0.0
Pound Ridge	0	0.0	0	0.0
Somers	3	16.4	0	0.0
Yorktown	6	16.5	3	8.3
West Central	20	12.7	2	1.3
Ardsley	0	0.0	0	0.0
Dobbs Ferry	1	9.4	0	0.0
Elmsford	1	21.4	0	0.0
Greenburgh	6	14.3	0	0.0
Hastings on Hudson	0	0.0	0	0.0
Irvington	0	0.0	0	0.0
Scarsdale	0	0.0	0	0.0
Tarrytown	2	18.0	0	0.0
White Plains	10	18.8	2	3.8
East Central	13	11.6	6	5.4
Harrison	1	4.1	2	8.3
Larchmont	2	30.8	0	0.0
Mamaroneck (T)	1	9.0	1	9.0
Mamaroneck (V)	0	0.0	0	0.0
Port Chester	7	25.1	2	7.2
Rye	1	6.7	1	6.7
Rye Brook	1	11.6	0	0.0
Southwest	29	14.8	18	9.2
Yonkers	29	14.8	18	9.2
Southeast	24	13.1	20	10.9
Bronxville	1	15.3	0	0.0
Eastchester	4	21.5	0	0.0
Mount Vernon	7	10.2	12	17.5
New Rochelle	11	15.2	8	11.1
Pelham	0	0.0	0	0.0
Pelham Manor	0	0.0	0	0.0
Tuckahoe	1	16.1	0	0.0
Unknown	3	-	3	-

¹ As of April 25, 2005. All are confirmed cases. This disease category include aseptic meningitis, meningococcal diseases, and other meningitis/bacteremias. Rates are per 100,000 population. Source: Westchester County Department of Health, Division of Disease Control.

Table 71. Reported Cases and Rates of Meningitis by Age and Sex, Westchester County, 2004¹

Age	Total		Male		Female	
	Number	Rate	Number	Rate	Number	Rate
Total	124	13.4	68	14.1	56	12.7
0-9	17	12.9	10	15.5	7	10.3
10-19	13	11.0	6	10.6	7	11.4
20-29	6	5.9	4	7.8	2	4.0
30-39	11	7.4	4	5.2	7	9.8
40-49	18	12.4	10	13.3	8	11.4
50-59	17	15.4	10	17.1	7	13.5
60-69	8	11.0	5	12.6	3	9.2
70-79	12	20.2	9	26.2	3	12.0
80+	21	58.9	9	37.3	12	104.3
Unknown	1	-	1	-	0	-

¹ As of April 25, 2005. All are confirmed cases. This disease category includes aseptic meningitis, meningococcal diseases, and other meningitis/bacteremias. Rates are per 100,000 population.

Source: Westchester County Department of Health, Division of Disease Control.

Table 72. Reported Cases and Rates of Invasive Strep Pneumoniae by Age and Sex, Westchester County, 2004¹

Age	Total		Male		Female	
	Number	Rate	Number	Rate	Number	Rate
Total	60	6.5	29	6.0	31	7.0
0-9	6	4.5	3	4.6	3	4.4
10-19	3	2.5	2	3.5	1	1.6
20-29	3	2.9	0	0.0	3	6.0
30-39	2	1.3	1	1.3	1	1.4
40-49	5	3.4	2	2.7	3	4.3
50-59	13	11.8	8	13.7	5	9.7
60-69	8	11.0	3	7.6	5	15.3
70-79	9	15.2	6	17.5	3	12.0
80+	11	30.9	4	16.6	7	60.8

¹ As of April 25, 2005. All are confirmed cases. Rates are per 100,000 population.

Source: Westchester County Department of Health, Division of Disease Control.

Table 73. Reported Cases and Rates of Pertussis by Age, Westchester County, 2003-2004¹

Age	2004			2003		
	Number	Rate	%	Number	Rate	%
Total	81	8.8	100.0	71	7.7	100.0
<6 months	9	-	11.1	11	-	15.5
6-11 months	2	-	2.5	0	-	0.0
1-4	10	19.3	12.3	8	15.5	11.3
5-9	9	13.2	11.1	8	11.8	11.3
10-19	39	33.0	48.1	35	29.6	49.3
20+	11	1.6	13.6	9	1.3	12.7
Unknown	1	-	1.2	0	-	0.0

¹ As of April 25, 2005. Rates are per 100,000 population. Note that rates that have a numerator less than 25 are unstable, meaning that a small change in the numerator can lead to a large change in the rate from one year to the next.

Source: Westchester County Department of Health, Division of Disease Control.

Table 74. Number of Tuberculosis Cases and Contacts, Westchester County, 1998-2004

	2004	2003	2002	2001	2000	1999	1998
New Tuberculosis Cases¹	63	57	63	56	64	50	64
Sex							
Males	33	33	31	37	41	32	31
Females	30	24	32	19	23	18	33
Race							
White	42	41	40	39	N/A	N/A	N/A
Black	12	11	8	7	N/A	N/A	N/A
Asian	9	5	15	10	N/A	N/A	N/A
Ethnicity							
Hispanic	37	32	31	33	N/A	N/A	N/A
Non-Hispanic	26	25	31	23	N/A	N/A	N/A
Foreign Born²	45	42	48	44	41	30	38
%	71%	74%	76%	78%	64%	60%	59%
U.S. Born	18	15	15	12	23	20	26
%	29%	26%	24%	22%	36%	40%	41%
Site of Infection							
Pulmonary	48	49	53	N/A	N/A	N/A	N/A
Extra-Pulmonary-Only ³	15	8	10	N/A	N/A	N/A	N/A
Drug Resistant							
None	54	52	59	52	60	50	62
Drug Resistant (non-MDR) ⁴	7	4	2	3	3	0	1
Multi-Drug Resistant ⁵	2	1	2	1	1	0	1
HIV Status							
Negative	45	35	35	N/A	N/A	N/A	N/A
Positive	4	2	6	N/A	N/A	N/A	N/A
Unknown	14	20	22	N/A	N/A	N/A	N/A
Active Cases⁶	55	32	34	N/A	N/A	N/A	N/A
Contacts Identified⁷	2042	993	496	461	285	487	682
Incidence Rate⁸	6.8	6.2	6.8	6.1	6.9	5.4	7.0

¹ As of April 25, 2005. Persons being treated with two or more drugs for Tuberculosis as of December 31st of year shown. The 2004 number includes one patient reported by DOCS and followed by NYS DOH.

² Among the foreign born cases in 2004, 1 was from Bahamas, 1 from Burma, 1 from China, 1 from Columbia, 15 were from Ecuador, 1 from El Salvador, 1 from Ethiopia, 4 from Guatemala, 1 from Haiti, 4 from India, 1 from Korea, 2 from Mexico, 1 from Pakistan,

³ Pulmonary cases may also have extra-pulmonary presentations. Extra-pulmonary-only cases have no pulmonary parenchymal involvement.

⁴ Resistant to any other drugs, but not the combination of INH + Rifampin.

⁵ Resistant to at least INH + Rifampin.

⁶ Persons being monitored on December 31st of the year shown.

⁷ As of June 1, 2005.

⁸ New cases per 100,000 population.

Source: Westchester County Department of Health, Division of Disease Control.

Table 75. Reported Cases and Rates of Tuberculosis by Age, Westchester County, 2002-2004¹

Age	2004		2003		2002	
	Number	Rate	Number	Rate	Number	Rate
Total	63	6.8	57	6.2	63	6.8
Under 5	1	1.6	1	1.6	1	1.6
5-9	2	2.9	1	1.5	0	0.0
10-14	0	0.0	1	1.6	0	0.0
15-19	2	3.7	3	5.5	4	7.4
20-24	9	19.2	3	6.4	11	23.4
25-34	19	15.4	11	8.9	12	9.7
35-44	9	5.7	19	12.1	5	3.2
45-54	8	6.2	7	5.4	11	8.5
55-64	8	9.2	0	0.0	3	3.5
65+	5	3.9	11	8.5	16	12.4

¹ As of April 25, 2005. Persons being treated with two or more drugs for Tuberculosis as of December 31st of year shown. The 2004 total case number includes one patient reported by DOCS and followed by NYS DOH. Rates are per 100,000 population. Note that rates that have a numerator less than 25 are unstable, meaning that a small change in the numerator can lead to a large change in the rate from one year to the next.

Source: Westchester County Department of Health, Division of Disease Control.

Table 76. Summary of Cumulative AIDS and Living HIV and AIDS Cases by Sex, Age, Race/Ethnicity, and Risk, Westchester County, 1982-2003¹

	Number				Percent			
	Cumulative AIDS Cases	Persons Living			Cumulative AIDS Cases	Persons Living		
		AIDS	HIV ²	Total		AIDS	HIV ²	Total
Total	4,827	2,105	901	3,006	100.0	100.0	100.0	100.0
Sex								
Male	3,404	1,335	444	1,779	70.5	63.4	49.3	59.2
Female	1,423	770	456	1,226	29.5	36.6	50.6	40.8
Age								
13-24	140	69	76	145	2.9	3.3	8.4	4.8
25-29	440	187	73	260	9.1	8.9	8.1	8.6
30-39	2,007	876	326	1,202	41.6	41.6	36.2	40.0
40-49	1,598	726	295	1,021	33.1	34.5	32.7	34.0
50+	642	247	131	378	13.3	11.7	14.5	12.6
Race/Ethnicity								
White	1,421	476	183	659	29.4	22.6	20.3	21.9
Black	2,423	1,106	472	1,578	50.2	52.5	52.4	52.5
Hispanic	940	495	231	726	19.5	23.5	25.6	24.2
Other/Unknown	43	28	15	43	0.9	1.3	1.7	1.4
Risk Group								
MSM	1,039	376	127	503	21.5	17.9	14.1	16.7
IDU	2,409	908	263	1,171	49.9	43.1	29.2	39.0
MSM/IDU	170	68	12	80	3.5	3.2	1.3	2.7
Heterosexual Contact	799	500	269	769	16.6	23.8	29.9	25.6
Blood Products	53	12	4	16	1.1	0.6	0.4	0.5
Adult Other/Unknown	357	241	226	467	7.4	11.4	25.1	15.5

¹ Cases confirmed through December 31, 2003 as of January 2005. Data includes inmate cases and excludes cases under 13 years of age. County of residence is determined at time of diagnosis.

² HIV reporting became effective June 2000 and therefore reporting may still be incomplete. Also, data includes one case with unknown sex.

Source: New York State Department of Health, Bureau of HIV/AIDS Epidemiology.

Table 77. AIDS Cases by Sex and Year of Diagnosis, Westchester County Residents, 1982-2003¹

Year of Diagnosis	Total	Number		Percent	
		Female	Male	Female	Male
Prior to 1989	679	108	571	15.9	84.1
1989	239	56	183	23.4	76.6
1990	262	59	203	22.5	77.5
1991	316	82	234	25.9	74.1
1992	422	114	308	27.0	73.0
1993	392	109	283	27.8	72.2
Subtotal	1,631	420	1,211	25.8	74.2
1994	387	128	259	33.1	66.9
1995	380	111	269	29.2	70.8
1996	324	102	222	31.5	68.5
1997	251	92	159	36.7	63.3
1998	246	92	154	37.4	62.6
Subtotal	1,588	525	1,063	33.1	66.9
1999	182	63	119	34.6	65.4
2000	186	72	114	38.7	61.3
2001	208	92	116	44.2	55.8
2002	189	81	108	42.9	57.1
2003	164	62	102	37.8	62.2
Subtotal	929	370	559	39.8	60.2
Total	4,827	1,423	3,404	29.5	70.5

¹Cases confirmed through December 31, 2003 as of January 2005. Data includes inmate cases and excludes cases under 13 years of age. County of residence is determined at time of diagnosis.

Source: New York State Department of Health, Bureau of HIV/AIDS Epidemiology.

Table 78. AIDS Cases by Age and Year of Diagnosis, Westchester County Residents, 1982-2003¹

Year of Diagnosis	Total Number	Number					Percent				
		13-24	25-29	30-39	40-49	50+	13-24	25-29	30-39	40-49	50+
Prior to 1989	679	17	110	342	137	73	2.5	16.2	50.4	20.2	10.8
1989	239	9	23	110	75	22	3.8	9.6	46.0	31.4	9.2
1990	262	8	29	104	85	36	3.1	11.1	39.7	32.4	13.7
1991	316	15	26	137	102	36	4.7	8.2	43.4	32.3	11.4
1992	422	11	40	187	139	45	2.6	9.5	44.3	32.9	10.7
1993	392	9	35	173	138	37	2.3	8.9	44.1	35.2	9.4
Subtotal	1,631	52	153	711	539	176	3.2	9.4	43.6	33.0	10.8
1994	387	7	33	167	135	45	1.8	8.5	43.2	34.9	11.6
1995	380	9	32	142	149	48	2.4	8.4	37.4	39.2	12.6
1996	324	10	28	119	120	49	3.1	8.6	36.7	37.0	15.1
1997	251	6	17	100	99	29	2.4	6.8	39.8	39.4	11.6
1998	246	7	17	91	95	36	2.8	6.9	37.0	38.6	14.6
Subtotal	1,588	39	127	619	598	207	2.5	8.0	39.0	37.7	13.0
1999	182	9	13	61	62	37	4.9	7.1	33.5	34.1	20.3
2000	186	3	14	68	65	36	1.6	7.5	36.6	34.9	19.4
2001	208	8	7	89	67	37	3.8	3.4	42.8	32.2	17.8
2002	189	6	10	61	69	43	3.2	5.3	32.3	36.5	22.8
2003	164	6	5	53	65	35	3.7	3.0	32.3	39.6	21.3
Subtotal	929	32	49	332	328	188	3.4	5.3	35.7	35.3	20.2
Total	4,827	140	439	2,004	1,602	644	2.9	9.1	41.5	33.2	13.3

¹Cases confirmed through December 2003 as of January 2005. Data includes inmate cases and excludes cases under 13 years of age. County of residence is determined at time of diagnosis.
 Source: New York State Department of Health, Bureau of HIV/AIDS Epidemiology.

Table 79. AIDS Cases by Race/Ethnicity and Year of Diagnosis, Westchester County Residents, 1982-2003¹

Year of Diagnosis	Number					Percent			
	Total	White, non-Hispanic	Black, non-Hispanic	Hispanic	Other/Unknown	White, non-Hispanic	Black, non-Hispanic	Hispanic	Other/Unknown
Prior to 1989	679	293	275	107	4	43.2	40.5	15.8	0.6
1989	239	88	120	31	0	36.8	50.2	13.0	0.0
1990	262	88	130	41	3	33.6	49.6	15.6	1.1
1991	316	105	153	56	2	33.2	48.4	17.7	0.6
1992	422	127	208	83	4	30.1	49.3	19.7	0.9
1993	392	120	192	77	3	30.6	49.0	19.6	0.8
Subtotal	1,631	528	803	288	12	32.4	49.2	17.7	0.7
1994	387	125	187	74	1	32.3	48.3	19.1	0.3
1995	380	113	170	94	3	29.7	44.7	24.7	0.8
1996	324	83	181	55	5	25.6	55.9	17.0	1.5
1997	251	52	138	58	3	20.7	55.0	23.1	1.2
1998	246	56	133	55	2	22.8	54.1	22.4	0.8
Subtotal	1,588	429	809	336	14	27.0	50.9	21.2	0.9
1999	182	32	116	32	2	17.6	63.7	17.6	1.1
2000	186	45	100	37	4	24.2	53.8	19.9	2.2
2001	208	36	122	48	2	17.3	58.7	23.1	1.0
2002	189	34	104	47	4	18.0	55.0	24.9	2.1
2003	164	24	94	45	1	14.6	57.3	27.4	0.6
Subtotal	929	171	536	209	13	18.4	57.7	22.5	1.4
Total	4,827	1,421	2,423	940	43	29.4	50.2	19.5	0.9

¹Cases confirmed through December 31, 2003 as of January 2005. Data includes inmate cases and excludes cases under 13 years of age. County of residence is determined at time of diagnosis.

Source: New York State Department of Health, Bureau of HIV/AIDS Epidemiology.

Table 80. AIDS Cases by Risk and Year of Diagnosis, Westchester County Residents, 1982-2003¹

Year of Diagnosis	Total Number	Number						Percent					
		MSM ²	IDU ³	MSM/ IDU	Heterosexual Contact	Blood Transfusion	Unknown	MSM ²	IDU ³	MSM/ IDU	Heterosexual Contact	Blood Transfusion	Unknown
Prior to 1989	679	222	364	34	27	14	18	32.7	53.6	5.0	4.0	2.1	2.7
1989	239	58	146	4	17	2	12	24.3	61.1	1.7	7.1	0.8	5.0
1990	262	64	138	10	30	4	16	24.4	52.7	3.8	11.5	1.5	6.1
1991	316	73	190	7	27	9	10	23.1	60.1	2.2	8.5	2.8	3.2
1992	422	86	254	19	33	6	24	20.4	60.2	4.5	7.8	1.4	5.7
1993	392	83	222	22	44	9	12	21.2	56.6	5.6	11.2	2.3	3.1
Subtotal	1,631	364	950	62	151	30	74	22.3	58.2	3.8	9.3	1.8	4.5
1994	387	75	226	11	58	3	14	19.4	58.4	2.8	15.0	0.8	3.6
1995	380	78	192	7	61	1	41	20.5	50.5	1.8	16.1	0.3	10.8
1996	324	52	143	17	72	0	40	16.0	44.1	5.2	22.2	0.0	12.3
1997	251	50	108	3	68	0	22	19.9	43.0	1.2	27.1	0.0	8.8
1998	246	38	119	8	65	0	16	15.4	48.4	3.3	26.4	0.0	6.5
Subtotal	1,588	293	788	46	324	4	133	18.5	49.6	2.9	20.4	0.3	8.4
1999	182	35	70	6	55	2	14	19.2	38.5	3.3	30.2	1.1	7.7
2000	186	32	72	8	58	2	14	17.2	38.7	4.3	31.2	1.1	7.5
2001	208	33	68	6	69	1	31	15.9	32.7	2.9	33.2	0.5	14.9
2002	189	33	50	3	66	0	37	17.5	26.5	1.6	34.9	0.0	19.6
2003	164	27	47	5	49	0	36	16.5	28.7	3.0	29.9	0.0	22.0
Subtotal	929	160	307	28	297	5	132	17.2	33.0	3.0	32.0	0.5	14.2
Total	4,827	1,039	2,409	170	799	53	357	21.5	49.9	3.5	16.6	1.1	7.4

¹Cases confirmed through December 31, 2003 as of January 2005. Data includes inmate cases and excludes cases under 13 years of age. County of residence is determined at time of diagnosis.

²MSM - men having sex with men.

³IDU - injecting drug use.

Source: New York State Department of Health, Bureau of HIV/AIDS Epidemiology.

Table 81. Childhood Lead Poisoning Prevention Program: Total Number of Tests Conducted, Test Results by Blood Lead Level, and Number of Initial Screen Tests by Municipality, Westchester County, 2004

Health Planning Region and Municipality	Total Tests	Blood Lead Levels (BLL)					Initial Screen Tests
		<10	10-14	15-19	20+	UC ¹	
Westchester County	30,954	30,050	491	190	207	16	30,284
Northwest	3,706	3,629	52	17	8	0	3,663
Briarcliff Manor	165	163	1	0	1	0	164
Buchanan	38	38	0	0	0	0	38
Cortlandt	458	448	8	1	1	0	455
Croton on Hudson	218	214	3	1	0	0	217
Mount Pleasant	537	530	4	2	1	0	533
Ossining (T)	109	108	1	0	0	0	109
Ossining (V)	918	892	15	6	5	0	897
Peekskill	702	685	14	3	0	0	694
Pleasantville	159	155	1	3	0	0	155
Sleepy Hollow	402	396	5	1	0	0	401
Northeast	2,490	2,445	26	13	6	0	2,462
Bedford	389	377	4	4	4	0	376
Lewisboro	175	171	3	1	0	0	174
Mount Kisco	181	176	4	1	0	0	177
New Castle	414	411	2	0	1	0	413
North Castle	250	249	0	1	0	0	249
North Salem	92	92	0	0	0	0	92
Pound Ridge	72	72	0	0	0	0	72
Somers	295	288	7	0	0	0	295
Yorktown	622	609	6	6	1	0	614
West Central	4,442	4,302	67	29	37	7	4,333
Ardsley	77	75	1	1	0	0	75
Dobbs Ferry	236	233	1	2	0	0	232
Elmsford	201	196	4	1	0	0	200
Greenburgh	1,221	1,194	6	1	13	7	1,196
Hastings on Hudson	127	123	0	1	3	0	124
Irvington	151	150	1	0	0	0	151
Scarsdale	422	409	10	1	2	0	410
Tarrytown	303	287	4	7	5	0	293
White Plains	1,704	1,635	40	15	14	0	1,652
East Central	3,608	3,512	58	17	21	0	3,551
Harrison	529	521	5	1	2	0	525
Larchmont	320	303	12	1	4	0	310
Mamaroneck (T)	445	434	7	1	3	0	441
Mamaroneck (V)	503	490	6	1	6	0	496
Port Chester	1,226	1,188	24	9	5	0	1,202
Rye	384	376	3	4	1	0	376
Rye Brook	201	200	1	0	0	0	201
Southwest	6,658	6,434	111	53	60	0	6,460
Yonkers	6,658	6,434	111	53	60	0	6,460
Southeast	7,046	6,752	164	59	71	0	6,830
Bronxville	107	102	1	3	1	0	101
Eastchester	377	368	5	1	3	0	372
Mount Vernon	2,883	2,753	65	26	39	0	2,770
New Rochelle	3,021	2,898	77	23	23	0	2,941
Pelham	309	291	10	4	4	0	300
Pelham Manor	202	197	3	1	1	0	199
Tuckahoe	147	143	3	1	0	0	147
Unknown	3,004	2,976	13	2	4	9	2,985

¹ Unable to classify; includes test results which were questionable, clotted, or the result of a lab accident.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 82. Childhood Lead Poisoning Prevention Program: Total Number of Tests Conducted, Test Results by Blood Lead Level, and Number of Initial Screen Tests by Age, Westchester County, 2004

Age	Total Tests	Blood Lead Levels (BLL)					Initial Screen Tests
		<10	10-14	15-19	20+	UC ¹	
Total	30,954	30,050	491	190	207	16	30,284
0	4,009	3,953	28	11	14	3	3,987
1	8,760	8,516	135	58	49	2	8,615
2	7,732	7,489	130	42	64	7	7,573
3	4,124	4,012	63	26	23	0	4,031
4	3,557	3,471	48	20	16	2	3,476
5	2,525	2,465	34	14	11	1	2,470
6-9	202	131	39	13	18	1	118
10+	45	13	14	6	12	0	14

¹ Unable to classify; includes test results which were questionable, clotted, or the result of a lab accident.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 83. Childhood Lead Poisoning Prevention Program: Number of Children Tested, Number of Children with Multiple Tests, and Number of Children with Lead Poisoning, and Number of Lead Registry Cases, Westchester County, 2004

Health Planning Region and Municipality	Number of Children			Lead Registry Cases ²		
	Tested	With Multiple Tests	With Lead Poisoning ¹ (≥15 ug/dL)	Total	New	Continuing
Westchester County	28,758	1,795	185	203	76	127
Northwest	3,489	192	19	13	5	8
Briarcliff Manor	158	6	1	0	0	0
Buchanan	37	1	0	0	0	0
Cortlandt	425	31	2	1	0	1
Croton on Hudson	211	7	1	0	0	0
Mount Pleasant	516	19	3	0	0	0
Ossining (T)	104	5	0	0	0	0
Ossining (V)	847	61	9	4	1	3
Peekskill	652	43	1	5	2	3
Pleasantville	152	6	1	3	2	1
Sleepy Hollow	387	13	1	0	0	0
Northeast	2,390	84	11	8	3	5
Bedford	368	15	4	2	0	2
Lewisboro	168	4	0	1	1	0
Mount Kisco	174	7	1	3	0	3
New Castle	404	10	1	0	0	0
North Castle	243	7	1	0	0	0
North Salem	87	5	0	0	0	0
Pound Ridge	71	1	0	0	0	0
Somers	277	14	0	0	0	0
Yorktown	598	21	4	2	2	0
West Central	4,102	265	26	29	11	18
Ardsley	76	1	1	1	0	1
Dobbs Ferry	222	13	1	2	0	2
Elmsford	184	14	1	0	0	0
Greenburgh	1,130	72	4	2	1	1
Hastings on Hudson	121	5	2	1	1	0
Irvington	140	8	0	0	0	0
Scarsdale	397	20	2	3	0	3
Tarrytown	280	16	4	4	3	1
White Plains	1,552	116	11	16	6	10
East Central	3,376	205	29	13	8	5
Harrison	511	17	3	0	0	0
Larchmont	294	24	5	1	0	1
Mamaroneck (T)	424	18	4	0	0	0
Mamaroneck (V)	464	34	4	1	1	0
Port Chester	1,121	90	8	10	7	3
Rye	366	17	5	1	0	1
Rye Brook	196	5	0	0	0	0
Southwest	6,097	446	37	64	21	43
Yonkers	6,097	446	37	64	21	43
Southeast	6,386	527	58	75	28	47
Bronxville	98	9	4	1	1	0
Eastchester	362	11	3	1	1	0
Mount Vernon	2,583	222	20	44	13	31
New Rochelle	2,735	240	23	25	11	14
Pelham	273	31	5	2	1	1
Pelham Manor	194	8	2	1	0	1
Tuckahoe	141	6	1	1	1	0
Unknown	2,918	76	5	1	0	1

¹ As of April of 2002, a child has lead poisoning if he/she has a blood lead level (bll) greater than or equal to 15ug/dL.

² New cases are cases that were admitted into the lead registry during the current year. Continuing cases are cases that were admitted into the registry prior to the current year but are still active during the current year.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 84. Number of Patients Served and Number of Clinic Visits by District Office, Westchester County, 2004

Clinic/Program	Total ¹	District Office			
		New Rochelle	Rye Brook/Port Chester	White Plains	Yonkers
Total					
Patients ²	5,910	562	206	2,654	2,590
Visits ³	18,231	1,152	1,041	8,837	7,200
Dental⁴					
Patients	318	N/A	N/A	86	232
Visits	638	N/A	N/A	139	499
Family Planning					
Patients	2,035	N/A	N/A	1,005	1,037
Visits	5,181	N/A	N/A	2,591	2,590
Immunization					
Patients	159	34	N/A	65	60
Visits	195	40	N/A	88	67
Sexually Transmitted Diseases					
Patients	1,768	259	N/A	586	940
Visits	3,152	478	N/A	972	1,702
Tuberculosis					
Patients	1,647	135	200	924	435
Visits	7,541	444	1,038	4,315	1,744
Cancer Screening					
Patients	316	142	N/A	102	73
Visits	320	142	N/A	104	74
Social Work					
Patients	251	4	3	90	154
Visits	271	5	3	100	163
HIV Counseling & Testing Only⁵					
Confidential visits					
Patients	298	4	0	153	143
Visits	448	9	0	239	200
Anonymous visits					
Visits	485	34	0	289	161
HIV Counseling & Testing visits at Family Planning, TB and STD clinics⁶					
Confidential visits	2,708	135	11	1,327	1,229
Anonymous visits	564	105	2	217	240
HIV Counseling & Testing visits at Community Sites					
Confidential visits	137	N/A	N/A	N/A	N/A
Anonymous visits	50	N/A	N/A	N/A	N/A
Influenza⁷					
Flu Vaccines Administered	4,911	N/A	N/A	N/A	N/A
Pneumococcal Vaccines Administered	277	N/A	N/A	N/A	N/A

¹ Total includes cases with unknown clinic information.

² Total represents unduplicated cases. Patients may visit one or more clinic programs during the year. Does not include patients who had anonymous HIV-related visits.

³ The number of times (encounters) in which patients received services at a clinic.

⁴ Includes visits to dentists and/or dental hygienists. The dental clinics were discontinued as of 9/30/2004.

⁵ Number of patients visited anonymously are not assessed and is not included in the total.

⁶ HIV Counseling & Testing conducted as part of a visit to Family Planning, Tuberculosis, and Sexually Transmitted Diseases Programs. Not included in "Total Visits" above.

⁷ Not included in Totals because the influenza clinics are offered at sites throughout the county.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 85. Number of Patients Served at District Offices and Home Health Program by Age, Sex, and Race/Ethnicity, 2004

Demographics	District Office Clinics										Certified Home Health Program	
	Total ¹		New Rochelle		Rye Brook/Port Chester		White Plains		Yonkers		N	%
	N	%	N	%	N	%	N	%	N	%		
Total	5,910	..	562	..	206	..	2,654	..	2,590	..	3,419	..
Age												
<5	70	1.2	3	0.5	6	2.9	34	1.3	30	1.2	762	22.3
5-9	217	3.7	14	2.5	21	10.2	79	3.0	108	4.2	91	2.7
10-14	292	4.9	25	4.4	28	13.6	106	4.0	139	5.4	61	1.8
15 - 19	598	10.1	67	11.9	16	7.8	197	7.4	324	12.5	87	2.5
20 - 34	2,971	50.3	183	32.6	89	43.2	1,381	52.0	1,372	53.0	212	6.2
35 - 44	1,087	18.4	104	18.5	28	13.6	562	21.2	406	15.7	195	5.7
45 - 64	625	10.6	158	28.1	15	7.3	274	10.3	193	7.5	519	15.2
65+	50	0.8	8	1.4	3	1.5	21	0.8	18	0.7	1,492	43.6
Sex												
Female	4,051	68.5	325	57.8	123	59.7	1,840	69.3	1,824	70.4	2,309	67.5
Male	1,859	31.5	237	42.2	83	40.3	814	30.7	766	29.6	1,110	32.5
Race												
White - Non Hispanic	481	8.1	75	13.3	9	4.4	235	8.9	167	6.4	1,141	33.4
Black - Non Hispanic	1,275	21.6	219	39.0	6	2.9	420	15.8	651	25.1	854	25.0
White - Hispanic	3,065	51.9	212	37.7	173	84.0	1,724	65.0	1,013	39.1	582	17.0
Black - Hispanic	188	3.2	7	1.2	3	1.5	4	0.2	178	6.9	54	1.6
Asian	86	1.5	6	1.1	1	0.5	28	1.1	55	2.1	54	1.6
American Indian	17	0.3	0	0.0	0	0.0	10	0.4	8	0.3	14	0.4
Pacific Islander	6	0.1	1	0.2	0	0.0	1	0.0	4	0.2	2	0.1
Other (Multicultural, Unknown)	792	13.4	42	7.5	14	6.8	232	8.7	514	19.8	718	21.0

¹ Total represents unduplicated clinic patients. Excludes Home Health patients and patients receiving influenza and pneumococcal vaccines administered at Westchester County Department of Health influenza and special epidemic clinics.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 86. Number of Patients and Visits to Family Planning Clinics by Patient Age Group and District Office, Westchester County, 2004

Patients and Visits by Age Group (<i>years</i>)	Total	District Office			
		New Rochelle	Rye Brook/ Port Chester	White Plains	Yonkers
Total Patients¹	2,035	N/A	N/A	1,005	1,037
<15	5	N/A	N/A	3	2
15 - 19	120	N/A	N/A	32	88
20 - 44	1,866	N/A	N/A	939	934
45+	44	N/A	N/A	31	13
Total Visits	5,181	N/A	N/A	2,591	2,590
<15	5	N/A	N/A	3	2
15 - 19	228	N/A	N/A	62	166
20 - 44	4,867	N/A	N/A	2,463	2,404
45+	81	N/A	N/A	63	18
Visits per Patient	2.5	N/A	N/A	2.6	2.5
<15	1.0	N/A	N/A	1.0	1.0
15 - 19	1.9	N/A	N/A	1.9	1.9
20 - 44	2.6	N/A	N/A	2.6	2.6
45+	1.8	N/A	N/A	2.0	1.4

¹Total unduplicated patients.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 87. Number of Patients and Visits to Sexually Transmitted Disease Clinics by Patient Age Group and District Office, Westchester County, 2004

Patients and Visits by Age Group (<i>years</i>)	Total	District Office			
		New Rochelle	Rye Brook/ Port Chester	White Plains	Yonkers
Total Patients¹	1,768	259	N/A	586	940
<15	5	0	N/A	1	4
15 - 19	287	53	N/A	84	151
20 - 44	1,321	180	N/A	449	706
45+	155	26	N/A	52	79
Total Visits	3,152	478	N/A	972	1,702
<15	7	0	N/A	1	6
15 - 19	482	84	N/A	134	264
20 - 44	2,317	327	N/A	731	1,259
45+	346	67	N/A	106	173
Visits per Patient	1.8	1.8	N/A	1.7	1.8
<15	1.4	-	N/A	-	1.5
15 - 19	1.7	1.6	N/A	1.6	1.7
20 - 44		1.8	N/A	1.6	1.8
45+	2.2	2.6	N/A	2.0	2.2

¹Total unduplicated patients.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 88. Number of Patients and Visits to Tuberculosis Clinics by Patient Age Group and District Office, Westchester County, 2004

Patients and Visits by Age Group (<i>years</i>)	Total	District Office			
		New Rochelle	Rye Brook/ Port Chester	White Plains	Yonkers
Total Patients¹	1,647	135	200	924	435
<10	142	14	26	69	39
10-14	136	19	29	56	38
15 - 19	125	9	15	63	45
20 - 44	980	58	112	587	241
45+	264	35	18	149	72
Total Visits	7,541	444	1,038	4,315	1,744
<10	709	38	149	343	179
10-14	688	66	143	317	162
15 - 19	585	35	93	282	175
20 - 44	4,459	193	573	2,751	942
45+	1,100	112	80	622	286
Visits per Patient	4.6	3.3	5.2	4.7	4.0
<10	5.0	2.7	5.7	5.0	4.6
10-14	5.1	3.5	4.9	5.7	4.3
15 - 19	4.7	3.9	6.2	4.5	3.9
20 - 44	4.6	3.3	5.1	4.7	3.9
45+	4.2	3.2	4.4	4.2	4.0

¹Total unduplicated patients.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 89. Number of Home Health Visits by Discipline and District Office, Westchester County, 2004

Discipline	Total	District Office			
		New Rochelle	Rye Brook/ Port Chester	White Plains	Yonkers
Total	18,135	47	130	7,717	4,567
Community Health Worker	3,301	1	76	1,836	1,388
Health Investigator	945	0	1	944	0
Home Health Aide	335	0	0	129	206
Medical Social Worker	180	0	2	82	96
Physical Therapy	21	0	0	11	10
Public Health Nursing	7,679	46	51	4,715	2,867
DSS-Personal Care Aide Program¹	5,674	N/A	N/A	N/A	N/A

¹DSS-Personal Care Aide visits are assigned by the Department of Social Services.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 90. Number of Vaccines Administered at District Offices and Influenza/Special Epidemic Clinics, Westchester County, 2004

Vaccines Administered	All Sites
Total	6,440
Administered at District Offices	1,252
Hepatitis A	36
Hepatitis B	949
Measles, Mumps and Rubella	144
Polio	46
Tetanus Diphtheria - Adult	39
Diphtheria, Tetanus, Acellular Pertussis	12
Varicella	26
Haemophilus Influenza B	0
Diphtheria and Tetanus - Pediatric	0
Pneumococcal - Pediatric	0
Administered at Influenza and Special Epidemic Clinics	5,188
Influenza	4,911
Pneumococcal	277

Source: Westchester County Department of Health, Division of Community Health Services.

Table 91. Number of Animal Bites Reported to the Westchester County Department of Health, Number of Animals Tested, Number of Animals Confirmed Rabid by Type of Animal and Rabies Post-Exposure Treatments Administered, 1991-2004¹

	2004	2003	2002	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991
Total Animals Bites	1,133	1,091	1,273	1,384	1,416	1,500	1,606	1,701	1,682	1,652	1,507	1,650	1,589	1,541
Total Animals Tested	686	669	750	911	970	799	829	732	696	459	296	392	416	356
%	60.5	61.3	58.9	65.8	68.5	53.3	51.6	43.0	41.4	27.8	19.6	23.8	26.2	23.1
Rabid Animals	46	30	38	71	48	31	47	48	42	56	28	45	97	84
Raccoon	20	16	16	34	24	10	19	28	18	31	11	30	67	62
Skunk	6	6	15	23	14	4	20	13	14	21	10	8	17	17
Bat	18	6	5	10	7	15	7	4	8	3	3	3	3	0
Cat	0	2	0	2	2	2	1	2	0	0	3	3	6	1
Fox	1	0	1	2	0	0	0	0	0	1	0	0	1	2
Woodchuck	0	0	1	0	0	0	0	1	1	0	0	0	1	1
Dog	0	0	0	0	0	0	0	0	1	0	1	0	0	0
Horse	0	0	0	0	0	0	0	0	0	0	0	1	1	0
Deer	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Lamb	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Opossum	0	0	0	0	1	0	0	0	0	0	0	0	0	0
Pig	0	0	0	0	0	0	0	0	0	0	0	0	1	0
<i>As % of Total Tested</i>	<i>6.7</i>	<i>4.5</i>	<i>5.1</i>	<i>7.8</i>	<i>4.9</i>	<i>3.9</i>	<i>5.7</i>	<i>6.6</i>	<i>6.0</i>	<i>12.2</i>	<i>9.5</i>	<i>11.5</i>	<i>23.3</i>	<i>23.6</i>
Rabies Post-Exposure Treatment Administered	432	356	356	473	433	496	476	714	494	473	199	292	242	114

¹ Animals are confirmed rabid after brain tissue samples have been tested by the Wadsworth Laboratory of the New York State Department of Health. The first case of the raccoon strain of rabies was reported in March 1991, confirmed in April 1991, and the raccoon strain has since become endemic in Westchester County. This table also includes bats infected with the bat strain of rabies, which has occurred in Westchester County for decades.

Source: Westchester County Department of Health, Divisions of Environmental Health (1991-1994, 2002-2004) and Disease Control (1995-2004).

Table 92. Number of Rabies Post-Exposure Treatments Administered by Rabies Status, 2000-2004¹

Rabies Status and Type of Animal	2004		2003		2002		2001		2000	
	N	%	N	%	N	%	N	%	N	%
Total	432	100.0	356	100.0	356	100.0	473	100.0	433	100.0
Known	37	8.6	30	8.4	31	8.7	91	19.2	18	4.2
<i>Non-Bat</i>	17	3.9	30	8.4	26	7.3	86	18.2	9	2.1
<i>Bat</i>	20	4.6	0	0.0	5	1.4	5	1.1	9	2.1
Unknown	395	91.4	326	91.6	325	91.3	382	80.8	415	95.8
<i>Non-Bat</i>	91	21.1	81	22.8	84	23.6	82	17.3	87	20.1
<i>Bat</i>	304	70.4	245	68.8	241	67.7	300	63.4	328	75.8

¹ Animals are confirmed rabid after brain tissue samples have been tested by the Wadsworth Laboratory of the New York State Department of Health. The first case of the raccoon strain of rabies was reported in March 1991, confirmed in April 1991, and the raccoon strain has since become endemic in Westchester County. This table also includes bats infected with the bat strain of rabies, which has occurred in Westchester County for decades.

Source: Westchester County Department of Health, Divisions of Environmental Health (1991-1994, 2002-2004) and Disease Control (1995-2004).

Table 93. Number of Animals Confirmed Rabid, Westchester County, 1991-2004¹

Health Planning Region and Municipality	2004	2003	2002	2001	2000	1999	Prior to 1999
Westchester County	46	30	38	71	48	31	447
Northwest	11	10	10	13	12	7	111
Briarcliff Manor	0	0	1	0	1	0	17
Buchanan	0	0	0	0	0	1	1
Cortlandt	5	6	4	5	4	0	41
Croton on Hudson	0	0	1	1	1	2	4
Mount Pleasant	2	0	0	4	2	1	13
Ossining (T)	0	0	0	1	1	0	5
Ossining (V)	0	1	1	1	0	3	10
Peekskill	2	2	1	0	3	0	14
Pleasantville	1	0	2	0	0	0	3
Sleepy Hollow	1	1	0	1	0	0	3
Northeast	24	14	14	29	18	10	200
Bedford	4	2	4	7	2	2	34
Lewisboro	5	1	0	1	1	1	22
Mount Kisco	0	0	2	1	1	0	7
New Castle	3	3	2	2	3	4	23
North Castle	2	2	2	8	1	0	12
North Salem	1	2	0	2	1	0	11
Pound Ridge	1	2	1	2	2	0	13
Somers	3	1	3	2	4	1	28
Yorktown	5	1	0	4	3	2	50
West Central	8	1	3	12	8	2	49
Ardsley	0	0	1	0	0	0	2
Dobbs Ferry	0	0	0	0	0	0	2
Elmsford	1	0	0	1	1	0	1
Greenburgh	3	0	0	4	2	0	13
Hastings on Hudson	1	0	0	0	1	0	2
Irvington	0	1	0	2	0	1	6
Scarsdale	1	0	0	4	1	0	4
Tarrytown	1	0	1	0	0	0	2
White Plains	1	0	1	1	3	1	17
East Central	1	5	8	8	3	9	38
Harrison	0	1	1	5	1	4	11
Larchmont	0	1	0	0	0	0	2
Mamaroneck (T)	0	1	0	1	2	0	4
Mamaroneck (V)	0	0	3	1	0	0	5
Port Chester	1	0	0	0	0	0	2
Rye	0	2	4	1	0	3	11
Rye Brook	0	0	0	0	0	2	3
Southwest	1	0	2	8	3	2	25
Yonkers	1	0	2	8	3	2	25
Southeast	0	0	1	1	4	1	22
Bronxville	0	0	1	0	2	0	3
Eastchester	0	0	0	0	1	1	2
Mount Vernon	0	0	0	0	0	0	6
New Rochelle	0	0	0	1	1	0	7
Pelham	0	0	0	0	0	0	0
Pelham Manor	0	0	0	0	0	0	3
Tuckahoe	0	0	0	0	0	0	1
Unknown Municipality	1	0	0	0	0	0	2

¹ Animals are confirmed rabid after brain tissue samples have been tested by the Wadsworth Laboratory of the New York State Department of Health. The first case of the raccoon strain of rabies was reported in March 1991, confirmed in April 1991, and the raccoon strain has since become endemic in Westchester County. This table also includes bats infected with the bat strain of rabies, which has occurred in Westchester County for decades.

Source: Westchester County Department of Health, Divisions of Environmental Health (1991-1994, 2002-2004) and Disease Control (1995-2004).

Table 94. West Nile Virus - Mosquito Surveillance by Westchester County Department of Health, 2004

Mosquitoes Submitted to New York State for Viral Testing¹	Total	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Mosquito Batches Submitted	572	0	0	0	0	63	139	124	141	63	42	0	0
With Positive Results	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Aedes</i>	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Culex</i>	0	0	0	0	0	0	0	0	0	0	0	0	0
Mosquitoes Submitted	13,258	0	0	0	0	500	4,609	2,874	2,724	1,943	608	0	0
Aedes	2,232	0	0	0	0	74	381	170	592	747	268	0	0
Anopheles	25	0	0	0	0	0	0	0	14	11	0	0	0
Coquillettidia	1,113	0	0	0	0	0	654	291	116	11	41	0	0
Culex	2,369	0	0	0	0	10	979	934	436	10	0	0	0
Ochlerotatus	5,946	0	0	0	0	416	2,595	1,332	898	552	153	0	0
Psorophora	1,550	0	0	0	0	0	0	136	668	600	146	0	0
Other	23	0	0	0	0	0	0	11	0	12	0	0	0

¹The New York State Department of Health required that each mosquito batch contain at least 10 mosquitoes of the same species but no more than 50. Mosquitoes trapped in a specific trap night were pooled and sent to the state if there are more than 10 of the same species. If there were less than 10 in the trap, the mosquitoes were stored locally. The stored mosquitoes might be pooled together with some mosquitoes of the same species trapped in the next consecutive week at the same location and sent to the state.

Source: Westchester County Department of Health, Divisions of Environmental Health and Disease Control.

**Table 95. Public Health Protection and Environmental Quality:
Number of Inspection Related Activities¹, 2004**

Program	Number
Total	33,422
Air Quality	1,247
Air Quality Complaint Investigation / Enforcement	517
Industrial Facilities	527
Sampling	187
Fuel Burning Equipment, Motor Vehicles, etc.	16
Water	4,770
Water Supply	2,510
Community Water Supply	1,385
Non-Community Water Supply	1,121
Other ²	4
Water Quality	2,075
Investigation on Water Quality Complaints, Identification of Polluters, etc.	1,444
Waste Water Treatment Facilities, Sewage System	597
Water Quality Surveillance on Bathing Beaches	7
Other ³	27
Watershed	185
Food	12,461
Food Service Establishments with Indoor Seats	11,346
Food for the Aged and Day Care	224
Other Food Service Establishments ⁴	832
Foodborne Illness	59
Housing	2,833
Housing ⁵	116
Lead Poisoning Investigation and Lead Inspection ⁶	958
Healthy Neighborhoods Programs ⁶	1,759
Injury Control	0
Temporary Residences	909
Hotel, Motel, Rooming House	155
Children's Camps	735
Other Temporary Residences ⁷	19
Land Development	244
Additions, Pools and Decks	2
Individual Sewage Disposal Systems	205
Realty Subdivisions	37
Swimming Pools and Beaches	977
Swimming Pools, Spas, etc.	835
Beaches	142

(continued)

**Table 95. Public Health Protection and Environmental Quality:
Number of Inspection Related Activities¹, 2004 (cont'd)**

Program	Number
Solid Waste	330
Hazardous Waste, Toxic Substance, and Petroleum Bulk Storage (PBS)	3,029
PBS General	371
PBS Facilities and Tanks	1,287
Hazardous Waste	134
Toxic Substance Assessment	1,237
Radiological	475
X-Ray Facilities	348
Other Radiological ⁸	127
Animal Control	2,716
Animal Bites and Rabies Exposure ⁹	1,254
Mosquito Control ¹⁰	1,207
Animal Facilities	155
Other ¹¹	100
Tobacco Control	2,983
Adolescent Tobacco Use Prevention (ATUPA)	2,922
Tobacco Control	12
Clean In-Door Air (In-Door Smoking Restriction)	49
Other	448
Nuisance and Service Request	416
Other ¹²	32

¹ Including regular and follow up inspections and investigations, sampling visits, and conferences with clients.

² Including individual water supply, bottled and bulk water.

³ Including water quality management plans and waste water treatment plant operator qualification.

⁴ Including caterer, commissary, mobile unit, vending machine, bakeries, frozen desserts, deli, etc.

⁵ Including heat, insect pest, rodent control, and housing structure.

⁶ Including field activities by Community Health Services' Lead Poisoning Prevention and Healthy Neighborhoods Programs.

⁷ Including mobile home, trailer home, migrant labor house, campgrounds, campsites.

⁸ Including nuclear facility, radiological emergency.

⁹ Including inspections and relevant field activities on animal bites, quarantine of animals, specimen pickups.

¹⁰ Including mosquito larvae and adult control and surveillance, larvicide application, other mosquito control related activities.

¹¹ Including Lyme disease investigation, and pesticides.

¹² Including asbestos, emergency sanitation, fetal alcohol syndrome, and inspections to institutions licensed by New York State.

Source: Westchester County Department of Health, Division of Environmental Health.

Table 96. Public Health Complaints Received and Investigated by Program, 2004

Program	Total	Resolved and Closed	Under Investigation	Referred to Other Agencies	Invalid
Total	7,367	6,063	924	372	8
Air Quality	158	7	150	1	0
Water	259	107	151	1	0
Water Quality	138	94	44	0	0
Sewage Systems	120	13	106	1	0
Streams, Ponds, Rivers, etc.	1	0	1	0	0
Food	537	331	117	86	3
Foodborne Illness	3	2	0	1	0
Other	534	329	117	85	3
Housing	97	62	11	24	0
Heat	73	50	7	16	0
Housing ¹	24	12	4	8	0
Temporary Residences	0	0	0	0	0
Land Development	1	1	0	0	0
Swimming Pools and Beaches	0	0	0	0	0
Solid Waste	111	50	25	36	0
Hazardous Waste, Toxic Substance, Petroleum Spills	2,142	2,133	9	0	0
Hazardous Waste	543	540	3	0	0
Toxic Hazardous Materials	6	5	1	0	0
Gasoline/Oil Spills	1,593	1,588	5	0	0
Animal Control	2,524	2,368	75	81	0
Animal Bites and Rabies Exposure	2,235	2,235	0	0	0
Mosquitoes	0	0	0	0	0
Other ²	289	133	75	81	0
Tobacco Control	145	103	34	8	0
Adolescent Tobacco Use Prevention (ATUPA)	1	1	0	0	0
Smoking	9	8	1	0	0
Clean In-Door Air	135	94	33	8	0
Other	1,393	901	352	135	5
Nuisance ³	1,314	835	342	132	5
Other ⁴	79	66	10	3	0

¹ Including lead investigation.

² Including rodents, insects, pesticides exposure, bat, animal problems other than bites, and unvaccinated cats and dogs.

³ Including litter, odor, garbage.

⁴ Including health concern and information request.

Source: Westchester County Department of Health, Bureau of Complaint.

**Table 97. Public Health Protection: Facility Permits Issued,
Westchester County, 2004**

Program	Number of Permits Issued
Total	6,849
Food Sanitation	5,683
Bakeries	127
Caterers	109
Commissaries	75
Delicatessens	255
Eating Places	3,430
Food Vending Machine Operations	22
Frozen Dessert Manufacturers	531
Ice Manufacturers	2
Meals on Wheels Programs	12
Mobile Food Units	334
Public Functions	10
Schools	431
Temporary Food Permits	345
General Environmental	968
Children's Summer Camps	253
Hotels/Motels/Rooming Houses	54
Migrant Labor Camps	1
Mobile Home Park	3
Bathing Beaches	44
Swimming Pools	613
Animal Facilities	198
Breeders	4
Grooming Parlors	60
Kennels	31
Pet Shops	29
Shelters	13
Stables	33
Temporary Animal Facilities	20
Trainers	5
Wholesalers	3

Source: Westchester County Department of Health, Division of Environmental Health.

Table 98. Services For Children With Special Needs: Number of Children Served, Westchester County Department of Health, 2004

Program	Time Frame
Physically Handicapped Children's Program (PHCP)	2004 Calendar Year
Total - All Services	350
Preschool Educational Advocacy Program, 3-5 Years	2004-2005 Program Year (July-June)
Total Served	3,805
Early Intervention Program, 0-2 Years	2004-2005 Program Year (July-June)
Total Served	5,903

Source: Westchester County Department of Health, Services for Children with Special Needs.

Table 99. Child Health Plus Enrollment and Family Health Plus/Medicaid Enrollment, Westchester County Department of Health, 2004

Program	Number of Enrollment
Total	2,345
Child Health Plus A ¹	741
Child Health Plus B	1,102
Family Health Plus	277
Medicaid (Adults)	225

¹ This program was formerly referred to as Medicaid. The data only represent enrollments through the Westchester County Department of Health's facilitated enrollment program.

Source: New York State Department of Health.

Appendices

Appendix 1. Data Sources and Definitions

A. 2000 Census and 2004 American Community Survey

Basic demographic and socio-economic information for the county in the Annual Data Book 2004 is based on data from the 2000 Census and the 2004 American Community Survey collected by the U.S. Census Bureau.

The 2000 Census data are extracted from the Census Summary File 1 (SF 1) and the Census Summary File 3 (SF 3). The Summary File 1 presents basic demographic information collected from all people and housing units (100% characteristics, short form). This information includes age, sex, race, Hispanic or Latino origin, household relationship, whether the residence is owned or rented, and vacancy characteristics.

The Summary File 3 (SF 3) includes information collected on a sample basis (long form), which covers 34 subjects with additional information on social, economic, and housing characteristics. The Summary File 3 presents information on marital status, place of birth, citizenship and year of entry into the U.S., school enrollment and educational attainment, ancestry, migration, language spoken at home and ability to speak English, veteran status, disability, grandparents as caregivers, labor force status, place of work and journey to work, occupation, industry, and class of worker, work status in 1999 and income in 1999. The Summary File 3 also includes information on housing and residence, vehicles, telephone, utilities, mortgage, taxes, insurance, and fuel, etc. The rate of sampling varied from 1 in 2 households in sparsely populated areas, to 1 in eight for more densely populated areas. The overall sampling rate is 1 in 6 households, or 17%. It is generally called the five-percent sampling file.

The total population from the 2000 Census is used for calculation of relevant rates in this report.

The American Community Survey (ACS) is a nationwide survey designed to replace the ‘long form’ of the 10-year census and provides updated demographic, economic, social, and housing information of this country’s communities every year. The 2004 ACS was conducted from November 2003 to December 2004, and reflects sampling from the current Master Address File of the 2000 Census. The 2004 ACS sampling universe is limited to the household population and excludes the population living in institutions, college dormitories, and other group quarters. Thirty-one test sites around the country were selected, based on situations where differences in population were expected to be prominent. Data were also collected in 1,204 additional counties, including Westchester County. The combined data provide estimates of detailed subjects for the nation, all states, most areas with a population of 250,000 or more, and selected areas of 65,000 or more. Data definitions of demographic, housing, and socioeconomic information are identical to those used in the 2000 Census. For detailed information on Census and ACS data, please consult the Census Bureau’s website at www.census.gov.

Race and Ethnicity

The concept of race, as defined by the U.S. Census Bureau, reflects self-identification by people according to the race or races with which they most closely identify. The categories of race are considered to be socio-political and should not be interpreted as scientific or anthropological in nature.

- *White*: A person having origins in any of the original peoples of Europe, the Middle East, or North Africa. It includes people who indicate their race as “White” or report entries such as Irish, German, Italian, Lebanese, Near Easterner, Arab, or Polish.
- *Black or African American*: A person having origins in any of the Black racial groups of Africa. It includes people who indicate their race as “Black, African American, or Negro,” or provide written entries such as African American, Afro American, Kenyan, Nigerian, or Haitian.
- *American Indian or Alaska Native*: A person having origins in any of the original peoples of North or South America (including Central America) and who maintain tribal affiliation or community attachment.
- *Asian*: A person having origins in any of the original peoples of the Far East, Southeast Asia, or the Indian subcontinent, for example Cambodia, China, India, Japan, Korea, Malaysia, Pakistan, the Philippine Islands, Thailand, and Vietnam.

- *Native Hawaiian or Other Pacific Islander:* A person having origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands. It includes people who indicate their race as “Native Hawaiian,” “Guamanian or Chamorro,” “Samoan,” and “Other Pacific Islander.”
- *Other Race:* Includes all other responses not included in the “White,” “Black or African American,” “American Indian or Alaska Native,” “Asian,” and “Native Hawaiian or Other Pacific Islander” race categories described above. Respondents providing write-in entries such as multiracial, mixed, interracial, or a Hispanic/Latino group (for example, Mexican, Puerto Rican, or Cuban) in the “Some other race” write-in space are included in this category.
- *Hispanic or Latino:* The data on the Hispanic or Latino population were derived from answers to a question on the 2000 census that was asked of all people. The terms “Spanish,” “Hispanic origin,” and “Latino” are used interchangeably. Some respondents identified with all three terms while others identify with only one of these three specific terms. Origin can be viewed as the heritage, nationality group, lineage, or country of birth of the person or the person’s parents or ancestors before their arrival in the United States. People who identify their origin as Spanish, Hispanic, or Latino may be of any race.
- *Two or More Races:* People may have chosen to provide two or more races either by checking two or more race response check boxes, by providing multiple write-in responses, or by some combination of check boxes and write-in responses. The race response categories shown on the questionnaire are collapsed into the five minimum race groups identified by the Office of Management and Budget (OMB), and the Census Bureau “Some other race” category. For data product purposes, “Two or more races” refers to combinations of two or more of the following race categories:
 1. White
 2. Black or African American
 3. American Indian or Alaska Native
 4. Asian
 5. Native Hawaiian or Other Pacific Islander
 6. Some other race

Educational Attainment

Refers to the highest level of education completed in terms of the highest degree or the highest level of schooling completed.

Labor Force Participation and Employment

- *Labor force:* The labor force includes all people classified in the civilian labor force, plus members of the U.S. Armed Forces (people on active duty with the United States Army, Air Force, Navy, Marine Corps, or Coast Guard). The Civilian Labor Force consists of people classified as employed or unemployed.
- *Employed:* Employed includes all civilians 16 years old and over who were either (1) "at work" -- those who did any work at all during the reference week as paid employees, worked in their own business or profession, worked on their own farm, or worked 15 hours or more as unpaid workers on a family farm or in a family business; or (2) were "with a job but not at work" -- those who did not work during the reference week but had jobs or businesses from which they were temporarily absent due to illness, bad weather, industrial dispute, vacation, or other personal reasons. Excluded from the employed are people whose only activity consisted of work around the house or unpaid volunteer work for religious, charitable, and similar organizations; also excluded are people on active duty in the United States Armed Forces. The reference week is the calendar week preceding the date on which the respondents completed their questionnaires or were interviewed. This week may not be the same for all respondents.

Immigration and Language Spoken at Home

- *Immigrants:* Aliens admitted for legal permanent residence in the United States.
- *Foreign-born population:* People who are not U.S. citizens at birth.
- *Native population:* People born in either the United States, Puerto Rico, or a U.S. Island Area such as Guam or the U.S. Virgin Islands, or people born in a foreign country to a U.S. citizen parent(s).
- *Citizen:* People who indicate that they were born in the United States, Puerto Rico, a U.S. Island Area, or abroad of a U.S. citizen parent(s) are citizens. People who indicate that they are U.S. citizens through naturalization are also citizens. Naturalized citizens are foreign-born people who identify themselves as naturalized. Naturalization is the conferring, by any means, of citizenship upon a person after birth.
- *Language spoken at home:* The language currently used by respondents at home, either "English only" or a non-English language which is used in addition to English or in place of English.

Family Structure

- *Household:* A household consists of all the people who occupy a housing unit. A house, an apartment or other group of rooms, or a single room, is regarded as a housing unit when it is occupied or intended for occupancy as separate living quarters; that is, when the occupants do not live and eat with any other persons in the structure and there is direct access from the outside or through a common hall.
- *Family Household:* A group of people living in a household who are related to the householder by birth, marriage, or adoption.
- *Non-Family Household:* A nonfamily household consists of a householder living alone (a one-person household) or where the householder shares the home exclusively with people to whom he/she is not related.
- *Family:* A household whose members are related by birth, marriage or adoption. Family households may also include unrelated individuals.
- *Married-Couple Family:* A family consisting of two legally married people, with or without own children under 18.
- *Single Mother Family or Single Father Family:* A family household consisting of one parent, no spouse, and own children under 18. Other adults may share the household as well.
- *Related children:* Includes all people in a household under the age of 18, regardless of marital status, who are related to the householder. Does not include householder's spouse or foster children, regardless of age.

Income and Poverty

- *Total income:* The sum of the amounts reported separately for wages, salary, commissions, bonuses, or tips; self-employment income from own non-farm or farm businesses, including proprietorships and partnerships; interest, dividends, net rental income, royalty income, or income from estates and trusts; Social Security or Railroad Retirement income; Supplemental Security Income (SSI); any public assistance or welfare payments from the state or local welfare office; retirement, survivor, or disability pensions; and any other sources of income received regularly such as Veterans' (VA) payments, unemployment compensation, child support, or alimony.
- *Poverty:* Following the Office of Management and Budget's (OMB's) Directive 14, the Census Bureau uses a set of money income thresholds that vary by family size and composition to detect who is poor. If the total income for a family or unrelated individual falls below the relevant poverty threshold, then the family or unrelated individual is classified as being "below the poverty level."

B. Vital Statistics

The vital statistics presented in this report are based on the certificate records of live births, deaths, and fetal deaths of Westchester County residents in the United States or Canada. The source of this information is the New York State Department of Health (final data as of September 27, 2005).

- *Race:* Definitions for “White”, “Black” and “Hispanic” racial or ethnic categories are identical to the definitions of the US Census Bureau. The definition for “Other” race in our vital statistics includes the US Census Bureau racial categories of “American Indian”, “Asian”, “Native Hawaiian or Other Pacific Islander”, “Other Race”, and “Two or More Races”.
- *Live Births:* A live birth is defined as "the complete expulsion or extraction from its mother of a product of conception, irrespective of duration of pregnancy, which, after such separation, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached" (Vital Statistics of New York State 1999, New York State Department of Health).
- *Live Birth Rate:* Annual number of live births per 1,000 total population.
- *Infant Birthweight:* Infant Birthweight is grouped as very low birthweight (less than 1,500 grams), low birthweight (1,500 to 2,499 grams), and normal birthweight (2,500 grams or more).
- *Gestation Weeks:* Gestation Weeks are grouped as premature birth (less than 37 weeks gestational period), and normal length of gestation (gestational period of 37 weeks or more).
- *Time Starting Prenatal Care:* Time starting prenatal care is measured by the number of months of the pregnancy at the time prenatal care was initiated.
- *Maternal Exposure to Smoking During Pregnancy:* Mother used any tobacco products during pregnancy. This is self-reported.
- *Maternal Exposure to Drug Use During Pregnancy:* Mother used any of the following: cocaine, crack, heroin, methadone, marijuana, amphetamines, or un-prescribed sedatives during pregnancy. This is self-reported.
- *Fetal Deaths:* A fetal death is defined as "the death prior to the complete expulsion or extraction from its mother of a product of conception; the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles" (Vital Statistics of New York State 1999, New York State Department of Health). New York State Public Health Law requires the registration of all fetal deaths regardless of the length of gestation of the fetus.
- *Induced Abortions:* Induced abortions include the operative procedures of “dilation and curettage (D&C), suction and curettage, dilation and evacuation (D&E), saline injection, prostaglandin injection, medical (non-surgical) and other which includes hysterectomy, hysterotomy and other procedures” (Vital Statistics of New York State 2000, New York State Department of Health).
- *Causes of Deaths:* In this report, the cause of death is the underlying cause classified according to the International Classification of Diseases (ICD), Tenth Revision.
- *Infant Mortality Rate:* Annual number of deaths under one year of age per 1,000 live births occurring during the year.
- *Death Rate:* Annual number of deaths per 1,000 total population.

C. The Statewide Planning and Research Cooperatives System (SPARCS)

Information on hospitalizations comes from the Statewide Planning and Research Cooperative System (SPARCS) data for the years 2003 and 2004. SPARCS was implemented by the New York State Department of Health in 1979, with the cooperation and initial financial support of the U.S. Department of Health and Human Services. SPARCS receives, processes, stores, and analyzes inpatient hospitalization data from hospitals in New York State and ambulatory surgery data from hospital-based ambulatory surgery services and all other facilities providing ambulatory surgery services.

To protect patient privacy, patient names are omitted from the SPARCS data set. The focus of the system is the incidence of diseases or conditions requiring hospitalization rather than individual patients. Therefore, data reported from the SPARCS contain the number of hospitalizations, or incidents, rather than the number of patients, which have occurred during the year. SPARCS data only represent inpatients, i.e., a hospital stay where an individual was admitted to an acute-care facility. Data are also limited to hospitalizations occurring within New York State.

Due to the fact that the SPARCS data is continually being updated, the completeness of reporting by individual facilities varies over time. All SPARCS tables included in this databook reflect the information as of March 2005.

Length of Stay

SPARCS calculates a length of stay for each discharge record by subtracting the date of admission from the date of discharge. If a patient is admitted and discharged the same day, the length of stay is one day.

Service Categories

The service categories are based on categories developed by the New York State Department of Health and are defined in terms of diagnosis and procedure codes from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

- *Nursery:* Including patients whose age equals zero and have an ICD-9-CM code of V30.0, V30.1, V31.0, V31.1, V32.0, V32.1, V33.0, V33.1, V34.0, V34.1, V35.0, V35.1, V36.0, V36.1, V37.0, or V37.1. These codes refer only to live-born infants.
- *Obstetrical:* Including female patients of any age with an ICD-9-CM code within the range of 630 through 634.9 and 640 through 676.9.
- *Psychiatric:* Including patients of any age with an ICD-9-CM code within the range of 290 through 319.
- *Pediatric:* Including patients aged 14 years and younger whose primary diagnosis is neither included in the nursery, obstetrical, or psychiatric categories nor classified by ICD-9-CM codes 614 through 629.9 (gynecological) or 635 through 639.9 (abortion).
- *Medical:* Including patients aged 15 years or older with no reported procedure code or with reported procedure codes greater than 86.99. This category also includes gynecological patients (ICD-9-CM codes 614 through 629.9) of all ages with no reported procedure code or with reported procedure codes greater than 86.99. Newborn, obstetrical, psychiatric, and pediatric patients are excluded.
- *Surgical:* Including patients aged 15 years or older with at least one procedure code in the range 01 through 86.99. This category also include gynecological patients (ICD-9-CM codes 614 through 629.9) of all ages with at least one such procedure code and all patients whose principal diagnoses are codes 635 through 639.9 (abortion). Newborn, obstetrical, psychiatric, pediatric, and medical patients are excluded.

Principal Diagnosis and Other Diagnosis

The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care. Because it represents the reason for the patient's stay and reflects clinical findings discovered

during the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. It may also differ from admitting diagnosis.

There are 14 additional diagnosis codes in the SPARCS discharge record. These additional codes describe the diagnoses that coexist at the time of admission or have developed subsequently, which affect the treatment received and/or length of stay. The diagnoses that are related to an earlier episode which have no bearing on the current hospital stay are not included.

Diagnosis-Related Groups

The Diagnosis-Related Group (DRG) is developed by the U.S. Department of Health and Human Services to categorize patient records for reimbursement and research purposes for the calendar year of the date of discharge. It is based on ICD-9 data in the principal and secondary diagnoses, surgical procedures, age, sex, and discharge disposition within the patient medical record.

Classification of Neoplasms

According to the New York State Department of Health, neoplasm data is categorized by considering the principal diagnosis and other fourteen diagnoses in the SPARCS discharge record on the basis of metastatic nature of cancer. The intent of the logic was to develop a comprehensive categorization of all hospital discharges related to neoplasms. The procedure used to extract and categorize neoplasm-related records is as the following¹:

1. Extract all records with **any** diagnosis fields containing a three digit ICD-9 code prefix indicating a neoplasm (i.e. between 140 and 239) or Chemo/Radiation therapy encounter (V58).
2. If the principal diagnosis is associated with a primary site (140 through 194 or 200 through 208), the principal diagnosis identifies the primary site of cancer. If the principal diagnosis corresponds to a secondary or ill defined site (195 or 196 through 199), the other diagnosis fields are searched for a primary site. If one is found, that diagnosis identifies the primary site of cancer. If a primary site is not found, the principal diagnosis identifies the secondary site of cancer.
3. If the principal diagnosis does not correspond to a primary nor a secondary site of cancer, the primary or the secondary site of cancer is identified through searching the other 14 diagnoses based on the same logic stated at step 2.
4. If a primary or a secondary site of cancer is not identified by the above 3 steps, an other-than-malignant neoplasm (210 through 239) is identified by checking the principal diagnosis and the 14 other diagnoses.

Classification of HIV and AIDS

Cases of HIV and AIDS were classified by considering the principal diagnosis code and the fourteen other diagnosis codes (ICD-9: 042, 043, 044, 079.51, 079.53, 136.3, 279.10, 279.19, 279.3, 795.71, and V08), as well as the current, new, and prior New York DRG's (in the range of 700-716) and the current, new, and prior Federal DRG's (in the range of 488-490) in the NYS DOH SPARCS discharge record.²

Classification of Injury

Injury was classified by considering both the principal diagnosis code, the 14 other diagnosis code, and a separate variable of the external cause of injury, using the E-code supplement of the International Classification of Diseases, Ninth Revision. The priorities for recording the E-code categories are: a) principal diagnosis of an injury or poisoning; b) other diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis; and c) other diagnosis with an external cause. Only the first E-Code is recorded.

¹ Archived on the New York State Department Of Health web page at <https://commerce.health.state.ny.us/hpn/ctrldocs/sparcs/deriveneo.html>

² Archived on the New York State Department Of Health web page at <https://commerce.health.state.ny.us/hpn/ctrldocs/sparcs/deriveaidsh.html>

Appendix 2. Data Analysis and Significance Test

Basic data analysis was conducted with SPSS 11.5 for Windows (by SPSS Inc., Chicago, Illinois), a comprehensive system for analyzing data. Significance tests for means and averages were performed using the Student's t-test. Significance tests for proportions and percentages were performed using one-sample or two-sample one-sided z-tests. Differences are indicated at the 0.05 significance level.

Appendix 3. The International Classification of Diseases (ICD-10): Codes for Selected Causes of Death

Disease Category	ICD-10
Accidents	V01-X59, Y85-Y86
AIDS	B20-B24
Certain Conditions Originating in the Perinatal Period	P00-P96
Congenital Anomalies	Q00-Q99
Chronic Liver Diseases including Cirrhosis	K70, K73-K74
Chronic Lower Respiratory Disease (CLRD)	J40-J47
Gastritis, Enteritis, Colitis, Diverticulitis	K29, K50-K52, K57
Diabetes Mellitus	E10-E14
Homicide and Legal Intervention	X85-Y09, Y35, Y87.1, Y89.0
Influenza	J10-J11
Major Cardiovascular Diseases	I00-I99
Diseases of the Heart	I00-I09, I11, I13, I20-I51
Acute Rheumatic Fever	I00-I02
Chronic Rheumatic Fever	I05-I09
Diseases of Pulmonary Circulation	I26-I28
Hypertension with Heart Disease	I11, I13
Ischemic Heart Diseases	I20-I25
<i>Acute Myocardial Infarction</i>	<i>I21-I22</i>
<i>Other Ischemic Heart Diseases</i>	<i>I20, I24-I25</i>
Other Diseases of the Heart	I30-I51
Atherosclerosis	I70
Cerebrovascular Disease	I60-I69
Hypertension with or without Renal Disease	I10, I12
Other Diseases of the Circulatory System	I71-I78, I80-I99
Neoplasms (Malignant)	C00-C97
Breast	C50
Buccal Cavity and Pharynx	C00-C14
Digestive Organs and Peritoneum	C15-C26
Genital Organs	C51-C63
Lymphatic and Hematopoietic Tissues	C81-C96
Respiratory System	C30-C39
Urinary Organs	C64-C68
Other and Unspecified Sites	C40-C49, C69-C80, C97
Nephritis, Nephrotic Syndrome and Nephrosis	N00-N07, N17-N19, N25-N27
Pneumonia	J12-J18
Septicemia	A40-A41
Sudden Infant Death Syndrome	R95
Suicide and Self-Inflicted Injury	X60-X84, Y87.0
Tuberculosis	A16-A19

Appendix 4. The International Classification of Diseases (ICD-9): Codes for Selected Diseases for Hospitalizations

Disease Category	ICD-9
Infectious and Parasitic Diseases	001-139
AIDS	042
Neoplasms (including benign)	140-239
Breast	174
Buccal Cavity and Pharynx	140-149
Digestive Organs and Peritoneum	150-159
Genital Organs	179-187
Lymphatic and Hematopoietic Tissues	200-208
Respiratory System	160-165
Urinary Organs	188-189
Other and Unspecified Sites	170-173,175,190-199
Endocrine, Nutritional, Metabolic, and Immunologic Disorders	240-279
Diabetes Mellitus	250
Blood and Blood-Forming Organs	280-289
Mental Disorders	290-319
Psychoses	290-299
Alcoholic Psychoses	291
Drug-Induced Psychoses	292
Schizophrenia	295
Other	293-294, 296-299
Neurotic, Personality, & Other Non-Psychotic Mental Disorders	300-316
Alcohol Dependence Syndrome	303
Drug Dependence Syndrome	304
Non-Dependent Drug Abuse	305
Other	300-302, 306-316
Mental Retardation	317-319
Nervous System and Sensory Organs	320-389
Circulatory System	390-459
Diseases of the Heart	390-398,402,404-429
Acute Rheumatic Fever	390-392
Chronic Rheumatic Fever	393-398
Diseases of Pulmonary Circulation	415-417
Hypertension with Heart Disease	402,404
Ischemic Heart Diseases	410-414
<i>Acute Myocardial Infarction</i>	410
<i>Other Ischemic Heart Diseases</i>	411-414
Other Diseases of the Heart	420-429
Atherosclerosis	440
Cerebrovascular Disease	430-438
Hypertension with or without Renal Disease	401,403,405
Other Diseases of the Circulatory System	441-459
Respiratory System	460-519
Acute Respiratory Infections	460-466
Other Diseases of the Upper Respiratory Tract	470-478
Pneumonia	480-486
Influenza	487
Chronic Obstructive Pulmonary Disease	490-496
Chronic Bronchitis	491
Asthma	493
Other Respiratory Diseases	496

(continued)

Appendix 4. The International Classification of Diseases (ICD-9): Codes for Selected Diseases for Hospitalizations (*cont'd*)

Disease Category	ICD-9
Digestive System	520-579
Diseases of Oral Cavity, Salivary Glands, and Jaws	520-529
Diseases of Esophagus, Stomach, and Duodenum	530-539
Appendicitis	540-543
Hernia of Abdominal Cavity	550-553
Noninfectious Enteritis and Colitis	555-558
Other Disease of Intestines and Peritoneum	560-569
Diverticula of Intestine	562
Other Diseases of Digestive System	570-579
Chronic Liver Diseases and Cirrhosis	571
Genitourinary System	580-629
Pregnancy, Childbirth, and Puerperium	630-679
Skin and Subcutaneous Tissue	680-709
Musculoskeletal System and Connective Tissue	710-739
Congenital Anomalies	740-759
Conditions Originating in the Perinatal Period	760-779
Symptoms, Signs, and Ill-Defined Conditions	780-799
Injury and Poisoning	800-999
Assault	E960-E968.9
Bicycle	E800.3, E801.3, E802.3, E803.3, E804.3, E805.3, E806.3, E807.3, E810.6, E811.6, E812.6, E813.6, E814.6, E815.6, E816.6, E817.6, E818.6, E819.6, E820.6, E821.6, E822.6, E823.6, E824.6, E825.6, E826.1
Cutting Instrument	E920.0-E929.9
Falls	E880.0-E886.9, E888.0-E888.9
Fire/Flame	E890.0-E899.9
Machinery	E919.0-E919.9
Motor Vehicle Crash	E810.0-E810.3, E810.8-E810.9, E811.0-E811.3, E811.8-E811.9, E812.0-E812.3, E812.8-E812.9, E813.0-E813.3, E813.8-E813.9, E814.0-E814.3, E814.8-E814.9, E815.0-E815.3, E815.8-E815.9, E816.0-E816.3, E816.8-E816.9, E819.0-E819.3, E819.8-E819.9, E822.0-E822.3, E822.8-E822.9, E823.0-E823.3, E823.8-E823.9, E825.0-E825.3, E825.8-E825.9
Overexertion	E927
Pedestrian	E810.7, E811.7, E812.7, E813.7, E814.7, E815.7, E816.7, E817.7, E818.7, E819.7, E820.7, E821.7, E822.7, E823.7, E824.7, E825.7
Poisonings	E850.0-E858.9, E860.0-E869.9
Respiratory Interference	E911-E913
Scalds	E924.0, E924.8-E924.9
Self-Inflicted	E950.0-E959.9
Struck by Object / Person	E916.0-E918.9
Submersion	E910.0-E919.9, E830, E832
Unintentional Firearms	E922
Other	
Railway	E800.0-E800.2, E800.8-E800.9, E801.0-E801.2, E801.8-E801.9, E802.0-E802.2, E802.8-E802.9, E803.0-E803.2, E803.8-E803.9, E804.0-E804.2, E804.8-E804.9, E805.0-E805.2, E805.8-E805.9, E806.0-E806.2, E806.8-E806.9, E807.0-E807.2, E807.8-E807.9
Motor Vehicle / Traffic	E810.4-E810.5, E811.4-E811.5, E812.4-E812.5, E813.4-E813.5, E814.4-E814.5, E816.4-E816.5, E817.0-E817.5, E817.8-E817.9, E818.0-E818.5, E818.8-E818.9, E819.4-E819.5
Motor Vehicle / Non-traffic	E820.0-E820.9, E821.0-E821.9, E822.4-E822.5, E823.4-E823.5, E824.0-E824.5, E824.8-E824.9, E825.4-E825.5

(continued)

Appendix 4. The International Classification of Diseases (ICD-9): Codes for Selected Diseases for Hospitalizations (*cont'd*)

Diseases	ICD-9
Injury and Poisoning (<i>cont'd</i>)	800-999
Other (<i>cont'd</i>)	
Water Transport	E831, E833.0-E838.9
Air and Space Transport	E840.0-E845.9
Vehicle, Not Elsewhere Classified	E846.0-E848.9
Falls (other)	E887
Natural and Environmental	E900.0-E909.9
Submersion, Suffocation, Foreign Body	E914.0-E915.9
Other Road Vehicle	E826.0, E826.2-826.9, E827.0-E829.9
Explosion of a Pressure Vessel	E921.0-E921.9
Explosive Material	E923
Caustic and Corrosive Substances	E924.1
Other Unintentional	E925.0-E926.9, E928
Legal Intervention	E970.0-E976.9, E978
Injury, Undetermined Whether Accidentally or Purposefully Inflicted	E980.0-E988.9
Medical Misadventures, Adverse Reactions, and Late Effects	800-999
Medical Misadventures	E870-E876
Abnormal Reactions to Medical Procedures	E878-E879
Adverse Effects of Therapeutic Substances	E930-E949
Late Effects of Injuries	E929, E959,E969,E977,E989,E999
War	E990-E998
Medical Misadventures (late effects)	905-909, 996-999
Reasons for Hospitalization that are not Disease or Injury	V01-V71.2, V71.7-V82.9
Certain Adverse Effects, Not Elsewhere Classified	995
Supplementary Classifications - Newborns	V30-V39
Supplementary Classifications - Other	V01-V29, V40-V83

Appendix 5. Westchester County Department of Health, Communicable Disease Reporting Requirements

Reporting of suspected or confirmed communicable diseases is mandated under the New York Sanitary Code (10NYCRR 2.10a) and Westchester County Sanitary Code Article IV, Section 873.402. The primary responsibility for reporting rests with the physician; moreover, laboratories (PHL 2102), school nurses (10NYCRR 2.12), day care center directors, nursing homes/hospitals (10NYCRR 405.3d) and state institutions (10NYCRR 2.10) or other locations providing health services (10NYCRR 2.12) are also required to report the diseases listed below.

Amebiasis	Listeriosis	Streptococcal infection (invasive disease) ⁴
(Animal bites for which rabies prophylaxis is given ¹	Lyme disease	Group A beta-hemolytic strep
(Anthrax ²	Lymphogranuloma venereum	Group B strep
Babesiosis	Malaria	Streptococcus pneumoniae
(Botulism ²	(Measles	(Syphilis, specify stage ⁶
(Brucellosis ²	(Melioidosis ²	Tetanus
Campylobacteriosis	Meningitis	Toxic shock syndrome
Chancroid	Aseptic or viral	Trichinosis
Chlamydia trachomatis infection	(Haemophilus	(Tuberculosis current disease (specify site)
(Cholera	(Meningococcal	(Tularemia ²
Cryptosporidiosis	other (specify type)	(Typhoid
Cyclosporiasis	(Meningococcemia	Vibriosis ⁵
(Diphtheria	Mumps	(Viral hemorrhagic fever ²
E. coli O157:H7 infection ³	Pertussis	Yellow Fever
Ehrlichiosis	(Plague ²	Yersiniosis
(Encephalitis	(Poliomyelitis	
(Foodborne illness	Psittacosis	
Giardiasis	(Q Fever ²	
(Glanders ²	(Rabies	
Gonococcal infection	Rocky Mountain spotted fever	
Haemophilus influenzae ⁴	(Rubella (including congenital rubella syndrome)	
(invasive disease)	Salmonellosis	
Hantavirus Disease	Shigatoxin-producing infection ³	
Hemolytic uremic syndrome (HUS)	Shigellosis ³	
Hepatitis A, B, C	(Smallpox ²	
(Hepatitis A in a food handler	Staphylococcus aureus ⁵	
Pregnant Hepatitis B carrier	(due to stains showing reduced susceptibility or resistance to vancomycin)	
Hospital associated infections (as defined in section 2.2 10NYCRR)	(Staphylococcal enterotoxin B poisoning ²	
Legionellosis		

1. Local health unit must be notified prior to initiating rabies prophylaxis.
2. Diseases that are possible indicators of bioterrorism.
3. Positive shigatoxin test results should be reported as presumptive evidence of disease.
4. Only report cases with positive cultures from blood, CSF, joint, peritoneal or pleural fluids. Do not report cases with positive cultures from skin, saliva, sputum or throat.
5. Proposed addition to list.
6. Any non-treponemal test $\geq 1:16$ or any positive primary or secondary stage disease or prenatal or delivery test result regardless of titer should be reported by phone; all others may be reported by mail.

SPECIAL NOTES

- Diseases listed in **bold type (t)** warrant prompt action and should be reported **immediately** to local health units by phone followed by submission of the confidential case report form (DOH-389). In NYC use case report form 395V.
- In addition to the diseases listed above, any unusual disease (defined as a newly apparent or emerging disease or syndrome that could possibly be caused by a transmissible infectious agent or microbial toxin) is reportable.
- Outbreaks: while individual cases of some diseases (e.g., streptococcal sore throat, head lice, impetigo, scabies, and pneumonia) are not reportable, a cluster or outbreak of cases of any communicable disease is a reportable event.
- **Cases of HIV infection, HIV-related illness and AIDS are reportable to:**
 Division of Epidemiology
 P.O. Box 2073, ESP Station
 Albany, New York 12220-2073
 (518) 474-4284
 In New York City: New York City Department of Health
 For HIV/AIDS reporting, call:
 (212) 442-3388

For more information on disease reporting, call Westchester County Department of Health Division of Disease Control at (914) 813-5159, or New York State Department of Health Bureau of Communicable Disease Control at (518) 473-4439. In New York City 1(866)NYC-DOH1. To obtain reporting forms (DOH-389), call (518) 474-0548

WHO SHOULD REPORT?

Physicians, nurses, laboratory directors, infection control practitioners, health care facilities, state institutions, schools.

WHERE SHOULD REPORT BE MADE?

Report to local health department where patient resides.

Name/Address **Westchester County**

Department of Health – DDC

145 Huguenot Street – 8th Floor

New Rochelle, New York 10801

Phone **(914) 813-5159**

Fax **(914) 813-5182**

WHEN SHOULD REPORT BE MADE?

Within 24 hours of diagnosis:

- phone or fax diseases in bold type,
- mail case report, DOH-389, for all other diseases,
- in New York City use form 395V.

Appendix 6. Westchester County Hospitals

Name	Address	Telephone	Number of Beds in 2004
Acute Hospitals			
Community Hospital at Dobbs Ferry	128 Ashford Avenue, Dobbs Ferry, NY 10522	914-693-0700	50
Hudson Valley Hospital Center	1980 Crompond Road, Cortlandt Manor, NY 10567	914-737-9000	128
Lawrence Hospital Center	55 Palmer Avenue, Bronxville, NY 10708	914-787-1000	291
Mount Vernon Hospital	12 North Seventh Avenue, Mount Vernon, NY 10550	914-664-8000	228
New York United Hospital Medical Center ¹	406 Boston Post Road, Port Chester, NY 10573	914-934-3100	224
Northern Westchester Hospital	400 Main Street, Mount Kisco, NY 10549	914-666-1303	233
Phelps Memorial Hospital Association	701 North Broadway, Sleepy Hollow, NY 10591	914-366-3000	235
Sound Shore Medical Center of Westchester	16 Guion Place, New Rochelle, NY 10802	914-632-5000	321
St. John's Riverside Hospital	967 North Broadway, Yonkers, NY 10701	914-964-4200	379
<i>Park Care Pavilion Division²</i>	<i>2 Park Avenue, Yonkers, New York 10703</i>	<i>914-964-7300</i>	<i>117</i>
St. Joseph's Hospital	127 South Broadway, Yonkers, NY 10701	914-378-7000	194
Westchester Medical Center	Grasslands Campus, Valhalla, NY 10595	914-493-7000	635
White Plains Hospital Center	14 East Post Road, White Plains, NY 10604	914-681-0600	292
Speciality Hospitals			
Blythedale Children's Hospital	Bradhurst Avenue, Valhalla, NY 10595	914-592-7555	92
W.M. Burke Rehabilitation Hospital	785 Mamaroneck Avenue, White Plains, NY 10605	914-597-2500	150
Four Winds Hospital	800 Cross River Road, Katonah, NY 10536	914-763-8151	175
New York Presbyterian Hospital - Westchester Division	21 Bloomingdale Road, White Plains, NY 10605	914-682-9100	276
St. Vincent's Westchester Catholic Medical Center - St. Vincent's Westchester	275 North Street, Harrison, NY 10528	914-967-6500	133
VA Hudson Valley Health Care System ³	Route 9A, P.O. Box 100, Montrose, NY 10548	914-737-4400	1016


¹ Updated information is not available because this hospital closed on January 31, 2005.

² As of 11/01/2001, Yonkers General Hospital has been merged with St. John's Riverside Hospital. The original Yonkers General Hospital is currently urgent care center opening 24 hours a day and 7 days a week. The center is limited at seeing walk-in detoxification and rehabilitation patients only and is known as the Park Care Pavilion. Patients in need of hospital care are admitted to St. John's Riverside Hospital.

³ The number of certified beds obtained via oral communication with Donna Cataldo from the administration office of the hospital, September 2005.

Source: New York State Department of Health, July 2005.

Hospitals Located in Westchester County, 2004



Appendix 7. Westchester County Nursing Homes

Name	Address	Telephone	Number of Beds in 2004
Andrus on Hudson	185 Old Broadway, Hastings-on-Hudson, NY 10706	914-478-3700	247
Bayberry Nursing Home	40 Keogh Lane, New Rochelle, NY 10805	914-636-3947	60
Bethel Nursing & Rehabilitation Center	67 Springvale Road, Croton-on-Hudson, NY 10520	914-739-6700	200
Bethel Nursing Home Company Inc.	17 Narragansett Avenue, Ossining, NY 10562	914-941-7300	78
Brandywine Nursing Home Inc.	620 Sleepy Hollow Road, Briarcliff Manor, NY 10510	914-941-5100	131
Cedar Manor Nursing Home	Cedar Lane, Ossining, NY 10562	914-762-1600	153
Cortlandt Healthcare LLC	110 Oregon Road, Peekskill, NY 10566	914-739-9150	120
Dumont Masonic Home	676 Pelham Road, New Rochelle, NY 10805	914-632-9600	196
Field Home-Holy Comforter	2300 Catherine Street, Cortlandt Manor, NY 10562	914-739-2244	200
Glen Island Care Center	490 Pelham Road, New Rochelle, NY 10805	914-636-2800	182
Hebrew Hospital Home of Westchester Inc.	61 Grasslands Road, Valhalla, NY 10595	914-681-8400	160
Helen and Michael Schaffer Extended Care Center	16 Guion Place, New Rochelle, NY 10802	914-632-5000	150
Home for Aged Blind	75 Stratton Street South, Yonkers, NY 10701	914-963-4661	219
King Street Home Inc.	787 King Street, Port Chester, NY 10573	914-937-5800	120
Michael Malotz Skilled Nursing Pavilion	120 Odell Avenue, Yonkers, NY 10701	914-964-3333	120
Nathan Miller Center For Nursing Care Inc.	37 Dekalb Avenue, White Plains, NY 10605	914-686-8239	65
Nathan Miller Center for Nursing @ Care Inc. White Plains Center Division	220 Westchester Post, White Plains, NY 10606	914-686-8880	88
New Sans Souci Nursing Home	115 Park Avenue, Yonkers, NY 10703	914-428-0910	120
New York State Veterans Home at Montrose	2090 Albany Post Road, Montrose, NY 10548	914-788-6000	252
New York United Hospital Medical Center @ Skilled Nursing Pavilion ¹	406 Boston Post Road, Port Chester, NY 10573	914-934-3265	70
Port Chester Nursing & Rehabilitation Centre	1000 High Street, Port Chester, NY 10573	914-937-1200	160
Regency Extended Care Center	65 Ashburton Avenue, Yonkers, NY 10701	914-963-4000	315
Rosary Hill Home	600 Linda Avenue, Hawthorne, NY 10532	914-769-0114	72
Salem Hills Health Care Center	539 Route 22, Purdys, NY 10578	914-277-3626	126
Sarah Neuman Center for Healthcare and Rehabilitation	845 Palmer Avenue, Mamaroneck, NY 10543	914-698-6005	300
Schnurmacher Center for Rehabilitation and Nursing	12 Tibbits Avenue, White Plains, NY 10606	914-287-7202	245
Sky View Rehabilitation and Health Care Center, LLC	1280 Albany Post Road, Croton-on-Hudson, NY 10520	914-271-5151	192
Somers Manor Nursing Home Inc.	Route 100, Somers, NY 10589	914-232-5101	300
Sprain Brook Manor Nursing Home	77 Jackson Avenue, Scarsdale, NY 10583	914-472-3200	121
St. Cabrini Nursing Home Inc.	115 Broadway, Dobbs Ferry, NY 10522	914-693-6800	304
St. Josephs Hospital Nursing Home of Yonkers NY Inc.	127 South Broadway, Yonkers, NY 10701	914-378-7358	200
St. Mary's Rehabilitation Center for Children	15 Spring Valley Road, Ossining, NY 10562	914-333-7000	44

(continued)


Appendix 7. Westchester County Nursing Homes (cont'd)

Name	Address	Telephone	Number of Beds in 2004
Sutton Park Center for Nursing and Rehabilitation	31 Lockwood Avenue, New Rochelle, NY 10801	914-576-0600	160
Tarrytown Hall Care Center	Wood Court, Tarrytown, NY 10591	914-631-2600	120
Taylor Care Center at Westchester	25 Bradhurst Avenue, Hawthorne, NY 10532	914-493-7762	321
The Osborn	101 Theall Road, Rye, NY 10580	914-967-4100	84
The Wartburg Home	Bradley Avenue, Mount Vernon, NY 10552	914-699-0800	240
Treetops Rehabilitation and Care Center, LLC	3550 Lexington Avenue, Mohegan Lake, NY 10547	914-528-2000	120
United Hebrew Geriatric Center	60 Willow Drive, New Rochelle, NY 10805	914-632-2804	150
United Nursing Home for the Aged Inc.	391 Pelham Road, New Rochelle, NY 10805	914-632-2804	120
Victoria Home	25 North Malcolm Street, Ossining, NY 10562	914-941-2450	49
Waterview Hills Nursing Center Inc.	537 Route 22, P.O. Box 257, Purdys Station, NY 10578	914-277-3691	130
West Ledge Health Care Facility Inc.	2000 East Main Street, Peekskill, NY 10566	914-737-8400	100
Westchester Center for Rehabilitation and Nursing	10 Claremont Avenue, Mount Vernon, NY 10550	914-699-1600	240
Westchester Meadows	55 Grasslands Road, Valhalla, NY 10595	914-989-7800	20

¹ Updated information is not available because this hospital closed on January 31, 2005.

Source: New York State Department of Health, July 2005.

Nursing Homes Located in Westchester County, 2004



Appendix 8. Westchester County Department of Health's District Offices

Mount Kisco District Office¹

118 North Bedford Suite, Suite 100
Mount Kisco, New York 10549
(914) 864-7358

New Rochelle District Office

420 North Avenue
New Rochelle, New York 10801
(914) 813-5525

Port Chester WIC Program

One Gateway Plaza, 1st Floor
South Main Street
Port Chester, New York 10573
(914) 813-7244

White Plains District Office

134 Court Street, 1st Floor
White Plains, New York 10601
(914) 995-5800

White Plains WIC Program

112 East Post Road, 1st Floor
White Plains, New York 10601
(914) 995-6350

Yonkers District Office

20 South Broadway
Yonkers, New York 10701
Clinical Health Services: (914) 231-2500
Public Health Protection: (914) 231-2975
WIC Program: (914) 231-2510

¹ Environmental Only

Westchester County Board of Health
as of January 1, 2004

Douglas G. Aspros, D.V.M., President

James E. Carnicelli, Vice President

Harold Adel, M.D.

Robert H. Baker, M.D.

Jeffrey M. Brensilver, M.D.

Stanley Brownstein, D.C.

William Davis

Peter Liebert, M.D.

Anthony M. Maddalena

Mary Ellen McGurty

Ruth Merkatz, M.D.

Harry Zourdos

**Westchester County Department of Health
Administrative Staff
as of January 1, 2004**

Joshua Lipsman, M.D., M.P.H.
Commissioner

Patsy Yang-Lewis, Ph.D.
First Deputy Commissioner

.....

Denise M. Bruno, M.D., M.P.H.	Chief of Section, Child Health Services
Lorraine Chun, B.S.	Director, Services for Children with Special Needs
Irwin Cohen, M.B.A.	Director, Fiscal Operations
Donna Dyke, R.N.	Assistant Commissioner, Nursing Services and Community Health Services
Roslynn Glicksman, M.D.	Chief of Section, Adult Health Services Acting Deputy Commissioner, Community Health Services
Richard Gruffi, D.D.S.	Chief Section, Dental Health Services
Frank Guido, M.P.A., R.S.	Assistant Commissioner, Public Health Protection Services
Ada Huang, M.D.	Deputy Commissioner, Disease Control Services
Mary Landrigan, M.P.A.	Director, Health Education and Public Information
Joseph Marcogliese, P.E.	Deputy Commissioner, Environmental Health Services
Belinda Ostrowsky, M.D., M.P.H.	Chief of Section, Communicable Diseases
Alyse Portera, M.S.	Deputy Commissioner, Administration
Renee Recchia, M.P.H.	Assistant Commissioner, Planning and Evaluation
Michael Sakala, P.E.	Assistant Commissioner, Environmental Quality Services

Project Staff Planning and Evaluation

Renee Recchia, M.P.H.
Assistant Commissioner

Jiali Li, Ph.D.
Director of Research and Evaluation

Christopher Benitto, B.A.	Staff Assistant (GIS)
Mary Ellen Bubnis	Senior Control Clerk
Maggie N. Chiu, M.P.H.	Medical Data Analyst I
Stanley Cho, M.P.H.	Program Specialist
Rosemarie Linton, M.P.H.	Research Analyst
Segun Okunoye, M.P.H.	Management Analyst
Rodney Thomas, M.A.	Medical Data Analyst II