

**COUNTY OF WESTCHESTER
ANDREW J. SPANO
COUNTY EXECUTIVE**

**DEPARTMENT OF HEALTH
ANNUAL DATA BOOK
2001**

**JOSHUA LIPSMAN, M.D., M.P.H.
COMMISSIONER OF HEALTH
WESTCHESTER COUNTY DEPARTMENT OF HEALTH
145 HUGUENOT STREET – 8TH FLOOR
NEW ROCHELLE, NY 10801**

To receive additional copies, contact Planning and Evaluation:

Phone: (914) 813-5100

Fax: (914) 813-5044

Or, go to: www.westchestergov.com/health

Westchester County Department of Health

Mission Statement

The mission of Westchester County Department of Health is to promote health, prevent disease and prolong meaningful life for Westchester residents.

The Commissioner of Health is vested with all of the powers and duties necessary under the mandates of the New York State Public Health Law to

- monitor and control the spread of communicable disease,
- monitor and regulate air and water quality,
- enforce the state and local sanitary code,
- promote and ensure local public health activities and
- assure the availability of community health services.

Westchester County Department of Health

Foreword

The Annual Data Book 2001 contains community health data that are valuable for describing the health and well being of Westchester County residents. In addition, the Annual Data Book includes information on services delivered by the Department of Health. The information is presented in statistical tables with illustrative figures and maps. In most instances, the data are presented by demographic characteristics (e.g. age, sex, race). For the first time, this publication includes profiles for the county and each of the six health planning regions, along with narrative highlights.

The Annual Data Book 2001 contains information based on data from the New York State Department of Health, the U.S. Census Bureau, the Westchester County Planning Department, and the Westchester County Department of Health. The following are the principal areas contained in the data book:

For 2000,

- Demographics, including population figures and characteristics,
- Births and Pregnancies, including the numbers of births, birth rates, and demographic characteristics of mothers,
- Deaths, including the numbers of deaths, death rates, leading causes of death and demographic characteristics,
- Hospitalizations, including number of hospital discharges, average length of stay, type of services received, primary diagnosis for hospitalization, and demographic characteristics of patients,

For 2001,

- Communicable Diseases, including the number of communicable diseases reported to the Westchester County Department of Health,
- Community Health Program, including information on the Lead Poisoning Prevention Program and the activities of the Department of Health's community clinics,
- Environmental Health Program, including information on inspections conducted,
- Services for Children with Disabilities, and
- Child Health Plus Enrollment.

Westchester County Municipalities

Health Planning Region and Municipality¹	Code²
Northwest	
Cortlandt Town	T
Buchanan Village	V
Croton-on-Hudson Village	V
Cortlandt Unincorporated	TOV
Mount Pleasant Town	T
Briarcliff Manor Village (Mount Pleasant Part) ²	V
Pleasantville Village	V
Sleepy Hollow Village	V
Mount Pleasant Unincorporated	TOV
Ossining Town	T
Briarcliff Manor Village (Ossining Part) ²	V
Ossining Village	V
Ossining Unincorporated	TOV
Peekskill	C
Northeast	
Bedford Town	T
Lewisboro Town	T
Mount Kisco Town/Village	T/V
New Castle Town	T
North Castle Town	T
North Salem Town	T
Pound Ridge Town	T
Somers Town	T
Yorktown Town	T
West Central	
Greenburgh Town	T
Ardsley Village	V
Dobbs Ferry Village	V
Elmsford Village	V
Hastings-on-Hudson Village	V
Irvington Village	V
Tarrytown Village	V
Greenburgh Unincorporated	TOV
Scarsdale Town/Village	T/V
White Plains	C

Health Planning Region and Municipality¹ **Code²**

East Central	
Harrison Town/Village	T/V
Mamaroneck Town	T
Larchmont Village	V
Mamaroneck Village (Mamaroneck Part) ³	V
Mamaroneck Unincorporated	TOV
Rye City	C
Rye Town	T
Mamaroneck Village (Rye Part) ³	V
Port Chester Village	V
Rye Brook Village	V
Southwest	
Yonkers	C
Southeast	
Eastchester Town	T
Bronxville Village	V
Tuckahoe Village	V
Eastchester Unincorporated	TOV
Mount Vernon	C
New Rochelle	C
Pelham Town	T
Pelham Village	V
Pelham Manor Village	V

¹ For regional planning purposes, municipalities are grouped into six geographic health planning regions.

² A town may or may not include incorporated villages located within the town boundary. When it does not include any incorporated villages within the town boundary, the statistics refer to the town as a whole (T). When it does include incorporated villages within its boundary, the statistics refer to the unincorporated area within the town boundary (TOV). The entities of Harrison, Mount Kisco, and Scarsdale are both towns and villages (V/T). The land in two towns, Pelham and Rye, has all been incorporated into separated villages. Therefore, no data are reported for these two towns.

³ The Village of Briarcliff Manor and the Village of Mamaroneck are split between two towns. Briarcliff Manor is within the Town of Ossining (92% of its surface area and 91% of its population) and the Town of Mount Pleasant (8% of its surface area and 9% of its population). The Village of Mamaroneck is within the Town of Mamaroneck (66% of its surface area and 60% of its population) and the Town of Rye (35% of its surface area and 40% of its population).

MUNICIPALITIES AND HEALTH PLANNING REGIONS WESTCHESTER COUNTY




Table of Contents

Foreword	i
Westchester County Municipalities	ii
List of Tables	vi
List of Figures/Maps	xi
Westchester County and Health Planning Region Profiles.....	1
Population: Demographic Profile	17
Population: Health Status Profile	28
<i>Births and Pregnancies</i>	29
<i>Deaths</i>	34
<i>Morbidity</i>	36
Tables.....	49
Appendices.....	141
<i>Data Sources and Definitions</i>	142
<i>Data Analysis and Significance Test</i>	148
<i>The International Classification of Diseases (ICD): Codes for Selected Diseases</i>	149
<i>Westchester County Hospitals</i>	150
<i>Westchester County Department of Health’s District Offices</i>	152
<i>Westchester County Board of Health</i>	153
<i>Westchester County Department of Health - Administrative Staff</i>	154
<i>Westchester County Department of Health - Project Staff</i>	155

List of Tables

Population: Demographic Profile

Table 1	Population and Population Density, Westchester County, 1980-2000	50
Table 2	Population by Age, Westchester County, 2000	51
Table 3	Female Population by Age, Westchester County, 2000	53
Table 4	Male Population by Age, Westchester County, 2000	55
Table 5	Population by Race and Ethnicity, Westchester County, 2000	57
Table 6	Number of Children Under 18 by Living Arrangement, Westchester County, 2000	58
Table 7	Educational Attainment, Population 25 Years and Over, Westchester County, 2000	59
Table 8	Labor Force Participation and Unemployment Rate, Population 16 Years and Over, Westchester County, 2000	60
Table 9	Number and Percent of Population Below Poverty Level, Westchester County, 1999	61
Table 10	Immigration and Language Spoken at Home, Westchester County, 2000	62
Table 11	Number of Households and Families by Type and Overcrowded Households, Westchester County, 2000	63

Population: Health Status Profile

Births and Pregnancies

Table 12	Total Number of Births and Birth Rates, Westchester County, 2000	64
Table 13	Average Maternal Age and Percentage of Infants Born with Low Birthweight, Less Than 38 Weeks of Gestation, and Late or No Prenatal Care, Westchester County, 2000	65
Table 14	Number of Births by Mother's Age and Race/Ethnicity, Westchester County, 2000	66
Table 15	Number of Births by Birthweight, Race/Ethnicity, and Mother's Age, Westchester County, 2000	67
Table 16	Number of Infants by Birthweight and Maternal Exposure to Smoking and Drug Use During Pregnancy, by Race/Ethnicity, Westchester County, 2000	68
Table 17	Average Birthweight by Maternal Exposure to Smoking and Drug Use During Pregnancy by Race/Ethnicity, Westchester County, 2000	69

Table 18	Number of Births by Time Starting Prenatal Care, Race/Ethnicity, and Mother's Age, Westchester County, 2000	70
Table 19	Number of Total Pregnancies, Live Births, Spontaneous Fetal Deaths, and Induced Abortions by Maternal Age, Westchester County, 2000	71

Deaths

Table 20	Total Number of Deaths and Death Rates, Westchester County, 1999-2000	72
Table 21	Number of Deaths and Death Rates by Age Group and Sex, Average Age of Death by Sex, Westchester County, 2000	73
Table 22	Number of Deaths and Death Rates by Age Group and Race/Ethnicity, Average Age of Death by Race/Ethnicity, Westchester County, 2000	74
Table 23	Number of Infant Deaths and Infant Mortality Rates, Westchester County, 2000	75
Table 24	Number of Infant Deaths and Infant Mortality Rates by Race/Ethnicity, Westchester County, 2000	76
Table 25	Number of Deaths and Death Rates by Selected Causes and Sex, Westchester County, 2000	77
Table 26	Number of Deaths and Death Rates by Selected Causes and Age Group, Westchester County, 2000	78
Table 27	Number of Deaths and Death Rates by Selected Causes and Race/Ethnicity, Westchester County, 2000	79
Table 28	Five Leading Causes of Death by Health Planning Region, Westchester County, 2000	80
Table 29	Number of Deaths Due to Cardiovascular Diseases by Age Group and Sex, Westchester County, 2000	81
Table 30	Number of Deaths Due to Cardiovascular Diseases by Race/Ethnicity, Westchester County, 2000	82
Table 31	Number of Deaths Due to Malignant Neoplasms by Age Group and Sex, Westchester County, 2000	83
Table 32	Number of Deaths Due to Malignant Neoplasms by Race/Ethnicity, Westchester County, 2000	84

Morbidity: Hospitalizations

Table 33	Total Number of Hospital Discharges and Average Length of Stay by Sex and Age, Westchester County Residents, 2000	85
Table 34	Total Number of Hospital Discharges, Number of Patient Days, and Average Length of Stay by Major Hospitals, Westchester County Residents, 2000	86
Table 35	Total Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2000	87

Table 36	Average Length of Stay by Service Category and Hospital, Westchester County Residents, 2000	88
Table 37	Number of Hospital Discharges by Selected Primary Diagnosis and Sex, Westchester County Residents, 2000	89
Table 38	Number of Hospital Discharges by Selected Primary Diagnosis and Race/Ethnicity, Westchester County Residents, 2000	90
Table 39	Total Hospital Discharges and Average Length of Stay Due to Cardiovascular and Other Diseases of the Circulatory System by General Diagnosis Category, Westchester County Residents, 2000	91
Table 40	Total Hospital Discharges and Average Length of Stay Due to Cardiovascular and Other Diseases of the Circulatory System by Age and Sex, Westchester County Residents, 2000	92
Table 41	Total Hospital Discharges and Average Length of Stay Due to Cardiovascular and Other Diseases of the Circulatory System by Age and Race/Ethnicity, Westchester County Residents, 2000	93
Table 42	Total Hospital Discharges and Average Length of Stay Due to Neoplasms by General Diagnosis Category, Westchester County Residents, 2000	94
Table 43	Total Hospital Discharges and Average Length of Stay Due to Neoplasms by Age and Sex, Westchester County Residents, 1999	95
Table 44	Total Hospital Discharges and Average Length of Stay Due to Neoplasms by Age and Race/Ethnicity, Westchester County Residents, 2000	96
Table 45	Total Hospital Discharges and Average Length of Stay Due to Chronic Obstructive Pulmonary Disease by General Diagnosis Category, Westchester County Residents, 2000	97
Table 46	Total Hospital Discharges and Average Length of Stay Due to Chronic Obstructive Pulmonary Disease by Age and Sex, Westchester County Residents, 2000	98
Table 47	Total Hospital Discharges and Average Length of Stay Due to Chronic Obstructive Pulmonary Disease by Age and Race, Westchester County Residents, 2000	99
Table 48	Total Hospital Discharges and Average Length of Stay Due to Asthma by Age and Sex, Westchester County Residents, 2000	100
Table 49	Total Hospital Discharges and Average Length of Stay Due to Asthma by Age and Race/Ethnicity, Westchester County Residents, 2000	101
Table 50	Total Hospital Discharges and Average Length of Stay Due to Diabetes by Age and Sex, Westchester County Residents, 2000	102
Table 51	Total Hospital Discharges and Average Length of Stay Due to Diabetes by Age and Race/Ethnicity, Westchester County Residents, 2000	103
Table 52	Total Hospital Discharges and Average Length of Stay Due to Chronic Liver Disease and Cirrhosis by Age and Sex, Westchester County Residents, 2000	104

Table 53	Total Hospital Discharges and Average Length of Stay Due to Chronic Liver Disease and Cirrhosis by Age and Race/Ethnicity, Westchester County Residents, 2000	105
Table 54	Total Hospital Discharges and Average Length of Stay Due to AIDS by Age and Sex, Westchester County Residents, 2000	106
Table 55	Total Hospital Discharges and Average Length of Stay Due to AIDS by Age and Race/Ethnicity, Westchester County Residents, 2000	107
Table 56	Total Hospital Discharges and Average Length of Stay and Average Length of Stay Due to Injuries by Etiology and Age, Westchester County Residents, 2000	108
Table 57	Total Hospital Discharges and Average Length of Stay Due to Injuries by Etiology and Sex, Westchester County Residents, 2000	109
Table 58	Total Hospital Discharges and Average Length of Stay Due to Injuries by Etiology and Race/Ethnicity, Westchester County Residents, 2000	110
Table 59	Total Hospital Discharges and Average Length of Stay Due to Injuries by Age and Sex, Westchester County Residents, 2000	111
Table 60	Total Hospital Discharges and Average Length of Stay Due to Injuries by Age and Race/Ethnicity, Westchester County Residents, 2000	112

Morbidity: Selected Diseases

Table 61	Cases and Rates of Reportable Diseases 1999 – 2001, Westchester County, 2001	113
Table 62	Confirmed Cases and Rates of Sexually Transmitted Diseases, Westchester County, 2001	114
Table 63	Confirmed Cases of Chlamydia by Age, Sex, and Race/Ethnicity, Westchester County, 2001	115
Table 64	Confirmed Cases of Gonorrhea by Age, Sex, and Race/Ethnicity, Westchester County, 2001	116
Table 65	Confirmed Cases and Rates of Tick-Borne Diseases, Westchester County, 2001	117
Table 66	Confirmed Cases of Lyme Disease by Age and Sex, Westchester County, 2001	118
Table 67	Confirmed Cases of Ehrlichiosis by Age and Sex, Westchester County, 2001	118
Table 68	Confirmed Cases and Rates of Major Enteric Infections, Westchester County, 2001	119
Table 69	Number of Tuberculosis Cases and Contacts, Westchester County, 1995-2001	120
Table 70	AIDS Cases by Year of Diagnosis by Sex, Westchester County Residents, Cases Reported through December 31, 2000	121
Table 71	AIDS Cases by Year of Diagnosis by Race/Ethnicity, Westchester County Residents, Cases Reported through December 31, 2000	122
Table 72	AIDS Cases by Year of Diagnosis by Risk, Westchester County Residents, Cases Reported through December 31, 2000	123

Other

Table 73	Childhood Lead Poisoning Prevention Program: Number of Screening Tests Conducted, Children Confirmed Positive, and Lead Registry Cases, Westchester County, 2001	124
Table 74	Number of Patients Served at Westchester County Department of Health District Offices and Certified Home Health Program by Age, Sex, and Race/Ethnicity, 1/1/2001 - 12/31/2001	125
Table 75	Clinic Sessions and Patient Visits by District Office, Westchester County Department of Health, 2001	126
Table 76	Patients and Visits to Dental Clinics by District Office and Patient Age Group, Westchester County, 2001	127
Table 77	Patients and Visits to Family Planning Clinics by District Office and Patient Age Group, Westchester County, 2001	128
Table 78	Patients and Visits to Sexually Transmitted Disease Clinics by District Office and Patient Age Group, Westchester County, 2001	129
Table 79	Patients and Visits to Tuberculosis Clinics by District Office and Patient Age Group, Westchester County, 2001	130
Table 80	Number of Home Health Visits by District Office, Westchester County, 2001	131
Table 81	Number of Vaccines Administered at District Offices and Influenza / Special Epidemic Clinics, Westchester County, 2001	132
Table 82	Number of Animals Confirmed Rabid, Westchester County, 1991-2001	133
Table 83	Number of Animals Confirmed Rabid by Type of Animal and Rabies Post-Exposure Treatment Administered, Westchester County, 1991-2000	134
Table 84	West Nile Virus - Dead Bird and Mosquito Surveillance, Westchester County, 2001	135
Table 85	Public Health Protection: Inspections by Program, Westchester County Department of Health, 2001	136
Table 86	Public Health Protection: Facility Permits Issued, Westchester County Department of Health, 2001	137
Table 87	Environmental Quality Inspections by Program, Westchester County Department of Health, 2000	138
Table 88	Services for Children with Disabilities: Number of Children Served, Westchester County Department of Health, 2001	139
Table 89	Child Health Plus Enrollment, Westchester County, June 2000-September 2001	140

List of Figures and Maps

Figures in Profiles

Population Characteristics, Westchester County, 2000	3
Vital Statistics Indicators, Westchester County, 2000	4
The Infection Rates of Selected Diseases, Westchester County, 2001	4
Comparison of Population Characteristics of the Northwest HPR with Overall Westchester County, 2000	5
Comparison of Vital Statistics of the Northwest HPR with Overall Westchester County, 2000	6
Comparison of Infection Rates of Selected Diseases of the Northwest HPR with Overall Westchester County, 2001	6
Comparison of Population Characteristics of the Northeast HPR with Overall Westchester County, 2000	7
Comparison of Vital Statistics of the Northeast HPR with Overall Westchester County, 2000	8
Comparison of Infection Rates of Selected Diseases of the Northeast HPR with Overall Westchester County, 2001	8
Comparison of Population Characteristics of the West Central HPR with Overall Westchester County, 2000	9
Comparison of Vital Statistics of the West Central HPR with Overall Westchester County, 2000	10
Comparison of Infection Rates of Selected Diseases of the West Central HPR with Overall Westchester County, 2001	10
Comparison of Population Characteristics of the East Central HPR with Overall Westchester County, 2000	11
Comparison of Vital Statistics of the East Central HPR with Overall Westchester County, 2000	12
Comparison of Infection Rates of Selected Diseases of the East Central HPR with Overall Westchester County, 2001	12
Comparison of Population Characteristics of the Southwest HPR with Overall Westchester County, 2000	13
Comparison of Vital Statistics of the Southwest HPR with Overall Westchester County, 2000	14
Comparison of Infection Rates of Selected Diseases of the Southwest HPR with Overall Westchester County, 2001	14
Comparison of Population Characteristics of the Southeast HPR with Overall Westchester County, 2000	15
Comparison of Vital Statistics of the Southeast HPR with Overall Westchester County, 2000	16
Comparison of Infection Rates of Selected Diseases of the Southeast HPR with Overall Westchester County, 2001	16

Figures in Text

Figure 1	Population Distribution by Health Planning Region, Westchester County, 2000	18
Figure 2	Population Density by Municipality, Westchester County, 2000	19
Figure 3	Distribution of Age Groups by Sex, Westchester County, 2000	20
Figure 4	Percent Distribution of Race by Health Planning Region, Westchester County, 2000	20
Figure 5	Percent Distribution of Hispanic Ethnicity by Health Planning Region, Westchester County, 2000	21
Figure 6	Percent of Single-Mother Families Among All Families with Children Under 18 by Health Planning Region, Westchester County, 2000	22
Figure 7	Percent Distribution of Educational Attainment by Health Planning Region, Westchester County, 2000	23
Figure 8	Unemployment Rate by Health Planning Region, Westchester County, 2000	24
Figure 9	Poverty Rate by Health Planning Region, Westchester County, 1999	25
Figure 10	Percent of Population of New Immigrants by Health Planning Region, Westchester County, 2000	26
Figure 11	Percent Distribution of New Immigrants by Health Planning Region, Westchester County, 2000	26
Figure 12	Percentage of Overcrowded Households by Health Planning Region, Westchester County, 2000	27
Figure 13	Birth Rates by Health Planning Region, Westchester County, 2000	29
Figure 14	Percent Distribution of Births by Maternal Age, Westchester County, 2000	29
Figure 15	Percent Distribution of Births by Maternal Age and Race/Ethnicity, Westchester County, 2000	30
Figure 16	Percent of Infants with Low Birthweight by Race/Ethnicity, Westchester County, 2000	31
Figure 17	Average Birthweight of Infants by Mother's Risk Behavior During Pregnancy, Westchester County, 2000	31
Figure 18	Percent of Mothers Who Delayed or Did Not Seek Prenatal Care by Maternal Age, Westchester County, 2000	32
Figure 19	Percent of Mothers Who Delayed or Did Not Seek Prenatal Care by Race/Ethnicity, Westchester County, 2000	33
Figure 20	Infant Mortality by Race/Ethnicity, Westchester County, 2000	34
Figure 21	Percent Distribution of Deaths by Selected Causes by Sex, Westchester County, 2000	35

Figure 22	Percent Distribution of Hospital Discharges by Service Category, Westchester County, 2000	36
Figure 23	Percent Distribution of Hospital Discharges Due to Cardiovascular and Other Diseases of the Circulatory System, by General Diagnosis, Westchester County, 2000	37
Figure 24	Percentage Distribution of Hospital Discharges Due to Cardiovascular and Other Circulatory Diseases, by Age and Race/Ethnicity, Westchester County Residents, 2000	38
Figure 25	Percentage Distribution of Hospital Discharges Due to Neoplasms by General Diagnosis Category, Westchester County Residents, Westchester County, 2000	38
Figure 26	Percent Distribution of Hospital Discharges Due to Neoplasms by Age and Race/Ethnicity, Westchester County, 2000	39
Figure 27	Percentage Distribution of Hospital Discharges Due to Injuries by Etiology, Westchester County, 2000	40
Figure 28	Percentage Distribution of Hospital Discharges Due to Injury by Top Five Causes by Race, Westchester County, 2000	40
Figure 29	Percentage Distribution of Asthma Related Hospital Discharges by Race, Westchester County Residents, 2000	41
Figure 30	Percentage Distribution of HIV/AIDS Related Hospital Discharges by Race, Westchester County, 2000	42
Figure 31	Reported Rates of Sexually Transmitted Diseases (STD) by Health Planning Region, Westchester County, 2001	43
Figure 32	Reported Rates of Chlamydia by Race/Ethnicity and Sex, Westchester County, 2001	44
Figure 33	Reported Rates of Gonorrhea by Race/Ethnicity and Sex, Westchester County, 2001	44
Figure 34	Reported Rates of Enteric Disease by Health Planning Region, Westchester County, 2001	45
Figure 35	Reported Rates of Tick-Borne Diseases by Health Planning Region, Westchester County, 2001	46
Figure 36	Proportion of AIDS Cases by Year of Diagnosis and Sex, Westchester County Residents, 2000	47
Figure 37	Proportion of AIDS Cases by Year of Diagnosis and Race/Ethnicity, Westchester County Residents, 2000	47
Figure 38	Proportion of AIDS Cases by Year of Diagnosis and Risk, Westchester County Residents, 2000	48

Maps

Municipalities and Health Planning Regions, Westchester County	iv
Population Density by Municipality, Westchester County, 2000	19
Westchester County Hospitals, 2002	151

Westchester County and Health Planning Region (HPR) Profiles

Introduction


The profile of Westchester County offers a summary of the county's general population characteristics and basic vital statistics in 2000. In addition, the profile presents the rates of selected reportable diseases that have the highest number of reported cases in the County in 2001.

Following the County profile is a profile for each of the six Health Planning Regions (HPRs). Each HPR profile includes the same indicators contained in the County profile. The HPR profile compares each HPR indicator with the countywide figure. The data are all presented as a ratio (HPR indicator value/county indicator value). A ratio greater than 1.0 means that the specific indicator is above the overall county figure and a ratio less than 1.0 means that the specific indicator is below the county figure. These differences may or may not be significantly different. Significance tests were performed for all the indicators presented in the profiles. Only statistically significant differences, defined as a p-value less than .05 ($p < 0.05$) are highlighted as bulleted points in the narrative section of the profile unless noted otherwise.

Westchester County

2000 Population Characteristics

- The population density of Westchester County is 2,050 persons per square mile.
- About 60% of Westchester County residents are between ages 20 to 64 years. About a quarter of the population is less than 20 years and 14.0% of the population is aged 65 years and above.
- The majority (71.4%) of the county’s population is white. Less than 15% of the county’s population is black. Asian and Pacific Islanders comprise 4.5% of the population.
- Of persons aged 25 years and older, 16.5% have less than a high school education. Nearly half of the population aged 25 years and older has a college or higher degree.
- Less than 9% of Westchester County residents lived below poverty in 1999.
- The unemployment rate is 4.4%.
- Six percent of the households are considered to be overcrowded, defined as housing units with more than one person per room.



¹May be of any race

²Population ages 25 years and older

³Percent for the year 1999


⁴Population ages 16 years and older

⁵Overcrowded household is defined as housing units with more than one person per room by the U.S. Department of Housing and Urban Development

Westchester County

2000 Vital Statistics

- A total of 13,283 infants were born to Westchester County residents in 2000. The birth rate in the year 2000 was 14.4 per 1,000 persons.
- About a quarter of the infants were born to mothers who delayed or sought no prenatal care.
- The death rate was 8.0 per 1,000 persons.
- The infant mortality rate was 4.9 per 1,000 live births.




¹Per 1,000 population

²Late prenatal care is defined as starting the prenatal care during the 2nd or 3rd trimester.

³Per 1,000 live births

2001 Selected Reportable Diseases


- The rate of Chlamydia infection among Westchester County residents was 125.2 per 100,000 persons in 2001. The infection rate of Gonorrhea was 39.7 per 100,000 persons.
- For vector-borne diseases, the infection rate of Lyme disease was 44.0 per 100,000 persons and the reported rate of Ehrlichiosis was 4.8 per 100,000 persons.
- For enteric infections, the rates of Salmonellosis and Giardiasis were less than 20 per 100,000 persons, and for Campylobacteriosis, the rate was 8.7 per 100,000.



Northwest Health Planning Region (HPR)

2000 Population Characteristics

- The Northwest HPR is less populated than the county as a whole.
- The percentage of persons ages 20-64 is higher than that of the overall county. The percentage of persons ages 65 years and older is lower than that of the overall county.
- There is a higher percentage of whites in the HPR than in the overall county and lower percentages of blacks (10.6% vs. 14.2%) and Asians and Pacific Islanders (3.3% vs. 4.5%) in the HPR than in the county.
- The percentage of population below the poverty level (7.1%) and the unemployment rate (3.8%) are lower than the overall county figures.
- The percentage of overcrowded households (4.8%) is lower than that of the overall county.




*p<0.05

Northwest HPR

2000 Vital Statistics


- The infant mortality rate was 22% higher than that of the overall county (6.0 vs. 4.9 per 1,000 births). However, the difference is not statistically significant.
- The percentage of mothers who delayed or sought no prenatal care was lower than that of the overall county (22.5% vs. 26.4%).



*p<0.05

2001 Selected Reportable Diseases

- The infection rate of Ehrlichiosis was higher than that of the overall county (7.8 vs. 4.8 per 100,000). However, the difference is not statistically significant.
- The infection rate of Lyme disease was 71% higher than that of the overall county (75.4 vs. 44.0 per 100,000).
- The infection rates of Gonorrhea and Chlamydia were lower than the overall county rates (21.3 vs. 39.7 per 100,000 and 76.8 vs. 125.2 per 100,000).
- The infection rate of Salmonellosis was higher than the overall county rates (24.9 vs. 16.4 per 100,000). Although the infection rate of Giardiasis was 31% higher than that of the overall county, the difference is not statistically significant. The infection rate of Campylobacteriosis was lower than the overall county rate (5.0 vs. 8.7 per 100,000), though not statistically significant.




*p<0.05

Northeast Health Planning Region (HPR)

2000 Population Characteristics

- The Northeast HPR is less populated than Westchester County overall (556 vs. 2,050 persons per square mile).
- The percentage of persons under the age of 20 is higher (29.3%) and the percentage of the persons aged 65 years and older is lower (12.3%) than the overall county figures.
- The percentage of blacks in the Northeast HPR is 80% lower than that of Westchester County overall (3.0% vs. 14.2%) while the percentage of whites is 27% higher than that of the county (90.9% vs. 71.4%).
- The educational attainment in the Northeast HPR is higher than that of the overall county, as shown in the higher proportion of people with college or higher degrees and lower proportions of people with less than a high school or a high school education.
- The poverty and unemployment rates are lower than those of the overall county (3.5% vs. 8.8% and 2.3% vs. 4.4%).
- The percentage of overcrowded households is lower than that of the overall county.




*p<0.05

Northeast HPR

2000 Vital Statistics


- The birth rate (13.5 per 1,000) was lower than the county average.
- The percentage of infants born to mothers who delayed or sought no prenatal care was less than the countywide figure (13.6% vs. 26.4%).
- The death rate (6.3 per 1,000) was 21% lower than the overall county (8.0 per 1,000).
- Infant mortality rate was higher than the county overall (5.5 vs. 4.9 per 1,000 live births), though not statistically significant.



*p<0.05

2001 Selected Reportable Diseases

- The infection rates of Ehrlichiosis and Lyme disease were higher in the Northeast HPR (17.2 vs. 4.8 per 100,000 and 144.7 vs. 44.0 per 100,000).
- The infection rates of Syphilis, Gonorrhea, and Chlamydia were lower than the overall county rates (1.5 vs. 7.0 per 100,000, 8.2 vs. 39.7 per 100,000 and 38.2 vs. 125.2 per 100,000).
- The infection rate of Campylobacteriosis was 46% higher than the overall county rate but the difference is not statistically significant.




*p<0.05

West Central Health Planning Region (HPR)

2000 Population Statistics

- The West Central HPR is more populated than the overall county (3,355 vs. 2,050 persons per square mile).
- The percentage of Asian and Pacific Islanders in this HPR is 73% higher than that of the county.
- The percentages of the population aged 25 years and above with an educational attainment of less than high school or a high school diploma are lower than those of the county. The percentage of the population that has a college or higher degree is higher than that of the county.
- The poverty rate, unemployment rate, and percentage of overcrowded households are lower than the countywide figures.




*p<0.05

West Central HPR

2000 Vital Statistics


- The birth rate was lower than the overall county rate.
- The percentage of infants born to mothers who delayed or sought no prenatal care was significantly lower than that of the overall county (23.4% vs. 26.4%).
- The death rate and infant mortality rate were lower than the overall county rates. However, both differences are not statistically significant.



*p<0.05

2001 Selected Reportable Diseases

- The infection rates of vector-borne diseases were lower than the overall county rates. However, the differences are not statistically significant.
- The infection rate of Syphilis was 54% higher than the overall county rate, though not statistically significant. The infection rates of Gonorrhea and Chlamydia were significantly lower than the overall county rates (22.8 vs. 39.7 per 100,000 and 85.0 vs. 125.2 per 100,000).
- The infection rates of Giardiasis and Campylobacteriosis were statistically higher than the overall county rates (22.2 vs. 14.7 per 100,000 and 14.6 vs. 8.7 per 100,000).




*p<0.05

East Central Health Planning Region (HPR)

2000 Population Characteristics

- The East Central HPR is more populated than the overall county (3,002 vs. 2,050 persons per square mile).
- There are higher percentages of whites and Hispanics in the East Central HPR (82.3% vs. 71.4% and 17.7% vs. 15.6%). However, the percentage of blacks (3.2%) is lower than that of the county (14.2%).
- The proportions of people with less than a high school education, a high school diploma, and some college education but no degree are lower than the overall county figures. The proportion of people with college or higher degree is higher than the overall county figure.
- The poverty rate, the unemployment rate, and the percentage of overcrowded households are lower than those of the overall county.




*p<0.05

East Central HPR


2000 Vital Statistics

- The infant mortality rate was 24% lower than that of the county as a whole, though not statistically significant.



2001 Selected Reportable Diseases

- There were no reported cases of Ehrlichiosis in the East Central HPR in 2001. The infection rate of Lyme disease was 67% lower than the overall county rate (14.3 vs. 44.0 per 100,000).
- The infection rate of Syphilis was 23% lower than the overall county rate though not statistically significant. The rates of Chlamydia and Gonorrhea were lower than those of the overall county.
- The infection rates of Salmonellosis and Campylobacteriosis were lower than the overall county rates. The infection rate of Giardiasis was higher than the overall county rate. However, the differences for all three diseases are not statistically significant.




*p<0.05

Southwest Health Planning Region (HPR)

2000 Population Characteristics

- The population density in the Southwest HPR is more than five times that of the overall county (10,657 vs. 2,050 persons per square mile).
- The percentage of whites residing in the Southwest HPR is 16% lower than that of the overall county. The percentage of blacks and Hispanics residing in this HPR are higher than the county as a whole.
- The educational attainment among persons in this HPR is generally lower than that of the overall county. This is shown by the higher proportions of people with less than a college degree and the lower proportion of people with a college or higher degree.
- The poverty rate, unemployment rate, and percentage of overcrowded households are all higher than those of the county.




*p<0.05

Southwest HPR

2000 Vital Statistics


- The birth rate (15.5 per 1,000) and death rate (8.7 per 1,000) were higher than the overall county rates.
- The percentage of infants born to women who delayed or sought no prenatal care (39.9%) was higher in the HPR than in the county as a whole (26.4%).
- The infant mortality rate was 21% higher than that of the county. However, the difference is not statistically significant.



*p<0.05

2001 Selected Reportable Diseases

- The infection rates of Ehrlichiosis and Lyme disease were lower than the overall county rates.
- The infection rates of Gonorrhea and Chlamydia were higher than the overall county rates.
- The infection rates of Campylobacteriosis and Giardiasis were lower than those for the county, although the differences are not statistically significant.




*p<0.05

Southeast Health Planning Region (HPR)

2000 Population Characteristics

- The population density in the Southeast HPR is more than four times that of the county (8,390 vs. 2,050 persons per square mile).
- The percentage of blacks residing in this HPR is over two times that of the county as a whole. The percentages of all other races/ethnicities are lower than in the county.
- The educational attainment in this HPR is generally lower than that of the overall county. The proportions of people with less than a high school education and a high school diploma are significantly higher than the overall county figures. The proportion of people with a college or higher degree is significantly lower than the county average.
- The poverty rate (10.4%), unemployment rate (5.0%), and percentage of overcrowded households (7.2%) are higher than those of the overall county (8.8%, 4.4%, and 6.0%, respectively).




*p<0.05

Southeast HPR

2000 Vital Statistics


- The death rate (8.9 per 100,000) was 11% higher than the overall county rate.
- The percentage of infants born to women who delayed or sought no prenatal care (23.4%) was 11% lower than that of the overall county.



*p<0.05

2001 Selected Reportable Diseases

- There were no reported cases of Ehrlichiosis in the Southeast HPR in 2001. The infection rate of Lyme disease was lower than the overall county rate (7.1 vs. 44.0 per 100,000).
- The infection rate of Syphilis was 17% higher than the overall county rate, though not statistically significant. The infection rates of Gonorrhea and Chlamydia were nearly twice the rates for the county.
- The infection rates of the three enteric diseases were lower than the overall county rates. However, the differences for Salmonellosis and Campylobacteriosis are not statistically significant.




*p<0.05

Population: Demographic Profile


Land Area and Population Distributions

- Westchester County encompasses a total area of 450.5 square miles. The county has been divided into six Health Planning Regions (HPRs) by the Westchester County Department of Health based on their demographic profiles and utilization patterns.
- According to the 2000 U.S. Census, 923,459 people reside in Westchester County: 21.2% resides in the Southwest HPR, 19.9% resides in the Southeast HPR and 17.1% resides in the West Central HPR. 15.2%, 14.4%, and 12.1% resides in the Northwest, Northeast, and East Central HPRs, respectively (Figure 1).



- The Northeast HPR with the second smallest population occupies the largest land area, containing over half (53.2%) of the total land area in the county. Conversely, the Southwest HPR, containing only one municipality and the largest population of all HPRs, occupies the smallest land area in the county, representing 4.1% of the county land area.
- The Southwest HPR has the highest population density, and the Northeast HPR has the lowest population density.
- Individual municipalities with the highest population densities are Mount Vernon (15,541 people/square mile) and Tuckahoe (10,352 people/square mile) both in the Southeast HPR, Yonkers (10,657 people/square mile) in the Southwest HPR, and Port Chester (11,611 people/square mile) in the East Central HPR. Pound Ridge, in the Northeast HPR, has the lowest population density in the county (204 people/square mile) (Figure 2).

Fig. 2 POPULATION DENSITY BY MUNICIPALITY
WESTCHESTER COUNTY, 2000




Source: 2000 Census

- In the last decade, the population of Westchester County has increased by almost 6%. During this ten-year period, each HPR has increased in population. The Northeast HPR had the greatest increase in population (8.4%). Individual municipalities which have undergone the largest population increases are Elmsford (18.7%) in the West Central HPR, Peekskill, Sleepy Hollow, and Buchanan in the Northwest HPR (14.9%, 13.0%, and 11.1%, respectively), Somers (13.1%) in the Northeast HPR, Port Chester (12.7%) and Rye Brook (10.8%) in the East Central HPR.

Age and Sex Distributions


- There are slightly more males than females for the age groups 0-9 and 10-19 (Figure 3).



- The sex distribution of persons aged 20-29 is even, with similar numbers of men and women.
- The number of women exceeds the number of men in all other age groups, especially persons aged 70 years and older.


Race and Ethnicity

- Westchester County is predominantly white (71.3%). People of other races represent smaller proportions of the county's population (Figure 4).



- Representation of persons of color varies by HPR. The Southeast HPR has the highest proportion of blacks (30.5%), much higher than the county average (14.2%). The proportion of blacks is 16.6% in the Southwest HPR, 12.7% in the West Central HPR, and 10.6% in the Northwest HPR. The proportions of blacks in the Northeast and the East Central HPRs are 3.0% and 3.2%, respectively.
- The West Central HPR has the highest proportion of Asian and Pacific Islanders (7.8%). The county average is 4.5%.
- Compared with the county average of 15.6% (Figure 5), the proportion of Hispanics in the Southwest HPR is much higher (25.9%). The proportion of Hispanics in the Northeast HPR is much lower (6.0%) than the county.


**Figure 5. Percent Distribution of Hispanic Ethnicity
By Health Planning Region
Westchester County, 2000**



*Hispanic may be of any race
Source: 2000 Census

Family Structure


- Among the 337,142 households in Westchester County in 2000, 70.0% were family households, with at least two related people living together.
- About half of all the family households have children under 18.
- Single mothers head about one-fifth (18.5%) of the families with own children under 18 (Figure 6).



- The proportion of single mother families varies by Health Planning Region. The Southwest HPR has the highest proportion of single mother families; single mothers head almost one-third of the families with own children under 18. On the other hand, the Northeast HPR has less than 10% of single mother families among families with own children under 18.

Educational Attainment


- The majority of Westchester County residents have received at least a high school education by age 25 (83.6%) (Figure 7). In the Northeast and West Central HPRs, approximately 90% of the population aged 25 years and older has at least a high school education. Yet only 76.7% of the population in the Southwest HPR has obtained a high school or higher education.



- Almost half (46.4%) of the people have at least an associate degree by age 25. In the Northeast and West Central HPRs, the proportions of people with at least an associate degree are almost 60%. In the East Central HPR, about half of the people aged 25 years and older have at least an associate degree. However, only about 30% of the people 25 years and over in the Southwest HPR have at least an associate degree.
- Only 16.4% of people who are 25 years and older do not have a high school diploma in Westchester County. The proportion of people with less than a high school education is the highest in the Southwest HPR (23.3%) and the lowest in the Northeast HPR (8.8%).

Employment


- Among Westchester County residents who are at least 16 years of age, 63.2% was in the civilian labor force (nonmilitary employment).
- Less than 5% of the people in the labor force were unemployed in 2000 (Figure 8).



- The unemployment rate is the highest in the Southwest HPR (6.7%) and the lowest in the Northeast HPR (2.3%).

Poverty Rate


- According to the definition of the U.S. Census Bureau, less than 9% of Westchester County residents lived in families with a combined income below the federal poverty level in 1999 (Figure 9).




- The Southwest and Southeast HPRs have the highest proportions of people living in poverty (15.5% and 10.4%, respectively).
- The Northeast HPR has the lowest proportion of residents living in poverty (3.5%).

Immigration and Language Spoken at Home

- About 9% of Westchester County residents were new immigrants who arrived at the United States after 1990 (Figure 10).




- The Northeast HPR had the lowest proportion of new immigrants (3.5%) in its population.
- The proportion of new immigrants in the East Central HPR is about 11.7%.
- Among all the new immigrants who arrived at the U.S. after 1990, a large proportion lives in the Southeast and Southwest HPRs, with 22.4% and 22.7% respectively. Only 6.0% of the new immigrants live in the Northeast HPR (Figure 11).



- Over a quarter (28.4%) of Westchester County residents (ages 5 years and over) speaks another language at home. For the Southwest HPR, the proportion of people (ages 5 years and over) speaking another language is 39.0%.

Overcrowded Households in Westchester County

- Overall, 6.0% of Westchester County households are overcrowded, as defined by the U.S. Department of Housing and Urban Development as housing units with more than one person per room (Figure 12).




- The proportion of overcrowded households varies by HPR. In the Northeast HPR, less than 2% of the households are overcrowded; in the Southwest HPR, this proportion is as high as 9.9%. The Northwest, West Central, and East Central HPRs have approximately equal proportions of overcrowded households (about 5%). In the Southeast HPR, 7.2% of the households are overcrowded.

**Population:
Health Status Profile**


Births and Pregnancies

Births and Birth Rates

- In 2000, a total of 13,283 infants were born to Westchester County residents, with a birth rate of 14.4 per 1,000 people (Figure 13).




- The average maternal age at birth is 30.5 years. However, mothers in the Southwest HPR are 2 years younger (28.5) and mothers in the Northeast HPR are about 2 years older (32.8) than the county average.
- Over half of the children born in 2000 were born to mothers aged 25-34. About 5% of the children were born to teenage mothers (Figure 14).



- Among children born to white women, 11.2% was born to women aged 20-24; one fifth was born to women aged 25-29; over a third was born to women aged 30-34; almost a quarter was born to women aged 35-39; less than 5% was born to women younger than 20 (Figure 15).

**Figure 15. Percent Distribution of Births
By Maternal Age and Race/Ethnicity
Westchester County, 2000**



* Hispanic may be of any race.


Source: New York State Department of Health

The total percentage for each row may not add up to exactly 100.0% due to rounding.


- The maternal age among black mothers is younger than that of white mothers. Among children born to black women, 21.8% was born to women aged 20-24; 23.8% was born to women aged 25-29 and 23.9% was born to women aged 30-34. Only 15.7% was born to women aged 35-39. Almost 12% was born to women younger than 20 years of age.
- Hispanic women also tend to have children at a younger age than white women. Among children born to Hispanic women in 2000, 10.2% was born to women younger than the age of 20; 27.3% was born to women aged 20-24; another 26.7% was born to women aged 25-29; 21.0% was born to women aged 30-34; Only 12.1% was born to women aged 35-39.

Birth Weight

- Among the infants born in 2000, 6.3% was born with a birthweight from 1,500 to 2,499 grams (low birthweight) and 1.5% was born with a birthweight less than 1,500 grams (very low birthweight) (Figure 16).




- The proportion of infants born with a low birthweight varies greatly by race. Blacks had the highest proportion of low birthweight births (13.4%).
- Infant birthweight is significantly related to mother's behavior during pregnancy. Among infants born to mothers who did not smoke and did not use any drugs, the average birthweight was 3323 grams. Among infants born to mothers who smoked during pregnancy, the average birthweight drops to 3,097 grams. Among infants born to mothers who used any drugs such as cocaine, crack heroin, methadone, marijuana, amphetamines, or unprescribed sedatives during pregnancy, the average birthweight drops to 3,041 grams. If the mother smoked and used any drugs, the average birthweight declines to 2,874 grams (Figure 17).




Prenatal Care

- Among infants born in Westchester County in the year 2000, over a quarter was born to women who delayed or sought no prenatal care: 20.1% was born to women who did not seek prenatal care until their second trimester, 3.5% was born to women who did not seek prenatal care until their third trimester, and 2.8% was born to women who never sought prenatal care (Figure 18).



- Young mothers are more likely to delay or seek no prenatal care. Among mothers 10-17 years old, more than half did not seek prenatal care until the second or third trimester and 12.6% did not receive any prenatal care. Among mothers aged 18-19, almost half did not seek prenatal care until the second or third trimester, and 6.2% did not receive any prenatal care. Among mothers aged 20-24 years, 41.8% delayed prenatal care and 5.5% did not receive any prenatal care.
- Women of Hispanic ethnicity were more likely to delay prenatal care or have no prenatal care compared to white women. Among infants born to Hispanic mothers, 31.9% did not have prenatal care until the second trimester, 6.5% did not have prenatal care until the third trimester, and 4.9% had no prenatal care (Figure 19).

**Figure 19. Percent of Mothers Who Delayed Or Did Not Seek Prenatal Care
By Race/Ethnicity*
Westchester County, 2000**



*Excluding those with no information on prenatal care

**Hispanic may be of any race

Source: New York State Department of Health

- Compared with white women, black women were more likely to delay or seek no prenatal care. One third of the infants born to black women were with delayed prenatal care and 4.7% did not receive prenatal care.


Deaths

Death Rates

- Westchester County had an overall death rate of 8.0 per 1,000 persons.
- The Northeast HPR had a lower death rate (6.3 per 1,000 persons) than the overall county. The Southwest and Southeast HPRs had higher death rates (8.7 per 1,000 persons and 8.9 per 1,000 persons, respectively) than the overall county.
- The average age of death was 75 years for the total population, 79 years for females and 71 years for males. The average age of death among blacks was 65 years, lower than that among whites (77 years).

Infant Mortality

- The infant mortality rate for Westchester County was 4.9 per 1,000 live births.
- Blacks had the highest infant mortality rate (14.2 per 1,000 live births), almost three times that of the county average (Figure 20).




Major Causes of Deaths


- Major cardiovascular diseases were the leading causes of death in Westchester County, followed by malignant neoplasm, for both men and women in Westchester County (Figure 21). Together they were responsible for approximately 70% of all deaths.

Figure 21. Percentage Distribution of Deaths by Selected Causes By Sex, Westchester County, 2000

Males
Total: 3,432



Females
Total: 3,983



Major Cardiovascular Diseases
Malignant Neoplasms
Chronic Lower Respiratory Disease (CLRD)
Pneumonia
Accidents (Total)
Septicemia
Diabetes Mellitus
Nephritis, Nephrotic Syndrome and Nephrosis
All Other Causes

Source: New York State Department of Health


The total percentage of the pie charts may not add up to exactly 100.0% due to rounding.

- The major cause of death in children under the age of one year was conditions originating in the perinatal period (58.5%).
- Among people under the age of 30 years, the major cause of death was accidents (17.3%).
- Among people aged 30 to 49, the two major causes of death were major cardiovascular diseases (23.7%) followed by malignant neoplasms (22.2%). Among persons 50 to 64 years, the two major causes of death were malignant neoplasms (44.0%) followed by major cardiovascular diseases (28.3%).

Morbidity: Hospitalizations

Total Hospital Discharges


- During 2000, there were a total of 115,373 hospital discharges among Westchester County residents. Over half were females (57.4%).
- The majority of hospital discharges occurred within Westchester County hospitals. Westchester Medical Center received 11.5% of the cases; White Plains Hospital Center received 10.3% of the cases, and St. John's Riverside Hospital received 8.3% of the cases.
- One-third of the hospital discharges occurred for medical services. Another third was for surgical services. Newborns accounted for 10.3% of all hospital discharges and 11.7% of hospital discharges were obstetric related. The remaining discharges were psychiatric (9.1%) and pediatric services (4.4%) (Figure 22).



- The top three causes of hospitalization were cardiovascular and/or other diseases of the circulatory system, neoplasms, and injury (15.6%, 8.8%, and 5.8% respectively).
- In addition, Asthma and HIV/AIDS each accounted for over a thousand hospital discharges.

Hospital Discharges Due to Cardiovascular and Other Diseases of the Circulatory System

- A total of 17,970 cases were hospitalized due to cardiovascular and other diseases of the circulatory system. Among them, almost one-quarter was due to Ischemic Heart Disease, 16.8% was due to Cerebrovascular Disease, and almost one-third was due to other diseases of the heart. Acute Myocardial Infarction only comprised 12.9% of all hospital discharges due to cardiovascular and other circulatory system diseases (Figure 23).



- The number of hospital discharges due to cardiovascular and other circulatory diseases generally increased by age.
- Among those hospitalized due to cardiovascular disease, 72.9% was among whites, 11.9% was among blacks, less than 10% was among other races/ethnicities, and 5.6% of the discharges had incomplete information on race/ethnicity. This distribution is comparable to the racial composition in the county in which 71.3% was white and 14.2% was black.
- Among whites hospitalized due to cardiovascular and other circulatory diseases, 7.3% was under the age of 50, 17.0% was between the ages of 50-64, 25.2% was between the ages of 65 - 74, and 50.4% was over the age of 75 (Figure 24).

Figure 24. Percentage Distribution Of Hospital Discharges Due To Cardiovascular And Other Circulatory Diseases By Age And Race/Ethnicity Westchester County Residents 2000




*Hispanic may be of any race
 Source: New York State Department of Health
 SPARCS 2000
 The total percentage for each column may not add up to exactly 100.0% due to rounding.

- In comparison to whites, blacks had a higher proportion of patients under the age of 65 hospitalized due to cardiovascular and other circulatory diseases: 17.1% was under the age of 50, 31.2% was between the ages of 50-64, 24.1% was between the ages of 65-74 years, and 27.6% was over the age of 75.
- There is a higher proportion of younger patients among Hispanics hospitalized due to cardiovascular and other circulatory diseases compared to whites. For example, a quarter of the cases were under age 50, 30.6% was 50-64, 20.4% was 65-74, and 23.8% was over 75.

Hospital Discharges Due to Neoplasms


- Among the 10,183 hospitalized cases due to neoplasms, 18.6% was due to Digestive Organ and Peritoneal Cancer, 16.5% was due to Lymphatic and Hematopoietic Tissue Cancer. Respiratory System Cancer and Genital Organ Cancer each accounted for about 15% of the cases (Figure 25).

Figure 25. Percentage Distribution of Hospital Discharges Due to Neoplasms By General Diagnosis Category, Westchester County Residents Westchester County, 2000



Source: New York State Department of Health
 SPARCS 2000

- The age distribution of hospital discharges due to neoplasms varied across the racial/ethnic categories. Among whites, less than 4% of the cases was under the age of 30, 10.3% was between the ages of 30-49, 24.3% was between the ages of 50-64, 27.7% between the ages of 65-74, and 34.2% was over 75 years of age (Figure 26).




- Among the blacks hospitalized due to neoplasms, however, 19.4% was between the ages of 30-49, 33.7% was between the ages of 50-64, 23.1% was of 65-74, and only 19.9% was over the age of 75.
- Among Hispanics, 17.9% of the hospitalized cases due to neoplasms was under 30 years of age, 27.0% was between the ages 30-49, another 27.0% was between the ages 50-64, 15.0% was of ages 65-74, and only 13.2% was over the age of 75.

Hospital Discharges Due to Injuries

- During 2000, there were 6,715 hospitalized cases due to injuries among Westchester County residents. Over half of the hospitalized injuries were falls (51.8%). About 9% of the hospitalized injuries were due to motor vehicle accidents. Other major hospitalized injuries included 320 self-inflicted injuries (4.8%), 292 accidental poisonings (4.3%), 280 assault related injuries (4.2%), and 152 pedestrian cases (2.3%) (Figure 27).


Figure 27. Percentage Distribution Of Hospital Discharges Due To Injuries By Etiology, Westchester County, 2000



Source: New York State Department of Health SPARCS 2000

- Of the hospital discharges due to falls, 70.1% occurred among persons 65 years of age and older. More females were hospitalized due to falls (2,177 cases, or 62.6% of all falls) than males (1,301 cases, or 37.4% of all falls).
- Although whites represent 71.3% of the county population, white residents accounted for 80.4% of the hospital discharges due to falls. While blacks represent 14.2% of the county population, only 6.2% of the hospital discharges due to falls were among black residents (Figure 28).

Figure 28. Percent Distribution of Hospital Discharges Due To Injury By Top Five Causes By Race Westchester County, 2000



Source: New York State Department of Health SPARCS 2000

The total percentage of each column may not add up to exactly 100.0% due to rounding.


- Among all the hospitalized injuries due to motor vehicle accidents, over half occurred among those 17-49 years of age (57.6%). Over 61% of the hospitalized cases due to motor vehicle accidents were among men.
- Over half of the hospital discharges due to motor vehicle crashes were among whites (53.1%) and 11.5% was among blacks (Figure 28).
- There were more females than males among the self-inflicted injuries (57.8% vs. 42.2%). Whites accounted for two-thirds of the hospital discharges due to self-inflicted injuries. Blacks accounted for 14.4% of self-inflicted injuries (Figure 28).
- The majority of hospitalized injuries due to assaults were among men (249 out of 280 cases).
- Although blacks represent only 14.2% of Westchester County's total population, 27.5% of the injuries due to assaults occurred in the black population, while 34.3% occurred in the white population, which represented 71.3% of the total population (Figure 28).

Other Hospitalized Cases

COPD and Asthma:

- There were a total of 2,780 hospital discharges due to Chronic Obstructive Pulmonary Diseases (COPD). Among these, 39.3% were due to Asthma.
- Over a quarter (27.7%) of the Asthma related hospital discharges occurred among children ages 10 years or younger.
- Although blacks comprise only 14.2% of Westchester County's population, about 30% of the hospitalized Asthma cases were among black residents (Figure 29).

Figure 29. Percentage Distribution of Asthma Related Hospital Discharges By Race, Westchester County Residents, 2000



Source: Westchester County Department of Health
SPARCS 2000


Diabetes:

- Among the 1,315 diabetes related hospital discharges, 56.7% was among whites and 30.3% among blacks, with blacks being disproportionately represented in hospital discharges among all diabetes discharges.

HIV/AIDS:

- There were 1,198 hospital discharges related to HIV/AIDS in 2000 among Westchester County residents, in which 60.9% was men.
- Over half (51.8%) of those discharged for HIV/AIDS was among black residents and 30.4% was among white residents (Figure 30).

Figure 30. Percentage Distribution of HIV/AIDS Related Hospital Discharges By Race, Westchester County, 2000



Source: Westchester County Department of Health
SPARCS 2000

The total percentage of the pie chart may not add up to exactly 100.0% due to rounding.


Morbidity: Selected Diseases

Diseases Reported


- In 2001, communicable disease in 35 categories was reported among Westchester County residents.
- There were more cases of Chlamydia than any other disease category.
- The categories with the highest number of reported cases were:
 - Sexually Transmitted Diseases (STD)
 - Chlamydia (1,156 cases)
 - Gonorrhea (367 cases)
 - Vector-Borne
 - Lyme Disease (406 cases)
 - Enteric Infections
 - Salmonellosis (151 cases)
 - Giardiasis (136 cases)
 - Campylobacteriosis (80 cases)
- There were 59 cases of Tuberculosis reported in 2001. Among these cases, over three-quarters were reported among the foreign-born population.

Sexually Transmitted Disease


- Of the reportable diseases, Chlamydia was the most prevalent (125.2 cases per 100,000 people) in Westchester County. Gonorrhea was the second most prevalent STD in Westchester County (39.7 per 100,000), followed by Syphilis (7.0 per 100,000) (Figure 31).



- The reported rate of Chlamydia infection was higher in the Southeast and Southwest HPRs than in the overall county (233.5 and 185.6 per 100,000, respectively).
- The reported rate of Gonorrhea infection was higher in the Southeast and Southwest HPRs than in the overall county (77.3 and 70.4 per 100,000).
- Blacks are disproportionately represented among the reported cases of Chlamydia and Gonorrhea. Although blacks represent only 14.2% of Westchester County’s population, 46.0% of the reported Chlamydia cases were among blacks, and 60.8% of the reported Gonorrhea cases were among blacks.
- The reported rate of Chlamydia for black women was 609.9 per 100,000 people, compared with 65.0 for white women (Figure 32).




- The reported rate of Gonorrhea for blacks was about 170 per 100,000 people, compared to less than 10 per 100,000 people for whites (4.7 per 100,000 for men and 8.7 per 100,000 for women) (Figure 33).



- In the year 2001, 13 cases of early Syphilis (primary, secondary, and early latent) were reported to the Westchester County Department of Health, nine of which occurred in men who have sex with men (MSM). By comparison, only two out of the 12 early Syphilis cases reported in the year 2000 occurred among MSM.

Enteric Diseases


- The three most prevalent enteric diseases in Westchester County in 2001 were Campylobacteriosis, Giardiasis, and Salmonellosis. Of these three, Salmonellosis was the most prevalent (16.4 per 100,000), followed by Giardiasis (14.7 per 100,000), and Campylobacteriosis (8.7 per 100,000) (Figure 34).



- Rates of infection among these enteric diseases varied by HPR. Salmonellosis was more prevalent in the Northwest HPR than in the overall county (24.9 per 100,000).
- Giardiasis infection rates were higher in the West Central HPR than the rate in the overall county (22.2 per 100,000). Giardiasis infection rate was lowest in the Southeast HPR (4.9 per 100,000).
- Campylobacteriosis infection rate was statistically higher in the West Central HPR than the rate in the overall county (14.6 per 100,000).

Tick-Borne Diseases


- Lyme Disease represents the majority of tick-borne disease cases in Westchester County (44.0 per 100,000). Lyme Disease is more prevalent in the Northeast and Northwest HPRs (144.7 and 75.4 per 100,000, respectively) than in the overall county. Another tick-borne disease reported was Ehrlichiosis (4.8 per 100,000) (Figure 35).




- Ehrlichiosis was more prevalent in the Northeast HPR (17.2 per 100,000) than in the overall county.
- A case of locally acquired Babesiosis was identified for the first time in the year 2001.

AIDS

- The incidence of HIV infection continues to affect certain high-risk segments of the population disproportionately. As of December 31, 2000, a total of 3,644 adult AIDS cases were reported among Westchester County residents (13 years of age and older). Among them, 73.8% were men. However, women account for 40.0% of all cases of AIDS diagnosed in 2000 as compared to 21.1% in 1990 (Figure 36).




- The incidence of AIDS continues to rise among blacks and remains level among the Hispanics. About two-thirds of AIDS cases are among people of color: half of the AIDS cases were black non-Hispanic people and 15.3% were Hispanics (Figure 37).



- The risk factors for HIV/AIDS changed dramatically over the past 20 years. Before the year 1985, over half (54.3%) of the AIDS cases were among men having sex with men (MSM). About a third (32.6%) was among intravenous drug users (IDU). The number of cases due to heterosexual contact was negligible (Figure 38). However, among the AIDS cases diagnosed in the year 2000, only 15.2% was among MSM, 36.2% was among IDU, and over a quarter (25.7%) was among people with heterosexual contacts.

**Figure 38. Proportion of AIDS Cases by Year of Diagnosis and Risk
Westchester County Residents, 2000**



Cases reported through Dec. 31, 2000.
Source: NYS Department of Health, Bureau of HIV/AIDS Epidemiology

Tables

TABLE 1. POPULATION AND POPULATION DENSITY, WESTCHESTER COUNTY, 1980-2000

Health Planning Region and Municipality	Land Area (square miles) ¹	Population ²			Population Density (per square mile)			Change Over Time (%)	
		2000	1990	1980	2000	1990	1980	1990-2000	1980-1990
Westchester County	450.5	923,459	874,866	866,599	2,050	1,942	1,924	5.6	1.0
Northwest	86.1	140,663	131,607	123,919	1,634	1,529	1,439	6.9	6.2
Briarcliff Manor (V)	6.0	7,696	7,070	7,115	1,283	1,178	1,186	8.9	-0.6
Buchanan (V)	1.5	2,189	1,970	2,041	1,459	1,313	1,361	11.1	-3.5
Cortlandt (TOV)	34.7	28,672	28,369	26,775	826	818	772	1.1	6.0
Croton-on-Hudson (V)	4.9	7,606	7,018	6,889	1,552	1,432	1,406	8.4	1.9
Mount Pleasant (TOV)	24.1	26,151	25,242	23,760	1,085	1,047	986	3.6	6.2
Ossining (TOV)	3.0	5,514	5,076	4,164	1,838	1,692	1,388	8.6	21.9
Ossining (V)	3.2	24,010	22,582	20,196	7,503	7,057	6,311	6.3	11.8
Peekskill (C)	4.6	22,441	19,536	18,236	4,878	4,247	3,964	14.9	7.1
Pleasantville (V)	1.8	7,172	6,592	6,749	3,984	3,662	3,749	8.8	-2.3
Sleepy Hollow (V)	2.3	9,212	8,152	7,994	4,005	3,544	3,476	13.0	2.0
Northeast	239.8	133,343	122,994	110,624	556	513	461	8.4	11.2
Bedford (T)	39.5	18,133	16,906	15,137	459	428	383	7.3	11.7
Lewisboro (T)	29.3	12,324	11,313	8,871	421	386	303	8.9	27.5
Mount Kisco (T/V)	3.1	9,983	9,108	8,025	3,220	2,938	2,589	9.6	13.5
New Castle (T)	23.5	17,491	16,648	15,425	744	708	656	5.1	7.9
North Castle (T)	26.2	10,849	10,061	9,467	414	384	361	7.8	6.3
North Salem (T)	23.4	5,173	4,725	4,569	221	202	195	9.5	3.4
Pound Ridge (T)	23.2	4,726	4,550	4,009	204	196	173	3.9	13.5
Somers (T)	32.1	18,346	16,216	13,133	572	505	409	13.1	23.5
Yorktown (T)	39.5	36,318	33,467	31,988	919	847	810	8.5	4.6
West Central	47.0	157,664	149,521	147,530	3,355	3,181	3,139	5.4	1.3
Ardsley (V)	1.3	4,269	4,272	4,183	3,284	3,286	3,218	-0.1	2.1
Dobbs Ferry (V)	2.4	10,622	9,940	10,053	4,426	4,142	4,189	6.9	-1.1
Elmsford (V)	1.0	4,676	3,938	3,361	4,676	3,938	3,361	18.7	17.2
Greenburgh (TOV)	17.8	41,828	40,579	40,289	2,350	2,280	2,263	3.1	0.7
Hastings-on-Hudson (V)	2.0	7,648	8,000	8,573	3,824	4,000	4,287	-4.4	-6.7
Irvington (V)	2.8	6,631	6,348	5,774	2,368	2,267	2,062	4.5	9.9
Scarsdale (T/V)	6.7	17,823	16,987	17,650	2,660	2,535	2,634	4.9	-3.8
Tarrytown (V)	3.1	11,090	10,739	10,648	3,577	3,464	3,435	3.3	0.9
White Plains (C)	9.9	53,077	48,718	46,999	5,361	4,921	4,747	8.9	3.7
East Central	37.3	111,956	105,474	106,042	3,002	2,828	2,843	6.1	-0.5
Harrison (T/V)	17.4	24,154	23,308	23,046	1,388	1,340	1,324	3.6	1.1
Larchmont (V)	1.1	6,485	6,181	6,308	5,895	5,619	5,735	4.9	-2.0
Mamaroneck (TOV)	3.5	11,141	11,231	12,428	3,183	3,209	3,551	-0.8	-9.6
Mamaroneck (V)	3.3	18,752	17,325	17,616	5,682	5,250	5,338	8.2	-1.7
Port Chester (V)	2.4	27,867	24,728	23,565	11,611	10,303	9,819	12.7	4.9
Rye (C)	6.1	14,955	14,936	15,083	2,452	2,449	2,473	0.1	-1.0
Rye Brook (V)	3.5	8,602	7,765	7,996	2,458	2,219	2,285	10.8	-2.9
Southwest	18.4	196,086	188,082	195,351	10,657	10,222	10,617	4.3	-3.7
Yonkers (C)	18.4	196,086	188,082	195,351	10,657	10,222	10,617	4.3	-3.7
Southeast	21.9	183,747	177,188	182,942	8,390	8,091	8,354	3.7	-3.1
Bronxville (V)	1.0	6,543	6,028	6,076	6,543	6,028	6,076	8.5	-0.8
Eastchester (TOV)	3.4	18,564	18,537	20,305	5,460	5,452	5,972	0.1	-8.7
Mount Vernon (C)	4.4	68,381	67,153	66,713	15,541	15,262	15,162	1.8	0.7
New Rochelle (C)	10.4	72,182	67,265	70,794	6,941	6,468	6,807	7.3	-5.0
Pelham (V)	0.8	6,400	6,413	6,848	8,000	8,016	8,560	-0.2	-6.4
Pelham Manor (V)	1.3	5,466	5,490	6,130	4,205	4,223	4,715	-0.4	-10.4
Tuckahoe (V)	0.6	6,211	6,302	6,076	10,352	10,503	10,127	-1.4	3.7

Sources:

¹ Westchester County Department of Planning: Planning Information Report: Land Use Trends in Westchester County, 1978-1988. April 1990.

² U.S. Census Bureau. 2000 Census Summary File 1.

TABLE 2. POPULATION BY AGE, WESTCHESTER COUNTY, 2000

Health Planning Region and Municipality	TOTAL	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Westchester County	923,459	64,242	67,993	63,757	54,363	46,962	54,734	68,733	79,809	77,224	68,166
Northwest	140,663	9,836	10,113	9,508	8,408	7,309	8,535	10,822	13,196	12,723	10,776
Briarcliff Manor (V)	7,696	539	651	608	523	436	187	345	633	734	615
Buchanan (V)	2,189	146	152	156	136	101	128	178	200	197	169
Cortlandt (TOV)	28,672	2,127	2,305	2,132	1,679	992	1,214	1,897	2,687	2,785	2,361
Croton-on-Hudson (V)	7,606	591	601	497	376	235	303	459	748	778	721
Mount Pleasant (TOV)	26,151	1,691	1,755	1,904	2,063	1,616	1,351	1,672	2,265	2,283	2,058
Ossining (TOV)	5,514	327	338	328	216	155	193	350	449	499	472
Ossining (V)	24,010	1,488	1,402	1,292	1,229	1,540	2,232	2,481	2,544	2,125	1,625
Peekskill (C)	22,441	1,706	1,669	1,366	1,162	1,434	1,770	2,021	2,168	1,876	1,629
Pleasantville (V)	7,172	500	569	637	456	225	342	486	650	666	567
Sleepy Hollow (V)	9,212	721	671	588	568	575	815	933	852	780	559
Northeast	133,343	9,669	11,094	10,392	7,959	4,357	4,864	8,235	12,095	12,946	11,527
Bedford (T)	18,133	1,352	1,423	1,293	1,155	758	864	1,329	1,873	1,781	1,479
Lewisboro (T)	12,324	958	1,246	1,169	712	284	327	640	1,138	1,403	1,178
Mount Kisco (T/V)	9,983	660	666	552	513	551	807	974	953	961	732
New Castle (T)	17,491	1,398	1,755	1,619	1,056	384	412	871	1,459	1,705	1,813
North Castle (T)	10,849	810	1,014	918	650	323	327	588	905	1,087	1,003
North Salem (T)	5,173	386	396	397	243	161	176	342	478	478	427
Pound Ridge (T)	4,726	348	372	336	246	95	113	242	389	466	464
Somers (T)	18,346	1,235	1,277	1,229	1,024	528	523	1,011	1,603	1,582	1,394
Yorktown (T)	36,318	2,522	2,945	2,879	2,360	1,273	1,315	2,238	3,297	3,483	3,037
West Central	157,664	10,172	11,060	10,653	8,655	6,933	8,872	11,346	13,259	13,562	12,644
Ardsley (V)	4,269	251	374	374	254	128	109	187	323	428	400
Dobbs Ferry (V)	10,622	565	786	903	784	497	535	599	870	908	883
Elmsford (V)	4,676	313	294	256	294	286	517	505	415	379	286
Greenburgh (TOV)	41,828	2,712	2,740	2,684	2,146	1,548	1,966	2,955	3,608	3,705	3,477
Hastings-on-Hudson (V)	7,648	407	602	621	359	235	296	405	544	751	782
Irvington (V)	6,631	518	562	543	330	172	268	409	555	633	581
Scarsdale (T/V)	17,823	1,357	1,843	1,715	1,214	429	330	685	1,404	1,647	1,641
Tarrytown (V)	11,090	732	607	572	573	657	928	1,055	1,023	858	741
White Plains (C)	53,077	3,317	3,252	2,985	2,701	2,981	3,923	4,546	4,517	4,253	3,853
East Central	111,956	8,142	8,531	7,598	6,406	5,652	6,602	8,549	10,110	9,499	7,997
Harrison (T/V)	24,154	1,618	1,847	1,634	1,726	1,413	1,254	1,644	2,128	2,071	1,613
Larchmont (V)	6,485	573	593	508	316	167	277	479	610	586	500
Mamaroneck (TOV)	11,141	845	949	921	555	279	419	704	902	1,033	1,030
Mamaroneck (V)	18,752	1,191	1,327	1,179	975	899	1,220	1,545	1,679	1,565	1,394
Port Chester (V)	27,867	1,947	1,724	1,567	1,772	2,263	2,584	2,561	2,571	2,091	1,745
Rye (C)	14,955	1,300	1,429	1,219	679	392	527	1,050	1,457	1,407	1,067
Rye Brook (V)	8,602	668	662	570	383	239	321	566	763	746	648
Southwest	196,086	13,702	13,919	12,945	11,810	12,673	14,580	15,688	15,792	14,022	12,329
Yonkers (C)	196,086	13,702	13,919	12,945	11,810	12,673	14,580	15,688	15,792	14,022	12,329
Southeast	183,747	12,721	13,276	12,661	11,125	10,038	11,281	14,093	15,357	14,472	12,893
Bronxville (V)	6,543	458	612	585	428	294	236	375	439	647	606
Eastchester (TOV)	18,564	1,212	1,238	1,119	805	614	823	1,324	1,610	1,597	1,344
Mount Vernon (C)	68,381	4,827	5,016	4,777	4,308	4,062	4,593	5,571	5,863	5,212	4,546
New Rochelle (C)	72,182	4,879	4,988	4,806	4,605	4,384	4,624	5,456	5,769	5,432	4,977
Pelham (V)	6,400	469	526	505	384	272	355	457	590	565	525
Pelham Manor (V)	5,466	426	493	469	299	158	168	294	438	487	440
Tuckahoe (V)	6,211	450	403	400	296	254	482	616	648	532	455

Source: U.S. Census Bureau, 2000 Census Summary File 1.

(Continues)

TABLE 2. POPULATION BY AGE, WESTCHESTER COUNTY, 2000*(Continued)*

Health Planning Region and Municipality	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
Westchester County	61,832	48,310	38,370	34,039	32,746	26,529	17,991	17,659
Northwest	9,489	7,009	5,288	4,788	4,370	3,428	2,440	2,625
Briarcliff Manor (V)	543	454	300	245	279	225	169	210
Buchanan (V)	137	112	97	75	71	52	45	37
Cortlandt (TOV)	2,108	1,622	1,137	1,006	870	712	473	565
Croton-on-Hudson (V)	538	437	290	249	236	213	151	183
Mount Pleasant (TOV)	1,780	1,278	1,058	953	891	638	445	450
Ossining (TOV)	493	348	302	287	242	164	160	191
Ossining (V)	1,516	1,088	795	743	617	490	374	429
Peekskill (C)	1,345	974	736	669	682	552	376	306
Pleasantville (V)	505	347	267	261	243	190	134	127
Sleepy Hollow (V)	524	349	306	300	239	192	113	127
Northeast	10,300	7,809	5,720	4,736	4,329	3,286	2,058	1,967
Bedford (T)	1,228	993	734	598	528	336	232	177
Lewisboro (T)	1,137	779	478	317	248	163	82	65
Mount Kisco (T/V)	645	458	324	342	301	276	138	130
New Castle (T)	1,544	1,120	747	559	498	299	142	110
North Castle (T)	873	679	511	367	313	259	143	79
North Salem (T)	420	293	255	158	153	117	106	187
Pound Ridge (T)	440	371	267	197	174	103	64	39
Somers (T)	1,359	1,129	921	915	957	751	474	434
Yorktown (T)	2,654	1,987	1,483	1,283	1,157	982	677	746
West Central	11,582	9,008	7,140	6,212	5,876	4,612	3,104	2,974
Ardsley (V)	338	229	221	189	179	152	87	46
Dobbs Ferry (V)	764	532	386	373	387	331	208	311
Elmsford (V)	258	199	158	136	158	113	59	50
Greenburgh (TOV)	3,328	2,660	2,110	1,803	1,684	1,256	856	590
Hastings-on-Hudson (V)	672	444	345	320	311	267	167	120
Irvington (V)	509	375	277	252	233	194	125	95
Scarsdale (T/V)	1,439	1,189	854	602	552	400	266	256
Tarrytown (V)	736	535	481	458	398	315	201	220
White Plains (C)	3,538	2,845	2,308	2,079	1,974	1,584	1,135	1,286
East Central	6,985	5,538	4,364	4,071	4,054	3,368	2,310	2,180
Harrison (T/V)	1,507	1,107	1,055	911	920	815	474	417
Larchmont (V)	426	348	264	223	224	166	110	115
Mamaroneck (TOV)	826	704	485	404	373	328	197	187
Mamaroneck (V)	1,151	914	700	742	743	612	448	468
Port Chester (V)	1,473	1,117	849	871	894	720	570	548
Rye (C)	973	816	627	539	517	418	300	238
Rye Brook (V)	629	532	384	381	383	309	211	207
Southwest	11,717	9,442	8,090	7,460	7,546	6,264	4,328	3,779
Yonkers (C)	11,717	9,442	8,090	7,460	7,546	6,264	4,328	3,779
Southeast	11,759	9,504	7,768	6,772	6,571	5,571	3,751	4,134
Bronxville (V)	442	345	280	216	191	153	107	129
Eastchester (TOV)	1,237	1,099	917	875	904	823	537	486
Mount Vernon (C)	4,387	3,488	2,888	2,279	2,162	1,772	1,284	1,346
New Rochelle (C)	4,463	3,657	2,957	2,742	2,726	2,321	1,522	1,874
Pelham (V)	431	311	239	209	185	179	92	106
Pelham Manor (V)	436	334	259	226	193	150	93	103
Tuckahoe (V)	363	270	228	225	210	173	116	90

Source: U.S. Census Bureau, 2000 Census Summary File 1.

TABLE 3. FEMALE POPULATION BY AGE, WESTCHESTER COUNTY, 2000

Health Planning Region and Municipality	TOTAL	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Westchester County	481,737	31,458	33,140	30,824	26,036	23,589	27,883	35,594	41,312	39,876	35,512
Northwest	70,215	4,827	4,872	4,605	3,783	3,296	3,969	5,229	6,437	6,199	5,364
Briarcliff Manor (V)	4,108	264	306	302	291	250	115	187	353	387	300
Buchanan (V)	1,096	72	84	70	68	42	66	84	93	95	93
Cortlandt (TOV)	14,564	1,041	1,094	1,074	762	488	593	989	1,425	1,404	1,202
Croton-on-Hudson (V)	3,987	307	301	230	160	125	151	253	399	397	361
Mount Pleasant (TOV)	12,781	836	851	887	886	715	605	821	1,083	1,118	1,008
Ossining (TOV)	2,937	170	148	172	109	68	100	188	237	254	261
Ossining (V)	11,034	707	673	638	515	590	909	957	1,012	901	747
Peekskill (C)	11,554	822	848	672	524	659	897	1,039	1,108	948	813
Pleasantville (V)	3,617	241	245	297	199	107	170	249	326	335	294
Sleepy Hollow (V)	4,537	367	322	263	269	252	363	462	401	360	285
Northeast	68,861	4,773	5,428	5,016	3,565	2,070	2,624	4,504	6,551	6,798	6,002
Bedford (T)	9,683	672	694	626	445	328	539	822	1,146	1,026	805
Lewisboro (T)	6,295	465	612	574	351	145	175	351	623	740	596
Mount Kisco (T/V)	5,021	310	308	260	220	214	373	476	481	479	387
New Castle (T)	8,842	653	856	750	506	205	231	475	764	935	926
North Castle (T)	5,504	391	506	457	323	148	182	312	480	556	527
North Salem (T)	2,700	186	205	198	111	80	94	184	256	249	228
Pound Ridge (T)	2,410	182	194	160	125	47	60	129	202	249	246
Somers (T)	9,589	617	636	582	434	277	265	557	848	783	722
Yorktown (T)	18,817	1,297	1,417	1,409	1,050	626	705	1,198	1,751	1,781	1,565
West Central	82,729	5,029	5,281	4,982	4,180	3,565	4,486	5,882	6,923	7,101	6,671
Ardsley (V)	2,177	131	182	179	122	56	52	102	164	223	214
Dobbs Ferry (V)	5,429	260	343	355	368	261	264	316	487	478	463
Elmsford (V)	2,311	157	145	120	148	161	240	222	189	192	136
Greenburgh (TOV)	22,186	1,309	1,324	1,278	1,015	788	1,036	1,565	1,932	1,955	1,858
Hastings-on-Hudson (V)	3,991	191	298	294	160	113	164	216	303	392	408
Irvington (V)	3,424	252	266	232	161	102	145	225	287	342	306
Scarsdale (T/V)	9,168	690	871	827	586	238	175	396	760	881	871
Tarrytown (V)	6,076	366	302	260	361	426	498	527	518	460	399
White Plains (C)	27,967	1,673	1,550	1,437	1,259	1,420	1,912	2,313	2,283	2,178	2,016
East Central	57,774	4,008	4,112	3,694	3,113	2,776	3,284	4,357	5,159	4,786	4,123
Harrison (T/V)	12,768	824	903	806	946	784	650	882	1,142	1,034	845
Larchmont (V)	3,401	284	284	244	159	86	137	268	312	316	262
Mamaroneck (TOV)	5,802	403	487	436	277	146	223	387	489	541	535
Mamaroneck (V)	9,765	582	624	593	461	432	612	785	821	822	720
Port Chester (V)	13,764	949	799	742	753	997	1,203	1,175	1,204	981	881
Rye (C)	7,752	603	682	606	345	208	293	561	776	706	546
Rye Brook (V)	4,522	363	333	267	172	123	166	299	415	386	334
Southwest	103,954	6,632	6,882	6,395	5,882	6,586	7,538	8,199	8,126	7,299	6,516
Yonkers (C)	103,954	6,632	6,882	6,395	5,882	6,586	7,538	8,199	8,126	7,299	6,516
Southeast	98,204	6,189	6,565	6,132	5,513	5,296	5,982	7,423	8,116	7,693	6,836
Bronxville (V)	3,504	229	301	296	218	166	133	198	259	357	310
Eastchester (TOV)	9,933	591	591	532	413	329	424	695	848	828	702
Mount Vernon (C)	37,520	2,343	2,551	2,380	2,163	2,205	2,575	3,015	3,143	2,853	2,515
New Rochelle (C)	37,860	2,385	2,399	2,308	2,281	2,234	2,304	2,778	2,997	2,806	2,587
Pelham (V)	3,326	229	267	227	174	138	208	240	309	308	259
Pelham Manor (V)	2,809	189	257	207	126	86	83	162	249	256	224
Tuckahoe (V)	3,252	223	199	182	138	138	255	335	311	285	239

Source: U.S. Census Bureau, 2000 Census Summary File 1.

(Continues)

TABLE 3. FEMALE POPULATION BY AGE, WESTCHESTER COUNTY, 2000*(Continued)*

Health Planning Region and Municipality	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
Westchester County	32,490	25,876	20,838	18,796	18,561	15,806	11,467	12,679
Northwest	4,706	3,617	2,771	2,573	2,420	1,994	1,587	1,966
Briarcliff Manor (V)	292	232	142	137	151	134	108	157
Buchanan (V)	60	56	51	44	34	37	22	25
Cortlandt (TOV)	1,021	804	564	527	451	404	297	424
Croton-on-Hudson (V)	274	231	157	141	132	125	96	147
Mount Pleasant (TOV)	887	619	568	455	477	342	285	338
Ossining (TOV)	254	190	162	158	127	90	104	145
Ossining (V)	734	600	413	408	368	279	259	324
Peekskill (C)	678	520	394	394	403	365	252	218
Pleasantville (V)	243	188	146	143	146	106	88	94
Sleepy Hollow (V)	263	177	174	166	131	112	76	94
Northeast	5,255	4,012	2,904	2,504	2,323	1,857	1,259	1,416
Bedford (T)	655	532	373	302	257	194	143	124
Lewisboro (T)	594	386	227	148	127	87	56	38
Mount Kisco (T/V)	347	261	178	195	192	155	90	95
New Castle (T)	791	564	365	278	226	154	89	74
North Castle (T)	418	348	245	194	158	129	76	54
North Salem (T)	188	149	115	81	86	65	74	151
Pound Ridge (T)	215	192	133	89	83	50	31	23
Somers (T)	738	570	504	510	548	425	272	301
Yorktown (T)	1,309	1,010	764	707	646	598	428	556
West Central	6,213	4,882	3,958	3,485	3,362	2,700	1,923	2,106
Ardsley (V)	170	125	111	101	98	78	39	30
Dobbs Ferry (V)	375	267	209	209	219	186	126	243
Elmsford (V)	133	100	80	70	88	65	31	34
Greenburgh (TOV)	1,852	1,453	1,188	1,011	954	762	510	396
Hastings-on-Hudson (V)	359	229	175	184	175	148	105	77
Irvington (V)	261	198	153	141	126	103	70	54
Scarsdale (T/V)	744	594	456	280	293	208	150	148
Tarrytown (V)	403	320	275	271	223	177	130	160
White Plains (C)	1,916	1,596	1,311	1,218	1,186	973	762	964
East Central	3,631	2,944	2,361	2,238	2,281	1,987	1,411	1,509
Harrison (T/V)	775	582	562	496	523	454	282	278
Larchmont (V)	235	179	128	127	126	102	69	83
Mamaroneck (TOV)	439	360	247	222	201	185	111	113
Mamaroneck (V)	601	503	388	434	391	379	273	344
Port Chester (V)	765	603	493	486	538	438	361	396
Rye (C)	492	437	331	270	296	255	191	154
Rye Brook (V)	324	280	212	203	206	174	124	141
Southwest	6,328	5,194	4,489	4,219	4,347	3,806	2,844	2,672
Yonkers (C)	6,328	5,194	4,489	4,219	4,347	3,806	2,844	2,672
Southeast	6,357	5,227	4,355	3,777	3,828	3,462	2,443	3,010
Bronxville (V)	218	185	152	111	107	98	69	97
Eastchester (TOV)	662	623	497	495	520	502	341	340
Mount Vernon (C)	2,497	1,946	1,672	1,305	1,297	1,162	890	1,008
New Rochelle (C)	2,335	1,994	1,648	1,504	1,575	1,399	957	1,369
Pelham (V)	227	152	127	117	105	110	56	73
Pelham Manor (V)	220	178	137	125	107	91	54	58
Tuckahoe (V)	198	149	122	120	117	100	76	65

Source: U.S. Census Bureau, 2000 Census Summary File 1.

TABLE 4. MALE POPULATION BY AGE, WESTCHESTER COUNTY, 2000

Health Planning Region and Municipality	TOTAL	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
Westchester County	441,722	32,784	34,853	32,933	28,327	23,373	26,851	33,139	38,497	37,348	32,654
Northwest	70,448	5,009	5,241	4,903	4,625	4,013	4,566	5,593	6,759	6,524	5,412
Briarcliff Manor (V)	3,588	275	345	306	232	186	72	158	280	347	315
Buchanan (V)	1,093	74	68	86	68	59	62	94	107	102	76
Cortlandt (TOV)	14,108	1,086	1,211	1,058	917	504	621	908	1,262	1,381	1,159
Croton-on-Hudson (V)	3,619	284	300	267	216	110	152	206	349	381	360
Mount Pleasant (TOV)	13,370	855	904	1,017	1,177	901	746	851	1,182	1,165	1,050
Ossining (TOV)	2,577	157	190	156	107	87	93	162	212	245	211
Ossining (V)	12,976	781	729	654	714	950	1,323	1,524	1,532	1,224	878
Peekskill (C)	10,887	884	821	694	638	775	873	982	1,060	928	816
Pleasantville (V)	3,555	259	324	340	257	118	172	237	324	331	273
Sleepy Hollow (V)	4,675	354	349	325	299	323	452	471	451	420	274
Northeast	64,482	4,896	5,666	5,376	4,394	2,287	2,240	3,731	5,544	6,148	5,525
Bedford (T)	8,450	680	729	667	710	430	325	507	727	755	674
Lewisboro (T)	6,029	493	634	595	361	139	152	289	515	663	582
Mount Kisco (T/V)	4,962	350	358	292	293	337	434	498	472	482	345
New Castle (T)	8,649	745	899	869	550	179	181	396	695	770	887
North Castle (T)	5,345	419	508	461	327	175	145	276	425	531	476
North Salem (T)	2,473	200	191	199	132	81	82	158	222	229	199
Pound Ridge (T)	2,316	166	178	176	121	48	53	113	187	217	218
Somers (T)	8,757	618	641	647	590	251	258	454	755	799	672
Yorktown (T)	17,501	1,225	1,528	1,470	1,310	647	610	1,040	1,546	1,702	1,472
West Central	74,935	5,143	5,779	5,671	4,475	3,368	4,386	5,464	6,336	6,461	5,973
Ardsley (V)	2,092	120	192	195	132	72	57	85	159	205	186
Dobbs Ferry (V)	5,193	305	443	548	416	236	271	283	383	430	420
Elmsford (V)	2,365	156	149	136	146	125	277	283	226	187	150
Greenburgh (TOV)	19,642	1,403	1,416	1,406	1,131	760	930	1,390	1,676	1,750	1,619
Hastings-on-Hudson (V)	3,657	216	304	327	199	122	132	189	241	359	374
Irvington (V)	3,207	266	296	311	169	70	123	184	268	291	275
Scarsdale (T/V)	8,655	667	972	888	628	191	155	289	644	766	770
Tarrytown (V)	5,014	366	305	312	212	231	430	528	505	398	342
White Plains (C)	25,110	1,644	1,702	1,548	1,442	1,561	2,011	2,233	2,234	2,075	1,837
East Central	54,182	4,134	4,419	3,904	3,293	2,876	3,318	4,192	4,951	4,713	3,874
Harrison (T/V)	11,386	794	944	828	780	629	604	762	986	1,037	768
Larchmont (V)	3,084	289	309	264	157	81	140	211	298	270	238
Mamaroneck (TOV)	5,339	442	462	485	278	133	196	317	413	492	495
Mamaroneck (V)	8,987	609	703	586	514	467	608	760	858	743	674
Port Chester (V)	14,103	998	925	825	1,019	1,266	1,381	1,386	1,367	1,110	864
Rye (C)	7,203	697	747	613	334	184	234	489	681	701	521
Rye Brook (V)	4,080	305	329	303	211	116	155	267	348	360	314
Southwest	92,132	7,070	7,037	6,550	5,928	6,087	7,042	7,489	7,666	6,723	5,813
Yonkers (C)	92,132	7,070	7,037	6,550	5,928	6,087	7,042	7,489	7,666	6,723	5,813
Southeast	85,543	6,532	6,711	6,529	5,612	4,742	5,299	6,670	7,241	6,779	6,057
Bronxville (V)	3,039	229	311	289	210	128	103	177	180	290	296
Eastchester (TOV)	8,631	621	647	587	392	285	399	629	762	769	642
Mount Vernon (C)	30,861	2,484	2,465	2,397	2,145	1,857	2,018	2,556	2,720	2,359	2,031
New Rochelle (C)	34,322	2,494	2,589	2,498	2,324	2,150	2,320	2,678	2,772	2,626	2,390
Pelham (V)	3,074	240	259	278	210	134	147	217	281	257	266
Pelham Manor (V)	2,657	237	236	262	173	72	85	132	189	231	216
Tuckahoe (V)	2,959	227	204	218	158	116	227	281	337	247	216

Source: U.S. Census Bureau, 2000 Census Summary File 1.

(Continues)

TABLE 4. MALE POPULATION BY AGE, WESTCHESTER COUNTY, 2000*(Continued)*

Health Planning Region and Municipality	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+
Westchester County	29,342	22,434	17,532	15,243	14,185	10,723	6,524	4,980
Northwest	4,783	3,392	2,517	2,215	1,950	1,434	853	659
Briarcliff Manor (V)	251	222	158	108	128	91	61	53
Buchanan (V)	77	56	46	31	37	15	23	12
Cortlandt (TOV)	1,087	818	573	479	419	308	176	141
Croton-on-Hudson (V)	264	206	133	108	104	88	55	36
Mount Pleasant (TOV)	893	659	490	498	414	296	160	112
Ossining (TOV)	239	158	140	129	115	74	56	46
Ossining (V)	782	488	382	335	249	211	115	105
Peekskill (C)	667	454	342	275	279	187	124	88
Pleasantville (V)	262	159	121	118	97	84	46	33
Sleepy Hollow (V)	261	172	132	134	108	80	37	33
Northeast	5,045	3,797	2,816	2,232	2,006	1,429	799	551
Bedford (T)	573	461	361	296	271	142	89	53
Lewisboro (T)	543	393	251	169	121	76	26	27
Mount Kisco (T/V)	298	197	146	147	109	121	48	35
New Castle (T)	753	556	382	281	272	145	53	36
North Castle (T)	455	331	266	173	155	130	67	25
North Salem (T)	232	144	140	77	67	52	32	36
Pound Ridge (T)	225	179	134	108	91	53	33	16
Somers (T)	621	559	417	405	409	326	202	133
Yorktown (T)	1,345	977	719	576	511	384	249	190
West Central	5,369	4,126	3,182	2,727	2,514	1,912	1,181	868
Ardsley (V)	168	104	110	88	81	74	48	16
Dobbs Ferry (V)	389	265	177	164	168	145	82	68
Elmsford (V)	125	99	78	66	70	48	28	16
Greenburgh (TOV)	1,476	1,207	922	792	730	494	346	194
Hastings-on-Hudson (V)	313	215	170	136	136	119	62	43
Irvington (V)	248	177	124	111	107	91	55	41
Scarsdale (T/V)	695	595	398	322	259	192	116	108
Tarrytown (V)	333	215	206	187	175	138	71	60
White Plains (C)	1,622	1,249	997	861	788	611	373	322
East Central	3,354	2,594	2,003	1,833	1,773	1,381	899	671
Harrison (T/V)	732	525	493	415	397	361	192	139
Larchmont (V)	191	169	136	96	98	64	41	32
Mamaroneck (TOV)	387	344	238	182	172	143	86	74
Mamaroneck (V)	550	411	312	308	352	233	175	124
Port Chester (V)	708	514	356	385	356	282	209	152
Rye (C)	481	379	296	269	221	163	109	84
Rye Brook (V)	305	252	172	178	177	135	87	66
Southwest	5,389	4,248	3,601	3,241	3,199	2,458	1,484	1,107
Yonkers (C)	5,389	4,248	3,601	3,241	3,199	2,458	1,484	1,107
Southeast	5,402	4,277	3,413	2,995	2,743	2,109	1,308	1,124
Bronxville (V)	224	160	128	105	84	55	38	32
Eastchester (TOV)	575	476	420	380	384	321	196	146
Mount Vernon (C)	1,890	1,542	1,216	974	865	610	394	338
New Rochelle (C)	2,128	1,663	1,309	1,238	1,151	922	565	505
Pelham (V)	204	159	112	92	80	69	36	33
Pelham Manor (V)	216	156	122	101	86	59	39	45
Tuckahoe (V)	165	121	106	105	93	73	40	25

Source: U.S. Census Bureau, 2000 Census Summary File 1.

TABLE 5. POPULATION BY RACE AND ETHNICITY, WESTCHESTER COUNTY, 2000

Health Planning Region Municipality	Total	Race						Ethnicity
		White	Black	American Indian	Asian and Pacific Islander	Other	Two or More Races	Hispanic ¹
Westchester County	923,459	658,858	131,132	2,343	41,738	61,227	28,161	144,124
Northwest	140,663	108,983	14,905	405	4,636	7,960	3,774	21,025
Briarcliff Manor (V)	7,696	6,983	133	4	422	73	81	241
Buchanan (V)	2,189	2,106	15	4	26	17	21	76
Cortlandt (TOV)	28,672	25,015	1,608	55	808	690	496	2,163
Croton-on-Hudson (V)	7,606	6,961	142	20	158	196	129	527
Mount Pleasant (TOV)	26,151	23,048	1,493	14	1,027	307	262	1,369
Ossining (TOV)	5,514	4,820	234	8	253	107	92	394
Ossining (V)	24,010	14,520	4,858	115	1,007	2,506	1,004	6,654
Peekskill (C)	22,441	12,819	5,732	95	548	2,206	1,041	4,920
Pleasantville (V)	7,172	6,480	208	13	207	124	140	528
Sleepy Hollow (V)	9,212	6,231	482	77	180	1,734	508	4,153
Northeast	133,343	121,160	3,979	129	4,188	2,113	1,774	8,024
Bedford (T)	18,133	15,867	1,291	16	373	340	246	1,372
Lewisboro (T)	12,324	11,730	147	7	258	60	122	306
Mount Kisco (T/V)	9,983	7,766	598	28	423	901	267	2,450
New Castle (T)	17,491	16,004	240	8	974	90	175	487
North Castle (T)	10,849	10,022	191	3	435	68	130	449
North Salem (T)	5,173	4,937	39	4	50	58	85	189
Pound Ridge (T)	4,726	4,515	57	3	79	15	57	116
Somers (T)	18,346	17,400	313	9	342	109	173	543
Yorktown (T)	36,318	32,919	1,103	51	1,254	472	519	2,112
West Central	157,664	112,279	20,059	333	12,320	8,120	4,553	20,768
Ardsley (V)	4,269	3,586	65	4	528	31	55	182
Dobbs Ferry (V)	10,622	8,572	784	8	813	205	240	744
Elmsford (V)	4,676	2,609	949	35	426	387	270	1,089
Greenburgh (TOV)	41,828	26,724	8,489	57	4,379	1,121	1,058	3,422
Hastings-on-Hudson (V)	7,648	6,867	180	13	317	139	132	344
Irvington (V)	6,631	5,879	96	7	461	77	111	251
Scarsdale (T/V)	17,823	14,989	271	3	2,245	71	244	467
Tarrytown (V)	11,090	8,588	781	24	725	587	385	1,793
White Plains (C)	53,077	34,465	8,444	182	2,426	5,502	2,058	12,476
East Central	111,956	92,133	3,603	224	4,487	8,179	3,330	19,764
Harrison (T/V)	24,154	21,686	345	21	1,316	383	403	1,618
Larchmont (V)	6,485	6,111	44	6	188	50	86	291
Mamaroneck (TOV)	11,141	10,252	208	5	387	125	164	501
Mamaroneck (V)	18,752	15,859	778	46	672	909	488	3,284
Port Chester (V)	27,867	16,914	1,949	112	584	6,405	1,903	12,884
Rye (C)	14,955	13,401	190	16	972	190	186	718
Rye Brook (V)	8,602	7,910	89	18	368	117	100	468
Southwest	196,086	118,007	32,575	861	9,624	26,349	8,670	50,852
Yonkers (C)	196,086	118,007	32,575	861	9,624	26,349	8,670	50,852
Southeast	183,747	106,296	56,011	391	6,483	8,506	6,060	23,691
Bronxville (V)	6,543	6,012	75	3	320	48	85	192
Eastchester (TOV)	18,564	16,748	175	12	1,226	175	228	661
Mount Vernon (C)	68,381	19,577	40,743	219	1,491	3,316	3,035	7,083
New Rochelle (C)	72,182	49,001	13,848	141	2,369	4,535	2,288	14,492
Pelham (V)	6,400	5,326	426	6	317	158	167	461
Pelham Manor (V)	5,466	5,037	116	4	153	58	98	253
Tuckahoe (V)	6,211	4,595	628	6	607	216	159	549

¹ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

TABLE 6. NUMBER OF CHILDREN UNDER 18 BY LIVING ARRANGEMENT, WESTCHESTER COUNTY, 2000

Health Planning Region and Municipality	Total Under 18	Living in Families with					Non- Relative(s) Spouse	Living in Group Quarters
		Married Parents	Father Only	Mother Only	Relative(s)	Relative(s)		
Westchester County	230,797	167,242	7,022	36,148	15,138	2,834	114	2,299
Northwest	34,845	26,177	1,002	4,445	1,905	409	9	898
Briarcliff Manor (V)	2,062	1,879	20	124	22	15	0	2
Buchanan (V)	536	422	23	62	22	7	0	0
Cortlandt (TOV)	7,710	6,481	153	651	298	53	2	72
Croton-on-Hudson (V)	1,957	1,664	38	193	50	12	0	0
Mount Pleasant (TOV)	6,644	5,442	93	282	232	41	1	553
Ossining (TOV)	1,152	959	28	89	55	1	0	20
Ossining (V)	4,962	3,247	243	926	432	88	2	24
Peekskill (C)	5,471	2,948	287	1,563	534	135	1	3
Pleasantville (V)	2,046	1,559	34	158	59	11	1	224
Sleepy Hollow (V)	2,305	1,576	83	397	201	46	2	0
Northeast	36,816	31,819	697	2,543	983	250	9	515
Bedford (T)	4,793	4,055	95	333	131	39	1	139
Lewisboro (T)	3,897	3,493	63	264	56	16	2	3
Mount Kisco (T/V)	2,210	1,556	79	389	120	43	2	21
New Castle (T)	5,574	5,064	72	296	70	27	1	44
North Castle (T)	3,224	2,846	70	203	80	16	0	9
North Salem (T)	1,353	1,153	24	119	48	9	0	0
Pound Ridge (T)	1,235	1,104	26	68	32	4	1	0
Somers (T)	4,523	3,879	67	226	130	24	1	196
Yorktown (T)	10,007	8,669	201	645	316	72	1	103
West Central	37,660	29,173	961	4,163	2,203	424	19	717
Ardsley (V)	1,190	1,034	19	81	43	13	0	0
Dobbs Ferry (V)	2,759	1,876	75	309	98	7	3	391
Elmsford (V)	1,034	666	31	174	137	20	0	6
Greenburgh (TOV)	9,616	7,548	246	1,025	673	92	4	28
Hastings-on-Hudson (V)	1,912	1,627	27	187	62	8	1	0
Irvington (V)	1,867	1,566	29	159	31	6	1	75
Scarsdale (T/V)	5,838	5,415	62	250	89	21	1	0
Tarrytown (V)	2,182	1,647	70	333	94	24	2	12
White Plains (C)	11,262	7,794	402	1,645	976	233	7	205
East Central	28,230	23,112	762	2,653	1,380	297	9	17
Harrison (T/V)	5,916	5,003	126	481	223	64	2	17
Larchmont (V)	1,903	1,758	23	91	26	5	0	0
Mamaroneck (TOV)	3,143	2,815	55	214	51	8	0	0
Mamaroneck (V)	4,354	3,387	122	534	262	48	1	0
Port Chester (V)	6,267	4,134	309	995	685	139	5	0
Rye (C)	4,452	4,067	82	206	80	17	0	0
Rye Brook (V)	2,195	1,948	45	132	53	16	1	0
Southwest	47,714	27,337	2,022	13,192	4,321	727	30	85
Yonkers (C)	47,714	27,337	2,022	13,192	4,321	727	30	85
Southeast	45,532	29,624	1,578	9,152	4,346	727	38	67
Bronxville (V)	1,902	1,734	8	137	16	5	0	2
Eastchester (TOV)	4,116	3,511	76	355	157	15	2	0
Mount Vernon (C)	17,318	7,903	798	5,482	2,579	470	24	62
New Rochelle (C)	17,351	12,548	576	2,602	1,402	209	12	2
Pelham (V)	1,771	1,422	54	205	81	9	0	0
Pelham Manor (V)	1,624	1,448	23	101	47	4	0	1
Tuckahoe (V)	1,450	1,058	43	270	64	15	0	0

Source: U.S. Census Bureau. 2000 Census Summary File 1.

TABLE 7. EDUCATIONAL ATTAINMENT, POPULATION 25 YEARS AND OVER, WESTCHESTER COUNTY, 2000

Health Planning Region and Municipality	Population 25 and Over	With Less Than 9th Grade	Some High School, No Diploma	High School Graduate or Equivalency Exam	Some College, No Degree	Associate's Degree	Bachelor's, Graduate or Professional Degree
Westchester County	628,941	43,762	59,694	138,814	95,004	34,743	256,924
Northwest	95,634	6,789	9,525	21,870	14,564	5,584	37,302
Briarcliff Manor (V)	4,917	135	127	497	465	142	3,551
Buchanan (V)	1,516	46	137	584	242	125	382
Cortlandt (TOV)	19,507	583	1,400	5,133	3,536	1,298	7,557
Croton-on-Hudson (V)	5,289	196	213	966	693	309	2,912
Mount Pleasant (TOV)	17,248	766	1,283	4,084	2,566	1,069	7,480
Ossining (TOV)	4,142	104	174	655	593	168	2,448
Ossining (V)	17,134	2,339	2,774	3,818	2,281	959	4,963
Peekskill (C)	15,037	1,465	2,289	4,170	2,915	920	3,278
Pleasantville (V)	4,784	216	233	766	586	281	2,702
Sleepy Hollow (V)	6,060	939	895	1,197	687	313	2,029
Northeast	90,106	3,103	4,865	15,651	13,046	5,275	48,166
Bedford (T)	12,165	709	1,144	1,700	1,510	652	6,450
Lewisboro (T)	7,955	89	169	964	1,122	391	5,220
Mount Kisco (T/V)	7,003	780	709	1,487	999	401	2,627
New Castle (T)	11,388	181	213	959	982	402	8,651
North Castle (T)	7,125	230	314	1,105	1,036	392	4,048
North Salem (T)	3,620	125	125	689	670	255	1,756
Pound Ridge (T)	3,346	38	121	290	365	147	2,385
Somers (T)	13,040	265	409	2,777	2,168	845	6,576
Yorktown (T)	24,464	686	1,661	5,680	4,194	1,790	10,453
West Central	110,560	5,425	7,266	18,657	15,868	5,785	57,559
Ardley (V)	2,938	49	115	551	325	174	1,724
Dobbs Ferry (V)	7,029	371	516	1,353	914	317	3,558
Elmsford (V)	3,170	239	286	845	602	197	1,001
Greenburgh (TOV)	30,218	983	1,439	4,712	4,785	1,870	16,429
Hastings-on-Hudson (V)	5,429	168	186	818	682	169	3,406
Irvington (V)	4,528	82	141	660	687	154	2,804
Scarsdale (T/V)	11,262	139	187	675	994	276	8,991
Tarrytown (V)	8,003	425	541	1,515	1,028	470	4,024
White Plains (C)	37,983	2,969	3,855	7,528	5,851	2,158	15,622
East Central	76,272	5,852	5,848	15,357	10,325	3,687	35,203
Harrison (T/V)	15,892	963	1,099	3,436	2,424	761	7,209
Larchmont (V)	4,354	41	85	400	447	171	3,210
Mamaroneck (TOV)	7,763	98	151	845	821	311	5,537
Mamaroneck (V)	13,204	1,148	1,076	3,052	2,119	700	5,109
Port Chester (V)	18,755	3,097	2,728	5,499	2,650	918	3,863
Rye (C)	10,144	181	398	942	1,134	558	6,931
Rye Brook (V)	6,160	324	311	1,183	730	268	3,344
Southwest	131,749	12,498	18,161	38,609	22,591	7,179	32,711
Yonkers (C)	131,749	12,498	18,161	38,609	22,591	7,179	32,711
Southeast	124,620	10,095	14,029	28,670	18,610	7,233	45,983
Bronxville (V)	4,157	54	89	316	477	163	3,058
Eastchester (TOV)	13,614	470	799	2,598	2,087	741	6,919
Mount Vernon (C)	45,705	4,084	7,619	12,131	7,621	3,192	11,058
New Rochelle (C)	48,872	5,020	4,746	11,325	6,710	2,347	18,724
Pelham (V)	4,257	182	250	773	488	228	2,336
Pelham Manor (V)	3,628	49	176	471	436	211	2,285
Tuckahoe (V)	4,387	236	350	1,056	791	351	1,603

Source: Based on information extracted from U.S. Census Bureau 2000 Census Summary File 3. Five percent sample of the households. Data extracted by Westchester County Department of Planning.

TABLE 8. LABOR FORCE PARTICIPATION AND UNEMPLOYMENT RATE, POPULATION 16 YEARS AND OVER, WESTCHESTER COUNTY, 2000

Health Planning Region and Municipality	Population 16 and Over	In Labor Force	Civilian Labor Force			Armed Forces
			Employed	Unemployed	Unemployment Rate (%)	
Westchester County	716,252	452,517	432,600	19,817	4.4	100
Northwest	109,281	69,565	66,861	2,674	3.8	30
Briarcliff Manor (V)	5,736	3,587	3,340	247	6.9	0
Buchanan (V)	1,701	1,150	1,112	38	3.3	0
Cortlandt (TOV)	21,739	14,307	13,920	387	2.7	0
Croton-on-Hudson (V)	5,828	4,129	4,020	101	2.5	8
Mount Pleasant (TOV)	20,285	11,952	11,678	274	2.3	0
Ossining (TOV)	4,487	2,898	2,825	73	2.5	0
Ossining (V)	19,626	11,618	11,218	400	3.4	0
Peekskill (C)	17,397	11,754	10,963	769	6.6	22
Pleasantville (V)	5,386	3,526	3,425	101	2.9	0
Sleepy Hollow (V)	7,096	4,644	4,360	284	6.1	0
Northeast	100,542	66,183	64,631	1,540	2.3	12
Bedford (T)	13,835	8,033	7,863	170	2.1	0
Lewisboro (T)	8,824	6,377	6,272	105	1.6	0
Mount Kisco (T/V)	7,972	5,456	5,244	212	3.9	0
New Castle (T)	12,401	8,593	8,426	167	1.9	0
North Castle (T)	7,926	5,355	5,250	105	2.0	0
North Salem (T)	3,930	2,722	2,600	122	4.5	0
Pound Ridge (T)	3,618	2,400	2,343	57	2.4	0
Somers (T)	14,350	8,630	8,490	140	1.6	0
Yorktown (T)	27,686	18,617	18,143	462	2.5	12
West Central	123,782	82,151	78,964	3,179	3.9	8
Ardsley (V)	3,241	2,165	2,109	56	2.6	0
Dobbs Ferry (V)	8,180	5,385	5,201	184	3.4	0
Elmsford (V)	3,650	2,349	2,227	122	5.2	0
Greenburgh (TOV)	33,247	22,723	21,973	750	3.3	0
Hastings-on-Hudson (V)	5,927	4,108	3,955	153	3.7	0
Irvington (V)	4,932	3,253	3,194	59	1.8	0
Scarsdale (T/V)	12,548	7,937	7,818	119	1.5	0
Tarrytown (V)	9,076	6,253	6,090	163	2.6	0
White Plains (C)	42,981	27,978	26,397	1,573	5.6	8
East Central	86,255	54,689	52,809	1,880	3.4	0
Harrison (T/V)	18,696	11,427	11,027	400	3.5	0
Larchmont (V)	4,761	3,138	3,074	64	2.0	0
Mamaroneck (TOV)	8,339	5,635	5,509	126	2.2	0
Mamaroneck (V)	14,781	9,306	8,948	358	3.8	0
Port Chester (V)	22,215	14,160	13,452	708	5.0	0
Rye (C)	10,846	6,745	6,624	121	1.8	0
Rye Brook (V)	6,617	4,278	4,175	103	2.4	0
Southwest	153,381	90,245	84,182	6,033	6.7	30
Yonkers (C)	153,381	90,245	84,182	6,033	6.7	30
Southeast	143,011	89,684	85,153	4,511	5.0	20
Bronxville (V)	4,871	3,041	2,978	63	2.1	0
Eastchester (TOV)	14,937	8,996	8,765	231	2.6	0
Mount Vernon (C)	52,875	33,418	30,980	2,429	7.3	9
New Rochelle (C)	56,645	35,268	33,757	1,505	4.3	6
Pelham (V)	4,858	3,260	3,146	109	3.3	5
Pelham Manor (V)	3,962	2,574	2,493	81	3.1	0
Tuckahoe (V)	4,863	3,127	3,034	93	3.0	0

Source: U.S. Census Bureau 2000 Census Summary 3. Five percent sample of the households. Data extracted by Westchester County Department of Planning.

TABLE 9. NUMBER AND PERCENT OF POPULATION BELOW POVERTY LEVEL, WESTCHESTER COUNTY, 1999

Health Planning Region and Municipality	Total Population ¹	Below Poverty Level	
		Total	%
Westchester County	902,177	78,967	8.8
Northwest	132,715	9,479	7.1
Briarcliff Manor (V)	6,852	172	2.5
Buchanan (V)	2,185	85	3.9
Cortlandt (TOV)	27,986	1,361	4.9
Croton-on-Hudson (V)	7,408	249	3.4
Mount Pleasant (TOV)	23,270	992	4.3
Ossining (TOV)	5,163	329	6.4
Ossining (V)	21,455	2,270	10.6
Peekskill (C)	22,276	3,042	13.7
Pleasantville (V)	6,919	301	4.4
Sleepy Hollow (V)	9,201	678	7.4
Northeast	129,840	4,556	3.5
Bedford (T)	16,243	793	4.9
Lewisboro (T)	12,324	229	1.9
Mount Kisco (T/V)	9,925	1,040	10.5
New Castle (T)	17,390	601	3.5
North Castle (T)	10,833	325	3.0
North Salem (T)	4,926	100	2.0
Pound Ridge (T)	4,718	80	1.7
Somers (T)	17,916	367	2.0
Yorktown (T)	35,565	1,021	2.9
West Central	155,121	8,937	5.8
Ardsley (V)	4,237	53	1.3
Dobbs Ferry (V)	9,923	555	5.6
Elmsford (V)	4,615	427	9.3
Greenburgh (TOV)	41,719	1,327	3.2
Hastings-on-Hudson (V)	7,641	266	3.5
Irvington (V)	6,583	201	3.1
Scarsdale (T/V)	17,823	496	2.8
Tarrytown (V)	10,607	495	4.7
White Plains (C)	51,973	5,117	9.8
East Central	110,010	7,185	6.5
Harrison (T/V)	22,872	1,277	5.6
Larchmont (V)	6,455	148	2.3
Mamaroneck (TOV)	11,130	277	2.5
Mamaroneck (V)	18,464	1,267	6.9
Port Chester (V)	27,573	3,591	13.0
Rye (C)	14,955	374	2.5
Rye Brook (V)	8,561	251	2.9
Southwest	193,792	30,089	15.5
Yonkers (C)	193,792	30,089	15.5
Southeast	180,699	18,721	10.4
Bronxville (V)	6,284	171	2.7
Eastchester (TOV)	18,552	675	3.6
Mount Vernon (C)	67,497	9,618	14.2
New Rochelle (C)	70,294	7,367	10.5
Pelham (V)	6,404	209	3.3
Pelham Manor (V)	5,457	232	4.3
Tuckahoe (V)	6,211	449	7.2

Sources: ¹U.S. Census Bureau 2000 Census Summary File 3. Five percent sample of the households. Data extracted by Westchester County Department of Planning. According to the U.S. Census Bureau definition, poverty status was determined for all people except institutionalized people, people in military group quarters, people in college dormitories, and unrelated individuals under 15 years old. These groups were excluded from the numerator and denominator when calculating poverty rates.

TABLE 10. IMMIGRATION AND LANGUAGE SPOKEN AT HOME, WESTCHESTER COUNTY, 2000

Health Planning Region and Municipality	Total Population 2000 ¹	Persons Entered the U.S. Between 1990-March 2000 ²		Population 5 Years and Over ²	Primary Language Spoken at Home ²	
		Total	Non-Citizen		English Only	Non-English
Westchester County	923,459	79,184	71,054	859,662	615,323	244,339
Northwest	140,663	10,438	9,453	130,690	98,954	31,736
Briarcliff Manor (V)	7,696	246	229	7,069	5,978	1,091
Buchanan (V)	2,189	50	50	2,043	1,824	219
Cortlandt (TOV)	28,672	699	610	26,575	22,148	4,427
Croton-on-Hudson (V)	7,606	266	240	6,967	5,796	1,171
Mount Pleasant (TOV)	26,151	480	398	24,536	20,320	4,216
Ossining (TOV)	5,514	221	221	5,193	4,341	852
Ossining (V)	24,010	3,744	3,400	22,512	14,093	8,419
Peekskill (C)	22,441	2,516	2,280	20,636	15,082	5,554
Pleasantville (V)	7,172	350	331	6,704	5,619	1,085
Sleepy Hollow (V)	9,212	1,866	1,694	8,455	3,753	4,702
Northeast	133,343	4,723	3,984	123,747	103,386	20,361
Bedford (T)	18,133	783	693	16,858	13,743	3,115
Lewisboro (T)	12,324	353	287	11,363	10,207	1,156
Mount Kisco (T/V)	9,983	1,565	1,338	9,315	5,800	3,515
New Castle (T)	17,491	547	426	16,102	13,640	2,462
North Castle (T)	10,849	328	261	10,035	8,144	1,891
North Salem (T)	5,173	113	102	4,788	4,172	616
Pound Ridge (T)	4,726	87	78	4,371	3,946	425
Somers (T)	18,346	278	230	17,106	14,916	2,190
Yorktown (T)	36,318	669	569	33,809	28,818	4,991
West Central	157,664	15,193	13,883	147,574	105,598	41,976
Ardsley (V)	4,269	307	297	4,024	3,109	915
Dobbs Ferry (V)	10,622	629	553	10,055	7,881	2,174
Elmsford (V)	4,676	660	608	4,259	2,643	1,616
Greenburgh (TOV)	41,828	3,418	3,111	39,127	28,778	10,349
Hastings-on-Hudson (V)	7,648	297	240	7,279	6,194	1,085
Irvington (V)	6,631	342	303	6,126	5,041	1,085
Scarsdale (T/V)	17,823	1,474	1,375	16,472	12,830	3,642
Tarrytown (V)	11,090	1,183	1,081	10,335	7,150	3,185
White Plains (C)	53,077	6,883	6,315	49,897	31,972	17,925
East Central	111,956	13,135	12,291	103,879	70,310	33,569
Harrison (T/V)	24,154	1,875	1,681	22,544	16,529	6,015
Larchmont (V)	6,485	547	527	5,963	4,856	1,107
Mamaroneck (TOV)	11,141	751	680	10,295	8,252	2,043
Mamaroneck (V)	18,752	1,847	1,737	17,551	11,633	5,918
Port Chester (V)	27,867	6,003	5,651	25,869	11,597	14,272
Rye (C)	14,955	1,590	1,512	13,669	10,664	3,005
Rye Brook (V)	8,602	522	503	7,988	6,779	1,209
Southwest	196,086	17,962	17,962	182,574	111,307	71,267
Yonkers (C)	196,086	17,962	15,705	182,574	111,307	71,267
Southeast	183,747	17,733	15,738	171,198	125,768	45,430
Bronxville (V)	6,543	495	490	6,095	5,063	1,032
Eastchester (TOV)	18,564	937	889	17,410	13,708	3,702
Mount Vernon (C)	68,381	7,018	5,955	63,622	48,800	14,822
New Rochelle (C)	72,182	8,260	7,442	67,396	45,035	22,361
Pelham (V)	6,400	221	160	5,956	4,853	1,103
Pelham Manor (V)	5,466	161	161	5,034	4,359	675
Tuckahoe (V)	6,211	641	641	5,685	3,950	1,735

Sources:

¹ U.S. Census Bureau. 2000 Census Summary File 1.

² U.S. Census Bureau 2000 Census Summary File 3. Five percent sample of the households. Data extracted by Westchester County Department of Planning.

TABLE 11. NUMBER OF HOUSEHOLDS AND FAMILIES BY TYPE AND OVERCROWDED HOUSEHOLDS, WESTCHESTER COUNTY, 2000

Health Planning Region and Municipality	Total Households ¹	Family Households ¹	Overcrowded		Families with Own Children Under 18 ¹			
			Households ²	%	Total	Married- Couple Family	Single- Mother Family	Single- Father Family
Westchester County	337,142	235,201	20,381	6.0	114,677	88,975	21,174	4,528
Northwest	48,305	34,553	2,299	4.8	17,325	14,064	2,610	651
Briarcliff Manor (V)	2,435	1,996	31	1.3	1,073	986	76	11
Buchanan (V)	814	610	8	1.0	296	234	45	17
Cortlandt (TOV)	9,905	7,476	150	1.5	3,940	3,456	393	91
Croton-on-Hudson (V)	2,798	2,052	72	2.6	1,082	933	124	25
Mount Pleasant (TOV)	7,694	6,269	85	1.1	3,069	2,826	184	59
Ossining (TOV)	1,918	1,400	64	3.3	611	535	58	18
Ossining (V)	8,227	5,343	821	10.0	2,526	1,814	553	159
Peekskill (C)	8,696	5,344	574	6.6	2,656	1,618	846	192
Pleasantville (V)	2,637	1,825	71	2.7	928	799	107	22
Sleepy Hollow (V)	3,181	2,238	423	13.3	1,144	863	224	57
Northeast	46,078	35,978	751	1.6	18,707	16,664	1,599	444
Bedford (T)	5,731	4,395	136	2.4	2,352	2,087	203	62
Lewisboro (T)	4,218	3,424	51	1.2	2,000	1,788	171	41
Mount Kisco (T/V)	3,993	2,449	375	9.4	1,207	896	257	54
New Castle (T)	5,732	4,929	40	0.7	2,845	2,623	176	46
North Castle (T)	3,583	3,003	24	0.7	1,582	1,418	121	43
North Salem (T)	1,764	1,374	5	0.3	692	605	70	17
Pound Ridge (T)	1,699	1,407	5	0.3	646	591	42	13
Somers (T)	6,802	5,167	49	0.7	2,245	2,058	142	45
Yorktown (T)	12,556	9,830	66	0.5	5,138	4,598	417	123
West Central	59,626	40,783	3,034	5.1	19,212	15,883	2,699	630
Ardsley (V)	1,432	1,213	25	1.7	623	561	50	12
Dobbs Ferry (V)	3,792	2,570	123	3.2	1,308	1,058	202	48
Elmsford (V)	1,674	1,157	155	9.3	509	379	110	20
Greenburgh (TOV)	16,001	11,475	557	3.5	5,053	4,215	681	157
Hastings-on-Hudson (V)	3,093	2,092	40	1.3	1,046	904	122	20
Irvington (V)	2,518	1,813	49	1.9	950	828	101	21
Scarsdale (T/V)	5,662	4,996	52	0.9	2,888	2,706	147	35
Tarrytown (V)	4,533	2,763	134	3.0	1,204	931	224	49
White Plains (C)	20,921	12,704	1,899	9.1	5,631	4,301	1,062	268
East Central	40,089	28,784	2,015	5.0	14,188	12,038	1,650	500
Harrison (T/V)	8,394	6,187	158	1.9	2,965	2,566	319	80
Larchmont (V)	2,418	1,710	10	0.4	937	862	59	16
Mamaroneck (TOV)	4,151	3,174	33	0.8	1,648	1,479	134	35
Mamaroneck (V)	7,096	4,876	422	5.9	2,283	1,870	327	86
Port Chester (V)	9,531	6,374	1,304	13.7	3,025	2,232	592	201
Rye (C)	5,377	4,027	53	1.0	2,156	1,968	136	52
Rye Brook (V)	3,122	2,436	35	1.1	1,174	1,061	83	30
Southwest	74,351	49,290	7,368	9.9	23,001	14,517	7,200	1,284
Yonkers (C)	74,351	49,290	7,368	9.9	23,001	14,517	7,200	1,284
Southeast	68,693	45,813	4,914	7.2	22,244	15,809	5,416	1,019
Bronxville (V)	2,312	1,660	21	0.9	943	853	85	5
Eastchester (TOV)	7,687	5,127	125	1.6	2,220	1,926	239	55
Mount Vernon (C)	25,729	16,669	2,508	9.7	8,004	4,321	3,170	513
New Rochelle (C)	26,189	17,541	2,109	8.1	8,566	6,626	1,564	376
Pelham (V)	2,287	1,687	52	2.3	908	755	127	26
Pelham Manor (V)	1,862	1,504	19	1.0	806	728	61	17
Tuckahoe (V)	2,627	1,625	80	3.0	797	600	170	27

Sources:

¹ U.S. Census Bureau, 2000 Census Summary File 1.

² U.S. Census Bureau 2000 Census Summary File 3. Five percent sample of the households. Data extracted by Westchester County Department of Planning. Overcrowded household is defined by the U.S. Department of Housing and Urban Development as housing units with more than one person per room.

**TABLE 12. TOTAL NUMBER OF BIRTH AND BIRTH RATES
WESTCHESTER COUNTY, 2000**

Health Planning Region and Municipality	Number of Births	Birth Rate (per 1,000 Population)
Westchester County	13,283	14.4
Northwest	2,005	14.3
Briarcliff Manor (V)	78	10.1
Buchanan (V)	26	11.9
Cortlandt (TOV)	416	14.5
Croton-on-Hudson (V)	102	13.4
Mount Pleasant (TOV)	344	13.2
Ossining (TOV)	81	14.7
Ossining (V)	364	15.2
Peekskill (C)	361	16.1
Pleasantville (V)	84	11.7
Sleepy Hollow (V)	149	16.2
Northeast	1,802	13.5
Bedford (T)	248	13.7
Lewisboro (T)	187	15.2
Mount Kisco (T/V)	168	16.8
New Castle (T)	236	13.5
North Castle (T)	133	12.3
North Salem (T)	55	10.6
Pound Ridge (T)	80	16.9
Somers (T)	222	12.1
Yorktown (T)	473	13.0
West Central	2,100	13.3
Ardsley (V)	43	10.1
Dobbs Ferry (V)	93	8.8
Elmsford (V)	87	18.6
Greenburgh (TOV)	600	14.3
Hastings-on-Hudson (V)	65	8.5
Irvington (V)	88	13.3
Scarsdale (T/V)	185	10.4
Tarrytown (V)	162	14.6
White Plains (C)	777	14.6
East Central	1,611	14.4
Harrison (T/V)	264	10.9
Larchmont (V)	99	15.3
Mamaroneck (TOV)	158	14.2
Mamaroneck (V)	246	13.1
Port Chester (V)	498	17.9
Rye (C)	231	15.4
Rye Brook (V)	115	13.4
Southwest	3,047	15.5
Yonkers (C)	3,047	15.5
Southeast	2,676	14.6
Bronxville (V)	101	15.4
Eastchester (TOV)	230	12.4
Mount Vernon (C)	1,053	15.4
New Rochelle (C)	1,034	14.3
Pelham (V)	90	14.1
Pelham Manor (V)	63	11.5
Tuckahoe (V)	105	16.9
Unknown	42	-

Source: New York State Department of Health.

TABLE 13. AVERAGE MATERNAL AGE AND PERCENTAGE OF INFANTS BORN WITH LOW BIRTH WEIGHT, LESS THAN 38 WEEKS GESTATION, AND LATE OR NO PRENATAL CARE, WESTCHESTER COUNTY, 2000

Health Planning Region and Municipality	Average Maternal Age	Percentage of Infants Born With		
		Low Birth Weight ^{1,3}	<38 Weeks Gestation ³	Late or No Prenatal Care ^{2,3}
Westchester County	30.5	7.7	16.3	26.4
Northwest	31.0	7.1	14.9	22.5
Briarcliff Manor (V)	34.5	10.3	16.7	19.2
Buchanan (V)	29.9	7.7	11.5	7.7
Cortlandt (TOV)	31.9	4.8	14.9	13.7
Croton-on-Hudson (V)	33.5	5.9	12.7	11.8
Mount Pleasant (TOV)	32.9	7.3	14.5	15.1
Ossining (TOV)	32.1	4.9	16.0	11.5
Ossining (V)	29.1	8.8	14.3	31.3
Peekskill (C)	28.6	9.4	18.0	34.5
Pleasantville (V)	33.1	2.4	10.7	14.5
Sleepy Hollow (V)	29.9	6.0	12.1	37.0
Northeast	32.8	8.3	15.7	13.6
Bedford (T)	32.8	8.5	16.9	18.9
Lewisboro (T)	33.7	4.8	13.4	13.7
Mount Kisco (T/V)	30.2	6.0	10.7	26.1
New Castle (T)	33.6	8.5	13.1	11.7
North Castle (T)	34.1	7.5	18.0	9.9
North Salem (T)	32.4	9.1	14.5	11.8
Pound Ridge (T)	34.4	8.8	13.8	7.8
Somers (T)	33.1	10.8	22.1	7.8
Yorktown (T)	32.4	9.1	15.9	11.7
West Central	31.1	6.8	16.0	23.4
Ardsley (V)	33.6	11.6	18.6	19.5
Dobbs Ferry (V)	32.7	11.8	23.7	16.7
Elmsford (V)	29.6	11.5	17.2	23.8
Greenburgh (TOV)	31.2	7.5	20.0	20.8
Hastings-on-Hudson (V)	34.0	0.0	10.8	21.5
Irvington (V)	33.9	4.5	9.1	13.4
Scarsdale (T/V)	33.8	3.2	12.4	13.2
Tarrytown (V)	34.3	6.2	10.5	19.6
White Plains (C)	29.7	6.6	15.1	30.9
East Central	31.4	6.7	15.3	28.5
Harrison (T/V)	32.1	8.0	16.3	18.8
Larchmont (V)	34.3	9.1	13.1	11.1
Mamaroneck (TOV)	33.9	10.8	23.4	20.0
Mamaroneck (V)	30.8	4.9	14.2	25.9
Port Chester (V)	28.6	5.0	13.3	49.5
Rye (C)	33.6	5.6	14.3	14.5
Rye Brook (V)	33.3	9.6	17.4	10.5
Southwest	28.5	8.8	17.8	39.8
Yonkers (C)	28.5	8.8	17.8	39.8
Southeast	29.7	8.0	16.9	23.4
Bronxville (V)	33.6	6.9	14.9	9.4
Eastchester (TOV)	33.0	8.7	12.6	13.9
Mount Vernon (C)	28.0	10.6	21.2	28.6
New Rochelle (C)	29.7	6.3	14.4	23.3
Pelham (V)	33.5	3.3	10.0	12.5
Pelham Manor (V)	33.7	3.2	19.0	7.3
Tuckahoe (V)	31.3	5.7	14.3	23.8
Unknown	29.3	4.8	16.7	37.5

Source: New York State Department of Health.

¹. Low birth weight is defined as less than 2500 grams at birth

². Late or No Prenatal Care is defined as prenatal care begun at the second or third trimester, or no prenatal care throughout pregnancy

³. All percentages for adverse pregnancy outcomes and risk factors were calculated excluding subjects with missing information

TABLE 14. NUMBER OF BIRTHS BY MOTHER'S AGE AND RACE/ETHNICITY, WESTCHESTER COUNTY, 2000

Mother's Age	Total		White		Black		Other		Unknown		Hispanic ¹	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
Total ²	13,283	100.0	10,158	100.0	2,111	100.0	810	100.0	204	100.0	3,121	100.0
10-14	6	0.0	2	0.0	4	0.2	0	0.0	0	0.0	1	0.0
15-17	234	1.8	129	1.3	99	4.7	3	0.4	3	1.5	106	3.4
18-19	443	3.3	288	2.8	139	6.6	7	0.9	9	4.4	212	6.8
20-24	1,709	12.9	1,141	11.2	459	21.8	54	6.7	55	27.0	852	27.3
25-29	2,777	20.9	1,985	19.5	502	23.8	234	28.9	56	27.5	834	26.7
30-34	4,510	34.0	3,647	35.9	505	23.9	312	38.5	46	22.5	654	21.0
35-39	2,939	22.1	2,416	23.8	331	15.7	163	20.1	29	14.2	377	12.1
40-44	634	4.8	524	5.2	68	3.2	36	4.4	6	2.9	81	2.6
45+	29	0.2	25	0.2	3	0.1	1	0.1	0	0.0	4	0.1
Unknown	2	-	1	-	1	-	0	-	0	-	0	-

¹ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

² Percentage calculations do not include the "unknown" cases.

Source: New York State Department of Health.

TABLE 15. NUMBER OF BIRTHS BY BIRTHWEIGHT, RACE/ETHNICITY, AND MOTHER'S AGE, WESTCHESTER COUNTY, 2000

Race/Ethnicity and Birthweight	Total ¹	Mother's Age								
		10-14	15-17	18-19	20-24	25-29	30-34	35-39	40-45	45+
Total	13,283	6	234	443	1,709	2,777	4,510	2,939	634	29
<1500 grams	195	1	7	11	30	39	61	37	7	2
1500-2499 grams	830	1	28	42	104	140	269	184	57	5
2500 grams+	12,258	4	199	390	1,575	2,598	4,180	2,718	570	22
White	10,158	2	129	288	1,141	1,985	3,647	2,416	524	25
<1500 grams	111	0	5	6	15	19	38	22	4	2
1500-2499 grams	562	0	15	18	63	93	186	138	44	5
2500 grams+	9,485	2	109	264	1,063	1,873	3,423	2,256	476	18
Black	2,111	4	99	139	459	502	505	331	68	3
<1500 grams	77	1	2	5	14	17	21	14	3	0
1500-2499 grams	206	1	13	22	40	39	49	31	11	0
2500 grams+	1,828	2	84	112	405	446	435	286	54	3
Other	810	0	3	7	54	234	312	163	36	1
<1500 grams	7	0	0	0	1	3	2	1	0	0
1500-2499 grams	55	0	0	2	1	8	29	13	2	0
2500 grams+	748	0	3	5	52	223	281	149	34	1
Unknown	204	0	3	9	55	56	46	29	6	0
<1500 grams	0	0	0	0	0	0	0	0	0	0
1500-2499 grams	7	0	0	0	0	0	5	2	0	0
2500 grams+	197	0	3	9	55	56	41	27	6	0
Hispanic²	3,121	1	106	212	852	834	654	377	81	4
<1500 grams	37	0	2	6	8	10	5	6	0	0
1500-2499 grams	149	0	12	15	40	38	23	16	5	0
2500 grams+	2,935	1	92	191	804	786	626	355	76	4

¹ Includes births with incomplete information on maternal age, birthweight, and race/ethnicity.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

TABLE 16. NUMBER OF INFANTS BY LOW BIRTH WEIGHT AND MATERNAL EXPOSURE TO SMOKING AND DRUG USE DURING PREGNANCY, BY RACE / ETHNICITY, WESTCHESTER COUNTY, 2000

	Any Smoking ¹						Any Drug Use ²					
	Total		No		Yes		Total		No		Yes	
	N	%	N	%	N	%	N	%	N	%	N	%
Total	13,278		12,828		450		13,283		13,153		130	
Birth weight ≥ 2500 grams	12,254	92.3%	11,876	92.6%	378	84.0%	12,258	92.3%	12,151	92.4%	107	82.3%
Birth weight 1500-2500 grams	829	6.2%	772	6.0%	57	12.7%	830	6.2%	810	6.2%	20	15.4%
Birth weight ≤ 1500 grams	195	1.5%	180	1.4%	15	3.3%	195	1.5%	192	1.5%	3	2.3%
White	10,155		9,859		296		10,158		10,091		67	
Birth weight ≥ 2500 grams	9,482	93.4%	9,222	93.5%	260	87.8%	9,485	93.4%	9,424	93.4%	61	91.0%
Birth weight 1500-2500 grams	562	5.5%	532	5.4%	30	10.1%	562	5.5%	556	5.5%	6	9.0%
Birth weight ≤ 1500 grams	111	1.1%	105	1.1%	6	2.0%	111	1.1%	111	1.1%	0	0.0%
Black	2,110		1,963		147		2,111		2,050		61	
Birth weight ≥ 2500 grams	1,828	86.6%	1,715	87.4%	113	76.9%	1,828	86.6%	1,783	87.0%	45	73.8%
Birth weight 1500-2500 grams	205	9.7%	180	9.2%	25	17.0%	206	9.8%	193	9.4%	13	21.3%
Birth weight ≤ 1500 grams	77	3.6%	68	3.5%	9	6.1%	77	3.6%	74	3.6%	3	4.9%
Other	809		805		4		810		809		1	
Birth weight ≥ 2500 grams	747	92.3%	743	92.3%	4	100.0%	748	92.3%	747	92.3%	1	100.0%
Birth weight 1500-2500 grams	55	6.8%	55	6.8%	0	0.0%	55	6.8%	55	6.8%	0	0.0%
Birth weight ≤ 1500 grams	7	0.9%	7	0.9%	0	0.0%	7	0.9%	7	0.9%	0	0.0%
Hispanic³	3,147		3,072		75		3,121		3,108		13	
Birth weight ≥ 2500 grams	2,934	93.2%	2875	93.6%	59	78.7%	2,935	94.0%	2922	94.0%	13	100.0%
Birth weight 1500-2500 grams	176	5.6%	163	5.3%	13	17.3%	149	4.8%	149	4.8%	0	0.0%
Birth weight ≤ 1500 grams	37	1.2%	34	1.1%	3	4.0%	37	1.2%	37	1.2%	0	0.0%

¹ Any smoking: Any use of tobacco products during pregnancy.

² Any drug use: Any use of cocaine, crack, heroin, methadone, marijuana, amphetamines, or unprescribed sedatives during pregnancy.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

TABLE 17. AVERAGE BIRTH WEIGHT BY MATERNAL EXPOSURE TO SMOKING AND DRUG USE DURING PREGNANCY BY RACE/ETHNICITY, WESTCHESTER COUNTY, 2000

	Any Smoking¹		Any Drug Use²		Any Smoking & Drug Use	
	No	Yes	No	Yes	No	Yes
Total³						
Birth Weight	3,323	3,097	3,318	3,041	3,323	2,874
(n)	12,828	450	13,153	130	12,762	57
White						
Birth Weight	3,361	3,208	3,359	3,163
(n)	9,859	296	10,091	67
Black						
Birth Weight	3,160	2,871	3,147	2,922
(n)	1,963	147	2,050	61
Hispanic⁴						
Birth Weight	3,325	3,030	3,318	3,007
(n)	3,045	75	3,108	13

¹ Any smoking: Any use of tobacco products during pregnancy. Also include 57 cases in "any drug use" category.

² Any drug use: any use of cocaine, crack, heroin, methadone, marijuana, amphetamines, or unprescribed sedatives during pregnancy. Also include 57 cases in "any smoking" category.

³ Total includes 'other' and 'unknown' racial categories. There were insufficient number of subjects in other racial categories for analysis.

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanic ethnicity is reported among racial groups.

Statistical testing by Student's t-test, p-value<0.05. All differences in birth weights were comparisons between the risk behavior and non-risk behavior category. Differences in birthweight were statistically significant except the difference between drug-user and non-drug-users among the Hispanics.

Source: New York State Department of Health.

TABLE 18. NUMBER OF BIRTHS BY TIME STARTING PRENATAL CARE, RACE/ETHNICITY, AND MOTHER'S AGE, WESTCHESTER COUNTY, 2000

Race/Ethnicity and Time Starting Prenatal Care	Total ¹	Mother's Age								
		10-14	15-17	18-19	20-24	25-29	30-34	35-39	40-45	45+
Total	13,283	6	234	443	1,709	2,777	4,510	2,939	634	29
First Trimester (1st-3rd Month)	8,950	0	76	193	854	1,852	3,335	2,169	452	19
Second Trimester (4th-6th Month)	2,449	4	78	174	561	560	588	391	90	3
Third Trimester (7th-9th Month)	423	1	36	40	117	98	76	43	11	1
None	340	1	27	27	90	76	70	36	13	0
Unknown	1,121	0	17	9	87	191	441	300	68	6
White	10,158	2	129	288	1,141	1,985	3,647	2,416	524	25
First Trimester (1st-3rd Month)	7,044	0	43	126	546	1,363	2,743	1,825	381	17
Second Trimester (4th-6th Month)	1,691	1	43	112	384	360	433	288	68	2
Third Trimester (7th-9th Month)	279	1	18	30	90	63	44	27	5	1
None	229	0	17	15	65	47	51	26	8	0
Unknown	915	0	8	5	56	152	376	250	62	5
Black	2,111	4	99	139	459	502	505	331	68	3
First Trimester (1st-3rd Month)	1,260	0	33	64	255	304	334	226	42	2
Second Trimester (4th-6th Month)	547	3	31	52	140	132	105	68	16	0
Third Trimester (7th-9th Month)	110	0	17	8	21	24	22	14	4	0
None	95	1	10	12	23	21	16	8	4	0
Unknown	99	0	8	3	20	21	28	15	2	1
Other	810	0	3	7	54	234	312	163	36	1
First Trimester (1st-3rd Month)	546	0	0	2	31	155	231	101	26	0
Second Trimester (4th-6th Month)	135	0	2	3	11	49	37	27	5	1
Third Trimester (7th-9th Month)	24	0	1	2	3	8	7	2	1	0
None	15	0	0	0	2	8	3	1	1	0
Unknown	90	0	0	0	7	14	34	32	3	0
Unknown	204	0	3	9	55	56	46	29	6	0
First Trimester (1st-3rd Month)	100	0	0	1	22	30	27	17	3	0
Second Trimester (4th-6th Month)	76	0	2	7	26	19	13	8	1	0
Third Trimester (7th-9th Month)	10	0	0	0	3	3	3	0	1	0
None	1	0	0	0	0	0	0	1	0	0
Unknown	17	0	1	1	4	4	3	3	1	0
Hispanic²	3121	1	106	212	852	834	654	377	81	4
First Trimester (1st-3rd Month)	1691	0	36	85	380	480	424	237	46	3
Second Trimester (4th-6th Month)	952	0	38	91	320	240	153	89	21	0
Third Trimester (7th-9th Month)	194	1	12	21	68	50	23	15	4	0
None	147	0	14	13	54	31	23	10	2	0
Unknown	137	0	6	2	30	33	31	26	8	1

¹ Includes births with incomplete information on maternal age, time starting prenatal care, and race/ethnicity.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

TABLE 19. NUMBER OF TOTAL PREGNANCIES, LIVE BIRTHS, SPONTANEOUS FETAL DEATHS, AND INDUCED ABORTIONS BY MATERNAL AGE, WESTCHESTER COUNTY, 2000

	Total Pregnancies	Live Births	Spontaneous Fetal Deaths	Induced Abortions	As % of Total Pregnancies		
					Live Births	Spontaneous Fetal Deaths	Induced Abortions
Total	17,116	13,283	676	3,157	77.6	3.9	18.4
10-14	31	6	2	23	19.4	6.5	74.2
15-17	513	234	7	272	45.6	1.4	53.0
18-19	820	443	21	356	54.0	2.6	43.4
20-24	2,592	1,709	53	830	65.9	2.0	32.0
25-29	3,515	2,777	101	637	79.0	2.9	18.1
30-34	5,235	4,510	200	525	86.2	3.8	10.0
35-39	3,506	2,939	197	370	83.8	5.6	10.6
40-44	842	634	88	120	75.3	10.5	14.3
45+	43	29	5	9	67.4	11.6	20.9
Unknown	19	2	2	15	10.5	10.5	78.9

Source: New York State Department of Health.

**TABLE 20. TOTAL NUMBER OF DEATHS AND DEATH RATES,
WESTCHESTER COUNTY, 2000**

Health Planning Region and Municipality	Number of Deaths	Death Rate¹
Westchester County	7,415	8.0
Northwest	1,126	8.0
Briarcliff Manor (V)	82	10.7
Buchanan (V)	15	6.9
Cortlandt (TOV)	273	9.5
Croton-on-Hudson (V)	40	5.3
Mount Pleasant (TOV)	181	6.9
Ossining (TOV)	72	13.1
Ossining (V)	196	8.2
Peekskill (C)	182	8.1
Pleasantville (V)	42	5.9
Sleepy Hollow (V)	43	4.7
Northeast	842	6.3
Bedford (T)	75	4.1
Lewisboro (T)	51	4.1
Mount Kisco (T/V)	71	7.1
New Castle (T)	81	4.6
North Castle (T)	49	4.5
North Salem (T)	75	14.5
Pound Ridge (T)	18	3.8
Somers (T)	148	8.1
Yorktown (T)	274	7.5
West Central	1,203	7.6
Ardsley (V)	19	4.5
Dobbs Ferry (V)	104	9.8
Elmsford (V)	31	6.6
Greenburgh (TOV)	322	7.7
Hastings-on-Hudson (V)	66	8.6
Irvington (V)	55	8.3
Scarsdale (T/V)	68	3.8
Tarrytown (V)	88	7.9
White Plains (C)	450	8.5
East Central	853	7.6
Harrison (T/V)	149	6.2
Larchmont (V)	31	4.8
Mamaroneck (TOV)	83	7.4
Mamaroneck (V)	195	10.4
Port Chester (V)	215	7.7
Rye (C)	110	7.4
Rye Brook (V)	70	8.1
Southwest	1,707	8.7
Yonkers (C)	1,707	8.7
Southeast	1,629	8.9
Bronxville (V)	43	6.6
Eastchester (TOV)	172	9.3
Mount Vernon (C)	586	8.6
New Rochelle (C)	692	9.6
Pelham (V)	44	6.9
Pelham Manor (V)	45	8.2
Tuckahoe (V)	47	7.6
Unknown	55	-

¹ per 1,000 population

Source: New York State Department of Health.

TABLE 21. NUMBER OF DEATHS AND DEATH RATES BY AGE GROUP AND SEX, AVERAGE AGE OF DEATH BY SEX, WESTCHESTER COUNTY, 2000

Age Group	Number			Death Rate ¹		
	Total	Female	Male	Total	Female	Male
Total	7,415	3,983	3,432	8.0	8.3	7.8
0-4	75	26	49	1.2	0.8	1.5
5-9	6	2	4	0.1	0.1	0.1
10-19	25	7	18	0.2	0.1	0.3
20-29	88	24	64	0.9	0.5	1.3
30-39	147	52	95	1.0	0.7	1.3
40-49	288	102	186	2.0	1.4	2.7
50-59	538	227	311	4.9	3.9	6.0
60-69	832	367	465	11.5	9.3	14.2
70-79	1,726	822	904	29.1	23.9	36.3
80+	3,690	2,354	1,336	103.5	97.5	116.1
Average Age of Death	75.3	78.8	71.2	--	--	--

¹ Rates are reported per 1,000 population.

Source: New York State Department of Health.

TABLE 22. NUMBER OF DEATHS AND DEATH RATES BY AGE GROUP AND RACE / ETHNICITY, AND AVERAGE AGE OF DEATH BY RACE / ETHNICITY, WESTCHESTER COUNTY, 2000

Age Group	Frequency						Death Rate ¹				
	Total	White	Black	Other	Unknown	Hispanic ¹	Total	White	Black	Other	Hispanic ²
Total	7,415	6,328	988	83	16	268	8.0	9.6	7.5	0.6	1.9
0-4	75	38	34	2	1	14	1.2	0.9	3.6	0.2	1.0
5-9	6	4	2	0	0	1	0.1	0.1	0.2	0.0	0.1
10-19	25	16	8	1	0	1	0.2	0.2	0.4	0.0	0.0
20-29	88	53	31	4	0	19	0.9	0.9	1.9	0.2	0.7
30-39	147	101	45	0	1	25	1.0	1.0	2.0	0.0	0.9
40-49	288	192	86	8	2	26	2.0	1.8	4.6	0.4	1.4
50-59	538	388	136	13	1	37	4.9	4.6	9.4	1.2	3.6
60-69	832	656	158	14	4	35	11.5	11.3	17.3	2.7	6.6
70-79	1,726	1,486	218	22	0	39	29.1	28.9	40.7	8.7	15.1
80+	3,690	3,394	270	19	7	71	103.5	107.3	93.7	16.8	69.1
Average Age of Death	75.3	77.0	65.1	65.1	65.5	59.8	--	--	--	--	--

¹ Rate are displayed as per 1,000 population.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

TABLE 23. NUMBER OF INFANT DEATHS AND INFANT MORTALITY RATES, WESTCHESTER COUNTY, 2000

Health Planning Region and Municipality	Frequency	Infant Mortality Rate ¹
Westchester County	65	4.9
Northwest	12	6.0
Briarcliff Manor (V)	0	0.0
Buchanan (V)	0	0.0
Cortlandt (TOV)	1	2.4
Croton-on-Hudson (V)	0	0.0
Mount Pleasant (TOV)	3	8.7
Ossining (TOV)	0	0.0
Ossining (V)	3	8.2
Peekskill (C)	5	13.9
Pleasantville (V)	0	0.0
Sleepy Hollow (V)	0	0.0
Northeast	10	5.5
Bedford (T)	1	4.0
Lewisboro (T)	0	0.0
Mount Kisco (T/V)	2	11.9
New Castle (T)	1	4.2
North Castle (T)	0	0.0
North Salem (T)	1	18.2
Pound Ridge (T)	0	0.0
Somers (T)	2	9.0
Yorktown (T)	4	8.5
West Central	5	2.4
Ardsley (V)	0	0.0
Dobbs Ferry (V)	1	10.8
Elmsford (V)	1	11.5
Greenburgh (TOV)	1	1.7
Hastings-on-Hudson (V)	0	0.0
Irvington (V)	0	0.0
Scarsdale (T/V)	0	0.0
Tarrytown (V)	0	0.0
White Plains (C)	2	2.6
East Central	6	3.7
Harrison (T/V)	3	11.4
Larchmont (V)	0	0.0
Mamaroneck (TOV)	1	6.3
Mamaroneck (V)	1	4.1
Port Chester (V)	1	2.0
Rye (C)	0	0.0
Rye Brook (V)	0	0.0
Southwest	18	5.9
Yonkers (C)	18	5.9
Southeast	13	4.9
Bronxville (V)	1	9.9
Eastchester (TOV)	0	0.0
Mount Vernon (C)	9	8.5
New Rochelle (C)	3	2.9
Pelham (V)	0	0.0
Pelham Manor (V)	0	0.0
Tuckahoe (V)	0	0.0
Unknown	1	-

Source: New York State Department of Health.

¹ per 1,000 live births

**TABLE 24. NUMBER OF INFANT DEATHS AND
INFANT MORTALITY RATES BY RACE /
ETHNICITY, WESTCHESTER COUNTY, 2000**

Race/Ethnicity	Frequency	Infant Mortality Rate¹
Total	65	4.9
White	32	3.2
Black	30	14.2
Other	2	2.5
Unknown	1	--
Hispanic ²	11	3.5

¹ Rates are displayed per 1,000 live births.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are reported in race categories.

Source: New York State Department of Health.

TABLE 25. NUMBER OF DEATHS AND DEATH RATES BY SELECTED CAUSES AND SEX, WESTCHESTER COUNTY, 2000

Cause of Death	Number of Deaths			Death Rate ¹		
	Total	Female	Male	Total	Female	Male
Total	7,415	3,983	3,432	8.0	8.3	7.8
Major Cardiovascular Diseases	3,340	1,925	1,415	3.6	4.0	3.2
Malignant Neoplasms	1,875	928	947	2.0	1.9	2.1
Chronic Lower Respiratory Disease (CLRD)	334	194	140	0.4	0.4	0.3
Pneumonia	211	103	108	0.2	0.2	0.2
Accidents (Total)	176	52	124	0.2	0.1	0.3
Septicemia	147	93	54	0.2	0.2	0.1
Diabetes Mellitus	146	87	59	0.2	0.2	0.1
Nephritis, Nephrotic Syndrome and Nephrosis	110	61	49	0.1	0.1	0.1
Chronic Liver Diseases including Cirrhosis	68	20	48	0.1	0.0	0.1
AIDS	59	22	37	0.1	0.0	0.1
Suicide	52	22	30	0.1	0.0	0.1
Certain Conditions Originating in the Perinatal Period	38	16	22	0.0	0.0	0.0
Homicide and Legal Intervention	32	6	26	0.0	0.0	0.1
Congenital Anomalies	20	10	10	0.0	0.0	0.0
Gastritis, Enteritis, Colitis, Diverticulitis	13	9	4	0.0	0.0	0.0
Influenza	1	0	1	0.0	0.0	0.0
Tuberculosis	1	0	1	0.0	0.0	0.0
Complications of Pregnancy, Childbirth, and Puerperiu	3	3	0	0.0	0.0	0.0
Sudden Infant Death Syndrome	5	1	4	0.0	0.0	0.0
All Other Causes	784	431	353	0.8	0.9	0.8

¹ Rates are reported per 1,000 population.

Source: New York State Department of Health.

TABLE 26. NUMBER OF DEATHS AND DEATH RATES BY SELECTED CAUSES AND AGE GROUP, WESTCHESTER COUNTY, 2000

Cause of Death	Number of Deaths								Death Rate ¹							
	Total	<1	0-9	10-19	20-29	30-49	50-64	65+	Total	<1	0-9	10-19	20-29	30-49	50-64	65+
Total	7,415	65	82	25	89	436	893	5,909	8.0	4.9	0.6	0.2	0.9	1.5	6.0	45.8
Major Cardiovascular Diseases	3,340	2	4	3	10	99	253	2,971	3.6	0.2	0.0	0.0	0.1	0.3	1.7	23.0
Malignant Neoplasms	1,875	0	2	5	12	97	393	1,380	2.0	0.0	0.0	0.0	0.1	0.3	2.6	10.7
Chronic Lower Respiratory Disease (CLRD)	334	1	1	0	0	2	33	298	0.4	0.1	0.0	0.0	0.0	0.0	0.2	2.3
Pneumonia	211	0	0	0	0	12	5	194	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.5
Accidents (Total)	176	0	2	5	27	47	17	76	0.2	0.0	0.0	0.0	0.3	0.2	0.1	0.6
Septicemia	147	0	0	1	0	5	15	126	0.2	0.0	0.0	0.0	0.0	0.0	0.1	1.0
Diabetes Mellitus	146	0	0	0	0	7	20	119	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.9
Nephritis, Nephrotic Syndrome and Nephrosis	110	0	0	0	0	3	14	93	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.7
Chronic Liver Diseases including Cirrhosis	68	0	0	0	0	18	30	20	0.1	0.0	0.0	0.0	0.0	0.1	0.2	0.2
AIDS	59	0	1	1	2	32	21	2	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.0
Suicide	52	0	0	1	6	27	9	8	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.1
Certain Conditions Originating in the Perinatal Period	38	38	38	0	0	0	0	0	0.0	2.9	0.3	0.0	0.0	0.0	0.0	0.0
Homicide and Legal Intervention	32	2	4	4	12	8	1	3	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.0
Congenital Anomalies	20	10	11	0	0	3	0	6	0.0	0.8	0.1	0.0	0.0	0.0	0.0	0.0
Gastritis, Enteritis, Colitis, Diverticulitis	13	0	0	0	2	0	2	9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Influenza	1	0	0	0	0	0	0	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tuberculosis	1	0	0	0	0	0	0	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Complications of Pregnancy, Childbirth, and Puerperium	3	0	0	0	1	2	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sudden Infant Death Syndrome	5	5	5	0	0	0	0	0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0
All Other Causes	784	7	13	5	16	72	80	598	0.8	0.5	0.1	0.0	0.2	0.2	0.5	4.6

¹ Rates are reported per 1,000 population. For infants under 1, the rate is calculated as per 1,000 live birth (defined as infant mortality rate).

Source: New York State Department of Health.

TABLE 27. NUMBER OF DEATHS AND DEATH RATES BY SELECTED CAUSES AND RACE / ETHNICITY, WESTCHESTER COUNTY, 2000

Cause of Death	Number of Deaths					Death Rate ¹						
	Total	White	Black	Other	Unknown	Hispanic ²	Total	White	Black	Other	Unknown	Hispanic ²
Total	7,415	6,344	990	82	18	268	8.0	9.6	7.5	0.6	..	1.9
Major Cardiovascular Diseases	3,340	2,916	390	31	3	102	3.6	4.4	3.0	0.2	..	0.7
Malignant Neoplasms	1,875	1,598	243	28	6	49	2.0	2.4	1.9	0.2	..	0.3
Chronic Lower Respiratory Disease (CLRD)	334	297	34	2	1	6	0.4	0.5	0.3	0.0	..	0.0
Septicemia	147	122	25	0	0	7	0.2	0.2	0.2	0.0	..	0.0
Accidents (Total)	176	149	20	7	0	20	0.2	0.2	0.2	0.1	..	0.1
Nephritis, Nephrotic Syndrome and Nephrosis	110	86	23	1	0	3	0.1	0.1	0.2	0.0	..	0.0
Diabetes Mellitus	146	110	34	2	0	5	0.2	0.2	0.3	0.0	..	0.0
Pneumonia	211	196	14	1	0	3	0.2	0.3	0.1	0.0	..	0.0
Chronic Liver Diseases including Cirrhosis	68	54	14	0	0	6	0.1	0.1	0.1	0.0	..	0.0
AIDS	59	25	33	1	0	11	0.1	0.0	0.3	0.0	..	0.1
Suicide	52	47	4	1	0	5	0.1	0.1	0.0	0.0	..	0.0
Certain Conditions Originating in the Perinatal Period	38	22	16	0	0	7	0.0	0.0	0.1	0.0	..	0.0
Congenital Anomalies	20	12	7	0	1	2	0.0	0.0	0.1	0.0	..	0.0
Homicide and Legal Intervention	32	12	20	0	0	8	0.0	0.0	0.2	0.0	..	0.1
Gastritis, Enteritis, Colitis, Diverticulitis	13	13	0	0	0	0	0.0	0.0	0.0	0.0	..	0.0
Influenza	1	1	0	0	0	0	0.0	0.0	0.0	0.0	..	0.0
Tuberculosis	1	1	0	0	0	1	0.0	0.0	0.0	0.0	..	0.0
Complications of Pregnancy, Childbirth, and Puerperium	3	0	3	0	0	0	0.0	0.0	0.0	0.0	..	0.0
Sudden Infant Death Syndrome	5	3	2	0	0	1	0.0	0.0	0.0	0.0	..	0.0
All Other Causes	784	664	106	9	5	32	0.8	1.0	0.8	0.1	..	0.2

¹ Rate are displayed as per 1,000 population.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

TABLE 28. FIVE LEADING CAUSES OF DEATH BY HEALTH PLANNING REGION, WESTCHESTER COUNTY, 2000

	Westchester County	Northwest	Northeast	West Central	East Central	Southwest	Southeast
Total	7,415	1,126	842	1,203	853	1,707	1,629
Rate ¹	8.0	8.0	6.3	7.6	7.6	8.7	8.9
Major Cardiovascular Diseases							
Number	3,340	492	367	540	400	765	751
Rate	3.6	3.5	2.8	3.4	3.6	3.9	4.1
Malignant Neoplasms							
Number	1,875	286	239	319	215	418	388
Rate	2.0	2.0	1.8	2.0	1.9	2.1	2.1
Chronic Lower Respiratory Disease (CLRD)							
Number	334	57	38	44	36	84	71
Rate	0.4	0.4	0.3	0.3	0.3	0.4	0.4
Pneumonia							
Number	211	30	22	40	21	53	43
Rate	0.2	0.2	0.2	0.3	0.2	0.3	0.2
Accidents							
Number	176	22	23	28	22	39	37
Rate	0.2	0.2	0.2	0.2	0.2	0.2	0.2

¹ All death rates in this table are per 1,000 population.

Source: New York State Department of Health.

TABLE 29. NUMBER OF DEATHS DUE TO CARDIOVASCULAR DISEASE BY AGE GROUP AND SEX, WESTCHESTER COUNTY, 2000

	Total	Age				Sex	
		0-29	30-49	50-64	65+	Female	Male
Total	3340	17	99	253	2971	1925	1415
Diseases of the Heart	2720	13	76	203	2428	1544	1176
Ischemic Heart Diseases	1580	0	32	100	1448	898	682
Acute Myocardial Infarction	551	0	17	49	485	295	256
Hypertension with Heart Disease	81	0	1	9	71	52	29
Diseases of Pulmonary Circulation	29	1	3	6	19	19	10
Chronic Rheumatic Fever	0	0	0	0	0	0	0
Acute Rheumatic Fever	0	0	0	0	0	0	0
Other Diseases of the Heart	479	12	23	39	405	280	199
Other Cardiovascular Diseases	620	4	23	50	543	379	239
Cerebrovascular Disease	429	2	16	22	389	267	162
Hypertension with or without Renal Disease	54	0	0	8	46	36	18
Arteriosclerosis	42	0	0	0	42	31	11
Other Diseases of the Circulatory System	95	2	7	20	66	47	48

Source: New York State Department of Health.

TABLE 30. NUMBER OF DEATHS DUE TO CARDIOVASCULAR DISEASES BY RACE / ETHNICITY, WESTCHESTER COUNTY, 2000

	Total	White	Black	Other	Unknown	Hispanic¹
Total	3,340	2,916	390	31	3	102
Diseases of the Heart	2720	2380	310	27	3	73
Ischemic Heart Diseases	1580	1412	152	15	1	49
Acute Myocardial Infarction	551	479	67	3	2	14
Hypertension with Heart Disease	81	65	13	3	0	3
Diseases of Pulmonary Circulation	29	21	8	0	0	1
Chronic Rheumatic Fever	0	0	0	0	0	0
Acute Rheumatic Fever	0	0	0	0	0	0
Other Diseases of the Heart	479	403	70	6	0	6
Other Cardiovascular Diseases	620	536	80	4	0	29
Hypertension with or without Renal Disease	429	381	44	4	0	16
Cerebrovascular Disease	54	34	20	0	0	3
Arteriosclerosis	42	41	1	0	0	1
Other Diseases of the Circulatory System	95	80	15	0	0	9

¹ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

TABLE 31. NUMBER OF DEATHS DUE TO MALIGNANT NEOPLASMS BY AGE GROUP AND SEX, WESTCHESTER COUNTY, 2000

	Total	Age				Sex	
		0-29	30-49	50-64	65+	Female	Male
Total	1,873	19	96	389	1,369	926	947
Digestive Organs and Peritoneum.	513	0	22	98	393	237	276
Respiratory System.	462	0	13	115	334	211	251
Genital Organs	213	0	9	25	179	90	123
Lymphatic and Hematopoietic Tissues.	203	14	14	44	131	83	120
Breast	164	1	14	32	117	164	0
Urinary Organs	81	1	2	16	62	29	52
Buccal Cavity and Pharynx.	19	0	2	4	13	8	11
Other and Unspecified Sites	218	3	20	55	140	104	114

Source: New York State Department of Health.

TABLE 32. NUMBER OF DEATHS DUE TO MALIGNANT NEOPLASMS BY RACE / ETHNICITY, WESTCHESTER COUNTY, 2000

	Total	White	Black	Other	Unknown	Hispanic¹
Total	1,873	1,596	243	28	6	49
Digestive Organs and Peritoneum	513	435	71	7	0	20
Respiratory System	462	406	46	6	4	6
Genital Organs	213	177	32	4	0	7
Lymphatic and Hematopoietic Tissues	203	167	28	6	2	8
Breast	164	134	27	3	0	2
Urinary Organs	81	73	8	0	0	2
Buccal Cavity and Pharynx	19	10	7	2	0	0
Other and Unspecified Sites	218	194	24	0	0	4

¹ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

TABLE 33. TOTAL NUMBER OF HOSPITAL DISCHARGES AND AVERAGE LENGTH OF STAY BY SEX AND AGE, WESTCHESTER COUNTY RESIDENTS, 2000

	Total			Female			Male		
	Number of Discharges (Events)	Patient Days	Length of Stay (Days)	Number of Discharges (Events)	Patient Days	Length of Stay (Days)	Number of Discharges (Events)	Patient Days	Length of Stay (Days)
Total	115,373	742,362	6.4	66,210	413,149	6.1	49,163	335,628	6.8
Total Excluding Newborns	103,435	691,527	6.7	60,378	382,466	6.3	43,057	308,062	7.2
Total Excluding Newborns & Obstetric	89,959	651,099	7.2	46,902	342,038	7.3	43,057	308,062	7.2
Newborn ¹	11,938	44,171	3.7	5,832	20,995	3.6	6,106	23,203	3.8
0-5	3,310	15,888	4.8	1,383	6,915	5.0	1,927	9,057	4.7
6-14	2,339	15,905	6.8	995	5,970	6.0	1,344	9,946	7.4
15-19	2,768	17,992	6.5	1,744	9,941	5.7	1,024	8,090	7.9
20-44	30,596	159,099	5.2	21,432	94,301	4.4	9,164	64,148	7.0
45-64	22,688	147,472	6.5	11,288	72,243	6.4	11,400	75,240	6.6
65-74	15,581	116,858	7.5	7,890	60,753	7.7	7,691	56,144	7.3
75-84	16,506	135,349	8.2	9,165	77,903	8.5	7,341	57,260	7.8
85+	9,647	82,964	8.6	6,481	54,440	8.4	3,166	28,177	8.9

¹ Only including newborns delivered in New York State hospitals.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS), 2000 Annual Data Book Tables. Data as of 11/15/2001.

TABLE 34. TOTAL NUMBER OF HOSPITAL DISCHARGES, NUMBER OF PATIENT DAYS, AND AVERAGE LENGTH OF STAY, WESTCHESTER COUNTY RESIDENTS, 2000

	Total Discharges		Average Length of Stay (Days)
	Number	(%)	
Total	115,373	100.0	6.4
Major Hospitals in Westchester County	92,717	80.4	6.3
Community Hospital at Dobbs Ferry	1,280	1.1	5.0
Hudson Valley Hospital Center	4,901	4.2	4.7
Lawrence Hospital	8,232	7.1	5.4
Mount Vernon Hospital	2,294	2.0	7.5
New York United Hospital Medical Center	4,836	4.2	6.0
Northern Westchester Hospital	7,602	6.6	4.8
Phelps Memorial Hospital Center	7,246	6.3	5.7
Sound Shore Medical Center of Westchester	9,324	8.1	5.3
St. Agnes Hospital	4,707	4.1	5.0
St. Johns Riverside Hospital - St. John's Division ¹	9,564	8.3	5.4
St. Josephs Hospital	4,470	3.9	7.2
St. Vincents Westchester ²	1,907	1.7	14.7
Westchester Medical Center	13,267	11.5	8.6
White Plains Hospital Center	11,896	10.3	5.6
W.M.Burke Rehabilitation Hospital ³	1,191	1.0	19.0
Yonkers General Hospital	2,624	2.3	7.2
Major Hospitals in New York City	9,082	7.9	5.6
Lenox Hill Hospital-New York	1,294	1.1	4.9
Montefiore Medical Center/Albert Einstein Division-Bronx	1,453	1.3	4.7
Montefiore Medical Center/Moses Division-Bronx	2,176	1.9	5.9
Mount Sinai Hospital-New York	1,630	1.4	5.3
New York & Presbyterian Hospital at New York	1,789	1.6	5.0
New York & Presbyterian Hospital at Presbyter	2,034	1.8	6.7
All Other Hospitals in New York State	9,656	8.4	7.6

¹ As of 11/01/2001, Yonkers General Hospital has been merged with St. Johns Riverside Hospital. The original Yonkers General Hospital is currently an urgent care center opening 24 hours a day and days a week. The center is limited at seeing walking-in detoxification and rehabilitation patients only. Patients in need of hospital care are admitted to St. Johns Riverside Hospital.

² St. Vincents Westchester is a division of St. Vincent Catholic Medical Centers. It is a specialty hospital (psychiatric facilities and alcohol rehabilitation).

³ W.M. Burke Rehabilitation Hospital is a speciality hospital (physical medicine and rehabilitation).

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS), 2000 Annual Data Book Tables. Data as of 11/15/2001.

TABLE 35. TOTAL NUMBER AND PERCENT OF HOSPITAL DISCHARGES BY SERVICE CATEGORY AND HOSPITAL, WESTCHESTER COUNTY RESIDENTS, 2000

Hospitals	Total		Medical		Surgical		Pediatric		Obstetric		Nursery		Psychiatry	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
Total	115,373	100.0	38,295	100.0	36,023	100.0	5,106	100.0	13,476	100.0	11,938	100.0	10,535	100.0
Major Hospitals in Westchester County	95,341	82.6	34,436	89.9	26,954	74.8	4,065	79.6	11,349	84.2	10,057	84.2	8,480	80.5
Community Hospital at Dobbs Ferry	1,280	1.1	816	2.1	402	1.1	17	0.3	5	0.0	0	0.0	40	0.4
Hudson Valley Hospital Center	4,901	4.2	1,888	4.9	1,466	4.1	76	1.5	794	5.9	651	5.5	26	0.2
Lawrence Hospital	8,232	7.1	3,521	9.2	2,274	6.3	197	3.9	1,152	8.5	1,036	8.7	52	0.5
Mount Vernon Hospital	2,294	2.0	1,165	3.0	604	1.7	0	0.0	16	0.1	0	0.0	509	4.8
New York United Hospital Medical Center	4,836	4.2	2,091	5.5	1,381	3.8	69	1.4	348	2.6	317	2.7	630	6.0
Northern Westchester Hospital	7,602	6.6	2,428	6.3	2,020	5.6	234	4.6	1,362	10.1	1,329	11.1	229	2.2
Phelps Memorial Hospital Center	7,246	6.3	2,967	7.7	1,976	5.5	168	3.3	793	5.9	755	6.3	587	5.6
Sound Shore Medical Center of Westchester	9,324	8.1	3,159	8.2	2,567	7.1	506	9.9	1,486	11.0	1,360	11.4	246	2.3
St. Agnes Hospital	4,707	4.1	1,438	3.8	1,266	3.5	254	5.0	766	5.7	673	5.6	310	2.9
Yonkers General Hospital	2,624	2.3	1,064	2.8	375	1.0	3	0.1	14	0.1	0	0.0	1,168	11.1
St. Johns Riverside Hospital - St. John's Division ¹	9,564	8.3	3,562	9.3	2,350	6.5	372	7.3	1,703	12.6	1,534	12.8	43	0.4
St. Josephs Hospital	4,470	3.9	2,060	5.4	1,411	3.9	290	5.7	34	0.3	0	0.0	675	6.4
St. Vincents Westchester ²	1,907	1.7	1	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1,906	18.1
Westchester Medical Center	13,267	11.5	2,622	6.8	5,658	15.7	1,601	31.4	1,035	7.7	746	6.2	1,605	15.2
White Plains Hospital Center	11,896	10.3	4,465	11.7	3,204	8.9	277	5.4	1,841	13.7	1,656	13.9	453	4.3
W.M.Burke Rehabilitation Hospital ³	1,191	1.0	1,189	3.1	0	0.0	1	0.0	0	0.0	0	0.0	1	0.0
Major Hospitals in New York City	10,376	9.0	1,583	4.1	5,280	14.7	686	13.4	1,427	10.6	1,297	10.9	103	1.0
Montefiore Medical Center/Albert Einstein Division-Bronx	1,453	1.3	197	0.5	454	1.3	4	0.1	414	3.1	383	3.2	1	0.0
Montefiore Medical Center/Moses Division-Bronx	2,176	1.9	534	1.4	1,359	3.8	260	5.1	4	0.0	0	0.0	19	0.2
Lenox Hill Hospital-New York	1,294	1.1	136	0.4	593	1.6	23	0.5	275	2.0	252	2.1	15	0.1
Mount Sinai Hospital-New York	1,630	1.4	262	0.7	778	2.2	65	1.3	277	2.1	237	2.0	11	0.1
New York & Presbyterian Hospital at New York	1,789	1.6	166	0.4	985	2.7	62	1.2	284	2.1	270	2.3	22	0.2
New York & Presbyterian Hospital at Presbyter	2,034	1.8	288	0.8	1,111	3.1	272	5.3	173	1.3	155	1.3	35	0.3
All other Hospitals in New York State	9,656	8.4	2,276	5.9	3,789	10.5	355	7.0	700	5.2	584	4.9	1,952	18.5

¹ As of 11/01/2001, Yonkers General Hospital has been merged with St. Johns Riverside Hospital. The original Yonkers General Hospital is currently an urgent care center opening 24 hours a day and 7 days a week. The center is limited at seeing walking-in detoxification and rehabilitation patients only. Patients in need of hospital care are admitted to St. Johns Riverside Hospital.

² St. Vincents Westchester is a division of St. Vincent Catholic Medical Centers. It is a specialty hospital (psychiatric facilities and alcohol rehabilitation).

³ W.M. Burke Rehabilitation Hospital is a specialty hospital (physical medicine and rehabilitation).

TABLE 36. AVERAGE LENGTH OF STAY BY SERVICE CATEGORY AND HOSPITAL, WESTCHESTER COUNTY RESIDENTS, 2000

Hospitals	Total	Medical	Surgical	Pediatric	Obstetric	Nursery	Psychiatry
Total	6.4	5.7	7.9	4.6	3.0	3.7	12.0
Major Hospitals in Westchester County							
Community Hospital at Dobbs Ferry	5.0	4.1	7.0	2.2	2.4	0.0	3.2
Hudson Valley Hospital Center	4.7	4.7	7.0	2.4	2.5	2.3	4.0
Lawrence Hospital	5.4	5.1	8.2	2.5	2.9	3.4	5.4
Mount Vernon Hospital	7.5	5.6	9.9	0.0	1.9	0.0	9.3
New York United Hospital Medical Center	6.0	5.0	8.5	2.3	2.9	3.1	7.3
Northern Westchester Hospital	4.8	4.4	6.9	2.5	2.8	3.1	13.3
Phelps Memorial Hospital Center	5.7	5.1	7.3	2.5	2.6	2.5	12.6
Sound Shore Medical Center of Westchester	5.3	5.2	8.2	2.7	2.9	3.4	4.3
St. Agnes Hospital	5.0	5.1	7.5	3.1	3.1	3.0	4.8
Yonkers General Hospital ¹	7.2	5.6	11.6	5.0	2.5	0.0	7.4
St. Johns Riverside Hospital	5.4	5.3	10.0	2.6	2.5	2.6	6.4
St. Josephs Hospital	7.2	4.7	9.4	2.5	2.0	0.0	12.7
St. Vincents Westchester ²	14.7	20.0	0.0	0.0	0.0	0.0	14.7
Westchester Medical Center	8.6	6.0	8.9	5.9	5.0	9.8	16.2
White Plains Hospital Center	5.6	5.1	8.3	3.6	2.8	3.5	12.4
W.M.Burke Rehabilitation Hospital ³	19.0	18.9	0.0	127.0	0.0	0.0	25.0
Major Hospitals in New York City							
Montefiore Medical Center/Albert Einstein Division-Bronx	4.7	5.0	7.0	1.5	2.9	3.8	1.0
Montefiore Medical Center/Moses Division-Bronx	5.9	5.0	6.5	4.5	3.8	0.0	6.8
Lenox Hill Hospital-New York	4.9	4.3	5.6	1.8	3.7	5.0	10.7
Mount Sinai Hospital-New York	5.3	6.0	6.3	4.5	3.2	3.4	12.8
New York & Presbyterian Hospital at New York	5.0	4.7	5.4	4.9	3.2	4.3	19.7
New York & Presbyterian Hospital at Presbyter	6.7	6.3	7.1	6.6	3.8	7.3	8.3
All other Hospitals in New York State	7.6	7.7	6.2	10.2	3.0	3.8	12.8

¹ As of 11/01/2001, Yonkers General Hospital has been merged with St. Johns Riverside Hospital. The original Yonkers General Hospital is currently an urgent care center opening 24 hours a day and 7 days a week. The center is limited at seeing walking-in detoxine and rehabilitation patients only. Patients in need of hospital care are admitted to St. Johns Riverside Hospital.

² St. Vincents Westchester is a division of St. Vincent Catholic Medical Centers. It is a specialty hospital (psychiatric facility).

³ W.M. Burke Rehabilitation Hospital ----- add.

**TABLE 37. NUMBER OF HOSPITAL DISCHARGES BY SELECTED PRIMARY DIAGNOSIS AND SEX
WESTCHESTER COUNTY RESIDENTS, 2000**

Primary Diagnosis	Total	Female		Male	
		Number	%	Number	%
Cardiovascular Diseases (ICD9: 390-459)	17,970	8,399	46.7	9,568	53.2
Neoplasms (ICD9: 140-239)	10,183	5,119	50.3	5,064	49.7
Injury (Includes all etiologies)	6,715	3,501	52.1	3,214	47.9
Chronic Obstructive Pulmonary Diseases (ICD9: 490-496)	2,780	1,691	60.8	1,089	39.2
<i>Asthma (ICD9: 493)</i> ¹	1,092	676	61.9	416	38.1
Diabetes Related (ICD9: 250)	1,315	622	47.3	693	52.7
AIDS/HIV Related (ICD9: 042)	1,198	468	39.1	730	60.9
Chronic Liver Diseases and Cirrhosis (ICD9: 571)	208	64	30.8	144	69.2

¹ Asthma is included in Chronic Obstructive Pulmonary Diseases.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Extracted from SPARCS Data Queries on New York State. Department of Health Information Network. Data as of March 2002.

**TABLE 38. NUMBER OF HOSPITAL DISCHARGES BY SELECTED PRIMARY DIAGNOSIS AND RACE/ETHNICITY
WESTCHESTER COUNTY RESIDENTS, 2000**

	Total	White		Black		Other ¹		Unknown		Hispanic ²	
		Number	%	Number	%	Number	%	Number	%	Number	%
Cardiovascular Diseases (ICD9: 390-459)	17,970	13,102	72.9	2,130	11.9	1,726	9.6	1,012	5.6	697	3.9
Neoplasms (ICD9: 140-239)	10,183	7,541	74.1	1,258	12.4	910	8.9	474	4.7	319	3.1
Injury (Includes all etiologies)	6,715	4,686	69.8	679	10.1	1,037	15.4	313	4.7	497	7.4
Chronic Obstructive Pulmonary Diseases (ICD9: 490-496)	2,780	1,827	65.7	554	19.9	317	11.4	82	2.9	279	10.0
<i>Asthma (ICD9: 493)</i> ³	1,092	507	46.4	320	29.3	237	21.7	28	2.6	200	18.3
Diabetes Related (ICD9: 250)	1,315	745	56.7	399	30.3	129	9.8	42	3.2	92	7.0
AIDS/HIV Related (ICD9: 042)	1,198	364	30.4	621	51.8	185	15.4	28	2.3	146	12.2
Chronic Liver Diseases and Cirrhosis (ICD9: 571)	208	130	62.5	27	13.0	43	20.7	8	3.8	24	11.5

¹ Include Native Americans, Asian and Pacific Islanders, and Other.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

³ Asthma is included in Chronic Obstructive Pulmonary Diseases.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of March 2002

TABLE 39. TOTAL HOSPITAL DISCHARGES AND AVERAGE LENGTH OF STAY DUE TO CARDIOVASCULAR AND OTHER DISEASES OF THE CIRCULATORY SYSTEM BY GENERAL DIAGNOSIS CATEGORY, WESTCHESTER COUNTY RESIDENTS, 2000

General Diagnosis Category	Number of Discharges		Average Length of Stay (Days)
	Number	%	
Diseases of the Heart			
Ischemic Heart Disease	3,947	22.0	4
Acute Myocardial Infarction	2,321	12.9	6
Hypertension with Heart Disease	296	1.6	7
Pulmonary Circulation Disease	257	1.4	9
Chronic Rheumatic Fever	127	0.7	11
Acute Rheumatic Fever	3	0.0	10
Other Diseases of the Heart	5,879	32.7	7
Other Cardiovascular Diseases			
Cerebrovascular Disease	3,017	16.8	9
Hypertension with or without Renal Disease	448	2.5	6
Arteriosclerosis	339	1.9	13
Other Diseases of Circulatory System	1,336	7.4	8
Total	17,970	100.0	6

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS).

Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of March 2002.

TABLE 40. TOTAL HOSPITAL DISCHARGES AND AVERAGE LENGTH OF STAY DUE TO CARDIOVASCULAR AND OTHER DISEASES OF THE CIRCULATORY SYSTEM BY AGE AND SEX, WESTCHESTER COUNTY RESIDENTS, 2000

Age (Years)	Number of Discharges					Average Length of Stay (Days)		
	All	Female		Male		All	Female	Male
		Number	%	Number	%			
< 1	12	3	25.0	9	75.0	10	3	12
1-2	11	9	81.8	2	18.2	9	11	1
3-4	7	2	28.6	5	71.4	3	2	3
5-6	3	1	33.3	2	66.7	9	3	13
7-8	4	0	0.0	4	100.0	5	0	5
9-10	3	0	0.0	3	100.0	9	0	9
11-12	1	0	0.0	1	100.0	3	0	3
13-14	4	2	50.0	2	50.0	9	12	6
15-16	12	5	41.7	7	58.3	8	8	8
17-18	6	1	16.7	5	83.3	5	2	6
19-20	18	10	55.6	8	44.4	7	7	6
21-22	11	9	81.8	2	18.2	3	4	3
23-24	16	5	31.3	11	68.8	5	10	3
25-29	71	34	47.9	37	52.1	5	6	4
30-34	153	66	43.1	87	56.9	6	5	6
35-39	283	95	33.6	188	66.4	6	7	5
40-44	445	151	33.9	294	66.1	5	6	5
45-49	691	222	32.1	469	67.9	5	6	5
50-54	1,010	366	36.2	644	63.8	5	6	5
55-59	1,226	459	37.4	766	62.5	5	6	5
60-64	1,414	537	38.0	877	62.0	6	6	6
65-69	2,007	791	39.4	1,215	60.5	6	7	6
70-74	2,570	1,089	42.4	1,481	57.6	7	7	6
75-79	2,779	1,335	48.0	1,443	51.9	7	7	7
80-84	2,364	1,296	54.8	1,068	45.2	7	8	7
85 +	2,849	1,911	67.1	938	32.9	8	8	8
Total	17,970	8,399	46.7	9,568	53.2	6	7	6

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS).
 Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of March 2002.

TABLE 41. TOTAL HOSPITAL DISCHARGES AND AVERAGE LENGTH OF STAY DUE TO CARDIOVASCULAR AND OTHER DISEASES OF THE CIRCULATORY SYSTEM BY AGE AND RACE/ETHNICITY, WESTCHESTER COUNTY RESIDENTS, 2000

Age (Years)	Number of Discharges										Average Length of Stay (Days)						
	All	White		Black		Other ¹		Unknown		Hispanic ²		All	White	Black	Other ¹	Unknown	Hispanic ²
		Number	%	Number	%	Number	%	Number	%	Number	%						
< 1	12	5	41.7	2	16.7	3	25.0	2	16.7	1	8.3	10	17	3	7	3	71
1-2	11	8	72.7	2	18.2	1	9.1	0	0.0	0	0.0	9	8	12	15	0	0
3-4	7	3	42.9	0	0.0	3	42.9	0	0.0	0	0.0	3	2	7	2	0	0
5-6	3	2	66.7	0	0.0	1	33.3	0	0.0	0	0.0	9	13	0	3	0	0
7-8	4	2	50.0	0	0.0	2	50.0	0	0.0	2	50.0	5	9	0	2	0	9
9-10	3	1	33.3	0	0.0	2	66.7	0	0.0	1	33.3	9	2	0	13	0	2
11-12	1	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	3	3	0	0	0	0
13-14	4	0	0.0	1	25.0	3	75.0	0	0.0	0	0.0	9	0	1	11	0	0
15-16	12	8	66.7	2	16.7	2	16.7	0	0.0	4	33.3	8	11	6	1	0	17
17-18	6	2	33.3	1	16.7	3	50.0	0	0.0	1	16.7	5	12	2	2	0	3
19-20	18	10	55.6	4	22.2	3	16.7	1	5.6	4	22.2	7	7	4	11	1	4
21-22	11	4	36.4	5	45.5	2	18.2	0	0.0	0	0.0	3	2	4	5	0	0
23-24	16	10	62.5	0	0.0	5	31.3	1	6.3	2	12.5	5	6	0	4	1	4
25-29	71	30	42.3	24	33.8	14	19.7	3	4.2	7	9.9	5	7	3	4	1	4
30-34	153	68	44.4	55	35.9	25	16.3	5	3.3	15	9.8	6	7	5	5	4	2
35-39	283	143	50.5	77	27.2	46	16.3	17	6.0	26	9.2	6	5	8	6	3	8
40-44	445	248	55.7	83	18.7	81	18.2	33	7.4	50	11.2	5	5	6	6	3	7
45-49	691	413	59.8	109	15.8	124	17.9	45	6.5	63	9.1	5	5	7	5	5	6
50-54	1,010	605	59.9	189	18.7	147	14.6	69	6.8	68	6.7	5	5	7	5	4	6
55-59	1,226	716	58.4	241	19.7	173	14.1	96	7.8	75	6.1	5	5	8	6	4	5
60-64	1,414	911	64.4	234	16.5	183	12.9	86	6.1	70	5.0	6	6	7	6	5	5
65-69	2,007	1,395	69.5	256	12.8	230	11.5	126	6.3	79	3.9	6	6	8	7	5	7
70-74	2,570	1,911	74.4	258	10.0	231	9.0	170	6.6	63	2.5	7	6	8	8	6	7
75-79	2,779	2,200	79.2	233	8.4	204	7.3	142	5.1	77	2.8	7	7	8	7	6	7
80-84	2,364	1,979	83.7	152	6.4	112	4.7	121	5.1	40	1.7	7	7	9	7	7	8
85 +	2,849	2,427	85.2	202	7.1	126	4.4	94	3.3	49	1.7	8	8	8	8	8	7
Total	17,970	13,102	72.9	2,130	11.9	1,726	9.6	1,011	5.6	697	3.9	6	7	8	6	6	7

¹ Include Native Americans, Asian and Pacific Islanders, and Other.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS).

Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of March 2002.

TABLE 42. TOTAL HOSPITAL DISCHARGES AND AVERAGE LENGTH OF STAY DUE TO NEOPLASMS BY GENERAL DIAGNOSIS CATEGORY, WESTCHESTER COUNTY RESIDENTS, 2000

General Diagnosis Category	Number of Discharges		Average Length of Stay (Days)
	Number	%	
Breast (Female)	803	7.9	5
Buccal Cavity and Pharynx	152	1.5	10
Digestive Organs & Peritoneum	1,890	18.6	10
Genital Organs	1,541	15.1	7
Lymphatic & Hematopoietic Tissue	1,682	16.5	10
Respiratory System	1,548	15.2	9
Urinary Organs	509	5.0	9
Other & Unspecified Sites	2,058	20.2	9
Total	10,183	100.0	9

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS).

Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of March 2002.

TABLE 43. TOTAL HOSPITAL DISCHARGES AND AVERAGE LENGTH OF STAY DUE TO NEOPLASMS, BY AGE AND SEX, WESTCHESTER COUNTY RESIDENTS, 2000

Age (Years)	Number of Discharges					Average Length of Stay (Days)		
	All	Female		Male		All	Female	Male
		Number	%	Number	%			
< 1	5	3	60.0	2	40.0	3	3	2
1-2	49	16	32.7	33	67.3	7	6	7
3-4	30	21	70.0	9	30.0	7	9	4
5-6	65	25	38.5	40	61.5	14	9	17
7-8	27	17	63.0	10	37.0	6	5	7
9-10	24	11	45.8	13	54.2	5	6	4
11-12	17	10	58.8	7	41.2	8	7	9
13-14	8	3	37.5	5	62.5	6	1	8
15-16	21	4	19.0	17	81.0	7	14	6
17-18	30	9	30.0	21	70.0	7	11	6
19-20	30	6	20.0	24	80.0	15	10	16
21-22	16	0	0.0	16	100.0	7	0	7
23-24	9	7	77.8	2	22.2	18	22	2
25-29	86	37	43.0	49	57.0	9	8	10
30-34	132	87	65.9	45	34.1	9	6	13
35-39	194	127	65.5	67	34.5	6	5	7
40-44	374	216	57.8	158	42.2	8	7	10
45-49	597	353	59.1	244	40.9	7	6	7
50-54	705	469	66.5	236	33.5	8	8	8
55-59	919	454	49.4	465	50.6	8	8	8
60-64	1,048	540	51.5	508	48.5	8	8	8
65-69	1,258	619	49.2	639	50.8	8	8	8
70-74	1,449	678	46.8	771	53.2	9	10	9
75-79	1,201	529	44.0	672	56.0	9	10	9
80-84	990	440	44.4	550	55.6	10	11	9
85 +	899	438	48.7	461	51.3	11	11	10
Total	10,183	5,119	50.3	5,064	49.7	9	9	9

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS).

Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of March 2002.

TABLE 44. TOTAL HOSPITAL DISCHARGES AND AVERAGE LENGTH OF STAY DUE TO NEOPLASMS BY AGE AND RACE / ETHNICITY, WESTCHESTER COUNTY RESIDENTS, 2000

Age (Years)	Number of Discharges										Average Length of Stay (Days)						
	All	White		Black		Other ¹		Unknown		Hispanic ²		All	White	Black	Other ¹	Unknown	Hispanic ²
		Number	%	Number	%	Number	%	Number	%	Number	%						
< 1	5	4	80.0	0	0.0	5	100.0	0	0.0	0	0.0	3	3	0	9	0	0
1-2	49	31	63.3	0	0.0	14	28.6	0	0.0	5	10.2	7	7	0	5	0	5
3-4	30	21	70.0	6	20.0	3	10.0	0	0.0	0	0.0	7	5	10	22	0	0
5-6	65	33	50.8	16	24.6	16	24.6	0	0.0	0	0.0	14	12	17	13	0	0
7-8	27	11	40.7	2	7.4	9	33.3	5	18.5	0	0.0	6	5	18	6	4	0
9-10	24	19	79.2	0	0.0	1	4.2	4	16.7	3	12.5	5	5	0	2	4	8
11-12	17	15	88.2	0	0.0	1	5.9	1	5.9	4	23.5	8	6	0	8	29	5
13-14	8	6	75.0	0	0.0	2	25.0	0	0.0	3	37.5	6	3	0	15	0	3
15-16	21	18	85.7	2	9.5	1	4.8	0	0.0	7	33.3	7	8	7	1	0	10
17-18	30	23	76.7	0	0.0	6	20.0	1	3.3	3	10.0	7	5	0	15	14	4
19-20	30	18	60.0	0	0.0	12	40.0	0	0.0	7	23.3	15	20	0	7	0	6
21-22	16	12	75.0	3	18.8	1	6.3	0	0.0	0	0.0	7	7	10	7	0	0
23-24	9	4	44.4	2	22.2	2	22.2	1	11.1	0	0.0	18	1	3	74	1	0
25-29	86	53	61.6	18	20.9	12	14.0	3	3.5	25	29.1	9	8	15	4	4	10
30-34	132	67	50.8	27	20.5	25	18.9	13	9.8	12	9.1	9	8	9	13	6	22
35-39	194	124	63.9	25	12.9	39	20.1	6	3.1	20	10.3	6	5	8	7	5	7
40-44	374	218	58.3	74	19.8	58	15.5	24	6.4	12	3.2	8	9	8	6	4	14
45-49	597	366	61.3	118	19.8	81	13.6	32	5.4	42	7.0	7	6	8	8	6	8
50-54	705	506	71.8	94	13.3	75	10.6	30	4.3	18	2.6	8	7	12	9	5	8
55-59	919	623	67.8	164	17.8	81	8.8	51	5.5	23	2.5	8	7	9	11	6	6
60-64	1,048	702	67.0	166	15.8	135	12.9	45	4.3	45	4.3	8	8	10	9	5	9
65-69	1,258	942	74.9	148	11.8	123	9.8	45	3.6	23	1.8	8	8	11	8	7	9
70-74	1,449	1,145	79.0	143	9.9	81	5.6	80	5.5	25	1.7	9	9	11	9	7	9
75-79	1,201	972	80.9	114	9.5	55	4.6	60	5.0	23	1.9	9	9	12	8	7	6
80-84	990	859	86.8	56	5.7	36	3.6	39	3.9	6	0.6	10	10	12	8	8	7
85 +	899	749	83.3	80	8.9	36	4.0	34	3.8	13	1.4	11	11	11	10	8	17
Total	10,183	7,541	74.1	1,258	12.4	910	8.9	474	4.7	319	3.1	9	9	10	9	6	9

¹ Include Native Americans, Asian and Pacific Islanders, and Other.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS).

Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of March 2002.

TOTAL 45. TOTAL HOSPITAL DISCHARGES AND AVERAGE LENGTH OF STAY DUE TO CHRONIC OBSTRUCTIVE PULMONARY DISEASE BY GENERAL DIAGNOSIS CATEGORY, WESTCHESTER COUNTY RESIDENTS, 2000

General Diagnosis Category	Number of Discharges		Average Length of Stay (Days)
	Number	%	
Asthma	1,092	39.3	4
Chronic Bronchitis	1,203	43.3	7
Bronchitis-Not Specified Acute/Chronic	23	0.8	3
Emphysema	76	2.7	8
Bronchiectasis	22	0.8	8
Extrinsic Allergic Alveolitis	2	0.1	7
Chronic Airway Obstruction - Not Elsewhere Class	362	13.0	10
Total	2,780	100.0	7

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS).
 Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of March 2002.

TOTAL 46. TOTAL HOSPITAL DISCHARGES AND AVERAGE LENGTH OF STAY DUE TO CHRONIC OBSTRUCTIVE PULMONARY DISEASE BY AGE AND SEX, WESTCHESTER COUNTY RESIDENTS, 2000

Age (Years)	Number of Discharges					Average Length of Stay (Days)		
	All	Female		Male		All	Female	Male
		Number	%	Number	%			
< 1	21	8	38.1	13	61.9	2	2	2
1-2	108	33	30.6	75	69.4	2	2	2
3-4	68	33	48.5	35	51.5	2	2	2
5-6	40	12	30.0	28	70.0	3	3	3
7-8	33	12	36.4	21	63.6	3	3	2
9-10	35	12	34.3	23	65.7	3	3	3
11-12	27	9	33.3	18	66.7	4	4	4
13-14	19	8	42.1	11	57.9	4	3	4
15-16	27	22	81.5	5	18.5	3	3	4
17-18	12	7	58.3	5	41.7	2	2	2
19-20	12	8	66.7	4	33.3	3	4	2
21-22	12	7	58.3	5	41.7	4	5	3
23-24	12	8	66.7	4	33.3	3	3	2
25-29	71	48	67.6	23	32.4	3	3	3
30-34	62	50	80.6	12	19.4	4	4	6
35-39	74	58	78.4	16	21.6	4	4	4
40-44	111	82	73.9	29	26.1	5	4	7
45-49	132	91	68.9	41	31.1	5	5	4
50-54	139	97	69.8	42	30.2	6	6	6
55-59	154	100	64.9	54	35.1	6	7	5
60-64	215	122	56.7	93	43.3	7	7	6
65-69	234	140	59.8	94	40.2	8	8	8
70-74	340	207	60.9	133	39.1	8	8	8
75-79	313	205	65.5	108	34.5	8	9	7
80-84	268	159	59.3	109	40.7	9	9	8
85 +	241	153	63.5	88	36.5	8	9	8
Total	2,780	1,691	60.8	1,089	39.2	7	7	6

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS).
 Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of March 2002.

TABLE 47. TOTAL HOSPITAL DISCHARGES AND AVERAGE LENGTH OF STAY DUE TO CHRONIC OBSTRUCTIVE PULMONARY DISEASE BY AGE AND RACE, WESTCHESTER COUNTY RESIDENTS, 2000

Age (Years)	All	White		Black		Other ¹		Unknown		Hispanic ²		Average Length of Stay (Days)					
		Number	%	Number	%	Number	%	Number	%	Number	%	All	White	Black	Other ¹	Unknown	Hispanic ²
< 1	21	9	42.9	7	33.3	5	23.8	0	0.0	5	23.8	2	2	2	1	0	1
1-2	108	50	46.3	31	28.7	25	23.1	2	1.9	16	14.8	2	2	2	2	3	2
3-4	68	32	47.1	17	25.0	16	23.5	3	4.4	12	17.6	2	2	2	2	1	2
5-6	40	18	45.0	12	30.0	10	25.0	0	0.0	9	22.5	3	2	4	2	0	2
7-8	33	9	27.3	11	33.3	13	39.4	0	0.0	9	27.3	3	3	3	2	0	2
9-10	35	13	37.1	15	42.9	6	17.1	1	2.9	8	22.9	3	3	3	3	2	3
11-12	27	11	40.7	9	33.3	6	22.2	1	3.7	6	22.2	4	4	4	4	1	4
13-14	19	6	31.6	6	31.6	6	31.6	1	5.3	4	21.1	4	6	4	3	1	3
15-16	27	6	22.2	9	33.3	10	37.0	2	7.4	7	25.9	3	3	4	4	3	4
17-18	12	5	41.7	4	33.3	3	25.0	0	0.0	4	33.3	2	2	2	1	0	2
19-20	12	6	50.0	2	16.7	4	33.3	0	0.0	3	25.0	3	4	2	3	0	2
21-22	12	4	33.3	3	25.0	5	41.7	0	0.0	3	25.0	4	6	2	4	0	5
23-24	12	6	50.0	3	25.0	3	25.0	0	0.0	4	33.3	3	2	3	3	0	3
25-29	71	31	43.7	20	28.2	16	22.5	4	5.6	10	14.1	3	3	4	2	5	2
30-34	62	32	51.6	16	25.8	11	17.7	3	4.8	12	19.4	4	5	6	2	3	3
35-39	74	41	55.4	16	21.6	14	18.9	3	4.1	18	24.3	4	4	3	3	4	3
40-44	111	48	43.2	47	42.3	14	12.6	2	1.8	14	12.6	5	7	4	3	6	3
45-49	132	68	51.5	32	24.2	30	22.7	2	1.5	23	17.4	5	5	4	5	4	6
50-54	139	69	49.6	43	30.9	24	17.3	3	2.2	16	11.5	6	5	5	7	4	7
55-59	154	101	65.6	40	26.0	11	7.1	2	1.3	19	12.3	6	7	6	6	4	8
60-64	215	124	57.7	61	28.4	20	9.3	10	4.7	14	6.5	7	7	8	5	6	4
65-69	234	172	73.5	47	20.1	11	4.7	4	1.7	18	7.7	8	8	8	4	3	5
70-74	340	274	80.6	40	11.8	17	5.0	9	2.6	12	3.5	8	8	7	8	4	6
75-79	313	255	81.5	27	8.6	21	6.7	10	3.2	18	5.8	8	8	13	7	7	7
80-84	268	227	84.7	21	7.8	8	3.0	12	4.5	5	1.9	9	9	5	8	6	6
85 +	241	210	87.1	15	6.2	8	3.3	8	3.3	10	4.1	8	9	7	10	9	9
Total	2,780	1,827	65.7	554	19.9	317	11.4	82	2.9	279	10.0	7	7	5	4	5	4

¹ Include Native Americans, Asian and Pacific Islanders, and Other.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS).

Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of March 2002.

TABLE 48. TOTAL HOSPITAL DISCHARGES AND AVERAGE LENGTH OF STAY DUE TO ASTHMA BY AGE AND SEX, WESTCHESTER COUNTY RESIDENTS, 2000

Age (Years)	Number of Discharges					Average Length of Stay (Days)		
	All	Female		Male		All	Female	Male
		Number	%	Number	%			
< 1	20	7	35.0	13	65.0	2	2	2
1-2	108	33	30.6	75	69.4	2	2	2
3-4	67	32	47.8	35	52.2	2	2	2
5-6	40	12	30.0	28	70.0	3	3	3
7-8	33	12	36.4	21	63.6	3	3	2
9-10	35	12	34.3	23	65.7	3	3	3
11-12	26	8	30.8	18	69.2	3	3	4
13-14	19	8	42.1	11	57.9	4	3	4
15-16	27	22	81.5	5	18.5	3	3	4
17-18	12	7	58.3	5	41.7	2	2	2
19-20	11	8	72.7	3	27.3	3	4	2
21-22	12	7	58.3	5	41.7	4	5	3
23-24	11	8	72.7	3	27.3	3	3	2
25-29	69	46	66.7	23	33.3	3	3	3
30-34	54	43	79.6	11	20.4	4	4	5
35-39	66	53	80.3	13	19.7	4	4	4
40-44	87	64	73.6	23	26.4	5	4	7
45-49	92	66	71.7	26	28.3	5	5	3
50-54	64	48	75.0	16	25.0	5	5	5
55-59	40	30	75.0	10	25.0	5	5	5
60-64	47	36	76.6	11	23.4	4	5	4
65-69	34	26	76.5	8	23.5	4	5	3
70-74	35	24	68.6	11	31.4	12	16	3
75-79	30	26	86.7	4	13.3	7	6	8
80-84	27	22	81.5	5	18.5	8	9	4
85 +	26	16	61.5	10	38.5	9	7	11
Total	1,092	676	61.9	416	38.1	4	5	3

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS).
 Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of March 2002.

TABLE 49. TOTAL HOSPITAL DISCHARGES AND AVERAGE LENGTH OF STAY DUE TO ASTHMA BY AGE AND RACE/ETHNICITY, WESTCHESTER COUNTY RESIDENTS, 2000

Age (Years)	Number of Discharges										Average Length of Stay (Days)						
	All	White		Black		Other ¹		Unknown		Hispanic ²		All	White	Black	Other ¹	Unknown	Hispanic ²
		Number	%	Number	%	Number	%	Number	%	Number	%						
< 1	20	9	45.0	7	35.0	4	20.0	0	0.0	4	20.0	2	2	2	2	0	1
1-2	108	50	46.3	31	28.7	25	23.1	2	1.9	16	14.8	2	2	2	2	3	2
3-4	67	31	46.3	17	25.4	16	23.9	3	4.5	12	17.9	2	2	2	2	1	2
5-6	40	18	45.0	12	30.0	10	25.0	0	0.0	9	22.5	3	2	4	2	0	2
7-8	33	9	27.3	11	33.3	13	39.4	0	0.0	9	27.3	3	3	3	2	0	2
9-10	35	13	37.1	15	42.9	6	17.1	1	2.9	8	22.9	3	3	3	3	2	3
11-12	26	10	38.5	9	34.6	6	23.1	1	3.8	5	19.2	3	3	4	4	1	3
13-14	19	6	31.6	6	31.6	6	31.6	1	5.3	4	21.1	4	6	4	3	1	3
15-16	27	6	22.2	9	33.3	10	37.0	2	7.4	7	25.9	3	3	4	4	3	4
17-18	12	5	41.7	4	33.3	3	25.0	0	0.0	4	33.3	2	2	2	1	0	2
19-20	11	5	45.5	2	18.2	4	36.4	0	0.0	3	27.3	3	4	2	3	0	2
21-22	12	4	33.3	3	25.0	5	41.7	0	0.0	3	25.0	4	6	2	4	0	5
23-24	11	5	45.5	3	27.3	3	27.3	0	0.0	4	36.4	3	2	3	3	0	3
25-29	69	30	43.5	20	29.0	15	21.7	4	5.8	8	11.6	3	3	4	2	5	2
30-34	54	27	50.0	14	25.9	10	18.5	3	5.6	11	20.4	4	4	6	2	3	3
35-39	66	33	50.0	16	24.2	14	21.2	3	4.5	17	25.8	4	4	3	3	4	3
40-44	87	35	40.2	38	43.7	12	13.8	2	2.3	11	12.6	5	7	3	3	6	3
45-49	92	43	46.7	25	27.2	23	25.0	1	1.1	18	19.6	5	5	3	5	2	6
50-54	64	27	42.2	16	25.0	20	31.3	1	1.6	13	20.3	5	5	5	6	5	8
55-59	40	23	57.5	13	32.5	4	10.0	0	0.0	5	12.5	5	5	5	4	0	4
60-64	47	23	48.9	12	25.5	11	23.4	1	2.1	8	17.0	4	4	5	4	2	4
65-69	34	16	47.1	15	44.1	3	8.8	0	0.0	5	14.7	4	3	5	3	0	3
70-74	35	20	57.1	9	25.7	4	11.4	2	5.7	5	14.3	12	15	7	9	3	8
75-79	30	18	60.0	5	16.7	7	23.3	0	0.0	7	23.3	7	6	7	8	0	9
80-84	27	21	77.8	4	14.8	1	3.7	1	3.7	1	3.7	8	9	4	5	10	5
85 +	26	20	76.9	4	15.4	2	7.7	0	0.0	3	11.5	9	8	6	17	0	14
Total	1,092	507	46.4	320	29.3	237	21.7	28	2.6	200	18.3	4	5	4	4	4	4

¹ Include Native Americans, Asian and Pacific Islanders, and Other.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS).

Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of March 2002.

TABLE 50. TOTAL HOSPITAL DISCHARGES AND AVERAGE LENGTH OF STAY DUE TO DIABETES BY AGE AND SEX, WESTCHESTER COUNTY RESIDENTS, 2000

Age (Years)	Number of Discharges					Average Length of Stay (Days)		
	All	Female		Male		All	Female	Male
		Number	%	Number	%			
< 1	1	1	100.0	0	0.0	6	6	0
1-2	8	5	62.5	3	37.5	4	4	5
3-4	8	5	62.5	3	37.5	4	2	6
5-6	13	2	15.4	11	84.6	3	7	3
7-8	12	3	25.0	9	75.0	4	3	4
9-10	15	8	53.3	7	46.7	4	5	3
11-12	10	4	40.0	6	60.0	4	3	5
13-14	12	6	50.0	6	50.0	3	3	3
15-16	17	10	58.8	7	41.2	3	3	2
17-18	6	3	50.0	3	50.0	3	2	4
19-20	15	4	26.7	11	73.3	3	3	3
21-22	14	4	28.6	10	71.4	3	4	3
23-24	7	3	42.9	4	57.1	3	3	3
25-29	29	12	41.4	17	58.6	4	4	4
30-34	43	17	39.5	26	60.5	8	4	11
35-39	74	31	41.9	43	58.1	6	5	6
40-44	59	20	33.9	39	66.1	6	6	6
45-49	92	34	37.0	58	63.0	6	6	6
50-54	115	47	40.9	68	59.1	7	6	8
55-59	119	57	47.9	62	52.1	9	8	11
60-64	111	36	32.4	75	67.6	9	6	11
65-69	137	76	55.5	61	44.5	8	9	8
70-74	117	54	46.2	63	53.8	11	11	11
75-79	110	66	60.0	44	40.0	9	9	9
80-84	88	60	68.2	28	31.8	8	7	9
85 +	83	54	65.1	29	34.9	8	7	8
Total	1,315	622	47.3	693	52.7	8	7	8

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS).

Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of March 2002.

TABLE 51. TOTAL HOSPITAL DISCHARGES AND AVERAGE LENGTH OF STAY DUE TO DIABETES BY AGE AND RACE/ETHNICITY, WESTCHESTER COUNTY RESIDENTS, 2000

Age (Years)	Number of Discharges										Average Length of Stay (Days)						
	All	White		Black		Other ¹		Unknown		Hispanic ²		All	White	Black	Other ¹	Unknown	Hispanic ²
		Number	%	Number	%	Number	%	Number	%	Number	%						
<1	1	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	6	6	0	0	0	0
1-2	8	5	62.5	1	12.5	2	25.0	0	0.0	0	0.0	4	3	6	7	0	0
3-4	8	5	62.5	0	0.0	3	37.5	0	0.0	4	50.0	4	3	0	4	0	3
5-6	13	8	61.5	0	0.0	5	38.5	0	0.0	0	0.0	3	3	0	5	0	0
7-8	12	8	66.7	0	0.0	4	33.3	0	0.0	3	25.0	4	3	0	4	0	5
9-10	15	4	26.7	1	6.7	7	46.7	3	20.0	0	0.0	4	4	9	4	2	0
11-12	10	5	50.0	3	30.0	2	20.0	0	0.0	3	30.0	4	4	4	4	0	5
13-14	12	7	58.3	1	8.3	2	16.7	2	16.7	0	0.0	3	3	2	3	2	0
15-16	17	6	35.3	5	29.4	5	29.4	1	5.9	5	29.4	3	3	2	3	2	4
17-18	6	4	66.7	1	16.7	1	16.7	0	0.0	1	16.7	3	3	4	4	0	6
19-20	15	4	26.7	8	53.3	1	6.7	2	13.3	1	6.7	3	3	3	2	3	2
21-22	14	7	50.0	5	35.7	2	14.3	0	0.0	2	14.3	3	2	4	6	0	6
23-24	7	4	57.1	2	28.6	1	14.3	0	0.0	0	0.0	3	3	4	2	0	0
25-29	29	11	37.9	12	41.4	3	10.3	3	10.3	4	13.8	4	3	5	10	2	3
30-34	43	27	62.8	7	16.3	9	20.9	0	0.0	10	23.3	8	6	6	17	0	4
35-39	74	29	39.2	35	47.3	6	8.1	4	5.4	3	4.1	6	5	7	6	5	2
40-44	59	35	59.3	19	32.2	4	6.8	1	1.7	3	5.1	6	5	6	5	18	4
45-49	92	42	45.7	38	41.3	10	10.9	2	2.2	10	10.9	6	7	5	6	8	5
50-54	115	49	42.6	55	47.8	8	7.0	3	2.6	6	5.2	7	8	7	5	6	6
55-59	119	54	45.4	51	42.9	12	10.1	2	1.7	10	8.4	9	11	9	7	1	8
60-64	111	64	57.7	34	30.6	11	9.9	2	1.8	6	5.4	9	9	10	5	4	8
65-69	137	87	63.5	38	27.7	8	5.8	4	2.9	3	2.2	8	9	8	6	6	4
70-74	117	85	72.6	23	19.7	5	4.3	4	3.4	4	3.4	11	11	12	3	17	5
75-79	110	73	66.4	29	26.4	7	6.4	1	0.9	7	6.4	9	8	12	8	1	13
80-84	88	60	68.2	16	18.2	6	6.8	6	6.8	2	2.3	8	8	8	8	4	7
85 +	83	61	73.5	15	18.1	5	6.0	2	2.4	5	6.0	8	8	6	6	5	7
Total	1,315	745	56.7	399	30.3	129	9.8	42	3.2	92	7.0	8	8	8	6	5	6

¹ Include Native Americans, Asian and Pacific Islanders, and Other.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS).

Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of March 2002.

TABLE 52. TOTAL HOSPITAL DISCHARGES AND AVERAGE LENGTH OF STAY DUE TO CHRONIC LIVER DISEASE AND CIRRHOSIS BY AGE AND SEX, WESTCHESTER COUNTY RESIDENTS, 2000

Age (Years)	Number of Discharges					Average Length of Stay (Days)		
	All	Female		Male		All	Female	Male
		Number	%	Number	%			
< 1	0	0	0.0	0	0.0	0	0	0
1-2	0	0	0.0	0	0.0	0	0	0
3-4	0	0	0.0	0	0.0	0	0	0
5-6	0	0	0.0	0	0.0	0	0	0
7-8	0	0	0.0	0	0.0	0	0	0
9-10	2	2	100.0	0	0.0	13	13	0
11-12	0	0	0.0	0	0.0	0	0	0
13-14	0	0	0.0	0	0.0	0	0	0
15-16	0	0	0.0	0	0.0	0	0	0
17-18	0	0	0.0	0	0.0	0	0	0
19-20	0	0	0.0	0	0.0	0	0	0
21-22	1	0	0.0	1	100.0	2	0	2
23-24	0	0	0.0	0	0.0	0	0	0
25-29	2	0	0.0	2	100.0	5	0	5
30-34	7	6	85.7	1	14.3	8	9	2
35-39	9	1	11.1	8	88.9	12	15	11
40-44	17	6	35.3	11	64.7	9	9	8
45-49	51	2	3.9	49	96.1	10	7	10
50-54	27	7	25.9	20	74.1	8	8	7
55-59	14	4	28.6	10	71.4	8	8	8
60-64	20	7	35.0	13	65.0	10	11	9
65-69	8	4	50.0	4	50.0	16	23	9
70-74	15	7	46.7	8	53.3	11	16	7
75-79	17	7	41.2	10	58.8	10	12	8
80-84	14	8	57.1	6	42.9	11	9	14
85 +	4	3	75.0	1	25.0	16	12	27
Total	208	64	30.8	144	69.2	9.6	11	9

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS).
 Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of March 2002.

TABLE 53 . TOTAL HOSPITAL DISCHARGES AND AVERAGE LENGTH OF STAY DUE TO CHRONIC LIVER DISEASE AND CIRRHOSIS BY AGE AND RACE/ETHNICITY, WESTCHESTER COUNTY RESIDENTS, 2000

Age (Years)	Number of Discharges										Average Length of Stay (Days)						
	All	White		Black		Other ¹		Unknown		Hispanic ²		All	White	Black	Other ¹	Unknown	Hispanic ²
		Number	%	Number	%	Number	%	Number	%	Number	%						
<1	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0	0	0	0	0
1-2	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0	0	0	0	0
3-4	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0	0	0	0	0
5-6	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0	0	0	0	0
7-8	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0	0	0	0	0
9-10	2	0	0.0	2	100.0	0	0.0	0	0.0	0	0.0	13	0	13	0	0	0
11-12	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0	0	0	0	0
13-14	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0	0	0	0	0
15-16	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0	0	0	0	0
17-18	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0	0	0	0	0
19-20	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0	0	0	0	0
21-22	1	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	2	2	0	0	0	0
23-24	0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0	0	0	0	0
25-29	2	1	50.0	0	0.0	1	50.0	0	0.0	1	50.0	5	8	0	2	0	2
30-34	7	3	42.9	2	28.6	2	28.6	0	0.0	1	14.3	8	5	3	17	0	9
35-39	9	8	88.9	0	0.0	1	11.1	0	0.0	4	44.4	12	13	0	4	0	4
40-44	17	8	47.1	5	29.4	3	17.6	1	5.9	3	17.6	9	11	8	6	2	5
45-49	51	25	49.0	10	19.6	13	25.5	3	5.9	4	7.8	10	11	10	7	3	7
50-54	27	21	77.8	0	0.0	5	18.5	1	3.7	8	29.6	8	7	0	9	3	6
55-59	14	6	42.9	3	21.4	5	35.7	0	0.0	1	7.1	8	7	9	9	0	4
60-64	20	13	65.0	1	5.0	6	30.0	0	0.0	1	5.0	10	9	7	12	0	4
65-69	8	3	37.5	2	25.0	2	25.0	1	12.5	0	0.0	16	24	8	13	13	0
70-74	15	12	80.0	0	0.0	2	13.3	1	6.7	0	0.0	11	6	0	46	3	0
75-79	17	14	82.4	0	0.0	3	17.6	0	0.0	1	5.9	10	9	0	0	0	13
80-84	14	11	78.6	2	14.3	0	0.0	1	7.1	0	0.0	11	11	13	0	5	0
85+	4	4	100.0	0	0.0	0	0.0	0	0.0	0	0.0	16	16	0	0	0	0
Total	208	130	62.5	27	13.0	43	20.7	8	3.8	24	11.5	9.6	10	9	11	5	6

¹ Include Native Americans, Asian and Pacific Islanders, and Other.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS).

Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of March 2002.

TABLE 54. TOTAL HOSPITAL DISCHARGES AND AVERAGE LENGTH OF STAY DUE TO AIDS BY AGE AND SEX, WESTCHESTER COUNTY RESIDENTS, 2000

Age (Years)	Number of Discharges					Average Length of Stay (Days)		
	All	Female		Male		All	Female	Male
		Number	%	Number	%			
< 1	3	2	66.7	1	33.3	6	7	4
1-2	2	1	50.0	1	50.0	18	1	35
3-4	2	0	0.0	2	100.0	3	0	3
5-6	1	1	100.0	0	0.0	6	6	0
7-8	2	1	50.0	1	50.0	6	2	10
9-10	4	2	50.0	2	50.0	6	10	3
11-12	1	1	100.0	0	0.0	7	7	0
13-14	10	9	90.0	1	10.0	15	16	3
15-16	4	2	50.0	2	50.0	10	6	15
17-18	10	8	80.0	2	20.0	9	6	19
19-20	3	1	33.3	2	66.7	6	4	7
21-22	6	4	66.7	2	33.3	6	8	2
23-24	5	1	20.0	4	80.0	5	3	5
25-29	24	11	45.8	13	54.2	8	6	9
30-34	133	61	45.9	72	54.1	8	7	8
35-39	196	98	50.0	98	50.0	8	8	8
40-44	255	86	33.7	169	66.3	11	14	10
45-49	278	110	39.6	168	60.4	10	9	10
50-54	136	38	27.9	98	72.1	8	10	8
55-59	43	7	16.3	36	83.7	10	5	10
60-64	44	15	34.1	29	65.9	12	19	8
65-69	18	3	16.7	15	83.3	10	13	9
70-74	5	2	40.0	3	60.0	16	5	23
75-79	5	1	20.0	4	80.0	10	20	8
80-84	6	3	50.0	3	50.0	22	11	32
85 +	2	0	0.0	2	100.0	3	0	3
Total	1,198	468	39.1	730	60.9	9	10	9

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS).
 Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of March 2002.

TABLE 55. TOTAL HOSPITAL DISCHARGES AND AVERAGE LENGTH OF STAY DUE TO AIDS BY AGE AND RACE/ETHNICITY, WESTCHESTER COUNTY RESIDENTS, 2000

Age (Years)	Number of Discharges										Average Length of Stay (Days)						
	All	White		Black		Other ¹		Unknown		Hispanic ²		All	White	Black	Other ¹	Unknown	Hispanic ²
		Number	%	Number	%	Number	%	Number	%	Number	%						
< 1	3	0	0.0	2	66.7	1	33.3	0	0.0	0	0.0	6	0	3	11	0	0
1-2	2	1	50.0	0	0.0	1	50.0	0	0.0	0	0.0	18	35	0	1	0	0
3-4	2	0	0.0	2	100.0	0	0.0	0	0.0	0	0.0	3	0	3	0	0	0
5-6	1	0	0.0	1	100.0	0	0.0	0	0.0	0	0.0	6	0	6	0	0	0
7-8	2	1	50.0	1	50.0	0	0.0	0	0.0	0	0.0	6	2	10	0	0	0
9-10	4	2	50.0	2	50.0	0	0.0	0	0.0	0	0.0	6	10	3	0	0	0
11-12	1	0	0.0	0	0.0	1	100.0	0	0.0	0	0.0	7	0	0	7	0	0
13-14	10	0	0.0	10	100.0	0	0.0	0	0.0	0	0.0	15	0	15	0	0	0
15-16	4	0	0.0	1	25.0	3	75.0	0	0.0	0	0.0	10	0	4	12	0	0
17-18	10	0	0.0	9	90.0	0	0.0	1	10.0	0	0.0	9	0	9	0	2	0
19-20	3	2	66.7	1	33.3	0	0.0	0	0.0	0	0.0	6	7	4	0	0	0
21-22	6	1	16.7	4	66.7	1	16.7	0	0.0	0	0.0	6	1	7	6	0	0
23-24	5	1	20.0	3	60.0	1	20.0	0	0.0	2	40.0	5	6	5	3	0	5
25-29	24	3	12.5	16	66.7	5	20.8	0	0.0	4	16.7	8	3	10	5	0	4
30-34	133	36	27.1	63	47.4	31	23.3	3	2.3	25	18.8	8	7	6	10	23	6
35-39	196	51	26.0	98	50.0	42	21.4	5	2.6	30	15.3	8	8	9	5	3	6
40-44	255	84	32.9	130	51.0	40	15.7	1	0.4	39	15.3	11	10	14	7	2	12
45-49	278	91	32.7	147	52.9	32	11.5	8	2.9	24	8.6	10	8	11	11	6	7
50-54	136	35	25.7	76	55.9	18	13.2	7	5.1	9	6.6	8	6	9	8	7	8
55-59	43	17	39.5	23	53.5	2	4.7	1	2.3	8	18.6	10	10	10	5	2	7
60-64	44	20	45.5	19	43.2	5	11.4	0	0.0	2	4.5	12	10	14	15	0	14
65-69	18	9	50.0	6	33.3	1	5.6	2	11.1	3	16.7	10	10	12	7	7	5
70-74	5	2	40.0	2	40.0	1	20.0	0	0.0	0	0.0	16	18	20	4	0	0
75-79	5	2	40.0	3	60.0	0	0.0	0	0.0	0	0.0	10	10	11	0	0	0
80-84	6	6	100.0	0	0.0	0	0.0	0	0.0	0	0.0	22	22	0	0	0	0
85 +	2	0	0.0	2	100.0	0	0.0	0	0.0	0	0.0	3	0	3	0	0	0
Total	1,198	364	30.4	621	51.8	185	15.4	28	2.3	146	12.2	9	9	11	8	7	8

¹ Include Native Americans, Asian and Pacific Islanders, and Other.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS).

Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of March 2002.

TABLE 57. TOTAL HOSPITAL DISCHARGES AND AVERAGE LENGTH OF STAY DUE TO INJURIES BY ETIOLOGY AND SEX, WESTCHESTER COUNTY RESIDENTS, 2000

Etiology	Number of Discharges						Average Length of Stay (Days)		
	All		Female		Male		All	Female	Male
	Number	%	Number	%	Number	%			
Assault	280	4.2	31	0.9	249	7.7	5	4	5
Bicycle	87	1.3	14	0.4	73	2.3	4	3	4
Cutting Instrument	115	1.7	27	0.8	88	2.7	3	4	3
Falls	3,478	51.8	2,177	62.2	1,301	40.5	8	8	7
Fire/Flame	35	0.5	15	0.4	20	0.6	13	18	9
Machinery	33	0.5	4	0.1	29	0.9	4	2	4
Motor Vehicle Crash	627	9.3	247	7.1	380	11.8	9	8	10
Overexertion	135	2.0	60	1.7	75	2.3	4	6	3
Pedestrian	152	2.3	70	2.0	82	2.6	7	8	7
Poisonings	292	4.3	143	4.1	149	4.6	3	4	3
Respiratory Interference	35	0.5	21	0.6	14	0.4	9	9	11
Scalds	55	0.8	30	0.9	25	0.8	10	10	10
Self-Inflicted	320	4.8	185	5.3	135	4.2	6	5	7
Struck by Object/Person	148	2.2	49	1.4	99	3.1	4	6	3
Submersion	5	0.1	1	0.0	4	0.1	6	1	7
Unintentional Firearms	15	0.2	0	0.0	15	0.5	9	0	9
Other	903	13.4	427	12.2	476	14.8	6	7	5
Total	6,715	100.0	3,501	100.0	3,214	100.0	7	7	7

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS).
 Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of March 2002.

TABLE 58. TOTAL HOSPITAL DISCHARGES AND AVERAGE LENGTH OF STAY DUE TO INJURIES BY ETIOLOGY AND RACE/ETHNICITY, WESTCHESTER COUNTY RESIDENTS, 2000

Etiology	Number of Discharges										Average Length of Stay (Days)							
	All		White		Black		Other ¹		Unknown		Hispanic ²		All	White	Black	Other ¹	Unknown	Hispanic ²
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%						
Assault	280	4.2	96	2.0	77	11.3	93	9.0	15	4.8	59	11.9	5	6	5	5	4	7
Bicycle	87	1.3	54	1.2	8	1.2	21	2.0	4	1.3	8	1.6	4	3	4	3	21	3
Cutting Instrument	115	1.7	61	1.3	12	1.8	36	3.5	5	1.6	24	4.8	3	3	6	2	2	3
Falls	3,478	51.8	2,798	59.7	216	31.8	322	31.1	142	45.4	155	31.2	8	8	7	7	5	7
Fire/Flame	35	0.5	23	0.5	3	0.4	9	0.9	0	0.0	3	0.6	13	10	5	22	0	17
Machinery	33	0.5	20	0.4	1	0.1	12	1.2	0	0.0	13	2.6	4	5	1	2	0	5
Motor Vehicle Crash	627	9.3	333	7.1	72	10.6	191	18.4	31	9.9	46	9.3	9	10	7	9	3	7
Overexertion	135	2.0	85	1.8	20	2.9	10	1.0	20	6.4	5	1.0	4	4	5	2	2	2
Pedestrian	152	2.3	73	1.6	28	4.1	43	4.1	8	2.6	15	3.0	7	9	6	5	6	8
Poisonings	292	4.3	188	4.0	49	7.2	41	4.0	14	4.5	38	7.6	3	4	3	3	2	3
Respiratory Interference	35	0.5	22	0.5	5	0.7	7	0.7	1	0.3	1	0.2	9	10	12	7	1	3
Scalds	55	0.8	24	0.5	4	0.6	25	2.4	2	0.6	9	1.8	10	10	13	10	3	10
Self-Inflicted	320	4.8	219	4.7	46	6.8	50	4.8	5	1.6	28	5.6	6	5	5	9	2	3
Struck by Object/Person	148	2.2	84	1.8	22	3.2	35	3.4	7	2.2	17	3.4	4	5	5	4	3	4
Submersion	5	0.1	4	0.1	0	0.0	1	0.1	0	0.0	1	0.2	6	5	0	8	0	10
Unintentional Firearms	15	0.2	4	0.1	9	1.3	2	0.2	0	0.0	1	0.2	9	24	3	5	0	1
Other	903	13.4	598	12.8	107	15.8	139	13.4	59	18.8	74	14.9	6	6	6	5	4	5
Total	6,715	100.0	4,686	100.0	679	100.0	1,037	100.0	313	100.0	497	100.0	7	7	6	6	5	6

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS).
 Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of March 2002.

TABLE 59. TOTAL HOSPITAL DISCHARGES AND AVERAGE LENGTH OF STAY DUE TO INJURIES BY AGE AND SEX, WESTCHESTER COUNTY RESIDENTS, 2000

Age (Years)	Number of Discharges					Average Length of Stay (Days)		
	All	Female		Male		All	Female	Male
		Number	%	Number	%			
< 1	44	16	36.4	28	63.6	3	3	4
1-2	94	37	39.4	57	60.6	3	3	3
3-4	62	21	33.9	41	66.1	3	2	3
5-6	66	29	43.9	37	56.1	4	6	2
7-8	57	25	43.9	32	56.1	3	3	3
9-10	51	20	39.2	31	60.8	6	8	4
11-12	66	21	31.8	45	68.2	5	7	4
13-14	94	29	30.9	65	69.1	3	3	3
15-16	128	44	34.4	84	65.6	3	3	3
17-18	120	43	35.8	77	64.2	5	7	4
19-20	117	39	33.3	78	66.7	5	4	6
21-22	137	30	21.9	107	78.1	5	4	6
23-24	124	28	22.6	96	77.4	5	7	5
25-29	271	70	25.8	201	74.2	6	5	6
30-34	353	127	36.0	226	64.0	6	6	6
35-39	347	139	40.1	208	59.9	5	5	5
40-44	323	109	33.7	214	66.3	6	6	6
45-49	327	127	38.8	200	61.2	5	5	6
50-54	297	131	44.1	166	55.9	8	6	10
55-59	250	117	46.8	133	53.2	6	6	7
60-64	258	131	50.8	127	49.2	7	6	8
65-69	318	179	56.3	139	43.7	8	8	8
70-74	421	275	65.3	146	34.7	8	8	7
75-79	562	355	63.2	207	36.8	8	8	9
80-84	646	462	71.5	184	28.5	9	9	9
85 +	1,182	897	75.9	285	24.1	9	8	9
Total	6,715	3,501	52.1	3,214	47.9	7	7	7

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS).
 Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of March 2002.

TABLE 60. TOTAL HOSPITAL DISCHARGES AND AVERAGE LENGTH OF STAY DUE TO INJURIES BY AGE AND RACE/ETHNICITY, WESTCHESTER COUNTY RESIDENTS, 2000

Age (Years)	Number of Discharges											Average Length of Stay (Days)					
	All	White		Black		Other ¹		Unknown		Hispanic ²		All	White	Black	Other ¹	Unknown	Hispanic ²
		Number	%	Number	%	Number	%	Number	%	Number	%						
< 1	44	20	45.5	5	11.4	18	40.9	1	2.3	5	11.4	3	3	2	4	1	5
1-2	94	35	37.2	12	12.8	47	50.0	0	0.0	12	12.8	3	4	3	3		12
3-4	62	23	37.1	9	14.5	27	43.5	3	4.8	5	8.1	3	3	2	2	2	5
5-6	66	31	47.0	9	13.6	22	33.3	4	6.1	8	12.1	4	2	14	3	1	8
7-8	57	29	50.9	4	7.0	22	38.6	2	3.5	10	17.5	3	3	2	4	3	10
9-10	51	18	35.3	12	23.5	18	35.3	3	5.9	5	9.8	6	6	3	7	1	5
11-12	66	29	43.9	12	18.2	21	31.8	4	6.1	13	19.7	5	4	7	6	3	13
13-14	94	52	55.3	12	12.8	27	28.7	3	3.2	16	17.0	3	3	5	3	1	16
15-16	128	62	48.4	26	20.3	31	24.2	9	7.0	13	10.2	3	3	4	3	2	13
17-18	120	66	55.0	16	13.3	33	27.5	5	4.2	14	11.7	5	6	2	5	1	14
19-20	117	58	49.6	23	19.7	33	28.2	3	2.6	20	17.1	5	6	2	6	4	20
21-22	137	61	44.5	26	19.0	40	29.2	10	7.3	24	17.5	5	7	2	5	5	24
23-24	124	56	45.2	33	26.6	26	21.0	9	7.3	22	17.7	5	5	7	5	2	22
25-29	271	132	48.7	40	14.8	86	31.7	13	4.8	48	17.7	6	6	6	5	3	48
30-34	353	184	52.1	56	15.9	92	26.1	21	5.9	52	14.7	6	5	5	8	7	52
35-39	347	196	56.5	59	17.0	76	21.9	16	4.6	46	13.3	5	5	5	6	3	46
40-44	323	179	55.4	46	14.2	77	23.8	21	6.5	48	14.9	6	6	6	6	3	48
45-49	327	206	63.0	37	11.3	62	19.0	22	6.7	31	9.5	5	4	7	8	4	31
50-54	297	176	59.3	49	16.5	57	19.2	15	5.1	14	4.7	8	9	6	8	4	14
55-59	250	178	71.2	31	12.4	28	11.2	13	5.2	16	6.4	6	7	8	5	4	16
60-64	258	175	67.8	27	10.5	29	11.2	27	10.5	12	4.7	7	7	7	8	5	12
65-69	318	255	80.2	20	6.3	29	9.1	14	4.4	14	4.4	8	8	6	5	5	14
70-74	421	348	82.7	33	7.8	25	5.9	15	3.6	10	2.4	8	7	10	10	6	10
75-79	562	474	84.3	27	4.8	36	6.4	25	4.4	10	1.8	8	8	7	10	5	10
80-84	646	569	88.1	22	3.4	31	4.8	24	3.7	12	1.9	9	9	9	9	6	12
85 +	1,182	1,074	90.9	33	2.8	44	3.7	31	2.6	17	1.4	9	9	9	11	7	17
Total	6,715	4,686	69.8	679	10.1	1,037	15.4	313	4.7	497	7.4	7	7	6	6	5	6

¹ Include Native Americans, Asian and Pacific Islanders, and Other.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS).

Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of March 2002.

TABLE 61. CASES AND RATES OF REPORTABLE DISEASES 1999 - 2001¹
WESTCHESTER COUNTY, 2001

Communicable Disease Category	2001		2000		1999	
	Cases	Rate ²	Cases	Rate ²	Cases	Rate ²
VACCINE PREVENTABLE DISEASES						
Measles	2	0.2	0	0.0	0	0.0
Mumps	0	0.0	1	0.1	1	0.1
Pertussis	4	0.4	12	1.3	4	0.4
Rubella	1	0.1	0	0.0	2	0.2
CNS DISEASES AND BACTEREMIAS						
Encephalitis						
West Nile (lab positive)	0	0.0	0	0.0	9	1.0
Non West Nile	11	1.2	2	0.2	13	1.4
Meningitis						
Aseptic Meningitis	39	4.2	16	1.7	43	4.7
Meningococcal Diseases	5	0.5	5	0.5	5	0.5
Other Meningitis	56	6.1	42	4.5	24	2.6
Pneumoniae						
Invasive Strep	41	4.4	25	2.7	14	1.5
Drug-Resistant Strep Pneumoniae	21	2.3	28	3.0	18	2.0
Haemophilus Influenzae Type B	0	0.0	0	0.0	0	0.0
Listeriosis	3	0.3	12	1.3	11	1.2
ENTERIC INFECTIONS						
Amebiasis	21	2.3	17	1.8	27	2.9
Campylobacteriosis	80	8.7	139	15.1	168	18.3
Cryptosporidiosis	8	0.9	9	1.0	19	2.1
Cyclosporidiosis	3	0.3	2	0.2	2	0.2
Foodborne Illness ⁴	5	0.5	7	0.8	0	0.0
Giardiasis	136	14.7	142	15.4	216	23.5
Hemolytic Uremic Syndrome	0	0.0	2	0.2	2	0.2
Salmonellosis	151	16.4	108	11.7	152	16.5
Shigellosis	16	1.7	26	2.8	34	3.7
STEC (E. Coli 0157) ³	11	1.2	51	5.5	18	2.0
Typhoid	2	0.2	5	0.5	0	0.0
Vibrio	3	0.3	2	0.2	0	0.0
Yersiniosis	1	0.1	1	0.1	3	0.3
VIRAL HEPATITIS						
Type A	33	3.6	33	3.6	41	4.5
Type B	7	0.8	12	1.3	11	1.2
Type C	0	0.0	1	0.1	0	0.0
Other	0	0.0	0	0.0	0	0.0
SEXUALLY TRANSMITTED DISEASES						
Chlamydia	1156	125.2	1155	125.1	912	99.2
Gonorrhea	367	39.7	296	32.1	293	31.9
PPNG ⁵	2	0.2	1	0.1	1	0.1
Syphilis, All Stages ⁶	65	7.0	45	4.9	53	5.8
Early Syphilis ⁷	13	1.4	12	1.3	13	1.4
Congenital Syphilis ⁸	1	7.5	3	22.6	0	0.0
VECTOR-BORNE, ZOONOSES						
Babesiosis	3	0.3	2	0.2	0	0.0
Ehrlichiosis	44	4.8	36	3.9	40	4.3
Lyme Disease	406	44.0	218	23.6	369	40.1
Malaria	16	1.7	13	1.4	9	1.0
OTHERS						
Legionellosis	3	0.3	11	1.2	10	1.1
Toxic Shock Syndrome	0	0.0	0	0.0	0	0.0
Tuberculosis	59	6.4	64	6.9	50	5.4

¹ As of March 31, 2002.

² Per 100,000 population. Rates for 1999 are based on estimated population in July 1999. Rates for 2000 and 2001 are based on the 2000 Census population.

³ Shiga toxin producing E. Coli (STEC); may include non-0157 shiga toxin producing strains of E. Coli.

⁴ Not confirmed.

⁵ Penicillinase producing N. Gonorrhea. PPNG cases are included in Gonorrhea total.

⁶ Syphilis, all stages, includes primary, secondary, early latent (<1 year duration) and late latent (>1 year duration) but does not include congenital syphilis.

⁷ Include primary, secondary and early latent syphilis.

⁸ Rates for Congenital Syphilis are per 100,000 live births.

**TABLE 62. CONFIRMED CASES AND RATES OF SEXUALLY TRANSMITTED DISEASES
WESTCHESTER COUNTY, 2001¹**

Health Planning Region and Municipality	Chlamydia		Gonorrhea		Syphilis	
	Cases	Rate ²	Cases	Rate ²	Cases	Rate ²
Westchester County	1,156	125.2	367	39.7	65	7.0
Northwest	108	76.8	30	21.3	11	7.8
Briarcliff Manor	1	13.0	0	0.0	0	0.0
Buchanan	0	0.0	0	0.0	0	0.0
Cortlandt	8	27.9	0	0.0	0	0.0
Croton on Hudson	0	0.0	0	0.0	0	0.0
Mount Pleasant	16	61.2	10	38.2	5	19.1
Ossining (T)	0	0.0	0	0.0	0	0.0
Ossining (V)	19	79.1	12	50.0	5	20.8
Peekskill	46	205.0	6	26.7	1	4.5
Pleasantville	3	41.8	1	13.9	0	0.0
Sleepy Hollow	15	162.8	1	10.9	0	0.0
Northeast	51	38.2	11	8.2	2	1.5
Bedford	13	71.7	3	16.5	1	5.5
Lewisboro	2	16.2	0	0.0	0	0.0
Mount Kisco	14	140.2	0	0.0	1	10.0
New Castle	4	22.9	1	5.7	0	0.0
North Castle	4	36.9	0	0.0	0	0.0
North Salem	0	0.0	1	19.3	0	0.0
Pound Ridge	1	21.2	0	0.0	0	0.0
Somers	5	27.3	3	16.4	0	0.0
Yorktown	8	22.0	3	8.3	0	0.0
West Central	134	85.0	36	22.8	17	10.8
Ardsey	1	23.4	0	0.0	0	0.0
Dobbs Ferry	7	65.9	1	9.4	1	9.4
Elmsford	1	21.4	0	0.0	0	0.0
Greenburgh	36	86.1	13	31.1	4	9.6
Hastings on Hudson	4	52.3	2	26.2	0	0.0
Irvington	1	15.1	0	0.0	0	0.0
Scarsdale	5	28.1	1	5.6	0	0.0
Tarrytown	6	54.1	4	36.1	0	0.0
White Plains	73	137.5	15	28.3	12	22.6
East Central	69	61.6	8	7.1	6	5.4
Harrison	22	91.1	2	8.3	1	4.1
Larchmont	0	0.0	0	0.0	0	0.0
Mamaroneck (T)	0	0.0	0	0.0	0	0.0
Mamaroneck (V)	10	53.3	0	0.0	0	0.0
Port Chester	34	122.0	5	17.9	5	17.9
Rye	1	6.7	0	0.0	0	0.0
Rye Brook	2	23.3	1	11.6	0	0.0
Southwest	364	185.6	138	70.4	14	7.1
Yonkers	364	185.6	138	70.4	14	7.1
Southeast	429	233.5	142	77.3	15	8.2
Bronxville	0	0.0	0	0.0	0	0.0
Eastchester	6	32.3	1	5.4	0	0.0
Mount Vernon	316	462.1	115	168.2	10	14.6
New Rochelle	95	131.6	25	34.6	5	6.9
Pelham	7	109.4	1	15.6	0	0.0
Pelham Manor	1	18.3	0	0.0	0	0.0
Tuckahoe	4	64.4	0	0.0	0	0.0
Unknown Municipality	1	-	2	-	0	-

¹ Includes confirmed cases diagnosed during 2000 and reported between January 1, 2001 and March 31, 2002.

² Per 100,000 population

**TABLE 63. REPORTED CASES AND RATES OF CHLAMYDIA BY AGE GROUP, AND RACE/ETHNICITY
WESTCHESTER COUNTY, 2001**

	Total ¹		Under 15		15-19		20-24		25-29		30-34		35-39		40 or older		Age Unknown	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	
TOTAL	1,156	125.2	24	12.2	379	697.2	412	877.3	156	285.0	90	130.9	39	48.9	51	12.1		5
Male	178	40.3	1	1.0	49	173.0	64	273.8	24	89.4	24	72.4	6	15.6	9	4.7		1
White	32	10.1	0	0.0	7	39.8	5	35.9	8	48.2	9	40.8	1	3.7	2	1.3		0
Black	92	156.0	0	0.0	29	551.3	37	989.6	9	242.1	8	178.4	2	39.7	6	29.2		1
Other/Unknown	54	..	1	..	13	..	22	..	7	..	7	..	3	..	1	..		0
Hispanic ²	42	57.2	1	5.2	10	154.1	9	120.7	8	102.3	11	143.8	3	42.7	0	0.0		0
Female	977	202.8	23	24.1	330	1267.5	348	1475.3	131	469.8	66	185.4	33	79.9	42	18.1		4
White	223	65.0	4	6.3	64	395.2	88	630.5	33	193.1	15	65.0	9	32.1	9	5.0		1
Black	440	609.9	12	77.9	168	3402.9	139	3189.5	56	1189.7	29	487.6	11	161.4	22	73.4		3
Other/Unknown	314	..	7	..	98	..	121	..	42	..	22	..	13	..	11	..		0
Hispanic ²	248	350.7	6	32.6	72	1335.1	99	1593.7	39	586.7	15	212.7	9	135.0	7	34.4		1

¹ Total includes cases with unknown information on age and/or race and ethnicity.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: WCDH Division of Di

**TABLE 64. REPORTED CASES AND RATES OF GONORRHEA BY AGE GROUP, GENDER, AND RACE/ETHNICITY
WESTCHESTER COUNTY, 2001**

	Total ¹		Under 15		15-19		20-24		25-29		30-34		35-39		40 or older		Age Unknown	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	
TOTAL	367	39.7	12	6.1	95	174.8	109	232.1	55	100.5	43	62.6	29	36.3	21	5.0		3
Male	161	36.4	2	2.0	31	109.4	44	188.3	20	74.5	29	87.5	21	54.5	13	6.8		1
White	15	4.7	0	0.0	0	0.0	1	7.2	1	6.0	6	27.2	5	18.5	2	1.3		0
Black	101	171.2	1	6.2	24	456.3	27	722.1	15	403.4	13	289.9	9	178.8	11	53.5		1
Other/Unknown	45	..	1	..	7	..	16	..	4	..	10	..	7	..	0	..		0
Hispanic ²	16	21.8	0	0.0	2	30.8	5	67.1	1	12.8	4	52.3	3	42.7	1	5.7		0
Female	206	42.8	10	10.5	64	245.8	65	275.6	35	125.5	14	39.3	8	19.4	8	3.4		2
White	30	8.7	0	0.0	9	55.6	12	86.0	4	23.4	0	0.0	3	10.7	2	1.1		0
Black	122	169.1	9	58.4	41	830.5	33	757.2	22	467.4	10	168.2	1	14.7	4	13.3		2
Other/Unknown	54	..	1	..	14	..	20	..	9	..	4	..	4	..	2	..		0
Hispanic ²	24	33.9	1	5.4	8	148.3	7	112.7	4	60.2	2	28.4	1	15.0	1	4.9		0

¹ Total includes cases with unknown information on age and/or race and ethnicity.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: WCDH Division of Disease Control.

**TABLE 65. CONFIRMED CASES AND RATES OF TICK-BORNE DISEASE:
WESTCHESTER COUNTY, 2001¹**

Health Planning Region and Municipality	Lyme Disease		Ehrlichiosis	
	Cases	Rate ²	Cases	Rate ²
Westchester County	406	44.0	44	4.8
Northwest	106	75.4	11	7.8
Briarcliff Manor	2	26.0	0	0.0
Buchanan	1	45.7	0	0.0
Cortlandt	35	122.1	4	14.0
Croton on Hudson	18	236.7	2	26.3
Mount Pleasant	24	91.8	2	7.6
Ossining (T)	1	18.1	0	0.0
Ossining (V)	11	45.8	2	8.3
Peekskill	10	44.6	1	4.5
Pleasantville	1	13.9	0	0.0
Sleepy Hollow	3	32.6	0	0.0
Northeast	193	144.7	23	17.2
Bedford	35	193.0	9	49.6
Lewisboro	30	243.4	2	16.2
Mount Kisco	3	30.1	1	10.0
New Castle	14	80.0	1	5.7
North Castle	13	119.8	0	0.0
North Salem	13	251.3	0	0.0
Pound Ridge	13	275.1	3	63.5
Somers	30	163.5	4	21.8
Yorktown	42	115.6	3	8.3
West Central	60	38.1	6	3.8
Ardsley	4	93.7	0	0.0
Dobbs Ferry	7	65.9	2	18.8
Elmsford	1	21.4	0	0.0
Greenburgh	10	23.9	3	7.2
Hastings on Hudson	9	117.7	0	0.0
Irvington	5	75.4	0	0.0
Scarsdale	5	28.1	0	0.0
Tarrytown	10	90.2	1	9.0
White Plains	9	17.0	0	0.0
East Central	16	14.3	0	0.0
Harrison	2	8.3	0	0.0
Larchmont	2	30.8	0	0.0
Mamaroneck (T)	2	18.0	0	0.0
Mamaroneck (V)	0	0.0	0	0.0
Port Chester	3	10.8	0	0.0
Rye	3	20.1	0	0.0
Rye Brook	4	46.5	0	0.0
Southwest	15	7.6	2	1.0
Yonkers	15	7.6	2	1.0
Southeast	13	7.1	0	0.0
Bronxville	1	15.3	0	0.0
Eastchester	1	5.4	0	0.0
Mount Vernon	4	5.8	0	0.0
New Rochelle	7	9.7	0	0.0
Pelham	0	0.0	0	0.0
Pelham Manor	0	0.0	0	0.0
Tuckahoe	0	0.0	0	0.0
Unknown Municipality	3	-	2	-

¹ Includes confirmed cases diagnosed during 2001 and reported between January 1, 2001 and March 31, 2002.

² Per 100,000 population.

Source: Westchester County Department of Health, Division of Disease Control.

TABLE 66. CONFIRMED CASES OF LYME DISEASE BY AGE AND SEX, WESTCHESTER COUNTY, 2001

Age	Total		Male		Female	
	Number	Rate ¹	Number	Rate ¹	Number	Rate ¹
Total	406	#REF!	220	#REF!	186	
0-9	77	58.2	41	60.6	36	55.7
10-19	54	45.7	38	62.0	16	28.1
20-29	28	27.5	22	43.8	6	11.7
30-39	52	35.0	24	33.5	28	36.4
40-49	62	42.6	35	50.0	27	35.8
50-59	60	54.5	30	57.9	30	51.4
60-69	36	49.7	15	45.8	21	53.0
70-79	32	54.0	14	56.2	18	52.4
80 and Older	4	11.2	1	8.7	3	12.4
Unknown	1		0		1	

¹ Rates are presented per 100,000 population.

Source: WCDH Division of Disease Control

TABLE 67. CONFIRMED CASES OF EHRLICHIOSIS BY AGE AND SEX, WESTCHESTER COUNTY, 2001

Age	Total		Male		Female	
	Number	Rate ¹	Number	Rate ¹	Number	Rate ¹
Total	44	4.8	26	5.9	18	3.7
0-9	3	2.3	3	4.4	0	0.0
10-19	4	3.4	2	3.3	2	3.5
20-29	2	2.0	2	4.0	0	0.0
30-39	2	1.3	1	1.4	1	1.3
40-49	10	6.9	7	10.0	3	4.0
50-59	6	5.4	3	5.8	3	5.1
60-69	4	5.5	3	9.2	1	2.5
70-79	2	3.4	1	4.0	1	2.9
80 and Older	2	5.6	2	17.4	0	0.0
Unknown	9		2		7	

¹ Rates are presented per 100,000 population.

Source: WCDH Division of Disease Control

TABLE 68. CONFIRMED CASES AND RATES OF MAJOR ENTERIC INFECTIONS, WESTCHESTER COUNTY, 2001

Health Planning Region and Municipality	Campylobacteriosis		Giardiasis		Salmonellosis	
	Cases	Rate ²	Cases	Rate ²	Cases	Rate ²
Westchester County	80	8.7	136	14.7	151	16.4
Northwest	7	5.0	27	19.2	35	24.9
Briarcliff Manor	1	13.0	2	26.0	1	13.0
Buchanan	0	0.0	0	0.0	0	0.0
Cortlandt	1	3.5	7	24.4	3	10.5
Croton on Hudson	0	0.0	2	26.3	4	52.6
Mount Pleasant	2	7.6	5	19.1	4	15.3
Ossining (T)	0	0.0	1	18.1	1	18.1
Ossining (V)	3	12.5	2	8.3	7	29.2
Peekskill	0	0.0	4	17.8	6	26.7
Pleasantville	0	0.0	1	13.9	4	55.8
Sleepy Hollow	0	0.0	3	32.6	5	54.3
Northeast	17	12.7	21	15.7	21	15.7
Bedford	1	5.5	5	27.6	4	22.1
Lewisboro	0	0.0	5	40.6	1	8.1
Mount Kisco	1	10.0	3	30.1	0	0.0
New Castle	5	28.6	2	11.4	4	22.9
North Castle	4	36.9	1	9.2	2	18.4
North Salem	2	38.7	0	0.0	1	19.3
Pound Ridge	1	21.2	1	21.2	0	0.0
Somers	0	0.0	1	5.5	4	21.8
Yorktown	3	8.3	3	8.3	5	13.8
West Central	23	14.6	35	22.2	24	15.2
Ardsley	0	0.0	0	0.0	3	70.3
Dobbs Ferry	3	28.2	5	47.1	1	9.4
Elmsford	1	21.4	1	21.4	0	0.0
Greenburgh	3	7.2	5	12.0	5	12.0
Hastings on Hudson	1	13.1	1	13.1	1	13.1
Irvington	1	15.1	1	15.1	0	0.0
Scarsdale	4	22.4	2	11.2	3	16.8
Tarrytown	3	27.1	7	63.1	2	18.0
White Plains	7	13.2	13	24.5	9	17.0
East Central	9	8.0	19	17.0	17	15.2
Harrison	2	8.3	2	8.3	4	16.6
Larchmont	1	15.4	5	77.1	0	0.0
Mamaroneck (T)	0	0.0	0	0.0	1	9.0
Mamaroneck (V)	1	5.3	1	5.3	5	26.7
Port Chester	0	0.0	2	7.2	2	7.2
Rye	2	13.4	8	53.5	3	20.1
Rye Brook	3	34.9	1	11.6	2	23.3
Southwest	13	6.6	25	12.7	33	16.8
Yonkers	13	6.6	25	12.7	33	16.8
Southeast	11	6.0	9	4.9	21	11.4
Bronxville	1	15.3	2	30.6	1	15.3
Eastchester	0	0.0	0	0.0	1	5.4
Mount Vernon	2	2.9	1	1.5	6	8.8
New Rochelle	8	11.1	6	8.3	11	15.2
Pelham	0	0.0	0	0.0	0	0.0
Pelham Manor	0	0.0	0	0.0	2	36.6
Tuckahoe	0	0.0	0	0.0	0	0.0
Unknown Municipality	0	-	0	-	0	-

¹ Includes confirmed cases diagnosed during 2000 and reported between January 1, 2001 and March 31, 2002.

² Per 100,000 population

Source: Westchester County Department of Health, Division of Disease Control

TABLE 69. NUMBER OF TUBERCULOSIS CASES AND CONTACTS, WESTCHESTER COUNTY, 1995-2001

	1995	1996	1997	1998	1999	2000	2001
New Active Tuberculosis Cases ^{1,2}	114	73	109	64	50	64	59
Males	70	39	49	31	32	41	41
Females	44	34	60	33	18	23	18
% Foreign Born	NA	NA	63	59	60	64	78
Drug Resistant Cases	12	5	5	5	0	4	4
Single Drug Resistant	4	0	2	1	0	3	3
Multi-Drug Resistant	8	2	2	1	0	1	1
Continuing Active Cases ³	99	88	113	72	61	48	43
Contacts Identified ⁴	737	967	867	682	487	285	367
Under 15 Years of Age	116	107	134	159	51	NA	NA
15 Years of Age and Over	621	860	733	523	436	NA	NA
Incidence Rate ⁵	12.7	8.1	12.0	7.0	5.4	6.9	6.4

¹ As of December 20, 2002.

² Persons being treated with two or more drugs for active tuberculosis as of December 31 of year shown

³ Persons reported in previous and current years who were being monitored as of December 31 of the year shown

⁴ From New York State Department of Health.

⁵ New active cases per 100,000 people.

Source: Westchester County Department of Health, Division of Disease Control

**TABLE 70. AIDS CASES BY YEAR OF DIAGNOSIS BY SEX
WESTCHESTER COUNTY RESIDENTS¹, 2000²**

Year of Diagnosis	Total Number	Number		Percent	
		Female	Male	Female	Male
Before 1985	46	4	42	8.7	91.3
1985	71	12	59	16.9	83.1
1986	99	12	87	12.1	87.9
1987	150	22	128	14.7	85.3
1988	170	29	141	17.1	82.9
1989	210	48	162	22.9	77.1
Subtotal	700	123	577	17.6	82.4
1990	232	49	183	21.1	78.9
1991	275	59	216	21.5	78.5
1992	367	91	276	24.8	75.2
1993	329	82	247	24.9	75.1
1994	350	103	247	29.4	70.6
Subtotal	1,553	384	1,169	24.7	75.3
1995	344	91	253	26.5	73.5
1996	271	86	185	31.7	68.3
1997	233	85	148	36.5	63.5
1998	214	81	133	37.9	62.1
1999	178	57	121	32.0	68.0
Subtotal	1,240	400	840	32.3	67.7
2000 ²	105	42	63	40.0	60.0
Total	3,644	953	2,691	26.2	73.8

¹ County of residence is determined at time of diagnosis. Excludes all cases under 13 and inmate cases.

² Cases only through December 31, 2000.

Source: NYS Department of Health, Bureau of HIV/AIDS Epidemiology

**TABLE 71. AIDS CASES BY YEAR OF DIAGNOSIS BY RACE/ETHNICITY
WESTCHESTER COUNTY RESIDENTS¹, 2000²**

Year of Diagnosis	Total Number	Number				Percent			
		White	Black	Hispanic ²	Other	White	Black	Hispanic ²	Other
< 1985	46	28	15	3	0	60.9	32.6	6.5	0.0
1985	71	30	26	15	0	42.3	36.6	21.1	0.0
1986	99	49	41	8	1	49.5	41.4	8.1	1.0
1987	150	79	61	9	1	52.7	40.7	6.0	0.7
1988	170	84	73	12	1	49.4	42.9	7.1	0.6
1989	210	83	106	21	0	39.5	50.5	10.0	0.0
Subtotal	700	325	307	65	3	46.4	43.9	9.3	0.4
1990	232	90	116	24	2	38.8	50.0	10.3	0.9
1991	275	97	140	37	1	35.3	50.9	13.5	0.4
1992	367	128	176	59	4	34.9	48.0	16.1	1.1
1993	329	110	164	53	2	33.4	49.8	16.1	0.6
1994	350	124	167	58	1	35.4	47.7	16.6	0.3
Subtotal	1,553	549	763	231	10	35.4	49.1	14.9	0.6
1995	344	104	163	76	1	30.2	47.4	22.1	0.3
1996	271	77	155	35	4	28.4	57.2	12.9	1.5
1997	233	55	129	49	0	23.6	55.4	21.0	0.0
1998	214	45	122	47	0	21.0	57.0	22.0	0.0
1999	178	31	115	31	1	17.4	64.6	17.4	0.6
Subtotal	1,240	312	684	238	6	25.2	55.2	19.2	0.5
2000 ³	105	26	60	19	0	24.8	57.1	18.1	0.0
Total	3,644	1,240	1,829	556	19	34.0	50.2	15.3	0.5

¹ County of residence at time of diagnosis. Excludes all cases under 13 and inmate cases.

² Hispanic is not reported under white or black, but is reported as a discrete group.

³ Cases only through December 31, 2000.

Source: NYS Department of Health, Bureau of HIV/AIDS Epidemiology

TABLE 72. AIDS CASES BY YEAR OF DIAGNOSIS BY RISK, WESTCHESTER COUNTY RESIDENTS^{1,2}, 2000³

Year of Diagnosis	Total Number	Number						Percent					
		MSM	IDU	MSM/ IDU	Het. Contact	Blood	Unknown	MSM	IDU	MSM/ IDU	Het. Contact	Blood	Unknown
Before 1985	46	25	15	3	0	2	1	54.3	32.6	6.5	0.0	4.3	2.2
1985	71	27	30	7	4	0	3	38.0	42.3	9.9	5.6	0.0	4.2
1986	99	41	42	6	4	2	4	41.4	42.4	6.1	4.0	2.0	4.0
1987	150	66	61	7	8	4	4	44.0	40.7	4.7	5.3	2.7	2.7
1988	170	55	83	8	10	8	6	32.4	48.8	4.7	5.9	4.7	3.5
1989	210	55	119	4	17	2	13	26.2	56.7	1.9	8.1	1.0	6.2
Subtotal	700	244	335	32	43	16	30	34.9	47.9	4.6	6.1	2.3	4.3
1990	232	68	106	8	30	4	16	29.3	45.7	3.4	12.9	1.7	6.9
1991	275	74	150	6	26	8	11	26.9	54.5	2.2	9.5	2.9	4.0
1992	367	82	216	18	30	6	15	22.3	58.9	4.9	8.2	1.6	4.1
1993	329	83	168	21	40	7	10	25.2	51.1	6.4	12.2	2.1	3.0
1994	350	74	192	14	59	3	8	21.1	54.9	4.0	16.9	0.9	2.3
Subtotal	1,553	381	831	67	185	34	55	24.5	53.5	4.3	11.9	2.2	3.5
1995	344	77	181	8	61	1	16	22.4	52.6	2.3	17.7	0.3	4.7
1996	271	48	132	11	67	0	13	17.7	48.7	4.1	24.7	0.0	4.8
1997	233	45	111	2	71	0	4	19.3	47.6	0.9	30.5	0.0	1.7
1998	214	33	102	9	61	0	9	15.4	47.7	4.2	28.5	0.0	4.2
1999	178	32	87	4	51	0	4	18.0	48.9	2.2	28.7	0.0	2.2
Subtotal	1,240	235	613	34	311	1	46	19.0	49.4	2.7	25.1	0.1	3.7
2000 ³	105	16	38	7	27	0	17	15.2	36.2	6.7	25.7	0.0	16.2
Total	3,644	901	1,832	143	566	53	149	24.7	50.3	3.9	15.5	1.5	4.1

¹ County of residence at time of diagnosis. Excludes all cases under 13 and inmate cases.

² Definitions for risk include: MSM - men having sex with men, IDU - injecting drug use, Het. Contact - heterosexual contact, Blood - blood transfer.

³ Cases only through December 31, 2000.

Source: NYS Department of Health, Bureau of HIV/AIDS Epidemiology

TABLE 73. CHILDHOOD LEAD POISONING PREVENTION PROGRAM: NUMBER OF SCREENING TESTS CONDUCTED, CHILDREN CONFIRMED POSITIVE, AND LEAD REGISTRY CASES, WESTCHESTER COUNTY, 2001

Health Planning Region and Municipality	Screening Tests						Confirmed Cases by BLL (ug/dL) ¹				Lead Registry Cases ³
	Total	<10	10-14	15-19	20+	UC ²	Total	20-44	45-69	70+	
Westchester County	28,295	27,548	498	128	117	4	49	48	1	0	133
NORTHWEST	3,107	3,020	48	19	19	1	6	6	0	0	8
Briarcliff Manor	144	142	1	0	1	0	0	0	0	0	0
Buchanan	34	34	0	0	0	0	0	0	0	0	0
Cortlandt	296	293	1	0	2	0	1	1	0	0	0
Croton on Hudson	153	151	2	0	0	0	0	0	0	0	0
Mount Pleasant	541	533	6	0	2	0	1	1	0	0	0
Ossining (T)	131	127	2	2	0	0	0	0	0	0	0
Ossining (V)	754	730	12	4	8	0	2	2	0	0	4
Peekskill	593	558	19	11	4	1	1	1	0	0	3
Pleasantville	153	148	2	2	1	0	1	1	0	0	1
Sleepy Hollow	308	304	3	0	1	0	0	0	0	0	0
NORTHEAST	2,591	2,563	14	5	9	0	4	4	0	0	4
Bedford	362	356	2	1	3	0	2	2	0	0	1
Lewisboro	220	218	0	1	1	0	1	1	0	0	1
Mount Kisco	200	198	1	1	0	0	0	0	0	0	0
New Castle	426	419	6	1	0	0	0	0	0	0	0
North Castle	247	245	2	0	0	0	0	0	0	0	0
North Salem	79	78	0	0	1	0	0	0	0	0	0
Pound Ridge	63	61	1	0	1	0	1	1	0	0	2
Somers	314	312	0	1	1	0	0	0	0	0	0
Yorktown	680	676	2	0	2	0	0	0	0	0	0
WEST CENTRAL	4,095	4,005	69	6	14	1	5	5	0	0	14
Ardsley	74	73	0	0	1	0	0	0	0	0	0
Dobbs Ferry	183	180	3	0	0	0	0	0	0	0	3
Elmsford	165	159	5	0	1	0	0	0	0	0	1
Greenburgh	1079	1058	16	0	4	1	1	1	0	0	5
Hastings on Hudson	142	137	5	0	0	0	0	0	0	0	0
Irvington	169	167	1	0	1	0	0	0	0	0	0
Scarsdale	472	455	11	4	2	0	1	1	0	0	0
Tarrytown	294	284	5	1	4	0	2	2	0	0	1
White Plains	1,517	1,492	23	1	1	0	1	1	0	0	4
EAST CENTRAL	3,441	3,328	90	12	11	0	1	1	0	0	7
Harrison	544	542	2	0	0	0	0	0	0	0	0
Larchmont	322	293	22	5	2	0	0	0	0	0	1
Mamaroneck (T)	422	402	13	4	3	0	0	0	0	0	0
Mamaroneck (V)	447	436	8	0	3	0	0	0	0	0	0
Port Chester	1,099	1,059	35	2	3	0	1	1	0	0	5
Rye	397	388	8	1	0	0	0	0	0	0	1
Rye Brook	210	208	2	0	0	0	0	0	0	0	0
SOUTHWEST	5,905	5,715	117	43	29	1	16	15	1	0	50
Yonkers	5,905	5,715	117	43	29	1	16	15	1	0	50
SOUTHEAST	6,228	6,032	125	36	34	1	17	17	0	0	50
Bronxville	139	135	3	0	1	0	0	0	0	0	0
Eastchester	397	397	0	0	0	0	0	0	0	0	0
Mount Vernon	2,567	2,467	60	22	17	1	14	14	0	0	33
New Rochelle	2,608	2,531	54	10	13	0	2	2	0	0	15
Pelham	189	182	3	2	2	0	1	1	0	0	1
Pelham Manor	202	195	4	2	1	0	0	0	0	0	1
Tuckahoe	126	125	1	0	0	0	0	0	0	0	0
Unknown Municipality ⁴	2,928	2,885	35	7	1	0	0	0	0	0	0
Out of County	19	19	0	0	0	0	0	0	0	0	2

¹ 20-44 ug/dL: High elevation of lead in blood; 45-69 ug/dL: Urgent elevation; 70 ug/dL or more: Emergency elevation.

² Unable to classify; includes test results which were questionable, clotted or the results of a lab accident

³ Registry cases include children determined to be lead poisoned (confirmed BLL > 20 ug/dL) that received case management services (nursing visits, environmental inspections, follow-up, referral) during 2001. Out of county registry cases were provided environmental services for buildings they occupied in Westchester.

⁴ Includes incomplete addresses as well as addresses consisting only of P.O. boxes. In all cases these contain Westchester ZIP codes or post office references.

TABLE 74. NUMBER OF PATIENTS SERVED AT WESTCHESTER COUNTY DEPARTMENT OF HEALTH DISTRICT OFFICES AND CERTIFIED HOME HEALTH PROGRAM BY AGE, SEX, AND RACE/ETHNICITY, 1/1/2001-12/31/2001

	District Office Clinics										Certified Home Health Program	
	Total ¹		New Rochelle		Rye Brook / Port Chester		White Plains		Yonkers		Num	%
	Num	%	Num	%	Num	%	Num	%	Num	%		
TOTAL	7,465		657		1,459		2,299		3,139		3,639	
AGE												
Under 5	184	2.5	5	0.8	64	4.4	44	1.9	76	2.4	916	25.2
5 - 9	662	8.9	47	7.2	223	15.3	67	2.9	331	10.5	68	1.9
10 - 14	722	9.7	47	7.2	220	15.1	91	4.0	370	11.8	64	1.8
15 - 19	769	10.3	72	11.0	126	8.6	206	9.0	372	11.9	116	3.2
20 - 34	3,227	43.2	243	37.0	519	35.6	1,159	50.4	1,343	42.8	370	10.2
35 - 44	1,242	16.6	109	16.6	181	12.4	518	22.5	451	14.4	230	6.3
45 - 64	594	8.0	122	18.6	110	7.5	196	8.5	174	5.5	464	12.8
65 and over	65	0.9	12	1.8	16	1.1	18	0.8	22	0.7	1,411	38.8
SEX												
Female	4,928	66.0	375	57.1	1,009	69.2	1,436	62.5	2,172	69.2	2,495	68.6
Male	2,537	34.0	282	42.9	450	30.8	863	37.5	967	30.8	1,144	31.4
RACE												
White - Non Hispanic	638	8.5	66	10.0	104	7.1	294	12.8	177	5.6	1,193	32.8
Black - Non Hispanic	1,371	18.4	258	39.3	30	2.1	400	17.4	706	22.5	1,088	29.9
White - Hispanic	4,272	57.2	266	40.5	1,295	88.8	1,467	63.8	1,302	41.5	767	21.1
Black - Hispanic	674	9.0	1	0.2	0	0.0	3	0.1	671	21.4	63	1.7
Asian	209	2.8	14	2.1	12	0.8	71	3.1	116	3.7	172	4.7
American Indian/Alaskan Native	20	0.3	0	0.0	3	0.2	8	0.3	9	0.3	9	0.2
Pacific Islander	8	0.1	0	0.0	1	0.1	0	0.0	7	0.2	1	0.0
Other	273	3.7	52	7.9	14	1.0	56	2.4	151	4.8	346	9.5

¹ Unduplicated Patients - Total will not be equal to the sum of the District Offices because a patient may visit more than one District Office. Excluding patients receiving influenza and pneumococcal vaccines administered at Westchester County Department of Health influenza and special epidemic clinics.

Source: Westchester County Department of Health, Division of Community Health Services.

TABLE 75. CLINIC SESSIONS AND PATIENT VISITS BY DISTRICT OFFICE, WESTCHESTER COUNTY, 2001

Clinic		All	District Office			
		District Offices	New Rochelle	Rye Brook/Port Chester	White Plains	Yonkers
Total - Clinic Sessions ¹		1,719	138	437	441	703
Total - Patients ²		7,465	657	1,459	2,299	3,139
Total - Patient Visits ³		20,885	1,500	4,383	6,737	8,265
Dental ⁴	Sessions	398	N/A	189	N/A	209
	Patients	1,118	N/A	398	N/A	720
	Visits	2,503	N/A	795	N/A	1,708
Family Planning	Sessions	490	N/A	136	165	189
	Patients	2,378	N/A	526	734	1,132
	Visits	6,240	N/A	1,453	1,873	2,914
Immunization	Sessions	127	24	23	28	52
	Patients	582	123	101	130	231
	Visits	700	150	120	178	252
Sexually Transmitted Diseases	Sessions	300	51	N/A	100	149
	Patients	1,582	194	N/A	617	791
	Visits	2,943	346	N/A	1,123	1,474
Tuberculosis	Sessions	404	63	89	148	104
	Patients	1,912	256	402	823	473
	Visits	8,001	894	1,937	3,385	1,785
Cancer Screening	Patients	265	82	74	59	51
	Visits	286	86	78	66	56
HIV Counseling & Testing Only ⁵	Patients	163	16	N/A	90	57
	Visits	212	24	N/A	112	76
HIV Counseling & Testing visits within Family Planning, TB, STD etc. ^{5,6}	Visits	2,932	107	522	1,194	1,109
Influenza ⁷	Sessions	77	N/A	N/A	N/A	N/A
	Patients	6,635	N/A	N/A	N/A	N/A
	Visits	6,635	N/A	N/A	N/A	N/A

N/A = Not Applicable

¹ Sessions = scheduled clinics

² Total unduplicated patients is the number of patients that received program services at least once. Total will not be equal to the sum of the District Offices or Program because a patient may visit more than one District Office or Program.

³ Visits = the number of patients attending clinic sessions

⁴ Includes visits to dentists and dental hygienists

⁵ Includes confidential counseling & testing only; excludes anonymous counseling & testing

⁶ HIV Counseling & Testing conducted as part of a FP, TB, STD visit (not included in "Total Visits" above)

⁷ Not included in Totals because these influenza clinics are offered at sites throughout the county

Source: Westchester County Department of Health, Division of Community Health Services.

TABLE 76. PATIENTS AND VISITS TO DENTAL CLINICS BY DISTRICT OFFICE AND PATIENT AGE GROUP, WESTCHESTER COUNTY, 2001

Patients and Visits By Age Group (Years)	All Offices ¹	District Office			
		New Rochelle	Rye Brook/ Port Chester	White Plains	Yonkers
Total Patients	1,118	N/A	398	N/A	720
Under 5	107	N/A	46	N/A	61
5 - 9	428	N/A	176	N/A	252
10 - 14	397	N/A	133	N/A	264
15 and over	186	N/A	43	N/A	143
Total Visits ²	2,503	N/A	795	N/A	1,708
Dentist	2,072	N/A	708	N/A	1,364
Dental Hygienist	1,204	N/A	425	N/A	779
Under 5	181	N/A	68	N/A	113
5 - 9	1,024	N/A	390	N/A	634
10 - 14	866	N/A	252	N/A	614
15 and over	432	N/A	85	N/A	347
Visits per Patient	2.2	N/A	2.0	N/A	2.4
Under 5	1.7	N/A	1.5	N/A	1.9
5 - 9	2.4	N/A	2.2	N/A	2.5
10 - 14	2.2	N/A	1.9	N/A	2.3
15 and over	2.3	N/A	2.0	N/A	2.4

N/A = Not Applicable

¹ Unduplicated Patient count for all offices will not necessarily equal the total of the district offices because one patient may go to more than one office.

² Total is not equal to dentist visits plus hygienist visits because patients may see both the dentist and the hygienist in the same visit.

Source: Westchester County Department of Health, Division of Community Health Services.

TABLE 77. PATIENTS AND VISITS TO FAMILY PLANNING CLINICS BY DISTRICT OFFICE AND PATIENT AGE GROUP, WESTCHESTER COUNTY, 2001

Patients and Visits By Age Group (Years)	All Offices ¹	District Office			
		New Rochelle	Rye Brook/ Port Chester	White Plains	Yonkers
Total Patients	2,378	N/A	526	734	1,132
Under 15	6	N/A	2	-	4
15 - 19	119	N/A	10	35	75
20 - 44	2,206	N/A	504	683	1,032
45 and over	47	N/A	10	16	21
Total Visits	6,240	N/A	1,453	1,873	2,914
Under 15	6	N/A	2	-	4
15 - 19	248	N/A	28	63	157
20 - 44	5,911	N/A	1,408	1,787	2,716
45 and over	75	N/A	15	23	37
Visits per Patient	2.6	N/A	2.8	2.6	2.6
Under 15	1.0	N/A	1.0	NA	1.0
15 - 19	2.1	N/A	2.8	1.8	2.1
20 - 44	2.7	N/A	2.8	2.6	2.6
45 and over	1.6	N/A	1.5	1.4	1.8

N/A = Not Applicable

¹ Unduplicated Patient count for all offices will not necessarily equal the total of the district offices because one patient may go to more than one office.

Source: Westchester County Department of Health, Division of Community Health Services.

TABLE 78. PATIENTS AND VISITS TO SEXUALLY TRANSMITTED DISEASE CLINICS BY DISTRICT OFFICE AND PATIENT AGE GROUP, WESTCHESTER COUNTY, 2001

Patients and Visits By Age Group (Years)	All Offices ¹	District Office			
		New Rochelle	Rye Brook/ Port Chester	White Plains	Yonkers
Total Patients	1,582	194	N/A	617	791
Under 15	7	-	N/A	2	5
15 - 19	179	21	N/A	66	93
20 - 44	1,265	156	N/A	500	626
45 and over	131	17	N/A	49	67
Total Visits	2,943	346	N/A	1,123	1,474
Under 15	15	-	N/A	2	13
15 - 19	333	41	N/A	112	180
20 - 44	2,352	280	N/A	911	1,161
45 and over	243	25	N/A	98	120
Visits per Patient	1.9	1.8	N/A	1.8	1.9
Under 15	2.1	N/A	N/A	1.0	2.6
15 - 19	1.9	2.0	N/A	1.7	1.9
20 - 44	1.9	1.8	N/A	1.8	1.9
45 and over	1.9	1.5	N/A	2.0	1.8

¹ Unduplicated Patient count for all offices will not necessarily equal the total of the district offices because one patient may go to more than one office.

Source: Westchester County Department of Health, Division of Community Health Services.

TABLE 79. PATIENTS AND VISITS TO TUBERCULOSIS CLINICS BY DISTRICT OFFICE AND PATIENT AGE GROUP, WESTCHESTER COUNTY, 2001

Patients and Visits By Age Group (Years)	All Offices ¹	District Office			
		New Rochelle	Rye Brook/ Port Chester	White Plains	Yonkers
Total Patients	1,912	256	402	823	473
Under 10	207	37	50	89	42
10 - 14	195	28	62	62	46
15 - 19	222	29	53	82	59
20 - 44	1,030	113	184	498	257
45 and over	258	49	53	92	69
Total Visits	8,001	894	1,937	3,385	1,785
Under 10	917	143	229	373	172
10 - 14	951	114	336	288	213
15 - 19	833	95	204	303	231
20 - 44	4,319	406	915	2,095	903
45 and over	981	136	253	326	266
Visits per Patient	4.2	3.5	4.8	4.1	3.8
Under 10	4.4	3.9	4.6	4.2	4.1
10 - 14	4.9	4.1	5.4	4.6	4.6
15 - 19	3.8	3.3	3.8	3.7	3.9
20 - 44	4.2	3.6	5.0	4.2	3.5
45 and over	3.8	2.8	4.8	3.5	3.9

¹ Unduplicated Patient count for all offices will not necessarily equal the total of the district offices because one patient may go to more than one office.

Source: Westchester County Department of Health, Division of Community Health Services.

**TABLE 80. NUMBER OF HOME HEALTH VISITS BY DISTRICT OFFICE,
WESTCHESTER COUNTY, 2001**

Discipline and Diagnosis	All Offices	District Office			
		New Rochelle	Rye Brook/ Port Chester	White Plains	Yonkers
Total Visits - All Disciplines ¹	20,420	790	3,903	4,703	5,310
DSS-Personal Care Aide Program Visits	5,714	N/A	N/A	N/A	N/A
Community Health Worker Visits	1,610	6	527	191	886
Health Investigator Visits	1,778	418	606	664	90
Home Health Aide Visits	460	0	21	51	388
Medical Social Worker Visits	216	3	45	82	86
Occupational Therapy Visits	7	0	0	5	2
Physical Therapy Visits	183	0	41	34	108
Speech Therapy Visits	1	0	0		1
Public Health Nursing Visits	10,451	363	2,663	3,676	3,749

N/A = Not Applicable

¹ DSS-Personal Care Aide visits (5,714) are included in All Offices total but not in District Offices totals because they are sent from the Department of Social Services.

Source: Westchester County Department of Health, Division of Community Health Services.

TABLE 81. NUMBER OF VACCINES ADMINISTERED AT DISTRICT OFFICES AND INFLUENZA/ SPECIAL EPIDEMIC CLINICS, WESTCHESTER COUNTY, 2001

	All Sites
Total Vaccines Administered	10,112
Diphtheria, Tetanus, Acellular Pertussis	38
Diphtheria and Tetanus	1
Tetanus Diphtheria, Adult	168
Haemophilus Influenza B	3
Hepatitis A	0
Hepatitis B	1,885
Influenza ¹	6,635
Pneumococcal ¹	566
Measles, Mumps and Rubella	568
Varicella	61
Polio	187

¹ Vaccines administered at Westchester County Department of Health influenza and special epidemic clinics. All others were administrated at WCDOH District Offices.

Source: Westchester County Department of Health, Division of Community Health Services

TABLE 82. NUMBER OF ANIMALS CONFIRMED RABID, WESTCHESTER COUNTY, 1991-2001¹

Health Planning Region and Municipality	Total	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991
Westchester County	597	71	48	31	47	48	42	56	28	45	97	84
Northwest	143	13	12	7	9	13	10	18	10	7	23	21
Briarcliff Manor	18	0	1	0	2	2	0	6	1	1	4	1
Buchanan	2	0	0	1	0	0	0	0	1	0	0	0
Cortlandt	50	5	4	0	4	4	2	5	8	2	6	10
Croton on Hudson	8	1	1	2	0	1	0	0	0	0	1	2
Mount Pleasant	20	4	2	1	1	1	2	2	0	1	4	2
Ossining (T)	7	1	1	0	0	0	2	0	0	1	1	1
Ossining (V)	14	1	0	3	0	0	0	2	0	1	4	3
Peekskill	17	0	3	0	1	2	4	3	0	1	1	2
Pleasantville	3	0	0	0	0	3	0	0	0	0	0	0
Sleepy Hollow	4	1	0	0	1	0	0	0	0	0	2	0
Northeast	257	29	18	10	14	25	21	31	15	5	26	63
Bedford	45	7	2	2	1	6	2	5	1	1	6	12
Lewisboro	25	1	1	1	2	5	2	4	2	0	0	7
Mount Kisco	9	1	1	0	1	1	3	1	0	1	0	0
New Castle	32	2	3	4	0	1	4	2	2	0	9	5
North Castle	21	8	1	0	1	3	1	1	0	0	3	3
North Salem	14	2	1	0	1	2	0	2	1	0	0	5
Pound Ridge	17	2	2	0	2	0	0	3	1	1	1	5
Somers	35	2	4	1	0	4	3	4	5	0	0	12
Yorktown	59	4	3	2	6	3	6	9	3	2	7	14
West Central	71	12	8	2	4	6	6	6	0	5	22	0
Ardley	2	0	0	0	0	1	1	0	0	0	0	0
Dobbs Ferry	2	0	0	0	0	0	0	0	0	0	2	0
Elmsford	3	1	1	0	0	0	0	1	0	0	0	0
Greenburgh	19	4	2	0	0	1	3	1	0	1	7	0
Hastings on Hudson	3	0	1	0	0	0	0	0	0	0	2	0
Irvington	9	2	0	1	1	0	0	3	0	1	1	0
Scarsdale	9	4	1	0	0	1	0	1	0	0	2	0
Tarrytown	2	0	0	0	1	0	0	0	0	0	1	0
White Plains	22	1	3	1	2	3	2	0	0	3	7	0
East Central	58	8	3	9	4	2	3	1	1	12	15	0
Harrison	21	5	1	4	1	1	1	1	1	1	5	0
Larchmont	2	0	0	0	1	0	0	0	0	1	0	0
Mamaroneck (T)	7	1	2	0	0	0	0	0	0	4	0	0
Mamaroneck (V)	6	1	0	0	0	1	0	0	0	1	3	0
Port Chester	2	0	0	0	0	0	1	0	0	0	1	0
Rye	15	1	0	3	1	0	1	0	0	4	5	0
Rye Brook	5	0	0	2	1	0	0	0	0	1	1	0
Southwest	38	8	3	2	13	1	0	0	0	7	4	0
Yonkers	38	8	3	2	13	1	0	0	0	7	4	0
Southeast	28	1	4	1	3	0	1	0	2	9	7	0
Bronxville	5	0	2	0	1	0	0	0	0	0	2	0
Croton-Harmon	4	0	1	1	0	0	0	0	0	1	1	0

TABLE 83. NUMBER OF ANIMALS CONFIRMED RABID BY TYPE OF ANIMAL AND RABIES POST-EXPOSURE TREATMENT ADMINISTERED, WESTCHESTER COUNTY, 1991-2001¹

	Total		Number of Animals Confirmed Rabid										
	Number	Percent	2001	2000	1999	1998	1997	1996	1995	1994	1993	1992	1991
Rabid Animals	597	100.0	71	48	31	47	48	42	56	28	45	97	84
Raccoon	334	55.9	34	24	10	19	28	18	31	11	30	67	62
Skunk	161	27.0	23	14	4	20	13	14	21	10	8	17	17
Bat	63	10.6	10	7	15	7	4	8	3	3	3	3	0
Cat	22	3.7	2	2	2	1	2	0	0	3	3	6	1
Fox	6	1.0	2	0	0	0	0	0	1	0	0	1	2
Woodchuck	4	.7	0	0	0	0	1	1	0	0	0	1	1
Dog	2	.3	0	0	0	0	0	1	0	1	0	0	0
Horse	2	.3	0	0	0	0	0	0	0	0	1	1	0
Lamb	1	.2	0	0	0	0	0	0	0	0	0	0	1
Opossum	1	.2	0	1	0	0	0	0	0	0	0	0	0
Pig	1	.2	0	0	0	0	0	0	0	0	0	1	0
Rabies Post-Exposure Treatment Administered													
	4,406	..	473	433	496	476	714	494	473	199	292	242	114

¹The 1991-2001 rabies epidemic was caused by the raccoon strain of rabies. The first case was reported in March 1991 and confirmed in April 1991. Animals are confirmed rabid after brain tissue samples have been tested by the Wadsworth Laboratory of New York State Department of Health. Also includes bats infected with the bat strain of rabies.

Source: Westchester County Department of Health, Divisions of Environmental Health (1991-1994) and Disease Control (1995-2001).

**TABLE 84. WEST NILE VIRUS - DEAD BIRD AND MOSQUITO SURVEILLANCE,
WESTCHESTER COUNTY, 2001**

	Total	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Birds Submitted to the State for Viral Testing													
Submitted for Viral Testing													
Total	148	2	4	10	6	11	2	24	43	12	12	14	8
Crows	109	1	3	9	4	11	2	22	33	12	4	3	5
Non-Crows	39	1	1	1	2	0	0	2	10	0	8	11	3
WNV Tested													
Total	129	1	4	10	6	11	2	20	37	12	9	10	7
Crows	101	0	3	9	4	11	2	19	30	12	4	3	4
Non-Crows	28	1	1	1	2	0	0	1	7	0	5	7	3
With Positive Results													
Total	39	0	0	0	0	1	0	1	21	10	4	1	1
Crows	35	0	0	0	0	1	0	1	20	10	2	0	1
Non-Crows	4	0	0	0	0	0	0	0	1	0	2	1	0
Mosquitoes Submitted to the State for Viral Testing¹													
Mosquito Pools Submitted	214	0	0	0	0	0	9	48	77	67	13	0	0
With Positive Results	7	0	0	0	0	0	0	0	3	3	1	0	0
Mosquitoes Submitted	4,070	0	0	0	0	0	264	931	1,340	1,371	164	0	0
Aedes	274	0	0	0	0	0	0	68	114	92	0	0	0
Anopheles	83	0	0	0	0	0	0	44	39	0	0	0	0
Coquillettidia	22	0	0	0	0	0	12	0	10	0	0	0	0
Culex	2,885	0	0	0	0	0	202	443	980	1,119	141	0	0
Ochlerotatus	705	0	0	0	0	0	50	285	197	150	23	0	0
Psoropora	101	0	0	0	0	0	0	91	0	10	0	0	0

¹The NYS Department of Health required that each mosquito pool contain at least 10 mosquitoes of the same species but no more than 50. Mosquitoes trapped in a specific trap night were pooled and sent to the state if there are more than 10 of the same species. If there were less than 10 in the trap, the mosquitoes were stored locally. The stored mosquitoes might be pooled together with some mosquitoes of the same species trapped in the next consecutive week and sent to the state. The duplicated mosquitoes could not be identified in the HIN system. As a result, the total number of mosquitoes reported in a week might contain a small number of those trapped during the previous week.

Source: Westchester County Department of Health.

**TABLE 85. PUBLIC HEALTH PROTECTION INSPECTIONS BY PROGRAM,
WESTCHESTER COUNTY DEPARTMENT OF HEALTH, 2001**

Program	Number of Inspections
Total	19,993
Food Sanitation ¹	9,724
High-Risk Inspections	6,185
General Environmental	3,669
Animal Facilities	218
Nuisance - Complaints	493
Housing - Heating Problems	38
Housing - Other Problems	315
Temporary Residences/Institutions	717
Childhood Lead Poisoning Prevention	1,027
Pools and Beaches	861
Radiological Health	386
Nuclear Facilities: Air, Water Sampling	N/A
X-Ray Facilities	381
Other: Radon, Microwaves, etc.	5
Other	6,214
Hazardous Waste	31
Toxic Substance Assessment	168
Tobacco Vendors (ATUPA) ²	2,288
Healthy Neighborhoods Program	3,727

N/A = Not Applicable.

¹ Number includes High-Risk Inspections

² Adolescent Tobacco Use Prevention Act.

Source: Westchester County Department of Health, Division of Environmental Health

**TABLE 09. PUBLIC HEALTH PROTECTION: FACILITY PERMITS
ISSUED, WESTCHESTER COUNTY DEPARTMENT OF HEALTH,
2001**

Program	Number of Permits Issued
Total	6,011
Food Sanitation	4,873
Bakeries	100
Caterers	105
Commissaries	66
Delicatessens	325
Eating Places	2,815
Food Vending Machine Operations	20
Frozen Dessert Manufacturers	459
Ice Manufacturers	2
Meals on Wheels Programs	11
Mobile Food Units	227
Public Functions	5
Schools	334
Temporary Food Permits	404
General Environmental	966
Children's Summer Camps	253
Hotels/Motels/Rooming Houses	58
Other Temporary Residences	2
Swimming Pools	606
Bathing Beaches	47
Animal Facilities	172
Trainers	4
Shelters	12
Breeders	4
Grooming Parlors	50
Kennels	23
Pet Shops	30
Stables	22
Wholesalers	8
Temporary Animal Facilities	19

Source: Westchester County Department of Health, Division of Environmental Health.

**TABLE 87. ENVIRONMENTAL QUALITY INSPECTIONS BY PROGRAM,
WESTCHESTER COUNTY DEPARTMENT OF HEALTH, 2001**

Program	Number of Inspections
Total	4,665
Air Pollution Control	1,411
Complaint Investigation	353
Fuel Burning Equipment	13
Incinerators	1
Industrial ¹	1,044
Water Supply	990
Community Supplies	391
Individual Water Supply	202
Non Community Water Supply	397
Realty Subdivisions	49
Individual Wells, Separate Sewer	34
Public Water-Public Sewage	15
Public Water and Separate Sewer	0
Sewage Disposal Systems	732
Separate, with Public Water	257
Separate, with Wells	475
Water Quality	1,159
Complaints and Identification of Polluters	703
Investigation of Hazardous Spills	0
Public Sewer Extensions	19
State Pollutant Discharge	5
Waste Treatment Facilities	411
Water Quality Surveillance	21
Other	0
Solid Waste	324

N/A = Not Applicable

¹ Permits are issued for each emission point of a facility; the duration of permits (1 to 3 years) depends on the facility's total emission points.

Source: Westchester County Department of Health, Division of Environmental Health.

TABLE 88. SERVICES FOR CHILDREN WITH DISABILITIES: NUMBER OF CHILDREN SERVED, WESTCHESTER COUNTY DEPARTMENT OF HEALTH, 2001

Program	Time Frame
Physically Handicapped Children's Program (PHCP)	2001 Calendar Year
Total - All Services	375
Preschool Educational Advocacy Program, 3-5 Years	2001-2002 School Year
Total Served	3,400
Early Intervention Program, 0-2 Years	2001-2002 School Year
Total Served	5,800

Source: Westchester County Department of Health, Services for Children with Disabilities.

TABLE 89. CHILD HEALTH PLUS ENROLLMENT, WESTCHESTER COUNTY, JUNE 2000-SEPTEMBER 2001

	Child Health Plus A¹	Child Health Plus B	Total Enrolled
Jun-00	12	4	16
Sep-00	119	116	235
Dec-00	252	262	514
Mar-01	467	535	1,002
Jun-01	670	821	1,491
Sep-01	834	1,035	1,865

¹This program was formerly referred to as Medicaid. The data only represent enrollment performed through the Westchester County Department of Health's facilitated enrollment program.

Source: New York State Department of Health.

Appendices

Appendix 1. Data Sources and Definitions

A. 2000 Census

The information used in many of the tables contained in the Annual Data Book 2001 is based on the data collected by the US Census Bureau in 2000. Information is extracted for the Census Summary File 1 (SF 1) and the Census Summary File 3 (SF 3).

Summary File 1 presents basic demographic information collected from all people and housing units (100% characteristics, short form). This information includes age, sex, race, Hispanic or Latino origin, household relationship, and whether the residence is owned or rented and vacancy characteristics.

Summary File 3 (SF 3) includes information collected on a sample basis (long form), which covers 34 subjects with additional information on social, economic, and housing characteristics. Summary File 3 presents information on marital status, place of birth, citizenship and year of entry into the U.S., school enrollment and educational attainment, ancestry, migration, language spoken at home and ability to speak English, veteran status, disability, grandparents as caregivers, labor force status, place of work and journey to work, occupation, industry, and class of worker, work status in 1999 and income in 1999. Summary File 3 also includes information on housing and residence, vehicles, telephone, utilities, mortgage, taxes, insurance, and fuel, etc. The rate of sampling varied from 1 in 2 households in some smaller areas, to 1 in eight for more densely populated areas. The overall sampling rate is 1 in 6 households, or 17%. It is generally called five percent sampling file.

There are eleven tables using information based on the 2000 census for Westchester County. These tables contain population information categorized by age, sex, major race (White, Black, and Other) which also include information regarding persons identified as Hispanic or Latino of any race, household and family relationship, educational attainment, labor force participation, immigration and primary language spoken at home, and household and family types. Total population from the 2000 Census is used for calculation of relevant rates in this report.

Land Area

Data regarding surface area by municipality are Geographic Information System (GIS) land use measurements from revised U.S. Geological Survey Generalized Land Use maps at a scale of 1"=1000' (*Land Use Trends in Westchester County 1988-1996*, Westchester County Department of Planning, December 1997).

Race

The data on race were derived from answers on the question on race that was asked of all people in the 2000 census. The concept of race, as is used by the US Census Bureau, reflects self-identification by people according to the race or races with which they most closely identify. The categories of race are considered to be socio-political and should not be interpreted as scientific or anthropological in nature.

- *White*: A person having origins in any of the original peoples of Europe, the Middle East, or North Africa. It includes people who indicate their race as "White" or report entries such as Irish, German, Italian, Lebanese, Near Easterner, Arab, or Polish.
- *Black or African American*: A person having origins in any of the Black racial groups of Africa. It includes people who indicate their race as "Black, African American, or Negro," or provide written entries such as African American, Afro. American, Kenyan, Nigerian, or Haitian.
- *American Indian or Alaska Native*: A person having origins in any of the original peoples of North or South America (including Central America) and who maintain tribal affiliation or community attachment.
- *Asian*: A person having origins in any of the original peoples of the Far East, Southeast Asia, or the Indian subcontinent, for example Cambodia, China, India, Japan, Korea, Malaysia, Pakistan, the Philippine Islands, Thailand, and Vietnam.

- *Native Hawaiian or Other Pacific Islander*: A person having origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands. It includes people who indicate their race as “Native Hawaiian,” “Guamanian or Chamorro,” “Samoan,” and “Other Pacific Islander.”
- *Other Race*: Includes all other responses not included in the “White,” “Black or African American,” “American Indian or Alaska Native,” “Asian,” and “Native Hawaiian or Other Pacific Islander” race categories described above. Respondents providing write-in entries such as multiracial, mixed, interracial, or a Hispanic/Latino group (for example, Mexican, Puerto Rican, or Cuban) in the “Some other race” write-in space are included in this category.
- *Hispanic or Latino*: The data on the Hispanic or Latino population were derived from answers to a question on the 2000 census that was asked of all people. The terms “Spanish,” “Hispanic origin,” and “Latino” are used interchangeably. Some respondents identified with all three terms while others identify with only one of these three specific terms. Origin can be viewed as the heritage, nationality group, lineage, or country of birth of the person or the person’s parents or ancestors before their arrival in the United States. People who identify their origin as Spanish, Hispanic, or Latino may be of any race.
- *Two or More Races*: People may have chosen to provide two or more races either by checking two or more race response check boxes, by providing multiple write-in responses, or by some combination of check boxes and write-in responses. The race response categories shown on the questionnaire are collapsed into the five minimum race groups identified by the Office of management and Budget (OMB), and the Census Bureau “Some other race” category. For data product purposes, “Two or more races” refers to combinations of two or more of the following race categories:
 1. White
 2. Black or African American
 3. American Indian or Alaska Native
 4. Asian
 5. Native Hawaiian or Other Pacific Islander
 6. Some other race

Living Arrangements

- *Household*: A household consists of all the people who occupy a housing unit. A house, an apartment or other group of rooms, or a single room, is regarded as a housing unit when it is occupied or intended for occupancy as separate living quarters; that is, when the occupants do not live and eat with any other persons in the structure and there is direct access from the outside or through a common hall.
- *Family Household*: A group of people living in a household who are related to the householder by birth, marriage, or adoption.
- *Non-Family Household*: A nonfamily household consists of a householder living alone (a one-person household) or where the householder shares the home exclusively with people to whom he/she is not related.
- *Family*: A household whose members are related by birth, marriage or adoption. Family households may also include unrelated individuals.
- *Married-Couple Family*: A family consisting of two legally married people, with or without own children under 18.
- *One Parent Family (Single Mother Family or Single Father Family)*: A family household consisting of one parent, no spouse, and own children under 18. Other adults may share the household as well.

- *Overcrowded Household:* Defined by the U.S. Department of Housing and Urban Development as housing units with more than one person per room.
- *Group Quarter:* Institutional and/or Noninstitutional living arrangements for groups not living in conventional housing units or groups living in housing units containing ten or more unrelated people or nine or more people unrelated to the person in charge.

Educational Attainment

Refers to the highest level of education completed in terms of the highest degree or the highest level of schooling completed.

Labor Force Participation

- *Labor force:* Includes all people classified in the civilian labor force, plus members of the U.S. Armed Forces (people on active duty with the United States Army, Air Force, Navy, Marine Corps, or Coast Guard). The Civilian Labor Force consists of people classified as employed or unemployed Institutional and/or Noninstitutional living arrangements for groups not living in conventional housing units or groups living in housing units containing ten or more unrelated people or nine or more people unrelated to the person in charge.
- *Unemployment:* All civilians 16 years old and over are classified as unemployed if they (1) were neither "at work" nor "with a job but not at work" during the reference week, and (2) were actively looking for work during the last 4 weeks, and (3) were available to accept a job. Also included as unemployed are civilians who did not work at all during the reference week, were waiting to be called back to a job from which they had been laid off, and were available for work except for temporary illness.

Income and Poverty

- *Total income:* The sum of the amounts reported separately for wages, salary, commissions, bonuses, or tips; self-employment income from own non-farm or farm businesses, including proprietorships and partnerships; interest, dividends, net rental income, royalty income, or income from estates and trusts; Social Security or Railroad Retirement income; Supplemental Security Income (SSI); any public assistance or welfare payments from the state or local welfare office; retirement, survivor, or disability pensions; and any other sources of income received regularly such as Veterans' (VA) payments, unemployment compensation, child support, or alimony.
- *Poverty:* Following the Office of Management and Budget's (OMB's) Directive 14, the Census Bureau uses a set of money income thresholds that vary by family size and composition to detect who is poor. If the total income for a family or unrelated individual falls below the relevant poverty threshold, then the family or unrelated individual is classified as being "below the poverty level."

Immigration and Language Spoken at Home

- *Immigrants:* Aliens admitted for legal permanent residence in the United States. The Immigration and Naturalization Service, Department of Justice prepares immigration statistics, from entry visas and change of immigration forms.
- *Citizenship:* People who indicate that they were born in the United States, Puerto Rico, a U.S. Island Area, or abroad of a U.S. citizen parent(s) are citizens. People who indicate that they are U.S. citizens through naturalization are also citizens. Naturalized citizens are foreign-born people who identify themselves as naturalized. Naturalization is the conferring, by any means, of citizenship upon a person after birth.
- *Primary Language Spoken at Home:* The language currently used by respondents at home, either "English only" or a non-English language that is used in addition to English or in place of English.

B. Vital Statistics

The vital statistics presented in this report are based on the vital certificate records of live births, deaths, and fetal deaths occurred to Westchester County residents in the United States or Canada. The source of this information is the New York State Department of Health.

- *Live Births*: A live birth is defined as "the complete expulsion or extraction from its mother of a product of conception, irrespective of duration of pregnancy, which, after such separation, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached" (*Vital Statistics of New York State 1999*, New York State Department of Health).
- *Live Birth Rate*: Annual number of live births per 1,000 total population.
- *Infant Birthweight*: Infant Birthweight is grouped as very low birthweight (less than 1,500 grams), low birthweight (1,500 to 2,499 grams), and normal birthweight (2,500 grams or more).
- *Gestation Weeks*: Gestation Weeks are grouped as very premature birth (8 to 34 weeks gestational period), premature birth (35 to 37 weeks gestational period), normal length of gestation (38 weeks or more gestational period), and unknown (number of births lacking information about the number of weeks of gestation).
- *Time Starting Prenatal Care*: Time starting prenatal care is measured by the number of months of the pregnancy at the time prenatal care was initiated.
- *Maternal Exposure to Smoking During Pregnancy*: Mother used any tobacco products during pregnancy. This is self-reported.
- *Maternal Exposure to Drug Use During Pregnancy*: Mother used any of the following: cocaine, crack, heroin, methadone, marijuana, amphetamines, or unprescribed sedatives during pregnancy. This is self-reported.
- *Fetal Deaths*: A fetal death is defined as "the death prior to the complete expulsion or extraction from its mother of a product of conception; the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles" (*Vital Statistics of New York State 1999*, New York State Department of Health). New York State Public Health Law requires the registration of all fetal deaths regardless of the length of gestation of the fetus. Due to changes in the content of fetal death certificates, fetal death data are no longer available by municipality for Westchester County.
- *Causes of Deaths*: In this report, the cause of death is the underlying cause classified according to the International Classification of Diseases (ICD), Tenth Revision. Cause of death data featured in earlier reports was based on the Ninth ICD revision. While most causes listed can be translated
- *Infant Mortality Rate*: Annual number of deaths under one year of age per 1,000 live births occurring during the year.
- *Death Rate*: Annual number of deaths per 1,000 total population.

C. The Statewide Planning and Research Cooperatives System (SPARCS)

Information on hospitalizations comes from the 2000 SPARCS data. SPARCS, the Statewide Planning and Research Cooperative System, was implemented by the New York State Department of Health in 1979, with the cooperation and initial financial support of the U.S. Department of Health and Human Services. SPARCS receives, processes, stores, and analyzes inpatient hospitalization data from hospitals in New York State and ambulatory surgery data from hospital-based ambulatory surgery services and all other facilities providing ambulatory surgery services.

To protect patient privacy, patient names are omitted from the SPACRS data set. The focus of the system is the incidence of diseases or conditions requiring hospitalization rather than individual patients. Therefore, data reported from the SPARCS contain the number of hospitalizations, or incidents, rather than the number of patients, which have occurred during the year. SPARCS data only represent inpatients, i.e., a hospital stay where an individual was admitted to an acute-care facility. Data are also limited to hospitalizations occurring within New York State.

Due to the fact that the SPACRS data is continually being updated, the completeness of reporting by individual facilities varies over time. Among the tables included in this report, tables 33-36 were extracted from the 2000 SPARCS Annual Report, which presents hospital inpatient stay data based on discharges during 2000 through a set of standard statistical tables. The data cut-off time for these tables was 11/15/2001. Tables 37-60 were extracted from SPARCS Data Queries on New York State Department of Health Information Network (NYS HIN). The data cut-off time for these tables was March 2002.

Length of Stay

SPARCS calculates a length of stay for each discharge record by subtracting the date of admission from the date of discharge. If a patient is admitted and discharged the same day, the length of stay is one day.

Service Categories

The service categories are based on categories developed by the New York State Department of Health and are defined in terms of diagnosis and procedure codes from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

- *Nursery*: Including patients whose age equals to zero and have an ICD-9-CM code of V30.0, V30.1, V31.0, V31.1, V32.0, V32.1, V33.0, V33.1, V34.0, V34.1, V35.0, V35.1, V36.0, V36.1, V37.0, or V37.1. These codes refer only to live-born infants.
- *Obstetrical*: Including female patients of any age with an ICD-9-CM code within the range of 630 through 634.9 and 640 through 676.9.
- *Psychiatric*: Including patients of any age with an ICD-9-CM code within the range of 290 through 319.
- *Pediatric*: Including patients aged 14 years and younger whose primary diagnosis is neither included in the nursery, obstetrical, or psychiatric categories nor classified by ICD-9-CM codes 614 through 629.9 (gynecological) or 635 through 639.9 (abortion).
- *Medical*: Including patients aged 15 years or older with no reported procedure code or with reported procedure codes greater than 86.99. This category also includes gynecological patients (ICD-9-CM codes 614 through 629.9) of all ages with no reported procedure code or with reported procedure codes greater than 86.99. Newborn, obstetrical, psychiatric, and pediatric patients are excluded.
- *Surgical*: Including patients aged 15 years or older with at least one procedure code in the range 01 through 86.99. This category also include gynecological patients (ICD-9-CM codes 614 through 629.9) of all ages with at least one such procedure code and all patients whose principal diagnoses are codes 635 through 639.9 (abortion). Newborn, obstetrical, psychiatric, pediatric, and medical patients are excluded.

Diagnosis-Related Groups

Only the primary diagnosis for hospitalization is included in the report. The diagnoses are based on the International Classification of Diseases, Ninth Revision.

Appendix 2. Data Analysis and Significance Test

Basic data analysis was conducted with SPSS 10.0 for Windows (by SPSS Inc., Chicago, Illinois), a comprehensive system for analyzing data. Significance tests for means and averages were performed using Student's *t*-test. Significance tests for proportions and percentages were performed using Special Edition Stata 7.0 for Windows ME/98/95/2000/NT (by Stata Corporation, College Station, Texas), a fast general-purpose statistics package for managing, analyzing, and graphing data. Differences are indicated at the 0.05 significance level.

Appendix 3. The International Classification of Diseases (ICD): Codes for Selected Diseases


Diseases	ICD-9	ICD-10
Accidents	800-949	V01-X59, Y85-Y86
Drowning	830, 832, 910	W65-W74
Falls	880-888	W00-W19
Motor Vehicle	810-825	V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87-V87.8, V88.0-V88.8, V89.0, V89.2
AIDS	042-044	B20-B24
Cardiovascular Diseases	390-459	I00-I99
Diseases of the Heart	390-398, 402, 404-429	I00-I09, I11, I13, I20-I51
Acute Myocardial Infarction	410	I21-I22
Acute Rheumatic Fever	390-392	I00-I02
Chronic Rheumatic Fever	393-398	I05-I09
Diseases of Pulmonary Circulation	415-417	I26-I28
Hypertension with Heart Disease	402, 404	I11, I13
Other Ischemic Heart Diseases	411-414	I20, I24-I25
Other Diseases of the Heart	420-429	I30-I51
Arteriosclerosis	440	I70
Cerebrovascular Disease	430-438	I60-I69
Hypertension with or without Renal Disease	401, 403	I10, I12
Other Diseases of the Circulatory System	441-459	I71-I78, I80-I99
Certain Conditions Originating in the Perinatal Period	760-779	P00-P96
Chronic Liver Diseases including Cirrhosis	571	K70, K73-K74
Chronic Lower Respiratory Disease (CLRD)	-	J40-J47
Chronic Obstructive Pulmonary Disease (COPD)	490-496	-
Complications of Pregnancy, Childbirth, and Puerperium	630-676	O00-O99
Congenital Anomalies	740-759	Q00-Q99
Diabetes Mellitus	250	E10-E14
Gastritis, Enteritis, Colitis, Diverticulitis	535, 555-558, 562	K29, K50-K52, K57
Homicide and Legal Intervention	960-978	X85-Y09, Y35, Y87.1, Y89.0
Influenza	487	J10-J11
Malignant Neoplasms	140-208	C00-C97
Breast	174	C50
Buccal Cavity and Pharynx	140-149	C00-C14
Digestive Organs and Peritoneum	150-159	C15-C26
Genital Organs	179-187	C51-C63
Lymphatic and Hematopoietic Tissues	200-208	C81-C96
Respiratory System	160-165	C30-C39
Urinary Organs	188-189	C64-C68
Other and Unspecified Sites	170-173, 175, 190-199	C40-C49, C69-C80, C97
Nephritis, Nephrotic Syndrome and Nephrosis	580-589	N00-N07, N17-N19, N25-N27
Pneumonia	480-486	J12-J18
Septicemia	38	A40-A41
Sudden Infant Death Syndrome	798	R95
Suicide	950-959	X60-X84, Y87.0
Tuberculosis	010-018	A16-A19

Appendix 4. Westchester County Hospitals

Name	Address	Telephone	Number of Beds in 2002
Acute Hospitals			
Community Hospital At Dobbs Ferry	128 Ashford Avenue, Dobbs Ferry, NY 10522	914-693-0700	50
Hudson Valley Hospital Center	1980 Crompond Road, Cortlandt Manor, NY 10567	914-737-9000	120
Lawrence Hospital	55 Palmer Avenue, Bronxville, NY 10708	914-787-1000	291
Mount Vernon Hospital	12 North Seventh Avenue, Mount Vernon, NY 10550	914-664-8000	228
New York United Hospital Medical Center	406 Boston Post Road, Port Chester, NY 10573	914-934-3100	224
Northern Westchester Hospital	400 Main Street, Mount Kisco, NY 10549	914-666-1303	259
Phelps Memorial Hospital Center	701 North Broadway, Sleepy Hollow, NY 10591	914-366-3000	235
Sound Shore Medical Center of Westchester	16 Guion Place, New Rochelle, NY 10802	914-632-5000	321
St. Agnes Hospital	305 North Street, White Plains, NY 10605	914-681-4500	184
St. John's Riverside Hospital	967 North Broadway, Yonkers, NY 10701	914-964-4444	406
St. Joseph's Medical Center	127 South Broadway, Yonkers, NY 10701	914-378-7000	194
Westchester Medical Center	Grasslands Campus, Valhalla, NY 10595	914-493-7000	635
White Plains Hospital Center	14 East Post Road, White Plains, NY 10604	914-681-0600	307
Speciality Hospitals			
Blythedale Children's Hospital	Bradhurst Avenue, Valhalla, NY 10595	914-592-7555	92
Burke Rehabilitation Hospital	785 Mamaroneck Avenue, White Plains, NY 10605	914-597-2500	150
Four Winds Hospital	800 Cross River Road, Katonah, NY 10536	914-763-8151	175
New York Medical College	Administration Building, Valhalla, NY 10595	914-594-4000	
New York Presbyterian Hospital - Westchester Division	21 Bloomingdale Road, White Plains, NY 10605	914-682-9100	304
St. Mary's Rehabilitation Center for Children	P.O. Box 568, Spring Valley Road, Ossining, NY 10562	914-333-7000	44
St. Vincent's Westchester	275 North Street, Harrison, NY 10528	914-967-6500	133
Sarah Neuman Center for Healthcare and Rehabilitation	845 Palmer Avenue, Mamaroneck, NY 10543	914-698-6005	300
VA Hudson Valley Health Care System	Route 9A, P.O. Box 100, Montrose, NY 10548	914-737-4400	597

Source: New York State Department of Health.

WESTCHESTER COUNTY HOSPITALS, 2002



Appendix 5. Westchester County Department of Health's District Offices

Mount Kisco District Office

110 South Bedford Road
Mount Kisco, New York 10549

New Rochelle District Office

420 North Avenue
New Rochelle, New York 10801

Rye/Port Chester District Office¹

111 South Ridge Street
Port Chester, New York 10573

White Plains District Office

85 Court Street, 1st Floor
White Plains, New York 10601

Yonkers District Office

20 South Broadway
Yonkers, New York 10701

¹ Closed in 2002.

For current list of Westchester County Department of Health District Offices and telephone numbers please call 914-813-5000.