

Andrew J. Spano, Westchester County Executive
County Board of Legislators



2002
Annual Data Book

DEPARTMENT OF HEALTH
Joshua Lipsman M.D., M.P.H., Commissioner

**COUNTY OF WESTCHESTER
ANDREW J. SPANO
COUNTY EXECUTIVE**

**DEPARTMENT OF HEALTH
ANNUAL DATA BOOK
2002**

**JOSHUA LIPSMAN, M.D., M.P.H.
COMMISSIONER OF HEALTH
WESTCHESTER COUNTY DEPARTMENT OF HEALTH
145 HUGUENOT STREET – 8TH FLOOR
NEW ROCHELLE, NY 10801**

**For questions, please contact the Department's Planning and Evaluation Unit:
Phone: (914) 813-5100**

Westchester County Department of Health

Mission Statement

The mission of the Westchester County Department of Health is to promote health, prevent disease and prolong meaningful life for Westchester residents.

The Commissioner of Health is vested with all of the powers and duties necessary under the mandates of the New York State Public Health Law to

- monitor and control the spread of communicable disease,
- monitor and regulate air and water quality,
- enforce the state and local sanitary code,
- promote and ensure local public health activities and
- assure the availability of community health services.

Westchester County Department of Health

Foreword

The Annual Data Book 2002 contains community health data that are valuable for describing the health and well being of Westchester County residents. In addition, the Annual Data Book includes information on services delivered by the Department of Health. The information is presented in statistical tables with illustrative figures and maps. In most instances, the data are presented by demographic characteristics (e.g. age, sex, and race). This publication includes profiles for the county and each of the six health planning regions, along with narrative highlights.

The Annual Data Book 2002 contains information based on data from the New York State Department of Health, the U.S. Census Bureau, the Westchester County Planning Department, and the Westchester County Department of Health. The following are the principal areas contained in the data book:

For 2000,

- Demographics, including population figures and social economic characteristics.

For 2001,

- Births and Pregnancies, including the numbers of births, birth rates, and demographic characteristics of mothers.
- Deaths, including the numbers of deaths, death rates, leading causes of death and demographic characteristics.
- Hospitalizations, including number of hospital discharges, average length of stay, type of services received, primary diagnosis for hospitalization, and demographic characteristics of patients.

For 2002,

- Communicable Diseases, including the number of communicable diseases reported to the Westchester County Department of Health.
- Community Health Program, including information on the Lead Poisoning Prevention Program and the activities of the Department of Health's community clinics.
- Environmental Health Program, including information on inspections conducted.
- Services for Children with Special Needs.
- Child Health Plus Enrollment.

Westchester County Municipalities

Health Planning Region and Municipality ¹	Code ²
Northwest	
Cortlandt Town	T
Buchanan Village	V
Croton-on-Hudson Village	V
Cortlandt Unincorporated	TOV
Mount Pleasant Town	T
Briarcliff Manor Village (Mount Pleasant Part) ²	V
Pleasantville Village	V
Sleepy Hollow Village	V
Mount Pleasant Unincorporated	TOV
Ossining Town	T
Briarcliff Manor Village (Ossining Part) ²	V
Ossining Village	V
Ossining Unincorporated	TOV
Peekskill	C
Northeast	
Bedford Town	T
Lewisboro Town	T
Mount Kisco Town/Village	T/V
New Castle Town	T
North Castle Town	T
North Salem Town	T
Pound Ridge Town	T
Somers Town	T
Yorktown Town	T
West Central	
Greenburgh Town	T
Ardsley Village	V
Dobbs Ferry Village	V
Elmsford Village	V
Hastings-on-Hudson Village	V
Irvington Village	V
Tarrytown Village	V
Greenburgh Unincorporated	TOV
Scarsdale Town/Village	T/V
White Plains	C

Health Planning Region and Municipality¹	Code²
East Central	
Harrison Town/Village	T/V
Mamaroneck Town	T
Larchmont Village	V
Mamaroneck Village (Mamaroneck Part) ³	V
Mamaroneck Unincorporated	TOV
Rye City	C
Rye Town	T
Mamaroneck Village (Rye Part) ³	V
Port Chester Village	V
Rye Brook Village	V
Southwest	
Yonkers	C
Southeast	
Eastchester Town	T
Bronxville Village	V
Tuckahoe Village	V
Eastchester Unincorporated	TOV
Mount Vernon	C
New Rochelle	C
Pelham Town	T
Pelham Village	V
Pelham Manor Village	V

¹ For regional planning purposes, municipalities are grouped into six geographic health planning regions.

² A town may or may not include incorporated villages located within the town boundary. When it does not include any incorporated villages within the town boundary, the statistics refer to the town as a whole (T). When it does include incorporated villages within its boundary, the statistics refer to the unincorporated area within the town boundary (TOV). The entities of Harrison, Mount Kisco, and Scarsdale are both towns and villages (V/T). The land in two towns, Pelham and Rye, has all been incorporated into separated villages. Therefore, no data are reported for these two towns.

³ The Village of Briarcliff Manor and the Village of Mamaroneck are split between two towns. Briarcliff Manor is within the Town of Ossining (92% of its surface area and 91% of its population) and the Town of Mount Pleasant (8% of its surface area and 9% of its population). The Village of Mamaroneck is within the Town of Mamaroneck (66% of its surface area and 60% of its population) and the Town of Rye (35% of its surface area and 40% of its population).

MUNICIPALITIES AND HEALTH PLANNING REGIONS WESTCHESTER COUNTY




Table of Contents

Foreword.....	i
Westchester County Municipalities	ii
List of Tables	vi
List of Figures/Maps.....	xii
Westchester County and Health Planning Region Profiles.....	1
Westchester County Demographic and Health Status Profiles.....	10
<i>Demographics</i>	12
<i>Births and Pregnancies</i>	20
<i>Deaths</i>	25
<i>Morbidity</i>	29
Tables.....	48
<i>Demographics</i>	49
<i>Births and Pregnancies</i>	56
<i>Deaths</i>	64
<i>Morbidity: Hospitalizations</i>	77
<i>Morbidity: Selected Diseases</i>	104
<i>Other</i>	116
Appendices.....	135
<i>Data Sources and Definitions</i>	136
<i>Data Analysis and Significance Test</i>	143
<i>The International Classification of Diseases (ICD): Codes for Selected Diseases</i>	144
<i>Westchester County Department of Health, Communicable Disease Requirements</i>	145
<i>Westchester County Hospitals</i>	146
<i>Westchester County Department of Health’s District Offices</i>	148
<i>Westchester County Board of Health</i>	149
<i>Westchester County Department of Health - Administrative Staff</i>	150
<i>Westchester County Department of Health - Project Staff</i>	151

List of Tables

Population: Demographic Profile

Table 1	Age and Sex Composition by Race/Ethnicity, Westchester County, 2000	49
Table 2	Educational Attainment by Race/Ethnicity, Population 25 Years or Over, Westchester County, 2000	51
Table 3	Household and Family Structure by Race/Ethnicity, Westchester County, 2000	52
Table 4	Poverty Rate by Family Structure and Race/Ethnicity, Westchester County, 1999	53
Table 5	Number of Households by Income Group and Median Household Income, Westchester County, 1999	54
Table 6	Housing Units by Year of Construction, Westchester County, 2000	55

Population: Health Status Profile

Births and Pregnancies

Table 7	Total Number of Births and Birth Rates, Westchester County, 2001	56
Table 8	Average Maternal Age and Number of Births by Mother's Age, Westchester County, 2001	57
Table 9	Percentage of Infants with Low Birthweight, Less Than 38 Gestation Weeks, and Late or No Prenatal Care, Westchester County, 2001	58
Table 10	Number of Births by Mother's Age and Race/Ethnicity, Westchester County, 2001	59
Table 11	Number of Births by Birthweight, Race/Ethnicity, and Mother's Age, Westchester County, 2001	60
Table 12	Average Birthweight by Maternal Exposure to Smoking and Drug Use During Pregnancy by Race/Ethnicity, Westchester County, 2001	61
Table 13	Number of Births by Time Starting Prenatal Care, Race/Ethnicity, and Mother's Age, Westchester County, 2001	62
Table 14	Number of Total Pregnancies, Live Births, Spontaneous Fetal Deaths, and Induced Abortions by Maternal Age, Westchester County, 2001	63

Deaths

Table 15	Total Number of Deaths and Death Rates, Westchester County, 2001	64
Table 16	Number of Deaths and Death Rates by Age Group and Sex, and Average Age of Death by Sex, Westchester County, 2001	65
Table 17	Number of Deaths and Death Rates by Age Group and Race/Ethnicity, and Average Age of Death by Race/Ethnicity, Westchester County, 2001	66
Table 18	Number of Infant Deaths and Infant Mortality Rates, Westchester County, 2001	67
Table 19	Number of Infant Deaths and Infant Mortality Rates by Race/Ethnicity, Westchester County, 2001	68
Table 20	Number of Deaths and Death Rates by Selected Causes and Sex, Westchester County, 2001	69
Table 21	Number of Deaths and Death Rates by Selected Causes and Age Group, Westchester County, 2001	70
Table 22	Number of Deaths and Death Rates by Selected Causes and Race/Ethnicity, Westchester County, 2001	71
Table 23	Five Leading Causes of Death by Health Planning Region, Westchester County, 2001	72
Table 24	Number of Deaths Due to Cardiovascular Diseases by Age Group and Sex, Westchester County, 2001	73
Table 25	Number of Deaths Due to Cardiovascular Diseases by Race/Ethnicity, Westchester County, 2001	74
Table 26	Number of Deaths Due to Malignant Neoplasms by Age Group and Sex, Westchester County, 2001	75
Table 27	Number of Deaths Due to Malignant Neoplasms by Race/Ethnicity, Westchester County, 2001	76

Morbidity: Hospitalizations

Table 28	Total Number of Hospital Discharges and Average Length of Stay by Sex and Age, Westchester County Residents, 2001	77
Table 29	Total Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2001	78
Table 30	Number of Hospital Discharges by Selected Primary Diagnosis and Sex, Westchester County Residents, 2001	80

Table 31	Number of Hospital Discharges by Selected Primary Diagnosis and Race/Ethnicity, Westchester County Residents, 2000	81
Table 32	Total Hospital Discharges and Average Length of Stay Due to Cardiovascular and Other Diseases of the Circulatory System by General Diagnosis Category, Westchester County Residents, 2001	82
Table 33	Total Hospital Discharges and Average Length of Stay Due to Cardiovascular and Other Diseases of the Circulatory System by Age and Sex, Westchester County Residents, 2001	83
Table 34	Total Hospital Discharges and Average Length of Stay Due to Cardiovascular and Other Diseases of the Circulatory System by Age and Race/Ethnicity, Westchester County Residents, 2001	84
Table 35	Total Hospital Discharges and Average Length of Stay Due to Neoplasms by General Diagnosis Category, Westchester County Residents, 2001	85
Table 36	Total Hospital Discharges and Average Length of Stay Due to Neoplasms by Age and Sex, Westchester County Residents, 2001	86
Table 37	Total Hospital Discharges and Average Length of Stay Due to Neoplasms by Age and Race/Ethnicity, Westchester County Residents, 2001	87
Table 38	Total Hospital Discharges and Average Length of Stay Due to Chronic Obstructive Pulmonary Diseases by General Diagnosis Category, Westchester County Residents, 2001	88
Table 39	Total Hospital Discharges and Average Length of Stay Due to Chronic Obstructive Pulmonary Diseases by Age and Sex, Westchester County Residents, 2001	89
Table 40	Total Hospital Discharges and Average Length of Stay Due to Chronic Obstructive Pulmonary Diseases by Age and Race, Westchester County Residents, 2001	90
Table 41	Total Hospital Discharges and Average Length of Stay Due to Asthma by Age and Sex, Westchester County Residents, 2001	91
Table 42	Total Hospital Discharges and Average Length of Stay Due to Asthma by Age and Race/Ethnicity, Westchester County Residents, 2001	92
Table 43	Total Hospital Discharges and Average Length of Stay Due to Diabetes by Age and Sex, Westchester County Residents, 2001	93
Table 44	Total Hospital Discharges and Average Length of Stay Due to Diabetes by Age and Race/Ethnicity, Westchester County Residents, 2001	94
Table 45	Total Hospital Discharges and Average Length of Stay Due to Chronic Liver Disease and Cirrhosis by Age and Sex, Westchester County Residents, 2001	95

Table 46	Total Hospital Discharges and Average Length of Stay Due to Chronic Liver Disease and Cirrhosis by Age and Race/Ethnicity, Westchester County Residents, 2001	96
Table 47	Total Hospital Discharges and Average Length of Stay Due to AIDS by Age and Sex, Westchester County Residents, 2001	97
Table 48	Total Hospital Discharges and Average Length of Stay Due to AIDS by Age and Race/Ethnicity, Westchester County Residents, 2001	98
Table 49	Total Hospital Discharges and Average Length of Stay Due to Injuries by Etiology and Age, Westchester County Residents, 2001	99
Table 50	Total Hospital Discharges and Average Length of Stay Due to Injuries by Etiology and Sex, Westchester County Residents, 2001	100
Table 51	Total Hospital Discharges and Average Length of Stay Due to Injuries by Etiology and Race/Ethnicity, Westchester County Residents, 2001	101
Table 52	Total Hospital Discharges and Average Length of Stay Due to Injuries by Age and Sex, Westchester County Residents, 2001	102
Table 53	Total Hospital Discharges and Average Length of Stay Due to Injuries by Age and Race/Ethnicity, Westchester County Residents, 2001	103

Morbidity: Selected Diseases

Table 54	Cases and Rates of Reportable Diseases, Westchester County, 2000-2002	104
Table 55	Reported Cases and Rates of Sexually Transmitted Diseases, Westchester County, 2002	105
Table 56	Reported Cases and Rates of Chlamydia by Age Group, Sex, and Race/Ethnicity, Westchester County, 2002	106
Table 57	Reported Cases and Rates of Gonorrhea by Age Group, Sex, and Race/Ethnicity, Westchester County, 2002	107
Table 58	Reported Cases and Rates of Tick-Borne Diseases, Westchester County, 2002	108
Table 59	Reported Cases and Rates of Lyme Disease by Age and Sex, Westchester County, 2002	109
Table 60	Reported Cases and Rates of Ehrlichiosis by Age and Sex, Westchester County, 2002	109
Table 61	Reported Cases and Rates of Major Enteric Infections, Westchester County, 2002	110
Table 62	Number of Tuberculosis Cases and Contacts, Westchester County, 1996-2002	111

Table 63	AIDS Cases by Sex and Year of Diagnosis, Westchester County Residents, 1987-2001	112
Table 64	AIDS Cases by Race/Ethnicity and Year of Diagnosis, Westchester County Residents, 1987-2001	113
Table 65	AIDS Cases by Age and Year of Diagnosis, Westchester County Residents, 1987-2001	114
Table 66	AIDS Cases by Risk and Year of Diagnosis, Westchester County Residents, 1987-2001	115

Others

Table 67	Childhood Lead Poisoning Prevention Program: Total Number of Tests Conducted, Test Results by Blood Lead Level, and Number of Initial Screen Tests, Westchester County, 2002	116
Table 68	Childhood Lead Poisoning Prevention Program: Number of Children Tested, Number of Children with Multiple Tests, Number of Children with Lead Poisoning, and Number of Lead Registry Cases, Westchester County, 2002	117
Table 69	Number of Patients Served at Westchester County Department of Health District Offices and Home Health Program by Age, Sex, and Race/Ethnicity, 2002	118
Table 70	Number of Patients Served and Number of Visits by District Office, Westchester County, 2002	119
Table 71	Number of Patients and Visits to Dental Clinics by Patient Age Group and District Office, Westchester County, 2002	120
Table 72	Number of Patients and Visits to Family Planning Clinics by Patient Age Group and District Office, Westchester County, 2002	121
Table 73	Number of Patients and Visits to Sexually Transmitted Disease Clinics by Patient Age Group and District Office, Westchester County, 2002	122
Table 74	Number of Patients and Visits to Tuberculosis Clinics by Patient Age Group and District Office, Westchester County, 2002	123
Table 75	Number of Home Health Visits by Discipline and District Office, Westchester County, 2002	124
Table 76	Number of Vaccines Administered at District Offices and Influenza/Special Epidemic Clinics, Westchester County, 2002	125
Table 77	Number of Animals Confirmed Rabid, Westchester County, 1996-2002	126
Table 78	Number of Animals Confirmed Rabid by Type of Animal and Rabies Post-Exposure Treatment Administered, Westchester County, 1996-2002	127

Table 79	West Nile Virus - Dead Bird and Mosquito Surveillance, Westchester County, 2002	128
Table 80	Public Health Protection and Environmental Quality: Number of Inspection Related Activities, 2002	129
Table 81	Public Health Complaints Received and Investigated by Program, 2002	131
Table 82	Public Health Protection: Facility Permits Issued, Westchester County, 2002	132
Table 83	Services For Children With Special Needs: Number of Children Served, Westchester County Department of Health, 2002	133
Table 84	Child Health Plus Enrollment and Adult Family Health Plus/Medicaid Enrollment, Westchester County, January 2001 - September 2003	134

List of Figures and Maps

Figures in Profiles

Vital Statistics Indicators, Westchester County, 2001	3
Infection Rates of Selected Diseases, Westchester County, 2002	3
Comparison of Vital Statistics of the Northwest HPR with Overall Westchester County, 2001	4
Comparison of Infection Rates of Selected Diseases of the Northwest HPR with Overall Westchester County, 2002	4
Comparison of Vital Statistics of the Northeast HPR with Overall Westchester County, 2001	5
Comparison of Infection Rates of Selected Diseases of the Northeast HPR with Overall Westchester County, 2002	5
Comparison of Vital Statistics of the West Central HPR with Overall Westchester County, 2001	6
Comparison of Infection Rates of Selected Diseases of the West Central HPR with Overall Westchester County, 2002	6
Comparison of Vital Statistics of the East Central HPR with Overall Westchester County, 2001	7
Comparison of Infection Rates of Selected Diseases of the East Central HPR with Overall Westchester County, 2002	7
Comparison of the Vital Statistics of the Southwest HPR with Overall Westchester County, 2001	8
Comparison of Infection Rates of Selected Diseases of the Southwest HPR with Overall Westchester County, 2002	8
Comparison of Vital Statistics of the Southeast HPR with Overall Westchester County, 2001	9
Comparison of Infection Rates of Selected Diseases of the Southeast HPR with Overall Westchester County, 2002	9

Figures in Text

Figure 1	Percentage Distribution of Age Groups by Sex, Westchester County, 2000	14
Figure 2	Educational Attainment by Race/Ethnicity, Westchester County, 2000	15
Figure 3	Percentage Composition of Family Structure by Race/Ethnicity, All Families with Related Children Under 18 Years of Age, Westchester County, 2000	16

Figure 4	Poverty Rate by Family Structure and Race/Ethnicity, Families with Related Children Under 18 Years of Age, Westchester County, 1999	17
Figure 5	Median Household Income by Health Planning Region, Westchester County, 1999	18
Figure 6	Birth Rates by Health Planning Region, Westchester County, 2001	20
Figure 7	Percent Distribution of Births by Maternal Age, Westchester County, 2001	21
Figure 8	Percent Distribution of Births by Maternal Age and Race/Ethnicity, Westchester County, 2001	21
Figure 9	Percent of Infants with Low Birthweight by Race/Ethnicity, Westchester County, 2001	22
Figure 10	Average Birthweight of Infants by Mother's Risk Behavior During Pregnancy, Westchester County, 2001	23
Figure 11	Percent of Mothers Who Delayed or Did Not Seek Prenatal Care by Maternal Age, Westchester County, 2001	23
Figure 12	Percent of Mothers who Delayed or Did Not Seek Prenatal Care by Race/Ethnicity, Westchester County, 2001	24
Figure 13	Average Age at Death by Race/Ethnicity, Westchester County, 2001	25
Figure 14	Infant Mortality Rate by Race/Ethnicity, Westchester County, 2001	26
Figure 15	Percentage Distribution of Death by Selected Causes and Sex, Westchester County, 2001	26
Figure 16	Percentage Distribution of Deaths Due to Cardiovascular Diseases, Westchester County, 2001	27
Figure 17	Percentage Distribution of Deaths Due to Malignant Neoplasms, Westchester County, 2001	28
Figure 18	Percent Distribution of Hospital Discharges by Service Category, Westchester County Residents, 2001	29
Figure 19	Percentage Distribution of Hospital Discharges Due to Cardiovascular and Other Diseases of the Circulatory System by General Diagnosis, Westchester County Residents, 2001	30
Figure 20	Percentage Distribution of Hospital Discharges Due to Cardiovascular and Other Circulatory Diseases by Age and Race/Ethnicity, Westchester County Residents, 2001	31
Figure 21	Percentage Distribution of Hospital Discharges Due to Neoplasms by General Diagnosis Category, Westchester County Residents, 2001	32

Figure 22	Percent Distribution of Hospital Discharges Due to Neoplasms by Age and Race/Ethnicity, Westchester County Residents, 2001	32
Figure 23	Percentage Distribution of Hospital Discharges Due to Injuries by Etiology, Westchester County Residents, 2001	33
Figure 24	Percent Distribution of Hospital Discharges Due to Injury by Top Five Causes by Race, Westchester County Residents, 2001	34
Figure 25	Percentage Distribution of Asthma Related Hospital Discharges by Race, Westchester County Residents, 2001	35
Figure 26	Percentage Distribution of HIV/AIDS Related Hospital Discharges by Race, Westchester County Residents, 2001	35
Figure 27	Reported Rates of Sexually Transmitted Diseases (STDs) by Health Planning Region, Westchester County, 2002	36
Figure 28	Comparison of Municipality Chlamydia Infection Rates with Westchester County Average, 2002	37
Figure 29	Comparison of Municipality Gonorrhea Infection Rates with Westchester County Average, 2002	38
Figure 30	Reported Rates of Chlamydia by Age and Sex, Westchester County, 2002	39
Figure 31	Reported Rates of Gonorrhea by Age and Sex, Westchester County, 2002	39
Figure 32	Reported Rates of Chlamydia by Race/Ethnicity and Sex, Westchester County, 2002	40
Figure 33	Reported Rates of Gonorrhea by Race/Ethnicity and Sex, Westchester County, 2002	40
Figure 34	Reported Rates of Enteric Diseases by Health Planning Region, Westchester County, 2002	41
Figure 35	Reported Rates of Tick-Borne Diseases by Health Planning Region, Westchester County, 2002	42
Figure 36	Comparison of Municipality Lyme Disease Infection Rates with Westchester County Average, 2002	43
Figure 37	Comparison of Municipality Ehrlichiosis Infection Rates with Westchester County Average, 2002	44
Figure 38	AIDS Cases by Sex and Year of Diagnosis, Westchester County Residents, 1987-2001	45
Figure 39	Percentage Distribution of AIDS Cases by Race/Ethnicity and Year of Diagnosis, Westchester County Residents, 1987-2001	46

Figure 40	Percentage Distribution of AIDS Cases by Age and Year of Diagnosis, Westchester County Residents, 1987-2001	46
Figure 41	Percentage Distribution of AIDS Cases by Risk and Year of Diagnosis, Westchester County Residents, 1987-2001	47

Maps

Municipalities and Health Planning Regions, Westchester County	iv
Comparison of Municipality Chlamydia Infection Rates with Westchester County Average, 2002	37
Comparison of Municipality Gonorrhea Infection Rates with Westchester County Average, 2002	38
Comparison of Municipality Lyme Disease Infection Rates with Westchester County Average, 2002	43
Comparison of Municipality Ehrlichiosis Infection Rates with Westchester County Average, 2002	44
Westchester County Hospitals, 2002	147

**Westchester County and
Health Planning Region (HPR) Profiles**

Introduction


The profile of Westchester County offers a summary of the county's basic vital statistics in 2001 and presents the rates of selected reportable diseases that have the highest number of reported cases in the county in 2002.

Following the County profile is a profile for each of the six Health Planning Regions (HPRs). Each HPR profile includes the same indicators contained in the County profile. The HPR profile compares each HPR indicator with the countywide figure. The data are all presented as a ratio (HPR indicator value/county indicator value). A ratio greater than 1.00 means that the specific indicator is above the overall county figure and a ratio less than 1.00 means that the specific indicator is below the overall county figure. These differences may or may not be significantly different. Significance tests were performed for all the indicators presented in the profiles. Only statistically significant differences, defined as a p-value less than .05 ($p < 0.05$) are highlighted as bulleted points in the narrative section of the profile unless noted otherwise.

Westchester County

2001 Vital Statistics

- A total of 12,615 infants were born to Westchester County residents in 2001. The birth rate in the year 2001 was 13.7 per 1,000 persons.
- About a quarter of the infants were born to women who delayed or sought no prenatal care.
- The death rate was 7.9 per 1,000 persons.
- The infant mortality rate was 3.6 per 1,000 live births.




¹Per 1,000 population

²Late prenatal care is defined as starting the prenatal care during the 2nd or 3rd trimester.

³Per 1,000 live births

2002 Selected Reportable Diseases


- For sexually transmitted diseases, the infection rates for Syphilis, Gonorrhea, and Chlamydia among Westchester County residents were 10.0, 50.9, and 150.1 per 100,000 persons.
- For vector-borne diseases, the infection rate of Lyme disease was 36.8 per 100,000 persons and the reported rate of Ehrlichiosis was 5.7 per 100,000 persons.
- For enteric infections, the rates of Campylobacteriosis, Giardiasis, and Salmonellosis were 12.6, 16.5, and 14.5 per 100,000 persons, respectively.



Northwest Health Planning Region

2001 Vital Statistics


- The infant mortality rate was 34% higher than that of the overall county rate (4.9 vs. 3.6 per 1,000 births). However, the difference is not statistically significant.
- The birth rate was lower than the overall county rate (13.1 vs. 13.7 per 1,000 persons).



*p<0.05

2002 Selected Reportable Diseases

- The infection rate of Ehrlichiosis was 36% higher than that of the overall county (7.8 vs. 5.7 per 100,000). However, the difference is not statistically significant.
- The infection rate of Lyme disease was 31% higher than that of the overall county (48.3 vs. 36.8 per 100,000).
- The infection rate of Chlamydia was lower than the overall county rate (108.8 vs. 150.1 per 100,000).




*p<0.05

Northeast Health Planning Region

2001 Vital Statistics


- The birth rate (12.1 per 1,000) was lower than the county average.
- The percentage of infants born to women who delayed or sought no prenatal care was less than the countywide figure (12.3% vs. 23.7%).
- The death rate (6.2 per 1,000) was 21% lower than the overall county (7.9 per 1,000).
- Infant mortality rate was 66% lower than the overall county rate (1.2 vs. 3.6 per 1,000 live births), but the difference is not statistically significant.



*p<0.05

2002 Selected Reportable Diseases

- The infection rates of Ehrlichiosis and Lyme disease were higher in the Northeast HPR than the overall county rates (25.5 vs. 5.7 per 100,000 and 127.5 vs. 36.8 per 100,000, respectively).
- The infection rates of Syphilis, Gonorrhea, and Chlamydia were lower than the overall county rates (5.2 vs. 10.0 per 100,000, 22.5 vs. 50.9 per 100,000 and 66.0 vs. 150.1 per 100,000, respectively).
- The infection rates of Campylobacteriosis and Salmonellosis were about 24% higher than the overall county rates but the difference is not statistically significant.




*p<0.05

West Central Health Planning Region

2001 Vital Statistics


- The birth rate was lower than the overall county rate (12.6 vs. 13.7 per 1,000).
- The infant mortality rate was 58% lower than the overall county rate (1.5 vs. 3.6 per 1,000 live births), but not statistically significant.



*p<0.05

2002 Selected Reportable Diseases

- The infection rates of Syphilis, Gonorrhea, and Chlamydia were lower than the overall county rates (3.8 vs. 10.0 per 100,000, 33.6 vs. 50.9 per 100,000, and 124.3 vs. 150.1 per 100,000, respectively).
- The infection rate of Giardiasis was 31% higher than the overall county rate, although not statistically significant. However, the infection rate of Campylobacteriosis was higher and the infection rate of Salmonellosis was lower than the overall county rate (20.3 vs. 12.6 per 100,000 and 7.6 vs. 14.5 per 100,000, respectively).
- The infection rate of Ehrlichiosis was lower than the overall county rate (2.5 vs. 5.7 per 100,000).




*p<0.05

East Central Health Planning Region

2001 Vital Statistics


- The percentage of infants born to women who delayed or sought no prenatal care was higher than the overall county average (27.4% vs. 23.7%).
- The death rate was lower than the overall county rate (7.1 vs. 7.9 per 1,000).
- The infant mortality rate was 47% lower than the overall county rate, but not statistically significant.



*p<0.05

2002 Selected Reportable Diseases

- There were no reported cases of Ehrlichiosis in the East Central HPR in 2002. The infection rate of Lyme disease was 49% lower than the overall county rate (18.8 vs. 36.8 per 100,000).
- The infection rates of Gonorrhea and Chlamydia are lower than the overall county rates (21.4 vs. 50.9 per 100,000 and 58.1 vs. 150.1 per 100,000, respectively).
- The infection rate of Salmonellosis was 29% higher than the overall county rate, although not statistically significant. The infection rate of Giardiasis was 74% higher than the overall county rate (28.6 vs. 16.5 per 100,000).




*p<0.05

Southwest Health Planning Region

2001 Vital Statistics


- The birth rate (14.9 per 1,000) and death rate (8.2 per 1,000) were higher than the overall county rates.
- The percentage of infants born to women who delayed or sought no prenatal care was higher than in the county as a whole (38.7% vs. 23.7%).
- Although, the infant mortality rate was 22% higher than that of the county, the difference is not statistically significant.



*p<0.05

2002 Selected Reportable Diseases

- The infection rate of Ehrlichiosis and Lyme Disease was 82% lower than the overall county rate.
- The infection rate of Syphilis was 28% higher than the overall county rate, although the difference is not statistically significant. The infection rates of Gonorrhea and Chlamydia were higher than the overall county rates (81.6 vs. 50.9 per 100,000 and 232.0 vs. 150.1 per 100,000, respectively).
- The infection rate of Salmonellosis was 27% higher and the infection rate for Campylobacteriosis was 23% lower than the overall county rate, but neither difference was statistically significant. The infection rate of Giardiasis was lower than the overall county rate (9.7 vs. 16.5 per 100,000).




*p<0.05

Southeast Health Planning Region

2001 Vital Statistics


- The birth rate (14.2 per 1,000) and death rate (8.4 per 1,000) were higher than the overall county rates.
- The percentage of infants born to women who delayed or sought no prenatal care was 10% lower than that of the overall county (21.3% vs. 23.7%).
- The infant mortality rate was 68% higher than that of the overall county (6.1 vs. 3.6 per 1,000 live births).



*p<0.05

2002 Selected Reportable Diseases

- The infection rate of Ehrlichiosis was lower than the overall county rate (0.5 vs. 5.7 per 100,000). The infection rate of Lyme disease was lower than the overall county rate (10.9 vs. 36.8 per 100,000).
- The infection rates of all sexually transmitted diseases were 53% higher than the overall county rates.
- The infection rates for Giardiasis and Campylobacteriosis were lower than those of the overall county (11.4 vs. 16.5 per 100,000 and 8.2 vs. 12.6 per 100,000, respectively).



*p<0.05

**Westchester County Demographic and
Health Status Profiles**

Introduction

The Westchester County Demographic Profile offers a summary of the county's basic demographics in 2000 (1999 for income statistics) and presents the population distribution by age, sex, race/ethnicity, education, family structure, and poverty status.

Following the demographic profile is a profile for the county's health status. The health status profile presents information for the county's vital statistics, including births, pregnancies, and deaths, as well as morbidity statistics, including hospitalization discharges by various diseases and the reported cases and rates of communicable diseases in Westchester County.

Significance tests were performed for all the indicators discussed in the profiles. Only statistically significant differences, defined as a p-value less than .05 ($p < 0.05$) are highlighted in the profiles unless noted otherwise.

Population: Demographic Profile

Demographics

Age and Sex Distribution

- Overall, 52.2% of the county population is female and 47.8% is male.
- There are slightly more males than females for the age groups 0-9 and 10-19 among Westchester County residents (Figure 1).
- There are similar numbers of men and women for the age groups 20-49.
- The number of women exceeds the number of men in all the age groups above 50. This difference increases with age.
- The number of people in age group 20-29 is fewer than all other age groups except those older than 60.
- There are more people in the age groups 30-39 and 40-49 than in any other age groups.
- The average age of Westchester County females is 36.5 years. The average age of males is 34.7 years.


Age and Sex Distribution – White

- Given that the majority of county residents are whites, the age and sex distributions for whites are similar to the distributions of the county as a whole.
- Overall, 52.0% of whites are female and 48.0% are male.
- The average age of white females is 38.3 years and the average age of white males is 36.7 years.


Age and Sex Distribution – Black

- Overall, 55.0% of blacks in Westchester County are female, and 45.0% of blacks are male.
- There are slightly more males than females in the younger age groups, namely 0-9 and 10-19.
- There are more females than males in all age groups over 20. The difference between the numbers of females and males increases with age.
- The age structure among blacks in Westchester County is younger compared to the county average. The largest age groups are 9-19 and 30-39.
- The average age of black females is 34.3 years and the average age of black males is 31.0 years.


Figure 1. Percentage Distribution of Age Groups by Sex, Westchester County, 2000




Total



White



Black



Hispanic


Source: U.S. Census Bureau – 2000.

Age and Sex Distribution – Hispanics

- In contrast to the county total, there are slightly more men than women among Hispanics in Westchester County. Overall, 49.1% of Hispanics are female, and 50.9% are male.
- There are more males than females among those aged 20-29 and 30-39.
- There are more females than males in all age groups over 40. The difference increases with age.
- The largest age groups are 20-29, and 30-39.
- The average age of Hispanic females is 29.2 year and the average age of Hispanic males is 27.6 years.

Educational Attainment

- The majority (83.6%) of Westchester County residents has received at least a high school education by age 25 (Figure 2). Almost half (46.4%) has at least an associate degree by age 25.




- Among whites, 50.3% have at least an associate degree or higher. Only 12.9% do not have a high school diploma.
- Among blacks, more than three quarters (76.0%) finished high school. About a third (30.3%) has an associate degree or higher.

- Three quarters (71.9%) of Asian or Pacific Islanders have at least an associate degree by age 25. Less than 10% do not have a high school diploma (8.7%).
- More than half (58%) of Hispanics have a high school diploma by the age of 25. Almost 21% received at least a college education.

Family Structure


- Among the 337,142 households in Westchester County, 70.0% are family households, defined as those with at least two related people living together. About half (51.9%) of the family households have related children under age 18.
- Among white family households, less than half (47.4%) have children under 18. The majority of the families with children under 18 are married-couple families (84.0%), 12.5% are single-mother families (Figure 3).



- Over sixty percent (63.2%) of black families have children under 18. Half of these families (50.4%) are headed by single-mothers. Less than half (42.8%) are married couple families.
- Almost 70% of the Hispanic family households have children under 18. About two-thirds (64.6%) of the families with children under 18 are married couple families and just over a quarter (27.1%) are single-mother families.

Poverty and Family Structure


- According to the definition of the U.S. Census Bureau, 6.4% of the families in Westchester County had a combined income below the federal poverty level in 1999. The poverty rate among families with no related children under 18 was 3.1%. The poverty rate among families with related children under 18 was 9.4%. Single-mother families with related children under 18 had the highest poverty rate: almost 30% of them were living in poverty (Figure 4).



- The poverty rates among black families and Hispanic families are higher than that among white families in every family structure.
- While 20.0% of the white single-mother families were in poverty in 1999, one-third of the black single-mother families were in poverty and 41.1% of the Hispanic single-mother families were in poverty.

Household Income

- The median household income among Westchester County households was \$63,582 in 1999, meaning that half of the households had a combined income over this amount (Figure 5).




- The median household income was the highest in the Northeast HPR (\$94,457), followed by West Central HPR (\$92,087). The Southwest HPR and Southeast HPR had the lowest median household incomes, \$44,663 and \$51,548, respectively.

Population: Health Status Profile

Births and Pregnancies

Births/Birth Rates


- A total of 12,615 infants were born to Westchester County residents, with a birth rate of 13.7 live births per 1,000 people in 2001. The Northeast HPR had the lowest birth rate, 12.1 live births per 1,000 people. The birth rate was the highest in the Southwest HPR, with 14.9 live births per 1,000 population (Figure 6).



- The average maternal age at birth for Westchester County is 30.6 years. Mothers in the Southwest HPR are younger than the county average by about two years, while mothers in the Northeast HPR are older than the county average by about two years.
- Over half of the children born in 2001 were born to women between the ages of 25 and 34. About 5% of children were born to mothers under 20 years of age in 2001 (Figure 7).
- Among children born to white women in 2001, 11.3% was born to women aged 20-24; almost one-fifth was born to women aged 25-29; more than one-third was born to women aged 30-34; one-fourth was born to women aged 35-39; and 5.9% was born to women aged 40 or more. Less than 4.0% was born to women under the age of 20 (Figure 8).

Figure 7. Percent Distribution of Births by Maternal Age, Westchester County, 2001


Total Births: 12,615



Source: New York State Department of Health.

- The maternal age among black mothers is younger than that of white mothers. Among children born to black women in 2001, 22.5% was born to women aged 20-24; 23.7% was born to women aged 25-29; 23.2% was born to women aged 30-34; and 16.0% was born to children aged 35-39. Less than 5.0% was born to mothers over the age of 40; over 10.0% of children was born to mothers younger than 20 (Figure 8).
- Hispanic women also tend to have children at a younger age than white women (Figure 8).

Figure 8. Percent Distribution of Births by Maternal Age and Race/Ethnicity, Westchester County, 2001




*Hispanic may be of any race.


Source: New York State Department of Health.

Birthweight

- Among infants born in 2001, 5.9% was born with a birthweight between 1,500 to 2,499 grams, and 1.2% was born with a birthweight of below 1,500 grams (very low birthweight) (Figure 9).
- The proportion of infants born with low birthweight varied by race (Figure 9). Blacks had the highest proportion of low birthweight babies (11.0%). Whites and Hispanics had approximately equal proportions of infants with low birthweight (6.3% and 6.5%, respectively).




- Infant birthweight was associated with mother's behavior during pregnancy (Figure 10). The average birthweight for children born to women who did not smoke nor use illicit drugs during pregnancy was 3,320 grams. Among infants born to mothers who smoked during pregnancy, the average birthweight dropped to 3,218 grams. Among infants born to mothers who smoked and use cocaine, crack, marijuana, heroin, methadone, amphetamines, or unprescribed sedatives, the average birthweight was 2,814 grams.




Prenatal Care

- Among infants born in 2001, almost one quarter was born to women who delayed or sought no prenatal care. About 20.0% was born to women who did not seek prenatal care until their second trimester, 4.0% was born to women who did not seek prenatal care until their third trimester, and 2.2% was born to women who never sought prenatal care (Figure 11).




- Young women were more likely to delay or seek no prenatal care. Among infants born to women of ages 10-17 and 18-19 years, more than half were born to mothers who did not seek prenatal care until their second or third trimester, and about 5.0% was born to mothers who never sought prenatal care (Figure 11). The percentage of infants born to mothers of older ages (ages 25-39 and 40+ years) who did not seek or delayed prenatal care decreased to about 20.0%.
- Women of Hispanic ethnicity were more likely to delay or seek no prenatal care compared to white women (Figure 12). Among infants born to Hispanic mothers, 34.0% did not have prenatal care until the second trimester, 6.6% did not seek care until the third trimester, and 4.3% did not seek any prenatal care.
- Black women were also more likely to delay or seek no prenatal care compared to white women (Figure 12). Over 30.0% of infants born to black women had delayed prenatal care; 3.7% did not receive any prenatal care.



Deaths


Deaths/Death Rates

- A total of 7,259 people died in Westchester County in 2001. The death rate for Westchester County was 7.9 per 1,000 people. The Southeast HPR had the highest death rate, 8.4 deaths per 1,000 people. The death rate was lowest in the Northeast HPR, with 6.2 deaths per 1,000 population. Both the Northwest and Southwest also had higher death rates when compared to the county death rate (8.2 per 1,000 population in both regions).
- The average age of death for Westchester County is 75.4 years. The average age at death for females was higher than for males (78.9 years versus 71.3 years).
- The average age of death in Westchester County varied by race and ethnicity (Figure 13). Among whites, the average age of death was higher, at 76.9 years. The average age of death was lower for all other racial and ethnic categories. Among blacks, the average age of death was 67.1 years; among Asians, 60.4 years; and among Hispanics, 58.9 years.



- The infant mortality rate for Westchester County was 3.6 per 1,000 live births. The infant mortality rate was the highest among blacks (6.6 per 1,000), almost double the county average (Figure 14).

Figure 14. Infant Mortality Rate by Race/Ethnicity, Westchester County, 2001




Source: New York State Department of Health

Major Causes of Deaths

- Major cardiovascular diseases were the leading causes of death in Westchester County in 2001, followed by malignant neoplasms, for both males and females (Figure 15). Together, they were responsible for approximately 70% of all deaths.


Figure 15. Percentage Distribution of Death by Selected Causes and Sex, Westchester County, 2001



Source: New York State Department of Health

- Conditions originating in the perinatal period accounted for the majority of the deaths among children under one year of age (54.3%).
- Among people under the age of 30 years, the major cause of death was accidents (21.3%).
- Among people aged 30-49, the two major causes of death were malignant neoplasms (20.8%), followed by major cardiovascular diseases (17.4%). Malignant neoplasms were also the major cause of death among persons between 50 to 64 years of age (40.6%), followed by major cardiovascular diseases (28.9%). Major cardiovascular diseases became the leading cause of death for people aged 65 and over (49.7%), followed by malignant neoplasms (22.5%).
- A total of 3,197 individuals died due to major cardiovascular diseases in Westchester County in 2001, accounting for 44.0% of total deaths (Figure 16). Among those who died of major cardiovascular diseases, about half (47.2%) was due to ischemic heart disease, 15.2% was due to acute myocardial infarction, and 13% was due to cerebrovascular disease.


Figure 16. Percentage Distribution of Deaths Due to Cardiovascular Diseases, Westchester County, 2001



Source: New York State Department of Health

- Malignant neoplasms were the cause of death for 1,747 individuals in Westchester County in 2001, accounting for 24.1% of total deaths (Figure 17). About a quarter of these were due to malignant neoplasms located in the digestive organs and peritoneum. Another quarter of these were due to malignant neoplasms of the respiratory system. Malignant neoplasms located in the genital organs accounted for 13.0%, and lymphatic and hematopoietic systems accounted for 11.0%.

Figure 17. Percentage Distribution of Deaths Due to Malignant Neoplasms, Westchester County, 2001



Source: New York State Department of Health


Morbidity: Hospitalizations

Total Hospital Discharges

- During 2001, there were a total of 112,364 hospital discharges among Westchester County residents. Over half were females (57.6%).
- The majority of hospital discharges (83.5%) occurred within Westchester County hospitals. Westchester Medical Center accounted for 12.1% of the cases; White Plains Hospital Center accounted for 10.9% of the cases, and St. John's Riverside Hospital accounted for 9.1% of the cases.
- One-third of the hospital discharges occurred for medical services. Another third was for surgical services. Newborns accounted for 10.0% of all hospital discharges and 11.4% of hospital discharges were obstetric related. The remaining discharges were psychiatric (8.1%) and pediatric services (4.5%) (Figure 18).

Figure 18. Percent Distribution of Hospital Discharges by Service Category, Westchester County Residents, 2001

Total Number of Hospitalizations: 112,364




Source: NYS DOH, Statewide Planning and Research Cooperative System SPARCS 2001

- The top three causes of hospitalization were cardiovascular and/or other diseases of the circulatory system, neoplasms, and injury (15.7%, 9.0%, and 5.7% respectively).
- Asthma and HIV/AIDS each accounted for over a thousand hospital discharges.


Hospital Discharges Due to Cardiovascular and Other Diseases of the Circulatory System

- A total of 17,599 cases were hospitalized due to cardiovascular and other diseases of the circulatory system. Among them, one-fifth was due to Ischemic Heart Disease, 16.7% was due to Cerebrovascular Disease, and almost one-third was due to other diseases of the heart. Acute Myocardial Infarction only comprised 14.0% of all hospital discharges due to cardiovascular and other circulatory system diseases (Figure 19).



- The number of hospital discharges due to cardiovascular and other circulatory diseases generally increased by age.
- Among those hospitalized due to cardiovascular disease, 71.5% was among whites, 12.3% was among blacks, about 10% was among other races/ethnicities, and 6.3% of the discharges had incomplete information on race/ethnicity.
- Among whites hospitalized due to cardiovascular and other circulatory diseases, 6.7% was under the age of 50, 17.8% was between the ages of 50-64, 23.0% was between the ages of 65-74, and 52.5% was over the age of 75 (Figure 20).

Figure 20. Percentage Distribution of Hospital Discharges Due to Cardiovascular and Other Circulatory Diseases by Age and Race/Ethnicity, Westchester County Residents, 2001




- In comparison to whites, blacks had a higher proportion of patients under the age of 65 hospitalized due to cardiovascular and other circulatory diseases: 17.7% was under the age of 50, 32.1% was between the ages of 50-64, 22.2% was between the ages of 65-74 years, and 28.0% was over the age of 75.
- There is a higher proportion of younger patients among Hispanics hospitalized due to cardiovascular and other circulatory diseases compared to whites. For example, almost a quarter of the cases were under age 50, 31.1% was 50-64, 25.9% was 65-74, and 18.9% was over 75.

Hospital Discharges Due to Neoplasms


- Among the 10,089 hospitalized cases due to neoplasms, 17.9% was due to Digestive Organ and Peritoneal Cancer, 16.6% was due to Lymphatic and Hematopoietic Tissue Cancer. Genital Organ Cancer and Respiratory System Cancer accounted for 16.2% and 13.6% of the cases, respectively. (Figure 21).

Figure 21. Percentage Distribution of Hospital Discharges Due to Neoplasms by General Diagnosis Category, Westchester County Residents, 2001



- The age distribution of hospital discharges due to neoplasms varied across the racial/ethnic categories. Among whites, less than 4% of the cases was under the age of 30, 10.3% was between the ages of 30-49, 24.1% was between the ages of 50-64, 26.0% between the ages of 65-74, and 36.2% was over 75 years of age (Figure 22).
- Among blacks hospitalized due to neoplasms, 20.3% was between the ages of 30-49, 32.7% was between the ages of 50-64, 21.5% was of 65-74, and only 21.0% was over the age of 75 (Figure 22).


Figure 22. Percent Distribution of Hospital Discharges Due to Neoplasms by Age and Race/Ethnicity, Westchester County Residents, 2001



- Among Hispanics, 10.6% of the hospitalized cases due to neoplasms was under 30 years of age, 26.8% was between the ages 30-49, another 33.1% was between the ages 50-64, 20.3% was of ages 65-74, and only 9.2% was over the age of 75 (Figure 22).


Hospital Discharges Due to Injuries

- During 2001, there were 6,457 hospitalized cases due to injuries among Westchester County residents. Over half of the hospitalized injuries were falls (53.5%). About 9% of the hospitalized injuries were due to motor vehicle accidents. Other major hospitalized injuries included 275 self-inflicted injuries (4.3%), 271 assaults related injuries (4.2%), 214 accidental poisonings (3.3%), and 172 struck by object/person injuries (2.7%) (Figure 23).



- Of the hospital discharges due to falls, 70.7% occurred among persons 65 years of age and older. More females were hospitalized due to falls (2,167 cases, or 62.7% of all falls) than males (1,287 cases, or 37.3% of all falls).
- White residents accounted for 80.3% of the hospital discharges due to falls. Blacks accounted for 6.3% of the hospital discharges due to falls (Figure 24).
- Among all the hospitalized injuries due to motor vehicle accidents, almost two-thirds occurred among those 17-49 years of age (63.8%). Over 61% of the hospitalized cases due to motor vehicle accidents were among men.

- Over half of the hospital discharges due to motor vehicle crashes were among whites (53.4%) (Figure 24).
- There were more females than males among the self-inflicted injuries (66.5% vs. 33.5%). Whites accounted for over half of the hospital discharges due to self-inflicted injuries. Blacks accounted for 18.2% of self-inflicted injuries (Figure 24).
- The majority of hospitalized injuries due to assaults were among men (232 out of 271 cases).
- About a quarter (22.5%) of the injuries due to assaults occurred among blacks while 36.2% occurred among whites (Figure 24).




Other Hospitalized Cases

COPD and Asthma:

- There were a total of 2,598 hospital discharges due to Chronic Obstructive Pulmonary Diseases (COPD). Among these, 41.4% were due to Asthma.
- Over a quarter (26.4%) of the Asthma related hospital discharges occurred among children ages 10 years or younger.
- Although blacks comprise only 14.2% of Westchester County’s population, 29.0% of the hospitalized Asthma cases were among black residents (Figure 25).

Figure 25. Percentage Distribution of Asthma Related Hospital Discharges by Race, Westchester County Residents, 2001



Source: NYS DOH, Statewide Planning and Research Cooperative System
SPARCS 2001


Diabetes:

- Among the 1,365 diabetes related hospital discharges, 56.0% was among whites and 30.3% among blacks, with blacks being disproportionately represented in hospital discharges among all diabetes discharges.

HIV/AIDS:

- There were 1,053 hospital discharges related to HIV/AIDS in 2001 among Westchester County residents, of which 59.0% were men.
- Over half (52.2%) of hospital discharges for HIV/AIDS was among black residents and 28.0% was among white residents (Figure 26).

Figure 26. Percentage Distribution of HIV/AIDS Related Hospital Discharges by Race, Westchester County Residents, 2001



Source: NYS DOH, Statewide Planning and Research Cooperative System
SPARCS 2001


Morbidity: Selected Diseases

Diseases Reported

- In 2002, communicable diseases in 37 categories were reported among Westchester County residents.
- There were more cases of Chlamydia than any other disease category.
- The categories with the highest number of reported cases were:
 - Sexually Transmitted Diseases (STD)
 - Chlamydia (1,386 cases)
 - Gonorrhea (470 cases)
 - Vector-Borne
 - Lyme Disease (340 cases)
 - Enteric Infections
 - Giardiasis (152 cases)
 - Salmonellosis (134 cases)
 - Campylobacteriosis (116 cases)
 - Viral Hepatitis
 - Hepatitis C, Chronic (115 cases)
- There were 63 cases of Tuberculosis reported in 2002. Among these cases, over three-quarters were reported among the foreign-born population. About half of all the Tuberculosis cases are Hispanics.


Sexually Transmitted Disease

- Of the reportable diseases, Chlamydia was the most prevalent (150.1 cases per 100,000) in Westchester County. Gonorrhea was the second most prevalent STD in Westchester County (50.9 per 100,000), followed by Syphilis (10.0 per 100,000) (Figure 27).




- The reported rate of Chlamydia infection was higher in the Southeast and Southwest HPRs than in the overall county (229.7 and 232.0 per 100,000, respectively) (Figure 27). However, a few municipalities presented significantly higher rates of Chlamydia infection than the county average. Such municipalities included: Yonkers, Mount Vernon, White Plains, Elmsford, Peekskill, and Bedford (Figure 28).

Figure 28. Comparison of Municipality Chlamydia Infection Rates with Westchester County Average, 2002




- The reported rate of Gonorrhea infection was higher in the Southeast and Southwest HPRs than in the overall county (77.8 and 81.6 per 100,000) (Figure 27). The municipalities with significantly higher rates of Gonorrhea infection included Yonkers, Mount Vernon, and Peekskill (Figure 29).


Figure 29. Comparison of Municipality Gonorrhea Infection Rates with Westchester County Average, 2002




- The reported rate of Chlamydia infection was the highest in the 20-24 age group, followed by the age group 15-19. Females had a higher infection rate than males in all age groups (Figure 30).




- The reported rate of Gonorrhea infection was the highest in the 20-24 age group, followed by the age group 15-19. The reported Gonorrhea rates were higher among females in the age groups 15-19 and 20-24. However, the difference is significant only in the 15-19 age group (Figure 31).



- Blacks are disproportionately represented among the reported cases of Chlamydia and Gonorrhea. Although blacks represent only 14.2% of Westchester County’s population, 45.3% of the reported Chlamydia cases and 61.7% of the reported Gonorrhea cases were among blacks.
- The reported rate of Chlamydia for black women was 720.8 per 100,000 people, compared with 86.3 for white women (Figure 32).




- The reported rate of Gonorrhea among blacks was 221.2 per 100,000, compared to less than 12 per 100,000 for whites (7.0 per 100,000 for men and 16.3 per 100,000 for women) (Figure 33).



- In the year 2002, 16 cases of Early Syphilis (primary, secondary, and early latent) were reported, ten of which occurred in men who have sex with men (MSM). By comparison, only two out of the 12 early Syphilis cases reported in the year 2000 occurred among MSM.


Enteric Diseases

- The three most prevalent enteric diseases in Westchester County in 2001 were Campylobacteriosis, Giardiasis, and Salmonellosis. Of these three, Giardiasis was the most prevalent (16.5 per 100,000), followed by Salmonellosis (14.5 per 100,000), and Campylobacteriosis (12.6 per 100,000) (Figure 34).
- The rates of infection among these enteric diseases varied by HPR. Giardiasis was more prevalent in the East Central HPR (28.6 per 100,000) than in the overall county (16.5 per 100,000). Giardiasis infection rate was lowest in the Southwest HPR (9.7 per 100,000).
- Salmonellosis infection rate was lowest in the West Central HPR (7.6 per 100,000).
- Campylobacteriosis infection rate was statistically higher in the West Central HPR (20.3 per 100,000) than the rate in the overall county (12.6 per 100,000).



Tick-Borne Diseases

- Lyme Disease represents the majority of tick-borne disease cases in Westchester County (36.8 per 100,000). Lyme Disease was more prevalent in the Northeast and Northwest HPRs (127.5 and 48.3 per 100,000, respectively) than in the overall county. Another tick-borne disease reported was Ehrlichiosis (5.7 per 100,000), which was more prevalent in the Northeast HPR (25.5 per 100,000) than in the overall county (Figure 35).



- While most of the Lyme Disease and Ehrlichiosis cases were located in Northeast and Northwest HPRs, Irvington and Ardsley also presented higher rates of Lyme Disease infection than the county average (Figures 36, 37).

Figure 36. Comparison of Municipality Lyme Disease Infection Rates with Westchester County Average, 2002






Figure 37. Comparison of Municipality Ehrlichiosis Infection Rates with Westchester County Average, 2002




AIDS

- AIDS continues to affect certain segments of the population disproportionately. As of December 31, 2001, a total of 4,500 adult AIDS cases were reported among Westchester County residents (13 years of age and older). Among them, 72.1% were men and 27.9% were women.
- The proportion of female AIDS cases increased over time. Women accounted for 36.6% of all cases of AIDS diagnosed from 1997-2001 as compared to 21.9% among those diagnosed during 1987-1991 (Figure 38). Among those diagnosed prior to 1987, 13.1% were females.



- The incidence of AIDS continues to rise among blacks and remains level among Hispanics. From 1997-2001, 57.3% of the reported AIDS cases were black non-Hispanics compared to 39.0% prior to 1987 (Figure 39). Although black non-Hispanics represent 13.6% of Westchester County's population, 63.4% of the reported AIDS cases in 2001 were among black non-Hispanics.
- Overall, the majority of all AIDS cases was among persons 30-49 years of age (42.6% was 30-39 years of age and 32.6% was 40-49 years of age). The proportion of AIDS cases 30-39 years of age has decreased from 45.4% in 1987-1991 to 38.2% in 1997-2001, while the proportion of AIDS cases 40-49 years of age has increased from 28.2% in 1987-1991 to 36.3% in 1997-2001 (Figure 40).

Figure 39. Percentage Distribution of AIDS Cases¹ by Race/Ethnicity² and Year of Diagnosis, Westchester County Residents, 1987-2001




¹ Excludes all cases under 13 years of age. Cases confirmed through December 31, 2001 as of November 2002. Data includes inmates. County of residence is determined at time of diagnosis.

² Hispanic is reported as a discreet racial group, which includes white and black Hispanics.

Source: NYS DOH, Bureau of HIV/AIDS Epidemiology.

Figure 40. Percentage Distribution of AIDS Cases¹ by Age and Year of Diagnosis, Westchester County Residents², 1987-2001




¹ Excludes all case under 13. Cases confirmed through December 2001 as of November 2002.

² County of residence is determined at time of diagnosis.

Source: NYS DOH, Bureau of HIV/AIDS Epidemiology.

- The mode of transmission for AIDS has shifted over the past 20 years. Prior to 1987, over half (54.5%) of the AIDS cases were among intravenous drug users (IDU). About a third (33.1%) was among men having sex with men (MSM). The number of cases due to heterosexual contact was small. By 2001, of the AIDS cases diagnosed in that year, 19.0% was among MSM, 26.1% was among IDU, and almost one-third (31.4%) was among people with heterosexual contact. For all the cases diagnosed during 1997-2001, 40.1% were IDU, a decrease from 54.5% prior to 1987; 18.4% were MSM, a decrease from 33.1% prior to 1987; and 28.2% of the cases were heterosexual, an increase from 2.8% prior to 1987 (Figure 41).



Tables

Table 1. Age and Sex Composition by Race/Ethnicity, Westchester County, 2000

Age	Total			Race								
				White			Black			American Indian		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	923,459	441,722	481,737	658,858	315,949	342,909	131,132	58,985	72,147	2,343	1,178	1,165
0-4	64,242	32,784	31,458	42,510	21,778	20,732	9,320	4,718	4,602	206	115	91
5-9	67,993	34,853	33,140	45,074	23,156	21,918	11,035	5,621	5,414	244	119	125
10-14	63,757	32,933	30,824	42,065	21,697	20,368	11,239	5,844	5,395	215	104	111
15-19	54,363	28,327	26,036	33,782	17,589	16,193	10,197	5,260	4,937	181	97	84
20-24	46,962	23,373	23,589	27,877	13,919	13,958	8,097	3,739	4,358	181	100	81
25-29	54,734	26,851	27,883	33,684	16,598	17,086	8,425	3,718	4,707	214	114	100
30-34	68,733	33,139	35,594	45,163	22,081	23,082	10,432	4,485	5,947	193	101	92
35-39	79,809	38,497	41,312	55,158	27,095	28,063	11,848	5,034	6,814	225	111	114
40-44	77,224	37,348	39,876	56,264	27,695	28,569	10,297	4,454	5,843	161	88	73
45-49	68,166	32,654	35,512	51,417	24,952	26,465	8,461	3,622	4,839	130	66	64
50-54	61,832	29,342	32,490	47,395	22,901	24,494	7,895	3,317	4,578	123	52	71
55-59	48,310	22,434	25,876	37,418	17,637	19,781	6,537	2,718	3,819	62	29	33
60-64	38,370	17,532	20,838	29,975	13,885	16,090	5,273	2,201	3,072	59	26	33
65-69	34,039	15,243	18,796	28,052	12,702	15,350	3,843	1,554	2,289	55	23	32
70-74	32,746	14,185	18,561	28,147	12,374	15,773	3,082	1,168	1,914	39	18	21
75-79	26,529	10,723	15,806	23,241	9,558	13,683	2,268	758	1,510	22	5	17
80-84	17,991	6,524	11,467	15,948	5,871	10,077	1,469	447	1,022	14	7	7
85+	17,659	4,980	12,679	15,688	4,461	11,227	1,414	327	1,087	19	3	16
Average Age	35.6	34.7	36.5	37.5	36.7	38.3	32.8	31.0	34.3	29.3	29.6	31.3

¹ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

(continued)

Source: U.S. Census Bureau - 2000 Census Summary File 1.

Table 1. Age and Sex Composition by Race/Ethnicity, Westchester County, 2000 *(continued)*

Age	Race									Ethnicity		
	Asian and Pacific Islander			Other			Two or More Races			Hispanic ¹		
	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total	41,738	20,008	21,730	61,227	31,716	29,511	28,161	13,886	14,275	144,124	73,405	70,719
0-4	3,269	1,592	1,677	5,735	2,951	2,784	3,202	1,630	1,572	13,386	6,855	6,531
5-9	3,257	1,686	1,571	5,545	2,800	2,745	2,838	1,471	1,367	12,833	6,512	6,321
10-14	2,888	1,532	1,356	4,888	2,467	2,421	2,462	1,289	1,173	11,481	5,955	5,526
15-19	2,515	1,263	1,252	5,431	2,948	2,483	2,257	1,170	1,087	11,882	6,489	5,393
20-24	2,109	986	1,123	6,543	3,541	3,002	2,155	1,088	1,067	13,666	7,454	6,212
25-29	3,272	1,496	1,776	6,862	3,779	3,083	2,277	1,146	1,131	14,464	7,817	6,647
30-34	3,938	1,802	2,136	6,611	3,499	3,112	2,396	1,171	1,225	14,699	7,647	7,052
35-39	4,431	2,045	2,386	5,738	3,045	2,693	2,409	1,167	1,242	13,690	7,021	6,669
40-44	4,161	1,988	2,173	4,311	2,166	2,145	2,030	957	1,073	10,859	5,307	5,552
45-49	3,285	1,597	1,688	3,222	1,610	1,612	1,651	807	844	8,040	3,904	4,136
50-54	2,891	1,331	1,560	2,174	1,071	1,103	1,354	670	684	6,066	2,897	3,169
55-59	2,021	980	1,041	1,411	673	738	861	397	464	4,147	1,870	2,277
60-64	1,385	661	724	1,016	461	555	662	298	364	3,080	1,342	1,738
65-69	953	469	484	641	290	351	495	205	290	2,222	985	1,237
70-74	576	245	331	465	199	266	437	181	256	1,578	660	918
75-79	392	166	226	294	116	178	312	120	192	1,004	364	640
80-84	243	102	141	145	43	102	172	54	118	538	177	361
85+	152	67	85	195	57	138	191	65	126	489	149	340
Average Age	32.8	32.3	33.3	27.2	26.8	27.6	28.3	27.4	29.3	28.4	27.6	29.2

Table 2. Educational Attainment by Race/Ethnicity, Population 25 Years and Over, Westchester County, 2000

Educational Attainment	Total		White		Black		American Indian		Asian or Pacific Islander		Other		Two or More Races		Hispanic ¹	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
Population 25 and Over	628,941	100.0	468,956	100.0	80,299	100.0	1,553	100.0	28,313	100.0	33,378	100.0	16,442	100.0	82,424	100.0
With Less Than 9th Grade	43,762	7.0	26,124	5.6	5,150	6.4	267	17.2	1,243	4.4	8,375	25.1	2,603	15.8	18,856	22.9
Some High School, No Diploma	59,694	9.5	34,328	7.3	14,107	17.6	284	18.3	1,215	4.3	7,269	21.8	2,491	15.2	15,744	19.1
High School Graduate or Equivalency Exam	138,814	22.1	103,480	22.1	21,108	26.3	288	18.5	2,766	9.8	7,428	22.3	3,744	22.8	18,031	21.9
Some College, No Degree	95,004	15.1	68,977	14.7	15,616	19.4	336	21.6	2,760	9.7	4,703	14.1	2,612	15.9	12,591	15.3
Associate's Degree	34,743	5.5	24,110	5.1	6,185	7.7	113	7.3	1,718	6.1	1,696	5.1	921	5.6	3,801	4.6
Bachelor's Degree	132,557	21.1	106,467	22.7	10,486	13.1	154	9.9	10,669	37.7	2,423	7.3	2,358	14.3	7,395	9.0
Graduate or Professional Degree	124,367	19.8	105,470	22.5	7,647	9.5	111	7.1	7,942	28.1	1,484	4.4	1,713	10.4	6,006	7.3

¹Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: U.S. Census Bureau - 2000 Census Summary File 3. Five percent sample of the households. Data extracted by Westchester County Department of Planning.

Table 3. Household and Family Structure by Race/Ethnicity, Westchester County, 2000

Household and Family Structure	Total		White		Black		American Indian		Asian or Pacific Islander		Other		Two or More Races		Hispanic ¹	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
Total Households	337,142	100.0	253,959	100.0	45,584	100.0	625	100.0	12,860	100.0	15,718	100.0	8,396	100.0	38,310	100.0
Non-Family Households	101,941	30.2	79,371	31.3	14,956	32.8	152	24.3	2,390	18.6	2,732	17.4	2,340	27.9	7,444	19.4
Family Households	235,201	69.8	174,588	68.7	30,628	67.2	473	75.7	10,470	81.4	12,986	82.6	6,056	72.1	30,866	80.6
Family Households																
Families With No Related Children < 18	113,047	48.1	91,894	52.6	11,272	36.8	136	28.8	4,103	39.2	3,444	26.5	2,198	36.3	9,314	30.2
Families With Related Children < 18	122,154	51.9	82,694	47.4	19,356	63.2	337	71.2	6,367	60.8	9,542	73.5	3,858	63.7	21,552	69.8
Families With Related Children < 18																
Married-Couple Family	91,995	75.3	69,457	84.0	8,286	42.8	192	57.0	5,824	91.5	5,805	60.8	2,431	63.0	13,926	64.6
Single-Father Family	5,513	4.5	2,870	3.5	1,309	6.8	33	9.8	142	2.2	881	9.2	278	7.2	1,786	8.3
Single-Mother Family	24,646	20.2	10,367	12.5	9,761	50.4	112	33.2	401	6.3	2,856	29.9	1,149	29.8	5,840	27.1

¹Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: U.S. Census Bureau - 2000 Census Summary File 1. 100% sample of the population. Data extracted by Westchester County Department of Planning.

Table 4. Poverty Rate by Family Structure and Race/Ethnicity, Westchester County, 1999

Household and Family Structure	Total	White	Black	American Indian	Asian or Pacific Islander	Other	Two or More Races	Hispanic¹
All Family Households	6.4	3.5	15.3	30.7	4.9	20.6	14.3	17.2
Families Without Related Children < 18	3.1	2.1	7.6	17.1	4.2	10.6	6.9	8.7
Families With Related Children < 18	9.4	5.1	19.8	33.8	5.4	23.9	18.4	20.6
Families With Related Children < 18								
Married-Couple Family	4.1	2.8	5.4	28.5	4.4	14.0	10.5	12.9
Single-Father Family	15.3	10.3	20.1	9.7	6.3	23.4	22.5	18.8
Single-Mother Family	28.8	20.0	32.4	55.4	22.7	46.5	33.4	41.1

¹Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: U.S. Census Bureau - 2000 Census Summary File 3. Five percent sample of the households. Data extracted by Westchester County Department of Planning.

Table 5. Number of Households by Income Group and Median Household Income, Westchester County, 1999

Health Planning Region and Municipality	Total	Income Level								Median Household Income
		Less than 10,000	10,000 - 14,999	15,000 - 24,999	25,000 - 34,999	35,000 - 49,999	50,000 - 74,999	75,000 - 99,999	Over 100,000	
Westchester County	337,486	24,492	14,518	27,654	28,000	39,970	56,607	41,497	104,748	63,582
Northwest	48,359	2,590	1,641	3,665	3,977	5,720	8,660	6,383	15,723	71,528
Briarcliff Manor (V)	2,425	89	56	97	72	92	267	241	1,511	133,272
Buchanan (V)	809	32	16	71	85	83	202	120	200	62,604
Cortlandt (TOV)	9,898	472	284	604	723	1,049	1,848	1,489	3,429	75,442
Croton-on-Hudson (V)	2,801	58	68	133	170	314	511	372	1,175	84,744
Mount Pleasant (TOV)	7,755	204	143	383	464	763	1,248	1,043	3,507	81,072
Ossining (TOV)	1,930	22	15	105	71	231	293	223	970	65,485
Ossining (V)	8,219	597	405	778	894	1,182	1,584	1,032	1,747	52,185
Peekskill (C)	8,695	845	451	950	971	1,306	1,802	1,109	1,261	47,177
Pleasantville (V)	2,653	89	61	144	277	221	365	369	1,127	86,632
Sleepy Hollow (V)	3,174	182	142	400	250	479	540	385	796	54,201
Northeast	46,182	1,291	1,107	2,382	2,288	4,067	6,598	6,343	22,106	94,457
Bedford (T)	5,763	152	155	300	298	441	858	676	2,883	100,053
Lewisboro (T)	4,224	65	37	103	136	329	523	636	2,395	112,462
Mount Kisco (T/V)	3,995	336	136	350	364	559	770	549	931	55,420
New Castle (T)	5,753	64	65	166	135	270	523	520	4,010	159,691
North Castle (T)	3,588	58	53	164	115	254	518	397	2,029	117,815
North Salem (T)	1,780	30	27	66	147	114	236	266	894	100,280
Pound Ridge (T)	1,703	16	25	35	24	80	180	179	1,164	153,208
Somers (T)	6,808	117	169	366	348	725	1,157	916	3,010	89,528
Yorktown (T)	12,568	453	440	832	721	1,295	1,833	2,204	4,790	83,819
West Central	59,687	2,946	1,882	4,012	4,371	6,390	9,785	7,508	22,793	92,087
Ardsley (V)	1,432	25	23	42	55	94	232	195	766	105,293
Dobbs Ferry (V)	3,814	111	111	386	347	411	639	465	1,344	70,333
Elmsford (V)	1,612	85	59	125	141	243	291	248	420	61,685
Greenburgh (TOV)	16,092	519	369	894	1,037	1,605	2,683	2,292	6,693	80,379
Hastings-on-Hudson (V)	3,090	110	96	177	172	297	553	423	1,262	83,188
Irvington (V)	2,509	86	72	103	126	200	391	327	1,204	96,467
Scarsdale (T/V)	5,648	84	51	157	136	174	433	443	4,170	182,792
Tarrytown (V)	4,539	244	124	268	434	652	809	631	1,377	68,762
White Plains (C)	20,951	1,682	977	1,860	1,923	2,714	3,754	2,484	5,557	58,545
East Central	40,188	2,284	1,366	2,907	2,794	4,589	6,355	4,690	6,757	75,463
Harrison (T/V)	8,389	384	295	533	537	916	1,303	1,049	1,505	80,738
Larchmont (V)	2,433	58	71	121	105	145	350	201	765	123,238
Mamaroneck (TOV)	4,192	110	106	193	182	366	501	409	1,288	81,213
Mamaroneck (V)	7,097	509	250	546	566	925	1,385	837	662	62,510
Port Chester (V)	9,553	1,010	477	1,106	1,068	1,491	1,791	1,099	223	45,381
Rye (C)	5,375	158	84	236	225	479	529	691	1,666	110,894
Rye Brook (V)	3,149	55	83	172	111	267	496	404	648	98,864
Southwest	74,358	9,176	4,793	8,312	8,028	10,245	13,447	8,753	11,604	44,663
Yonkers (C)	74,358	9,176	4,793	8,312	8,028	10,245	13,447	8,753	11,604	44,663
Southeast	68,712	6,205	3,729	6,376	6,542	8,959	11,762	7,820	17,319	51,548
Bronxville (V)	2,315	56	43	110	86	129	193	170	1,528	144,940
Eastchester (TOV)	7,662	358	184	406	650	817	1,410	1,086	2,751	78,224
Mount Vernon (C)	25,722	3,064	1,745	3,048	3,202	3,871	4,737	2,507	3,548	41,128
New Rochelle (C)	26,235	2,406	1,538	2,387	2,180	3,266	4,412	3,114	6,932	55,513
Pelham (V)	2,280	69	87	103	201	269	301	358	892	82,430
Pelham Manor (V)	1,861	43	32	96	87	161	230	187	1,025	112,553
Tuckahoe (V)	2,637	209	100	226	136	446	479	398	643	60,744

U.S. Census Bureau 2000 Census Summary File 3. Five percent sample of the households. Data extracted by Westchester County Department of Planning.

Table 6. Housing Units by Year of Construction, Westchester County, 2000

Health Planning Region and Municipality	Total Housing Units	Housing Unit Year of Construction					
		1990 - March 2000	1980 - 1989	1970 - 1979	1960 - 1969	1950 - 1959	1940 - 1949
Westchester County	349,445	18,934	26,075	35,354	52,364	69,334	39,784
Northwest	49,836	3,492	5,041	5,784	7,616	9,777	5,063
Briarcliff Manor (V)	2,496	305	330	255	415	710	109
Buchanan (V)	912	54	47	53	160	146	141
Cortlandt (TOV)	10,294	760	1,022	1,508	1,838	2,326	1,321
Croton-on-Hudson (V)	2,859	185	316	164	425	571	340
Mount Pleasant (TOV)	7,824	684	778	848	1,033	2,162	611
Ossining (TOV)	1,945	132	610	171	390	271	123
Ossining (V)	8,515	359	791	1,077	1,204	1,292	971
Peekskill (C)	9,053	820	914	1,204	1,526	1,148	880
Pleasantville (V)	2,684	96	120	263	314	558	243
Sleepy Hollow (V)	3,254	97	113	241	311	593	324
Northeast	47,934	5,454	7,776	7,406	8,696	7,504	2,910
Bedford (T)	6,020	403	805	733	973	996	396
Lewisboro (T)	4,465	546	1,053	850	648	453	112
Mount Kisco (T/V)	4,103	235	607	621	839	551	312
New Castle (T)	5,843	493	907	644	1,048	944	474
North Castle (T)	3,706	560	376	418	752	790	211
North Salem (T)	1,979	164	141	252	346	276	169
Pound Ridge (T)	1,868	216	281	257	345	323	99
Somers (T)	7,098	1,413	1,636	1,551	866	599	406
Yorktown (T)	12,852	1,424	1,970	2,080	2,879	2,572	731
West Central	61,455	3,686	4,529	5,720	9,107	13,708	6,901
Ardsley (V)	1,458	62	109	81	217	582	119
Dobbs Ferry (V)	3,941	99	272	354	572	922	413
Elmsford (V)	1,748	410	84	140	174	316	229
Greenburgh (TOV)	16,455	1,147	1,124	2,145	3,616	4,226	1,612
Hastings-on-Hudson (V)	3,193	27	77	107	278	574	471
Irvington (V)	2,601	183	341	250	242	645	203
Scarsdale (T/V)	5,795	132	227	301	486	1,255	491
Tarrytown (V)	4,688	361	427	455	488	809	709
White Plains (C)	21,576	1,265	1,868	1,887	3,034	4,379	2,654
East Central	41,307	2,397	2,966	2,628	5,463	7,649	4,655
Harrison (T/V)	8,657	639	742	700	1,435	1,825	798
Larchmont (V)	2,470	17	125	129	138	200	275
Mamaroneck (TOV)	4,274	111	117	249	454	738	506
Mamaroneck (V)	7,328	553	388	399	907	1,393	977
Port Chester (V)	9,772	366	660	606	1,316	1,509	1,299
Rye (C)	5,559	310	522	305	672	1,018	477
Rye Brook (V)	3,247	401	412	240	541	966	323
Southwest	77,589	2,240	2,769	9,099	13,878	16,873	10,357
Yonkers (C)	77,589	2,240	2,769	9,099	13,878	16,873	10,357
Southeast	71,324	1,665	2,994	4,717	7,604	13,823	9,898
Bronxville (V)	2,387	137	30	56	73	288	256
Eastchester (TOV)	7,919	194	325	445	1,097	2,141	1,155
Mount Vernon (C)	27,048	636	919	1,862	2,614	4,597	4,750
New Rochelle (C)	26,995	452	1,280	1,840	3,219	5,746	3,193
Pelham (V)	2,337	26	72	93	105	372	215
Pelham Manor (V)	1,909	21	47	41	153	277	141
Tuckahoe (V)	2,729	199	321	380	343	402	188

Source: U.S. Census Bureau - 2000 Census Summary File 3. Five percent sample of the households. Data extracted by Westchester County Department of Planning.

Table 7. Total Number of Births and Birth Rates, Westchester County, 2001

Health Planning Region and Municipality	Number of Births	Birth Rates (per 1,000 population)
Westchester County	12,615	13.7
Northwest	1,843	13.1
Briarcliff Manor (V)	71	9.2
Buchanan (V)	25	11.4
Cortlandt (TOV)	348	12.1
Croton-on-Hudson (V)	93	12.2
Mount Pleasant (TOV)	277	10.6
Ossining (TOV)	80	14.5
Ossining (V)	371	15.5
Peekskill (C)	365	16.3
Pleasantville (V)	79	11.0
Sleepy Hollow (V)	134	14.5
Northeast	1,615	12.1
Bedford (T)	238	13.1
Lewisboro (T)	143	11.6
Mount Kisco (T/V)	145	14.5
New Castle (T)	216	12.3
North Castle (T)	115	10.6
North Salem (T)	63	12.2
Pound Ridge (T)	71	15.0
Somers (T)	202	11.0
Yorktown (T)	422	11.6
West Central	1,981	12.6
Ardsley (V)	43	10.1
Dobbs Ferry (V)	100	9.4
Elmsford (V)	71	15.2
Greenburgh (TOV)	607	14.5
Hastings-on-Hudson (V)	61	8.0
Irvington (V)	63	9.5
Scarsdale (T/V)	143	8.0
Tarrytown (V)	112	10.1
White Plains (C)	781	14.7
East Central	1,542	13.8
Harrison (T/V)	227	9.4
Larchmont (V)	52	8.0
Mamaroneck (TOV)	178	16.0
Mamaroneck (V)	220	11.7
Port Chester (V)	484	17.4
Rye (C)	240	16.0
Rye Brook (V)	141	16.4
Southwest	2,920	14.9
Yonkers (C)	2,920	14.9
Southeast	2,618	14.2
Bronxville (V)	63	9.6
Eastchester (TOV)	239	12.9
Mount Vernon (C)	1,016	14.9
New Rochelle (C)	1,059	14.7
Pelham (V)	92	14.4
Pelham Manor (V)	69	12.6
Tuckahoe (V)	80	12.9
Unknown	96	0.0

Source: New York State Department of Health.

Table 8. Average Maternal Age and Number of Births by Mother's Age, Westchester County, 2001

Health Planning Region and Municipality	Average Maternal Age	Mother's Age									
		Total ¹	10-14	15-17	18-19	20-24	25-29	30-34	35-39	40-45	45+
Westchester County	30.6	12,615	11	171	421	1,650	2,598	4,211	2,869	641	42
Northwest	31.0	1,843	0	14	54	211	390	644	423	100	7
Briarcliff Manor (V)	34.1	71	0	0	0	0	8	34	23	6	0
Buchanan (V)	31.6	25	0	0	0	4	4	10	5	2	0
Cortlandt (TOV)	32.2	348	0	1	5	26	69	121	103	18	5
Croton-on-Hudson (V)	33.5	93	0	0	2	4	13	35	25	14	0
Mount Pleasant (TOV)	32.8	277	0	0	2	10	38	130	79	18	0
Ossining (TOV)	32.1	80	0	0	1	3	20	33	19	3	1
Ossining (V)	29.2	371	0	8	17	71	89	99	72	14	1
Peekskill (C)	29.0	365	0	3	20	68	102	99	57	16	0
Pleasantville (V)	32.9	79	0	0	0	1	14	40	18	6	0
Sleepy Hollow (V)	29.2	134	0	2	7	24	33	43	22	3	0
Northeast	32.9	1,615	0	5	11	83	222	660	514	112	8
Bedford (T)	32.5	238	0	1	3	20	33	88	76	17	0
Lewisboro (T)	33.9	143	0	0	1	2	19	56	51	11	3
Mount Kisco (T/V)	30.6	145	0	1	4	17	35	51	29	8	0
New Castle (T)	33.2	216	0	0	0	7	23	108	65	13	0
North Castle (T)	33.7	115	0	0	0	5	6	54	40	10	0
North Salem (T)	33.3	63	0	2	0	4	6	20	24	7	0
Pound Ridge (T)	34.6	71	0	0	0	0	4	33	25	8	1
Somers (T)	33.7	202	0	0	1	10	18	88	68	13	4
Yorktown (T)	32.6	422	0	1	2	18	78	162	136	25	0
West Central	31.5	1,981	1	19	54	183	380	690	524	124	6
Ardsley (V)	33.9	43	0	0	0	1	8	12	15	6	1
Dobbs Ferry (V)	32.3	100	0	1	1	3	15	49	26	4	1
Elmsford (V)	31.0	71	0	1	1	6	18	27	13	5	0
Greenburgh (TOV)	31.9	607	1	6	20	42	108	205	186	37	2
Hastings-on-Hudson (V)	33.6	61	0	0	0	3	12	20	18	8	0
Irvington (V)	34.5	63	0	1	0	1	6	23	22	9	1
Scarsdale (T/V)	34.9	143	0	0	0	1	5	59	62	16	0
Tarrytown (V)	32.4	112	0	0	2	7	20	44	28	11	0
White Plains (C)	29.9	781	0	10	30	119	188	251	154	28	1
East Central	31.5	1,542	0	18	27	159	287	538	424	82	6
Harrison (T/V)	32.8	227	0	1	1	10	35	93	75	11	1
Larchmont (V)	34.2	52	0	0	1	0	8	16	21	5	1
Mamaroneck (TOV)	33.6	178	0	0	1	3	26	76	55	15	2
Mamaroneck (V)	31.1	220	0	2	2	28	48	74	53	12	1
Port Chester (V)	28.3	484	0	15	21	112	128	115	78	14	0
Rye (C)	34.2	240	0	0	0	4	24	100	93	18	1
Rye Brook (V)	33.3	141	0	0	1	2	18	64	49	7	0
Southwest	28.5	2,920	8	78	151	597	736	833	426	89	2
Yonkers (C)	28.5	2,920	8	78	151	597	736	833	426	89	2
Southeast	30.1	2,618	2	37	119	405	556	821	537	128	13
Bronxville (V)	34.4	63	0	0	0	0	3	31	24	4	1
Eastchester (TOV)	33.2	239	0	0	2	7	30	112	65	21	2
Mount Vernon (C)	28.5	1,016	2	23	62	232	248	238	170	38	3
New Rochelle (C)	30.0	1,059	0	13	51	160	237	343	206	42	7
Pelham (V)	34.1	92	0	0	1	1	12	39	29	10	0
Pelham Manor (V)	34.0	69	0	0	1	0	9	29	23	7	0
Tuckahoe (V)	31.7	80	0	1	2	5	17	29	20	6	0
Unknown	30.3	96	0	0	5	12	27	25	21	6	0

¹Includes cases with unknown maternal age.

Source: New York State Department of Health.

Table 9. Percentage of Infants with Low Birthweight, Less Than 38 Gestation Weeks, and Late or No Prenatal Care, Westchester County, 2001

Health Planning Region and Municipality	Percentage of Infants Born With ¹		
	Low Birthweight ²	<38 Weeks Gestation	Late or No Prenatal Care ³
Westchester County	7.1	15.3	23.7
Northwest	6.2	13.6	24.4
Briarcliff Manor (V)	8.5	14.1	9.1
Buchanan (V)	12.0	12.0	13.0
Cortlandt (TOV)	5.5	11.2	18.1
Croton-on-Hudson (V)	10.8	15.1	17.4
Mount Pleasant (TOV)	3.3	11.6	11.8
Ossining (TOV)	6.3	18.8	11.3
Ossining (V)	5.9	13.5	32.6
Peekskill (C)	6.0	16.4	40.4
Pleasantville (V)	8.9	15.2	6.8
Sleepy Hollow (V)	8.2	11.9	35.4
Northeast	5.8	14.0	12.3
Bedford (T)	7.1	14.7	13.9
Lewisboro (T)	5.6	13.3	7.1
Mount Kisco (T/V)	5.5	9.7	16.8
New Castle (T)	6.9	14.8	11.2
North Castle (T)	3.5	12.2	14.0
North Salem (T)	7.9	14.3	11.8
Pound Ridge (T)	0.0	14.1	9.3
Somers (T)	7.4	14.9	6.3
Yorktown (T)	5.0	14.9	14.7
West Central	6.9	16.6	24.0
Ardsley (V)	2.3	7.0	18.6
Dobbs Ferry (V)	12.0	21.0	27.5
Elmsford (V)	8.5	16.9	31.9
Greenburgh (TOV)	6.8	17.0	18.7
Hastings-on-Hudson (V)	6.6	23.0	23.7
Irvington (V)	7.9	20.6	19.7
Scarsdale (T/V)	6.3	16.8	13.5
Tarrytown (V)	2.7	11.6	20.6
White Plains (C)	7.0	16.1	30.2
East Central	6.7	14.8	27.4
Harrison (T/V)	7.1	18.1	15.0
Larchmont (V)	5.8	15.4	18.6
Mamaroneck (TOV)	5.6	11.2	12.2
Mamaroneck (V)	9.1	15.5	24.0
Port Chester (V)	8.3	16.7	48.6
Rye (C)	3.3	10.0	5.9
Rye Brook (V)	5.0	14.2	14.8
Southwest	7.4	16.1	38.7
Yonkers (C)	7.4	16.1	38.7
Southeast	8.6	15.6	21.3
Bronxville (V)	0.0	11.1	13.3
Eastchester (TOV)	9.2	15.5	10.5
Mount Vernon (C)	9.4	16.0	24.9
New Rochelle (C)	8.4	15.6	21.6
Pelham (V)	10.9	14.1	12.9
Pelham Manor (V)	11.6	21.7	10.0
Tuckahoe (V)	2.5	11.3	27.6
Unknown	8.3	13.5	27.2

¹ Excluding cases with incomplete birth outcome information.

² Low birthweight is defined as less than 2,500 grams at birth.

³ Late or no prenatal care is defined as prenatal care begun at the second or third trimester, or no prenatal care throughout pregnancy.

Source: New York State Department of Health.

Table 10. Number of Births by Mother's Age and Race/Ethnicity, Westchester County, 2001

Mother's Age	Total		White		Black		Other		Unknown		Hispanic ¹	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
Total	12,615	100.0	9,554	100.0	1,966	100.0	829	100.0	266	100.0	3,273	100.0
10-14	11	0.1	6	0.1	5	0.3	0	0.0	0	0.0	7	0.2
15-17	171	1.4	103	1.1	60	3.1	1	0.1	7	2.6	94	2.9
18-19	421	3.3	261	2.7	138	7.0	8	1.0	14	5.3	211	6.4
20-24	1,650	13.1	1,077	11.3	443	22.5	59	7.1	71	26.7	843	25.8
25-29	2,598	20.6	1,850	19.4	465	23.7	201	24.2	82	30.8	916	28.0
30-34	4,211	33.4	3,335	34.9	456	23.2	355	42.8	65	24.4	698	21.3
35-39	2,869	22.7	2,358	24.7	315	16.0	173	20.9	23	8.6	422	12.9
40-44	641	5.1	523	5.5	83	4.2	31	3.7	4	1.5	77	2.4
45+	42	0.3	40	0.4	1	0.1	1	0.1	0	0.0	4	0.1
Unknown	1	0.0	1	0.0	0	-	0	-	0	-	1	-

¹Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.
Source: New York State Department of Health.

Table 11. Number of Births by Birthweight, Race/Ethnicity, and Mother's Age, Westchester County, 2001

Race/Ethnicity and Birthweight	Total ¹	Mother's Age								
		10-14	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
Total	12,615	11	171	421	1,650	2,598	4,211	2,869	641	42
<1500 grams	152	0	6	8	20	28	50	34	6	0
1500-2499 grams	746	2	22	29	112	120	253	158	41	9
2500 grams+	11,714	9	143	384	1,517	2,450	3,906	2,677	594	33
Not stated	3	0	0	0	1	0	2	0	0	0
White	9,554	6	103	261	1,077	1,850	3,335	2,358	523	40
<1500 grams	94	0	6	6	12	13	31	22	4	0
1500-2499 grams	509	1	11	16	66	74	183	122	27	9
2500 grams+	8,949	5	86	239	998	1,763	3,120	2,214	492	31
Not Stated	2	0	0	0	1	0	1	0	0	0
Black	1,966	5	60	138	443	465	456	315	83	1
<1500 grams	50	0	0	2	8	13	16	9	2	0
1500-2499 grams	167	1	10	12	40	30	34	28	12	0
2500 grams+	1,748	4	50	124	395	422	405	278	69	1
Not Stated	1	0	0	0	0	0	1	0	0	0
Other	829	0	1	8	59	201	355	173	31	1
<1500 grams	7	0	0	0	0	1	3	3	0	0
1500-2499 grams	60	0	0	1	2	14	34	7	2	0
2500 grams+	762	0	1	7	57	186	318	163	29	1
Not Stated	0	0	0	0	0	0	0	0	0	0
Unknown	266	0	7	14	71	82	65	23	4	0
<1500 grams	1	0	0	0	0	1	0	0	0	0
1500-2499 grams	10	0	1	0	4	2	2	1	0	0
2500 grams+	255	0	6	14	67	79	63	22	4	0
Not Stated	0	0	0	0	0	0	0	0	0	0
Hispanic²	3,273	7	94	211	843	916	698	422	77	4
<1500 grams	46	0	5	4	8	7	11	9	2	0
1500-2499 grams	168	1	10	13	47	39	31	21	5	1
2500 grams+	3,058	6	79	194	787	870	656	392	70	3
Not Stated	1	0	0	0	1	0	0	0	0	0

¹ Includes cases with unknown maternal age.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories

Source: New York State Department of Health.

Table 12. Average Birthweight by Maternal Exposure to Smoking and Drug Use During Pregnancy by Race/Ethnicity, Westchester County, 2001

Race/Ethnicity		No Smoking & No Drug Use	Smoking Only ¹	Drug Use Only ²	Both Smoking & Drug Use
Total ³	Birthweight	3,323	3,218 *	3,257	2,814 *
	(n)	12,125	384	37	66
White	Birthweight	3,360	3,254 *	3,350	2,971 *
	(n)	9,246	265	16	25
Black	Birthweight	3,194	3,141	3,187	2,718 *
	(n)	1,789	114	21	41
Hispanic ⁴	Birthweight	3,302	3,227	3,452	3,067
	(n)	3,193	66	9	4

¹ Any use of tobacco products during pregnancy.

² Any use of cocaine, crack, heroin, methadone, marijuana, amphetamines, or unprescribed sedatives during pregnancy.

³ Total includes 'other' and 'unknown' racial categories

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanic ethnicity is reported among racial groups

* Statistically significant by Student's t-test, p-value<0.05. All comparisons are between the risk group and non-risk group, i.e., the "no smoking and no drug use" group

Source: New York State Department of Health.

Table 13. Number of Births by Time Starting Prenatal Care, Race/Ethnicity, and Mother's Age, Westchester County, 2001

Race/Ethnicity and Time Starting Prenatal Care	Total ¹	Mother's Age								
		10-14	15-17	18-19	20-24	25-29	30-34	35-39	40-45	45+
Total	12,615	11	171	421	1,650	2,598	4,211	2,869	641	42
First Trimester (1st-3rd Month)	8,387	2	65	180	846	1,688	3,027	2,090	456	33
Second Trimester (4th-6th Month)	2,232	5	70	151	536	525	522	332	88	2
Third Trimester (7th-9th Month)	452	1	26	51	110	114	97	38	13	2
None	248	2	7	18	59	58	63	31	10	0
Not stated	1,296	1	3	21	99	213	502	378	74	5
White	9,554	6	103	261	1,077	1,850	3,335	2,358	523	40
First Trimester (1st-3rd Month)	6,481	1	38	103	542	1209	2441	1737	377	33
Second Trimester (4th-6th Month)	1,574	3	41	103	366	371	369	254	65	1
Third Trimester (7th-9th Month)	298	0	18	33	74	77	65	22	8	1
None	169	2	5	10	38	41	43	23	7	0
Not stated	1,032	0	1	12	57	152	417	322	66	5
Black	1,966	5	60	138	443	465	456	315	83	1
First Trimester (1st-3rd Month)	1,186	1	25	67	235	298	296	209	55	0
Second Trimester (4th-6th Month)	451	2	23	43	129	95	83	58	17	1
Third Trimester (7th-9th Month)	107	1	8	13	28	24	21	10	2	0
None	67	0	2	8	18	12	19	6	2	0
Not stated	155	1	2	7	33	36	37	32	7	0
Other	829	0	1	8	59	201	355	173	31	1
First Trimester (1st-3rd Month)	590	0	1	4	39	136	258	130	22	0
Second Trimester (4th-6th Month)	116	0	0	2	13	32	49	16	4	0
Third Trimester (7th-9th Month)	32	0	0	2	2	7	11	6	3	1
None	10	0	0	0	2	5	0	2	1	0
Not stated	81	0	0	0	3	21	37	19	1	0
Unknown	266	0	7	14	71	82	65	23	4	0
First Trimester (1st-3rd Month)	130	0	1	6	30	45	32	14	2	0
Second Trimester (4th-6th Month)	91	0	6	3	28	27	21	4	2	0
Third Trimester (7th-9th Month)	15	0	0	3	6	6	0	0	0	0
None	2	0	0	0	1	0	1	0	0	0
Not stated	28	0	0	2	6	4	11	5	0	0
Hispanic²	3,273	7	94	211	843	916	698	422	77	4
First Trimester (1st-3rd Month)	1,688	2	31	78	397	498	391	250	38	3
Second Trimester (4th-6th Month)	1,044	3	42	91	316	275	189	102	25	0
Third Trimester (7th-9th Month)	204	0	15	26	57	59	31	13	2	1
None	132	2	5	9	32	36	26	18	4	0
Not stated	205	0	1	7	41	48	61	39	8	0

¹ Includes cases with unknown maternal age.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 14. Number of Total Pregnancies, Live Births, Spontaneous Fetal Deaths, and Induced Abortions by Maternal Age, Westchester County, 2001

Age (years)	Total Pregnancies	Live Births	Spontaneous Fetal Deaths	Induced Abortions	As % of Total Pregnancies		
					Live Births	Spontaneous Fetal Deaths	Induced Abortions
Total	16,472	12,615	767	3,090	76.6	4.7	18.8
10-14	26	11	0	15	42.3	0.0	57.7
15-17	417	171	3	243	41.0	0.7	58.3
18-19	780	421	16	343	54.0	2.1	44.0
20-24	2,645	1,650	62	933	62.4	2.3	35.3
25-29	3,353	2,598	124	631	77.5	3.7	18.8
30-34	4,900	4,211	215	474	85.9	4.4	9.7
35-39	3,410	2,869	215	326	84.1	6.3	9.6
40-44	857	641	108	108	74.8	12.6	12.6
45+	50	42	3	5	84.0	6.0	10.0
Unknown	34	1	21	12	2.9	61.8	35.3

Source: New York State Department of Health.

Table 15. Total Number of Deaths and Death Rates, Westchester County, 2001

Health Planning Region and Municipality	Number of Deaths	Death Rate (per 1,000 population)
Westchester County	7,259	7.9
Northwest	1,150	8.2
Briarcliff Manor (V)	66	8.6
Buchanan (V)	17	7.8
Cortlandt (TOV)	276	9.6
Croton-on-Hudson (V)	46	6.0
Mount Pleasant (TOV)	216	8.3
Ossining (TOV)	69	12.5
Ossining (V)	169	7.0
Peekskill (C)	191	8.5
Pleasantville (V)	40	5.6
Sleepy Hollow (V)	60	6.5
Northeast	824	6.2
Bedford (T)	73	4.0
Lewisboro (T)	32	2.6
Mount Kisco (T/V)	66	6.6
New Castle (T)	71	4.1
North Castle (T)	44	4.1
North Salem (T)	41	7.9
Pound Ridge (T)	19	4.0
Somers (T)	158	8.6
Yorktown (T)	320	8.8
West Central	1,229	7.8
Ardsley (V)	21	4.9
Dobbs Ferry (V)	103	9.7
Elmsford (V)	24	5.1
Greenburgh (TOV)	340	8.1
Hastings-on-Hudson (V)	100	13.1
Irvington (V)	36	5.4
Scarsdale (T/V)	104	5.8
Tarrytown (V)	77	6.9
White Plains (C)	424	8.0
East Central	799	7.1
Harrison (T/V)	164	6.8
Larchmont (V)	51	7.9
Mamaroneck (TOV)	77	6.9
Mamaroneck (V)	161	8.6
Port Chester (V)	180	6.5
Rye (C)	105	7.0
Rye Brook (V)	61	7.1
Southwest	1,617	8.2
Yonkers (C)	1,617	8.2
Southeast	1,544	8.4
Bronxville (V)	47	7.2
Eastchester (TOV)	173	9.3
Mount Vernon (C)	564	8.2
New Rochelle (C)	646	8.9
Pelham (V)	37	5.8
Pelham Manor (V)	34	6.2
Tuckahoe (V)	43	6.9
Unknown	96	-

Source: New York State Department of Health.

Table 16. Number of Deaths and Death Rates by Age Group and Sex, and Average Age of Death by Sex, Westchester County, 2001

Age Group	Number			Death Rate ¹ (per 1,000 population)		
	Total	Female	Male	Total	Female	Male
Total	7,259	3,912	3,347	7.9	8.1	7.6
0-4	55	24	31	0.9	0.8	0.9
5-9	4	2	2	0.1	0.1	0.1
10-19	21	8	13	0.2	0.1	0.2
20-29	84	31	53	0.8	0.6	1.1
30-39	185	59	126	1.2	0.8	1.8
40-49	320	111	209	2.2	1.5	3.0
50-59	507	206	301	4.6	3.5	5.8
60-69	795	351	444	11.0	8.9	13.5
70-79	1,650	778	872	27.8	22.6	35.0
80+	3,635	2,340	1,295	102.0	96.9	112.6
Unknown	3	2	1	-	-	-
Average Age of Death	75.4	78.9	71.3	-	-	-

Source: New York State Department of Health.

Table 17. Number of Deaths and Death Rates by Age Group and Race/Ethnicity, and Average Age of Death by Race/Ethnicity, Westchester County, 2001

Age Group	Number						Death Rate (<i>per 1,000 population</i>)				
	Total	White	Black	Other	Unknown	Hispanic ¹	Total	White	Black	Other	Hispanic ¹
Total	7,259	6,241	926	71	21	293	7.9	9.5	7.1	0.5	2.0
0-4	55	39	14	2	0	15	0.9	0.9	1.5	0.2	1.1
5-9	4	3	1	0	0	1	0.1	0.1	0.1	0.0	0.1
10-19	21	11	9	1	0	4	0.2	0.1	0.4	0.0	0.2
20-29	84	59	21	4	0	26	0.8	1.0	1.3	0.2	0.9
30-39	185	134	42	7	2	27	1.2	1.3	1.9	0.3	1.0
40-49	320	228	82	9	1	28	2.2	2.1	4.4	0.5	1.5
50-59	507	379	123	5	0	30	4.6	4.5	8.5	0.5	2.9
60-69	795	626	151	14	4	35	11.0	10.8	16.6	2.7	6.6
70-79	1,650	1,420	210	15	5	53	27.8	27.6	39.3	5.9	20.5
80+	3,635	3,340	272	14	9	71	102.0	105.6	94.3	12.4	69.1
Unknown	3	2	1	0	0	3	-	-	-	-	-
Average Age of Death	75.4	76.9	67.1	60.4	73.0	58.9	-	-	-	-	-

¹ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

**Table 18. Number of Infant Deaths and Infant Mortality Rates,
Westchester County, 2001**

Health Planning Region and Municipality	Number	Infant Mortality Rate (per 1,000 live births)
Westchester County	46	3.6
Northwest	9	4.9
Briarcliff Manor (V)	0	0.0
Buchanan (V)	0	0.0
Cortlandt (TOV)	3	8.6
Croton-on-Hudson (V)	0	0.0
Mount Pleasant (TOV)	1	3.6
Ossining (TOV)	1	12.5
Ossining (V)	1	2.7
Peekskill (C)	3	8.2
Pleasantville (V)	0	0.0
Sleepy Hollow (V)	0	0.0
Northeast	2	1.2
Bedford (T)	0	0.0
Lewisboro (T)	0	0.0
Mount Kisco (T/V)	0	0.0
New Castle (T)	1	4.6
North Castle (T)	0	0.0
North Salem (T)	0	0.0
Pound Ridge (T)	0	0.0
Somers (T)	1	5.0
Yorktown (T)	0	0.0
West Central	3	1.5
Ardsey (V)	0	0.0
Dobbs Ferry (V)	0	0.0
Elmsford (V)	0	0.0
Greenburgh (TOV)	0	0.0
Hastings-on-Hudson (V)	0	0.0
Irvington (V)	0	0.0
Scarsdale (T/V)	0	0.0
Tarrytown (V)	0	0.0
White Plains (C)	3	3.8
East Central	3	1.9
Harrison (T/V)	0	0.0
Larchmont (V)	0	0.0
Mamaroneck (TOV)	0	0.0
Mamaroneck (V)	1	4.5
Port Chester (V)	1	2.1
Rye (C)	1	4.2
Rye Brook (V)	0	0.0
Southwest	13	4.5
Yonkers (C)	13	4.5
Southeast	16	6.1
Bronxville (V)	0	0.0
Eastchester (TOV)	0	0.0
Mount Vernon (C)	11	10.8
New Rochelle (C)	4	3.8
Pelham (V)	1	10.9
Pelham Manor (V)	0	0.0
Tuckahoe (V)	0	0.0
Unknown	0	-

Source: New York State Department of Health.

Table 19. Number of Infant Deaths and Infant Mortality Rates by Race/Ethnicity, Westchester County, 2001

Race/Ethnicity	Number	Infant Mortality Rate (per 1,000 live births)
Total	46	3.6
White	32	3.3
Black	13	6.6
Other	1	1.2
Unknown	0	--
Hispanic ¹	14	4.3

¹ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are reported in race categories.

Source: New York State Department of Health.

Table 20. Number of Deaths and Death Rates by Selected Causes and Sex, Westchester County, 2001

Cause of Death	Number of Deaths			Death Rate (<i>per 1,000 population</i>)		
	Total	Female	Male	Total	Female	Male
Total	7,259	3,912	3,347	7.9	8.1	7.6
Major Cardiovascular Diseases	3,197	1,834	1,363	3.5	3.8	3.1
Malignant Neoplasms	1,747	905	842	1.9	1.9	1.9
Chronic Lower Respiratory Disease (CLRD)	315	187	128	0.3	0.4	0.3
Pneumonia	196	96	100	0.2	0.2	0.2
Accidents (Total)	178	67	111	0.2	0.1	0.3
Septicemia	144	92	52	0.2	0.2	0.1
Diabetes Mellitus	135	61	74	0.1	0.1	0.2
Nephritis, Nephrotic Syndrome and Nephrosis	125	63	62	0.1	0.1	0.1
Chronic Liver Diseases including Cirrhosis	73	32	41	0.1	0.1	0.1
Suicide	60	15	45	0.1	0.0	0.1
AIDS	34	9	25	0.0	0.0	0.1
Certain Conditions Originating in the Perinatal Period	25	10	15	0.0	0.0	0.0
Gastritis, Enteritis, Colitis, Diverticulitis	19	12	7	0.0	0.0	0.0
Congenital Anomalies	18	9	9	0.0	0.0	0.0
Homicide and Legal Intervention	18	8	10	0.0	0.0	0.0
Sudden Infant Death Syndrome	2	2	0	0.0	0.0	0.0
Tuberculosis	1	1	0	0.0	0.0	0.0
All Other Causes	972	509	463	1.1	1.1	1.0

Source: New York State Department of Health.

Table 21. Number of Deaths and Death Rates by Selected Causes and Age Group, Westchester County, 2001

Cause of Death	Number of Deaths								Death Rate ² (per 1,000 population)							
	Total ¹	<1	1-9	10-19	20-29	30-49	50-64	65+	Total	<1	1-9	10-19	20-29	30-49	50-64	65+
Total	7,259	46	13	21	84	505	827	5,760	7.9	3.6	0.1	0.2	0.8	1.7	5.6	44.7
Major Cardiovascular Diseases	3,197	2	0	2	4	88	239	2,862	3.5	0.2	0.0	0.0	0.0	0.3	1.6	22.2
Malignant Neoplasms	1,747	1	1	2	4	105	336	1,296	1.9	0.1	0.0	0.0	0.0	0.4	2.3	10.0
Chronic Lower Respiratory Disease (CLRD)	315	0	0	0	0	4	19	292	0.3	0.0	0.0	0.0	0.0	0.0	0.1	2.3
Pneumonia	196	0	0	0	1	11	12	172	0.2	0.0	0.0	0.0	0.0	0.0	0.1	1.3
Accidents (Total)	178	0	2	8	25	52	21	70	0.2	0.0	0.0	0.1	0.2	0.2	0.1	0.5
Septicemia	144	1	1	0	0	7	16	119	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.9
Diabetes Mellitus	135	0	0	0	0	1	24	110	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.9
Nephritis, Nephrotic Syndrome and Nephrosis	125	0	0	0	0	6	15	104	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.8
Chronic Liver Diseases including Cirrhosis	73	0	0	0	0	19	25	29	0.1	0.0	0.0	0.0	0.0	0.1	0.2	0.2
Suicide	60	0	0	2	15	23	10	10	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.1
AIDS	34	0	0	0	1	22	10	1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0
Certain Conditions Originating in the Perinatal Period	25	25	0	0	0	0	0	0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0
Gastritis, Enteritis, Colitis, Diverticulitis	19	0	0	0	1	2	0	16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Congenital Anomalies	18	6	1	0	1	3	7	0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0
Homicide and Legal Intervention	18	1	0	2	6	6	2	1	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0
Sudden Infant Death Syndrome	2	2	0	0	0	0	0	0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
Tuberculosis	1	0	0	0	0	0	0	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
All Other Causes	972	8	8	5	26	156	91	677	1.1	0.6	0.1	0.0	0.3	0.5	0.6	5.2

¹ Includes cases with unknown maternal age.

² For infants under one year of age, the rate is calculated as per 1,000 live births (defined as infant mortality).

Source: New York State Department of Health.

Table 22. Number of Deaths and Death Rates by Selected Causes and Race/Ethnicity, Westchester County, 2001

Cause of Death	Number of Deaths						Death Rate (per 1,000 population)				
	Total	White	Black	Other	Unknown	Hispanic ¹	Total	White	Black	Other	Hispanic ¹
Total	7,259	6,241	926	71	21	290	7.9	9.5	7.1	0.5	2.0
Major Cardiovascular Diseases	3,197	2,806	365	20	6	100	3.5	4.3	2.8	0.1	0.7
Malignant Neoplasms	1,747	1,489	231	20	7	58	1.9	2.3	1.8	0.1	0.4
Chronic Lower Respiratory Disease (CLRD)	315	284	28	2	1	4	0.3	0.4	0.2	0.0	0.0
Septicemia	196	172	22	2	0	11	0.2	0.3	0.2	0.0	0.1
Accidents (Total)	178	152	20	5	1	29	0.2	0.2	0.2	0.0	0.2
Nephritis, Nephrotic Syndrome and Nephrosis	144	120	23	1	0	5	0.2	0.2	0.2	0.0	0.0
Diabetes Mellitus	135	111	20	1	3	6	0.1	0.2	0.2	0.0	0.0
Pneumonia	125	95	28	2	0	4	0.1	0.1	0.2	0.0	0.0
Chronic Liver Diseases including Cirrhosis	73	66	7	0	0	6	0.1	0.1	0.1	0.0	0.0
Suicide	60	49	9	2	0	7	0.1	0.1	0.1	0.0	0.0
AIDS	34	12	21	0	1	5	0.0	0.0	0.2	0.0	0.0
Certain Conditions Originating in the Perinatal Period	25	17	8	0	0	7	0.0	0.0	0.1	0.0	0.0
Gastritis, Enteritis, Colitis, Diverticulitis	19	16	2	0	1	0	0.0	0.0	0.0	0.0	0.0
Congenital Anomalies	18	11	6	0	1	2	0.0	0.0	0.0	0.0	0.0
Homicide and Legal Intervention	18	14	3	1	0	3	0.0	0.0	0.0	0.0	0.0
Sudden Infant Death Syndrome	2	1	1	0	0	1	0.0	0.0	0.0	0.0	0.0
Tuberculosis	1	1	0	0	0	0	0.0	0.0	0.0	0.0	0.0
All Other Causes	972	825	132	15	0	42	1.1	1.3	1.0	0.1	0.3

¹ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 23. Five Leading Causes of Death by Health Planning Region, Westchester County, 2001

Five Leading Causes	Westchester County¹	Northwest	Northeast	West Central	East Central	Southwest	Southeast
Total	7,259	1,150	824	1,229	799	1,617	1,544
Rate	7.9	8.2	6.2	7.8	7.1	8.2	8.4
Major Cardiovascular Diseases							
Number	3,197	461	376	512	393	699	719
Rate	3.5	3.3	2.8	3.2	3.5	3.6	3.9
Malignant Neoplasms							
Number	1,747	264	226	319	181	391	334
Rate	1.9	1.9	1.7	2.0	1.6	2.0	1.8
Chronic Lower Respiratory Disease (CLRD)							
Number	315	55	26	54	34	76	69
Rate	0.3	0.4	0.2	0.3	0.3	0.4	0.4
Pneumonia							
Number	196	31	23	40	20	43	38
Rate	0.2	0.2	0.2	0.3	0.2	0.2	0.2
Accidents							
Number	178	40	18	31	11	36	39
Rate	0.2	0.3	0.1	0.2	0.1	0.2	0.2

¹ Includes cases of unknown region. Rates are per 1,000 population.

Source: New York State Department of Health.

Table 24. Number of Deaths Due to Cardiovascular Diseases by Age Group and Sex, Westchester County, 2001

Disease Category	Total	Age				Sex	
		0-29	30-49	50-64	65+	Female	Male
Total	3,197	8	88	239	2,862	1,834	1,363
Diseases of the Heart	2,577	2	67	192	2,316	1,464	1,113
Ischemic Heart Diseases	1,509	0	13	97	1,399	865	644
Acute Myocardial Infarction	485	0	12	37	436	271	214
Hypertension with Heart Disease	93	0	3	11	79	56	37
Pulmonary Circulation Disease	17	0	1	4	12	14	3
Chronic Rheumatic Fever	0	0	0	0	0	0	0
Acute Rheumatic Fever	0	0	0	0	0	0	0
Other Diseases of the Heart	473	2	38	43	390	258	215
Other Cardiovascular Diseases	620	6	21	47	546	370	250
Cerebrovascular Disease	412	4	11	28	369	254	158
Hypertension with or without Renal Disease	63	0	2	5	56	38	25
Arteriosclerosis	44	0	0	0	44	31	13
Other Diseases of the Circulatory System	101	2	8	14	77	47	54

Source: New York State Department of Health.

Table 25. Number of Deaths Due to Cardiovascular Diseases by Race/Ethnicity, Westchester County, 2001

Disease Category	Total	White	Black	Other	Unknown	Hispanic¹
Total	3,197	2,806	365	20	6	100
Diseases of the Heart	2,577	2,265	294	14	4	74
Ischemic Heart Diseases	1,509	1,343	156	8	2	41
Acute Myocardial Infarction	485	436	46	2	1	15
Hypertension with Heart Disease	93	76	16	1	0	2
Pulmonary Circulation Disease	17	15	2	0	0	2
Chronic Rheumatic Fever	0	0	0	0	0	0
Acute Rheumatic Fever	0	0	0	0	0	0
Other Diseases of the Heart	473	395	74	3	1	14
Other Cardiovascular Diseases	620	541	71	6	2	26
Hypertension with or without Renal Disease	63	50	12	1	0	1
Cerebrovascular Disease	412	363	44	4	1	20
Arteriosclerosis	44	39	5	0	0	1
Other Diseases of the Circulatory System	101	89	10	1	1	4

¹ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 26. Number of Deaths Due to Malignant Neoplasms by Age Group and Sex, Westchester County, 2001

Disease Category	Total ¹	Age				Sex	
		0-29	30-49	50-64	65+	Female	Male
Total	1,747	8	105	336	1,296	905	842
Digestive Organs and Peritoneum	443	0	25	77	341	227	216
Respiratory System	436	0	26	81	328	199	237
Genital Organs	227	1	3	47	176	113	114
Lymphatic and Hematopoietic Tissues	192	5	12	21	153	86	106
Breast	148	0	18	46	84	143	5
Urinary Organs	84	0	4	17	63	26	58
Buccal Cavity and Pharynx	8	0	0	5	3	2	6
Other and Unspecified Sites	209	2	17	42	148	109	100

¹ Total include cases with missing information.
Source: New York State Department of Health.

Table 27. Number of Deaths Due to Malignant Neoplasms by Race/Ethnicity, Westchester County, 2001

Disease Category	Total	White	Black	Other	Unknown	Hispanic¹
Total	1,747	1,489	231	20	7	58
Digestive Organs and Peritoneum	443	373	59	8	3	13
Respiratory System	436	377	54	4	1	14
Genital Organs	227	181	44	2	0	6
Lymphatic and Hematopoietic Tissues	192	162	25	3	2	10
Breast	148	127	20	1	0	6
Urinary Organs	84	72	12	0	0	2
Buccal Cavity and Pharynx	8	8	0	0	0	1
Other and Unspecified Sites	209	189	17	2	1	6

¹ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health.

Table 28. Total Number of Hospital Discharges and Average Length of Stay by Sex and Age, Westchester County Residents, 2001

Age (years)	Total		Female		Male	
	Number of Discharges	Length of Stay (days)	Number of Discharges	Length of Stay (days)	Number of Discharges	Length of Stay (days)
Total	112,364	6.3	64,717	6.1	47,647	6.7
Newborn ¹	11,200	3.6	5,471	3.6	5,729	3.6
<5	3,344	5.3	1,408	5.2	1,936	5.4
6-14	2,214	7.0	948	6.0	1,266	7.7
15-19	2,649	7.1	1,628	6.0	1,021	8.8
20-44	28,694	5.2	20,316	4.3	8,378	7.3
45-64	22,494	6.4	11,264	6.5	11,230	6.4
65-74	14,972	7.3	7,511	7.5	7,461	7.1
75-84	16,828	8.0	9,502	8.3	7,326	7.7
85+	9,969	8.3	6,669	8.3	3,300	8.3
Total Excluding Newborns	101,164	6.6	59,246	6.3	41,918	7.1
Total Excluding Newborns & Obstetric	88,351	7.1	46,433	7.2	41,918	7.1

¹Only includes newborns delivered in New York State hospitals.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS), 2001 Annual Data Book Tables. Data as of 11/30/2002.

Table 29. Total Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2001

Hospitals	Total		Medical		Surgical		Pediatric		Obstetric		Nursery		Psychiatry	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Total	112,364	100.0	37,971	100.0	36,177	100.0	5,054	100.0	12,813	100.0	11,200	100.0	9,149	100.0
Westchester County Acute Care Hospitals	89,684	79.8	32,747	86.2	27,183	75.1	4,024	79.6	10,835	84.6	9,399	83.9	5,496	60.1
Westchester Medical Center	13,558	12.1	2,525	6.6	5,883	16.3	1,684	33.3	1,012	7.9	752	6.7	1,702	18.6
White Plains Hospital Center	12,292	10.9	4,412	11.6	3,633	10.0	236	4.7	1,882	14.7	1,693	15.1	436	4.8
St. John's Riverside Hospital - St. John's Division ¹	10,230	9.1	3,833	10.1	2,523	7.0	425	8.4	1,824	14.2	1,573	14.0	52	0.6
Lawrence Hospital Center	8,413	7.5	3,641	9.6	2,318	6.4	228	4.5	1,145	8.9	1,022	9.1	59	0.6
Sound Shore Medical Center of Westchester	7,902	7.0	2,823	7.4	2,144	5.9	322	6.4	1,344	10.5	1,116	10.0	153	1.7
Northern Westchester Hospital	7,855	7.0	2,558	6.7	2,132	5.9	316	6.3	1,329	10.4	1,265	11.3	255	2.8
Phelps Memorial Hospital Assn.	7,461	6.6	3,071	8.1	2,111	5.8	161	3.2	770	6.0	728	6.5	620	6.8
St. Joseph's Hospital	4,824	4.3	2,317	6.1	1,483	4.1	281	5.6	40	0.3	0	0.0	703	7.7
Hudson Valley Hospital Center	4,694	4.2	1,827	4.8	1,379	3.8	59	1.2	765	6.0	642	5.7	22	0.2
St. Agnes Hospital	4,169	3.7	1,292	3.4	1,070	3.0	274	5.4	698	5.4	608	5.4	227	2.5
New York United Hospital Medical Center	4,032	3.6	2,108	5.6	1,283	3.5	24	0.5	12	0.1	0	0.0	605	6.6
Mount Vernon Hospital	3,021	2.7	1,515	4.0	852	2.4	0	0.0	11	0.1	0	0.0	643	7.0
Community Hospital at Dobbs Ferry	1,233	1.1	825	2.2	372	1.0	14	0.3	3	0.0	0	0.0	19	0.2
Westchester County Specialty Hospitals	4,131	3.7	1,307	3.4	0	0.0	46	0.9	0	0.0	0	0.0	2,778	30.4
St. Vincent's Catholic Medical Center - St. Vincent's Westchester	1,849	1.6	2	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1,847	20.2
W.M. Burke Rehabilitation Hospital	1,295	1.2	1,294	3.4	0	0.0	1	0.0	0	0.0	0	0.0	0	0.0
New York Presbyterian Hospital - Westchester Division	931	0.8	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	931	10.2
Blythedale Children's Hospital	56	0.0	11	0.0	0	0.0	45	0.9	0	0.0	0	0.0	0	0.0
Other Hospitals in New York State	16,616	14.8	3,380	8.9	8,420	23.3	913	18.1	1,833	14.3	1,676	15.0	403	4.4
Montefiore Medical Center - H & L Moses Division - Bronx	2,125	1.9	535	1.4	1,340	3.7	228	4.5	3	0.0	0	0.0	19	0.2
New York Presbyterian Hospital - Columbia Presbyterian Center - New York	2,062	1.8	337	0.9	1,067	2.9	293	5.8	178	1.4	154	1.4	33	0.4
New York Presbyterian Hospital - Weill Cornell Center - New York	1,913	1.7	179	0.5	1,054	2.9	57	1.1	304	2.4	302	2.7	17	0.2
Mount Sinai Hospital - New York	1,509	1.3	227	0.6	785	2.2	58	1.1	220	1.7	211	1.9	8	0.1
Lenox Hill Hospital - New York	1,284	1.1	123	0.3	613	1.7	12	0.2	273	2.1	252	2.3	11	0.1
Montefiore Medical Center - Albert Einstein College Division - Bronx	1,284	1.1	200	0.5	411	1.1	2	0.0	351	2.7	320	2.9	0	0.0
Memorial Hospital for Cancer & Allied Diseases - New York	1,034	0.9	356	0.9	645	1.8	32	0.6	0	0.0	0	0.0	1	0.0

(continued)

Table 29. Total Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2001 (continued)

Hospitals	Total		Medical		Surgical		Pediatric		Obstetric		Nursery		Psychiatry	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Other Hospitals in New York State (continued)														
New York University Hospital Center - New York	997	0.9	155	0.4	448	1.2	61	1.2	165	1.3	160	1.4	8	0.1
Putnam Hospital Center - Putnam	955	0.8	355	0.9	261	0.7	8	0.2	75	0.6	60	0.5	196	2.1
Our Lady of Mercy Medical Center - Bronx	643	0.6	195	0.5	199	0.6	31	0.6	113	0.9	76	0.7	29	0.3
Hospital for Special Surgery - New York	593	0.5	23	0.1	542	1.5	28	0.6	0	0.0	0	0.0	0	0.0
Beth Israel Medical Center - Petrie Campus - Bronx	477	0.4	76	0.2	204	0.6	86	1.7	35	0.3	39	0.3	37	0.4
St. Luke's Roosevelt Hospital - Roosevelt Division - New York	316	0.3	71	0.2	138	0.4	3	0.1	50	0.4	44	0.4	10	0.1
St. Vincent's Catholic Medical Center - New York	242	0.2	54	0.1	111	0.3	5	0.1	27	0.2	24	0.2	21	0.2
Beth Israel Medical Center - H &N Singer Division - Bronx	236	0.2	24	0.1	210	0.6	2	0.0	0	0.0	0	0.0	0	0.0
Calvary Hospital, Inc. - Bronx	217	0.2	217	0.6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
St. Luke's Roosevelt Hospital - St. Luke's Division - New York	197	0.2	23	0.1	156	0.4	0	0.0	5	0.0	3	0.0	10	0.1
New York Westchester Square Medical Center - Bronx	151	0.1	66	0.2	85	0.2	0	0.0	0	0.0	0	0.0	0	0.0
New York Presbyterian Hospital at Allen Pavilion - New York	147	0.1	39	0.1	40	0.1	0	0.0	34	0.3	31	0.3	3	0.0
Hospital for Joint Diseases at Orthopaedic Institute, Inc. - New York	128	0.1	26	0.1	95	0.3	7	0.1	0	0.0	0	0.0	0	0.0
Helen Hayes Hospital - Rockland	106	0.1	99	0.3	7	0.0	0	0.0	0	0.0	0	0.0	0	0.0
All Other Hospitals (128 hospitals)	1,933	1.7	537	1.4	574	1.6	71	1.4	145	1.1	125	1.1	472	5.2

¹ As of 11/01/2001, Yonkers General Hospital has been merged with St. John's Riverside Hospital. The original Yonkers General Hospital is currently an urgent care center opening 24 hours a day and 7 days a week. The center is limited to seeing walk-in detoxification and rehabilitation patients only. Patients in need of hospital care are admitted to St. John's Riverside Hospital.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS), 2001 Annual Data Book Tables. Data as of 11/30/2002.

Table 30. Number of Hospital Discharges by Selected Primary Diagnosis and Sex, Westchester County Residents, 2001

Primary Diagnosis	Total	Female		Male	
		Number	%	Number	%
Cardiovascular Diseases (ICD9: 390-459)	17,599	8,401	47.7	9,198	52.3
Neoplasms (ICD9: 140-239)	10,089	5,051	50.1	5,038	49.9
Injury (Includes all etiologies)	6,457	3,439	53.3	3,018	46.7
Chronic Obstructive Pulmonary Diseases (ICD9: 490-496)	2,598	1,602	61.7	996	38.3
<i>Asthma (ICD9: 493)</i> ¹	1,076	674	62.6	402	37.4
Diabetes Related (ICD9: 250)	1,365	630	46.2	735	53.8
AIDS/HIV Related (ICD9: 042)	1,195	465	38.9	730	61.1
Chronic Liver Diseases and Cirrhosis (ICD9: 571)	244	101	41.4	143	58.6

¹ Asthma is included in Chronic Obstructive Pulmonary Diseases.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of July 2003.

Table 31. Number of Hospital Discharges by Selected Primary Diagnosis and Race/Ethnicity, Westchester County Residents, 2001

Primary Diagnosis	Total	White		Black		Other ¹		Unknown		Hispanic ²	
		Number	%	Number	%	Number	%	Number	%	Number	%
Cardiovascular Diseases (ICD9: 390-459)	17,599	12,591	71.5	2,163	12.3	1,737	9.9	1,108	6.3	753	4.3
Neoplasms (ICD9: 140-239)	10,089	7,547	74.8	1,207	12.0	853	8.5	482	4.8	444	4.4
Injury (Includes all etiologies)	6,457	4,473	69.3	629	9.7	1,085	16.8	270	4.2	509	7.9
Chronic Obstructive Pulmonary Diseases (ICD9: 490-496)	2,598	1,697	65.3	507	19.5	331	12.7	63	2.4	263	10.1
<i>Asthma (ICD9: 493)</i> ³	1,076	498	46.3	312	29.0	240	22.3	26	2.4	198	18.4
Diabetes Related (ICD9: 250)	1,365	765	56.0	414	30.3	137	10.0	49	3.6	96	7.0
AIDS/HIV Related (ICD9: 042)	1,053	295	28.0	550	52.2	181	17.2	27	2.6	122	11.6
Chronic Liver Diseases and Cirrhosis (ICD9: 571)	244	149	61.1	43	17.6	48	19.7	4	1.6	35	14.3

¹ Include Native Americans, Asian and Pacific Islanders, and Other

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories

³ Asthma is included in Chronic Obstructive Pulmonary Diseases

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of July 2003.

Table 32. Total Hospital Discharges and Average Length of Stay Due to Cardiovascular and Other Diseases of the Circulatory System by General Diagnosis Category, Westchester County Residents, 2001

General Diagnosis Category	Number of Discharges		Average Length of Stay (days)
	Number	%	
Diseases of the Heart			
Ischemic Heart Disease	3,596	20.4	4
Acute Myocardial Infarction	2,461	14.0	6
Hypertension with Heart Disease	278	1.6	7
Pulmonary Circulation Disease	270	1.5	9
Chronic Rheumatic Fever	116	0.7	12
Acute Rheumatic Fever	6	0.0	7
Other Diseases of the Heart	5,739	32.6	7
Other Cardiovascular Diseases			
Cerebrovascular Disease	2,933	16.7	8
Hypertension with or without Renal Disease	512	2.9	5
Arteriosclerosis	344	2.0	11
Other Diseases of Circulatory System	1,344	7.6	7
Total	17,599	100.0	6

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of July 2003.

Table 33. Total Hospital Discharges and Average Length of Stay Due to Cardiovascular and Other Diseases of the Circulatory System by Age and Sex, Westchester County Residents, 2001

Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
< 1	6	2	33.3	4	66.7	8	7	9
1-2	16	4	25.0	12	75.0	4	2	4
3-4	9	4	44.4	5	55.6	3	2	3
5-6	2	2	100.0	0	0.0	2	2	0
7-8	1	0	0.0	1	100.0	4	0	4
9-10	6	1	16.7	5	83.3	3	4	3
11-12	4	0	0.0	4	100.0	3	0	3
13-14	3	3	100.0	0	0.0	3	3	0
15-16	6	1	16.7	5	83.3	5	1	6
17-18	19	8	42.1	11	57.9	8	7	9
19-20	16	8	50.0	8	50.0	3	2	4
21-22	14	10	71.4	4	28.6	7	6	8
23-24	21	5	23.8	16	76.2	8	2	10
25-29	59	29	49.2	30	50.8	4	5	4
30-34	138	70	50.7	68	49.3	5	5	4
35-39	213	65	30.5	148	69.5	6	9	5
40-44	468	196	41.9	272	58.1	5	5	5
45-49	693	225	32.5	468	67.5	4	5	4
50-54	1058	370	35.0	688	65.0	5	5	5
55-59	1183	454	38.4	729	61.6	5	6	4
60-64	1505	570	37.9	935	62.1	5	6	5
65-69	1732	715	41.3	1,017	58.7	6	6	6
70-74	2356	989	42.0	1,367	58.0	6	6	6
75-79	2659	1,325	49.8	1,334	50.2	7	8	7
80-84	2471	1,391	56.3	1,080	43.7	8	8	7
85 +	2941	1,954	66.4	987	33.6	8	8	7
Total	17,599	8,401	47.7	9,198	52.3	6	7	6

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of July 2003.

Table 34. Total Hospital Discharges and Average Length of Stay Due to Cardiovascular and Other Diseases of the Circulatory System by Age and Race/Ethnicity, Westchester County Residents, 2001

Age (years)	Number of Discharges										Average Length of Stay (days)						
	Total	White		Black		Other ¹		Unknown		Hispanic ²		Total	White	Black	Other ¹	Unknown	Hispanic ²
		Number	%	Number	%	Number	%	Number	%	Number	%						
< 1	6	3	50.0	1	16.7	1	16.7	1	16.7	0	0.0	8	10	6	12	1	0
1-2	16	7	43.8	2	12.5	7	43.8	0	0.0	0	0.0	4	3	5	4	0	0
3-4	9	4	44.4	1	11.1	2	22.2	2	22.2	2	22.2	3	2	2	5	1	3
5-6	2	1	50.0	0	0.0	1	50.0	0	0.0	0	0.0	2	2	0	1	0	0
7-8	1	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	4	4	0	0	0	0
9-10	6	3	50.0	1	16.7	2	33.3	0	0.0	0	0.0	3	3	5	4	0	0
11-12	4	1	25.0	1	25.0	2	50.0	0	0.0	1	25.0	3	1	1	6	0	3
13-14	3	2	66.7	1	33.3	0	0.0	0	0.0	1	33.3	3	4	2	0	0	4
15-16	6	4	66.7	0	0.0	2	33.3	0	0.0	0	0.0	5	6	0	3	0	0
17-18	19	8	42.1	3	15.8	7	36.8	1	5.3	2	10.5	8	3	6	16	1	3
19-20	16	10	62.5	4	25.0	2	12.5	0	0.0	4	25.0	3	4	2	2	0	4
21-22	14	7	50.0	6	42.9	1	7.1	0	0.0	2	14.3	7	6	7	4	0	4
23-24	21	12	57.1	4	19.0	3	14.3	2	9.5	3	14.3	8	11	2	9	1	18
25-29	59	23	39.0	18	30.5	14	23.7	4	6.8	11	18.6	4	4	6	4	4	6
30-34	138	56	40.6	50	36.2	25	18.1	7	5.1	15	10.9	5	5	4	6	3	7
35-39	213	98	46.0	53	24.9	51	23.9	11	5.2	29	13.6	6	8	6	4	3	4
40-44	468	224	47.9	121	25.9	79	16.9	44	9.4	48	10.3	5	4	6	6	3	4
45-49	693	384	55.4	116	16.7	131	18.9	62	8.9	64	9.2	4	4	5	4	3	4
50-54	1058	609	57.6	193	18.2	158	14.9	98	9.3	67	6.3	5	5	6	5	4	5
55-59	1183	705	59.6	219	18.5	168	14.2	91	7.7	76	6.4	5	5	6	6	3	5
60-64	1505	922	61.3	283	18.8	188	12.5	112	7.4	91	6.0	5	5	8	7	3	6
65-69	1732	1,137	65.6	244	14.1	225	13.0	126	7.3	115	6.6	6	6	7	6	4	5
70-74	2356	1,757	74.6	237	10.1	223	9.5	139	5.9	80	3.4	6	6	7	8	4	7
75-79	2659	2,094	78.8	213	8.0	187	7.0	165	6.2	57	2.1	7	7	9	7	6	7
80-84	2471	2,034	82.3	187	7.6	150	6.1	100	4.0	43	1.7	8	7	9	8	6	5
85 +	2941	2,485	84.5	205	7.0	108	3.7	143	4.9	42	1.4	8	8	10	8	6	9
Total	17,599	12,591	71.5	2,163	12.3	1,737	9.9	1,108	6.3	753	4.3	6	6	7	6	4	6

¹ Include Native Americans, Asian and Pacific Islanders, and Other.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of July 2003.

Table 35. Total Hospital Discharges and Average Length of Stay Due to Neoplasms by General Diagnosis Category, Westchester County Residents, 2001

General Diagnosis Category	Number of Discharges		Average Length of Stay (days)
	Number	%	
Breast (Female)	745	7.4	5
Buccal Cavity and Pharynx	151	1.5	10
Digestive Organs and Peritoneum	1,804	17.9	10
Genital Organs	1,634	16.2	7
Lymphatic and Hematopoietic Tissue	1,671	16.6	10
Respiratory System	1,373	13.6	9
Urinary Organs	581	5.8	9
Other and Unspecified Sites	2,130	21.1	9
Total	10,089	100.0	9

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of July 2003.

Table 36. Total Hospital Discharges and Average Length of Stay Due to Neoplasms by Age and Sex, Westchester County Residents, 2001

Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
< 1	6	3	50.0	3	50.0	128	12	243
1-2	54	12	22.2	42	77.8	6	4	7
3-4	49	32	65.3	17	34.7	7	6	8
5-6	29	12	41.4	17	58.6	6	5	7
7-8	38	17	44.7	21	55.3	6	8	4
9-10	32	15	46.9	17	53.1	6	8	4
11-12	14	8	57.1	6	42.9	6	6	7
13-14	18	10	55.6	8	44.4	6	5	7
15-16	15	5	33.3	10	66.7	9	4	12
17-18	14	8	57.1	6	42.9	9	9	9
19-20	39	22	56.4	17	43.6	12	8	18
21-22	9	5	55.6	4	44.4	29	4	60
23-24	41	6	14.6	35	85.4	10	8	10
25-29	66	37	56.1	29	43.9	10	8	12
30-34	149	79	53.0	70	47.0	9	7	11
35-39	249	158	63.5	91	36.5	7	7	7
40-44	373	230	61.7	143	38.3	6	6	8
45-49	487	261	53.6	226	46.4	8	7	8
50-54	765	429	56.1	336	43.9	8	8	7
55-59	906	514	56.7	392	43.3	8	8	8
60-64	993	507	51.1	486	48.9	9	9	8
65-69	1147	546	47.6	601	52.4	9	10	9
70-74	1370	641	46.8	729	53.2	9	10	8
75-79	1287	561	43.6	726	56.4	10	10	10
80-84	990	490	49.5	500	50.5	10	11	9
85 +	949	443	46.7	506	53.3	11	12	10
Total	10,089	5,051	50.1	5,038	49.9	9	9	9

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of July 2003.

Table 37. Total Hospital Discharges and Average Length of Stay Due to Neoplasms by Age and Race/Ethnicity, Westchester County Residents, 2001

Age (years)	Number of Discharges										Average Length of Stay (days)						
	Total	White		Black		Other ¹		Unknown		Hispanic ²		Total	White	Black	Other ¹	Unknown	Hispanic ²
		Number	%	Number	%	Number	%	Number	%	Number	%						
< 1	6	5	83.3	0	0.0	1	16.7	0	0.0	1	16.7	128	153	0	2	0	671
1-2	54	34	63.0	0	0.0	20	37.0	0	0.0	4	7.4	6	7	0	4	0	4
3-4	49	14	28.6	24	49.0	11	22.4	0	0.0	1	2.0	7	8	7	4	0	2
5-6	29	8	27.6	5	17.2	11	37.9	5	17.2	1	3.4	6	5	14	4	5	1
7-8	38	27	71.1	2	5.3	9	23.7	0	0.0	1	2.6	6	6	4	4	0	31
9-10	32	27	84.4	1	3.1	4	12.5	0	0.0	4	12.5	6	6	1	3	0	12
11-12	14	10	71.4	0	0.0	4	28.6	0	0.0	1	7.1	6	7	0	4	0	19
13-14	18	15	83.3	0	0.0	3	16.7	0	0.0	0	0.0	6	5	0	12	0	0
15-16	15	11	73.3	1	6.7	3	20.0	0	0.0	3	20.0	9	12	2	4	0	7
17-18	14	8	57.1	1	7.1	3	21.4	2	14.3	2	14.3	9	6	6	11	15	3
19-20	39	26	66.7	1	2.6	12	30.8	0	0.0	7	17.9	12	15	2	7	0	5
21-22	9	9	100.0	0	0.0	0	0.0	0	0.0	1	11.1	29	29	0	0	0	70
23-24	41	27	65.9	9	22.0	4	9.8	1	2.4	2	4.9	10	9	13	7	1	10
25-29	66	39	59.1	11	16.7	9	13.6	7	10.6	19	28.8	10	11	5	9	10	12
30-34	149	99	66.4	34	22.8	13	8.7	3	2.0	19	12.8	9	7	11	17	1	9
35-39	249	160	64.3	40	16.1	40	16.1	9	3.6	32	12.9	7	7	7	6	4	5
40-44	373	215	57.6	68	18.2	75	20.1	15	4.0	33	8.8	6	6	7	8	3	5
45-49	487	300	61.6	103	21.1	56	11.5	28	5.7	35	7.2	8	8	9	7	4	7
50-54	765	515	67.3	105	13.7	73	9.5	72	9.4	37	4.8	8	7	10	10	5	6
55-59	906	614	67.8	142	15.7	99	10.9	51	5.6	50	5.5	8	8	9	11	6	6
60-64	993	693	69.8	148	14.9	94	9.5	58	5.8	60	6.0	9	8	10	9	7	8
65-69	1147	860	75.0	139	12.1	99	8.6	49	4.3	50	4.4	9	9	13	11	6	9
70-74	1370	1,099	80.2	120	8.8	85	6.2	66	4.8	40	2.9	9	9	11	10	6	13
75-79	1287	1060	82.4	110	8.5	67	5.2	50	3.9	17	1.3	10	10	13	11	7	8
80-84	990	857	86.6	72	7.3	29	2.9	32	3.2	11	1.1	10	9	12	12	10	10
85 +	949	815	85.9	71	7.5	29	3.1	34	3.6	13	1.4	11	10	14	11	9	9
Total	10,089	7,547	74.8	1,207	12.0	853	8.5	482	4.8	444	4.4	9	9	10	9	6	10

¹ Include Native Americans, Asian and Pacific Islanders, and Other.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of July 2003.

Table 38. Total Hospital Discharges and Average Length of Stay Due to Chronic Obstructive Pulmonary Diseases by General Diagnosis Category, Westchester County Residents, 2001

General Diagnosis Category	Number of Discharges		Average Length of Stay (days)
	Number	%	
Chronic Bronchitis	1,211	46.6	8
Asthma	1,076	41.4	4
Chronic Airway Obstruction - Not Otherwise Classified	190	7.3	10
Emphysema	81	3.1	9
Bronchitis-Not Specified Acute/Chronic	22	0.8	4
Bronchiectasis	16	0.6	8
Extrinsic Allergic Alveolitis	2	0.1	4
Total	2,598	100.0	6

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of July 2003.

Table 39. Total Hospital Discharges and Average Length of Stay Due to Chronic Obstructive Pulmonary Diseases by Age and Sex, Westchester County Residents, 2001

Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
< 1	35	11	31.4	24	68.6	3	3	3
1-2	98	46	46.9	52	53.1	2	3	2
3-4	60	31	51.7	29	48.3	3	3	2
5-6	28	8	28.6	20	71.4	2	2	2
7-8	39	11	28.2	28	71.8	3	3	3
9-10	25	8	32.0	17	68.0	2	3	2
11-12	19	9	47.4	10	52.6	3	3	3
13-14	14	2	14.3	12	85.7	4	2	4
15-16	11	5	45.5	6	54.5	2	2	2
17-18	13	9	69.2	4	30.8	3	3	3
19-20	13	10	76.9	3	23.1	3	3	2
21-22	17	13	76.5	4	23.5	3	3	3
23-24	9	6	66.7	3	33.3	4	5	2
25-29	54	38	70.4	16	29.6	3	3	3
30-34	48	34	70.8	14	29.2	3	3	3
35-39	72	58	80.6	14	19.4	5	5	3
40-44	79	55	69.6	24	30.4	4	4	4
45-49	127	81	63.8	46	36.2	6	7	4
50-54	132	76	57.6	56	42.4	7	7	8
55-59	147	96	65.3	51	34.7	7	7	6
60-64	212	127	59.9	85	40.1	7	7	6
65-69	232	151	65.1	81	34.9	8	7	9
70-74	330	206	62.4	124	37.6	8	9	7
75-79	283	183	64.7	100	35.3	8	8	8
80-84	248	159	64.1	89	35.9	7	8	6
85 +	253	169	66.8	84	33.2	7	7	7
Total	2,598	1,602	61.7	996	38.3	6	7	6

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of July 2003.

Table 40. Total Hospital Discharges and Average Length of Stay Due to Chronic Obstructive Pulmonary Diseases by Age and Race, Westchester County Residents, 2001

Age (years)	Number of Discharges										Average Length of Stay (days)						
	Total	White		Black		Other ¹		Unknown		Hispanic ²		Total	White	Black	Other ¹	Unknown	Hispanic ²
		Number	%	Number	%	Number	%	Number	%	Number	%						
< 1	35	12	34.3	9	25.7	12	34.3	2	5.7	8	22.9	3	4	2	4	2	3
1-2	98	32	32.7	24	24.5	39	39.8	3	3.1	22	22.4	2	2	2	3	2	3
3-4	60	29	48.3	15	25.0	16	26.7	0	0.0	17	28.3	3	2	2	3	0	2
5-6	28	12	42.9	7	25.0	8	28.6	1	3.6	6	21.4	2	2	2	2	4	2
7-8	39	14	35.9	17	43.6	6	15.4	2	5.1	10	25.6	3	3	3	3	2	3
9-10	25	7	28.0	10	40.0	8	32.0	0	0.0	7	28.0	2	3	3	2	0	2
11-12	19	7	36.8	7	36.8	5	26.3	0	0.0	3	15.8	3	2	3	2	0	2
13-14	14	7	50.0	4	28.6	3	21.4	0	0.0	4	28.6	4	3	4	3	0	3
15-16	11	6	54.5	3	27.3	1	9.1	1	9.1	0	0.0	2	3	2	2	2	0
17-18	13	7	53.8	1	7.7	2	15.4	3	23.1	1	7.7	3	2	4	4	2	3
19-20	13	4	30.8	4	30.8	5	38.5	0	0.0	4	30.8	3	3	2	3	0	4
21-22	17	7	41.2	5	29.4	5	29.4	0	0.0	5	29.4	3	4	2	2	0	3
23-24	9	5	55.6	4	44.4	0	0.0	0	0.0	1	11.1	4	5	3	0	0	1
25-29	54	24	44.4	10	18.5	20	37.0	0	0.0	14	25.9	3	2	4	3	0	3
30-34	48	24	50.0	16	33.3	8	16.7	0	0.0	6	12.5	3	3	3	4	0	5
35-39	72	26	36.1	31	43.1	13	18.1	2	2.8	11	15.3	5	6	4	4	4	4
40-44	79	38	48.1	28	35.4	11	13.9	2	2.5	13	16.5	4	5	3	3	2	3
45-49	127	58	45.7	36	28.3	30	23.6	3	2.4	24	18.9	6	7	5	6	2	3
50-54	132	65	49.2	54	40.9	12	9.1	1	0.8	6	4.5	7	9	5	5	4	6
55-59	147	85	57.8	37	25.2	22	15.0	3	2.0	26	17.7	7	8	5	4	3	4
60-64	212	127	59.9	47	22.2	28	13.2	10	4.7	14	6.6	7	7	7	5	6	7
65-69	232	160	69.0	46	19.8	24	10.3	2	0.9	19	8.2	8	8	7	9	7	10
70-74	330	280	84.8	33	10.0	13	3.9	4	1.2	10	3.0	8	9	8	5	5	5
75-79	283	229	80.9	29	10.2	21	7.4	4	1.4	16	5.7	8	7	10	14	4	13
80-84	248	216	87.1	13	5.2	10	4.0	9	3.6	10	4.0	7	8	9	5	6	6
85 +	253	216	85.4	17	6.7	9	3.6	11	4.3	6	2.4	7	7	7	7	10	8
Total	2,598	1,697	65.3	507	19.5	331	12.7	63	2.4	263	10.1	6	7	5	5	5	5

¹ Include Native Americans, Asian and Pacific Islanders, and Other.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of July 2003.

Table 41. Total Hospital Discharges and Average Length of Stay Due to Asthma by Age and Sex, Westchester County Residents, 2001

Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
< 1	35	11	31.4	24	68.6	3	3	3
1-2	98	46	46.9	52	53.1	2	3	2
3-4	59	30	50.8	29	49.2	3	3	2
5-6	28	8	28.6	20	71.4	2	2	2
7-8	39	11	28.2	28	71.8	3	3	3
9-10	25	8	32.0	17	68.0	2	3	2
11-12	19	9	47.4	10	52.6	3	3	3
13-14	14	2	14.3	12	85.7	4	2	4
15-16	11	5	45.5	6	54.5	2	2	2
17-18	12	9	75.0	3	25.0	3	3	2
19-20	13	10	76.9	3	23.1	3	3	2
21-22	16	12	75.0	4	25.0	3	3	3
23-24	8	5	62.5	3	37.5	3	3	2
25-29	52	37	71.2	15	28.8	3	3	2
30-34	44	31	70.5	13	29.5	3	3	2
35-39	65	52	80.0	13	20.0	5	5	3
40-44	66	47	71.2	19	28.8	4	4	4
45-49	90	68	75.6	22	24.4	6	7	3
50-54	72	49	68.1	23	31.9	5	6	4
55-59	38	29	76.3	9	23.7	4	4	4
60-64	59	40	67.8	19	32.2	6	6	5
65-69	50	43	86.0	7	14.0	6	5	13
70-74	52	37	71.2	15	28.8	7	7	7
75-79	37	26	70.3	11	29.7	9	8	11
80-84	33	20	60.6	13	39.4	7	7	6
85 +	41	29	70.7	12	29.3	6	6	5
Total	1,076	674	62.6	402	37.4	5	5	4

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of July 2003.

Table 42. Total Hospital Discharges and Average Length of Stay Due to Asthma by Age and Race/Ethnicity, Westchester County Residents, 2001

Age (years)	Number of Discharges											Average Length of Stay (days)					
	Total	White		Black		Other ¹		Unknown		Hispanic ²		Total	White	Black	Other ¹	Unknown	Hispanic ²
		Number	%	Number	%	Number	%	Number	%	Number	%						
< 1	35	12	34.3	9	25.7	12	34.3	2	5.7	8	22.9	3	4	2	4	2	3
1-2	98	32	32.7	24	24.5	39	39.8	3	3.1	22	22.4	2	2	2	3	2	3
3-4	61	28	45.9	15	24.6	18	29.5	0	0.0	17	27.9	3	2	2	3	0	2
5-6	27	12	44.4	7	25.9	7	25.9	1	3.7	6	22.2	2	2	2	2	4	2
7-8	40	14	35.0	17	42.5	7	17.5	2	5.0	10	25.0	3	3	3	3	2	3
9-10	25	7	28.0	10	40.0	8	32.0	0	0.0	7	28.0	2	3	3	2	0	2
11-12	21	7	33.3	7	33.3	7	33.3	0	0.0	3	14.3	3	2	3	3	0	2
13-14	15	7	46.7	4	26.7	4	26.7	0	0.0	4	26.7	4	3	4	4	0	3
15-16	13	6	46.2	3	23.1	3	23.1	1	7.7	0	0.0	2	3	2	7	2	0
17-18	12	6	50.0	1	8.3	2	16.7	3	25.0	1	8.3	3	2	4	0	2	3
19-20	13	4	30.8	4	30.8	5	38.5	0	0.0	4	30.8	3	3	2	3	0	4
21-22	16	6	37.5	5	31.3	5	31.3	0	0.0	5	31.3	3	4	2	2	0	3
23-24	8	4	50.0	4	50.0	0	0.0	0	0.0	1	12.5	3	3	3	0	0	1
25-29	52	24	46.2	10	19.2	18	34.6	0	0.0	12	23.1	3	2	4	3	0	3
30-34	43	23	53.5	13	30.2	7	16.3	0	0.0	6	14.0	3	3	3	4	0	5
35-39	65	22	33.8	28	43.1	13	20.0	2	3.1	11	16.9	5	6	4	4	4	4
40-44	66	31	47.0	23	34.8	10	15.2	2	3.0	11	16.7	4	5	3	3	2	3
45-49	90	41	45.6	27	30.0	22	24.4	0	0.0	20	22.2	6	6	4	7	0	4
50-54	70	28	40.0	34	48.6	8	11.4	0	0.0	6	8.6	5	6	5	6	0	6
55-59	38	17	44.7	10	26.3	10	26.3	1	2.6	10	26.3	4	6	3	3	2	3
60-64	57	28	49.1	14	24.6	12	21.1	3	5.3	9	15.8	6	7	5	3	7	5
65-69	50	26	52.0	17	34.0	7	14.0	0	0.0	8	16.0	6	5	5	13	0	12
70-74	52	35	67.3	10	19.2	6	11.5	1	1.9	7	13.5	7	7	8	4	2	6
75-79	37	28	75.7	5	13.5	4	10.8	0	0.0	4	10.8	9	6	17	19	0	19
80-84	33	25	75.8	3	9.1	3	9.1	2	6.1	3	9.1	7	6	8	9	5	9
85 +	39	25	64.1	8	20.5	3	7.7	3	7.7	3	7.7	6	6	7	3	5	6
Total	1,076	498	46.3	312	29.0	240	22.3	26	2.4	198	18.4	5	5	4	4	3	4

¹ Include Native Americans, Asian and Pacific Islanders, and Other.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of July 2003.

Table 43. Total Hospital Discharges and Average Length of Stay Due to Diabetes by Age and Sex, Westchester County Residents, 2001

Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
< 1	0	0	..	0	..	0	0	0
1-2	8	3	37.5	5	62.5	5	4	6
3-4	4	2	50.0	2	50.0	4	5	3
5-6	10	7	70.0	3	30.0	3	3	3
7-8	12	6	50.0	6	50.0	3	3	3
9-10	19	10	52.6	9	47.4	3	3	3
11-12	18	9	50.0	9	50.0	4	4	3
13-14	15	7	46.7	8	53.3	4	5	3
15-16	17	7	41.2	10	58.8	4	5	4
17-18	11	7	63.6	4	36.4	3	3	3
19-20	9	2	22.2	7	77.8	3	5	3
21-22	15	7	46.7	8	53.3	3	3	3
23-24	6	1	16.7	5	83.3	3	10	2
25-29	18	5	27.8	13	72.2	6	5	7
30-34	44	22	50.0	22	50.0	5	4	5
35-39	57	30	52.6	27	47.4	5	4	7
40-44	89	27	30.3	62	69.7	6	7	5
45-49	95	37	38.9	58	61.1	7	7	7
50-54	115	46	40.0	69	60.0	8	10	7
55-59	116	55	47.4	61	52.6	8	7	8
60-64	114	41	36.0	73	64.0	7	7	7
65-69	122	52	42.6	70	57.4	8	8	8
70-74	125	62	49.6	63	50.4	9	8	10
75-79	145	74	51.0	71	49.0	10	9	11
80-84	96	53	55.2	43	44.8	14	18	8
85 +	85	58	68.2	27	31.8	11	11	12
Total	1,365	630	46.2	735	53.8	8	8	7

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of July 2003.

Table 44. Total Hospital Discharges and Average Length of Stay Due to Diabetes by Age and Race/Ethnicity, Westchester County Residents, 2001

Age (years)	Number of Discharges											Average Length of Stay (days)					
	Total	White		Black		Other ¹		Unknown		Hispanic ²		Total	White	Black	Other ¹	Unknown	Hispanic ²
		Number	%	Number	%	Number	%	Number	%	Number	%						
<1	0	0	..	0	..	0	..	0	..	0	..	0	0	0	0	0	0
1-2	8	6	75.0	2	25.0	0	0.0	0	0.0	2	25.0	5	4	8	0	0	6
3-4	4	2	50.0	0	0.0	1	25.0	1	25.0	0	0.0	4	3	0	6	3	0
5-6	10	5	50.0	2	20.0	3	30.0	0	0.0	1	10.0	3	3	4	3	0	3
7-8	12	5	41.7	1	8.3	5	41.7	1	8.3	0	0.0	3	3	6	4	2	0
9-10	19	9	47.4	3	15.8	7	36.8	0	0.0	2	10.5	3	3	4	4	0	5
11-12	18	11	61.1	1	5.6	6	33.3	0	0.0	0	0.0	4	2	13	4	0	0
13-14	15	6	40.0	3	20.0	6	40.0	0	0.0	0	0.0	4	2	7	5	0	0
15-16	17	8	47.1	6	35.3	3	17.6	0	0.0	2	11.8	4	3	6	4	0	5
17-18	11	1	9.1	5	45.5	2	18.2	3	27.3	1	9.1	3	1	3	5	2	7
19-20	9	4	44.4	4	44.4	1	11.1	0	0.0	3	33.3	3	3	3	6	0	4
21-22	15	4	26.7	8	53.3	1	6.7	2	13.3	0	0.0	3	2	3	5	2	0
23-24	6	5	83.3	1	16.7	0	0.0	0	0.0	0	0.0	3	2	10	0	0	0
25-29	18	4	22.2	13	72.2	1	5.6	0	0.0	1	5.6	6	5	6	9	0	9
30-34	44	26	59.1	10	22.7	7	15.9	1	2.3	5	11.4	5	4	4	4	3	3
35-39	57	20	35.1	27	47.4	6	10.5	4	7.0	5	8.8	5	4	5	12	5	6
40-44	89	37	41.6	44	49.4	6	6.7	2	2.2	7	7.9	6	5	7	4	5	2
45-49	95	46	48.4	42	44.2	5	5.3	2	2.1	8	8.4	7	7	6	5	9	5
50-54	115	59	51.3	38	33.0	13	11.3	5	4.3	6	5.2	8	7	11	8	14	2
55-59	116	59	50.9	35	30.2	17	14.7	5	4.3	11	9.5	8	8	6	5	9	5
60-64	114	59	51.8	41	36.0	9	7.9	5	4.4	10	8.8	7	8	6	7	8	9
65-69	122	69	56.6	39	32.0	12	9.8	2	1.6	9	7.4	8	9	7	9	6	6
70-74	125	81	64.8	30	24.0	10	8.0	4	3.2	8	6.4	9	10	9	5	3	3
75-79	145	104	71.7	27	18.6	8	5.5	6	4.1	10	6.9	10	11	9	11	5	7
80-84	96	74	77.1	15	15.6	4	4.2	3	3.1	5	5.2	14	15	7	7	10	6
85 +	85	61	71.8	17	20.0	4	4.7	3	3.5	0	0.0	11	12	9	5	6	0
Total	1,365	765	56.0	414	30.3	137	10.0	49	3.6	96	7.0	8	9	7	6	6	5

¹ Include Native Americans, Asian and Pacific Islanders, and Other

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of July 2003.

Table 45. Total Hospital Discharges and Average Length of Stay Due to Chronic Liver Disease and Cirrhosis by Age and Sex, Westchester County Residents, 2001

Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
< 1	2	1	50.0	1	50.0	5	2	7
1-2	0	0	..	0	..	0	0	0
3-4	0	0	..	0	..	0	0	0
5-6	0	0	..	0	..	0	0	0
7-8	1	1	100.0	0	0.0	1	1	0
9-10	0	0	..	0	..	0	0	0
11-12	4	0	0.0	4	100.0	3	0	3
13-14	0	0	..	0	..	0	0	0
15-16	3	3	100.0	0	0.0	8	8	0
17-18	1	1	100.0	0	0.0	7	7	0
19-20	0	0	..	0	..	0	0	0
21-22	0	0	..	0	..	0	0	0
23-24	0	0	..	0	..	0	0	0
25-29	0	0	..	0	..	0	0	0
30-34	6	2	33.3	4	66.7	3	3	3
35-39	15	5	33.3	10	66.7	7	5	8
40-44	26	8	30.8	18	69.2	7	6	7
45-49	33	14	42.4	19	57.6	10	9	11
50-54	50	14	28.0	36	72.0	11	7	12
55-59	19	12	63.2	7	36.8	6	6	6
60-64	19	7	36.8	12	63.2	7	7	7
65-69	24	8	33.3	16	66.7	18	26	14
70-74	13	5	38.5	8	61.5	9	8	9
75-79	18	12	66.7	6	33.3	8	8	9
80-84	4	2	50.0	2	50.0	6	2	9
85 +	6	6	100.0	0	0.0	13	13	0
Total	244	101	41.4	143	58.6	10	9	10

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of July 2003.

Table 46. Total Hospital Discharges and Average Length of Stay Due to Chronic Liver Disease and Cirrhosis by Age and Race/Ethnicity, Westchester County Residents, 2001

Age (years)	Number of Discharges											Average Length of Stay (days)					
	Total	White		Black		Other ¹		Unknown		Hispanic ²		Total	White	Black	Other ¹	Unknown	Hispanic ²
		Number	%	Number	%	Number	%	Number	%	Number	%						
< 1	2	0	0.0	0	0.0	1	50.0	1	50.0	0	0.0	2	0	0	7	2	0
1-2	0	0	..	0	..	0	..	0	..	0	..	0	0	0	0	0	0
3-4	0	0	..	0	..	0	..	0	..	0	..	0	0	0	0	0	0
5-6	0	0	..	0	..	0	..	0	..	0	..	0	0	0	0	0	0
7-8	1	0	0.0	1	100.0	0	0.0	0	0.0	0	0.0	1	0	1	0	0	0
9-10	0	0	..	0	..	0	..	0	..	0	..	0	0	0	0	0	0
11-12	4	0	0.0	4	100.0	0	0.0	0	0.0	0	0.0	4	0	3	0	0	0
13-14	0	0	..	0	..	0	..	0	..	0	..	0	0	0	0	0	0
15-16	3	0	0.0	0	0.0	2	66.7	1	33.3	0	0.0	3	0	0	10	5	0
17-18	1	0	0.0	1	100.0	0	0.0	0	0.0	0	0.0	1	0	7	0	0	0
19-20	0	0	..	0	..	0	..	0	..	0	..	0	0	0	0	0	0
21-22	0	0	..	0	..	0	..	0	..	0	..	0	0	0	0	0	0
23-24	0	0	..	0	..	0	..	0	..	0	..	0	0	0	0	0	0
25-29	0	0	..	0	..	0	..	0	..	0	..	0	0	0	0	0	0
30-34	6	5	83.3	1	16.7	0	0.0	0	0.0	0	0.0	6	2	5	0	0	0
35-39	15	8	53.3	3	20.0	4	26.7	0	0.0	3	20.0	15	8	6	8	0	7
40-44	26	18	69.2	2	7.7	6	23.1	0	0.0	6	23.1	26	7	4	5	0	5
45-49	33	20	60.6	7	21.2	6	18.2	0	0.0	7	21.2	33	11	7	11	0	9
50-54	50	28	56.0	10	20.0	11	22.0	1	2.0	5	10.0	50	11	15	8	2	18
55-59	19	10	52.6	3	15.8	6	31.6	0	0.0	3	15.8	19	6	9	4	0	2
60-64	19	10	52.6	5	26.3	4	21.1	0	0.0	7	36.8	19	7	9	4	0	5
65-69	24	15	62.5	3	12.5	6	25.0	0	0.0	2	8.3	24	15	20	25	0	5
70-74	13	12	92.3	1	7.7	0	0.0	0	0.0	0	0.0	13	7	21	0	0	0
75-79	18	17	94.4	0	0.0	1	5.6	0	0.0	1	5.6	18	8	0	17	0	17
80-84	4	2	50.0	1	25.0	1	25.0	0	0.0	1	25.0	4	7	5	2	0	2
85 +	6	4	66.7	1	16.7	0	0.0	1	16.7	0	0.0	6	13	5	0	20	0
Total	244	149	61.1	43	17.6	48	19.7	4	1.6	35	14.3	10	9	10	9	7	8

¹ Include Native Americans, Asian and Pacific Islanders, and Other.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of July 2003.

Table 47. Total Hospital Discharges and Average Length of Stay Due to AIDS by Age and Sex, Westchester County Residents, 2001

Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
< 1	3	3	100.0	0	0.0	36	36	0
1-2	1	1	100.0	0	0.0	2	2	0
3-4	2	2	100.0	0	0.0	6	6	0
5-6	0	0	..	0	..	0	0	0
7-8	3	2	66.7	1	33.3	3	4	2
9-10	1	1	100.0	0	0.0	1	1	0
11-12	2	0	0.0	2	100.0	36	0	36
13-14	1	1	100.0	0	0.0	15	15	0
15-16	6	4	66.7	2	33.3	7	7	7
17-18	10	8	80.0	2	20.0	9	10	5
19-20	11	8	72.7	3	27.3	5	5	5
21-22	3	3	100.0	0	0.0	4	4	0
23-24	9	8	88.9	1	11.1	8	9	1
25-29	29	18	62.1	11	37.9	4	4	5
30-34	124	62	50.0	62	50.0	9	8	10
35-39	180	76	42.2	104	57.8	8	7	8
40-44	220	86	39.1	134	60.9	8	8	8
45-49	181	74	40.9	107	59.1	10	9	10
50-54	141	42	29.8	99	70.2	8	9	8
55-59	62	9	14.5	53	85.5	9	12	9
60-64	31	11	35.5	20	64.5	10	16	6
65-69	15	3	20.0	12	80.0	8	6	8
70-74	10	5	50.0	5	50.0	14	23	5
75-79	4	2	50.0	2	50.0	16	9	22
80-84	3	2	66.7	1	33.3	8	11	2
85 +	1	1	100.0	0	0.0	4	4	0
Total	1,053	432	41.0	621	59.0	8	9	8

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of July 2003.

Table 48. Total Hospital Discharges and Average Length of Stay Due to AIDS by Age and Race/Ethnicity, Westchester County Residents, 2001

Age (years)	Number of Discharges										Average Length of Stay (days)						
	Total	White		Black		Other ¹		Unknown		Hispanic ²		Total	White	Black	Other ¹	Unknown	Hispanic ²
		Number	%	Number	%	Number	%	Number	%	Number	%						
< 1	3	0	0.0	1	33.3	2	66.7	0	0.0	0	0.0	37	0	60	25	0	0
1-2	1	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	2	2	0	0	0	2
3-4	2	0	0.0	2	100.0	0	0.0	0	0.0	0	0.0	6	0	6	0	0	0
5-6	0	0	..	0	..	0	..	0	..	0	..	0	0	0	0	0	0
7-8	3	0	0.0	3	100.0	0	0.0	0	0.0	0	0.0	3	0	3	0	0	0
9-10	1	1	100.0	0	0.0	0	0.0	0	0.0	1	100.0	1	1	0	0	0	1
11-12	2	0	0.0	2	100.0	0	0.0	0	0.0	0	0.0	36	0	36	0	0	0
13-14	1	0	0.0	1	100.0	0	0.0	0	0.0	0	0.0	15	0	15	0	0	0
15-16	6	0	0.0	4	66.7	2	33.3	0	0.0	0	0.0	7	0	7	7	0	0
17-18	10	1	10.0	8	80.0	1	10.0	0	0.0	0	0.0	9	1	10	6	0	0
19-20	11	1	9.1	9	81.8	1	9.1	0	0.0	0	0.0	5	7	5	5	0	0
21-22	3	0	0.0	3	100.0	0	0.0	0	0.0	0	0.0	4	0	4	0	0	0
23-24	9	1	11.1	5	55.6	3	33.3	0	0.0	0	0.0	8	1	12	5	0	0
25-29	29	5	17.2	17	58.6	7	24.1	0	0.0	6	20.7	4	3	5	4	0	4
30-34	124	38	30.6	65	52.4	17	13.7	4	3.2	11	8.9	9	9	8	12	23	10
35-39	180	56	31.1	68	37.8	50	27.8	6	3.3	46	25.6	6	8	7	8	3	7
40-44	220	60	27.3	121	55.0	38	17.3	1	0.5	21	9.5	7	7	9	6	2	6
45-49	181	50	27.6	100	55.2	22	12.2	9	5.0	17	9.4	9	11	9	10	5	8
50-54	141	35	24.8	80	56.7	22	15.6	4	2.8	5	3.5	8	7	9	9	6	5
55-59	62	23	37.1	24	38.7	13	21.0	2	3.2	10	16.1	9	8	10	14	4	5
60-64	31	3	9.7	28	90.3	0	0.0	0	0.0	1	3.2	9	31	7	0	0	77
65-69	15	9	60.0	5	33.3	0	0.0	1	6.7	2	13.3	7	5	14	0	1	7
70-74	10	4	40.0	4	40.0	2	20.0	0	0.0	0	0.0	15	25	9	5	0	0
75-79	4	3	75.0	0	0.0	1	25.0	0	0.0	1	25.0	12	16	0	14	0	14
80-84	3	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0	8	8	0	0	0	0
85 +	1	1	100.0	0	0.0	0	0.0	0	0.0	0	0.0	4	4	0	0	0	0
Total	1,053	295	28.0	550	52.2	181	17.2	27	2.6	122	11.6	8	8	9	9	7	7

¹ Include Native Americans, Asian and Pacific Islanders, and Other.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of July 2003.

Table 49. Total Hospital Discharges and Average Length of Stay Due to Injuries by Etiology and Age, Westchester County Residents, 2001

Etiology	Number of Discharges														Average Length of Stay (days)						
	Total		0-4		5-16		17-24		25-49		50-64		65+		Total	0-4	5-16	17-24	25-49	50-64	65+
	N	%	N	%	N	%	N	%	N	%	N	%	N	%							
Falls	3,454	53.5	65	39.6	138	33.7	69	14.2	355	23.5	386	50.7	2,441	78.2	7	6	3	4	6	6	8
Motor Vehicle Crash	560	8.7	2	1.2	27	6.6	113	23.2	244	16.1	67	8.8	107	3.4	8	60	6	7	8	5	10
Self-Inflicted	275	4.3	1	0.6	24	5.9	56	11.5	146	9.6	30	3.9	18	0.6	5	1	5	4	4	7	12
Assault	271	4.2	5	3.0	15	3.7	82	16.8	141	9.3	17	2.2	11	0.4	6	7	2	4	7	7	4
Poisonings	214	3.3	8	4.9	19	4.6	28	5.7	90	5.9	21	2.8	48	1.5	12	5	1	5	5	5	6
Struck by Object/Person	172	2.7	8	4.9	36	8.8	26	5.3	59	3.9	14	1.8	29	0.9	3	2	3	4	4	5	9
Pedestrian	140	2.2	6	3.7	16	3.9	18	3.7	41	2.7	29	3.8	30	1.0	5	8	5	18	7	9	16
Overexertion	136	2.1	3	1.8	13	3.2	10	2.1	42	2.8	23	3.0	45	1.4	10	2	2	15	2	4	8
Cutting Instrument	101	1.6	2	1.2	9	2.2	16	3.3	48	3.2	15	2.0	11	0.4	4	2	2	4	3	3	7
Scalds	73	1.1	17	10.4	9	2.2	3	0.6	17	1.1	12	1.6	15	0.5	5	6	8	9	6	10	12
Bicycle	55	0.9	0	0.0	20	4.9	6	1.2	13	0.9	13	1.7	3	0.1	5	0	3	5	8	4	16
Respiratory Interference	40	0.6	5	3.0	1	0.2	1	0.2	2	0.1	2	0.3	29	0.9	8	5	1	33	6	18	13
Machinery	26	0.4	1	0.6	1	0.2	2	0.4	14	0.9	7	0.9	1	0.0	3	10	1	3	3	6	1
Fire/Flame	21	0.3	0	0.0	3	0.7	3	0.6	7	0.5	1	0.1	7	0.2	23	0	119	6	4	2	10
Submersion	10	0.2	1	0.6	5	1.2	0	0.0	1	0.1	2	0.3	1	0.0	14	2	2	0	2	3	10
Unintentional Firearms	7	0.1	0	0.0	1	0.2	3	0.6	2	0.1	1	0.1	0	0.0	6	0	4	4	39	2	0
Other	902	14.0	40	24.4	72	17.6	51	10.5	291	19.2	121	15.9	327	10.5	5	3	3	6	4	6	8
Total	6,457	100.0	164	100.0	409	100.0	487	100.0	1,513	100.0	761	100.0	3,123	100.0	7	5	4	6	6	6	8

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of July 2003.

Table 50. Total Hospital Discharges and Average Length of Stay Due to Injuries by Etiology and Sex, Westchester County Residents, 2001

Etiology	Number of Discharges						Average Length of Stay (days)		
	Total		Female		Male		Total	Female	Male
	Number	%	Number	%	Number	%			
Falls	3,454	53.5	2,167	63.0	1,287	42.6	7	7	8
Motor Vehicle Crash	560	8.7	215	6.3	345	11.4	8	8	8
Self-Inflicted	275	4.3	183	5.3	92	3.0	5	5	5
Assault	271	4.2	39	1.1	232	7.7	6	5	6
Poisonings	214	3.3	104	3.0	110	3.6	5	4	5
Struck by Object/Person	172	2.7	47	1.4	125	4.1	5	6	4
Pedestrian	140	2.2	63	1.8	77	2.6	10	8	12
Overexertion	136	2.1	63	1.8	73	2.4	5	7	3
Cutting Instrument	101	1.6	26	0.8	75	2.5	4	7	3
Scalds	73	1.1	35	1.0	38	1.3	8	10	7
Bicycle	55	0.9	9	0.3	46	1.5	5	2	5
Respiratory Interference	40	0.6	21	0.6	19	0.6	12	11	14
Machinery	26	0.4	1	0.0	25	0.8	3	10	3
Fire/Flame	21	0.3	8	0.2	13	0.4	23	10	31
Submersion	10	0.2	5	0.1	5	0.2	3	4	2
Unintentional Firearms	7	0.1	1	0.0	6	0.2	14	2	16
Other	902	14.0	452	13.1	450	14.9	6	6	6
Total	6,457	100.0	3,439	100.0	3,018	100.0	7	7	7

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of July 2003.

Table 51. Total Hospital Discharges and Average Length of Stay Due to Injuries by Etiology and Race/Ethnicity, Westchester County Residents, 2001

Etiology	Number of Discharges											Average Length of Stay (days)						
	Total		White		Black		Other ¹		Unknown		Hispanic ²		Total	White	Black	Other ¹	Unknown	Hispanic ²
	N	%	N	%	N	%	N	%	N	%	N	%						
Falls	3,454	53.5	2,775	62.0	216	34.3	313	28.8	150	55.6	150	29.5	7	7	7	8	5	5
Motor Vehicle Crash	560	8.7	299	6.7	44	7.0	201	18.5	16	5.9	51	10.0	8	8	7	9	6	10
Self-Inflicted	275	4.3	158	3.5	50	7.9	59	5.4	8	3.0	37	7.3	5	4	4	4	23	2
Assault	271	4.2	98	2.2	61	9.7	105	9.7	7	2.6	68	13.4	6	5	4	7	6	3
Poisonings	214	3.3	130	2.9	40	6.4	35	3.2	9	3.3	29	5.7	5	5	5	3	2	3
Struck by Object/Person	172	2.7	98	2.2	29	4.6	36	3.3	9	3.3	28	5.5	5	5	5	5	3	4
Pedestrian	140	2.2	48	1.1	23	3.7	66	6.1	3	1.1	13	2.6	10	9	7	14	4	5
Overexertion	136	2.1	90	2.0	14	2.2	22	2.0	10	3.7	10	2.0	5	6	3	3	5	2
Cutting Instrument	95	1.5	53	1.2	10	1.6	32	2.9	0	0.0	22	4.3	4	3	4	4	0	4
Scalds	73	1.1	35	0.8	10	1.6	28	2.6	0	0.0	9	1.8	8	10	10	6	0	7
Bicycle	61	0.9	34	0.8	9	1.4	12	1.1	6	2.2	6	1.2	5	6	3	4	2	11
Respiratory Interference	40	0.6	27	0.6	4	0.6	7	0.6	2	0.7	1	0.2	12	14	13	6	8	2
Machinery	26	0.4	15	0.3	3	0.5	8	0.7	0	0.0	9	1.8	3	3	2	5	0	2
Fire/Flame	21	0.3	16	0.4	0	0.0	4	0.4	1	0.4	2	0.4	23	7	0	91	5	3
Submersion	10	0.2	4	0.1	0	0.0	6	0.6	0	0.0	1	0.2	3	5	0	2	0	4
Unintentional Firearms	7	0.1	2	0.0	2	0.3	3	0.3	0	0.0	1	0.2	14	2	6	27	0	2
Other	902	14.0	591	13.2	114	18.1	148	13.6	49	18.1	72	14.1	6	6	6	5	5	4
Total	6,457	100.0	4,473	100.0	629	100.0	1,085	100.0	270	100.0	509	100.0	7	7	6	7	5	5

¹ Include Native Americans, Asian and Pacific Islanders, and Other.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of July 2003.

Table 52. Total Hospital Discharges and Average Length of Stay Due to Injuries by Age and Sex, Westchester County Residents, 2001

Age (years)	Number of Discharges					Average Length of Stay (days)		
	Total	Female		Male		Total	Female	Male
		Number	%	Number	%			
< 1	47	23	48.9	24	51.1	5	6	4
1-2	54	26	48.1	28	51.9	6	4	7
3-4	63	25	39.7	38	60.3	6	3	8
5-6	74	18	24.3	56	75.7	7	1	9
7-8	38	15	39.5	23	60.5	4	5	4
9-10	43	18	41.9	25	58.1	3	3	3
11-12	51	22	43.1	29	56.9	3	3	3
13-14	86	28	32.6	58	67.4	3	4	3
15-16	117	43	36.8	74	63.2	3	4	2
17-18	118	40	33.9	78	66.1	5	6	5
19-20	145	46	31.7	99	68.3	5	3	6
21-22	111	30	27.0	81	73.0	5	4	5
23-24	113	26	23.0	87	77.0	7	6	7
25-29	277	83	30.0	194	70.0	5	5	5
30-34	290	99	34.1	191	65.9	4	5	4
35-39	316	103	32.6	213	67.4	5	5	5
40-44	302	116	38.4	186	61.6	6	5	6
45-49	328	143	43.6	185	56.4	7	5	8
50-54	254	106	41.7	148	58.3	6	5	6
55-59	267	145	54.3	122	45.7	6	6	7
60-64	240	122	50.8	118	49.2	6	6	6
65-69	268	143	53.4	125	46.6	7	6	8
70-74	386	224	58.0	162	42.0	8	7	9
75-79	573	398	69.5	175	30.5	9	8	11
80-84	657	459	69.9	198	30.1	8	8	9
85 +	1239	938	75.7	301	24.3	8	8	9
Total	6,457	3,439	53.3	3,018	46.7	7	7	7

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of July 2003.

Table 53. Total Hospital Discharges and Average Length of Stay Due to Injuries by Age and Race/Ethnicity, Westchester County Residents, 2001

Age (years)	Number of Discharges										Average Length of Stay (days)						
	Total	White		Black		Other ¹		Unknown		Hispanic ²		Total	White	Black	Other ¹	Unknown	Hispanic ²
		N	%	N	%	N	%	N	%	N	%						
< 1	47	12	25.5	6	12.8	28	59.6	1	2.1	8	17.0	5	4	11	4	4	6
1-2	54	22	40.7	8	14.8	22	40.7	2	3.7	8	14.8	6	8	5	4	5	17
3-4	63	34	54.0	10	15.9	19	30.2	0	0.0	7	11.1	6	3	2	14	0	3
5-6	74	36	48.6	9	12.2	26	35.1	3	4.1	15	20.3	7	2	4	18	1	1
7-8	38	23	60.5	4	10.5	11	28.9	0	0.0	1	2.6	4	5	3	4	0	4
9-10	43	21	48.8	8	18.6	12	27.9	2	4.7	6	14.0	3	4	2	4	1	6
11-12	51	29	56.9	3	5.9	16	31.4	3	5.9	10	19.6	3	2	2	4	1	2
13-14	86	39	45.3	15	17.4	24	27.9	8	9.3	9	10.5	3	4	4	3	2	2
15-16	117	55	47.0	16	13.7	42	35.9	4	3.4	17	14.5	3	2	3	4	2	2
17-18	118	55	46.6	21	17.8	36	30.5	6	5.1	16	13.6	5	7	5	4	2	4
19-20	145	60	41.4	29	20.0	55	37.9	1	0.7	32	22.1	5	7	3	5	1	3
21-22	111	55	49.5	19	17.1	35	31.5	2	1.8	23	20.7	5	5	5	6	3	7
23-24	113	47	41.6	19	16.8	42	37.2	5	4.4	28	24.8	7	6	9	8	2	7
25-29	277	129	46.6	34	12.3	107	38.6	7	2.5	53	19.1	5	5	4	7	3	4
30-34	290	128	44.1	58	20.0	90	31.0	14	4.8	49	16.9	4	4	5	5	4	4
35-39	316	145	45.9	50	15.8	106	33.5	15	4.7	61	19.3	5	5	5	7	4	5
40-44	302	167	55.3	50	16.6	68	22.5	17	5.6	31	10.3	6	5	5	6	6	4
45-49	328	213	64.9	42	12.8	58	17.7	15	4.6	31	9.5	7	6	6	14	3	7
50-54	254	164	64.6	33	13.0	43	16.9	14	5.5	18	7.1	6	5	8	6	4	5
55-59	267	188	70.4	18	6.7	49	18.4	12	4.5	21	7.9	6	6	6	7	4	4
60-64	240	168	70.0	28	11.7	34	14.2	10	4.2	10	4.2	6	6	7	10	4	3
65-69	268	199	74.3	23	8.6	34	12.7	12	4.5	8	3.0	7	7	7	9	4	3
70-74	386	310	80.3	24	6.2	36	9.3	16	4.1	16	4.1	8	7	7	10	14	7
75-79	573	485	84.6	40	7.0	32	5.6	16	2.8	13	2.3	9	9	9	15	7	10
80-84	657	589	89.6	28	4.3	17	2.6	23	3.5	5	0.8	8	8	9	10	5	5
85 +	1,239	1,100	88.8	34	2.7	43	3.5	62	5.0	13	1.0	8	8	8	9	7	5
Total	6,457	4,473	69.3	629	10.1	1,085	15.4	270	4.7	509	7.4	7	7	6	7	5	5

¹ Include Native Americans, Asian and Pacific Islanders, and Other

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Extracted from SPARCS Data Queries on New York State Department of Health Information Network. Data as of July 2003.

Table 54. Cases and Rates of Reportable Diseases, Westchester County, 2000 - 2002¹

Communicable Disease Category	2002		2001		2000	
	Cases	Rate ²	Cases	Rate ²	Cases	Rate ²
VACCINE-PREVENTABLE DISEASES						
Measles	0	0.0	2	0.2	0	0.0
Mumps	0	0.0	0	0.0	1	0.1
Pertussis ³	5	0.5	4	0.4	12	1.3
Rubella	0	0.0	1	0.1	0	0.0
CNS DISEASES AND BACTEREMIAS						
Encephalitis						
<i>West Nile Encephalitis (lab positive)</i>	2	0.2	0	0.0	0	0.0
<i>Non-West Nile Encephalitis</i>	3	0.3	10	1.1	2	0.2
Haemophilus Influenzae Type B	1	0.1	0	0.0	0	0.0
Listeriosis	7	0.8	3	0.3	12	1.3
Meningitis						
<i>Aseptic Meningitis</i>	23	2.5	39	4.2	16	1.7
<i>Meningococcal Diseases</i>	8	0.9	5	0.5	5	0.5
<i>Other Meningitis/Bacteremias</i> ⁴	76	8.2	57	6.2	42	4.5
Strep Pneumoniae						
<i>Invasive Strep Pneumoniae</i> ⁵	32	3.5	44	4.8	25	2.7
<i>Drug-Resistant Strep Pneumoniae</i>	16	1.7	21	2.3	28	3.0
ENTERIC INFECTIONS						
Amebiasis	27	2.9	24	2.6	17	1.8
Campylobacteriosis	116	12.6	83	9.0	139	15.1
Cryptosporidiosis	4	0.4	8	0.9	9	1.0
Cyclosporidiosis	3	0.3	3	0.3	2	0.2
Giardiasis	152	16.5	142	15.4	142	15.4
Salmonellosis	134	14.5	160	17.3	109	11.8
Shigellosis	42	4.5	18	1.9	26	2.8
STEC (E. Coli 0157) ⁶	20	2.2	14	1.5	51	5.5
Hemolytic Uremic Syndrome	3	0.3	0	0.0	2	0.2
Typhoid	1	0.1	2	0.2	5	0.5
Vibrio	0	0.0	3	0.3	2	0.2
Yersiniosis	0	0.0	1	0.1	1	0.1
VIRAL HEPATITIS						
Hepatitis A	26	2.8	35	3.8	33	3.6
Hepatitis B						
<i>Acute</i>	12	1.3	8	0.9	12	1.3
<i>Chronic</i> ⁷	11	1.2	0	0.0	0	0.0
<i>Infant Perinatal</i>	0	0.0	0	0.0	0	0.0
Hepatitis C						
<i>Acute</i>	2	0.2	0	0.0	1	0.1
<i>Chronic</i> ⁷	115	12.5	0	0.0	0	0.0
Other Hepatitis	1	0.1	0	0.0	0	0.0
SEXUALLY TRANSMITTED DISEASES						
Chlamydia	1,386	150.1	1,139	123.3	1,147	124.2
Gonorrhea	470	50.9	362	39.2	297	32.2
<i>PPNG</i> ⁸	1	0.1	0	0.0	1	0.1
Syphilis (All Stages) ⁹	92	10.0	66	7.1	45	4.9
<i>Early Syphilis</i> ¹⁰	16	1.7	13	1.4	12	1.3
Congenital Syphilis ¹¹	2	0.2	1	0.1	3	0.3
VECTOR-BORNE, ZOONOSES						
Babesiosis	4	0.4	3	0.3	2	0.2
Ehrlichiosis ³	53	5.7	50	5.4	34	3.7
Lyme Disease	340	36.8	455	49.3	229	24.8
Malaria	9	1.0	17	1.8	13	1.4
OTHERS						
Legionellosis	6	0.6	3	0.3	11	1.2
Toxic Shock Syndrome	1	0.1	0	0.0	0	0.0
Tuberculosis ³	63	6.8	59	6.4	64	6.9

¹ As of July 22, 2003.

² Per 100,000 population.

³ Includes probable cases.

⁴ Other Meningitis/Bacteremias include Invasive Group A, Group B Strep, Invasive H. Influenzae.

⁵ As of January 2000, Invasive Strep Pneumoniae includes Invasive Strep Pneumoniae (Sensitive), Bacteremia and Meningitis.

⁶ Shiga toxin producing E. Coli (STEC); may include non-0157 shiga toxin producing strains of E. Coli.

⁷ Chronic Hepatitis B and C became reportable in NYS in June 2002. Includes probable cases.

⁸ Penicillinase producing N. Gonorrhea. PPNG cases are included in Gonorrhea total

⁹ Total Syphilis cases do not include Congenital Syphilis.

¹⁰ Includes primary, secondary, and early latent Syphilis.

¹¹ Rates for Congenital Syphilis are per 100,000 live births.

Table 55. Reported Cases and Rates of Sexually Transmitted Diseases, Westchester County, 2002¹

Health Planning Region and Municipality	Chlamydia		Gonorrhea		Syphilis	
	Cases	Rate ²	Cases	Rate ²	Cases	Rate ²
Westchester County	1,386	150.1	470	50.9	92	10.0
Northwest	153	108.8	60	42.7	13	9.2
Briarcliff Manor	3	39.0	0	0.0	0	0.0
Buchanan	3	137.0	2	91.4	0	0.0
Cortlandt	11	38.4	4	14.0	1	3.5
Croton on Hudson	2	26.3	2	26.3	0	0.0
Mount Pleasant	34	130.0	15	57.4	7	26.8
Ossining (T)	2	36.3	0	0.0	0	0.0
Ossining (V)	30	124.9	9	37.5	1	4.2
Peekskill	52	231.7	21	93.6	1	4.5
Pleasantville	7	97.6	2	27.9	1	13.9
Sleepy Hollow	9	97.7	5	54.3	2	21.7
Northeast	88	66.0	30	22.5	7	5.2
Bedford	39	215.1	13	71.7	2	11.0
Lewisboro	6	48.7	1	8.1	0	0.0
Mount Kisco	13	130.2	4	40.1	0	0.0
New Castle	1	5.7	1	5.7	1	5.7
North Castle	8	73.7	1	9.2	0	0.0
North Salem	0	0.0	0	0.0	0	0.0
Pound Ridge	1	21.2	0	0.0	0	0.0
Somers	3	16.4	3	16.4	0	0.0
Yorktown	17	46.8	7	19.3	4	11.0
West Central	196	124.3	53	33.6	6	3.8
Ardsley	1	23.4	1	23.4	0	0.0
Dobbs Ferry	10	94.1	3	28.2	0	0.0
Elmsford	13	278.0	4	85.5	0	0.0
Greenburgh	48	114.8	11	26.3	4	9.6
Hastings on Hudson	8	104.6	0	0.0	0	0.0
Irvington	0	0.0	0	0.0	0	0.0
Scarsdale	4	22.4	0	0.0	0	0.0
Tarrytown	10	90.2	1	9.0	0	0.0
White Plains	102	192.2	33	62.2	2	3.8
East Central	65	58.1	24	21.4	12	10.7
Harrison	11	45.5	3	12.4	2	8.3
Larchmont	4	61.7	0	0.0	0	0.0
Mamaroneck (T)	2	18.0	1	9.0	0	0.0
Mamaroneck (V)	7	37.3	2	10.7	1	5.3
Port Chester	33	118.4	16	57.4	6	21.5
Rye	3	20.1	1	6.7	3	20.1
Rye Brook	5	58.1	1	11.6	0	0.0
Southwest	455	232.0	160	81.6	25	12.7
Yonkers	455	232.0	160	81.6	25	12.7
Southeast	422	229.7	143	77.8	28	15.2
Bronxville	0	0.0	1	15.3	0	0.0
Eastchester	7	37.7	1	5.4	1	5.4
Mount Vernon	299	437.3	114	166.7	19	27.8
New Rochelle	100	138.5	24	33.2	8	11.1
Pelham	5	78.1	1	15.6	0	0.0
Pelham Manor	1	18.3	1	18.3	0	0.0
Tuckahoe	10	161.0	1	16.1	0	0.0
Unknown	7	-	0	-	1	-

¹ As of July 22, 2003. All are confirmed cases.

² Per 100,000 population.

Source: Westchester Department of Health, Division of Disease Control.

Table 56. Reported Cases and Rates of Chlamydia by Age Group, Sex, and Race/Ethnicity, Westchester County, 2002¹

Sex and Race/Ethnicity	Total ²		<15		15-19		20-24		25-29		30-34		35-39		40+	
	Number	Rate ³	Number	Rate ³	Number	Rate ³	Number	Rate ³	Number	Rate ³	Number	Rate ³	Number	Rate ³	Number	Rate ³
Total	1,386	150.1	22	11.2	436	802.0	476	1013.6	219	400.1	119	173.1	54	67.7	55	13.0
Male	221	50.0	2	2.0	50	176.5	84	359.4	45	167.6	25	75.4	7	18.2	8	4.2
White	55	17.4	0	0.0	10	56.9	18	129.3	15	90.4	5	22.6	4	14.8	3	2.0
Black	108	183.1	2	12.4	30	570.3	45	1203.5	20	537.9	6	133.8	3	59.6	2	9.7
Other/Unknown	58	..	0	..	10	..	21	..	10	..	14	..	0	..	3	..
Hispanic ⁴	58	79.0	0	0.0	13	200.3	20	268.3	11	140.7	12	156.9	1	14.2	1	5.7
Female	1,165	241.8	20	21.0	386	1482.6	392	1661.8	174	624.0	94	264.1	47	113.8	47	20.3
White	296	86.3	5	7.9	95	586.7	105	752.3	44	257.5	23	99.6	12	42.8	12	6.6
Black	520	720.8	9	58.4	183	3706.7	182	4176.2	66	1402.2	38	639.0	18	264.2	23	76.7
Other/Unknown	349	..	6	..	108	..	105	..	64	..	33	..	17	..	12	..
Hispanic ⁴	303	428.5	4	21.8	93	1724.5	97	1561.5	62	932.8	24	340.3	11	164.9	11	54.0

¹ As of July 22, 2003. All are confirmed cases.

² Total includes cases with unknown information on age.

³ Per 100,000 population.

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: Westchester County Department of Health, Division of Disease Control.

Table 57. Reported Cases and Rates of Gonorrhea by Age Group, Sex, and Race/Ethnicity, Westchester County, 2002¹

Sex and Race/Ethnicity	Total ²		<15		15-19		20-24		25-29		30-34		35-39		40+	
	Number	Rate ³	Number	Rate ³	Number	Rate ³	Number	Rate ³	Number	Rate ³	Number	Rate ³	Number	Rate ³	Number	Rate ³
Total	470	50.9	7	3.6	122	224.4	133	283.2	78	142.5	53	77.1	34	42.6	41	9.7
Male	201	45.5	1	1.0	35	123.6	60	256.7	40	149.0	25	75.4	16	41.6	22	11.5
White	22	7.0	0	0.0	1	5.7	8	57.5	3	18.1	5	22.6	2	7.4	3	2.0
Black	137	232.3	1	6.2	22	418.3	36	962.8	31	833.8	14	312.2	13	258.2	18	87.5
Other/Unknown	42	..	0	..	12	..	16	..	6	..	6	..	1	..	1	..
Hispanic ⁴	19	25.9	0	0.0	8	123.3	5	67.1	3	38.4	2	26.2	0	0.0	1	5.7
Female	269	55.8	6	6.3	87	334.2	73	309.5	38	136.3	28	78.7	18	43.6	19	8.2
White	56	16.3	0	0.0	13	80.3	15	107.5	10	58.5	10	43.3	4	14.3	4	2.2
Black	153	212.1	5	32.4	59	1195.1	41	940.8	15	318.7	14	235.4	10	146.8	9	30.0
Other/Unknown	60	..	1	..	15	..	17	..	13	..	4	..	4	..	6	..
Hispanic ⁴	48	67.9	1	5.4	12	222.5	14	225.4	10	150.4	1	14.2	5	75.0	5	24.5

¹ As of July 22, 2003. All are confirmed cases.

² Total includes cases with unknown information on age.

³ Per 100,000 population.

⁴ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: Westchester County Department of Health, Division of Disease Control.

Table 58. Reported Cases and Rates of Tick-Borne Diseases, Westchester County, 2002¹

Health Planning Region and Municipality	Lyme Disease		Ehrlichiosis ²	
	Cases	Rate ³	Cases	Rate ³
Westchester County	340	36.8	53	5.7
Northwest	68	48.3	11	7.8
Briarcliff Manor	6	78.0	1	13.0
Buchanan	2	91.4	0	0.0
Cortlandt	13	45.3	3	10.5
Croton on Hudson	11	144.6	2	26.3
Mount Pleasant	11	42.1	3	11.5
Ossining (T)	2	36.3	0	0.0
Ossining (V)	8	33.3	0	0.0
Peekskill	8	35.6	0	0.0
Pleasantville	4	55.8	0	0.0
Sleepy Hollow	3	32.6	2	21.7
Northeast	170	127.5	34	25.5
Bedford	28	154.4	10	55.1
Lewisboro	20	162.3	3	24.3
Mount Kisco	10	100.2	0	0.0
New Castle	12	68.6	3	17.2
North Castle	16	147.5	0	0.0
North Salem	7	135.3	5	96.7
Pound Ridge	6	127.0	1	21.2
Somers	26	141.7	4	21.8
Yorktown	45	123.9	8	22.0
West Central	48	30.4	4	2.5
Ardsley	5	117.1	0	0.0
Dobbs Ferry	7	65.9	1	9.4
Elmsford	0	0.0	0	0.0
Greenburgh	4	9.6	2	4.8
Hastings on Hudson	3	39.2	0	0.0
Irvington	7	105.6	0	0.0
Scarsdale	7	39.3	0	0.0
Tarrytown	6	54.1	1	9.0
White Plains	9	17.0	0	0.0
East Central	21	18.8	0	0.0
Harrison	6	24.8	0	0.0
Larchmont	2	30.8	0	0.0
Mamaroneck (T)	5	44.9	0	0.0
Mamaroneck (V)	2	10.7	0	0.0
Port Chester	1	3.6	0	0.0
Rye	3	20.1	0	0.0
Rye Brook	2	23.3	0	0.0
Southwest	13	6.6	2	1.0
Yonkers	13	6.6	2	1.0
Southeast	20	10.9	1	0.5
Bronxville	1	15.3	0	0.0
Eastchester	4	21.5	0	0.0
Mount Vernon	2	2.9	0	0.0
New Rochelle	3	4.2	1	1.4
Pelham	1	15.6	0	0.0
Pelham Manor	0	0.0	0	0.0
Tuckahoe	1	16.1	0	0.0
Unknown	8	-	1	-

¹As of July 22, 2003.

²Includes probable cases.

³Per 100,000 population.

Source: Westchester County Department of Health, Division of Disease Control.

Table 59. Reported Cases and Rates of Lyme Disease by Age and Sex, Westchester County, 2002¹

Age	Total		Male		Female	
	Number	Rate ²	Number	Rate ²	Number	Rate ²
Total	340	36.8	196	40.7	144	32.6
0-9	49	37.1	29	44.9	20	29.6
10-19	45	38.1	34	59.8	11	18.0
20-29	16	15.7	11	21.4	5	10.0
30-39	43	28.9	23	29.9	20	27.9
40-49	67	46.1	35	46.4	32	45.7
50-59	50	45.4	26	44.5	24	46.4
60-69	33	45.6	18	45.4	15	45.8
70-79	27	45.6	17	49.5	10	40.1
80+	9	25.2	3	12.4	6	52.2
Unknown	1	-	0	-	1	-

¹ As of July 22, 2003. All are confirmed cases.

² Per 100,000 population.

Source: Westchester County Department of Health, Division of Disease Control.

Table 60. Reported Cases and Rates of Ehrlichiosis by Age and Sex, Westchester County, 2002¹

Age	Total		Male		Female	
	Number	Rate ²	Number	Rate ²	Number	Rate ²
Total	53	5.7	29	6.0	24	5.4
0-9	2	1.5	2	3.1	0	0.0
10-19	7	5.9	4	7.0	3	4.9
20-29	0	0.0	0	0.0	0	0.0
30-39	8	5.4	4	5.2	4	5.6
40-49	12	8.3	6	8.0	6	8.6
50-59	11	10.0	7	12.0	4	7.7
60-69	6	8.3	3	7.6	3	9.2
70-79	5	8.4	2	5.8	3	12.0
80+	2	5.6	1	4.1	1	8.7

¹ As of July 22, 2003. Includes probable cases.

² Per 100,000 population.

Source: Westchester County Department of Health, Division of Disease Control.

Table 61. Reported Cases And Rates of Major Enteric Infections, Westchester County, 2002¹

Health Planning Region and Municipality	Campylobacteriosis		Giardiasis		Salmonellosis	
	Cases	Rate ²	Cases	Rate ²	Cases	Rate ²
Westchester County	116	12.6	152	16.5	134	14.5
Northwest	17	12.1	23	16.4	18	12.8
Briarcliff Manor	2	26.0	5	65.0	0	0.0
Buchanan	0	0.0	2	91.4	0	0.0
Cortlandt	1	3.5	5	17.4	4	14.0
Croton on Hudson	0	0.0	0	0.0	0	0.0
Mount Pleasant	5	19.1	3	11.5	2	7.6
Ossining (T)	0	0.0	0	0.0	1	18.1
Ossining (V)	7	29.2	4	16.7	3	12.5
Peekskill	0	0.0	3	13.4	6	26.7
Pleasantville	1	13.9	0	0.0	0	0.0
Sleepy Hollow	1	10.9	1	10.9	2	21.7
Northeast	21	15.7	22	16.5	24	18.0
Bedford	6	33.1	6	33.1	2	11.0
Lewisboro	0	0.0	3	24.3	3	24.3
Mount Kisco	1	10.0	2	20.0	2	20.0
New Castle	1	5.7	3	17.2	5	28.6
North Castle	4	36.9	0	0.0	5	46.1
North Salem	1	19.3	2	38.7	0	0.0
Pound Ridge	2	42.3	1	21.2	0	0.0
Somers	3	16.4	2	10.9	1	5.5
Yorktown	3	8.3	3	8.3	6	16.5
West Central	32	20.3	34	21.6	12	7.6
Ardsley	2	46.8	1	23.4	1	23.4
Dobbs Ferry	2	18.8	0	0.0	0	0.0
Elmsford	2	42.8	1	21.4	0	0.0
Greenburgh	9	21.5	9	21.5	3	7.2
Hastings on Hudson	2	26.2	4	52.3	0	0.0
Irvington	1	15.1	0	0.0	0	0.0
Scarsdale	6	33.7	6	33.7	3	16.8
Tarrytown	0	0.0	1	9.0	1	9.0
White Plains	8	15.1	12	22.6	4	7.5
East Central	12	10.7	32	28.6	21	18.8
Harrison	2	8.3	5	20.7	4	16.6
Larchmont	0	0.0	2	30.8	2	30.8
Mamaroneck (T)	0	0.0	5	44.9	4	35.9
Mamaroneck (V)	4	21.3	3	16.0	3	16.0
Port Chester	3	10.8	5	17.9	5	17.9
Rye	2	13.4	12	80.2	0	0.0
Rye Brook	1	11.6	0	0.0	3	34.9
Southwest	19	9.7	19	9.7	36	18.4
Yonkers	19	9.7	19	9.7	36	18.4
Southeast	15	8.2	21	11.4	23	12.5
Bronxville	1	15.3	1	15.3	2	30.6
Eastchester	1	5.4	4	21.5	3	16.2
Mount Vernon	3	4.4	4	5.8	6	8.8
New Rochelle	9	12.5	9	12.5	8	11.1
Pelham	1	15.6	1	15.6	1	15.6
Pelham Manor	0	0.0	1	18.3	1	18.3
Tuckahoe	0	0.0	1	16.1	2	32.2
Unknown	0	-	1	-	0	-

¹ As of July 22, 2003. All are confirmed cases.

² Per 100,000 population.

Source: Westchester County Department of Health, Division of Disease Control.

Table 62. Number of Tuberculosis Cases and Contacts, Westchester County, 1996-2002

	2002	2001	2000	1999	1998	1997	1996
New Tuberculosis Cases ^{1,2}	63	59	64	50	64	109	73
Sex							
Males	30	41	41	32	31	49	39
Females	33	18	23	18	33	60	34
Race							
White	40	N/A	N/A	N/A	N/A	N/A	N/A
Black	9	N/A	N/A	N/A	N/A	N/A	N/A
Asian	14	N/A	N/A	N/A	N/A	N/A	N/A
Ethnicity							
Hispanic	30	N/A	N/A	N/A	N/A	N/A	N/A
Non-Hispanic	33	N/A	N/A	N/A	N/A	N/A	N/A
% Foreign Born ³	76	78	64	60	59	63	N/A
Site of Infection							
Pulmonary	53	N/A	N/A	N/A	N/A	N/A	N/A
Extra-Pulmonary-Only ⁴	10	N/A	N/A	N/A	N/A	N/A	N/A
Drug Resistant							
None	59	55	60	50	62	105	71
Single Drug Resistant	2	3	3	0	1	2	0
Multi-Drug Resistant	2	1	1	0	1	2	2
HIV Status							
Negative	35	N/A	N/A	N/A	N/A	N/A	N/A
Positive	6	N/A	N/A	N/A	N/A	N/A	N/A
Unknown	22	N/A	N/A	N/A	N/A	N/A	N/A
Active Cases ⁵	37	N/A	N/A	N/A	N/A	N/A	N/A
Contacts Identified ⁶	496	461	285	487	682	867	967
Incidence Rate ⁷	6.8	6.4	6.9	5.4	7.0	12.0	8.1

¹ As of November 19, 2003.

² Persons being treated with two or more drugs for Tuberculosis as of December 31st of year shown

³ Among the foreign born cases, 13 were from Ecuador, 7 from Peru, 6 from India, 5 from the Philippines, 3 from Guatemala, the others were from Albania, Barbados, Bolivia, Columbia, El Salvador, Guyana, Haiti, Jamaica, Korea, Mexico, Mozambique, Nepal, Pakistan, and South Africa.

⁴ Pulmonary cases may also have extra-pulmonary presentations. Extra-pulmonary-only cases have no pulmonary parenchymal involvement

⁵ Persons being monitored on December 31st of the year shown.

⁶ From the New York State Department of Health.

⁷ New cases per 100,000 population.

Source: Westchester County Department of Health, Division of Disease Control.

Table 63. AIDS Cases by Sex and Year of Diagnosis, Westchester County Residents, 1987-2001¹

Year of Diagnosis	Total	Number		Percent	
		Female	Male	Female	Male
Prior to 1987	290	38	252	13.1	86.9
1987	189	30	159	15.9	84.1
1988	214	42	172	19.6	80.4
1989	242	56	186	23.1	76.9
1990	269	59	210	21.9	78.1
1991	322	84	238	26.1	73.9
Subtotal	1,236	271	965	21.9	78.1
1992	426	112	314	26.3	73.7
1993	393	107	286	27.2	72.8
1994	400	132	268	33.0	67.0
1995	393	113	280	28.8	71.2
1996	336	105	231	31.3	68.8
Subtotal	1,948	569	1,379	29.2	70.8
1997	260	95	165	36.5	63.5
1998	249	91	158	36.5	63.5
1999	195	66	129	33.8	66.2
2000	169	58	111	34.3	65.7
2001	153	66	87	43.1	56.9
Subtotal	1,026	376	650	36.6	63.4
Total	4,500	1,254	3,246	27.9	72.1

¹Cases confirmed through December 31, 2001 as of November 2002. Data includes inmates cases and excludes cases under 13 years of age. County of residence is determined at time of diagnosis.

Source: New York State Department of Health, Bureau of HIV/AIDS Epidemiology.

Table 64. AIDS Cases by Race/Ethnicity and Year of Diagnosis, Westchester County Residents, 1987-2001¹

Year of Diagnosis	Number					Percent			
	Total	White, non-Hispanic	Black, non-Hispanic	Hispanic	Other/ Unknown	White, non-Hispanic	Black, non-Hispanic	Hispanic	Other/ Unknown
Prior to 1987	290	120	113	55	2	41.4	39.0	19.0	0.7
1987	189	89	73	26	1	47.1	38.6	13.8	0.5
1988	214	92	90	31	1	43.0	42.1	14.5	0.5
1989	242	91	120	31	0	37.6	49.6	12.8	0.0
1990	269	94	131	41	3	34.9	48.7	15.2	1.1
1991	322	108	157	56	1	33.5	48.8	17.4	0.3
Subtotal	1,236	474	571	185	6	38.3	46.2	15.0	0.5
1992	426	136	205	82	3	31.9	48.1	19.2	0.7
1993	393	121	194	76	2	30.8	49.4	19.3	0.5
1994	400	133	187	78	2	33.3	46.8	19.5	0.5
1995	393	116	179	97	1	29.5	45.5	24.7	0.3
1996	336	87	188	56	5	25.9	56.0	16.7	1.5
Subtotal	1,948	593	953	389	13	30.4	48.9	20.0	0.7
1997	260	56	140	63	1	21.5	53.8	24.2	0.4
1998	249	55	136	57	1	22.1	54.6	22.9	0.4
1999	195	35	123	35	2	17.9	63.1	17.9	1.0
2000	169	41	92	36	0	24.3	54.4	21.3	0.0
2001	153	24	97	32	0	15.7	63.4	20.9	0.0
Subtotal	1,026	211	588	223	4	20.6	57.3	21.7	0.4
Total	4,500	1,398	2,225	852	25	31.1	49.4	18.9	0.6

¹Cases confirmed through December 31, 2001 as of November 2002. Data includes inmates cases and excludes cases under 13 years of age. County of residence is determined at time of diagnosis.

Source: New York State Department of Health, Bureau of HIV/AIDS Epidemiology.

Table 65. AIDS Cases by Age and Year of Diagnosis, Westchester County Residents, 1987-2001¹

Year of Diagnosis	Total Number	Number					Percent				
		13-24	25-29	30-39	40-49	50+	13-24	25-29	30-39	40-49	50+
Prior to 1987	290	9	52	149	53	27	3.1	17.9	51.4	18.3	9.3
1987	189	5	32	85	43	24	2.6	16.9	45.0	22.8	12.7
1988	214	4	29	118	41	22	1.9	13.6	55.1	19.2	10.3
1989	242	9	24	112	75	22	3.7	9.9	46.3	31.0	9.1
1990	269	9	30	106	86	38	3.3	11.2	39.4	32.0	14.1
1991	322	15	27	140	103	37	4.7	8.4	43.5	32.0	11.5
Subtotal	1,236	42	142	561	348	143	3.4	11.5	45.4	28.2	11.6
1992	426	12	40	188	140	46	2.8	9.4	44.1	32.9	10.8
1993	393	9	35	172	140	37	2.3	8.9	43.8	35.6	9.4
1994	400	8	34	174	138	46	2.0	8.5	43.5	34.5	11.5
1995	393	10	31	148	156	48	2.5	7.9	37.7	39.7	12.2
1996	336	9	25	132	121	49	2.7	7.4	39.3	36.0	14.6
Subtotal	1,948	48	165	814	695	226	2.5	8.5	41.8	35.7	11.6
1997	260	6	17	103	104	30	2.3	6.5	39.6	40.0	11.5
1998	249	7	17	91	97	37	2.8	6.8	36.5	39.0	14.9
1999	195	9	13	71	66	36	4.6	6.7	36.4	33.8	18.5
2000	169	3	16	58	59	33	1.8	9.5	34.3	34.9	19.5
2001	153	8	6	69	46	24	5.2	3.9	45.1	30.1	15.7
Subtotal	1,026	33	69	392	372	160	3.2	6.7	38.2	36.3	15.6
Total	4,500	132	428	1,916	1,468	556	2.9	9.5	42.6	32.6	12.4

¹Cases confirmed through December 2001 as of November 2002. Data includes inmates cases and excludes cases under 13 years of age. County of residence is determined at time of diagnosis.
 Source: New York State Department of Health, Bureau of HIV/AIDS Epidemiology.

Table 66. AIDS Cases by Risk and Year of Diagnosis, Westchester County Residents, 1987-2001¹

Year of Diagnosis	Total Number	Number						Percent					
		MSM ²	IDU ³	MSM/ IDU	Heterosexual Contact	Blood Transfusion	Unknown	MSM ²	IDU ³	MSM/ IDU	Heterosexual Contact	Blood Transfusion	Unknown
Prior to 1987	290	96	158	17	8	3	8	33.1	54.5	5.9	2.8	1.0	2.8
1987	189	72	92	8	9	4	4	38.1	48.7	4.2	4.8	2.1	2.1
1988	214	61	121	8	10	8	6	28.5	56.5	3.7	4.7	3.7	2.8
1989	242	60	147	4	17	2	12	24.8	60.7	1.7	7.0	0.8	5.0
1990	269	70	138	10	30	4	17	26.0	51.3	3.7	11.2	1.5	6.3
1991	322	75	192	7	28	9	11	23.3	59.6	2.2	8.7	2.8	3.4
Subtotal	1,236	338	690	37	94	27	50	27.3	55.8	3.0	7.6	2.2	4.0
1992	426	90	255	19	33	7	22	21.1	59.9	4.5	7.7	1.6	5.2
1993	393	84	223	22	42	9	13	21.4	56.7	5.6	10.7	2.3	3.3
1994	400	78	231	11	63	3	14	19.5	57.8	2.8	15.8	0.8	3.5
1995	393	82	199	7	60	1	44	20.9	50.6	1.8	15.3	0.3	11.2
1996	336	58	150	12	72	0	44	17.3	44.6	3.6	21.4	0.0	13.1
Subtotal	1,948	392	1,058	71	270	20	137	20.1	54.3	3.6	13.9	1.0	7.0
1997	260	50	111	3	73	1	22	19.2	42.7	1.2	28.1	0.4	8.5
1998	249	43	118	8	64	0	16	17.3	47.4	3.2	25.7	0.0	6.4
1999	195	36	81	5	55	2	16	18.5	41.5	2.6	28.2	1.0	8.2
2000	169	31	61	9	49	1	18	18.3	36.1	5.3	29.0	0.6	10.7
2001	153	29	40	4	48	0	32	19.0	26.1	2.6	31.4	0.0	20.9
Subtotal	1,026	189	411	29	289	4	104	18.4	40.1	2.8	28.2	0.4	10.1
Total	4,500	1,015	2,317	154	661	54	299	22.6	51.5	3.4	14.7	1.2	6.6

¹Cases confirmed through December 31, 2002 as of November 2002. Data includes inmates cases and excludes cases under 13 years of age. County of residence is determined at time of diagnosis.

²MSM - men having sex with men.

³IDU - injecting drug use.

Source: New York State Department of Health, Bureau of HIV/AIDS Epidemiology.

Table 67. Childhood Lead Poisoning Prevention Program: Total Number of Tests Conducted, Test Results by Blood Lead Level, and Number of Initial Screen Tests, Westchester County, 2002

Health Planning Region and Municipality	Total Tests	Blood Lead Levels (BLL)					Initial Screen Tests
		<10	10-14	15-19	20+	UC ¹	
Westchester County	29,422	28,354	551	244	206	67	28,780
Northwest	3,416	3,291	68	21	24	12	3,343
Briarcliff Manor	187	184	2	0	1	0	185
Buchanan	32	31	1	0	0	0	32
Cortlandt	286	263	2	4	11	6	270
Croton on Hudson	169	166	2	1	0	0	168
Mount Pleasant	573	565	6	2	0	0	570
Ossining (T)	119	115	3	1	0	0	118
Ossining (V)	926	887	18	5	11	5	895
Peekskill	653	631	17	3	1	1	641
Pleasantville	136	126	6	4	0	0	130
Sleepy Hollow	335	323	11	1	0	0	334
Northeast	2,648	2,602	23	13	9	1	2,623
Bedford	356	351	1	2	2	0	352
Lewisboro	212	209	1	0	2	0	211
Mount Kisco	212	205	2	3	2	0	209
New Castle	402	395	4	2	1	0	396
North Castle	249	242	3	3	1	0	244
North Salem	90	90	0	0	0	0	90
Pound Ridge	95	92	1	2	0	0	91
Somers	386	385	1	0	0	0	386
Yorktown	646	633	10	1	1	1	644
West Central	4,414	4,261	60	35	38	20	4,305
Ardsey	82	80	1	0	0	1	79
Dobbs Ferry	214	211	3	0	0	0	212
Elmsford	167	162	5	0	0	0	167
Greenburgh	1,126	1,101	9	7	6	3	1,106
Hastings on Hudson	135	135	0	0	0	0	135
Irvington	170	165	3	1	1	0	168
Scarsdale	504	490	7	3	4	0	496
Tarrytown	351	328	12	7	4	0	336
White Plains	1,665	1,589	20	17	23	16	1,606
East Central	3,332	3,230	55	25	20	2	3,290
Harrison	562	547	6	3	6	0	554
Larchmont	305	288	10	4	3	0	300
Mamaroneck (T)	453	443	7	2	1	0	450
Mamaroneck (V)	433	422	7	3	1	0	430
Port Chester	1,009	967	21	11	8	2	988
Rye	357	350	4	2	1	0	355
Rye Brook	213	213	0	0	0	0	213
Southwest	6,619	6,313	162	69	63	12	6,401
Yonkers	6,619	6,313	162	69	63	12	6,401
Southeast	7,070	6,758	167	78	51	16	6,870
Bronxville	121	120	0	0	1	0	120
Eastchester	349	343	4	2	0	0	347
Mount Vernon	2,819	2,667	94	35	19	4	2,712
New Rochelle	3,175	3,048	53	34	28	12	3,101
Pelham	254	248	4	2	0	0	251
Pelham Manor	201	184	10	4	3	0	189
Tuckahoe	151	148	2	1	0	0	150
Unknown	1,923	1,899	16	3	1	4	1,918
Out of County	41	28	3	3	7	0	30

¹ Unable to classify; includes test results which were questionable, clotted, or the result of a lab accident.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 68. Childhood Lead Poisoning Prevention Program: Number of Children Tested, Number of Children with Multiple Tests, Number of Children with Lead Poisoning, and Number of Lead Registry Cases, Westchester County, 2002

Health Planning Region and Municipality	Number of Children			Lead Registry Cases		
	Tested	With Multiple Tests	With Lead Poisoning ¹ (≥15 ug/dL)	Total	New	Continuing
Westchester County	27,491	1,554	139	235	86	149
Northwest	3,187	183	11	14	5	9
Briarcliff Manor	177	10	0	0	0	0
Buchanan	29	2	0	0	0	0
Cortlandt	262	12	2	1	1	0
Croton on Hudson	161	8	0	0	0	0
Mount Pleasant	553	19	0	1	0	1
Ossining (T)	112	7	0	0	0	0
Ossining (V)	836	69	4	6	3	3
Peekskill	611	37	3	5	1	4
Pleasantville	125	5	2	1	0	1
Sleepy Hollow	321	14	0	0	0	0
Northeast	2,538	96	7	7	2	5
Bedford	339	14	1	1	0	1
Lewisboro	208	4	1	0	0	0
Mount Kisco	203	8	2	2	1	1
New Castle	384	14	1	1	0	1
North Castle	236	11	1	1	1	0
North Salem	88	2	0	0	0	0
Pound Ridge	88	5	1	2	0	2
Somers	372	14	0	0	0	0
Yorktown	620	24	0	0	0	0
West Central	4,135	208	19	31	16	15
Ardsley	76	5	0	1	0	1
Dobbs Ferry	205	9	0	2	0	2
Elmsford	157	9	0	0	0	0
Greenburgh	1,071	48	4	8	2	6
Hastings on Hudson	132	3	0	0	0	0
Irvington	161	7	0	0	0	0
Scarsdale	486	15	1	2	1	1
Tarrytown	315	26	4	4	3	1
White Plains	1,532	86	10	14	10	4
East Central	3,157	147	10	12	6	6
Harrison	534	22	1	1	1	0
Larchmont	288	15	1	1	1	0
Mamaroneck (T)	434	19	0	0	0	0
Mamaroneck (V)	416	15	0	0	0	0
Port Chester	933	58	8	9	4	5
Rye	345	12	0	1	0	1
Rye Brook	207	6	0	0	0	0
Southwest	6,116	372	39	74	20	54
Yonkers	6,116	372	39	74	20	54
Southeast	6,451	497	48	89	34	55
Bronxville	119	2	0	2	0	2
Eastchester	340	9	0	0	0	0
Mount Vernon	2,546	214	27	60	22	38
New Rochelle	2,878	245	16	22	9	13
Pelham	244	9	1	2	0	2
Pelham Manor	179	14	4	3	3	0
Tuckahoe	145	4	0	0	0	0
Unknown	1,877	44	0	1	0	1
Out of County	30	7	5	7	3	4

¹ Beginning in April of 2002, a child has lead poisoning if he/she has a blood lead level (bll) greater than or equal to 15ug/dL.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 69. Number of Patients Served at Westchester County Department of Health District Offices and Home Health Program by Age, Sex, and Race/Ethnicity, 2002

Demographics	District Office Clinics										Certified Home Health Program	
	Total ¹		New Rochelle		Rye Brook/ Port Chester		White Plains		Yonkers		N	%
	N	%	N	%	N	%	N	%	N	%		
Total	7,054	..	652	..	381	..	2,887	..	3,299	..	3,706	..
Age												
<5	122	1.7	9	1.4	8	2.1	47	1.6	62	1.9	908	24.5
5-9	447	6.3	34	5.2	42	11.0	130	4.5	251	7.6	100	2.7
10-14	529	7.5	34	5.2	50	13.1	152	5.3	301	9.1	59	1.6
15 - 19	762	10.8	45	6.9	49	12.9	237	8.2	444	13.5	127	3.4
20 - 34	3,322	47.1	250	38.3	118	31.0	1,497	51.9	1,528	46.3	423	11.4
35 - 44	1,193	16.9	112	17.2	56	14.7	573	19.8	487	14.8	241	6.5
45 - 64	624	8.8	160	24.5	51	13.4	231	8.0	201	6.1	460	12.4
65+	55	0.8	8	1.2	7	1.8	20	0.7	25	0.8	1,388	37.5
Sex												
Female	4,729	67.0	356	54.6	220	57.7	1,959	67.9	2,302	69.8	2,560	69.1
Male	2,325	33.0	296	45.4	161	42.3	928	32.1	997	30.2	1,146	30.9
Race												
White - Non Hispanic	621	8.8	73	11.2	9	2.4	338	11.7	210	6.4	1,155	31.2
Black - Non Hispanic	1,463	20.7	238	36.5	10	2.6	425	14.7	822	24.9	970	26.2
White - Hispanic	4,059	57.5	272	41.7	341	89.5	1,954	67.7	1,603	48.6	913	24.6
Black - Hispanic	416	5.9	2	0.3	2	0.5	8	0.3	407	12.3	45	1.2
Asian	188	2.7	9	1.4	5	1.3	91	3.2	85	2.6	140	3.8
American Indian/Alaskan Native	11	0.2	0	0.0	0	0.0	6	0.2	5	0.2	13	0.4
Pacific Islander	4	0.1	0	0.0	1	0.3	0	0.0	3	0.1	3	0.1
Other	292	4.1	58	8.9	13	3.4	65	2.3	164	5.0	467	12.6

¹ Total represents unduplicated patients. Excludes patients receiving influenza and pneumococcal vaccines administered at Westchester County Department of Health influenza and special epidemic clinics.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 70. Number of Patients Served and Number of Visits by District Office, Westchester County, 2002

Clinic/Program	Total	District Office			
		New Rochelle	Rye Brook/Port Chester	White Plains	Yonkers
Total					
Patients ¹	7,054	652	381	2,887	3,299
Patient Visits ²	20,690	1,556	1,636	8,254	9,134
Dental ³					
Patients	734	N/A	N/A	172	564
Visits	1,639	N/A	N/A	320	1,319
Family Planning					
Patients	2,412	N/A	N/A	1,136	1,290
Visits	6,203	N/A	N/A	2,873	3,330
Immunization					
Patients	521	99	N/A	148	275
Visits	631	128	N/A	180	323
Sexually Transmitted Diseases					
Patients	1,691	214	N/A	644	859
Visits	3,133	369	N/A	1,005	1,649
Tuberculosis					
Patients	1,948	231	377	886	553
Visits	8,385	891	1,609	3,634	2,251
Cancer Screening					
Patients	250	109	N/A	75	66
Visits	266	114	N/A	81	71
Social Work					
Patients	227	36	24	52	115
Visits	246	43	27	53	123
HIV Counseling & Testing Only ⁴					
Patients	136	8	N/A	75	53
Visits	187	11	N/A	108	68
HIV Counseling & Testing visits within Family Planning, TB, STD etc. ^{4,5}					
Visits	2,962	100	26	1,392	1,444
Influenza⁶					
Flu Vaccines Administered	6,621	N/A	N/A	N/A	N/A
Pneumococcal Vaccines Administered	565	N/A	N/A	N/A	N/A

¹ Total represents unduplicated cases. Patients may visit one or more clinic programs during the year.

² The number of times (encounters) in which patients received services at a clinic.

³ Includes visits to dentists and/or dental hygienists.

⁴ Includes confidential counseling & testing; excludes anonymous counseling & testing.

⁵ HIV Counseling & Testing conducted as part of a visit to Family Planning, Tuberculosis, and Sexually Transmitted Diseases Programs. Not included in "Total Visits" above.

⁶ Not included in Totals because the influenza clinics are offered at sites throughout the county.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 71. Number of Patients and Visits to Dental Clinics by Patient Age Group and District Office, Westchester County, 2002

Patients and Visits by Age Group (<i>years</i>)	Total	District Office			
		New Rochelle	Rye Brook/ Port Chester	White Plains	Yonkers
Total Patients¹	734	N/A	N/A	172	564
<5	55	N/A	N/A	19	36
5 - 9	234	N/A	N/A	68	167
10 - 14	265	N/A	N/A	66	199
15+	180	N/A	N/A	19	162
Total Visits	1,639	N/A	N/A	320	1,319
<5	102	N/A	N/A	31	71
5 - 9	533	N/A	N/A	138	395
10 - 14	597	N/A	N/A	115	482
15+	407	N/A	N/A	36	371
Visits per Patient	2.2	N/A	N/A	1.9	2.3
<5	1.9	N/A	N/A	1.6	2.0
5 - 9	2.3	N/A	N/A	2.0	2.4
10 - 14	2.3	N/A	N/A	1.7	2.4
15+	2.3	N/A	N/A	1.9	2.3

¹Total unduplicated cases.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 72. Number of Patients and Visits to Family Planning Clinics by Patient Age Group and District Office, Westchester County, 2002

Patients and Visits by Age Group (<i>years</i>)	Total	District Office			
		New Rochelle	Rye Brook/ Port Chester	White Plains	Yonkers
Total Patients¹	2,412	N/A	N/A	1,136	1,290
<15	5	N/A	N/A	2	3
15 - 19	137	N/A	N/A	39	99
20 - 44	2,216	N/A	N/A	1,060	1,169
45+	54	N/A	N/A	35	19
Total Visits	6,203	N/A	N/A	2,873	3,330
<15	6	N/A	N/A	3	3
15 - 19	317	N/A	N/A	91	226
20 - 44	5,781	N/A	N/A	2,716	3,065
45+	99	N/A	N/A	63	36
Visits per Patient	2.6	N/A	N/A	2.5	2.6
<15	1.2	N/A	N/A	1.5	1.0
15 - 19	2.3	N/A	N/A	2.3	2.3
20 - 44	2.6	N/A	N/A	2.6	2.6
45+	1.8	N/A	N/A	1.8	1.9

¹Total unduplicated cases.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 73. Number of Patients and Visits to Sexually Transmitted Disease Clinics by Patient Age Group and District Office, Westchester County, 2002

Patients and Visits by Age Group (<i>years</i>)	Total	District Office			
		New Rochelle	Rye Brook/ Port Chester	White Plains	Yonkers
Total Patients¹	1,691	214	N/A	644	859
<15	10	-	N/A	2	8
15 - 19	210	18	N/A	75	121
20 - 44	1,342	174	N/A	515	673
45+	129	22	N/A	52	57
Total Visits	3,133	369	N/A	1,005	1,649
<15	13	-	N/A	3	10
15 - 19	365	35	N/A	25	205
20 - 44	2,491	292	N/A	876	1,313
45+	264	42	N/A	101	121
Visits per Patient	1.9	1.7	N/A	1.6	1.9
<15	1.3	-	N/A	1.5	1.3
15 - 19	1.7	1.9	N/A	0.3	1.7
20 - 44	1.9	1.7	N/A	1.7	2.0
45+	2.0	1.9	N/A	1.9	2.1

¹Total unduplicated cases.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 74. Number of Patients and Visits to Tuberculosis Clinics by Patient Age Group and District Office, Westchester County, 2002

Patients and Visits by Age Group (<i>years</i>)	Total	District Office			
		New Rochelle	Rye Brook/ Port Chester	White Plains	Yonkers
Total Patients¹	1,948	231	377	886	553
<10	181	26	49	69	49
10-14	153	19	50	54	38
15 - 19	184	9	48	82	50
20 - 44	1,149	133	172	580	320
45+	281	44	58	101	96
Total Visits	8,385	891	1,609	3,634	2,251
<10	856	124	239	293	200
10-14	711	84	239	239	149
15 - 19	796	53	208	303	232
20 - 44	4,829	462	717	2,390	1,260
45+	1,193	168	206	409	410
Visits per Patient	4.3	3.9	4.3	4.1	4.1
<10	4.7	4.8	4.9	4.2	4.1
10-14	4.6	4.4	4.8	4.4	3.9
15 - 19	4.3	5.9	4.3	3.7	4.6
20 - 44	4.2	3.5	4.2	4.1	3.9
45+	4.2	3.8	3.6	4.0	4.3

¹Total unduplicated cases.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 75. Number of Home Health Visits by Discipline and District Office, Westchester County, 2002

Discipline	Total	District Office			
		New Rochelle	Rye Brook/ Port Chester	White Plains	Yonkers
Total	15,854	89	3,970	5,029	6,766
Community Health Worker	1,429	0	83	101	1,245
Health Investigator	2,082	0	861	1,216	5
Home Health Aide	378	0	0	10	368
Medical Social Worker	284	1	77	28	178
Physical Therapy	173	0	3	97	73
Public Health Nursing	11,508	88	2,946	3,577	4,897
DSS-Personal Care Aide Program¹	5,547	N/A	N/A	N/A	N/A

¹DSS-Personal Care Aide visits are assigned by the Department of Social Services.

Source: Westchester County Department of Health, Division of Community Health Services.

Table 76. Number of Vaccines Administered at District Offices and Influenza/Special Epidemic Clinics, Westchester County, 2002

Vaccines Administered	All Sites
Total	8,259
Administered at District Offices	2,590
Hepatitis B	1,730
Measles, Mumps and Rubella	497
Polio	154
Tetanus Diphtheria, Adult	120
Diphtheria, Tetanus, Acellular Pertussis	43
Varicella	34
Haemophilus Influenza B	9
Diphtheria and Tetanus	2
Pneumococcal Vaccine for Children	1
Administered at Influenza and Special Epidemic Clinics	5,669
Influenza	5,290
Pneumococcal	379

Source: Westchester County Department of Health, Division of Community Health Services.

Table 77. Number of Animals Confirmed Rabid, Westchester County, 1996-2002¹

Health Planning Region and Municipality	Total	2002	2001	2000	1999	1998	1997	1996
Westchester County	635	38	71	48	31	47	48	42
Northwest	153	10	13	12	7	9	13	10
Briarcliff Manor	19	1	0	1	0	2	2	0
Buchanan	2	0	0	0	1	0	0	0
Cortlandt	54	4	5	4	0	4	4	2
Croton on Hudson	9	1	1	1	2	0	1	0
Mount Pleasant	20	0	4	2	1	1	1	2
Ossining (T)	7	0	1	1	0	0	0	2
Ossining (V)	15	1	1	0	3	0	0	0
Peekskill	18	1	0	3	0	1	2	4
Pleasantville	5	2	0	0	0	0	3	0
Sleepy Hollow	4	0	1	0	0	1	0	0
Northeast	271	14	29	18	10	14	25	21
Bedford	49	4	7	2	2	1	6	2
Lewisboro	25	0	1	1	1	2	5	2
Mount Kisco	11	2	1	1	0	1	1	3
New Castle	34	2	2	3	4	0	1	4
North Castle	23	2	8	1	0	1	3	1
North Salem	14	0	2	1	0	1	2	0
Pound Ridge	18	1	2	2	0	2	0	0
Somers	38	3	2	4	1	0	4	3
Yorktown	59	0	4	3	2	6	3	6
West Central	74	3	12	8	2	4	6	6
Ardsley	3	1	0	0	0	0	1	1
Dobbs Ferry	2	0	0	0	0	0	0	0
Elmsford	3	0	1	1	0	0	0	0
Greenburgh	19	0	4	2	0	0	1	3
Hastings on Hudson	3	0	0	1	0	0	0	0
Irvington	9	0	2	0	1	1	0	0
Scarsdale	9	0	4	1	0	0	1	0
Tarrytown	3	1	0	0	0	1	0	0
White Plains	23	1	1	3	1	2	3	2
East Central	66	8	8	3	9	4	2	3
Harrison	22	1	5	1	4	1	1	1
Larchmont	2	0	0	0	0	1	0	0
Mamaroneck (T)	7	0	1	2	0	0	0	0
Mamaroneck (V)	9	3	1	0	0	0	1	0
Port Chester	2	0	0	0	0	0	0	1
Rye	19	4	1	0	3	1	0	1
Rye Brook	5	0	0	0	2	1	0	0
Southwest	40	2	8	3	2	13	1	0
Yonkers	40	2	8	3	2	13	1	0
Southeast	29	1	1	4	1	3	0	1
Bronxville	6	1	0	2	0	1	0	0
Eastchester	4	0	0	1	1	0	0	0

Table 78. Number of Animals Confirmed Rabid by Type of Animal and Rabies Post-Exposure Treatment Administered, Westchester County, 1996-2002¹

Type of Animal	Total		Number of Animals Confirmed Rabid						
	Number	Percent	2002	2001	2000	1999	1998	1997	1996
Rabid Animals	635	100.0	38	71	48	31	47	48	42
Raccoon	350	55.1	16	34	24	10	19	28	18
Skunk	176	27.7	15	23	14	4	20	13	14
Bat	68	10.7	5	10	7	15	7	4	8
Cat	22	3.5	0	2	2	2	1	2	0
Fox	7	1.1	1	2	0	0	0	0	0
Woodchuck	5	0.8	1	0	0	0	0	1	1
Dog	2	0.3	0	0	0	0	0	0	1
Horse	2	0.3	0	0	0	0	0	0	0
Lamb	1	0.2	0	0	0	0	0	0	0
Opossum	1	0.2	0	0	1	0	0	0	0
Pig	1	0.2	0	0	0	0	0	0	0
Rabies Post-Exposure Treatment Administered	4,762	..	356	473	433	496	476	714	494

¹ Animals are confirmed rabid after brain tissue samples have been tested by the Wadsworth Laboratory of the New York State Department of Health. The first case of the raccoon strain of rabies was reported in March 1991, confirmed in April 1991, and the raccoon strain has since become endemic in Westchester County. This table also includes bats infected with the bat strain of rabies, which has occurred in Westchester County for decades.

Source: Westchester County Department of Health, Divisions of Environmental Health (2002) and Disease Control (1996-2002).

Table 79. West Nile Virus - Dead Bird and Mosquito Surveillance, Westchester County, 2002

	Total	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Birds Submitted to the State for Viral Testing													
Submitted for Viral Testing	216	1	1	3	13	16	13	66	45	44	12	0	2
<i>Crows</i>	114	1	1	2	3	1	4	30	33	33	5	0	1
<i>Non-Crows</i>	102	0	0	1	10	15	9	36	12	11	7	0	1
WNV Tested	171	1	1	3	12	15	12	45	37	31	12	0	2
<i>Crows</i>	92	1	1	2	3	0	4	21	27	27	5	0	1
<i>Non-Crows</i>	79	0	0	1	9	15	8	24	10	4	7	0	1
With Positive Results	67	0	0	0	0	0	0	10	28	26	3	0	0
<i>Crows</i>	62	0	0	0	0	0	0	10	24	25	3	0	0
<i>Non-Crows</i>	5	0	0	0	0	0	0	0	4	1	0	0	0
Mosquitoes Submitted to the State for Viral Testing ¹													
Mosquito Batches Submitted	742	0	0	0	0	25	178	176	165	151	47	0	0
With Positive Results	45	0	0	0	0	0	0	0	31	14	0	0	0
<i>Aedes</i>	1	0	0	0	0	0	0	0	0	1	0	0	0
<i>Culex</i>	44	0	0	0	0	0	0	0	31	13	0	0	0
Mosquitoes Submitted	16,406	0	0	0	0	724	4,368	3,819	3,626	3,082	787	0	0
<i>Aedes</i>	3,266	0	0	0	0	209	1,032	194	347	1,216	268	0	0
<i>Anopheles</i>	124	0	0	0	0	0	10	11	103	0	0	0	0
<i>Coquillettidia</i>	839	0	0	0	0	0	81	540	218	0	0	0	0
<i>Culex</i>	7,813	0	0	0	0	128	1,284	2,632	2,732	798	239	0	0
<i>Ochlerotatus</i>	3,937	0	0	0	0	387	1,961	442	226	810	111	0	0
<i>Psorophora</i>	427	0	0	0	0	0	0	0	0	258	169	0	0

¹The New York State Department of Health required that each mosquito batch contain at least 10 mosquitoes of the same species but no more than 50. Mosquitoes trapped in a specific trap night were pooled and sent to the state if there are more than 10 of the same species. If there were less than 10 in the trap, the mosquitoes were stored locally. The stored mosquitoes might be pooled together with some mosquitoes of the same species trapped in the next consecutive week and sent to the state.

Source: Westchester County Department of Health, Divisions of Environmental Health and Disease Control.

Table 80. Public Health Protection and Environmental Quality: Number of Inspection Related Activities, 2002

Program	Inspection Related Activities¹
Total	40,915
Air Quality	1,069
Air Quality Complaint Investigation / Enforcement	434
Industrial Facilities	377
Sampling	234
Fuel Burning Equipment, Motor Vehicles, etc.	24
Water	4,832
Water Supply	2,336
Community Water Supply	1,430
Non-Community Water Supply	895
Other ²	11
Water Quality	2,274
Investigation on Water Quality Complaints, Identification of Polluters, etc.	1,538
Waste Water Treatment Facilities, Sewage System	604
Water Quality Surveillance on Bathing Beaches	107
Other ³	25
Watershed	222
Food	13,679
Food Service Establishments with Indoor Seats	12,250
Food for the Aged and Day Care	302
Other Food Service Establishments ⁴	1,073
Foodborne Illness	54
Housing	5,229
Housing ⁵	147
Lead Poisoning Investigation and Lead Inspection ⁶	2,414
Healthy Neighborhoods Programs ⁶	2,111
Injury Control	557
Temporary Residences	871
Hotel, Motel, Rooming House	170
Children's Camps	680
Other Temporary Residences ⁷	21
Land Development	559
Additions, Pools and Decks	1
Individual Sewage Disposal Systems	513
Realty Subdivisions	45
Swimming Pools and Beaches	1,279
Swimming Pools, Spas, etc.	1,033
Beaches	246

(continued)

Table 80. Public Health Protection and Environmental Quality: Number of Inspection Related Activities, 2002 *(continued)*

Program	Inspection Related Activities¹
Solid Waste	361
Hazardous Waste, Toxic Substance, and Petroleum Bulk Storage (PBS)	2,584
PBS General	318
PBS Facilities and Tanks	1,146
Hazardous Waste	125
Toxic Substance Assessment	995
Radiological	641
X-Ray Facilities	463
Other Radiological ⁸	178
Miscellaneous	9,805
Animal Control	2,281
Mosquito Control	1,969
Animal Facilities	287
Other ⁹	25
Tobacco Control	6,858
Adolescent Tobacco Use Prevention (ATUPA)	3,543
Tobacco Control	2,747
Clean In-Door Air (In-Door Smoking Restriction)	568
Other	672
Nuisance and Service Request	637
Other ¹⁰	35

¹ Including regular and follow up inspections and investigations, sampling visits, and conferences with clients.

² Including individual water supply, bottled and bulk water.

³ Including water quality management plans and waste water treatment plant operator qualification.

⁴ Including caterer, commissary, mobile unit, vending machine, bakeries, frozen desserts, deli, etc.

⁵ Including heat, insect pest, rodent control, and housing structure.

⁶ Including field activities by Community Health Services' Lead Poisoning Prevention and Healthy Neighborhoods Programs.

⁷ Including mobile home, trailer home, migrant labor house, campgrounds, campsites.

⁸ Including nuclear facility, radiological emergency.

⁹ Including animal bites, Lyme disease investigation, and pesticides.

¹⁰ Including emergency sanitation, and asbestos, and inspections to institutions licensed by New York State.

Source: Westchester County Department of Health, Division of Environmental Health.

Table 81. Public Health Complaints Received and Investigated by Program, 2002

Program	Total	Resolved and Closed	Under Investigation	Referred to Other Agencies	Invalid
Total	5,690	4,768	125	770	27
Air Quality	125	122	0	3	0
Water	715	683	4	27	1
Water Quality	168	157	2	8	1
Sewage Systems	522	501	2	19	0
Streams, Ponds, Rivers, etc.	25	25	0	0	0
Food	674	484	30	153	7
Foodborne Illness	79	65	5	8	1
Other	595	419	25	145	6
Housing	407	237	10	156	4
Heat	164	120	3	39	2
Housing ¹	243	117	7	117	2
Temporary Residences	18	10	3	5	0
Land Development	3	3	0	0	0
Swimming Pools and Beaches	37	32	2	3	0
Solid Waste	84	54	1	29	0
Hazardous Waste, Toxic Substance, Petroleum Spills	2,227	2,205	7	14	1
Hazardous Waste	264	263	0	1	0
Toxic Hazardous Materials	366	351	3	12	0
Gasoline/Oil Spills	1,597	1,591	4	1	1
Miscellaneous	1,400	938	68	380	14
Animal Control	877	556	51	263	7
Mosquitoes	164	136	26	2	0
Other ¹	713	420	25	261	7
Tobacco Control	148	132	4	11	1
Adolescent Tobacco Use Prevention (ATUPA)	6	4	1	1	0
Smoking	73	62	3	7	1
Clean In-Door Air	69	66	0	3	0
Other	375	250	13	106	6
Nuisance	222	114	9	96	3
Other ²	153	136	4	10	3

¹ Including animal bites, pesticides, and non-bite related.

² Including cleanliness, fire safety, health concern and non-foodborne illness, and information request.

Source: Westchester County Department of Health, Bureau of Complaint.

Table 82. Public Health Protection: Facility Permits Issued, Westchester County, 2002

Program	Number of Permits Issued
Total	6,021
Food Sanitation	4,880
Bakeries	108
Caterers	107
Commissaries	65
Delicatessens	324
Eating Places	2,830
Food Vending Machine Operations	20
Frozen Dessert Manufacturers	462
Ice Manufacturers	2
Meals on Wheels Programs	12
Mobile Food Units	255
Public Functions	11
Schools	325
Temporary Food Permits	359
General Environmental	963
Children's Summer Camps	256
Hotels/Motels/Rooming Houses	56
Migrant Labor Camps	1
Mobile Home Park	3
Bathing Beaches	44
Swimming Pools	603
Animal Facilities	178
Breeders	5
Grooming Parlors	48
Kennels	22
Pet Shops	30
Shelters	12
Stables	30
Temporary Animal Facilities	21
Trainers	4
Wholesalers	6

Source: Westchester County Department of Health, Division of Environmental Health.

Table 83. Services For Children With Special Needs: Number of Children Served, Westchester County Department of Health, 2002

Program	Time Frame
Physically Handicapped Children's Program (PHCP)	2002 Calendar Year
Total - All Services	586
Preschool Educational Advocacy Program, 3-5 Years	2002-2003 School Year
Total Served	3,525
Early Intervention Program, 0-2 Years	2002-2003 School Year
Total Served	6,200

Source: Westchester County Department of Health, Services for Children with Special Needs.

Table 84. Child Health Plus Enrollment and Adult Family Health Plus/Medicaid Enrollment, Westchester County, January 2001 - September 2003

Time Frame	Child Health Plus A¹	Child Health Plus B	Total Enrolled
January - September, 2003	786	781	1,567
January - December, 2002	1,006	969	1,975
January - December, 2001	766	1,034	1,800
	Family Health Plus	Medicaid	Total Enrolled
January - September, 2003	342	141	483
January - December, 2002	499	152	651

¹ This program was formerly referred to as Medicaid. The data only represent enrollments through the Westchester County Department of Health's facilitated enrollment program.

Source: New York State Department of Health.

Appendices

Appendix 1. Data Sources and Definitions

A. 2000 Census

The information used in many of the tables contained in the Annual Data Book 2001 is based on the data collected by the US Census Bureau in 2000. Information is extracted for the Census Summary File 1 (SF 1) and the Census Summary File 3 (SF 3).

Summary File 1 presents basic demographic information collected from all people and housing units (100% characteristics, short form). This information includes age, sex, race, Hispanic or Latino origin, household relationship, and whether the residence is owned or rented and vacancy characteristics.

Summary File 3 (SF 3) includes information collected on a sample basis (long form), which covers 34 subjects with additional information on social, economic, and housing characteristics. Summary File 3 presents information on marital status, place of birth, citizenship and year of entry into the U.S., school enrollment and educational attainment, ancestry, migration, language spoken at home and ability to speak English, veteran status, disability, grandparents as caregivers, labor force status, place of work and journey to work, occupation, industry, and class of worker, work status in 1999 and income in 1999. Summary File 3 also includes information on housing and residence, vehicles, telephone, utilities, mortgage, taxes, insurance, and fuel, etc. The rate of sampling varied from 1 in 2 households in sparsely populated areas, to 1 in eight for more densely populated areas. The overall sampling rate is 1 in 6 households, or 17%. It is generally called the five percent sampling file.

There are six tables using information based on the 2000 census for Westchester County. These tables contain the county's demographic information such as age, sex, and race/ethnicity distributions and educational attainments. In addition, the tables provide information on the county's household and family structures by race/ethnicity, family income and poverty status, as well as the time when the residential housing units were built.

Total population from the 2000 Census is used for calculation of relevant rates in this report.

Race

The data on race were derived from answers on the question on race that was asked of all people in the 2000 census. The concept of race, as is used by the US Census Bureau, reflects self-identification by people according to the race or races with which they most closely identify. The categories of race are considered to be socio-political and should not be interpreted as scientific or anthropological in nature.

- *White*: A person having origins in any of the original peoples of Europe, the Middle East, or North Africa. It includes people who indicate their race as "White" or report entries such as Irish, German, Italian, Lebanese, Near Easterner, Arab, or Polish.
- *Black or African American*: A person having origins in any of the Black racial groups of Africa. It includes people who indicate their race as "Black, African American, or Negro," or provide written entries such as African American, Afro. American, Kenyan, Nigerian, or Haitian.
- *American Indian or Alaska Native*: A person having origins in any of the original peoples of North or South America (including Central America) and who maintain tribal affiliation or community attachment.
- *Asian*: A person having origins in any of the original peoples of the Far East, Southeast Asia, or the Indian subcontinent, for example Cambodia, China, India, Japan, Korea, Malaysia, Pakistan, the Philippine Islands, Thailand, and Vietnam.
- *Native Hawaiian or Other Pacific Islander*: A person having origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands. It includes people who indicate their race as "Native Hawaiian," "Guamanian or Chamorro," "Samoan," and "Other Pacific Islander."

- *Other Race*: Includes all other responses not included in the “White,” “Black or African American,” “American Indian or Alaska Native,” “Asian,” and “Native Hawaiian or Other Pacific Islander” race categories described above. Respondents providing write-in entries such as multiracial, mixed, interracial, or a Hispanic/Latino group (for example, Mexican, Puerto Rican, or Cuban) in the “Some other race” write-in space are included in this category.
- *Hispanic or Latino*: The data on the Hispanic or Latino population were derived from answers to a question on the 2000 census that was asked of all people. The terms “Spanish,” “Hispanic origin,” and “Latino” are used interchangeably. Some respondents identified with all three terms while others identify with only one of these three specific terms. Origin can be viewed as the heritage, nationality group, lineage, or country of birth of the person or the person’s parents or ancestors before their arrival in the United States. People who identify their origin as Spanish, Hispanic, or Latino may be of any race.
- *Two or More Races*: People may have chosen to provide two or more races either by checking two or more race response check boxes, by providing multiple write-in responses, or by some combination of check boxes and write-in responses. The race response categories shown on the questionnaire are collapsed into the five minimum race groups identified by the Office of management and Budget (OMB), and the Census Bureau “Some other race” category. For data product purposes, “Two or more races” refers to combinations of two or more of the following race categories:
 1. White
 2. Black or African American
 3. American Indian or Alaska Native
 4. Asian
 5. Native Hawaiian or Other Pacific Islander
 6. Some other race

Educational Attainment

Refers to the highest level of education completed in terms of the highest degree or the highest level of schooling completed.

Family Structure

- *Household*: A household consists of all the people who occupy a housing unit. A house, an apartment or other group of rooms, or a single room, is regarded as a housing unit when it is occupied or intended for occupancy as separate living quarters; that is, when the occupants do not live and eat with any other persons in the structure and there is direct access from the outside or through a common hall.
- *Family Household*: A group of people living in a household who are related to the householder by birth, marriage, or adoption.
- *Non-Family Household*: A nonfamily household consists of a householder living alone (a one-person household) or where the householder shares the home exclusively with people to whom he/she is not related.
- *Family*: A household whose members are related by birth, marriage or adoption. Family households may also include unrelated individuals.
- *Married-Couple Family*: A family consisting of two legally married people, with or without own children under 18.
- *Single Mother Family or Single Father Family*: A family household consisting of one parent, no spouse, and own children under 18. Other adults may share the household as well.

- *Related children:* Includes all people in a household under the age of 18, regardless of marital status, who are related to the householder. Does not include householder's spouse or foster children, regardless of age.

Income and Poverty

- *Total income:* The sum of the amounts reported separately for wages, salary, commissions, bonuses, or tips; self-employment income from own non-farm or farm businesses, including proprietorships and partnerships; interest, dividends, net rental income, royalty income, or income from estates and trusts; Social Security or Railroad Retirement income; Supplemental Security Income (SSI); any public assistance or welfare payments from the state or local welfare office; retirement, survivor, or disability pensions; and any other sources of income received regularly such as Veterans' (VA) payments, unemployment compensation, child support, or alimony.
- *Poverty:* Following the Office of Management and Budget's (OMB's) Directive 14, the Census Bureau uses a set of money income thresholds that vary by family size and composition to detect who is poor. If the total income for a family or unrelated individual falls below the relevant poverty threshold, then the family or unrelated individual is classified as being "below the poverty level."

Housing unit

A house, an apartment, a mobile home or trailer, a group of rooms, or a single room occupied as separate living quarters, or if vacant, intended for occupancy as separate living quarters. Separate living quarters are those in which the occupants live separately from any other individuals in the building and which have direct access from outside the building or through a common hall. For vacant units, the criteria of separateness and direct access are applied to the intended occupants whenever possible.

B. Vital Statistics

The vital statistics presented in this report are based on the certificate records of live births, deaths, and fetal deaths of Westchester County residents in the United States or Canada. The source of this information is the New York State Department of Health (preliminary data as of April 14, 2003).

- *Race:* The data on race were derived from the racial definitions in the US Census Bureau. Definitions for “White”, “Black” and “Hispanic” racial or ethnic categories are identical to the definitions of the US Census Bureau, described above in Appendix A. The definition for “Other” race in our vital statistics includes the US Census Bureau racial categories of “American Indian”, “Asian”, “Native Hawaiian or Other Pacific Islander”, “Other Race”, and “Two or More Races”.
- *Live Births:* A live birth is defined as "the complete expulsion or extraction from its mother of a product of conception, irrespective of duration of pregnancy, which, after such separation, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached" (Vital Statistics of New York State 1999, New York State Department of Health).
- *Live Birth Rate:* Annual number of live births per 1,000 total population.
- *Infant Birthweight:* Infant Birthweight is grouped as very low birthweight (less than 1,500 grams), low birthweight (1,500 to 2,499 grams), and normal birthweight (2,500 grams or more).
- *Gestation Weeks:* Gestation Weeks are grouped as very premature birth (8 to 34 weeks gestational period), premature birth (35 to 37 weeks gestational period), normal length of gestation (38 weeks or more gestational period), and unknown (number of births lacking information about the number of weeks of gestation).
- *Time Starting Prenatal Care:* Time starting prenatal care is measured by the number of months of the pregnancy at the time prenatal care was initiated.
- *Maternal Exposure to Smoking During Pregnancy:* Mother used any tobacco products during pregnancy. This is self-reported.
- *Maternal Exposure to Drug Use During Pregnancy:* Mother used any of the following: cocaine, crack, heroin, methadone, marijuana, amphetamines, or unprescribed sedatives during pregnancy. This is self-reported.
- *Fetal Deaths:* A fetal death is defined as "the death prior to the complete expulsion or extraction from its mother of a product of conception; the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord or definite movement of voluntary muscles" (*Vital Statistics of New York State 1999*, New York State Department of Health). New York State Public Health Law requires the registration of all fetal deaths regardless of the length of gestation of the fetus. Due to changes in the content of fetal death certificates, fetal death data are no longer available by municipality for Westchester County.
- *Induced Abortions:* Induced abortions include the operative procedures of “dilation and curettage (D&C), suction and curettage, dilation and evacuation (D&E), saline injection, prostaglandin injection, medical (non-surgical) and other which includes hysterectomy, hysterotomy and other procedures” (*Vital Statistics of New York State 2000*, New York State Department of Health). Data on induced abortions are not available by municipality for Westchester County.

- *Causes of Deaths:* In this report, the cause of death is the underlying cause classified according to the International Classification of Diseases (ICD), Tenth Revision. Cause of death data featured in earlier reports was based on the Ninth ICD revision. While most causes listed can be translated
- *Infant Mortality Rate:* Annual number of deaths under one year of age per 1,000 live births occurring during the year.
- *Death Rate:* Annual number of deaths per 1,000 total population.

C. The Statewide Planning and Research Cooperatives System (SPARCS)

Information on hospitalizations comes from the 2001 SPARCS data. SPARCS, the Statewide Planning and Research Cooperative System, was implemented by the New York State Department of Health in 1979, with the cooperation and initial financial support of the U.S. Department of Health and Human Services. SPARCS receives, processes, stores, and analyzes inpatient hospitalization data from hospitals in New York State and ambulatory surgery data from hospital-based ambulatory surgery services and all other facilities providing ambulatory surgery services.

To protect patient privacy, patient names are omitted from the SPARCS data set. The focus of the system is the incidence of diseases or conditions requiring hospitalization rather than individual patients. Therefore, data reported from the SPARCS contain the number of hospitalizations, or incidents, rather than the number of patients, which have occurred during the year. SPARCS data only represent inpatients, i.e., a hospital stay where an individual was admitted to an acute-care facility. Data are also limited to hospitalizations occurring within New York State.

Due to the fact that the SPARCS data is continually being updated, the completeness of reporting by individual facilities varies over time. Among the tables included in this report, tables 28-29 were extracted from the 2001 SPARCS Annual Report, which presents hospital inpatient stay data based on discharges during 2001 through a set of standard statistical tables. The data cut-off time for these tables was 11/30/2002. Tables 30-53 were extracted from SPARCS Data Queries on New York State Department of Health Information Network (NYS HIN). The data cut-off time for these tables was July 2003.

Length of Stay

SPARCS calculates a length of stay for each discharge record by subtracting the date of admission from the date of discharge. If a patient is admitted and discharged the same day, the length of stay is one day.

Service Categories

The service categories are based on categories developed by the New York State Department of Health and are defined in terms of diagnosis and procedure codes from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

- *Nursery*: Including patients whose age equals to zero and have an ICD-9-CM code of V30.0, V30.1, V31.0, V31.1, V32.0, V32.1, V33.0, V33.1, V34.0, V34.1, V35.0, V35.1, V36.0, V36.1, V37.0, or V37.1. These codes refer only to live-born infants.
- *Obstetrical*: Including female patients of any age with an ICD-9-CM code within the range of 630 through 634.9 and 640 through 676.9.
- *Psychiatric*: Including patients of any age with an ICD-9-CM code within the range of 290 through 319.
- *Pediatric*: Including patients aged 14 years and younger whose primary diagnosis is neither included in the nursery, obstetrical, or psychiatric categories nor classified by ICD-9-CM codes 614 through 629.9 (gynecological) or 635 through 639.9 (abortion).
- *Medical*: Including patients aged 15 years or older with no reported procedure code or with reported procedure codes greater than 86.99. This category also includes gynecological patients (ICD-9-CM codes 614 through 629.9) of all ages with no reported procedure code or with reported procedure codes greater than 86.99. Newborn, obstetrical, psychiatric, and pediatric patients are excluded.
- *Surgical*: Including patients aged 15 years or older with at least one procedure code in the range 01 through 86.99. This category also include gynecological patients (ICD-9-CM codes 614 through 629.9) of all ages with at least one such procedure code and all patients whose principal diagnoses are codes 635 through 639.9 (abortion). Newborn, obstetrical, psychiatric, pediatric, and medical patients are excluded.

Diagnosis-Related Groups

Only the primary diagnosis for hospitalization is included in the report. The diagnoses are based on the International Classification of Diseases, Ninth Revision.

Appendix 2. Data Analysis and Significance Test

Basic data analysis was conducted with SPSS 11.5 for Windows (by SPSS Inc., Chicago, Illinois), a comprehensive system for analyzing data. Significance tests for means and averages were performed using Student's t-test. Significance tests for proportions and percentages were performed using one-sample or two-sample one-sided z-test. Differences are indicated at the 0.05 significance level.

Appendix 3. The International Classification of Diseases (ICD): Codes for Selected Diseases

Diseases	ICD-9	ICD-10
Accidents	800-949	V01-X59, Y85-Y86
Drowning	830, 832, 910	W65-W74
Falls	880-888	W00-W19
Motor Vehicle	810-825	V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87-V87.8, V88.0-V88.8, V89.0, V89.2
AIDS	042-044	B20-B24
Cardiovascular Diseases	390-459	I00-I99
Diseases of the Heart	390-398, 402, 404-429	I00-I09, I11, I13, I20-I51
Acute Myocardial Infarction	410	I21-I22
Acute Rheumatic Fever	390-392	I00-I02
Chronic Rheumatic Fever	393-398	I05-I09
Diseases of Pulmonary Circulation	415-417	I26-I28
Hypertension with Heart Disease	402, 404	I11, I13
Other Ischemic Heart Diseases	411-414	I20, I24-I25
Other Diseases of the Heart	420-429	I30-I51
Arteriosclerosis	440	I70
Cerebrovascular Disease	430-438	I60-I69
Hypertension with or without Renal Disease	401, 403	I10, I12
Other Diseases of the Circulatory System	441-459	I71-I78, I80-I99
Certain Conditions Originating in the Perinatal Period	760-779	P00-P96
Chronic Liver Diseases including Cirrhosis	571	K70, K73-K74
Chronic Lower Respiratory Disease (CLRD)	-	J40-J47
Chronic Obstructive Pulmonary Disease (COPD)	490-496	-
Complications of Pregnancy, Childbirth, and Puerperium	630-676	O00-O99
Congenital Anomalies	740-759	Q00-Q99
Diabetes Mellitus	250	E10-E14
Gastritis, Enteritis, Colitis, Diverticulitis	535, 555-558, 562	K29, K50-K52, K57
Homicide and Legal Intervention	960-978	X85-Y09, Y35, Y87.1, Y89.0
Influenza	487	J10-J11
Malignant Neoplasms	140-208	C00-C97
Breast	174	C50
Buccal Cavity and Pharynx	140-149	C00-C14
Digestive Organs and Peritoneum	150-159	C15-C26
Genital Organs	179-187	C51-C63
Lymphatic and Hematopoietic Tissues	200-208	C81-C96
Respiratory System	160-165	C30-C39
Urinary Organs	188-189	C64-C68
Other and Unspecified Sites	170-173, 175, 190-199	C40-C49, C69-C80, C97
Nephritis, Nephrotic Syndrome and Nephrosis	580-589	N00-N07, N17-N19, N25-N27
Pneumonia	480-486	J12-J18
Septicemia	38	A40-A41
Sudden Infant Death Syndrome	798	R95
Suicide	950-959	X60-X84, Y87.0
Tuberculosis	010-018	A16-A19

Appendix 4. Westchester County Department of Health, Communicable Disease Requirements

Reporting of suspected or confirmed communicable diseases is mandated under the New York Sanitary Code (10NYCRR 2.10a) and Westchester County Sanitary Code Article IV, Section 873.402. The primary responsibility for reporting rests with the physician; moreover, laboratories (PHL 2102), school nurses (10NYCRR 2.12), day care center directors, nursing homes/hospitals (10NYCRR 405.3d) and state institutions (10NYCRR 2.10) or other locations providing health services (10NYCRR 2.12) are also required to report the diseases listed below.

Amebiasis	Listeriosis	Streptococcal infection (invasive disease) ⁴
(Animal bites for which rabies prophylaxis is given¹	Lyme disease	Group A beta-hemolytic strep
(Anthrax²	Lymphogranuloma venereum	Group B strep
Babesiosis	Malaria	Streptococcus pneumoniae
(Botulism²	(Measles	(Syphilis, specify stage⁶
(Brucellosis²	(Melioidosis²	Tetanus
Campylobacteriosis	Meningitis	Toxic shock syndrome
Chancroid	Aseptic or viral	Trichinosis
Chlamydia trachomatis infection	(Haemophilus	(Tuberculosis current disease (specify site)
(Cholera	(Meningococcal	(Tularemia²
Cryptosporidiosis	other (specify type)	(Typhoid
Cyclosporiasis	(Meningococemia	Vibriosis ⁵
(Diphtheria	Mumps	(Viral hemorrhagic fever²
E. coli 0157:H7 infection ³	Pertussis	Yellow Fever
Ehrlichiosis	(Plague²	Yersiniosis
(Encephalitis	(Poliomyelitis	
(Foodborne illness	Psittacosis	
Giardiasis	(Q Fever²	
(Glanders²	(Rabies	1. Local health unit must be notified prior to initiating rabies prophylaxis.
Gonococcal infection	Rocky Mountain spotted fever	2. Diseases that are possible indicators of bioterrorism.
Haemophilus influenzae ⁴	(Rubella (including congenital rubella syndrome)	3. Positive shigatoxin test results should be reported as presumptive evidence of disease.
(invasive disease)	Salmonellosis	4. Only report cases with positive cultures from blood, CSF, joint, peritoneal or pleural fluids. Do not report cases with positive cultures from skin, saliva, sputum or throat.
Hantavirus Disease	Shigatoxin-producing infection ³	5. Proposed addition to list.
Hemolytic uremic syndrome (HUS)	Shigellosis ³	6. Any non-treponemal test \geq 1:16 or any positive primary or secondary stage disease or prenatal or delivery test result regardless of titer should be reported by phone; all others may be reported by mail.
Hepatitis A, B, C	(Smallpox²	
(Hepatitis A in a food handler	Staphylococcus aureus ⁵	
Pregnant Hepatitis B carrier	(due to stains showing reduced susceptibility or resistance to vancomycin)	
Hospital associated infections (as defined in section 2.2 10NYCRR)	(Staphylococcal enterotoxin B poisoning²	
Listeriosis		

SPECIAL NOTES

- Diseases listed in **bold type (t)** warrant prompt action and should be reported **immediately** to local health units by phone followed by submission of the confidential case report form (DOH-389). In NYC use case report form 395V.
- In addition to the diseases listed above, any unusual disease (defined as a newly apparent or emerging disease or syndrome that could possibly be caused by a transmissible infectious agent or microbial toxin) is reportable.
- Outbreaks: while individual cases of some diseases (e.g., streptococcal sore throat, head lice, impetigo, scabies, and pneumonia) are not reportable, a cluster or outbreak of cases of any communicable disease is a reportable event.
- Cases of HIV infection, HIV-related illness and AIDS are reportable to:**

Division of Epidemiology
P.O. Box 2073, ESP Station
Albany, New York 12220-2073
(518) 474-4284

In New York City: New York City Department of Health
For HIV/AIDS reporting, call:
(212) 442-3388

For more information on disease reporting, call Westchester County Department of Health Division of Disease Control at (914) 813-5159, or New York State Department of Health Bureau of Communicable Disease Control at (518) 473-4439. In New York City (866)NYC-DOH1. To obtain reporting forms (DOH-389), call (518) 474-0548

WHO SHOULD REPORT?

Physicians, nurses, laboratory directors, infection control practitioners, health care facilities, state institutions, schools.

WHERE SHOULD REPORT BE MADE?

Report to local health department where patient resides.

Name/Address **Westchester County**

Department of Health – DDC

145 Huguenot Street – 8th Floor

New Rochelle, New York 10801

Phone **(914) 813-5159**

Fax **(914) 813-5182**

WHEN SHOULD REPORT BE MADE?

Within 24 hours of diagnosis:

- phone or fax diseases in bold type,
- mail case report, DOH-389, for all other diseases,
- in New York City use form 395V.

Appendix 5. Westchester County Hospitals


Name	Address	Telephone	Number of Beds in 2002
Acute Hospitals			
Community Hospital at Dobbs Ferry	128 Ashford Avenue, Dobbs Ferry, NY 10522	914-693-0700	50
Hudson Valley Hospital Center	1980 Crompond Road, Cortlandt Manor, NY 10567	914-737-9000	120
Lawrence Hospital Center	55 Palmer Avenue, Bronxville, NY 10708	914-787-1000	291
Mount Vernon Hospital	12 North Seventh Avenue, Mount Vernon, NY 10550	914-664-8000	228
New York United Hospital Medical Center	406 Boston Post Road, Port Chester, NY 10573	914-934-3100	224
Northern Westchester Hospital	400 Main Street, Mount Kisco, NY 10549	914-666-1303	259
Phelps Memorial Hospital Association	701 North Broadway, Sleepy Hollow, NY 10591	914-366-3000	235
Sound Shore Medical Center of Westchester	16 Guion Place, New Rochelle, NY 10802	914-632-5000	321
St. Agnes Hospital ¹	305 North Street, White Plains, NY 10605	914-681-4500	184
St. John's Riverside Hospital - St. John's Division ²	967 North Broadway, Yonkers, NY 10701	914-964-4444	406
St. Joseph's Hospital	127 South Broadway, Yonkers, NY 10701	914-378-7000	194
Westchester Medical Center	Grasslands Campus, Valhalla, NY 10595	914-493-7000	635
White Plains Hospital Center	14 East Post Road, White Plains, NY 10604	914-681-0600	307
Speciality Hospitals			
Blythedale Children's Hospital	Bradhurst Avenue, Valhalla, NY 10595	914-592-7555	92
Winifred Masterson Burke Rehabilitation Hospital	785 Mamaroneck Avenue, White Plains, NY 10605	914-597-2500	150
Four Winds Hospital	800 Cross River Road, Katonah, NY 10536	914-763-8151	175
New York Presbyterian Hospital - Westchester Division	21 Bloomingdale Road, White Plains, NY 10605	914-682-9100	304
St. Vincent's Westchester Catholic Medical Center - St. Vincent's Westchester	275 North Street, Harrison, NY 10528	914-967-6500	133
VA Hudson Valley Health Care System	Route 9A, P.O. Box 100, Montrose, NY 10548	914-737-4400	597

¹St. Agnes Hospital is scheduled to close at the end of 2003.

²As of 11/01/2001, Yonkers General Hospital has been merged with St. John's Riverside Hospital. The original Yonkers General Hospital is currently urgent care center opening 24 hours a day and 7 days a week. The center is limited at seeing walk-in detoxification and rehabilitation patients only. Patients in need of hospital care are admitted to St. John's Riverside Hospital.

Source: New York State Department of Health.

WESTCHESTER COUNTY HOSPITALS, 2003



Appendix 6. Westchester County Department of Health's District Offices

Mount Kisco District Office

118 North Bedford Suite, Suite 100
Mount Kisco, New York 10549

New Rochelle District Office

420 North Avenue
New Rochelle, New York 10801

Port Chester WIC Office¹

One Gateway Plaza, 1st Floor
South Main Street
Port Chester, New York 10573

White Plains District Office

85 Court Street, 1st Floor
White Plains, New York 10601

Yonkers District Office

20 South Broadway
Yonkers, New York 10701

¹ WIC Services Only

For current list of Westchester County Department of Health District Offices and telephone numbers please call 914-813-5000.

WESTCHESTER COUNTY BOARD OF HEALTH
as of January 1, 2002

Douglas G. Aspros, D.V.M., President

James E. Carnicelli, Vice President

Robert H. Baker, M.D.

Jeffrey M. Brensilver, M.D.

Stanley Brownstein, D.C.

William Davis

Peter Liebert, M.D.

Anthony M. Maddalena

Mary Ellen McGurty

Honorable Suzanne R. Swanson

Harry Zourdos

**WESTCHESTER COUNTY DEPARTMENT OF HEALTH
ADMINISTRATIVE STAFF
as of January 1, 2002**

Joshua Lipsman, M.D., M.P.H.
Commissioner

Patsy Yang-Lewis, M.P.H.
First Deputy Commissioner

.....

Denise M. Bruno, M.D., M.P.H.	Chief of Section, Child Health Services
Lorraine Chun, B.S.	Director, Services for Children with Disabilities
Irwin Cohen, M.B.A.	Director, Fiscal Operations
Donna Dyke, R.N., M.A.	Assistant Commissioner, Nursing Services and Community Health Services
Robert Ebersole, M.P.A.	Assistant Commissioner, Public Health Protection Services
Roslynn Glicksman, M.D.	Chief of Section, Adult Health Services
Richard Gruffi, D.D.S.	Chief of Section, Dental Health Services
Ada Huang, M.D.	Deputy Commissioner, Disease Control Services
Jean Hudson, M.D., M.P.H.	Deputy Commissioner, Community Health Services
Mary Landrigan, M.P.A.	Director, Health Education and Public Information
Renee Recchia, M.P.H.	Assistant Commissioner, Planning and Evaluation
Amy Rosenberg, M.D.	Chief of Section, Communicable Diseases
Michael Sakala, P.E.	Assistant Commissioner, Environmental Quality Services
Alyse Portera, M.S.	Deputy Commissioner, Administration
Joseph Marcogliese, P.E.	Deputy Commissioner, Environmental Health Services

PROJECT STAFF
Planning and Evaluation

Renee Recchia, M.P.H.
Assistant Commissioner

Jiali Li, Ph.D.
Director of Research and Evaluation

Chris Benitto, B.A.

Staff Assistant (GIS)

Mary Ellen Bubnis

Senior Control Clerk

Maggie N. Chiu, M.P.H.

Medical Data Analyst

Stanley Cho, M.P.H.

Program Specialist

Mary Langford, M.B.A., N.C.C.

Senior Management Analyst

Segun Okunoye, M.P.H.

Management Analyst