


Robert P. Astorino
 Westchester County Executive
 County Board of Legislators



Annual Data Book

Hospitalizations in 2008-2009

Westchester County Department of Health

Westchester
 gov.com

2011

Sherlita Amler, MD
 Commissioner of Health

| | |
|-------------------|---|
| Project Directors | Jiali Li, PhD, Director of Research & Evaluation Renee Recchia, MPH, Acting Deputy Commissioner of Administration |
| Project Staff | Megan Cea, MPH, Assistant Statistician |
| Contact | Jiali Li, PhD Westchester County Department of Health, Planning & Evaluation 10 County Center Road, White Plains, NY 10607-1541 914-995-7499 |

FOREWORD

Westchester County Department of Health is the local health department for Westchester County, which is located north of New York City and covers an area of 450.5 square miles. The Hudson River and Rockland County form Westchester County's western border and Putnam County and the State of Connecticut border Westchester to the north and east, respectively. Westchester County has a population of 949,113 based on the 2010 US Census data. In 2010, 68.1% of the County's population was white, 14.6% was black, 5.5% was Asian/Pacific Islander, and 11.8% was of mixed or other races. In addition, Hispanics comprised 21.8% of Westchester County's residents.

The mission of the Department of Health is to promote health, prevent disease and prolong meaningful life for Westchester County residents. The Health Department monitors and controls the spread of communicable disease, monitors and regulates air and water quality, enforces the state and local sanitary code, promotes and ensures local public health activities, and assures the availability of community health services.

The Annual Data Book 2011–Hospitalizations Report contains information from 2009 on the number of hospital discharges and average length of hospital stay by patients' demographic characteristics such as age, sex, and race/ ethnicity, the leading causes of hospitalization, as well as the hospitals where they received care. Data used in the report were collected by New York State Statewide Planning and Research Cooperative System (SPARCS).

TABLE OF CONTENTS

| | |
|---|----|
| Highlights | 1 |
| Hospital Discharges | 2 |
| Hospitals | 7 |
| Diagnoses | 11 |
| Hospital Discharges by Diagnosis and Age | 13 |
| Hospital Discharges by Diagnosis and Sex | 14 |
| Hospital Discharges by Diagnosis and Race/Ethnicity | 15 |
| Hospital Discharges Due to Diseases of the Circulatory System | 18 |
| Hospital Discharges Due to Neoplasms | 21 |
| Hospital Discharges Due to Diseases of the Digestive System | 26 |
| Hospital Discharges Due to Diseases of the Respiratory System | 27 |
| Hospital Discharges Due to Injuries and Poisonings | 30 |
| Diabetes Related Hospitalizations | 33 |
| HIV/AIDS Related Hospitalizations | 35 |
| Tables | 36 |
| Appendices | 96 |

Figures

| | | |
|----|---|----|
| 1 | Age Distribution of Hospital Discharges, Westchester County Residents, 2009 | 2 |
| 2 | Age Distribution of Hospital Discharges by Sex, Westchester County Residents, 2009 | 3 |
| 3 | Number of Hospital Discharges by Race/Ethnicity, Westchester County Residents, 2009 | 4 |
| 4 | Age Distribution of Hospital Discharges by Race/Ethnicity, Westchester County Residents, 2009 | 5 |
| 5 | Percentage Distribution of Hospital Discharges by Service Category, Westchester County Residents, 2009 | 6 |
| 6 | Number of Hospital Discharges by Hospital, Westchester County Residents, 2009 | 7 |
| 7 | Percentage Distribution of Hospital Discharges Due to Medical Services by Hospital, Westchester County Residents, 2009 | 8 |
| 8 | Percentage Distribution of Hospital Discharges Due to Surgical Services by Hospital, Westchester County Residents, 2009 | 9 |
| 9 | Percentage Distribution of Hospital Discharges of Obstetrics Services and Newborns by Hospital, Westchester County Residents, 2009 | 10 |
| 10 | Percentage Distribution of Hospital Discharges by Principal Diagnosis, Westchester County Residents, 2009 | 11 |
| 11 | Number of Hospital Discharges by All Related Diagnoses, Westchester County Residents, 2009 | 12 |
| 12 | Percentage Distribution of Hospital Discharges by Principal Diagnosis and Age, Westchester County Residents, 2009 | 13 |
| 13 | Percentage Distribution of Hospital Discharges by Principal Diagnosis and Sex, Westchester County Residents, 2009 | 14 |
| 14 | Percentage Distribution of Hospital Discharges by Principal Diagnosis and Race, Westchester County Residents, 2009 | 15 |
| 15 | Percentage Distribution of Hospital Discharges by Principal Diagnosis and Ethnicity, Westchester County Residents, 2009 | 16 |
| 16 | Percentage of Newborns and Hospitalizations Due to Complications of Pregnancy, Childbirth, and Puerperium by Race/Ethnicity, Westchester County Residents, 2009 | 17 |
| 17 | Percentage Distribution and Average Length of Stay of Hospital Discharges Due to Diseases of the Circulatory System, Westchester County Residents, 2009 | 18 |

| | | |
|----|--|----|
| 18 | Number of Hospital Discharges Due to Diseases of the Circulatory System by Age, Sex, and Race/Ethnicity, Westchester County Residents, 2009 | 19 |
| 19 | Percentage Distribution of Hospital Discharges Due to Diseases of the Circulatory System by Age and Race/Ethnicity, Westchester County Residents, 2009 | 20 |
| 20 | Number and Percentage Distribution of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses, Westchester County Residents, 2009 | 21 |
| 21 | Number of Hospital Discharges Due to Neoplasm Related Diagnoses by Age, Sex, and Race/Ethnicity, Westchester County Residents, 2009 | 22 |
| 22 | Number of Hospital Discharges Due to Neoplasm Related Diagnoses by Type an Sex, Westchester County Residents, 2009 | 23 |
| 23 | Percentage Distribution of Hospital Discharges Due to Malignant Neoplasm Related Diagnoses by Age and Race/Ethnicity, Westchester County Residents, 2009 | 24 |
| 24 | Percentage Distribution of Neoplasm Related Diagnoses by Tyep and Race/Ethnicity, Westchester County Residents, 2009 | 25 |
| 25 | Number of Hospital Discharges Due to Digestive System Diseases by Age, Sex, and Race/Ethnicity, Westchester County Residents, 2009 | 26 |
| 26 | Number of Hospital Discharges Due to Respiratory System Diseases by Age, Sex, and Race/Ethnicity, Westchester County Residents, 2009 | 27 |
| 27 | Percentage of Diagnosis of Respiratory System Diseases by Race/Ethnicity, Westchester County Residents, 2009 | 28 |
| 28 | Percentage Distribution of Asthma Cases by Age and Race/Ethnicity, Westchester County Residents, 2009 | 29 |
| 29 | Percentage Distribution of Hospital Discharges Due to Injury and Poisoning by Etiology, Westchester County Residents, 2009 | 30 |
| 30 | Percentage Distribution of Hospital Discharges Due to Injury and Poisoning by Etiology and Age, Westchester County Residents, 2009 | 31 |
| 31 | Percentage Distribution of Hospital Discharges Due to Injury and Poisoning by Etiology and Race/Ethnicity, Westchester County Residents, 2009 | 32 |
| 32 | Number of Hospital Discharges Due to Diabetes Related Diagnoses by Age and Sex, Westchester County Residents, 2009 | 33 |
| 33 | Number of Hospital Discharges Due to Diabetes Related Diagnoses by Age and Race/Ethnicity, Westchester County Residents, 2009 | 34 |

| | | |
|----|---|----|
| 34 | Number of Hospital Discharges Due to HIV/AIDS Related Diagnoses by Sex and Race/Ethnicity, Westchester County Residents, 2009 | 35 |
|----|---|----|

Tables

| | | |
|----|---|----|
| 1 | Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2008-2009 | 36 |
| 2 | Number of Hospital Discharges and Average Length of Stay by Age and Sex, Westchester County Residents, 2008-2009 | 40 |
| 3 | Number of Hospital Discharges and Average Length of Stay by Age and Race/Ethnicity, Westchester County Residents, 2008-2009 | 42 |
| 4 | Number of Hospital Discharges by Principal Diagnosis and All Related Diagnoses, Westchester County Residents, 2008-2009 | 44 |
| 5 | Number of Hospital Discharges by Principal Diagnosis and Age, Westchester County Residents, 2008-2009 | 46 |
| 6 | Number of Hospital Discharges by Principal Diagnosis and Sex, Westchester County Residents, 2008-2009 | 48 |
| 7 | Number of Hospital Discharges by Principal Diagnosis and Race/Ethnicity, Westchester County Residents, 2008-2009 | 50 |
| 8 | Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular Disease and Other Diseases of the Circulatory System by Age, Westchester County Residents, 2008-2009 | 52 |
| 9 | Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular Disease and Other Diseases of the Circulatory System by Sex, Westchester County Residents, 2008-2009 | 54 |
| 10 | Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular Disease and Other Diseases of the Circulatory System by Race/Ethnicity, Westchester County Residents, 2008-2009 | 56 |
| 11 | Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular Disease and Other Diseases of the Circulatory System by Age and Sex, Westchester County Residents, 2008-2009 | 58 |

| | | |
|----|---|----|
| 12 | Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular Disease and Other Diseases of the Circulatory System by Age and Race/Ethnicity, Westchester County Residents, 2008-2009 | 60 |
| 13 | Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Age, Westchester County Residents, 2008-2009 | 62 |
| 14 | Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Sex, Westchester County Residents, 2008-2009 | 64 |
| 15 | Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Race/Ethnicity, Westchester County Residents, 2008-2009 | 66 |
| 16 | Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Age, Westchester County Residents, 2008-2009 | 68 |
| 17 | Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Sex, Westchester County Residents, 2008-2009 | 69 |
| 18 | Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Race/Ethnicity, Westchester County Residents, 2008-2009 | 71 |
| 19 | Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses by Age, Westchester County Residents, 2008-2009 | 73 |
| 20 | Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses by Sex, Westchester County Residents, 2008-2009 | 75 |
| 21 | Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses by Race/Ethnicity, Westchester County Residents, 2008-2009 | 77 |
| 22 | Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses by Age and Sex, Westchester County Residents, 2008-2009 | 79 |
| 23 | Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses by Age and Race/Ethnicity, Westchester County Residents, 2008-2009 | 81 |

| | | |
|----|--|----|
| 24 | Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning by Etiology and Ave, Westchester County Residents, 2008-2009 | 83 |
| 25 | Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning by Etiology and Sex, Westchester County Residents, 2008-2009 | 85 |
| 26 | Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning by Etiology and Race/Ethnicity, Westchester County Residents, 2008-2009 | 86 |
| 27 | Number of Hospital Discharges and Average Length of Stay Due to Diabetes Related Diagnoses by Age and Sex, Westchester County Residents, 2008-2009 | 88 |
| 28 | Number of Hospital Discharges and Average Length of Stay Due to Diabetes Related Diagnoses by Age and Race/Ethnicity, Westchester County Residents, 2008-2009 | 90 |
| 29 | Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses by Age and Sex, Westchester County Residents, 2008-2009 | 92 |
| 30 | Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses by Age and Race/Ethnicity, Westchester County Residents, 2008-2009 | 94 |

Appendices

| | | |
|----|--|-----|
| A1 | The Statewide Planning and Research Cooperative System (SPARCS) | 96 |
| A2 | The International Classification of Diseases (ICD-9): Codes for Selected Diseases for Hospitalizations | 99 |
| A3 | Westchester County Hospitals | 103 |
| A4 | Westchester County Municipalities | 105 |
| A5 | Westchester County Health Planning Regions and Municipalities | 107 |


HIGHLIGHTS

- There were 112,436 hospital discharges among Westchester County residents in 2009. The average number of days for each hospital stay was 6 days.
- There were 63,675 female cases and 48,756 male cases, with the average length of stay of 5.7 days for females and 6.4 days for males. When excluding obstetrical services, there were 52,719 female cases with an average length of stay of 6.2 days.
- Over half of the cases were 50 years and older.
- The majority of the hospitalized cases were white.
- Almost 70% of the cases were hospitalized either for medical services or surgical services. About 18% of the cases were obstetrics related (excluding abortions) and newborns. The other cases were hospitalized for psychiatric services (8%) and pediatric services (4%).
- Most of the hospitalizations occurred in Westchester County hospitals, with Westchester Medical Center, St. John's Riverside Hospital and White Plains Hospital receiving the greatest number of patients.
- Excluding newborns, and hospitalizations due to complications of pregnancy, childbirth and puerperium, the top causes of hospitalization included: diseases of the circulatory system, diseases of the digestive system, mental disorders, diseases of the respiratory system, and neoplasms. Of all the hospitalizations:
 - Over half had circulatory system diseases.
 - Over 30,000 were treated for mental disorders.
 - Almost 19,000 had diabetes.
 - Over 13,000 had cancer.
 - Almost 7,500 had asthma.
 - Almost 7,000 were due to injuries.
 - Over 1,000 patients had HIV/AIDS.

Hospital Discharges

- The total number of hospital discharges among Westchester County residents was reported as 112,436 in 2009 and 114,799 in 2008.¹ The average number of days for each hospital stay was 6 days.
- There were 63,675 female cases and 48,756 male cases, with the average length of stay of 5.7 days for females and 6.4 days for males². When excluding obstetrical services, there were 52,719 female cases with an average length of stay of 6.2 days.
- Over half of the cases were 50 years and older (Figure 1).

**Figure 1. Age Distribution of Hospital Discharges
Westchester County Residents, 2009**




* Including 2 cases with unknown ages.


¹ Due to the fact that the SPARCS data are continually being updated, the completeness of reporting by individual facilities varies over time. Information reported in this document reflects data received as of June 2010.

² Total includes cases with unknown age or sex.


- There were more females than males among those aged 70 years and older. In addition, there were substantially more female cases among the reproductive age groups due to obstetric related services (Figure 2).



- The majority of the hospitalized cases were white. Blacks and all other race groups each represented about 18% of the total cases. About 15% of the cases were Hispanic (Figure 3).
- The average length of stay was 5.9 for whites, 6.7 for blacks, 5.7 for all other races, and 4.9 for Hispanics.




- The age distribution of the hospitalized cases varied among different races and ethnic groups (Figure 4).
- Among white patients, 65% were 50 years and older. However, only 48% of the Black patients were 50 years and older, and only 28% of the Hispanic patients were 50 years and older.
- Hispanics presented a larger proportion of newborns and mid-aged patients than other groups.
- Among blacks, a larger proportion of patients were between 19 and 49 years compared with whites.




- Almost 70% of the cases were hospitalized either for medical services or surgical services. About 18% of the cases were obstetrics related (excluding abortions) and newborns. The other remaining were hospitalized for psychiatric services (8.0%) and pediatric services (3.9%) (Figure 5).

**Figure 5. Percentage Distribution of Hospital Discharges by Service Category
Westchester County Residents, 2009**




Hospitals

- Most of the hospitalizations occurred in Westchester County hospitals, with Westchester Medical Center, St. John's Riverside Hospital and White Plains Hospital receiving the greatest number of patients (Figure 6).




- The top five hospitals for medical related hospitalizations were: St. Johns Riverside Hospital, Lawrence Hospital, White Plains Hospital, Sound Shore Medical Center, and Westchester Medical Center (Figure 7). Together, these five hospitals serviced half of all the cases for medical services.




- The top five hospitals for surgical related hospitalizations were Westchester Medical Center, White Plains Hospital Center, St. John’s Riverside Hospital, Lawrence Hospital, and Northern Westchester Hospital. Together, these hospitals provided surgical services to 46% of all the surgical cases (Figure 8).

Figure 8. Percentage Distribution of Hospital Discharges due to Surgical Services by Hospital, Westchester County Residents, 2009




- The top five hospitals for newborns and obstetrics related services were St. Johns Riverside Hospital, Sound Shore Medical Center, White Plains Hospital Center, Northern Westchester Hospital, and Phelps Memorial Hospital. Together, they served 60% of all the newborns and obstetrics cases (Figure 9).

Figure 9. Percentage Distribution of Hospital Discharges of Obstetrics Services and Newborns by Hospital, Westchester County Residents, 2009




Diagnoses

- Excluding newborns, and hospitalizations due to complications of pregnancy, childbirth and puerperium, the top causes of hospitalization, as defined by the principal diagnosis³, included: diseases of the circulatory system, diseases of the digestive system, mental disorders, diseases of the respiratory system, and neoplasms (including malignant and benign) (Figure 10).



³ The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care. Because the principal diagnosis represents the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. In addition, the principal diagnosis reflects clinical findings discovered during the patient's stay, therefore, it may differ from the admitting diagnosis.


- Because a patient may have other diagnoses that coexisted at the time of admission, or developed subsequently, such additional diagnoses may affect the treatment and the length of the patient’s hospitalization. Therefore all related diagnosis, which combines the principal diagnosis and fourteen other diagnoses recorded in the patient charts⁴, may represent the reasons for hospitalization in a more comprehensive manor.
- Of all the hospitalized cases, over half had circulatory system diseases (Figure 11).
- Over 30,000 were treated for mental disorders.
- Almost 19,000 had diabetes.
- Over 13,000 had cancer.
- Almost 7,500 had asthma.
- Over 1,000 patients had HIV/AIDS.



⁴ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. Diagnoses that related to an earlier episode which had no bearing on the current hospital stay were excluded. A patient may be included in more than one category.

Hospital Discharges by Diagnosis and Age


- The principal diagnosis varied substantially among patients with different ages (Figure 12).
- Patients who were 50 years and older had a substantially higher proportion of being hospitalized due to diseases of the circulatory system, followed by diseases of the digestive system and diseases of the respiratory system.
- Among the patients aged 18 to 49, the leading causes of hospitalization included mental disorder and the diseases of digestive systems.
- Over one-third of the hospitalizations among those between age 13 to 17 were for the treatment of mental disorders.
- For children from age 1 to 12, over one-quarter were hospitalized for diseases of respiratory system.



Hospital Discharges by Diagnosis and Sex


- There were more hospitalization discharges among females than among males, with females accounting for 56.6% of all the reported hospitalized cases (Figure 13).
- Excluding newborns, the top three causes of hospitalization for all males were diseases of the circulatory system, mental disorders, and diseases of the digestive system. The top three causes of hospitalization for all females were complication of pregnancy, childbirth, and puerperium, diseases of the circulatory system, followed by diseases of the digestive system.

Figure 13. Percentage Distribution of Hospital Discharges by Principal Diagnosis and Sex Westchester County Residents, 2009




Hospital Discharges by Diagnosis and Race/Ethnicity


- Among the hospitalization discharges during 2009, whites accounted for 63.5% of all the reported hospitalized cases, blacks accounted for 18.2%, and all other races accounted for 18.3%.
- Excluding newborns and complications of pregnancy, childbirth, and puerperium, the top three causes of hospitalization for all whites were: diseases of the circulatory system, diseases of the digestive system, and disease of respiratory system (Figure 14).
- Among blacks, the top three causes of hospitalization, excluding newborns and complications of pregnancy, childbirth, and puerperium, were diseases of the circulatory system, mental disorders, and diseases of the digestive system (Figure 14).



- Hispanics represented 14.8% of all reported hospitalized cases.
- Among Hispanics, the top three causes of hospitalization, excluding newborns and complications of pregnancy, childbirth, and puerperium, were diseases of the digestive system, mental disorders, and diseases of the circulatory system (Figure 15).




- During 2009, 9.8% of the hospitalized cases were related to complications of pregnancy, childbirth, and puerperium, such cases accounted for 8.0% and 9.3% of all cases for whites and blacks, respectively. Among Hispanics, they accounted for 19.5% of all cases (Figure 16).
- Newborns accounted for 8.7% of all hospitalized cases. They accounted for 7.4% and 7.3% of all cases for whites and blacks, respectively. Among Hispanics, they accounted for 16.4% of all cases.




Hospital Discharges Due to Diseases of the Circulatory System


- In 2009, a total of 15,649 cases were hospitalized due to diseases of the circulatory system. Among them, over two-thirds were classified as cases with heart diseases, including acute myocardial infarction and other ischemic heart diseases, pulmonary circulation disease, hypertension with heart disease, chronic and acute rheumatic fever, and other types of heart diseases (Figure 17).
- The average length of stay for all cases with diseases of the circulatory system was 5.5 days. However, cases with chronic rheumatic fever and arteriosclerosis had much longer hospital stay than others (Figure 17).



- In general, the number of hospital discharges due to diseases of the circulatory system increased with age. Over 45% of them were 75 years and older. Only slightly over 10% of them were under 50 (Figure 18).
- More males than females were hospitalized due to diseases of the circulatory system.
- The majority (70%) was among whites, 17% were among blacks, 13% were among other races, and 7.6% were among Hispanics.




- Among whites hospitalized due to circulatory diseases, less than 7% were under the age of 50, 20% were between the ages of 50-64, about 20% were between the ages of 65-74, and about 54% were over the age of 75 (Figure 19).
- In comparison to whites, blacks had a higher proportion of patients under the age of 50 hospitalized due to circulatory diseases: about 20% were under the age of 50, 29% were between the ages of 50-64, 24% were between the ages of 65-74 years, and 28% were over the age of 75.
- Similarly, Hispanics had a higher proportion of patients under the age of 50 hospitalized due to diseases of the circulatory system compared to whites. For example, 21% were under age 50, 31% were between age 50 and 64, 23% were between age 65 to 74, and 26% were over 75.



Hospital Discharges Due to Neoplasms


- During 2009, 5,865 cases were hospitalized with neoplasms as the principle diagnosis. An additional 7,649 hospitalized cases had neoplasm as one of the 14 additional diagnosis codes. The total number of neoplasm-related hospitalizations reached 13,514 cases, including malignant neoplasms, benign neoplasms, carcinoma-in-situ, and neoplasms of uncertain behavior or unspecified nature⁵.
- Over three quarters of the neoplasm-related hospitalizations were due to malignant neoplasms (a total of 10,214 cases), including lung cancer (9.4%), colon cancer (7.2%), prostate cancer (6.7%) and breast cancer (5.7%). The average length of stay for patients with malignant neoplasms was 8.1 days.



⁵ Neoplasms related hospitalizations include cases with the principal diagnosis and/or 14 other diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or the length of stay. The ICD9 diagnosis codes include the numeric ranges 140-239 or the V-class ranges V58.00-V58.10. A diagnosis in the V-class ranges V58.0-V58.10 (chemotherapy and radiotherapy) is also included. Cases with diagnoses that were related to an earlier episode which had no bearing on the current hospital stay were excluded.


- Over half of the neoplasms cases were 65 years and older (Figure 21). Less than 10% were under age 35.
- Just over half of the cases were females.
- Over 70% of the cases were white.

Figure 21. Number of Hospital Discharges Due to Neoplasm Related Diagnoses by Age, Sex, Race/Ethnicity, Westchester County Residents, 2009




- Among males, the top three malignant neoplasms were cancer of Lymphatic & Hematopoietic Tissues, prostate cancer, and lung cancer (Figure 22).
- Among females, the top three malignant neoplasms were cancer of Lymphatic & Hematopoietic Tissues, breast cancer, and lung cancer.

Figure 22. Number of Hospital Discharges Due to Neoplasm Related Diagnoses by Type and Sex, Westchester County Residents, 2009




* Subgroups within major categories listed above.

- The age distribution of hospital discharges due to malignant neoplasms varied across racial and ethnic categories. Among whites, almost 40% of the cases were 75 years and older, less than a quarter were 65-74, and just above a quarter were 50-64. About 11% of the cases were under 50 years of age (Figure 23).
- Among blacks hospitalized due to malignant neoplasms, almost a third was between 50-64. The percents among those aged 65 and older were lower than those among whites. Over 20% of the cases were under 50.
- Similarly, among Hispanics, over a third was among those aged 50-64. Furthermore, almost a third of the Hispanic cancer cases were under 50 years of age.




- The type of neoplasms varies among the hospitalized cases from different race and ethnicity backgrounds (Figure 24).




Hospital Discharges Due to Diseases of the Digestive System

- A total of 9,067 hospitalized cases were due to diseases of the digestive system during 2009. The average length of stay was 5.3 days.
- Just over half were women. About two-thirds were among people aged 50 years or older. Most of them were whites (Figure 25).




Hospital Discharges Due to Diseases of the Respiratory System

- There were 8,124 hospital discharges due to diseases of the respiratory system. The average length of stay was 6.6 days.
- Almost 3,000 of the respiratory disease hospitalizations were due to Chronic Obstructive Pulmonary Diseases and Allied Conditions (COPD). Among them 1,413 were due to asthma alone.
- Almost 30% were due to pneumonia.




- Among all hospitalized cases due to respiratory system diseases, 17% were due to asthma. Among whites, the percent of asthma cases was 12%. However, among blacks, the percent of asthma cases was almost 31%. Similarly, the percent of asthma cases was almost 30% among Hispanics (Figure 27).



- Among the 1,413 asthma cases, over a quarter were children under 13 years of age (Figure 28). Over 40% were 50 years and older.
- One third of the asthma cases were blacks, about a quarter were Hispanics.


Figure 28. Percentage Distribution of Asthma Cases by Age and Race/Ethnicity, Westchester County Residents, 2009



* Including Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.
 ** Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in race categories.


Hospital Discharges Due to Injuries and Poisonings

- During 2009, 5,072 cases were hospitalized due to injuries and poisonings as the principal diagnosis. An additional 1,889 cases were hospitalized with injury and poisoning identified as one of the related causes⁶. The number of hospitalized cases due to injuries and poisonings totaled 6,961 during 2009.
- The average hospital stay due to injuries and poisonings was 6.4 days.
- Over half of the hospitalized injuries and poisoning cases were due to falls. Other major hospitalized injuries included motor vehicle accidents, self-inflicted injuries, poisoning, and assault (Figure 29).
- There was a higher percentage of injury due to falls among females. However, there were higher percentages of injuries due to motor vehicle accidents, self-inflicted injuries, and assaults, among males.




⁶ Including all the cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recording an external code (E-code) are: a) principal diagnosis of an injury or poisoning, b) 14 other diagnosis and admission diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis, and c) other diagnosis with an external cause. Only the first E-Code is recorded in this item.

- The reasons for hospitalizations due to injuries and poisoning varied among people with different ages (Figure 30).




- The reasons for hospitalizations due to injuries and poisoning varied by race and ethnicity (Figure 31).




Diabetes Related Hospitalizations

- Diabetes was the principal diagnosis for a total of 1,400 hospital discharges in 2009. However, almost nineteen thousand (18,858) hospital cases had diabetes, as identified by at least one of the 15 diagnoses⁷ for hospitalization. The average length of hospital stay for such cases was 6.5 days.
- There were more females than males among those hospitalized with diabetes and the majority of the cases were among those aged 50 and older (Figure 32).



⁷ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. Diagnoses that related to an earlier episode which had no bearing on the current hospital stay were excluded. A patient may be included in more than one category.


- The age distribution of diabetes cases varied among people with different race/ethnicity backgrounds. Among the diabetes related hospitalizations, Blacks and other non-white groups as well as Hispanics tend to have a higher percent of patients at younger ages (Figure 33).



HIV/AIDS Related Hospitalizations

- There were 1,020 hospital discharges related to HIV and AIDS⁸ in 2009 among Westchester County residents. The average length of stay for such cases was 7.5 days.
- Just over half of the cases were men (Figure 34).
- Over half of the cases were blacks.

Figure 34. Number of Hospital Discharges Due to HIV/AIDS Related Diagnoses, Westchester County Residents, 2009



* Including Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.
 ** Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in race categories.

⁸ Defined by considering principal diagnosis and all other relevant diagnoses. For details, please refer to Appendix 4.

Tables

Table 1. Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2008-2009

| New York State Hospitals | 2008 | | | | | | | | | | | | | |
|---|----------------|-------------|---------------|-------------|---------------|-------------|--------------|-------------|---------------|-------------|-----------------|-------------|--------------|-------------|
| | Total | | Medical | | Surgical | | Pediatric | | Obstetrical | | Nursery/Newborn | | Psychiatric | |
| | N | % | N | % | N | % | N | % | N | % | N | % | N | % |
| Total | 114,799 | 100 | 44,337 | 100 | 35,367 | 100 | 4,367 | 100 | 11,572 | 100 | 10,236 | 100 | 8,920 | 100 |
| Westchester County Acute Care Hospitals | 89,110 | 77.6 | 37,431 | 84.4 | 25,123 | 71.0 | 3,250 | 74.4 | 9,162 | 79.2 | 8,673 | 84.7 | 5,471 | 61.3 |
| Westchester Medical Center | 13,703 | 11.9 | 3,210 | 7.2 | 5,518 | 15.6 | 1,912 | 43.8 | 765 | 6.6 | 559 | 5.5 | 1,739 | 19.5 |
| White Plains Hospital Center | 13,236 | 11.5 | 5,661 | 12.8 | 4,001 | 11.3 | 330 | 7.6 | 1,554 | 13.4 | 1,591 | 15.5 | 99 | 1.1 |
| St. John's Riverside Hospital | 12,011 | 10.5 | 4,893 | 11.0 | 2,500 | 7.1 | 133 | 3.0 | 1,571 | 13.6 | 1,584 | 15.5 | 1,330 | 14.9 |
| Sound Shore Medical Center of Westchester | 9,311 | 8.1 | 3,840 | 8.7 | 2,099 | 5.9 | 147 | 3.4 | 1,555 | 13.4 | 1,401 | 13.7 | 269 | 3.0 |
| Lawrence Hospital Center | 9,196 | 8.0 | 4,881 | 11.0 | 2,316 | 6.5 | 155 | 3.5 | 889 | 7.7 | 883 | 8.6 | 72 | 0.8 |
| Northern Westchester Hospital | 8,324 | 7.3 | 3,235 | 7.3 | 2,346 | 6.6 | 287 | 6.6 | 1,107 | 9.6 | 1,077 | 10.5 | 272 | 3.0 |
| Phelps Memorial Hospital Center | 7,258 | 6.3 | 2,770 | 6.2 | 2,000 | 5.7 | 56 | 1.3 | 995 | 8.6 | 994 | 9.7 | 443 | 5.0 |
| Hudson Valley Hospital Center | 5,421 | 4.7 | 2,592 | 5.8 | 1,512 | 4.3 | 21 | 0.5 | 665 | 5.7 | 584 | 5.7 | 47 | 0.5 |
| St. Joseph's Hospital (Yonkers) | 5,409 | 4.7 | 3,140 | 7.1 | 1,343 | 3.8 | 206 | 4.7 | 40 | 0.3 | 0 | 0.0 | 680 | 7.6 |
| Mount Vernon Hospital | 3,794 | 3.3 | 2,280 | 5.1 | 993 | 2.8 | 0 | 0.0 | 20 | 0.2 | 0 | 0.0 | 501 | 5.6 |
| Community Hospital at Dobbs Ferry | 1,447 | 1.3 | 929 | 2.1 | 495 | 1.4 | 3 | 0.1 | 1 | 0.0 | 0 | 0.0 | 19 | 0.2 |
| Westchester County Specialty Hospitals | 4,348 | 3.8 | 1,859 | 4.2 | 15 | 0.0 | 46 | 1.1 | 1 | 0.0 | 0 | 0.0 | 2,427 | 27.2 |
| Winifred Masterson Burke Rehabilitation Hospital | 1,814 | 1.6 | 1,799 | 4.1 | 15 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| SVCMC-St. Vincent's Westchester | 1,318 | 1.1 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1,318 | 14.8 |
| New York Presbyterian Hospital Westchester Division | 1,164 | 1.0 | 54 | 0.1 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 | 0 | 0.0 | 1,109 | 12.4 |
| Blythedale Children's Hospital | 52 | 0.0 | 6 | 0.0 | 0 | 0.0 | 46 | 1.1 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| New York County (Manhattan) Hospitals | 12,391 | 10.8 | 2,108 | 4.8 | 7,346 | 20.8 | 674 | 15.4 | 1,021 | 8.8 | 954 | 9.3 | 288 | 3.2 |
| New York Presbyterian Hospital at Columbia Presbyterian Center | 2,934 | 2.6 | 398 | 0.9 | 1,754 | 5.0 | 333 | 7.6 | 221 | 1.9 | 186 | 1.8 | 42 | 0.5 |
| Mount Sinai Hospital | 2,104 | 1.8 | 366 | 0.8 | 1,380 | 3.9 | 38 | 0.9 | 139 | 1.2 | 132 | 1.3 | 49 | 0.5 |
| New York Presbyterian Hospital at New York Weill Cornell Center | 1,794 | 1.6 | 242 | 0.5 | 1,102 | 3.1 | 62 | 1.4 | 185 | 1.6 | 184 | 1.8 | 19 | 0.2 |
| Memorial Hospital for Cancer and Allied Diseases | 1,138 | 1.0 | 374 | 0.8 | 744 | 2.1 | 19 | 0.4 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 |
| NYU Hospital Center | 1,036 | 0.9 | 192 | 0.4 | 541 | 1.5 | 83 | 1.9 | 108 | 0.9 | 100 | 1.0 | 12 | 0.1 |
| Lenox Hill Hospital | 761 | 0.7 | 111 | 0.3 | 318 | 0.9 | 5 | 0.1 | 157 | 1.4 | 157 | 1.5 | 13 | 0.1 |
| Hospital for Special Surgery | 750 | 0.7 | 10 | 0.0 | 714 | 2.0 | 26 | 0.6 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| St. Luke's Roosevelt Hospital Center at Roosevelt Hospital Division | 502 | 0.4 | 50 | 0.1 | 186 | 0.5 | 7 | 0.2 | 127 | 1.1 | 122 | 1.2 | 10 | 0.1 |
| Beth Israel Medical Center/Petrie Campus | 466 | 0.4 | 89 | 0.2 | 203 | 0.6 | 76 | 1.7 | 31 | 0.3 | 27 | 0.3 | 40 | 0.4 |
| Hospital for Joint Diseases at Orthopaedic Institute Inc | 196 | 0.2 | 21 | 0.0 | 165 | 0.5 | 10 | 0.2 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |

(continued)

Table 1. Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2008-2009
(continued)

| New York State Hospitals | 2008 | | | | | | | | | | | | | |
|---|--------------|------------|--------------|------------|--------------|------------|------------|------------|-------------|------------|-----------------|------------|-------------|------------|
| | Total | | Medical | | Surgical | | Pediatric | | Obstetrical | | Nursery/Newborn | | Psychiatric | |
| | N | % | N | % | N | % | N | % | N | % | N | % | N | % |
| New York County (Manhattan) Hospitals | | | | | | | | | | | | | | |
| St. Luke's Roosevelt Hospital at St. Lukes Hospital Division | 149 | 0.1 | 46 | 0.1 | 63 | 0.2 | 3 | 0.1 | 4 | 0.0 | 0 | 0.0 | 33 | 0.4 |
| New York Presbyterian Hospital at Allen Pavilion | 140 | 0.1 | 64 | 0.1 | 36 | 0.1 | 0 | 0.0 | 17 | 0.1 | 17 | 0.2 | 6 | 0.1 |
| St. Vincent's Catholic Medical Center | 140 | 0.1 | 30 | 0.1 | 63 | 0.2 | 2 | 0.0 | 17 | 0.1 | 18 | 0.2 | 10 | 0.1 |
| Bellevue Hospital Center | 70 | 0.1 | 27 | 0.1 | 27 | 0.1 | 1 | 0.0 | 2 | 0.0 | 1 | 0.0 | 12 | 0.1 |
| All Other Hospitals | 211 | 0.2 | 88 | 0.2 | 50 | 0.1 | 9 | 0.2 | 13 | 0.1 | 10 | 0.1 | 41 | 0.5 |
| Bronx County Hospitals | 5,783 | 5.0 | 2,006 | 4.5 | 2,013 | 5.7 | 359 | 8.2 | 557 | 4.8 | 481 | 4.7 | 367 | 4.1 |
| Montefiore Medical Center at Henry & Lucy Moses Division | 2,271 | 2.0 | 749 | 1.7 | 1,185 | 3.4 | 294 | 6.7 | 5 | 0.0 | 3 | 0.0 | 35 | 0.4 |
| Montefiore Medical Center at Jack D. Weiler Hospital of A. Einstein College | 1,284 | 1.1 | 237 | 0.5 | 343 | 1.0 | 0 | 0.0 | 367 | 3.2 | 336 | 3.3 | 1 | 0.0 |
| Our Lady of Mercy Medical Center | 781 | 0.7 | 249 | 0.6 | 194 | 0.5 | 27 | 0.6 | 123 | 1.1 | 99 | 1.0 | 89 | 1.0 |
| Calvary Hospital Inc. | 444 | 0.4 | 411 | 0.9 | 28 | 0.1 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 0.1 |
| Jacobi Medical Center | 393 | 0.3 | 139 | 0.3 | 146 | 0.4 | 32 | 0.7 | 29 | 0.3 | 14 | 0.1 | 33 | 0.4 |
| St. Barnabas Hospital | 282 | 0.2 | 75 | 0.2 | 39 | 0.1 | 3 | 0.1 | 7 | 0.1 | 5 | 0.0 | 153 | 1.7 |
| New York Westchester Square Medical Center | 110 | 0.1 | 61 | 0.1 | 49 | 0.1 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| All Other Hospitals | 218 | 0.2 | 85 | 0.2 | 29 | 0.1 | 3 | 0.1 | 26 | 0.2 | 24 | 0.2 | 51 | 0.6 |
| Queens County Hospitals | 213 | 0.2 | 75 | 0.2 | 65 | 0.2 | 15 | 0.3 | 20 | 0.2 | 20 | 0.2 | 18 | 0.2 |
| Kings County (Brooklyn) Hospitals | 119 | 0.1 | 36 | 0.1 | 30 | 0.1 | 2 | 0.0 | 21 | 0.2 | 18 | 0.2 | 12 | 0.1 |
| Richmond County (Staten Island) Hospitals | 33 | 0.0 | 9 | 0.0 | 8 | 0.0 | 1 | 0.0 | 2 | 0.0 | 2 | 0.0 | 11 | 0.1 |
| Nassau County Hospitals | 258 | 0.2 | 74 | 0.2 | 109 | 0.3 | 6 | 0.1 | 28 | 0.2 | 32 | 0.3 | 9 | 0.1 |
| North Shore University Hospital | 128 | 0.1 | 32 | 0.1 | 47 | 0.1 | 2 | 0.0 | 19 | 0.2 | 24 | 0.2 | 4 | 0.0 |
| All Other Hospitals | 130 | 0.1 | 42 | 0.1 | 62 | 0.2 | 4 | 0.1 | 9 | 0.1 | 8 | 0.1 | 5 | 0.1 |
| Suffolk County Hospitals | 57 | 0.0 | 32 | 0.1 | 15 | 0.0 | 2 | 0.0 | 3 | 0.0 | 2 | 0.0 | 3 | 0.0 |
| Rockland County Hospitals | 254 | 0.2 | 131 | 0.3 | 37 | 0.1 | 1 | 0.0 | 12 | 0.1 | 10 | 0.1 | 63 | 0.7 |
| Nyack Hospital | 144 | 0.1 | 34 | 0.1 | 33 | 0.1 | 1 | 0.0 | 11 | 0.1 | 9 | 0.1 | 56 | 0.6 |
| Helen Hayes Hospital | 88 | 0.1 | 87 | 0.2 | 1 | 0.0 | | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| All Other Hospitals | 22 | 0.0 | 10 | 0.0 | 3 | 0.0 | 0 | 0.0 | 1 | 0.0 | 1 | 0.0 | 7 | 0.1 |
| Putnam County Hospitals | 1,105 | 1.0 | 436 | 1.0 | 385 | 1.1 | 4 | 0.1 | 52 | 0.4 | 35 | 0.3 | 193 | 2.2 |
| Putnam Hospital Center | 1,105 | 1.0 | 436 | 1.0 | 385 | 1.1 | 4 | 0.1 | 52 | 0.4 | 35 | 0.3 | 193 | 2.2 |
| Hospitals North of Putnam and Rockland Counties | 324 | 0.3 | 122 | 0.3 | 115 | 0.3 | 7 | 0.2 | 13 | 0.1 | 9 | 0.1 | 58 | 0.7 |
| Unknown Hospitals | 804 | 0.7 | 18 | 0.0 | 106 | 0.3 | 0 | 0.0 | 680 | 5.9 | 0 | 0.0 | 0 | 0.0 |

(continued)

Table 1. Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2008-2009

(continued)

| New York State Hospitals | 2009 | | | | | | | | | | | | | |
|---|----------------|-------------|---------------|-------------|---------------|-------------|--------------|-------------|---------------|-------------|-----------------|-------------|--------------|-------------|
| | Total | | Medical | | Surgical | | Pediatric | | Obstetrical | | Nursery/Newborn | | Psychiatric | |
| | N | % | N | % | N | % | N | % | N | % | N | % | N | % |
| Total | 112,436 | 100 | 43,920 | 100 | 34,443 | 100 | 4,413 | 100 | 10,956 | 100 | 9,749 | 100 | 8,955 | 100 |
| Westchester County Acute Care Hospitals | 87,003 | 77.4 | 37,021 | 84.3 | 24,199 | 70.3 | 3,309 | 75.0 | 8,773 | 80.1 | 8,265 | 84.8 | 5,436 | 60.7 |
| Westchester Medical Center | 13,956 | 12.4 | 3,272 | 7.4 | 5,415 | 15.7 | 2,005 | 45.4 | 828 | 7.6 | 641 | 6.6 | 1,795 | 20.0 |
| St. John's Riverside Hospital | 12,016 | 10.7 | 5,159 | 11.7 | 2,561 | 7.4 | 15 | 0.3 | 1,541 | 14.1 | 1,527 | 15.7 | 1,213 | 13.5 |
| White Plains Hospital Center | 11,029 | 9.8 | 4,908 | 11.2 | 3,282 | 9.5 | 375 | 8.5 | 1,217 | 11.1 | 1,179 | 12.1 | 68 | 0.8 |
| Lawrence Hospital Center | 9,511 | 8.5 | 4,976 | 11.3 | 2,324 | 6.7 | 222 | 5.0 | 951 | 8.7 | 955 | 9.8 | 83 | 0.9 |
| Sound Shore Medical Center of Westchester | 8,780 | 7.8 | 3,813 | 8.7 | 2,119 | 6.2 | 114 | 2.6 | 1,281 | 11.7 | 1,163 | 11.9 | 290 | 3.2 |
| Northern Westchester Hospital | 8,376 | 7.4 | 3,253 | 7.4 | 2,312 | 6.7 | 250 | 5.7 | 1,152 | 10.5 | 1,131 | 11.6 | 278 | 3.1 |
| Phelps Memorial Hospital Center | 7,784 | 6.9 | 2,868 | 6.5 | 2,094 | 6.1 | 101 | 2.3 | 1,095 | 10.0 | 1,092 | 11.2 | 534 | 6.0 |
| Hudson Valley Hospital Center | 5,543 | 4.9 | 2,761 | 6.3 | 1,444 | 4.2 | 36 | 0.8 | 670 | 6.1 | 577 | 5.9 | 55 | 0.6 |
| St. Joseph's Hospital (Yonkers) | 5,068 | 4.5 | 2,990 | 6.8 | 1,292 | 3.8 | 190 | 4.3 | 27 | 0.2 | 0 | 0.0 | 569 | 6.4 |
| Mount Vernon Hospital | 3,866 | 3.4 | 2,379 | 5.4 | 938 | 2.7 | 0 | 0.0 | 10 | 0.1 | 0 | 0.0 | 539 | 6.0 |
| Community Hospital at Dobbs Ferry | 1,074 | 1.0 | 642 | 1.5 | 418 | 1.2 | 1 | 0.0 | 1 | 0.0 | 0 | 0.0 | 12 | 0.1 |
| Westchester County Specialty Hospitals | 4,401 | 3.9 | 1,877 | 4.3 | 8 | 0.0 | 52 | 1.2 | 0 | 0.0 | 0 | 0.0 | 2,464 | 27.5 |
| Winifred Masterson Burke Rehabilitation Hospital | 1,845 | 1.6 | 1,837 | 4.2 | 8 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| SVCMC-St. Vincent's Westchester | 1,329 | 1.2 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1,329 | 14.8 |
| New York Presbyterian Hospital Westchester Division | 1,165 | 1.0 | 30 | 0.1 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1,135 | 12.7 |
| Blythedale Children's Hospital | 62 | 0.1 | 10 | 0.0 | 0 | 0.0 | 52 | 1.2 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| New York County (Manhattan) Hospitals | 12,143 | 10.8 | 2,069 | 4.7 | 7,388 | 21.4 | 599 | 13.6 | 905 | 8.3 | 878 | 9.0 | 304 | 3.4 |
| New York Presbyterian Hospital at Columbia Presbyterian Center | 2,978 | 2.6 | 419 | 1.0 | 1,813 | 5.3 | 270 | 6.1 | 219 | 2.0 | 202 | 2.1 | 55 | 0.6 |
| Mount Sinai Hospital | 2,018 | 1.8 | 369 | 0.8 | 1,284 | 3.7 | 30 | 0.7 | 151 | 1.4 | 149 | 1.5 | 35 | 0.4 |
| New York Presbyterian Hospital at New York Weill Cornell Center | 1,800 | 1.6 | 244 | 0.6 | 1,131 | 3.3 | 66 | 1.5 | 169 | 1.5 | 172 | 1.8 | 18 | 0.2 |
| Memorial Hospital for Cancer and Allied Diseases | 1,148 | 1.0 | 341 | 0.8 | 770 | 2.2 | 37 | 0.8 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| NYU Hospital Center | 874 | 0.8 | 173 | 0.4 | 469 | 1.4 | 60 | 1.4 | 84 | 0.8 | 76 | 0.8 | 12 | 0.1 |
| Hospital for Special Surgery | 848 | 0.8 | 14 | 0.0 | 811 | 2.4 | 23 | 0.5 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Lenox Hill Hospital | 695 | 0.6 | 101 | 0.2 | 331 | 1.0 | 2 | 0.0 | 122 | 1.1 | 122 | 1.3 | 17 | 0.2 |
| St. Luke's Roosevelt Hospital Center at Roosevelt Hospital Division | 430 | 0.4 | 57 | 0.1 | 150 | 0.4 | 11 | 0.2 | 105 | 1.0 | 102 | 1.0 | 5 | 0.1 |
| Beth Israel Medical Center/Petrie Campus | 402 | 0.4 | 77 | 0.2 | 183 | 0.5 | 73 | 1.7 | 16 | 0.1 | 16 | 0.2 | 37 | 0.4 |
| Hospital for Joint Diseases at Orthopaedic Institute Inc | 209 | 0.2 | 26 | 0.1 | 170 | 0.5 | 13 | 0.3 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |

(continued)

Table 1. Number and Percent of Hospital Discharges by Service Category and Hospital, Westchester County Residents, 2008-2009
(continued)

| New York State Hospitals | 2009 | | | | | | | | | | | | | |
|---|--------------|------------|--------------|------------|--------------|------------|------------|------------|-------------|------------|-----------------|------------|-------------|------------|
| | Total | | Medical | | Surgical | | Pediatric | | Obstetrical | | Nursery/Newborn | | Psychiatric | |
| | N | % | N | % | N | % | N | % | N | % | N | % | N | % |
| New York County (Manhattan) Hospitals (continued) | | | | | | | | | | | | | | |
| SVCMC-St. Vincent's Manhattan | 186 | 0.2 | 39 | 0.1 | 101 | 0.3 | 0 | 0.0 | 14 | 0.1 | 14 | 0.1 | 18 | 0.2 |
| St. Luke's Roosevelt Hospital at St. Lukes Hospital Division | 160 | 0.1 | 45 | 0.1 | 68 | 0.2 | 5 | 0.1 | 1 | 0.0 | 0 | 0.0 | 41 | 0.5 |
| New York Presbyterian Hospital at Allen Pavilion | 137 | 0.1 | 59 | 0.1 | 31 | 0.1 | 0 | 0.0 | 17 | 0.2 | 20 | 0.2 | 10 | 0.1 |
| Bellevue Hospital Center | 90 | 0.1 | 31 | 0.1 | 29 | 0.1 | 2 | 0.0 | 2 | 0.0 | 1 | 0.0 | 25 | 0.3 |
| All Other Hospitals | 168 | 0.1 | 74 | 0.2 | 47 | 0.1 | 7 | 0.2 | 5 | 0.0 | 4 | 0.0 | 31 | 0.3 |
| Bronx County Hospitals | 5,803 | 5.2 | 2,039 | 4.6 | 1,955 | 5.7 | 413 | 9.4 | 567 | 5.2 | 495 | 5.1 | 334 | 3.7 |
| Montefiore Medical Center at Henry & Lucy Moses Division | 2,285 | 2.0 | 753 | 1.7 | 1,148 | 3.3 | 359 | 8.1 | 4 | 0.0 | 0 | 0.0 | 21 | 0.2 |
| Montefiore Medical Center at Jack D. Weiler Hospital of A. Einstein College | 1,223 | 1.1 | 261 | 0.6 | 362 | 1.1 | 0 | 0.0 | 320 | 2.9 | 280 | 2.9 | 0 | 0.0 |
| Our Lady of Mercy Medical Center | 856 | 0.8 | 244 | 0.6 | 153 | 0.4 | 27 | 0.6 | 181 | 1.7 | 161 | 1.7 | 90 | 1.0 |
| Calvary Hospital Inc. | 484 | 0.4 | 456 | 1.0 | 17 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 11 | 0.1 |
| Jacobi Medical Center | 405 | 0.4 | 130 | 0.3 | 163 | 0.5 | 17 | 0.4 | 24 | 0.2 | 24 | 0.2 | 47 | 0.5 |
| St. Barnabas Hospital | 235 | 0.2 | 61 | 0.1 | 33 | 0.1 | 6 | 0.1 | 10 | 0.1 | 7 | 0.1 | 118 | 1.3 |
| New York Westchester Square Medical Center | 107 | 0.1 | 61 | 0.1 | 45 | 0.1 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 |
| All Other Hospitals | 208 | 0.2 | 73 | 0.2 | 34 | 0.1 | 4 | 0.1 | 28 | 0.3 | 23 | 0.2 | 46 | 0.5 |
| Queens County Hospitals | 206 | 0.2 | 57 | 0.1 | 54 | 0.2 | 14 | 0.3 | 32 | 0.3 | 28 | 0.3 | 21 | 0.2 |
| Kings County (Brooklyn) Hospitals | 102 | 0.1 | 28 | 0.1 | 32 | 0.1 | 4 | 0.1 | 10 | 0.1 | 12 | 0.1 | 16 | 0.2 |
| Richmond County (Staten Island) Hospitals | 29 | 0.0 | 9 | 0.0 | 9 | 0.0 | 0 | 0.0 | 2 | 0.0 | 1 | 0.0 | 8 | 0.1 |
| Nassau County Hospitals | 239 | 0.2 | 77 | 0.2 | 111 | 0.3 | 7 | 0.2 | 19 | 0.2 | 18 | 0.2 | 7 | 0.1 |
| North Shore University Hospital | 116 | 0.1 | 34 | 0.1 | 51 | 0.1 | 3 | 0.1 | 13 | 0.1 | 13 | 0.1 | 2 | 0.0 |
| All Other Hospitals | 123 | 0.1 | 43 | 0.1 | 60 | 0.2 | 4 | 0.1 | 6 | 0.1 | 5 | 0.1 | 5 | 0.1 |
| Suffolk County Hospitals | 67 | 0.1 | 26 | 0.1 | 25 | 0.1 | 4 | 0.1 | 3 | 0.0 | 2 | 0.0 | 7 | 0.1 |
| Rockland County Hospitals | 271 | 0.2 | 143 | 0.3 | 23 | 0.1 | 2 | 0.0 | 7 | 0.1 | 8 | 0.1 | 88 | 1.0 |
| Nyack Hospital | 159 | 0.1 | 40 | 0.1 | 20 | 0.1 | 2 | 0.0 | 5 | 0.0 | 7 | 0.1 | 85 | 0.9 |
| Helen Hayes Hospital | 92 | 0.1 | 92 | 0.2 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| All Other Hospitals | 20 | 0.0 | 11 | 0.0 | 3 | 0.0 | 0 | 0.0 | 2 | 0.0 | 1 | 0.0 | 3 | 0.0 |
| Putnam County Hospitals | 1,095 | 1.0 | 429 | 1.0 | 391 | 1.1 | 5 | 0.1 | 39 | 0.4 | 38 | 0.4 | 193 | 2.2 |
| Putnam Hospital Center | 1,095 | 1.0 | 429 | 1.0 | 391 | 1.1 | 5 | 0.1 | 39 | 0.4 | 38 | 0.4 | 193 | 2.2 |
| Hospitals North of Putnam and Rockland Counties | 346 | 0.3 | 120 | 0.3 | 137 | 0.4 | 4 | 0.1 | 5 | 0.0 | 4 | 0.0 | 76 | 0.8 |
| Unknown Hospitals | 731 | 0.7 | 25 | 0.1 | 111 | 0.3 | 0 | 0.0 | 594 | 5.4 | 0 | 0.0 | 1 | 0.0 |

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 2. Number of Hospital Discharges and Average Length of Stay by Age and Sex, Westchester County Residents, 2008-2009

| 2008 | | | | | | | | | | |
|--|----------------------|-------------------------------|----------------------|-------------|---|----------------------|-------------------------------|----------------------|-------------|-------------------------------|
| Age (years) | Total ² | | Female | | Female (excluding obstetric service categories) | | Male | | | |
| | Number of Discharges | Average Length of Stay (days) | Number of Discharges | % | Average Length of Stay (days) | Number of Discharges | Average Length of Stay (days) | Number of Discharges | % | Average Length of Stay (days) |
| Total | 114,799 | 6.1 | 65,008 | 56.6 | 5.7 | 53,436 | 6.3 | 49,762 | 43.3 | 6.5 |
| Newborn ¹ | 10,236 | 4.0 | 4,993 | 48.8 | 3.8 | 4,993 | 3.8 | 5,215 | 50.9 | 4.1 |
| Less than 1 | 1,208 | 6.1 | 515 | 42.6 | 7.2 | 515 | 7.2 | 693 | 57.4 | 5.3 |
| 1-2 | 838 | 3.8 | 358 | 42.7 | 4.4 | 358 | 4.4 | 480 | 57.3 | 3.3 |
| 3-4 | 578 | 3.7 | 230 | 39.8 | 3.4 | 230 | 3.4 | 348 | 60.2 | 4.0 |
| 5-5 | 399 | 5.4 | 181 | 45.4 | 4.4 | 181 | 4.4 | 218 | 54.6 | 6.2 |
| 7-8 | 348 | 4.3 | 144 | 41.4 | 3.5 | 144 | 3.5 | 204 | 58.6 | 4.9 |
| 9-10 | 403 | 7.7 | 158 | 39.2 | 4.4 | 157 | 4.5 | 245 | 60.8 | 9.7 |
| 11-12 | 475 | 7.9 | 204 | 42.9 | 6.6 | 204 | 6.6 | 271 | 57.1 | 8.9 |
| 13-14 | 641 | 8.7 | 311 | 48.5 | 8.9 | 304 | 9.1 | 330 | 51.5 | 8.6 |
| 15-16 | 918 | 7.7 | 470 | 51.2 | 6.9 | 403 | 7.6 | 448 | 48.8 | 8.6 |
| 17-18 | 1,111 | 5.5 | 674 | 60.7 | 4.7 | 392 | 6.1 | 437 | 39.3 | 6.7 |
| 19-20 | 1,567 | 4.9 | 1,023 | 65.3 | 3.8 | 388 | 5.0 | 544 | 34.7 | 7.0 |
| 21-22 | 1,512 | 5.6 | 1,038 | 68.7 | 4.2 | 369 | 6.3 | 474 | 31.3 | 8.8 |
| 23-24 | 1,632 | 5.1 | 1,193 | 73.1 | 4.2 | 423 | 6.8 | 439 | 26.9 | 7.3 |
| 25-29 | 4,969 | 4.7 | 3,748 | 75.4 | 3.8 | 1,049 | 5.7 | 1,221 | 24.6 | 7.4 |
| 30-34 | 5,740 | 4.5 | 4,530 | 78.9 | 3.8 | 1,176 | 5.9 | 1,210 | 21.1 | 7.0 |
| 35-39 | 5,845 | 5.1 | 4,150 | 71.0 | 4.4 | 1,743 | 6.1 | 1,695 | 29.0 | 6.7 |
| 40-44 | 5,425 | 6.1 | 3,098 | 57.1 | 5.5 | 2,466 | 6.0 | 2,327 | 42.9 | 6.8 |
| 45-49 | 6,159 | 6.2 | 3,163 | 51.4 | 5.9 | 3,121 | 5.9 | 2,996 | 48.6 | 6.5 |
| 50-54 | 6,796 | 6.4 | 3,295 | 48.5 | 6.1 | 3,289 | 6.1 | 3,501 | 51.5 | 6.7 |
| 55-59 | 6,943 | 6.3 | 3,156 | 45.5 | 6.2 | 3,155 | 6.2 | 3,786 | 54.5 | 6.3 |
| 60-64 | 6,921 | 6.4 | 3,361 | 48.6 | 6.4 | 3,361 | 6.4 | 3,560 | 51.4 | 6.4 |
| 65-69 | 6,989 | 6.4 | 3,473 | 49.7 | 6.5 | 3,473 | 6.5 | 3,516 | 50.3 | 6.2 |
| 70-74 | 7,164 | 6.9 | 3,853 | 53.8 | 7.0 | 3,853 | 7.0 | 3,311 | 46.2 | 6.8 |
| 75-79 | 8,631 | 7.0 | 4,656 | 53.9 | 7.0 | 4,656 | 7.0 | 3,975 | 46.1 | 7.0 |
| 80-84 | 9,445 | 7.1 | 5,342 | 56.6 | 7.2 | 5,342 | 7.2 | 4,103 | 43.4 | 7.1 |
| 85+ | 11,903 | 7.3 | 7,691 | 64.6 | 7.1 | 7,691 | 7.1 | 4,212 | 35.4 | 7.6 |
| Unknown Age | 3 | 3.3 | 0 | 0.0 | 0.0 | 0 | 0.0 | 3 | 100.0 | 3.3 |
| Total excluding Newborns | 104,563 | 6.3 | 60,015 | 57.4 | 5.9 | — | — | 44,547 | 42.6 | 6.8 |
| Total excluding Newborns & Obstetrics | 92,991 | 6.7 | 48,443 | 52.1 | 6.6 | — | — | 44,547 | 47.9 | 6.8 |

(continued)

Table 2. Number of Hospital Discharges and Average Length of Stay by Age and Sex, Westchester County Residents, 2008-2009
(continued)

| 2009 | | | | | | | | | | |
|--|----------------------|-------------------------------|----------------------|-------------|-------------------------------|---|-------------------------------|----------------------|-------------|-------------------------------|
| Age (years) | Total ² | | Female | | | Female (excluding obstetric service categories) | | Male | | |
| | Number of Discharges | Average Length of Stay (days) | Number of Discharges | % | Average Length of Stay (days) | Number of Discharges | Average Length of Stay (days) | Number of Discharges | % | Average Length of Stay (days) |
| Total | 112,436 | 6.0 | 63,675 | 56.6 | 5.7 | 52,719 | 6.2 | 48,756 | 43.4 | 6.4 |
| Newborn ¹ | 9,749 | 4.2 | 4,747 | 48.7 | 4.0 | 4,747 | 4.0 | 4,997 | 51.3 | 4.4 |
| Less than 1 | 1,184 | 6.8 | 482 | 40.7 | 6.9 | 482 | 6.9 | 702 | 59.3 | 6.8 |
| 1-2 | 878 | 3.6 | 375 | 42.7 | 4.1 | 375 | 4.1 | 503 | 57.3 | 3.2 |
| 3-4 | 536 | 3.7 | 234 | 43.7 | 4.4 | 234 | 4.4 | 302 | 56.3 | 3.1 |
| 5-6 | 452 | 4.5 | 190 | 42.0 | 4.5 | 190 | 4.5 | 262 | 58.0 | 4.4 |
| 7-8 | 335 | 6.1 | 125 | 37.3 | 5.0 | 125 | 5.0 | 210 | 62.7 | 6.7 |
| 9-10 | 376 | 6.6 | 138 | 36.7 | 5.4 | 138 | 5.4 | 238 | 63.3 | 7.3 |
| 11-12 | 494 | 8.1 | 227 | 46.0 | 8.0 | 225 | 8.1 | 267 | 54.0 | 8.2 |
| 13-14 | 689 | 8.4 | 321 | 46.6 | 8.8 | 316 | 8.8 | 368 | 53.4 | 8.0 |
| 15-16 | 938 | 7.4 | 478 | 51.0 | 7.4 | 396 | 8.4 | 460 | 49.0 | 7.5 |
| 17-18 | 1,098 | 5.8 | 665 | 60.6 | 4.9 | 381 | 6.3 | 433 | 39.4 | 7.2 |
| 19-20 | 1,425 | 5.1 | 922 | 64.7 | 4.0 | 397 | 5.4 | 503 | 35.3 | 7.2 |
| 21-22 | 1,609 | 4.8 | 1,137 | 70.7 | 4.0 | 436 | 5.0 | 472 | 29.3 | 6.9 |
| 23-24 | 1,637 | 5.9 | 1,152 | 70.4 | 4.6 | 432 | 7.2 | 485 | 29.6 | 9.2 |
| 25-29 | 4,688 | 4.8 | 3,457 | 73.7 | 3.8 | 1,019 | 5.6 | 1,231 | 26.3 | 7.6 |
| 30-34 | 5,719 | 4.6 | 4,499 | 78.7 | 3.8 | 1,202 | 5.6 | 1,220 | 21.3 | 7.5 |
| 35-39 | 5,475 | 5.0 | 3,907 | 71.4 | 4.3 | 1,670 | 5.8 | 1,568 | 28.6 | 6.9 |
| 40-44 | 5,154 | 5.6 | 2,961 | 57.5 | 5.1 | 2,341 | 5.5 | 2,193 | 42.5 | 6.2 |
| 45-49 | 6,246 | 6.0 | 3,232 | 51.7 | 5.7 | 3,189 | 5.7 | 3,014 | 48.3 | 6.3 |
| 50-54 | 6,666 | 6.5 | 3,381 | 50.7 | 6.3 | 3,380 | 6.3 | 3,285 | 49.3 | 6.6 |
| 55-59 | 6,585 | 6.4 | 3,014 | 45.8 | 6.4 | 3,013 | 6.4 | 3,571 | 54.2 | 6.4 |
| 60-64 | 7,355 | 6.4 | 3,595 | 48.9 | 6.5 | 3,595 | 6.5 | 3,760 | 51.1 | 6.3 |
| 65-69 | 7,009 | 6.4 | 3,431 | 49.0 | 6.4 | 3,431 | 6.4 | 3,578 | 51.0 | 6.4 |
| 70-74 | 7,132 | 6.7 | 3,700 | 51.9 | 6.7 | 3,700 | 6.7 | 3,432 | 48.1 | 6.7 |
| 75-79 | 8,229 | 6.7 | 4,398 | 53.4 | 6.5 | 4,398 | 6.5 | 3,831 | 46.6 | 6.8 |
| 80-84 | 8,864 | 7.0 | 5,115 | 57.7 | 7.0 | 5,115 | 7.0 | 3,749 | 42.3 | 7.0 |
| 85+ | 11,912 | 6.9 | 7,791 | 65.4 | 6.8 | 7,791 | 6.8 | 4,121 | 34.6 | 7.1 |
| Unknown Age | 2 | 6.0 | 1 | 50.0 | 9.0 | 1 | 9.0 | 1 | 50.0 | 3.0 |
| Total excluding Newborns | 102,687 | 6.2 | 58,928 | 57.4 | 5.8 | — | — | 43,759 | 42.6 | 6.7 |
| Total excluding Newborns & Obstetrics | 91,731 | 6.5 | 47,972 | 52.3 | 6.4 | — | — | 43,759 | 47.7 | 6.7 |

¹ Only includes newborns delivered in New York State Hospitals.

² Totals include unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 3. Number of Hospital Discharges and Average Length of Stay by Age and Race/Ethnicity, Westchester County Residents, 2008-2009

| 2008 | | | | | | | | | | |
|--|----------------------|-------------------------------|----------------------|-------------------------------|----------------------|-------------------------------|----------------------|-------------------------------|-----------------------|-------------------------------|
| Age (years) | Total | | White | | Black | | Other ² | | Hispanic ³ | |
| | Number of Discharges | Average Length of Stay (days) | Number of Discharges | Average Length of Stay (days) | Number of Discharges | Average Length of Stay (days) | Number of Discharges | Average Length of Stay (days) | Number of Discharges | Average Length of Stay (days) |
| Total | 114,799 | 6.1 | 73,827 | 6.0 | 20,132 | 6.9 | 20,840 | 5.6 | 15,654 | 5.0 |
| Newborn ¹ | 10,236 | 4.0 | 5,676 | 3.7 | 1,580 | 4.9 | 2,980 | 4.1 | 2,560 | 3.7 |
| Less than 1 | 1,208 | 6.1 | 599 | 5.3 | 201 | 8.6 | 408 | 6.2 | 373 | 5.6 |
| 1-2 | 838 | 3.8 | 429 | 3.7 | 133 | 5.0 | 276 | 3.3 | 290 | 3.9 |
| 3-4 | 578 | 3.7 | 289 | 3.5 | 114 | 3.7 | 175 | 4.2 | 149 | 4.4 |
| 5-6 | 399 | 5.4 | 184 | 5.0 | 71 | 9.5 | 144 | 3.9 | 96 | 5.0 |
| 7-8 | 348 | 4.3 | 175 | 3.8 | 55 | 5.3 | 118 | 4.7 | 82 | 3.9 |
| 9-10 | 403 | 7.7 | 215 | 5.0 | 86 | 14.8 | 102 | 7.3 | 113 | 5.9 |
| 11-12 | 475 | 7.9 | 251 | 5.7 | 102 | 12.1 | 122 | 9.0 | 78 | 8.5 |
| 13-14 | 641 | 8.7 | 299 | 7.1 | 146 | 13.2 | 196 | 7.9 | 118 | 7.3 |
| 15-16 | 918 | 7.7 | 460 | 5.8 | 194 | 10.0 | 264 | 9.4 | 216 | 5.9 |
| 17-18 | 1,111 | 5.5 | 533 | 5.4 | 279 | 6.3 | 299 | 5.0 | 282 | 4.6 |
| 19-20 | 1,567 | 4.9 | 723 | 4.8 | 422 | 5.3 | 422 | 4.8 | 409 | 3.9 |
| 21-22 | 1,512 | 5.6 | 733 | 5.8 | 349 | 5.3 | 430 | 5.5 | 458 | 5.1 |
| 23-24 | 1,632 | 5.1 | 744 | 4.3 | 423 | 6.1 | 465 | 5.3 | 486 | 4.3 |
| 25-29 | 4,969 | 4.7 | 2,300 | 4.3 | 1,121 | 5.5 | 1,548 | 4.6 | 1,404 | 4.0 |
| 30-34 | 5,740 | 4.5 | 3,083 | 4.1 | 1,040 | 5.8 | 1,617 | 4.4 | 1,239 | 4.0 |
| 35-39 | 5,845 | 5.1 | 3,180 | 4.6 | 1,235 | 6.5 | 1,430 | 5.0 | 1,111 | 5.1 |
| 40-44 | 5,425 | 6.1 | 2,819 | 6.1 | 1,433 | 6.6 | 1,173 | 5.5 | 931 | 5.7 |
| 45-49 | 6,159 | 6.2 | 3,451 | 5.7 | 1,684 | 7.2 | 1,024 | 6.1 | 798 | 5.4 |
| 50-54 | 6,796 | 6.4 | 4,070 | 6.2 | 1,585 | 7.1 | 1,141 | 6.1 | 813 | 6.2 |
| 55-59 | 6,943 | 6.3 | 4,514 | 6.0 | 1,330 | 7.1 | 1,099 | 6.3 | 767 | 5.7 |
| 60-64 | 6,921 | 6.4 | 4,616 | 6.2 | 1,287 | 6.9 | 1,018 | 6.5 | 644 | 6.1 |
| 65-69 | 6,989 | 6.4 | 4,695 | 6.2 | 1,209 | 7.2 | 1,085 | 6.3 | 653 | 6.0 |
| 70-74 | 7,164 | 6.9 | 5,194 | 6.7 | 1,096 | 7.6 | 874 | 7.4 | 465 | 7.8 |
| 75-79 | 8,631 | 7.0 | 6,782 | 7.0 | 982 | 7.4 | 867 | 6.8 | 455 | 6.3 |
| 80-84 | 9,445 | 7.1 | 7,797 | 7.0 | 882 | 8.2 | 766 | 7.0 | 373 | 7.0 |
| 85 and older | 11,903 | 7.3 | 10,013 | 7.2 | 1,093 | 8.4 | 797 | 7.0 | 291 | 6.3 |
| Unknown Age | 3 | 3.3 | 3 | 3.3 | — | — | — | — | — | — |
| Total Excluding Newborns | 104,563 | 6.3 | 68,151 | 6.2 | 18,552 | 7.0 | 17,860 | 5.8 | 13,094 | 5.3 |
| Total Excluding Newborns & Obstetrics | 92,991 | 6.7 | 62,014 | 6.5 | 16,527 | 7.5 | 14,450 | 6.5 | 10,097 | 6.0 |

(continued)

Table 3. Number of Hospital Discharges and Average Length of Stay by Age and Race/Ethnicity, Westchester County Residents, 2008-2009 (continued)

| 2009 | | | | | | | | | | |
|--|----------------------|-------------------------------|----------------------|-------------------------------|----------------------|-------------------------------|----------------------|-------------------------------|-----------------------|-------------------------------|
| Age (years) | Total | | White | | Black | | Other ² | | Hispanic ³ | |
| | Number of Discharges | Average Length of Stay (days) | Number of Discharges | Average Length of Stay (days) | Number of Discharges | Average Length of Stay (days) | Number of Discharges | Average Length of Stay (days) | Number of Discharges | Average Length of Stay (days) |
| Total | 112,436 | 6.0 | 71,388 | 5.9 | 20,488 | 6.7 | 20,560 | 5.7 | 16,640 | 4.9 |
| Newborn ¹ | 9,749 | 4.2 | 5,268 | 3.8 | 1,501 | 5.0 | 2,980 | 4.5 | 2,731 | 3.5 |
| Less than 1 | 1,184 | 6.8 | 536 | 6.0 | 210 | 8.7 | 438 | 6.9 | 365 | 6.1 |
| 1-2 | 878 | 3.6 | 437 | 3.6 | 154 | 3.5 | 287 | 3.5 | 274 | 4.0 |
| 3-4 | 536 | 3.7 | 274 | 4.3 | 84 | 3.2 | 178 | 3.0 | 176 | 4.7 |
| 5-6 | 452 | 4.5 | 241 | 3.9 | 75 | 6.0 | 136 | 4.6 | 138 | 4.2 |
| 7-8 | 335 | 6.1 | 167 | 4.7 | 50 | 10.8 | 118 | 6.0 | 101 | 5.9 |
| 9-10 | 376 | 6.6 | 168 | 4.7 | 93 | 8.6 | 115 | 7.6 | 75 | 6.8 |
| 11-12 | 494 | 8.1 | 261 | 7.9 | 91 | 10.9 | 142 | 6.8 | 108 | 5.8 |
| 13-14 | 689 | 8.4 | 302 | 5.8 | 162 | 12.8 | 225 | 8.7 | 141 | 6.3 |
| 15-16 | 938 | 7.4 | 440 | 5.8 | 231 | 10.3 | 267 | 7.7 | 220 | 7.5 |
| 17-18 | 1,098 | 5.8 | 519 | 5.0 | 272 | 7.8 | 307 | 5.4 | 276 | 5.1 |
| 19-20 | 1,425 | 5.1 | 662 | 4.7 | 368 | 5.0 | 395 | 5.9 | 421 | 4.5 |
| 21-22 | 1,609 | 4.8 | 780 | 4.5 | 363 | 6.0 | 466 | 4.4 | 556 | 3.8 |
| 23-24 | 1,637 | 5.9 | 841 | 5.9 | 347 | 6.0 | 449 | 6.0 | 508 | 4.3 |
| 25-29 | 4,688 | 4.8 | 2,156 | 4.5 | 1,098 | 5.6 | 1,434 | 4.6 | 1,478 | 3.9 |
| 30-34 | 5,719 | 4.6 | 2,962 | 4.2 | 1,117 | 5.9 | 1,640 | 4.5 | 1,374 | 4.1 |
| 35-39 | 5,475 | 5.0 | 2,899 | 4.7 | 1,233 | 5.8 | 1,343 | 5.0 | 1,119 | 5.0 |
| 40-44 | 5,154 | 5.6 | 2,753 | 5.2 | 1,408 | 6.1 | 993 | 5.8 | 881 | 5.5 |
| 45-49 | 6,246 | 6.0 | 3,325 | 5.9 | 1,776 | 6.5 | 1,145 | 5.4 | 981 | 5.4 |
| 50-54 | 6,666 | 6.5 | 3,878 | 6.0 | 1,690 | 7.5 | 1,098 | 6.4 | 849 | 5.6 |
| 55-59 | 6,585 | 6.4 | 4,156 | 6.0 | 1,341 | 7.1 | 1,088 | 6.9 | 791 | 5.9 |
| 60-64 | 7,355 | 6.4 | 4,939 | 6.2 | 1,402 | 7.2 | 1,014 | 6.6 | 686 | 5.4 |
| 65-69 | 7,009 | 6.4 | 4,732 | 6.3 | 1,307 | 6.6 | 970 | 6.5 | 636 | 5.9 |
| 70-74 | 7,132 | 6.7 | 5,080 | 6.5 | 1,096 | 7.8 | 956 | 6.5 | 532 | 5.9 |
| 75-79 | 8,229 | 6.7 | 6,379 | 6.6 | 988 | 6.8 | 862 | 6.9 | 483 | 5.8 |
| 80-84 | 8,864 | 7.0 | 7,294 | 6.9 | 888 | 7.8 | 682 | 7.0 | 367 | 7.3 |
| 85+ | 11,912 | 6.9 | 9,937 | 6.8 | 1,143 | 7.6 | 832 | 7.3 | 373 | 6.2 |
| Unknown Age | 2 | 6.0 | 2 | 6.0 | — | — | — | — | — | — |
| Total Excluding Newborns | 102,687 | 6.2 | 66,120 | 6.1 | 18,987 | 6.8 | 17,580 | 5.9 | 13,909 | 5.2 |
| Total Excluding Newborns & Obstetrics | 91,731 | 6.5 | 60,392 | 6.3 | 17,101 | 7.2 | 14,238 | 6.6 | 10,681 | 5.8 |

¹ Only includes newborns delivered in New York State Hospitals.

² Includes Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 4. Number of Hospital Discharges by Principal Diagnosis and All Related Diagnoses, Westchester County Residents, 2008-2009

| 2008 | | | | |
|--|----------------------------------|------------|------------------------------------|----------|
| Diagnosis | Principal Diagnosis ¹ | | All Related Diagnoses ² | |
| | Number | % | Number | % |
| Total | 114,799 | 100 | 114,799 | — |
| Circulatory System | 16,140 | 14.1 | 58,342 | 50.8 |
| Digestive System | 9,290 | 8.1 | 25,689 | 22.4 |
| Mental Disorders | 8,920 | 7.8 | 29,701 | 25.9 |
| Respiratory System | 8,169 | 7.1 | 26,772 | 23.3 |
| <i>Asthma</i> | 1,458 | 1.3 | 7,494 | 6.5 |
| Neoplasms | 6,103 | 5.3 | 14,051 ³ | 12.2 |
| <i>Malignant</i> | 4,708 | 4.1 | 10,742 | 9.4 |
| <i>Benign</i> | 1,117 | 1.0 | 2,350 | 2.0 |
| <i>Carcinoma in Situ & Uncertain</i> | 278 | 0.2 | 959 | 0.8 |
| Musculoskeletal System & Connective Tissue | 5,388 | 4.7 | 18,296 | 15.9 |
| Injury & Poisonings | 5,060 ⁴ | 4.4 | 6,972 ⁵ | 6.3 |
| Genitourinary System | 4,688 | 4.1 | 25,907 | 22.6 |
| Infections and Parasitic Diseases | 4,318 | 3.8 | 14,382 | 12.5 |
| <i>HIV & AIDS</i> | 155 | 0.1 | 1,088 ⁶ | 0.9 |
| Endocrine, Nutritional, Metabolic, & Immunologic Disorders | 3,876 | 3.4 | 51,880 | 45.2 |
| <i>Diabetes Mellitus</i> | 1,471 | 1.3 | 18,753 | 16.3 |
| Nervous System & Sense Organs | 2,469 | 2.2 | 17,426 | 15.2 |
| Skin & Subcutaneous Tissue | 2,156 | 1.9 | 8,773 | 7.6 |
| Blood & Blood Forming Organs | 1,550 | 1.4 | 19,048 | 16.6 |
| Congenital Anomalies | 403 | 0.4 | 2,373 | 2.1 |
| Conditions Originating in Perinatal Period | 299 | 0.3 | 4,891 | 4.3 |
| Symptoms, Signs, & Ill-defined Conditions | 7,369 | 6.4 | 28,000 | 24.4 |
| Supplementary Classifications - Other | 3,818 | 3.3 | 61,516 | 53.6 |
| Medical Misadventures, Abnormal Reactions & Late Effects | 2,940 ⁴ | 2.6 | 8,186 ⁵ | 7.1 |
| Complications of Pregnancy, Childbirth, & Puerperium | 11,607 ⁷ | 10.1 | 11,632 | 10.1 |
| Supplementary Classifications - Newborns | 10,236 | 8.9 | 10,236 | 8.9 |

(continued)

Table 4. Number of Hospital Discharges by Principal Diagnosis and All Related Diagnoses, Westchester County Residents, 2008-2009 (continued)

| 2009 | | | | |
|--|----------------------------------|------------|------------------------------------|-------------|
| Diagnosis | Principal Diagnosis ¹ | | All Related Diagnoses ² | |
| | Number | % | Number | % |
| Total | 112,436 | 100 | 112,436 | — |
| Circulatory System | 15,649 | 13.9 | 57,595 | 51.2 |
| Digestive System | 9,067 | 8.1 | 25,518 | 22.7 |
| Mental Disorders | 8,955 | 8.0 | 30,614 | 27.2 |
| Respiratory System | 8,131 | 7.2 | 26,894 | 23.9 |
| <i>Asthma</i> | <i>1,413</i> | <i>1.3</i> | <i>7,438</i> | <i>6.6</i> |
| Neoplasms | 5,865 | 5.2 | 13,514 ³ | 12.0 |
| <i>Malignant</i> | <i>4,500</i> | <i>4.0</i> | <i>10,214</i> | <i>9.1</i> |
| <i>Benign</i> | <i>1,099</i> | <i>1.0</i> | <i>2,349</i> | <i>2.1</i> |
| <i>Carcinoma in Situ & Uncertain</i> | <i>266</i> | <i>0.2</i> | <i>951</i> | <i>0.8</i> |
| Musculoskeletal System & Connective Tissue | 5,448 | 4.8 | 18,521 | 16.5 |
| Injury & Poisonings | 5,072 ⁴ | 4.5 | 6,961 ⁵ | 6.4 |
| Genitourinary System | 4,716 | 4.2 | 26,404 | 23.5 |
| Infections and Parasitic Diseases | 4,332 | 3.9 | 14,043 | 12.5 |
| <i>HIV & AIDS</i> | <i>119</i> | <i>0.1</i> | <i>1,020⁶</i> | <i>0.9</i> |
| Endocrine, Nutritional, Metabolic, & Immunologic Disorders | 3,770 | 3.4 | 51,941 | 46.2 |
| <i>Diabetes Mellitus</i> | <i>1,400</i> | <i>1.2</i> | <i>18,858</i> | <i>16.8</i> |
| Nervous System & Sense Organs | 2,443 | 2.2 | 18,073 | 16.1 |
| Skin & Subcutaneous Tissue | 2,073 | 1.8 | 8,361 | 7.4 |
| Blood & Blood Forming Organs | 1,648 | 1.5 | 19,781 | 17.6 |
| Congenital Anomalies | 380 | 0.3 | 2,326 | 2.1 |
| Conditions Originating in Perinatal Period | 264 | 0.2 | 4,807 | 4.3 |
| Symptoms, Signs, & Ill-defined Conditions | 7,425 | 6.6 | 27,681 | 24.6 |
| Supplementary Classifications - Other | 3,648 | 3.2 | 61,393 | 54.6 |
| Medical Misadventures, Abnormal Reactions & Late Effects | 2,800 ⁴ | 2.5 | 7,919 ⁵ | 7.0 |
| Complications of Pregnancy, Childbirth, & Puerperium | 10,999 ⁷ | 9.8 | 11,027 | 9.8 |
| Supplementary Classifications - Newborns | 9,749 | 8.7 | 9,749 | 8.7 |

¹ The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care, as defined by ICD-9 Numerical Codes. Although the principal diagnosis represents the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. The principal diagnosis reflects clinical findings discovered during the patient's stay, therefore it may differ from admitting diagnosis.

² Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. Diagnoses that were related to an earlier episode which had no bearing on the current hospital stay were excluded. A patient may be included in more than one category.

³ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. A diagnosis in the V-class ranges of V58.0-V58.10 (chemotherapy and radiotherapy) is also included. Diagnoses that were related to an earlier episode which had no bearing on the current hospital stay were excluded.

⁴ Defined by ICD-9 Numerical Code and E Codes.

⁵ Including cases coded for external cause of injury, poisoning, or adverse effect. The priorities for recording an external code (E-Code) are: a) principal diagnosis of an injury or poisoning, b) other diagnosis of an injury, poisoning or adverse effect directly related to the principal diagnosis, and c) other diagnosis with an external cause. Only the first E-Code is recorded in this item.

⁶ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the the treatment received and/or length of stay. In addition, it included any V-class coding of V08.0 and any of the variables for current, new or past New York State diagnosis-related groupings in the range of 700 to 716 or any current, new or past federal diagnosis-related groupings in the range of 488 to 490.

⁷ Defined by ICD-9 numerical codes for pregnancy, childbirth, and puerperium. It includes codes for abortion and complications in childbirth requiring surgery.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 5. Number of Hospital Discharges by Principal Diagnosis and Age, Westchester County Residents, 2008-2009

| Principal Diagnosis ¹ | 2008 | | | | | | | | | | | | | | | | |
|---|--------------------|--------------------------|------------|--------------|-------------|--------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|
| | Total ² | Less than 1 ³ | | 1-12 | | 13-17 | | 18-34 | | 35-49 | | 50-64 | | 65-74 | | 75+ | |
| | | Number | % | Number | % | Number | % | Number | % | Number | % | Number | % | Number | % | Number | % |
| Total | 114,799 | 1,208 | 100 | 3,041 | 100 | 2,037 | 100 | 16,053 | 100 | 17,429 | 100 | 20,660 | 100 | 14,153 | 100 | 29,979 | 100 |
| Circulatory System | 16,140 | 14 | 1.2 | 34 | 1.1 | 21 | 1.0 | 280 | 1.7 | 1,362 | 7.8 | 3,703 | 17.9 | 3,215 | 22.7 | 7,511 | 25.1 |
| Digestive System | 9,289 | 76 | 6.3 | 261 | 8.6 | 207 | 10.2 | 1,081 | 6.7 | 1,662 | 9.5 | 2,097 | 10.2 | 1,302 | 9.2 | 2,603 | 8.7 |
| Mental Disorders | 8,920 | 0 | 0.0 | 265 | 8.7 | 685 | 33.6 | 2,245 | 14.0 | 3,093 | 17.7 | 1,822 | 8.8 | 431 | 3.0 | 379 | 1.3 |
| Respiratory System | 8,169 | 306 | 25.3 | 754 | 24.8 | 84 | 4.1 | 332 | 2.1 | 708 | 4.1 | 1,481 | 7.2 | 1,260 | 8.9 | 3,244 | 10.8 |
| <i>Asthma</i> | <i>1,458</i> | <i>22</i> | <i>1.8</i> | <i>350</i> | <i>11.5</i> | <i>26</i> | <i>1.3</i> | <i>113</i> | <i>0.7</i> | <i>250</i> | <i>1.4</i> | <i>360</i> | <i>1.7</i> | <i>138</i> | <i>1.0</i> | <i>199</i> | <i>0.7</i> |
| Neoplasms (including benign) | 6,103 | 3 | 0.2 | 43 | 1.4 | 39 | 1.9 | 206 | 1.3 | 1,123 | 6.4 | 1,903 | 9.2 | 1,237 | 8.7 | 1,549 | 5.2 |
| <i>Malignant Neoplasms</i> | <i>4,708</i> | <i>0</i> | <i>0.0</i> | <i>34</i> | <i>1.1</i> | <i>16</i> | <i>0.8</i> | <i>100</i> | <i>0.6</i> | <i>534</i> | <i>3.1</i> | <i>1,556</i> | <i>7.5</i> | <i>1,097</i> | <i>7.8</i> | <i>1,371</i> | <i>4.6</i> |
| Musculoskeletal System & Connective Tissue | 5,386 | 4 | 0.3 | 77 | 2.5 | 81 | 4.0 | 272 | 1.7 | 831 | 4.8 | 1,550 | 7.5 | 1,065 | 7.5 | 1,506 | 5.0 |
| Injury and Poisoning | 5,060 | 26 | 2.2 | 237 | 7.8 | 200 | 9.8 | 768 | 4.8 | 687 | 3.9 | 736 | 3.6 | 470 | 3.3 | 1,936 | 6.5 |
| Genitourinary System | 4,688 | 60 | 5.0 | 103 | 3.4 | 54 | 2.7 | 398 | 2.5 | 700 | 4.0 | 915 | 4.4 | 688 | 4.9 | 1,770 | 5.9 |
| Infections and Parasitic Diseases | 4,318 | 64 | 5.3 | 115 | 3.8 | 35 | 1.7 | 266 | 1.7 | 439 | 2.5 | 732 | 3.5 | 652 | 4.6 | 2,015 | 6.7 |
| <i>HIV and AIDS</i> | <i>155</i> | <i>0</i> | <i>0.0</i> | <i>0</i> | <i>0.0</i> | <i>0</i> | <i>0.0</i> | <i>18</i> | <i>0.1</i> | <i>74</i> | <i>0.4</i> | <i>59</i> | <i>0.3</i> | <i>2</i> | <i>0.0</i> | <i>2</i> | <i>0.0</i> |
| Endocrine, Nutritional, Metabolic, & Immunologic Disorders | 3,876 | 45 | 3.7 | 225 | 7.4 | 80 | 3.9 | 319 | 2.0 | 605 | 3.5 | 886 | 4.3 | 547 | 3.9 | 1,169 | 3.9 |
| <i>Diabetes Mellitus</i> | <i>1,471</i> | <i>1</i> | <i>0.1</i> | <i>48</i> | <i>1.6</i> | <i>36</i> | <i>1.8</i> | <i>133</i> | <i>0.8</i> | <i>257</i> | <i>1.5</i> | <i>432</i> | <i>2.1</i> | <i>221</i> | <i>1.6</i> | <i>343</i> | <i>1.1</i> |
| Nervous System & Sense Organs | 2,469 | 27 | 2.2 | 291 | 9.6 | 100 | 4.9 | 253 | 1.6 | 373 | 2.1 | 449 | 2.2 | 290 | 2.0 | 686 | 2.3 |
| Skin & Subcutaneous Tissue | 2,156 | 23 | 1.9 | 106 | 3.5 | 51 | 2.5 | 235 | 1.5 | 386 | 2.2 | 507 | 2.5 | 258 | 1.8 | 590 | 2.0 |
| Blood & Blood Forming Organs | 1,550 | 6 | 0.5 | 91 | 3.0 | 41 | 2.0 | 254 | 1.6 | 242 | 1.4 | 246 | 1.2 | 183 | 1.3 | 487 | 1.6 |
| Congenital Anomalies | 403 | 125 | 10.3 | 109 | 3.6 | 33 | 1.6 | 42 | 0.3 | 36 | 0.2 | 36 | 0.2 | 13 | 0.1 | 9 | 0.0 |
| Conditions Originating in Perinatal Period | 299 | 297 | 24.6 | 2 | 0.1 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Symptoms, Signs, & Ill-defined Conditions | 7,369 | 103 | 8.5 | 186 | 6.1 | 75 | 3.7 | 394 | 2.5 | 1,288 | 7.4 | 1,892 | 9.2 | 1,145 | 8.1 | 2,286 | 7.6 |
| Supplementary Classifications - Other | 3,818 | 10 | 0.8 | 76 | 2.5 | 49 | 2.4 | 180 | 1.1 | 398 | 2.3 | 863 | 4.2 | 885 | 6.3 | 1,357 | 4.5 |
| Medical Misadventure, Abnormal Reaction, & Late Effects | 2,940 | 19 | 1.6 | 64 | 2.1 | 38 | 1.9 | 182 | 1.1 | 408 | 2.3 | 835 | 4.0 | 512 | 3.6 | 882 | 2.9 |
| Complications of Pregnancy, Childbirth, & Puerperium ⁴ | 11,607 | 0 | 0.0 | 2 | 0.1 | 164 | 8.1 | 8,346 | 52.0 | 3,088 | 17.7 | 7 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Supplementary Classifications - Newborns | 10,236 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

(continued)

Table 5. Number of Hospital Discharges by Principal Diagnosis and Age, Westchester County Residents, 2008-2009 (continued)

| Principal Diagnosis ¹ | 2009 | | | | | | | | | | | | | | | | |
|---|--------------------|--------------------------|------------|--------------|-------------|--------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|---------------|------------|
| | Total ² | Less than 1 ³ | | 1-12 | | 13-17 | | 18-34 | | 35-49 | | 50-64 | | 65-74 | | 75 and over | |
| | | Number | % | Number | % | Number | % | Number | % | Number | % | Number | % | Number | % | Number | % |
| Total | 112,436 | 1,184 | 100 | 3,071 | 100 | 2,154 | 100 | 15,649 | 100 | 16,875 | 100 | 20,606 | 100 | 14,141 | 100 | 29,005 | 100 |
| Circulatory System | 15,649 | 7 | 0.6 | 49 | 1.6 | 26 | 1.2 | 270 | 1.7 | 1,273 | 7.5 | 3,555 | 17.3 | 3,247 | 23.0 | 7,222 | 24.9 |
| Digestive System | 9,067 | 65 | 5.5 | 296 | 9.6 | 222 | 10.3 | 988 | 6.3 | 1,561 | 9.3 | 2,165 | 10.5 | 1,288 | 9.1 | 2,482 | 8.6 |
| Mental Disorders | 8,955 | 1 | 0.1 | 242 | 7.9 | 756 | 35.1 | 2,401 | 15.3 | 2,919 | 17.3 | 1,813 | 8.8 | 396 | 2.8 | 427 | 1.5 |
| Respiratory System | 8,131 | 333 | 28.1 | 805 | 26.2 | 99 | 4.6 | 427 | 2.7 | 722 | 4.3 | 1,551 | 7.5 | 1,210 | 8.6 | 2,984 | 10.3 |
| <i>Asthma</i> | <i>1,413</i> | <i>16</i> | <i>1.4</i> | <i>357</i> | <i>11.6</i> | <i>29</i> | <i>1.3</i> | <i>144</i> | <i>0.9</i> | <i>238</i> | <i>1.4</i> | <i>342</i> | <i>1.7</i> | <i>116</i> | <i>0.8</i> | <i>171</i> | <i>0.6</i> |
| Neoplasms (including benign) | 5,865 | 7 | 0.6 | 48 | 1.6 | 43 | 2.0 | 209 | 1.3 | 1,124 | 6.7 | 1,792 | 8.7 | 1,166 | 8.2 | 1,476 | 5.1 |
| <i>Malignant Neoplasms</i> | <i>4,500</i> | <i>3</i> | <i>0.3</i> | <i>35</i> | <i>1.1</i> | <i>23</i> | <i>1.1</i> | <i>107</i> | <i>0.7</i> | <i>523</i> | <i>3.1</i> | <i>1,463</i> | <i>7.1</i> | <i>1,041</i> | <i>7.4</i> | <i>1,305</i> | <i>4.5</i> |
| Musculoskeletal System & Connective Tissue | 5,448 | 1 | 0.1 | 74 | 2.4 | 80 | 3.7 | 287 | 1.8 | 857 | 5.1 | 1,554 | 7.5 | 1,144 | 8.1 | 1,450 | 5.0 |
| Injury & Poisoning | 5,072 | 45 | 3.8 | 220 | 7.2 | 205 | 9.5 | 712 | 4.5 | 691 | 4.1 | 758 | 3.7 | 567 | 4.0 | 1,873 | 6.5 |
| Genitourinary System | 4,716 | 66 | 5.6 | 96 | 3.1 | 65 | 3.0 | 403 | 2.6 | 724 | 4.3 | 919 | 4.5 | 654 | 4.6 | 1,789 | 6.2 |
| Infections and Parasitic Diseases | 4,332 | 60 | 5.1 | 133 | 4.3 | 38 | 1.8 | 239 | 1.5 | 426 | 2.5 | 806 | 3.9 | 677 | 4.8 | 1,953 | 6.7 |
| <i>HIV and AIDS</i> | <i>119</i> | <i>0</i> | <i>0.0</i> | <i>0</i> | <i>0.0</i> | <i>1</i> | <i>0.0</i> | <i>15</i> | <i>0.1</i> | <i>46</i> | <i>0.3</i> | <i>43</i> | <i>0.2</i> | <i>10</i> | <i>0.1</i> | <i>4</i> | <i>0.0</i> |
| Endocrine, Nutritional, Metabolic, & Immunologic Disorders | 3,770 | 51 | 4.3 | 245 | 8.0 | 73 | 3.4 | 278 | 1.8 | 583 | 3.5 | 876 | 4.3 | 534 | 3.8 | 1,130 | 3.9 |
| <i>Diabetes Mellitus</i> | <i>1,400</i> | <i>0</i> | <i>0.0</i> | <i>37</i> | <i>1.2</i> | <i>44</i> | <i>2.0</i> | <i>106</i> | <i>0.7</i> | <i>261</i> | <i>1.5</i> | <i>435</i> | <i>2.1</i> | <i>234</i> | <i>1.7</i> | <i>283</i> | <i>1.0</i> |
| Nervous System & Sense Organs | 2,443 | 30 | 2.5 | 250 | 8.1 | 93 | 4.3 | 269 | 1.7 | 406 | 2.4 | 474 | 2.3 | 287 | 2.0 | 634 | 2.2 |
| Skin & Subcutaneous Tissue | 2,073 | 13 | 1.1 | 96 | 3.1 | 45 | 2.1 | 224 | 1.4 | 388 | 2.3 | 531 | 2.6 | 225 | 1.6 | 551 | 1.9 |
| Blood & Blood Forming Organs | 1,648 | 26 | 2.2 | 95 | 3.1 | 40 | 1.9 | 266 | 1.7 | 277 | 1.6 | 260 | 1.3 | 184 | 1.3 | 500 | 1.7 |
| Congenital Anomalies | 380 | 111 | 9.4 | 97 | 3.2 | 26 | 1.2 | 44 | 0.3 | 37 | 0.2 | 35 | 0.2 | 14 | 0.1 | 16 | 0.1 |
| Conditions Originating in Perinatal Period | 264 | 261 | 22.0 | 2 | 0.1 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 |
| Symptoms, Signs, & Ill-defined Conditions | 7,425 | 79 | 6.7 | 168 | 5.5 | 75 | 3.5 | 418 | 2.7 | 1,246 | 7.4 | 1,960 | 9.5 | 1,098 | 7.8 | 2,381 | 8.2 |
| Supplementary Classifications - Other | 3,648 | 21 | 1.8 | 72 | 2.3 | 45 | 2.1 | 161 | 1.0 | 311 | 1.8 | 790 | 3.8 | 917 | 6.5 | 1,331 | 4.6 |
| Medical Misadventure, Abnormal Reactions, & Late Effects | 2,800 | 7 | 0.6 | 81 | 2.6 | 30 | 1.4 | 164 | 1.0 | 415 | 2.5 | 765 | 3.7 | 533 | 3.8 | 805 | 2.8 |
| Complications of Pregnancy, Childbirth, & Puerperium ⁴ | 10,999 | 0 | 0.0 | 2 | 0.1 | 193 | 9.0 | 7,889 | 50.4 | 2,913 | 17.3 | 2 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| Supplementary Classifications - Newborns | 9,749 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

¹ The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care. Because the principal diagnosis represents the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most-life threatening condition. Furthermore, the principal diagnosis reflects the clinical findings discovered during the patient's stay, therefore it may differ from the admitting diagnosis.

² Totals include newborns and unknown age.

³ "Less than 1" year of age category excludes newborns.

⁴ Defined by ICD-9 numerical codes for pregnancy, childbirth and puerperium. Includes codes for abortion and complications in childbirth requiring surgery.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 6. Number of Hospital Discharges by Principal Diagnosis and Sex, Westchester County Residents, 2008-2009

| 2008 | | | | | |
|---|--------------------|---------------|------------|---------------|------------|
| Principal Diagnosis ¹ | Total ² | Male | | Female | |
| | | Number | % | Number | % |
| Total | 114,799 | 49,762 | 100 | 65,008 | 100 |
| Circulatory System | 16,140 | 8,571 | 17.2 | 7,569 | 11.6 |
| Digestive System | 9,290 | 4,238 | 8.5 | 5,052 | 7.8 |
| Mental Disorders | 8,920 | 5,212 | 10.5 | 3,708 | 5.7 |
| Respiratory System | 8,169 | 3,801 | 7.6 | 4,368 | 6.7 |
| <i>Asthma</i> | <i>1,458</i> | <i>541</i> | <i>1.1</i> | <i>917</i> | <i>1.4</i> |
| Neoplasms (including benign) | 6,103 | 2,526 | 5.1 | 3,577 | 5.5 |
| <i>Malignant Neoplasms</i> | <i>4,708</i> | <i>2,272</i> | <i>4.6</i> | <i>2,436</i> | <i>3.7</i> |
| Musculoskeletal System & Connective Tissue | 5,388 | 2,271 | 4.6 | 3,117 | 4.8 |
| Injury & Poisoning | 5,060 | 2,460 | 4.9 | 2,600 | 4.0 |
| Genitourinary System | 4,688 | 1,972 | 4.0 | 2,716 | 4.2 |
| Infections and Parasitic Diseases | 4,318 | 2,014 | 4.0 | 2,304 | 3.5 |
| <i>HIV and AIDS</i> | <i>155</i> | <i>91</i> | <i>0.2</i> | <i>64</i> | <i>0.1</i> |
| Endocrine, Nutritional, Metabolic, & Immunologic Disorders | 3,876 | 1,709 | 3.4 | 2,167 | 3.3 |
| <i>Diabetes Mellitus</i> | <i>1,471</i> | <i>789</i> | <i>1.6</i> | <i>682</i> | <i>1.0</i> |
| Nervous System & Sense Organs | 2,469 | 1,063 | 2.1 | 1,406 | 2.2 |
| Skin & Subcutaneous Tissue | 2,156 | 1,117 | 2.2 | 1,039 | 1.6 |
| Blood & Blood Forming Organs | 1,550 | 647 | 1.3 | 903 | 1.4 |
| Congenital Anomalies | 403 | 234 | 0.5 | 169 | 0.3 |
| Conditions Originating in Perinatal Period | 299 | 169 | 0.3 | 130 | 0.2 |
| Symptoms, Signs, & Ill-defined Conditions | 7,369 | 3,280 | 6.6 | 4,088 | 6.3 |
| Supplemental Classifications - Other | 3,818 | 1,736 | 3.5 | 2,082 | 3.2 |
| Medical Misadventure, Abnormal Reactions, & Late Effects | 2,940 | 1,527 | 3.1 | 1,413 | 2.2 |
| Complications of Pregnancy, Childbirth, & Puerperium ³ | 11,607 | — | — | 11,607 | 17.9 |
| Supplemental Classifications - Newborns | 10,236 | 5,215 | 10.5 | 4,993 | 7.7 |

(continued)

Table 6. Number of Hospital Discharges by Principal Diagnosis and Sex, Westchester County Residents, 2008-2009 (continued)

| Principle Diagnosis ¹ | 2009 | | | | |
|---|--------------------|---------------|------------|---------------|------------|
| | Total ² | Male | | Female | |
| | | Number | % | Number | % |
| Total | 112,436 | 48,756 | 100 | 63,675 | 100 |
| Circulatory System | 15,649 | 8,216 | 16.9 | 7,433 | 11.7 |
| Digestive System | 9,067 | 4,171 | 8.6 | 4,896 | 7.7 |
| Mental Disorders | 8,955 | 5,252 | 10.8 | 3,703 | 5.8 |
| Respiratory System | 8,131 | 3,801 | 7.8 | 4,330 | 6.8 |
| <i>Asthma</i> | <i>1,413</i> | <i>543</i> | <i>1.1</i> | <i>870</i> | <i>1.4</i> |
| Neoplasms (including benign) | 5,865 | 2,421 | 5.0 | 3,444 | 5.4 |
| <i>Malignant Neoplasms</i> | <i>4,500</i> | <i>2,159</i> | <i>4.4</i> | <i>2,341</i> | <i>3.7</i> |
| Musculoskeletal System & Connective Tissue | 5,448 | 2,315 | 4.7 | 3,133 | 4.9 |
| Injury & Poisonings | 5,072 | 2,467 | 5.1 | 2,605 | 4.1 |
| Genitourinary System | 4,716 | 1,958 | 4.0 | 2,758 | 4.3 |
| Infections and Parasitic Diseases | 4,332 | 2,056 | 4.2 | 2,276 | 3.6 |
| <i>HIV and AIDS</i> | <i>119</i> | <i>60</i> | <i>0.1</i> | <i>59</i> | <i>0.1</i> |
| Endocrine, Nutritional, Metabolic, & Immunologic Disorders | 3,770 | 1,684 | 3.5 | 2,086 | 3.3 |
| <i>Diabetes Mellitus</i> | <i>1,400</i> | <i>780</i> | <i>1.6</i> | <i>620</i> | <i>1.0</i> |
| Nervous System & Sense Organs | 2,443 | 1,063 | 2.2 | 1,380 | 2.2 |
| Skin & Subcutaneous Tissue | 2,073 | 1,037 | 2.1 | 1,036 | 1.6 |
| Blood & Blood Forming Organs | 1,648 | 636 | 1.3 | 1,012 | 1.6 |
| Congenital Anomalies | 380 | 216 | 0.4 | 164 | 0.3 |
| Conditions Originating in Perinatal Period | 264 | 155 | 0.3 | 109 | 0.2 |
| Symptoms, Signs, & Ill-defined Conditions | 7,425 | 3,256 | 6.7 | 4,169 | 6.5 |
| Supplementary Classifications - Other | 3,648 | 1,631 | 3.3 | 2,017 | 3.2 |
| Medical Misadventure, Abnormal Reactions, & Late Effects | 2,800 | 1,424 | 2.9 | 1,376 | 2.2 |
| Complications of Pregnancy, Childbirth, & Puerperium ³ | 10,999 | — | — | 10,999 | 17.3 |
| Supplementary Classifications - Newborns | 9,749 | 4,997 | 10.2 | 4,747 | 7.5 |

¹ The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care. Because the principal diagnosis represents the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most-life threatening condition. Furthermore, the principal diagnosis reflects the clinical findings discovered during the patient's stay, therefore it may differ from the admitting diagnosis.

² Totals include unknown sex.

³ Defined by ICD-9 numerical codes for pregnancy, childbirth and puerperium. Includes codes for abortion and complications in childbirth requiring surgery.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 7. Number of Hospital Discharges by Principal Diagnosis and Race/Ethnicity, Westchester County Residents, 2008-2009

| 2008 | | | | | | | | | |
|---|----------------|---------------|------------|---------------|------------|--------------------|------------|-----------------------|------------|
| Principal Diagnosis ¹ | Total | White | | Black | | Other ² | | Hispanic ³ | |
| | | Number | % | Number | % | Number | % | Number | % |
| Total | 114,799 | 73,827 | 100 | 20,132 | 100 | 20,840 | 100 | 15,654 | 100 |
| Circulatory System | 16,140 | 11,294 | 15.3 | 2,633 | 13.1 | 2,213 | 10.6 | 1,214 | 7.8 |
| Digestive System | 9,290 | 6,310 | 8.5 | 1,399 | 6.9 | 1,581 | 7.6 | 1,382 | 8.8 |
| Mental Disorders | 8,920 | 4,711 | 6.4 | 2,486 | 12.3 | 1,723 | 8.3 | 1,150 | 7.3 |
| Respiratory System | 8,169 | 5,512 | 7.5 | 1,479 | 7.3 | 1,178 | 5.7 | 981 | 6.3 |
| <i>Asthma</i> | <i>1,458</i> | <i>653</i> | <i>0.9</i> | <i>463</i> | <i>2.3</i> | <i>342</i> | <i>1.6</i> | <i>318</i> | <i>2.0</i> |
| Neoplasms (including benign) | 6,103 | 4,302 | 5.8 | 972 | 4.8 | 829 | 4.0 | 491 | 3.1 |
| <i>Malignant Neoplasms</i> | <i>4,708</i> | <i>3,520</i> | <i>4.8</i> | <i>616</i> | <i>3.1</i> | <i>572</i> | <i>2.7</i> | <i>317</i> | <i>2.0</i> |
| Musculoskeletal System & Connective Tissue | 5,388 | 4,014 | 5.4 | 710 | 3.5 | 664 | 3.2 | 398 | 2.5 |
| Injury & Poisonings | 5,060 | 3,552 | 4.8 | 626 | 3.1 | 882 | 4.2 | 541 | 3.5 |
| Genitourinary System | 4,688 | 3,123 | 4.2 | 765 | 3.8 | 800 | 3.8 | 634 | 4.1 |
| Infections and Parasitic Diseases | 4,318 | 2,965 | 4.0 | 805 | 4.0 | 548 | 2.6 | 402 | 2.6 |
| <i>HIV and AIDS</i> | <i>155</i> | <i>39</i> | <i>0.1</i> | <i>95</i> | <i>0.5</i> | <i>21</i> | <i>0.1</i> | <i>21</i> | <i>0.1</i> |
| Endocrine, Nutritional, Metabolic, & Immunologic Disorders | 3,876 | 2,321 | 3.1 | 955 | 4.7 | 600 | 2.9 | 443 | 2.8 |
| <i>Diabetes Mellitus</i> | <i>1,471</i> | <i>700</i> | <i>0.9</i> | <i>541</i> | <i>2.7</i> | <i>230</i> | <i>1.1</i> | <i>211</i> | <i>1.3</i> |
| Nervous System & Sense Organs | 2,469 | 1,586 | 2.1 | 432 | 2.1 | 451 | 2.2 | 298 | 1.9 |
| Skin & Subcutaneous Tissue | 2,156 | 1,436 | 1.9 | 388 | 1.9 | 332 | 1.6 | 294 | 1.9 |
| Blood & Blood Forming Organs | 1,550 | 876 | 1.2 | 479 | 2.4 | 195 | 0.9 | 132 | 0.8 |
| Congenital Anomalies | 403 | 241 | 0.3 | 50 | 0.2 | 112 | 0.5 | 94 | 0.6 |
| Conditions Originating in Perinatal Period | 299 | 144 | 0.2 | 32 | 0.2 | 123 | 0.6 | 62 | 0.4 |
| Symptoms, Signs, & Ill-defined Conditions | 7,369 | 4,665 | 6.3 | 1,494 | 7.4 | 1,210 | 5.8 | 986 | 6.3 |
| Supplementary Classifications - Other | 3,818 | 2,916 | 3.9 | 303 | 1.5 | 599 | 2.9 | 322 | 2.1 |
| Medical Misadventure, Abnormal Reactions, & Late Effects | 2,940 | 2,037 | 2.8 | 505 | 2.5 | 398 | 1.9 | 262 | 1.7 |
| Complications of Pregnancy, Childbirth, & Puerperium ⁴ | 11,607 | 6,146 | 8.3 | 2,039 | 10.1 | 3,422 | 16.4 | 3,008 | 19.2 |
| Supplementary Classifications - Newborns | 10,236 | 5,676 | 7.7 | 1,580 | 7.8 | 2,980 | 14.3 | 2,560 | 16.4 |

(continued)

**Table 7. Number of Hospital Discharges by Principal Diagnosis and Race/Ethnicity, Westchester County Residents, 2008-2009
(continued)**

| 2009 | | | | | | | | | |
|---|----------------|---------------|------------|---------------|------------|--------------------|------------|-----------------------|------------|
| Principal Diagnosis ¹ | Total | White | | Black | | Other ² | | Hispanic ³ | |
| | | Number | % | Number | % | Number | % | Number | % |
| Total | 112,436 | 71,388 | 100 | 20,488 | 100 | 20,560 | 100 | 16,640 | 100 |
| Circulatory System | 15,649 | 10,993 | 15.4 | 2,628 | 12.8 | 2,028 | 9.9 | 1,189 | 7.1 |
| Digestive System | 9,067 | 5,999 | 8.4 | 1,565 | 7.6 | 1,503 | 7.3 | 1,451 | 8.7 |
| Mental Disorders | 8,955 | 4,646 | 6.5 | 2,494 | 12.2 | 1,815 | 8.8 | 1,204 | 7.2 |
| Respiratory System | 8,131 | 5,270 | 7.4 | 1,529 | 7.5 | 1,332 | 6.5 | 1,160 | 7.0 |
| <i>Asthma</i> | <i>1,413</i> | <i>608</i> | <i>0.9</i> | <i>466</i> | <i>2.3</i> | <i>339</i> | <i>1.6</i> | <i>343</i> | <i>2.1</i> |
| Neoplasms (including benign) | 5,865 | 4,036 | 5.7 | 987 | 4.8 | 842 | 4.1 | 550 | 3.3 |
| <i>Malignant Neoplasms</i> | <i>4,500</i> | <i>3,294</i> | <i>4.6</i> | <i>618</i> | <i>3.0</i> | <i>588</i> | <i>2.9</i> | <i>356</i> | <i>2.1</i> |
| Musculoskeletal System & Connective Tissue | 5,448 | 4,017 | 5.6 | 755 | 3.7 | 676 | 3.3 | 404 | 2.4 |
| Injury & Poisoning | 5,072 | 3,582 | 5.0 | 679 | 3.3 | 811 | 3.9 | 590 | 3.5 |
| Genitourinary System | 4,716 | 3,137 | 4.4 | 806 | 3.9 | 773 | 3.8 | 657 | 3.9 |
| Infections and Parasitic Diseases | 4,332 | 2,903 | 4.1 | 838 | 4.1 | 591 | 2.9 | 434 | 2.6 |
| <i>HIV and AIDS</i> | <i>119</i> | <i>25</i> | <i>0.0</i> | <i>84</i> | <i>0.4</i> | <i>10</i> | <i>0.0</i> | <i>15</i> | <i>0.1</i> |
| Endocrine, Nutritional, Metabolic, & Immunologic Disorders | 3,770 | 2,262 | 3.2 | 941 | 4.6 | 567 | 2.8 | 480 | 2.9 |
| <i>Diabetes Mellitus</i> | <i>1,400</i> | <i>695</i> | <i>1.0</i> | <i>500</i> | <i>2.4</i> | <i>205</i> | <i>1.0</i> | <i>221</i> | <i>1.3</i> |
| Nervous System & Sense Organs | 2,443 | 1,552 | 2.2 | 410 | 2.0 | 481 | 2.3 | 361 | 2.2 |
| Skin & Subcutaneous Tissue | 2,073 | 1,409 | 2.0 | 372 | 1.8 | 292 | 1.4 | 278 | 1.7 |
| Blood & Blood Forming Organs | 1,648 | 849 | 1.2 | 602 | 2.9 | 197 | 1.0 | 178 | 1.1 |
| Congenital Anomalies | 380 | 211 | 0.3 | 78 | 0.4 | 91 | 0.4 | 85 | 0.5 |
| Conditions Originating in Perinatal Period | 264 | 140 | 0.2 | 21 | 0.1 | 103 | 0.5 | 59 | 0.4 |
| Symptoms, Signs, & Ill-defined Conditions | 7,425 | 4,613 | 6.5 | 1,641 | 8.0 | 1,171 | 5.7 | 1,027 | 6.2 |
| Supplementary Classifications - Other | 3,648 | 2,767 | 3.9 | 300 | 1.5 | 581 | 2.8 | 291 | 1.7 |
| Medical Misadventure, Abnormal Reactions, & Late Effects | 2,800 | 1,987 | 2.8 | 442 | 2.2 | 371 | 1.8 | 269 | 1.6 |
| Complications of Pregnancy, Childbirth, & Puerperium ⁴ | 10,999 | 5,746 | 8.0 | 1,899 | 9.3 | 3,354 | 16.3 | 3,241 | 19.5 |
| Supplementary Classifications - Newborns | 9,749 | 5,268 | 7.4 | 1,501 | 7.3 | 2,980 | 14.5 | 2,731 | 16.4 |

¹ The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care. Because the principal diagnosis represents the reason for the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most-life threatening condition. Furthermore, the principal diagnosis reflects the clinical findings discovered during the patient's stay, therefore it may differ from the admitting diagnosis.

² Includes Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in race categories.

⁴ Defined by ICD-9 numerical codes for pregnancy, childbirth, and puerperium. Includes codes for abortion and complications in childbirth requiring surgery.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 8. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular Disease and Other Diseases of the Circulatory System by Age, Westchester County Residents, 2008-2009

| 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|----------------------|-------------|------------|-----------|------------|-----------|------------|------------|------------|--------------|------------|--------------|------------|--------------|------------------------|--------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Principal Diagnosis | Number of Discharges | | | | | | | | | | | | | | Average Length of Stay | | | | | | | | | | | |
| | Total | Less than 1 | | 1-12 | | 13-17 | | 18-34 | | 35-49 | | 50-64 | | 65-74 | | 75+ | | (days) | | | | | | | | |
| | | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | Total | <1 | 1-12 | 13-17 | 18-34 | 35-49 | 50-64 | 65-74 | 75+ |
| Total | 16,140 | 14 | 100 | 34 | 100 | 21 | 100 | 280 | 100 | 1,362 | 100 | 3,703 | 100 | 3,215 | 100 | 7,511 | 100 | 5.5 | 6.9 | 4.6 | 3.8 | 5.0 | 5.1 | 4.8 | 5.3 | 6.1 |
| Diseases of the Heart | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ischemic Heart Disease | 4,789 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 20 | 7.1 | 428 | 31.4 | 1,454 | 39.3 | 1,140 | 35.5 | 1,747 | 23.3 | 4.0 | 0.0 | 0.0 | 0.0 | 3.5 | 2.9 | 3.4 | 3.8 | 5.0 |
| <i>Acute Myocardial Infarction</i> | 1,642 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 6 | 2.1 | 150 | 11.0 | 444 | 12.0 | 281 | 8.7 | 761 | 10.1 | 5.9 | 0.0 | 0.0 | 0.0 | 8.7 | 3.8 | 5.0 | 6.2 | 6.7 |
| <i>Other Ischemic Heart Disease</i> | 3,147 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 14 | 5.0 | 278 | 20.4 | 1,010 | 27.3 | 859 | 26.7 | 986 | 13.1 | 3.1 | 0.0 | 0.0 | 0.0 | 1.2 | 2.5 | 2.6 | 3.0 | 3.7 |
| Pulmonary Circulation Disease | 380 | 0 | 0.0 | 2 | 5.9 | 0 | 0.0 | 23 | 8.2 | 78 | 5.7 | 93 | 2.5 | 63 | 2.0 | 121 | 1.6 | 7.7 | 0.0 | 1.5 | 0.0 | 6.1 | 6.5 | 7.5 | 7.1 | 9.3 |
| Hypertension with Heart Disease | 224 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 1.1 | 22 | 1.6 | 25 | 0.7 | 37 | 1.2 | 137 | 1.8 | 5.9 | 0.0 | 0.0 | 0.0 | 8.3 | 4.1 | 5.4 | 6.4 | 6.1 |
| Chronic Rheumatic Fever | 106 | 0 | 0.0 | 1 | 2.9 | 0 | 0.0 | 3 | 1.1 | 4 | 0.3 | 16 | 0.4 | 21 | 0.7 | 61 | 0.8 | 9.8 | 0.0 | 4.0 | 0.0 | 16.7 | 6.5 | 8.6 | 11.4 | 9.5 |
| Acute Rheumatic Fever | 1 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 | 0 | 0.0 | 0 | 0.0 | 11.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 0.0 | 0.0 |
| Other Diseases of the Heart | 5,662 | 8 | 57.1 | 9 | 26.5 | 15 | 71.4 | 114 | 40.7 | 389 | 28.6 | 1,035 | 28.0 | 1,005 | 31.3 | 3,087 | 41.1 | 5.8 | 9.8 | 7.2 | 4.5 | 4.5 | 5.1 | 4.9 | 5.6 | 6.3 |
| Other Cardiovascular Diseases | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cerebrovascular Disease | 2,588 | 1 | 7.1 | 5 | 14.7 | 3 | 14.3 | 27 | 9.6 | 163 | 12.0 | 564 | 15.2 | 495 | 15.4 | 1,330 | 17.7 | 6.4 | 2.0 | 5.4 | 2.0 | 6.8 | 8.0 | 7.1 | 6.0 | 6.1 |
| Hypertension with or without Renal Disease | 601 | 0 | 0.0 | 1 | 2.9 | 0 | 0.0 | 34 | 12.1 | 122 | 9.0 | 189 | 5.1 | 100 | 3.1 | 155 | 2.1 | 5.5 | 0.0 | 8.0 | 0.0 | 3.9 | 7.3 | 5.0 | 5.7 | 4.9 |
| Arteriosclerosis | 374 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 10 | 0.7 | 66 | 1.8 | 92 | 2.9 | 206 | 2.7 | 8.3 | 0.0 | 0.0 | 0.0 | 0.0 | 5.4 | 7.8 | 9.2 | 8.2 |
| Other Diseases of the Circulatory System | 1,415 | 5 | 35.7 | 16 | 47.1 | 3 | 14.3 | 56 | 20.0 | 146 | 10.7 | 260 | 7.0 | 262 | 8.1 | 667 | 8.9 | 6.1 | 3.2 | 3.1 | 2.0 | 5.0 | 5.5 | 5.9 | 6.4 | 6.4 |

(continued)

Table 8. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular Disease and Other Diseases of the Circulatory System by Age, Westchester County Residents, 2008-2009 (continued)

| 2009 | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|----------------------|-------------|------------|-----------|------------|-----------|------------|------------|------------|--------------|------------|--------------|------------|--------------|------------|--------------|----------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Principal Diagnosis | Number of Discharges | | | | | | | | | | | | | | | | Average Length of Stay (days) | | | | | | | | | |
| | Total | Less than 1 | | 1-12 | | 13-17 | | 18-34 | | 35-49 | | 50-64 | | 65-74 | | 75+ | | Total | <1 | 1-12 | 13-17 | 18-34 | 35-49 | 50-64 | 65-74 | 75+ |
| | | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | | | | | | | | | |
| Total | 15,649 | 7 | 100 | 49 | 100 | 26 | 100 | 270 | 100 | 1,273 | 100 | 3,555 | 100 | 3,247 | 100 | 7,222 | 100 | 5.5 | 3.3 | 5.5 | 3.9 | 4.7 | 5.0 | 4.9 | 5.2 | 6.0 |
| Diseases of the Heart | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ischemic Heart Disease | 4,291 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 10 | 3.7 | 388 | 30.5 | 1,316 | 37.0 | 1,027 | 31.6 | 1,550 | 21.5 | 3.8 | 0.0 | 0.0 | 0.0 | 1.9 | 2.7 | 3.2 | 3.7 | 4.7 |
| <i>Acute Myocardial Infarction</i> | 1,535 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 7 | 2.6 | 139 | 10.9 | 394 | 11.1 | 305 | 9.4 | 690 | 9.6 | 5.5 | 0.0 | 0.0 | 0.0 | 2.1 | 3.8 | 4.5 | 5.5 | 6.3 |
| <i>Other Ischemic Heart Disease</i> | 2,756 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 1.1 | 249 | 19.6 | 922 | 25.9 | 722 | 22.2 | 860 | 11.9 | 2.9 | 0.0 | 0.0 | 0.0 | 1.3 | 2.1 | 2.6 | 2.9 | 3.5 |
| Pulmonary Circulation Disease | 384 | 0 | 0.0 | 0 | 0.0 | 2 | 7.7 | 21 | 7.8 | 70 | 5.5 | 92 | 2.6 | 77 | 2.4 | 122 | 1.7 | 7.1 | 0.0 | 0.0 | 10.0 | 7.3 | 6.0 | 6.4 | 6.6 | 8.5 |
| Hypertension with Heart Disease | 185 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 14 | 1.1 | 26 | 0.7 | 21 | 0.6 | 124 | 1.7 | 6.9 | 0.0 | 0.0 | 0.0 | 0.0 | 9.6 | 5.6 | 7.6 | 6.7 |
| Chronic Rheumatic Fever | 57 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.4 | 2 | 0.2 | 15 | 0.4 | 16 | 0.5 | 23 | 0.3 | 10.8 | 0.0 | 0.0 | 0.0 | 6.0 | 12.0 | 7.9 | 17.4 | 8.2 |
| Acute Rheumatic Fever | 3 | 0 | 0.0 | 1 | 2.0 | 1 | 3.8 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 | 5.7 | 0.0 | 1.0 | 12.0 | 0.0 | 0.0 | 0.0 | 4.0 | |
| Other Diseases of the Heart | 5,615 | 4 | 57.1 | 12 | 24.5 | 13 | 50.0 | 117 | 43.3 | 365 | 28.7 | 963 | 27.1 | 1,042 | 32.1 | 3,099 | 42.9 | 5.9 | 2.3 | 9.2 | 1.5 | 3.8 | 5.3 | 5.3 | 5.5 | 6.3 |
| Other Cardiovascular Diseases | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cerebrovascular Disease | 2,531 | 1 | 14.3 | 8 | 16.3 | 2 | 7.7 | 35 | 13.0 | 149 | 11.7 | 544 | 15.3 | 547 | 16.8 | 1,245 | 17.2 | 6.5 | 8.0 | 8.4 | 13.0 | 7.5 | 9.3 | 7.0 | 6.3 | 6.0 |
| Hypertension with or without Renal Disease | 678 | 0 | 0.0 | 2 | 4.1 | 2 | 7.7 | 31 | 11.5 | 126 | 9.9 | 186 | 5.2 | 129 | 4.0 | 202 | 2.8 | 4.3 | 0.0 | 2.5 | 2.0 | 3.5 | 4.0 | 4.6 | 4.0 | 4.7 |
| Arteriosclerosis | 460 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 10 | 0.8 | 97 | 2.7 | 114 | 3.5 | 239 | 3.3 | 9.2 | 0.0 | 0.0 | 0.0 | 0.0 | 13.4 | 10.0 | 7.5 | 9.6 |
| Other Diseases of the Circulatory System | 1,445 | 2 | 28.6 | 26 | 53.1 | 6 | 23.1 | 55 | 20.4 | 149 | 11.7 | 316 | 8.9 | 274 | 8.4 | 617 | 8.5 | 5.7 | 3.0 | 3.4 | 3.3 | 5.1 | 5.2 | 6.0 | 5.8 | 5.7 |

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 9. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Sex, Westchester County Residents, 2008-2009

| 2008 | | | | | | | | | |
|--|----------------------|-------------|--------------|-------------|--------------|-------------|----------------------------------|------------|------------|
| Principal Diagnosis | Number of Discharges | | | | | | Average Length of Stay (days) | | |
| | Total | | Male | | Female | | Total | Male | Female |
| | Number | % | Number | % | Number | % | | | |
| Total | 16,140 | 100 | 8,571 | 100 | 7,569 | 100 | 5.5 | 5.3 | 5.8 |
| Diseases of the Heart | | | | | | | | | |
| Ischemic Heart Disease | 4,789 | 29.7 | 2,975 | 34.7 | 1,814 | 24.0 | 4.0 | 3.9 | 4.3 |
| <i>Acute Myocardial Infarction</i> | <i>1,642</i> | <i>10.2</i> | <i>932</i> | <i>10.9</i> | <i>710</i> | <i>9.4</i> | <i>5.9</i> | <i>5.7</i> | <i>6.2</i> |
| <i>Other Ischemic Heart Disease</i> | <i>3,147</i> | <i>19.5</i> | <i>2,043</i> | <i>23.8</i> | <i>1,104</i> | <i>14.6</i> | <i>3.1</i> | <i>3.1</i> | <i>3.1</i> |
| Pulmonary Circulation Disease | 380 | 2.4 | 175 | 2.0 | 205 | 2.7 | 7.7 | 7.6 | 7.7 |
| Hypertension with Heart Disease | 224 | 1.4 | 116 | 1.4 | 108 | 1.4 | 5.9 | 6.0 | 5.9 |
| Chronic Rhematic Fever | 106 | 0.7 | 51 | 0.6 | 55 | 0.7 | 9.8 | 9.6 | 9.9 |
| Acute Rhematic Fever | 1 | 0.0 | 0 | 0.0 | 1 | 0.0 | 11.0 | 0.0 | 11.0 |
| Other Diseases of the Heart | 5,662 | 35.1 | 2,883 | 33.6 | 2,779 | 36.7 | 5.8 | 5.6 | 6.0 |
| Other Cardiovascular Diseases | | | | | | | | | |
| Cerebrovascular Disease | 2,588 | 16.0 | 1,193 | 13.9 | 1,395 | 18.4 | 6.4 | 6.2 | 6.5 |
| Hypertension with or without Renal Disease | 601 | 3.7 | 267 | 3.1 | 334 | 4.4 | 5.5 | 5.6 | 5.4 |
| Arteriosclerosis | 374 | 2.3 | 216 | 2.5 | 158 | 2.1 | 8.3 | 7.7 | 9.1 |
| Other Diseases of the Circulatory System | 1,415 | 8.8 | 695 | 8.1 | 720 | 9.5 | 6.1 | 6.3 | 6.0 |

(continued)

Table 9. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Sex, Westchester County Residents, 2008-2009 (continued)

| 2009 | | | | | | | | | |
|--|----------------------|-------------|--------------|-------------|--------------|-------------|----------------------------------|------------|------------|
| Principal Diagnosis | Number of Discharges | | | | | | Average Length of Stay (days) | | |
| | Total | | Male | | Female | | Total | Male | Female |
| | Number | % | Number | % | Number | % | | | |
| Total | 15,649 | 100 | 8,216 | 100 | 7,433 | 100 | 5.5 | 5.3 | 5.7 |
| Diseases of the Heart | | | | | | | | | |
| Ischemic Heart Disease | 4,291 | 27.4 | 2,603 | 31.7 | 1,688 | 22.7 | 3.8 | 3.6 | 4.1 |
| <i>Acute Myocardial Infarction</i> | <i>1,535</i> | <i>9.8</i> | <i>849</i> | <i>10.3</i> | <i>686</i> | <i>9.2</i> | <i>5.5</i> | <i>5.3</i> | <i>5.7</i> |
| <i>Other Ischemic Heart Disease</i> | <i>2,756</i> | <i>17.6</i> | <i>1,754</i> | <i>21.3</i> | <i>1,002</i> | <i>13.5</i> | <i>2.9</i> | <i>2.8</i> | <i>3.0</i> |
| Pulmonary Circulation Disease | 384 | 2.5 | 171 | 2.1 | 213 | 2.9 | 7.1 | 6.2 | 7.8 |
| Hypertension with Heart Disease | 185 | 1.2 | 70 | 0.9 | 115 | 1.5 | 6.9 | 7.1 | 6.7 |
| Chronic Rheumatic Fever | 57 | 0.4 | 29 | 0.4 | 28 | 0.4 | 10.8 | 9.3 | 12.3 |
| Acute Rheumatic Fever | 3 | 0.0 | 2 | 0.0 | 1 | 0.0 | 5.7 | 6.5 | 4.0 |
| Other Diseases of the Heart | 5,615 | 35.9 | 2,852 | 34.7 | 2,763 | 37.2 | 5.9 | 5.8 | 5.9 |
| Other Cardiovascular Diseases | | | | | | | | | |
| Cerebrovascular Disease | 2,531 | 16.2 | 1,168 | 14.2 | 1,363 | 18.3 | 6.5 | 6.6 | 6.4 |
| Hypertension with or without Renal Disease | 678 | 4.3 | 298 | 3.6 | 380 | 5.1 | 4.3 | 4.1 | 4.5 |
| Arteriosclerosis | 460 | 2.9 | 254 | 3.1 | 206 | 2.8 | 9.2 | 9.1 | 9.4 |
| Other Diseases of the Circulatory System | 1,445 | 9.2 | 769 | 9.4 | 676 | 9.1 | 5.7 | 5.4 | 5.9 |

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 10. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Race/Ethnicity, Westchester County Residents, 2008-2009

| 2008 | | | | | | | | | | | | | | | |
|--|----------------------|-------------|---------------|-------------|--------------|-------------|--------------------|-------------|-----------------------|----------------------------------|------------|------------|------------|--------------------|-----------------------|
| | Number of Discharges | | | | | | | | | Average Length of Stay (days) | | | | | |
| | Total | | White | | Black | | Other ¹ | | Hispanic ² | | Total | White | Black | Other ¹ | Hispanic ² |
| | Number | % | Number | % | Number | % | Number | % | Number | % | | | | | |
| Total | 16,140 | 100 | 11,294 | 100 | 2,633 | 100 | 2,213 | 100 | 1,214 | 100 | 5.5 | 5.4 | 6.2 | 5.5 | 5.1 |
| Diseases of the Heart | | | | | | | | | | | | | | | |
| Ischemic Heart Disease | 4,789 | 29.7 | 3,363 | 29.8 | 559 | 21.2 | 867 | 39.2 | 405 | 33.4 | 4.0 | 4.0 | 4.1 | 4.2 | 4.0 |
| <i>Acute Myocardial Infarction</i> | <i>1,642</i> | <i>10.2</i> | <i>1,121</i> | <i>9.9</i> | <i>202</i> | <i>7.7</i> | <i>319</i> | <i>14.4</i> | <i>129</i> | <i>10.6</i> | <i>5.9</i> | <i>6.0</i> | <i>5.4</i> | <i>6.0</i> | <i>6.1</i> |
| <i>Other Ischemic Heart Disease</i> | <i>3,147</i> | <i>19.5</i> | <i>2,242</i> | <i>19.9</i> | <i>357</i> | <i>13.6</i> | <i>548</i> | <i>24.8</i> | <i>276</i> | <i>22.7</i> | <i>3.1</i> | <i>3.0</i> | <i>3.4</i> | <i>3.2</i> | <i>3.0</i> |
| Pulmonary Circulation Disease | 380 | 2.4 | 253 | 2.2 | 87 | 3.3 | 40 | 1.8 | 17 | 1.4 | 7.7 | 7.4 | 8.4 | 7.9 | 9.4 |
| Hypertension with Heart Disease | 224 | 1.4 | 143 | 1.3 | 67 | 2.5 | 14 | 0.6 | 10 | 0.8 | 5.9 | 5.8 | 6.3 | 5.5 | 4.7 |
| Chronic Rheumatic Fever | 106 | 0.7 | 82 | 0.7 | 6 | 0.2 | 18 | 0.8 | 8 | 0.7 | 9.8 | 9.7 | 7.7 | 11.1 | 8.4 |
| Acute Rheumatic Fever | 1 | 0.0 | 0 | 0.0 | 1 | 0.0 | 0 | 0.0 | 0 | 0.0 | 11.0 | 0.0 | 11.0 | 0.0 | 0.0 |
| Other Diseases of the Heart | 5,662 | 35.1 | 4,125 | 36.5 | 906 | 34.4 | 631 | 28.5 | 375 | 30.9 | 5.8 | 5.7 | 6.1 | 6.0 | 5.5 |
| Other Cardiovascular Diseases | | | | | | | | | | | | | | | |
| Cerebrovascular Disease | 2,588 | 16.0 | 1,812 | 16.0 | 455 | 17.3 | 321 | 14.5 | 165 | 13.6 | 6.4 | 6.0 | 7.6 | 7.2 | 6.2 |
| Hypertension with or without Renal Disease | 601 | 3.7 | 244 | 2.2 | 259 | 9.8 | 98 | 4.4 | 88 | 7.2 | 5.5 | 5.0 | 5.8 | 5.9 | 5.8 |
| Arteriosclerosis | 374 | 2.3 | 263 | 2.3 | 77 | 2.9 | 34 | 1.5 | 23 | 1.9 | 8.3 | 7.9 | 10.6 | 6.3 | 5.3 |
| Other Diseases of the Circulatory System | 1,415 | 8.8 | 1,009 | 8.9 | 216 | 8.2 | 190 | 8.6 | 123 | 10.1 | 6.1 | 6.1 | 7.2 | 5.3 | 4.9 |

(continued)

Table 10. Number of Hospital Discharges and Average Length of Stay Due to Principle Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Race/Ethnicity, Westchester County Residents, 2008-2009 (continued)

| 2009 | | | | | | | | | | | | | | | |
|--|----------------------|-------------|---------------|-------------|--------------|-------------|--------------------|-------------|-----------------------|-------------|----------------------------------|------------|------------|--------------------|-----------------------|
| Principle Diagnosis | Number of Discharges | | | | | | | | | | Average Length of Stay (days) | | | | |
| | Total | | White | | Black | | Other ¹ | | Hispanic ² | | Total | White | Black | Other ¹ | Hispanic ² |
| | Number | % | Number | % | Number | % | Number | % | Number | % | | | | | |
| Total | 15,649 | 100 | 10,993 | 100 | 2,628 | 100 | 2,028 | 100 | 1,189 | 100 | 5.5 | 5.3 | 6.4 | 5.5 | 5.4 |
| Diseases of the Heart | | | | | | | | | | | | | | | |
| Ischemic Heart Disease | 4,291 | 27.4 | 3,090 | 28.1 | 468 | 17.8 | 733 | 36.1 | 350 | 29.4 | 3.8 | 3.7 | 4.1 | 4.3 | 3.2 |
| <i>Acute Myocardial Infarction</i> | <i>1,535</i> | <i>9.8</i> | <i>1,059</i> | <i>9.6</i> | <i>175</i> | <i>6.7</i> | <i>301</i> | <i>14.8</i> | <i>110</i> | <i>9.3</i> | <i>5.5</i> | <i>5.3</i> | <i>5.5</i> | <i>6.1</i> | <i>3.9</i> |
| <i>Other Ischemic Heart Disease</i> | <i>2,756</i> | <i>17.6</i> | <i>2,031</i> | <i>18.5</i> | <i>293</i> | <i>11.1</i> | <i>432</i> | <i>21.3</i> | <i>240</i> | <i>20.2</i> | <i>2.9</i> | <i>2.8</i> | <i>3.3</i> | <i>3.1</i> | <i>2.9</i> |
| Pulmonary Circulation Disease | 384 | 2.5 | 262 | 2.4 | 85 | 3.2 | 37 | 1.8 | 24 | 2.0 | 7.1 | 6.6 | 8.9 | 6.4 | 6.5 |
| Hypertension with Heart Disease | 185 | 1.2 | 121 | 1.1 | 51 | 1.9 | 13 | 0.6 | 7 | 0.6 | 6.9 | 7.5 | 5.0 | 8.8 | 10.9 |
| Chronic Rheumatic Fever | 57 | 0.4 | 40 | 0.4 | 3 | 0.1 | 14 | 0.7 | 2 | 0.2 | 10.8 | 8.8 | 46.3 | 8.8 | 8.0 |
| Acute Rheumatic Fever | 3 | 0.0 | 2 | 0.0 | 0 | 0.0 | 1 | 0.0 | 0 | 0.0 | 5.7 | 8.0 | 0.0 | 1.0 | 0.0 |
| Other Diseases of the Heart | 5,615 | 35.9 | 4,119 | 37.5 | 892 | 33.9 | 604 | 29.8 | 371 | 31.2 | 5.9 | 5.9 | 6.0 | 5.6 | 5.4 |
| Other Cardiovascular Diseases | | | | | | | | | | | | | | | |
| Cerebrovascular Disease | 2,531 | 16.2 | 1,734 | 15.8 | 482 | 18.3 | 315 | 15.5 | 196 | 16.5 | 6.5 | 5.8 | 8.3 | 7.8 | 9.2 |
| Hypertension with or without Renal Disease | 678 | 4.3 | 310 | 2.8 | 271 | 10.3 | 97 | 4.8 | 84 | 7.1 | 4.3 | 4.2 | 4.9 | 3.1 | 3.2 |
| Arteriosclerosis | 460 | 2.9 | 323 | 2.9 | 90 | 3.4 | 47 | 2.3 | 39 | 3.3 | 9.2 | 8.2 | 13.7 | 7.6 | 7.3 |
| Other Diseases of the Circulatory System | 1,445 | 9.2 | 992 | 9.0 | 286 | 10.9 | 167 | 8.2 | 116 | 9.8 | 5.7 | 5.4 | 6.6 | 5.4 | 5.6 |

¹ Includes Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 11. Number of Hospital Discharges and Average Length of Stay Due to Principle Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age and Sex, Westchester County Residents, 2008-2009

| 2008 | | | | | | | | |
|----------------|----------------------|--------------|-------------|--------------|-------------|----------------------------------|------------|------------|
| Age (years) | Number of Discharges | | | | | Average Length of Stay (days) | | |
| | Total ¹ | Male | | Female | | Total | Male | Female |
| | | Number | % | Number | % | | | |
| Total | 16,140 | 8,571 | 53.1 | 7,569 | 46.9 | 5.5 | 5.3 | 5.8 |
| Less than 1 | 14 | 6 | 42.9 | 8 | 57.1 | 6.9 | 3.8 | 9.1 |
| 1-2 | 9 | 2 | 22.2 | 7 | 77.8 | 5.0 | 2.0 | 5.9 |
| 3-4 | 7 | 4 | 57.1 | 3 | 42.9 | 4.6 | 5.0 | 4.0 |
| 5-6 | 4 | 4 | 100.0 | 0 | 0.0 | 9.5 | 9.5 | 0.0 |
| 7-8 | 3 | 2 | 66.7 | 1 | 33.3 | 4.0 | 5.0 | 2.0 |
| 9-10 | 5 | 2 | 40.0 | 3 | 60.0 | 3.0 | 3.5 | 2.7 |
| 11-12 | 6 | 2 | 33.3 | 4 | 66.7 | 2.5 | 2.5 | 2.5 |
| 13-14 | 7 | 5 | 71.4 | 2 | 28.6 | 4.7 | 4.4 | 5.5 |
| 15-16 | 13 | 8 | 61.5 | 5 | 38.5 | 3.2 | 1.6 | 5.8 |
| 17-18 | 13 | 6 | 46.2 | 7 | 53.8 | 3.3 | 2.8 | 3.7 |
| 19-20 | 13 | 8 | 61.5 | 5 | 38.5 | 3.2 | 1.4 | 6.2 |
| 21-22 | 19 | 6 | 31.6 | 13 | 68.4 | 4.6 | 3.2 | 5.3 |
| 23-24 | 19 | 10 | 52.6 | 9 | 47.4 | 3.6 | 4.3 | 2.9 |
| 25-29 | 85 | 44 | 51.8 | 41 | 48.2 | 6.0 | 3.7 | 8.5 |
| 30-34 | 132 | 79 | 59.8 | 53 | 40.2 | 4.9 | 4.6 | 5.4 |
| 35-39 | 207 | 129 | 62.3 | 78 | 37.7 | 5.0 | 4.7 | 5.5 |
| 40-44 | 413 | 253 | 61.3 | 160 | 38.7 | 5.6 | 4.6 | 7.2 |
| 45-49 | 742 | 450 | 60.6 | 292 | 39.4 | 4.8 | 4.7 | 4.9 |
| 50-54 | 1,034 | 669 | 64.7 | 365 | 35.3 | 4.7 | 4.6 | 5.0 |
| 55-59 | 1,221 | 836 | 68.5 | 385 | 31.5 | 4.7 | 4.7 | 4.7 |
| 60-64 | 1,448 | 896 | 61.9 | 552 | 38.1 | 5.1 | 5.1 | 5.0 |
| 65-69 | 1,521 | 930 | 61.1 | 591 | 38.9 | 5.3 | 5.3 | 5.4 |
| 70-74 | 1,694 | 898 | 53.0 | 796 | 47.0 | 5.2 | 5.0 | 5.5 |
| 75-79 | 2,171 | 1,113 | 51.3 | 1,058 | 48.7 | 5.7 | 5.6 | 5.8 |
| 80-84 | 2,434 | 1,173 | 48.2 | 1,261 | 51.8 | 6.0 | 5.6 | 6.4 |
| 85+ | 2,906 | 1,036 | 35.7 | 1,870 | 64.3 | 6.4 | 6.6 | 6.3 |

(continued)

Table 11. Number of Hospital Discharges and Average Length of Stay Due to Principle Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age and Sex, Westchester County Residents, 2008-2009 (continued)

| 2009 | | | | | | | | |
|----------------|----------------------|--------------|-------------|--------------|-------------|----------------------------------|------------|------------|
| Age (years) | Number of Discharges | | | | | Average Length of Stay (days) | | |
| | Total ¹ | Male | | Female | | Total | Male | Female |
| | | Number | % | Number | % | | | |
| Total | 15,649 | 8,216 | 52.5 | 7,433 | 47.5 | 5.5 | 5.3 | 5.7 |
| Less than 1 | 7 | 6 | 85.7 | 1 | 14.3 | 3.3 | 3.0 | 5.0 |
| 1-2 | 15 | 9 | 60.0 | 6 | 40.0 | 5.0 | 3.2 | 7.7 |
| 3-4 | 8 | 3 | 37.5 | 5 | 62.5 | 2.0 | 2.0 | 2.0 |
| 5-6 | 9 | 5 | 55.6 | 4 | 44.4 | 7.1 | 3.4 | 11.8 |
| 7-8 | 6 | 2 | 33.3 | 4 | 66.7 | 10.0 | 18.5 | 5.8 |
| 9-10 | 2 | 2 | 100.0 | 0 | 0.0 | 5.5 | 5.5 | . |
| 11-12 | 9 | 6 | 66.7 | 3 | 33.3 | 5.0 | 4.8 | 5.3 |
| 13-14 | 5 | 2 | 40.0 | 3 | 60.0 | 5.2 | 6.5 | 4.3 |
| 15-16 | 17 | 12 | 70.6 | 5 | 29.4 | 3.8 | 1.6 | 9.2 |
| 17-18 | 15 | 10 | 66.7 | 5 | 33.3 | 4.7 | 5.2 | 3.6 |
| 19-20 | 20 | 12 | 60.0 | 8 | 40.0 | 4.0 | 5.6 | 1.5 |
| 21-22 | 17 | 9 | 52.9 | 8 | 47.1 | 2.4 | 3.3 | 1.4 |
| 23-24 | 29 | 16 | 55.2 | 13 | 44.8 | 6.7 | 7.3 | 5.9 |
| 25-29 | 82 | 57 | 69.5 | 25 | 30.5 | 4.3 | 3.7 | 5.6 |
| 30-34 | 111 | 67 | 60.4 | 44 | 39.6 | 5.0 | 6.2 | 3.0 |
| 35-39 | 209 | 121 | 57.9 | 88 | 42.1 | 4.6 | 3.6 | 5.9 |
| 40-44 | 375 | 230 | 61.3 | 145 | 38.7 | 5.4 | 6.5 | 3.6 |
| 45-49 | 689 | 419 | 60.8 | 270 | 39.2 | 4.9 | 4.6 | 5.4 |
| 50-54 | 980 | 637 | 65.0 | 343 | 35.0 | 4.6 | 4.2 | 5.2 |
| 55-59 | 1,077 | 718 | 66.7 | 359 | 33.3 | 5.0 | 5.1 | 4.8 |
| 60-64 | 1,498 | 885 | 59.1 | 613 | 40.9 | 5.1 | 4.9 | 5.4 |
| 65-69 | 1,540 | 933 | 60.6 | 607 | 39.4 | 5.1 | 4.9 | 5.5 |
| 70-74 | 1,707 | 959 | 56.2 | 748 | 43.8 | 5.3 | 5.3 | 5.2 |
| 75-79 | 1,981 | 999 | 50.4 | 982 | 49.6 | 5.5 | 5.5 | 5.6 |
| 80-84 | 2,215 | 1,061 | 47.9 | 1,154 | 52.1 | 5.9 | 5.5 | 6.2 |
| 85+ | 3,026 | 1,036 | 34.2 | 1,990 | 65.8 | 6.4 | 6.3 | 6.4 |

¹ Totals include cases with unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 12. Number of Hospital Discharges and Average Length of Stay Due to Principle Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age and Race/Ethnicity, Westchester County Residents, 2008-2009

| 2008 | | | | | | | | | | | | | | | |
|----------------|----------------------|---|---------------|-------------|--------------|-------------|--------------------|-------------|----------------------------------|------------|------------|------------|------------|--------------------|-----------------------|
| Age (years) | Number of Discharges | | | | | | | | Average Length of Stay (days) | | | | | | |
| | Total | | White | | Black | | Other ¹ | | Hispanic ² | | Total | White | Black | Other ¹ | Hispanic ² |
| | N | % | N | % | N | % | N | % | N | % | | | | | |
| Total | 16,140 | | 11,294 | 70.0 | 2,633 | 16.3 | 2,213 | 13.7 | 1,214 | 7.5 | 5.5 | 5.4 | 6.2 | 5.5 | 5.1 |
| Less than 1 | 14 | | 9 | 64.3 | 1 | 7.1 | 4 | 28.6 | 8 | 57.1 | 6.9 | 8.3 | 7.0 | 3.5 | 6.5 |
| 1-2 | 9 | | 5 | 55.6 | 2 | 22.2 | 2 | 22.2 | 1 | 11.1 | 5.0 | 5.6 | 2.0 | 6.5 | 3.0 |
| 3-4 | 7 | | 3 | 42.9 | 1 | 14.3 | 3 | 42.9 | 2 | 28.6 | 4.6 | 6.7 | 2.0 | 3.3 | 6.0 |
| 5-6 | 4 | | 3 | 75.0 | 0 | 0.0 | 1 | 25.0 | 1 | 25.0 | 9.5 | 4.0 | 0.0 | 26.0 | 2.0 |
| 7-8 | 3 | | 1 | 33.3 | 1 | 33.3 | 1 | 33.3 | 0 | 0.0 | 4.0 | 2.0 | 8.0 | 2.0 | 0.0 |
| 9-10 | 5 | | 4 | 80.0 | 0 | 0.0 | 1 | 20.0 | 1 | 20.0 | 3.0 | 3.5 | 0.0 | 1.0 | 1.0 |
| 11-12 | 6 | | 5 | 83.3 | 0 | 0.0 | 1 | 16.7 | 0 | 0.0 | 2.5 | 2.8 | 0.0 | 1.0 | 0.0 |
| 13-14 | 7 | | 4 | 57.1 | 0 | 0.0 | 3 | 42.9 | 3 | 42.9 | 4.7 | 3.5 | 0.0 | 6.3 | 6.3 |
| 15-16 | 13 | | 10 | 76.9 | 2 | 15.4 | 1 | 7.7 | 2 | 15.4 | 3.2 | 3.7 | 2.0 | 1.0 | 2.0 |
| 17-18 | 13 | | 9 | 69.2 | 3 | 23.1 | 1 | 7.7 | 1 | 7.7 | 3.3 | 3.3 | 4.0 | 1.0 | 1.0 |
| 19-20 | 13 | | 5 | 38.5 | 4 | 30.8 | 4 | 30.8 | 1 | 7.7 | 3.2 | 2.2 | 3.8 | 4.0 | 1.0 |
| 21-22 | 19 | | 8 | 42.1 | 6 | 31.6 | 5 | 26.3 | 3 | 15.8 | 4.6 | 4.0 | 6.3 | 3.6 | 2.0 |
| 23-24 | 19 | | 9 | 47.4 | 8 | 42.1 | 2 | 10.5 | 2 | 10.5 | 3.6 | 4.0 | 2.6 | 6.0 | 7.5 |
| 25-29 | 85 | | 34 | 40.0 | 26 | 30.6 | 25 | 29.4 | 27 | 31.8 | 6.0 | 4.2 | 4.3 | 10.3 | 4.7 |
| 30-34 | 132 | | 67 | 50.8 | 38 | 28.8 | 27 | 20.5 | 16 | 12.1 | 4.9 | 4.4 | 5.0 | 6.2 | 6.9 |
| 35-39 | 207 | | 88 | 42.5 | 76 | 36.7 | 43 | 20.8 | 30 | 14.5 | 5.0 | 3.8 | 5.3 | 6.7 | 4.8 |
| 40-44 | 413 | | 176 | 42.6 | 157 | 38.0 | 80 | 19.4 | 71 | 17.2 | 5.6 | 4.8 | 7.4 | 4.0 | 4.4 |
| 45-49 | 742 | | 380 | 51.2 | 207 | 27.9 | 155 | 20.9 | 102 | 13.7 | 4.8 | 4.3 | 5.5 | 5.2 | 4.3 |
| 50-54 | 1,034 | | 572 | 55.3 | 258 | 25.0 | 204 | 19.7 | 128 | 12.4 | 4.7 | 4.7 | 5.2 | 4.1 | 4.3 |
| 55-59 | 1,221 | | 770 | 63.1 | 228 | 18.7 | 223 | 18.3 | 130 | 10.6 | 4.7 | 4.3 | 6.3 | 4.6 | 4.5 |
| 60-64 | 1,448 | | 911 | 62.9 | 271 | 18.7 | 266 | 18.4 | 146 | 10.1 | 5.1 | 4.7 | 5.7 | 5.7 | 5.4 |
| 65-69 | 1,521 | | 976 | 64.2 | 277 | 18.2 | 268 | 17.6 | 137 | 9.0 | 5.3 | 4.9 | 6.4 | 5.7 | 4.7 |
| 70-74 | 1,694 | | 1,168 | 68.9 | 290 | 17.1 | 236 | 13.9 | 104 | 6.1 | 5.2 | 5.0 | 5.7 | 5.9 | 6.9 |
| 75-79 | 2,171 | | 1,664 | 76.6 | 254 | 11.7 | 253 | 11.7 | 131 | 6.0 | 5.7 | 5.6 | 6.5 | 5.3 | 4.8 |
| 80-84 | 2,434 | | 1,970 | 80.9 | 242 | 9.9 | 222 | 9.1 | 106 | 4.4 | 6.0 | 5.8 | 7.4 | 6.1 | 6.3 |
| 85+ | 2,906 | | 2,443 | 84.1 | 281 | 9.7 | 182 | 6.3 | 61 | 2.1 | 6.4 | 6.3 | 7.2 | 6.3 | 5.8 |

Table 12. Number of Hospital Discharges and Average Length of Stay Due to Principle Diagnosis of Cardiovascular and Other Diseases of the Circulatory System by Age and Race/Ethnicity, Westchester County Residents, 2008-2009 (continued)

| 2009 | | | | | | | | | | | | | | | |
|----------------|----------------------|---|---------------|-------------|--------------|-------------|--------------------|-------------|----------------------------------|------------|------------|------------|------------|--------------------|-----------------------|
| Age (years) | Number of Discharges | | | | | | | | Average Length of Stay (days) | | | | | | |
| | Total | | White | | Black | | Other ¹ | | Hispanic ² | | Total | White | Black | Other ¹ | Hispanic ² |
| | N | % | N | % | N | % | N | % | N | % | | | | | |
| Total | 15,649 | | 10,993 | 70.2 | 2,628 | 16.8 | 2,028 | 13.0 | 1,189 | 7.6 | 5.5 | 5.3 | 6.4 | 5.5 | 5.4 |
| Less than 1 | 7 | | 2 | 28.6 | 3 | 42.9 | 2 | 28.6 | 2 | 28.6 | 3.3 | 2.5 | 2.7 | 5.0 | 5.0 |
| 1-2 | 15 | | 7 | 46.7 | 1 | 6.7 | 7 | 46.7 | 3 | 20.0 | 5.0 | 2.7 | 5.0 | 7.3 | 3.7 |
| 3-4 | 8 | | 5 | 62.5 | 1 | 12.5 | 2 | 25.0 | 4 | 50.0 | 2.0 | 1.8 | 3.0 | 2.0 | 1.8 |
| 5-6 | 9 | | 5 | 55.6 | 0 | 0.0 | 4 | 44.4 | 2 | 22.2 | 7.1 | 3.8 | 0.0 | 11.3 | 4.5 |
| 7-8 | 6 | | 2 | 33.3 | 0 | 0.0 | 4 | 66.7 | 1 | 16.7 | 10.0 | 3.0 | 0.0 | 13.5 | 4.0 |
| 9-10 | 2 | | 1 | 50.0 | 1 | 50.0 | 0 | 0.0 | 0 | 0.0 | 5.5 | 2.0 | 9.0 | 0.0 | 0.0 |
| 11-12 | 9 | | 8 | 88.9 | 1 | 11.1 | 0 | 0.0 | 2 | 22.2 | 5.0 | 5.3 | 3.0 | 0.0 | 5.0 |
| 13-14 | 5 | | 5 | 100.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5.2 | 5.2 | 0.0 | 0.0 | 0.0 |
| 15-16 | 17 | | 10 | 58.8 | 5 | 29.4 | 2 | 11.8 | 1 | 5.9 | 3.8 | 3.6 | 5.4 | 1.0 | 3.0 |
| 17-18 | 15 | | 8 | 53.3 | 3 | 20.0 | 4 | 26.7 | 7 | 46.7 | 4.7 | 3.9 | 3.3 | 7.3 | 5.4 |
| 19-20 | 20 | | 13 | 65.0 | 4 | 20.0 | 3 | 15.0 | 6 | 30.0 | 4.0 | 2.7 | 3.8 | 9.7 | 2.5 |
| 21-22 | 17 | | 10 | 58.8 | 3 | 17.6 | 4 | 23.5 | 2 | 11.8 | 2.4 | 1.6 | 1.7 | 5.0 | 5.0 |
| 23-24 | 29 | | 13 | 44.8 | 9 | 31.0 | 7 | 24.1 | 7 | 24.1 | 6.7 | 6.4 | 6.4 | 7.4 | 8.3 |
| 25-29 | 82 | | 32 | 39.0 | 33 | 40.2 | 17 | 20.7 | 19 | 23.2 | 4.3 | 3.9 | 4.9 | 3.8 | 4.5 |
| 30-34 | 111 | | 42 | 37.8 | 35 | 31.5 | 34 | 30.6 | 26 | 23.4 | 5.0 | 3.1 | 5.2 | 7.0 | 6.7 |
| 35-39 | 209 | | 89 | 42.6 | 70 | 33.5 | 50 | 23.9 | 43 | 20.6 | 4.6 | 4.5 | 5.5 | 3.5 | 3.8 |
| 40-44 | 375 | | 183 | 48.8 | 128 | 34.1 | 64 | 17.1 | 45 | 12.0 | 5.4 | 3.8 | 4.4 | 12.1 | 14.5 |
| 45-49 | 689 | | 326 | 47.3 | 223 | 32.4 | 140 | 20.3 | 79 | 11.5 | 4.9 | 5.1 | 4.7 | 4.8 | 5.3 |
| 50-54 | 980 | | 541 | 55.2 | 243 | 24.8 | 196 | 20.0 | 132 | 13.5 | 4.6 | 4.0 | 6.5 | 3.7 | 4.8 |
| 55-59 | 1,077 | | 672 | 62.4 | 218 | 20.2 | 187 | 17.4 | 121 | 11.2 | 5.0 | 4.7 | 6.1 | 4.9 | 4.3 |
| 60-64 | 1,498 | | 994 | 66.4 | 287 | 19.2 | 217 | 14.5 | 116 | 7.7 | 5.1 | 4.8 | 6.6 | 4.8 | 4.8 |
| 65-69 | 1,540 | | 942 | 61.2 | 357 | 23.2 | 241 | 15.6 | 142 | 9.2 | 5.1 | 4.7 | 6.3 | 5.3 | 4.6 |
| 70-74 | 1,707 | | 1,201 | 70.4 | 270 | 15.8 | 236 | 13.8 | 125 | 7.3 | 5.3 | 4.7 | 7.9 | 5.4 | 5.0 |
| 75-79 | 1,981 | | 1,521 | 76.8 | 239 | 12.1 | 221 | 11.2 | 127 | 6.4 | 5.5 | 5.3 | 6.4 | 6.3 | 5.3 |
| 80-84 | 2,215 | | 1,839 | 83.0 | 195 | 8.8 | 181 | 8.2 | 99 | 4.5 | 5.9 | 5.7 | 7.9 | 5.4 | 6.0 |
| 85+ | 3,026 | | 2,522 | 83.3 | 299 | 9.9 | 205 | 6.8 | 78 | 2.6 | 6.4 | 6.3 | 7.3 | 6.1 | 5.8 |

¹ Includes Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table13. Number of Hospital Discharges and Average Length of Stay Due to Principle Diagnosis of Digestive System Diseases by Age, Westchester County Residents, 2008-2009

| | | 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|----------------------|-------------|-------------|-------------|------------|------------|------------|------------|--------------|------------|--------------|-------------|--------------|-------------|--------------|-------------|----------------------------------|-------------|--------------------|------------|------------|------------|------------|------------|------------|------------|-------------|-----|
| Principle Diagnosis | Number of Discharges | | | | | | | | | | | | | | | | Average Length of Stay (days) | | | | | | | | | | | |
| | Total ¹ | | Less than 1 | | 1-12 | | 13-17 | | 18-34 | | 35-49 | | 50-64 | | 65-74 | | 75+ | | Total ¹ | | <1 | 1-12 | 13-17 | 18-34 | 35-49 | 50-64 | 65-74 | 75+ |
| | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % |
| Total | 9,290 | 100 | 76 | 100 | 261 | 100 | 207 | 100 | 1,081 | 100 | 1,662 | 100 | 2,097 | 100 | 1,302 | 100 | 2,603 | 100 | 5.5 | 5.8 | 4.2 | 3.7 | 3.7 | 4.6 | 5.2 | 6.3 | 6.8 | |
| Diseases of the Esophagus, Stomach and Duodenum | 1,202 | 12.9 | 25 | 32.9 | 33 | 12.6 | 19 | 9.2 | 79 | 7.3 | 176 | 10.6 | 260 | 12.4 | 194 | 14.9 | 416 | 16.0 | 5.4 | 5.2 | 4.8 | 4.4 | 4.9 | 3.8 | 4.1 | 6.0 | 6.7 | |
| Appendicitis | 943 | 10.2 | 0 | 0.0 | 121 | 46.4 | 104 | 50.2 | 314 | 29.0 | 193 | 11.6 | 136 | 6.5 | 45 | 3.5 | 30 | 1.2 | 3.2 | 0.0 | 4.2 | 2.8 | 2.3 | 2.8 | 3.4 | 5.6 | 7.5 | |
| Noninfectious Enteritis and Colitis | 897 | 9.7 | 13 | 17.1 | 36 | 13.8 | 31 | 15.0 | 147 | 13.6 | 158 | 9.5 | 176 | 8.4 | 114 | 8.8 | 222 | 8.5 | 5.0 | 2.5 | 2.9 | 7.0 | 5.1 | 3.5 | 5.2 | 6.7 | 5.1 | |
| Hernia of the Abdominal Cavity | 543 | 5.8 | 17 | 22.4 | 5 | 1.9 | 1 | 0.5 | 27 | 2.5 | 111 | 6.7 | 141 | 6.7 | 86 | 6.6 | 155 | 6.0 | 5.0 | 1.6 | 2.4 | 1.0 | 3.1 | 3.7 | 4.3 | 6.8 | 6.5 | |
| Diseases of the Oral Cavity, Salivary Glands, and Jaws | 156 | 1.7 | 1 | 1.3 | 12 | 4.6 | 12 | 5.8 | 36 | 3.3 | 23 | 1.4 | 29 | 1.4 | 16 | 1.2 | 27 | 1.0 | 4.9 | 88.0 | 3.8 | 1.9 | 2.5 | 8.1 | 3.9 | 4.2 | 5.4 | |
| Other Diseases of the Digestive System | 2,965 | 31.9 | 9 | 11.8 | 21 | 8.0 | 20 | 9.7 | 340 | 31.5 | 610 | 36.7 | 722 | 34.4 | 424 | 32.6 | 819 | 31.5 | 5.7 | 14.6 | 7.2 | 3.0 | 3.9 | 5.3 | 5.4 | 6.3 | 6.8 | |
| <i>Chronic Liver Disease, including Cirrhosis</i> | <i>264</i> | <i>2.8</i> | <i>0</i> | <i>0.0</i> | <i>0</i> | <i>0.0</i> | <i>0</i> | <i>0.0</i> | <i>9</i> | <i>0.8</i> | <i>63</i> | <i>3.8</i> | <i>136</i> | <i>6.5</i> | <i>33</i> | <i>2.5</i> | <i>23</i> | <i>0.9</i> | <i>7.5</i> | <i>0.0</i> | <i>0.0</i> | <i>0.0</i> | <i>2.2</i> | <i>8.5</i> | <i>6.6</i> | <i>8.5</i> | <i>11.2</i> | |
| Other Diseases of the Intestines and Peritoneum | 2,584 | 27.8 | 11 | 14.5 | 33 | 12.6 | 20 | 9.7 | 138 | 12.8 | 391 | 23.5 | 633 | 30.2 | 423 | 32.5 | 934 | 35.9 | 6.3 | 3.0 | 3.2 | 4.8 | 4.7 | 5.4 | 5.9 | 6.2 | 7.3 | |
| <i>Diverticula of Intestine</i> | <i>1,620</i> | <i>17.4</i> | <i>9</i> | <i>11.8</i> | <i>13</i> | <i>5.0</i> | <i>12</i> | <i>5.8</i> | <i>93</i> | <i>8.6</i> | <i>271</i> | <i>16.3</i> | <i>406</i> | <i>19.4</i> | <i>268</i> | <i>20.6</i> | <i>548</i> | <i>21.1</i> | <i>6.0</i> | <i>2.0</i> | <i>2.8</i> | <i>4.3</i> | <i>4.7</i> | <i>5.3</i> | <i>6.1</i> | <i>6.0</i> | <i>6.8</i> | |

(continued)

Table13. Number of Hospital Discharges and Average Length of Stay Due to Principle Diagnosis of Digestive System Diseases by Age, Westchester County Residents, 2008-2009 (continued)

| | | 2009 | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|----------------------|-------------|-------------|------------|------------|------------|------------|------------|------------|------------|--------------|-------------|--------------|-------------|--------------|-------------|----------------------------------|-------------|------------|-------------|------------|------------|------------|------------|------------|-------------|------------|
| Principle Diagnosis | Number of Discharges | | | | | | | | | | | | | | | | Average Length of Stay (days) | | | | | | | | | | |
| | Total | | Less than 1 | | 1-12 | | 13-17 | | 18-34 | | 35-49 | | 50-64 | | 65-74 | | 75+ | | Total | <1 | 1-12 | 13-17 | 18-34 | 35-49 | 50-64 | 65-74 | 75+ |
| | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | | | | | | | | | |
| Total | 9,067 | 100 | 65 | 100 | 296 | 100 | 222 | 100 | 988 | 100 | 1,561 | 100 | 2,165 | 100 | 1,288 | 100 | 2,482 | 100 | 5.3 | 3.9 | 3.6 | 4.0 | 3.3 | 4.1 | 5.4 | 6.2 | 6.6 |
| Diseases of the Esophagus, Stomach and Duodenum | 1,151 | 12.7 | 26 | 40.0 | 34 | 11.5 | 19 | 8.6 | 83 | 8.4 | 162 | 10.4 | 262 | 12.1 | 191 | 14.8 | 374 | 15.1 | 5.1 | 2.7 | 4.2 | 6.9 | 3.2 | 3.6 | 4.4 | 5.8 | 6.4 |
| Appendicitis | 949 | 10.5 | 0 | 0.0 | 156 | 52.7 | 105 | 47.3 | 294 | 29.8 | 195 | 12.5 | 124 | 5.7 | 46 | 3.6 | 29 | 1.2 | 3.2 | 0.0 | 4.0 | 2.6 | 2.3 | 2.6 | 4.3 | 5.9 | 5.6 |
| Noninfectious Enteritis and Colitis | 891 | 9.8 | 9 | 13.8 | 38 | 12.8 | 42 | 18.9 | 135 | 13.7 | 158 | 10.1 | 157 | 7.3 | 109 | 8.5 | 243 | 9.8 | 4.8 | 3.6 | 2.2 | 6.0 | 3.6 | 4.0 | 5.1 | 5.3 | 6.0 |
| Hernia of the Abdominal Cavity | 562 | 6.2 | 16 | 24.6 | 6 | 2.0 | 2 | 0.9 | 25 | 2.5 | 89 | 5.7 | 183 | 8.5 | 93 | 7.2 | 148 | 6.0 | 4.9 | 1.6 | 1.3 | 2.0 | 2.0 | 2.7 | 5.2 | 5.4 | 6.6 |
| Diseases of the Oral Cavity, Salivary Glands, and Jaws | 118 | 1.3 | 2 | 3.1 | 18 | 6.1 | 11 | 5.0 | 23 | 2.3 | 17 | 1.1 | 22 | 1.0 | 9 | 0.7 | 16 | 0.6 | 2.8 | 2.0 | 2.3 | 2.5 | 1.8 | 2.3 | 2.9 | 4.0 | 4.6 |
| Other Diseases of the Digestive System | 2,913 | 32.1 | 6 | 9.2 | 14 | 4.7 | 19 | 8.6 | 305 | 30.9 | 559 | 35.8 | 743 | 34.3 | 447 | 34.7 | 820 | 33.0 | 5.6 | 11.3 | 5.6 | 4.1 | 4.1 | 4.7 | 5.7 | 6.2 | 6.3 |
| <i>Chronic Liver Disease, including Cirrhosis</i> | <i>236</i> | <i>2.6</i> | <i>0</i> | <i>0.0</i> | <i>0</i> | <i>0.0</i> | <i>1</i> | <i>0.5</i> | <i>6</i> | <i>0.6</i> | <i>45</i> | <i>2.9</i> | <i>110</i> | <i>5.1</i> | <i>39</i> | <i>3.0</i> | <i>35</i> | <i>1.4</i> | <i>8.6</i> | <i>0.0</i> | <i>0.0</i> | <i>1.0</i> | <i>7.0</i> | <i>8.4</i> | <i>8.3</i> | <i>11.3</i> | <i>7.1</i> |
| Other Diseases of the Intestines and Peritoneum | 2,483 | 27.4 | 6 | 9.2 | 30 | 10.1 | 24 | 10.8 | 123 | 12.4 | 381 | 24.4 | 674 | 31.1 | 393 | 30.5 | 852 | 34.3 | 6.2 | 9.3 | 2.9 | 5.4 | 4.5 | 4.7 | 5.8 | 6.9 | 7.2 |
| <i>Diverticula of Intestine</i> | <i>1,599</i> | <i>17.6</i> | <i>4</i> | <i>6.2</i> | <i>15</i> | <i>5.1</i> | <i>15</i> | <i>6.8</i> | <i>82</i> | <i>8.3</i> | <i>279</i> | <i>17.9</i> | <i>430</i> | <i>19.9</i> | <i>248</i> | <i>19.3</i> | <i>526</i> | <i>21.2</i> | <i>5.9</i> | <i>12.0</i> | <i>3.1</i> | <i>6.1</i> | <i>4.1</i> | <i>4.5</i> | <i>6.0</i> | <i>6.0</i> | <i>6.9</i> |

¹ Totals include unknown age.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 14. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Sex, Westchester County Residents, 2008-2009

| 2008 | | | | | | | | |
|--|----------------------|--------------|-------------|--------------|-------------|----------------------------------|------------|------------|
| Principal Diagnosis | Number of Discharges | | | | | Average Length of Stay (days) | | |
| | Total | Male | | Female | | Total | Male | Female |
| | | Number | % | Number | % | | | |
| Total | 9,290 | 4,238 | 100 | 5,052 | 100 | 5.5 | 5.3 | 5.6 |
| Diseases of the Esophagus, Stomach & Duodenum | 1,202 | 562 | 13.3 | 640 | 12.7 | 5.4 | 5.2 | 5.6 |
| Appendicitis | 943 | 536 | 12.6 | 407 | 8.1 | 3.2 | 3.2 | 3.1 |
| Noninfectious Enteritis and Colitis | 897 | 359 | 8.5 | 538 | 10.6 | 5.0 | 4.9 | 5.0 |
| Hernia of the Abdonminal Cavity | 543 | 253 | 6.0 | 290 | 5.7 | 5.0 | 3.9 | 6.0 |
| Diseases of the Oral Cavity, Salivary Glands, & Jaws | 156 | 78 | 1.8 | 78 | 1.5 | 4.9 | 3.8 | 5.9 |
| Other Diseases of the Digestive System | 2,965 | 1,343 | 31.7 | 1,622 | 32.1 | 5.7 | 6.0 | 5.5 |
| <i>Chronic Liver Disease, including Cirrhosis</i> | <i>264</i> | <i>171</i> | <i>4.0</i> | <i>93</i> | <i>1.8</i> | <i>7.5</i> | <i>7.0</i> | <i>8.5</i> |
| Other Diseases of the Intestines | 2,584 | 1,107 | 26.1 | 1,477 | 29.2 | 6.3 | 6.1 | 6.4 |
| <i>Diverticula of Intestine</i> | <i>1,620</i> | <i>703</i> | <i>16.6</i> | <i>917</i> | <i>18.2</i> | <i>6.0</i> | <i>6.1</i> | <i>6.0</i> |

(continued)

Table 14. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Sex, Westchester County Residents, 2008-2009 (continued)

| 2009 | | | | | | | | |
|--|----------------------|--------|------|--------|------|----------------------------------|------|--------|
| Principal Diagnosis | Number of Discharges | | | | | Average Length of Stay (days) | | |
| | Total | Male | | Female | | Total | Male | Female |
| | | Number | % | Number | % | | | |
| Total | 9,067 | 4,171 | 100 | 4,896 | 100 | 5.3 | 5.0 | 5.5 |
| Diseases of the Esophagus, Stomach & Duodenum | 1,151 | 546 | 13.1 | 605 | 12.4 | 5.1 | 4.8 | 5.3 |
| Appendicitis | 949 | 544 | 13.0 | 405 | 8.3 | 3.2 | 3.1 | 3.3 |
| Noninfectious Enteritis and Colitis | 891 | 303 | 7.3 | 588 | 12.0 | 4.8 | 4.8 | 4.8 |
| Hernia of the Abdominal Cavity | 562 | 275 | 6.6 | 287 | 5.9 | 4.9 | 4.1 | 5.7 |
| Diseases of the Oral Cavity, Salivary Glands, & Jaws | 118 | 55 | 1.3 | 63 | 1.3 | 2.8 | 2.9 | 2.6 |
| Other Diseases of the Digestive System | 2,913 | 1,342 | 32.2 | 1,571 | 32.1 | 5.6 | 5.8 | 5.4 |
| <i>Chronic Liver Disease, including Cirrhosis</i> | 236 | 151 | 3.6 | 85 | 1.7 | 8.6 | 7.7 | 10.1 |
| Other Diseases of the Intestines & Peritoneum | 2,483 | 1,106 | 26.5 | 1,377 | 28.1 | 6.2 | 5.5 | 6.7 |
| <i>Diverticula of the Intestine</i> | 1,599 | 716 | 17.2 | 883 | 18.0 | 5.9 | 5.3 | 6.4 |

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 15. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Race/Ethnicity, Westchester County Residents, 2008-2009

| 2008 | | | | | | | | | | | | | | |
|--|----------------------|--------------|-------------|--------------|-------------|--------------------|-------------|-----------------------|-------------|----------------------------------|------------|------------|--------------------|-----------------------|
| Principal Diagnosis | Number of Discharges | | | | | | | | | Average Length of Stay (days) | | | | |
| | Total | White | | Black | | Other ¹ | | Hispanic ² | | Total | White | Black | Other ¹ | Hispanic ² |
| | | N | % | N | % | N | % | N | % | | | | | |
| Total | 9,290 | 6,310 | 100 | 1,399 | 100 | 1,581 | 100 | 1,382 | 100 | 5.5 | 5.6 | 5.9 | 4.6 | 4.6 |
| Diseases of the Esophagus, Stomach & Duodenum | 1,202 | 801 | 12.7 | 214 | 15.3 | 187 | 11.8 | 143 | 10.3 | 5.4 | 5.7 | 5.6 | 3.8 | 4.7 |
| Appendicitis | 943 | 608 | 9.6 | 79 | 5.6 | 256 | 16.2 | 264 | 19.1 | 3.2 | 3.1 | 3.7 | 3.1 | 3.1 |
| Noninfectious Enteritis and Colitis | 897 | 597 | 9.5 | 136 | 9.7 | 164 | 10.4 | 131 | 9.5 | 5.0 | 5.0 | 4.5 | 5.3 | 4.8 |
| Hernia of the Abdominal Cavity | 543 | 371 | 5.9 | 108 | 7.7 | 64 | 4.0 | 52 | 3.8 | 5.0 | 5.3 | 4.5 | 4.3 | 5.0 |
| Diseases of the Oral Cavity, Salivary Glands, & Jaws | 156 | 100 | 1.6 | 25 | 1.8 | 31 | 2.0 | 17 | 1.2 | 4.9 | 5.8 | 3.7 | 2.9 | 2.9 |
| Other Diseases of the Digestive System | 2,965 | 1,932 | 30.6 | 445 | 31.8 | 588 | 37.2 | 536 | 38.8 | 5.7 | 5.7 | 6.8 | 5.1 | 5.1 |
| <i>Chronic Liver Disease, including Cirrhosis</i> | <i>264</i> | <i>174</i> | <i>2.8</i> | <i>33</i> | <i>2.4</i> | <i>57</i> | <i>3.6</i> | <i>62</i> | <i>4.5</i> | <i>7.5</i> | <i>7.9</i> | <i>7.9</i> | <i>6.1</i> | <i>6.8</i> |
| Other Diseases of the Intestines & Peritoneum | 2,584 | 1,901 | 30.1 | 392 | 28.0 | 291 | 18.4 | 239 | 17.3 | 6.3 | 6.4 | 6.5 | 5.2 | 4.9 |
| <i>Diverticula of the Intestine</i> | <i>1,620</i> | <i>1,181</i> | <i>18.7</i> | <i>247</i> | <i>17.7</i> | <i>192</i> | <i>12.1</i> | <i>169</i> | <i>12.2</i> | <i>6.0</i> | <i>6.3</i> | <i>5.7</i> | <i>5.2</i> | <i>4.6</i> |

(continued)

Table 15. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Digestive System Diseases by Race/Ethnicity, Westchester County Residents, 2008-2009 (continued)

| 2009 | | | | | | | | | | | | | | |
|---|----------------------|--------------|-------------|--------------|-------------|--------------------|-------------|-----------------------|-------------|----------------------------------|------------|-------------|--------------------|-----------------------|
| Principal Diagnosis | Number of Discharges | | | | | | | | | Average Length of Stay (days) | | | | |
| | Total | White | | Black | | Other ¹ | | Hispanic ² | | Total | White | Black | Other ¹ | Hispanic ² |
| | | N | % | N | % | N | % | N | % | | | | | |
| Total | 9,067 | 5,999 | 100 | 1,565 | 100 | 1,503 | 100 | 1,451 | 100 | 5.3 | 5.3 | 5.7 | 4.8 | 4.5 |
| Diseases of the Esophagus, Stomach & Duodenum | 1,151 | 727 | 12.1 | 258 | 16.5 | 166 | 11.0 | 143 | 9.9 | 5.1 | 5.3 | 4.9 | 4.5 | 4.7 |
| Appendicitis | 949 | 590 | 9.8 | 92 | 5.9 | 267 | 17.8 | 301 | 20.7 | 3.2 | 3.1 | 4.0 | 3.1 | 3.0 |
| Noninfectious Enteritis and Colitis | 891 | 600 | 10.0 | 162 | 10.4 | 129 | 8.6 | 114 | 7.9 | 4.8 | 5.1 | 4.6 | 4.1 | 3.9 |
| Hernia of the Abdominal Cavity | 562 | 392 | 6.5 | 76 | 4.9 | 94 | 6.3 | 81 | 5.6 | 4.9 | 4.9 | 5.8 | 4.2 | 4.0 |
| Diseases of the Oral Cavity | 118 | 71 | 1.2 | 18 | 1.2 | 29 | 1.9 | 20 | 1.4 | 2.8 | 2.9 | 2.8 | 2.3 | 2.6 |
| Other Diseases of the Digestive System | 2,913 | 1,829 | 30.5 | 545 | 34.8 | 539 | 35.9 | 562 | 38.7 | 5.6 | 5.5 | 5.9 | 5.6 | 5.1 |
| <i>Chronic Liver Disease</i> | <i>236</i> | <i>142</i> | <i>2.4</i> | <i>39</i> | <i>2.5</i> | <i>55</i> | <i>3.7</i> | <i>54</i> | <i>3.7</i> | <i>8.6</i> | <i>8.1</i> | <i>10.2</i> | <i>8.6</i> | <i>6.6</i> |
| Other Diseases of the Intestines | 2,483 | 1,790 | 29.8 | 414 | 26.5 | 279 | 18.6 | 230 | 15.9 | 6.2 | 6.1 | 6.6 | 6.1 | 5.4 |
| <i>Diverticula of Intestine</i> | <i>1,599</i> | <i>1,154</i> | <i>19.2</i> | <i>253</i> | <i>16.2</i> | <i>192</i> | <i>12.8</i> | <i>167</i> | <i>11.5</i> | <i>5.9</i> | <i>6.0</i> | <i>6.0</i> | <i>5.3</i> | <i>5.0</i> |

¹ Includes Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 16. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Age, Westchester County Residents, 2008-2009

| 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|----------------------|------------|-------------|------------|------------|------------|-----------|------------|------------|------------|------------|------------|--------------|------------|--------------|------------|--------------|------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Principal Diagnosis | Number of Discharges | | | | | | | | | | | | | | | | | | Average Length of Stay | | | | | | | | |
| | Total | | Less than 1 | | 1-12 | | 13-17 | | 18-34 | | 35-49 | | 50-64 | | 65-74 | | 75+ | | (days) | | | | | | | | |
| | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | Total | <1 | 1-12 | 13-17 | 18-34 | 35-49 | 50-64 | 65-74 | 75+ |
| Total | 8,168 | 100 | 305 | 100 | 754 | 100 | 84 | 100 | 332 | 100 | 708 | 100 | 1,481 | 100 | 1,260 | 100 | 3,244 | 100 | 6.9 | 4.9 | 3.1 | 4.6 | 4.2 | 4.8 | 6.4 | 7.5 | 7.9 |
| Chronic Obstructive Pulmonary Diseases & Allied Conditions | 2,905 | 35.6 | 22 | 7.2 | 355 | 47.1 | 28 | 33.3 | 122 | 36.7 | 292 | 41.2 | 634 | 42.8 | 479 | 38.0 | 973 | 30.0 | 5.4 | 2.0 | 2.6 | 3.2 | 3.5 | 3.8 | 5.3 | 6.1 | 6.9 |
| <i>Asthma</i> | 1,458 | 17.9 | 22 | 7.2 | 350 | 46.4 | 26 | 31.0 | 113 | 34.0 | 250 | 35.3 | 360 | 24.3 | 138 | 11.0 | 199 | 6.1 | 4.2 | 2.0 | 2.6 | 2.5 | 3.1 | 3.7 | 4.9 | 5.6 | 6.9 |
| <i>Chronic Bronchitis</i> | 1,254 | 15.4 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.3 | 26 | 3.7 | 249 | 16.8 | 304 | 24.1 | 674 | 20.8 | 6.6 | 0.0 | 0.0 | 0.0 | 3.0 | 4.3 | 6.0 | 6.3 | 7.0 |
| Pneumonia | 2,444 | 29.9 | 48 | 15.7 | 192 | 25.5 | 9 | 10.7 | 94 | 28.3 | 199 | 28.1 | 406 | 27.4 | 355 | 28.2 | 1,141 | 35.2 | 6.6 | 2.8 | 3.2 | 2.7 | 5.0 | 5.3 | 6.5 | 7.9 | 7.5 |
| Acute Respiratory Infections | 600 | 7.3 | 202 | 66.2 | 92 | 12.2 | 10 | 11.9 | 25 | 7.5 | 52 | 7.3 | 67 | 4.5 | 37 | 2.9 | 115 | 3.5 | 3.5 | 3.0 | 3.3 | 1.8 | 3.3 | 3.8 | 3.3 | 4.2 | 4.3 |
| Other Diseases of the Upper Respiratory Tract | 149 | 1.8 | 3 | 1.0 | 49 | 6.5 | 11 | 13.1 | 17 | 5.1 | 22 | 3.1 | 21 | 1.4 | 13 | 1.0 | 13 | 0.4 | 3.1 | 5.0 | 2.4 | 1.8 | 3.1 | 2.5 | 3.1 | 3.3 | 7.2 |
| Influenza | 61 | 0.7 | 12 | 3.9 | 5 | 0.7 | 2 | 2.4 | 2 | 0.6 | 1 | 0.1 | 6 | 0.4 | 9 | 0.7 | 24 | 0.7 | 5.2 | 4.4 | 3.4 | 1.5 | 2.5 | 1.0 | 6.8 | 5.3 | 6.2 |
| Other Respiratory Diseases | 2,009 | 24.6 | 18 | 5.9 | 61 | 8.1 | 24 | 28.6 | 72 | 21.7 | 142 | 20.1 | 347 | 23.4 | 367 | 29.1 | 978 | 30.1 | 10.7 | 38.8 | 9.0 | 11.5 | 6.6 | 9.2 | 11.1 | 11.0 | 10.5 |
| 2009 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Principal Diagnosis | Number of Discharges | | | | | | | | | | | | | | | | | | Average Length of Stay | | | | | | | | |
| | Total | | Less than 1 | | 1-12 | | 13-17 | | 18-34 | | 35-49 | | 50-64 | | 65-74 | | 75+ | | (days) | | | | | | | | |
| | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | Total | <1 | 1-12 | 13-17 | 18-34 | 35-49 | 50-64 | 65-74 | 75+ |
| Total | 8,124 | 100 | 332 | 100 | 803 | 100 | 98 | 100 | 427 | 100 | 721 | 100 | 1,550 | 100 | 1,209 | 100 | 2,984 | 100 | 6.6 | 5.4 | 3.4 | 3.3 | 4.9 | 5.2 | 6.4 | 6.8 | 7.6 |
| Chronic Obstructive Pulmonary Diseases & Allied Conditions | 2,942 | 36.2 | 16 | 4.8 | 358 | 44.6 | 29 | 29.6 | 151 | 35.4 | 283 | 39.3 | 663 | 42.8 | 480 | 39.7 | 962 | 32.2 | 5.3 | 3.8 | 2.5 | 2.7 | 3.2 | 4.4 | 5.5 | 6.2 | 6.5 |
| <i>Asthma</i> | 1,413 | 17.4 | 16 | 4.8 | 357 | 44.5 | 29 | 29.6 | 144 | 33.7 | 238 | 33.0 | 342 | 22.1 | 116 | 9.6 | 171 | 5.7 | 4.3 | 3.8 | 2.5 | 2.7 | 3.2 | 4.4 | 5.4 | 5.3 | 6.0 |
| <i>Chronic Bronchitis</i> | 1,365 | 16.8 | 0 | 0.0 | 1 | 0.1 | 0 | 0.0 | 2 | 0.5 | 37 | 5.1 | 294 | 19.0 | 331 | 27.4 | 700 | 23.5 | 6.4 | 0.0 | 1.0 | 0.0 | 3.5 | 4.6 | 5.8 | 6.5 | 6.8 |
| Pneumonia | 2,417 | 29.8 | 60 | 18.1 | 211 | 26.3 | 17 | 17.3 | 106 | 24.8 | 214 | 29.7 | 433 | 27.9 | 329 | 27.2 | 1,047 | 35.1 | 6.2 | 3.5 | 3.2 | 4.0 | 4.8 | 5.3 | 6.5 | 6.5 | 7.1 |
| Acute Respiratory Infections | 614 | 7.6 | 216 | 65.1 | 112 | 13.9 | 8 | 8.2 | 40 | 9.4 | 45 | 6.2 | 50 | 3.2 | 42 | 3.5 | 101 | 3.4 | 3.4 | 3.3 | 2.4 | 2.6 | 2.9 | 3.3 | 4.4 | 3.7 | 4.4 |
| Influenza | 195 | 2.4 | 17 | 5.1 | 36 | 4.5 | 6 | 6.1 | 31 | 7.3 | 27 | 3.7 | 40 | 2.6 | 16 | 1.3 | 22 | 0.7 | 4.2 | 2.2 | 3.6 | 3.3 | 3.3 | 4.1 | 6.5 | 3.5 | 5.0 |
| Other Diseases of the Upper Respiratory Tract | 124 | 1.5 | 3 | 0.9 | 41 | 5.1 | 17 | 17.3 | 10 | 2.3 | 25 | 3.5 | 14 | 0.9 | 7 | 0.6 | 7 | 0.2 | 3.3 | 2.0 | 3.2 | 1.9 | 1.8 | 2.5 | 8.4 | 1.7 | 4.1 |
| Other Respiratory Diseases | 1,832 | 22.6 | 20 | 6.0 | 45 | 5.6 | 21 | 21.4 | 89 | 20.8 | 127 | 17.6 | 350 | 22.6 | 335 | 27.7 | 845 | 28.3 | 10.7 | 36.5 | 21.1 | 5.6 | 11.9 | 9.9 | 9.8 | 9.3 | 10.7 |

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 17. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Sex, Westchester County Residents, 2008-2009

| 2008 | | | | | | | | | |
|--|----------------------|------|--------|------|--------|------|----------------------------------|------|--------|
| Principal Diagnosis | Number of Discharges | | | | | | Average Length of Stay (days) | | |
| | Total | | Male | | Female | | Total | Male | Female |
| | Number | % | Number | % | Number | % | | | |
| Total | 8,168 | 100 | 3,800 | 100 | 4,368 | 100 | 6.9 | 6.9 | 6.8 |
| Chronic Obstructive Pulmonary Diseases & Allied Conditions | 2,905 | 35.6 | 1,193 | 31.4 | 1,712 | 39.2 | 5.4 | 5.1 | 5.6 |
| <i>Asthma</i> | 1,458 | 17.9 | 541 | 14.2 | 917 | 21.0 | 4.2 | 3.4 | 4.7 |
| <i>Chronic Bronchitis</i> | 1,254 | 15.4 | 559 | 14.7 | 695 | 15.9 | 6.6 | 6.6 | 6.6 |
| Pneumonia | 2,444 | 29.9 | 1,158 | 30.5 | 1,286 | 29.4 | 6.6 | 6.5 | 6.8 |
| Acute Respiratory Infections | 600 | 7.3 | 305 | 8.0 | 295 | 6.8 | 3.5 | 3.3 | 3.6 |
| Other Diseases of the Upper Respiratory Tract | 149 | 1.8 | 86 | 2.3 | 63 | 1.4 | 3.1 | 3.0 | 3.3 |
| Influenza | 61 | 0.7 | 28 | 0.7 | 33 | 0.8 | 5.2 | 5.0 | 5.3 |
| Other Respiratory Diseases | 2,009 | 24.6 | 1,030 | 27.1 | 979 | 22.4 | 10.7 | 11.0 | 10.4 |

(continued)

Table 17. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Sex, Westchester County Residents, 2008-2009 (continued)

| 2009 | | | | | | | | | |
|--|----------------------|-------------|--------------|-------------|--------------|-------------|----------------------------------|------------|------------|
| Principal Diagnosis | Number of Discharges | | | | | | Average Length of Stay (days) | | |
| | Total | | Male | | Female | | Total | Male | Female |
| | Number | % | Number | % | Number | % | | | |
| Total | 8,124 | 100 | 3,797 | 100 | 4,327 | 100 | 6.6 | 6.6 | 6.6 |
| Chronic Obstructive Pulmonary Diseases & Allied Conditions | 2,942 | 36.2 | 1,223 | 32.2 | 1,719 | 39.7 | 5.3 | 5.0 | 5.6 |
| <i>Asthma</i> | <i>1,413</i> | <i>17.4</i> | <i>543</i> | <i>14.3</i> | <i>870</i> | <i>20.1</i> | <i>4.3</i> | <i>3.7</i> | <i>4.6</i> |
| <i>Chronic Bronchitis</i> | <i>1,365</i> | <i>16.8</i> | <i>606</i> | <i>16.0</i> | <i>759</i> | <i>17.5</i> | <i>6.4</i> | <i>6.1</i> | <i>6.7</i> |
| Pneumonia | 2,417 | 29.8 | 1,170 | 30.8 | 1,247 | 28.8 | 6.2 | 5.9 | 6.4 |
| Acute Respiratory Infections | 614 | 7.6 | 300 | 7.9 | 314 | 7.3 | 3.4 | 3.1 | 3.7 |
| Influenza | 195 | 2.4 | 90 | 2.4 | 105 | 2.4 | 4.2 | 4.3 | 4.2 |
| Other Diseases of the Upper Respiratory Tract | 124 | 1.5 | 76 | 2.0 | 48 | 1.1 | 3.3 | 4.0 | 2.1 |
| Other Respiratory Diseases | 1,832 | 22.6 | 938 | 24.7 | 894 | 20.7 | 10.7 | 11.0 | 10.5 |

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 18. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Race/Ethnicity, Westchester County Residents, 2008-2009

| 2008 | | | | | | | | | | | | | | | |
|--|----------------------|------|--------|------|--------|------|--------------------|------|-----------------------|------|----------------------------------|-------|-------|--------------------|-----------------------|
| Principal Diagnosis | Number of Discharges | | | | | | | | | | Average Length of Stay (days) | | | | |
| | Total | | White | | Black | | Other ¹ | | Hispanic ² | | Total | White | Black | Other ¹ | Hispanic ² |
| | Number | % | Number | % | Number | % | Number | % | Number | % | | | | | |
| Total | 8,168 | 100 | 5,512 | 100 | 1,478 | 100 | 1,178 | 100 | 981 | 100 | 6.9 | 7.2 | 6.7 | 5.6 | 5.7 |
| Chronic Obstructive Pulmonary Diseases & Allied Conditions | 2,905 | 35.6 | 1,797 | 32.6 | 650 | 44.0 | 458 | 38.9 | 396 | 40.4 | 5.4 | 5.9 | 4.8 | 3.9 | 4.1 |
| <i>Asthma</i> | 1,458 | 17.9 | 653 | 11.8 | 463 | 31.3 | 342 | 29.0 | 318 | 32.4 | 4.2 | 4.7 | 4.0 | 3.5 | 3.8 |
| <i>Chronic Bronchitis</i> | 1,254 | 15.4 | 1,004 | 18.2 | 159 | 10.8 | 91 | 7.7 | 55 | 5.6 | 6.6 | 6.7 | 6.7 | 4.7 | 5.0 |
| Pneumonia | 2,444 | 29.9 | 1,758 | 31.9 | 374 | 25.3 | 312 | 26.5 | 268 | 27.3 | 6.6 | 6.9 | 6.7 | 5.3 | 4.7 |
| Acute Respiratory Infections | 600 | 7.3 | 361 | 6.5 | 110 | 7.4 | 129 | 11.0 | 126 | 12.8 | 3.5 | 3.5 | 3.7 | 3.0 | 3.3 |
| Other Diseases of the Upper Respiratory Tract | 149 | 1.8 | 78 | 1.4 | 30 | 2.0 | 41 | 3.5 | 31 | 3.2 | 3.1 | 3.0 | 3.4 | 3.1 | 1.9 |
| Influenza | 61 | 0.7 | 46 | 0.8 | 10 | 0.7 | 5 | 0.4 | 7 | 0.7 | 5.2 | 4.9 | 6.8 | 4.2 | 3.4 |
| Other Respiratory Diseases | 2,009 | 24.6 | 1,472 | 26.7 | 304 | 20.6 | 233 | 19.8 | 153 | 15.6 | 10.7 | 10.4 | 11.9 | 11.3 | 14.1 |

(continued)

Table 18. Number of Hospital Discharges and Average Length of Stay Due to Principal Diagnosis of Respiratory System Diseases by Race/Ethnicity, Westchester County Residents, 2008-2009 (continued)

| 2009 | | | | | | | | | | | | | | | |
|--|----------------------|------|--------|------|--------|------|--------------------|------|-----------------------|------|----------------------------------|-------|-------|--------------------|-----------------------|
| Principal Diagnosis | Number of Discharges | | | | | | | | | | Average Length of Stay (days) | | | | |
| | Total | | White | | Black | | Other ¹ | | Hispanic ² | | Total | White | Black | Other ¹ | Hispanic ² |
| | Number | % | Number | % | Number | % | Number | % | Number | % | | | | | |
| Total | 8,124 | 100 | 5,264 | 100 | 1,528 | 100 | 1,332 | 100 | 1,160 | 100 | 6.6 | 6.9 | 6.7 | 5.4 | 5.6 |
| Chronic Obstructive Pulmonary Diseases & Allied Conditions | 2,942 | 36.2 | 1,779 | 33.8 | 711 | 46.5 | 452 | 33.9 | 427 | 36.8 | 5.3 | 5.7 | 5.3 | 4.1 | 4.6 |
| <i>Asthma</i> | 1,413 | 17.4 | 608 | 11.6 | 466 | 30.5 | 339 | 25.5 | 343 | 29.6 | 4.3 | 4.2 | 4.6 | 3.7 | 4.0 |
| <i>Chronic Bronchitis</i> | 1,365 | 16.8 | 1,040 | 19.8 | 230 | 15.1 | 95 | 7.1 | 75 | 6.5 | 6.4 | 6.5 | 6.5 | 5.4 | 6.6 |
| Pneumonia | 2,417 | 29.8 | 1,669 | 31.7 | 378 | 24.7 | 370 | 27.8 | 320 | 27.6 | 6.2 | 6.5 | 5.9 | 5.1 | 4.8 |
| Acute Respiratory Infections | 614 | 7.6 | 329 | 6.3 | 98 | 6.4 | 187 | 14.0 | 178 | 15.3 | 3.4 | 3.6 | 3.3 | 3.1 | 3.4 |
| Influenza | 195 | 2.4 | 103 | 2.0 | 36 | 2.4 | 56 | 4.2 | 54 | 4.7 | 4.2 | 4.9 | 3.9 | 3.3 | 3.5 |
| Other Diseases of the Upper Respiratory Tract | 124 | 1.5 | 74 | 1.4 | 21 | 1.4 | 29 | 2.2 | 17 | 1.5 | 3.3 | 2.4 | 3.3 | 5.6 | 4.3 |
| Other Respiratory Diseases | 1,832 | 22.6 | 1,310 | 24.9 | 284 | 18.6 | 238 | 17.9 | 164 | 14.1 | 10.7 | 10.2 | 13.2 | 10.5 | 13.2 |

¹ Includes Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other race, and Unknown race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in race categories.

Source: New York State Department of Health, Statewide Planning and Research System Cooperative (SPARCS). Data as of June 2010.

Table 19. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses¹ by Age, Westchester County Residents, 2008-2009

| Principal Diagnosis | | 2008 | | | | | | | | | | | | | | | | Average Length of Stay | | | | | | | | | |
|--|---------------|----------------------|-----------|-------------|------------|-------------|-----------|-------------|------------|-------------|--------------|-------------|--------------|-------------|--------------|-------------|--------------|----------------------------------|------------|------------|-------------|------------|-------------|------------|------------|------------|------------|
| | | Number of Discharges | | | | | | | | | | | | | | | | Average Length of Stay (days) | | | | | | | | | |
| | | Total | | Less than | | 1-12 | | 13-17 | | 18-34 | | 35-49 | | 50-64 | | 65-74 | | 75+ | | Total | <1 | 1-12 | 13-17 | 18-34 | 35-49 | 50-64 | 65-74 |
| N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | | | | | | | | | | |
| Total | 14,051 | 100 | 47 | 100 | 150 | 100 | 97 | 100 | 546 | 100 | 2,017 | 100 | 3,725 | 100 | 2,871 | 100 | 4,598 | 100 | 7.7 | 6.9 | 8.3 | 7.5 | 6.6 | 5.7 | 7.5 | 8.1 | 8.7 |
| Malignant Neoplasms | 10,742 | 76.5 | 0 | 0.0 | 131 | 87.3 | 66 | 68.0 | 270 | 49.5 | 1,069 | 53.0 | 3,077 | 82.6 | 2,457 | 85.6 | 3,672 | 79.9 | 8.3 | 0.0 | 6.9 | 8.9 | 8.3 | 7.3 | 8.0 | 8.3 | 8.9 |
| Genital & Urinary Organs | 2,271 | 16.2 | 0 | 0.0 | 1 | 0.7 | 3 | 3.1 | 27 | 4.9 | 143 | 7.1 | 644 | 17.3 | 560 | 19.5 | 893 | 19.4 | 6.6 | 0.0 | 4.0 | 4.3 | 7.6 | 5.2 | 5.0 | 6.8 | 7.8 |
| <i>Prostate</i> | 1,037 | 7.4 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 18 | 0.9 | 269 | 7.2 | 261 | 9.1 | 489 | 10.6 | 5.8 | 0.0 | 0.0 | 0.0 | 2.3 | 2.7 | 5.8 | 7.7 | |
| <i>Uterus</i> | 224 | 1.6 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.2 | 18 | 0.9 | 83 | 2.2 | 64 | 2.2 | 58 | 1.3 | 6.4 | 0.0 | 0.0 | 0.0 | 4.0 | 3.1 | 6.0 | 6.4 | 8.0 |
| <i>Ovary</i> | 216 | 1.5 | 0 | 0.0 | 0 | 0.0 | 3 | 3.1 | 3 | 0.5 | 29 | 1.4 | 86 | 2.3 | 48 | 1.7 | 47 | 1.0 | 7.7 | 0.0 | 0.0 | 4.3 | 6.3 | 5.2 | 7.9 | 8.3 | 8.4 |
| <i>Urinary Bladder</i> | 317 | 2.3 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 7 | 0.3 | 45 | 1.2 | 84 | 2.9 | 181 | 3.9 | 7.7 | 0.0 | 0.0 | 0.0 | 0.0 | 5.6 | 6.2 | 8.3 | 7.8 |
| <i>Kidney</i> | 268 | 1.9 | 0 | 0.0 | 1 | 0.7 | 0 | 0.0 | 4 | 0.7 | 21 | 1.0 | 90 | 2.4 | 61 | 2.1 | 91 | 2.0 | 7.0 | 0.0 | 4.0 | 0.0 | 4.5 | 8.5 | 5.4 | 7.9 | 7.6 |
| Digestive Organs & Peritoneum | 2,099 | 14.9 | 0 | 0.0 | 1 | 0.7 | 1 | 1.0 | 7 | 1.3 | 213 | 10.6 | 695 | 18.7 | 479 | 16.7 | 703 | 15.3 | 9.4 | 0.0 | 1.0 | 5.0 | 10.6 | 8.2 | 8.9 | 8.9 | 10.5 |
| <i>Colon (including Rectum)</i> | 1,043 | 7.4 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 6 | 1.1 | 151 | 7.5 | 315 | 8.5 | 233 | 8.1 | 338 | 7.4 | 8.6 | 0.0 | 0.0 | 0.0 | 11.8 | 7.0 | 7.9 | 8.4 | 10.2 |
| Lymphatic & Hematopoietic Tissues | 2,006 | 14.3 | 0 | 0.0 | 75 | 50.0 | 41 | 42.3 | 114 | 20.9 | 213 | 10.6 | 431 | 11.6 | 370 | 12.9 | 762 | 16.6 | 9.6 | 0.0 | 9.0 | 6.7 | 9.3 | 10.0 | 11.2 | 10.2 | 8.6 |
| Respiratory & Intrathoracic Organs | 1,588 | 11.3 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 17 | 3.1 | 80 | 4.0 | 402 | 10.8 | 471 | 16.4 | 618 | 13.4 | 9.1 | 0.0 | 0.0 | 0.0 | 4.6 | 8.6 | 8.8 | 9.2 | 9.4 |
| <i>Lung</i> | 1,478 | 10.5 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 10 | 1.8 | 73 | 3.6 | 363 | 9.7 | 445 | 15.5 | 587 | 12.8 | 9.0 | 0.0 | 0.0 | 0.0 | 4.5 | 9.0 | 8.5 | 9.1 | 9.3 |
| Bone, Connective Tissue, Skin & Breast | 1,038 | 7.4 | 0 | 0.0 | 15 | 10.0 | 5 | 5.2 | 50 | 9.2 | 213 | 10.6 | 340 | 9.1 | 197 | 6.9 | 218 | 4.7 | 5.8 | 0.0 | 4.4 | 5.8 | 3.3 | 4.7 | 5.8 | 6.1 | 7.3 |
| <i>Breast (Female)</i> | 734 | 5.2 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 14 | 2.6 | 181 | 9.0 | 273 | 7.3 | 144 | 5.0 | 122 | 2.7 | 5.7 | 0.0 | 0.0 | 0.0 | 2.6 | 4.5 | 5.3 | 6.1 | 8.0 |
| <i>Skin</i> | 128 | 0.9 | 0 | 0.0 | 1 | 0.7 | 0 | 0.0 | 0 | 0.0 | 9 | 0.4 | 30 | 0.8 | 33 | 1.1 | 55 | 1.2 | 6.3 | 0.0 | 1.0 | 0.0 | 0.0 | 5.7 | 7.1 | 7.5 | 5.4 |
| Lip, Oral Cavity & Pharynx | 199 | 1.4 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 27 | 1.3 | 99 | 2.7 | 41 | 1.4 | 32 | 0.7 | 7.4 | 0.0 | 0.0 | 0.0 | 0.0 | 6.9 | 8.7 | 5.7 | 5.9 |
| Other & Unspecified Malignant Sites | 1,541 | 11.0 | 0 | 0.0 | 39 | 26.0 | 16 | 16.5 | 55 | 10.1 | 180 | 8.9 | 466 | 12.5 | 339 | 11.8 | 446 | 9.7 | 8.7 | 0.0 | 4.0 | 16.7 | 11.8 | 7.1 | 8.8 | 8.3 | 9.3 |
| Benign | 2,350 | 16.7 | 45 | 95.7 | 12 | 8.0 | 28 | 28.9 | 236 | 43.2 | 854 | 42.3 | 499 | 13.4 | 262 | 9.1 | 414 | 9.0 | 5.0 | 7.0 | 2.8 | 4.4 | 4.1 | 3.7 | 4.6 | 6.8 | 7.8 |
| Carcinoma in Situ² | 120 | 0.9 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 0.7 | 34 | 1.7 | 42 | 1.1 | 15 | 0.5 | 25 | 0.5 | 3.7 | 0.0 | 0.0 | 0.0 | 1.8 | 2.9 | 3.0 | 4.5 | 5.7 |
| Uncertain & Unspecified Neoplasms | 839 | 6.0 | 2 | 4.3 | 7 | 4.7 | 3 | 3.1 | 36 | 6.6 | 60 | 3.0 | 107 | 2.9 | 137 | 4.8 | 487 | 10.6 | 7.8 | 5.5 | 43.6 | 5.3 | 10.2 | 7.7 | 6.2 | 7.2 | 7.7 |

(continued)

Table 19. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses¹ by Age, Westchester County Residents, 2008-2009 (continued)

| | | 2009 | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|----------------------|-------------|-----------|-------------|------------|-------------|------------|-------------|------------|-------------|--------------|-------------|--------------|-------------|------------------------|-------------|--------------|-------------|------------|-------------|------------|------------|------------|------------|------------|------------|------------|
| Principal Diagnosis | Number of Discharges | | | | | | | | | | | | | | Average Length of Stay | | | | | | | | | | | | |
| | Total | | Less than | | 1-12 | | 13-17 | | 18-34 | | 35-49 | | 50-64 | | 65-74 | | 75+ | | (days) | | | | | | | | |
| | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | Total | <1 | 1-12 | 13-17 | 18-34 | 35-49 | 50-64 | 65-74 | 75+ |
| Total | 13,514 | 100 | 66 | 100 | 166 | 100 | 102 | 100 | 506 | 100 | 1,966 | 100 | 3,553 | 100 | 2,715 | 100 | 4,440 | 100 | 7.4 | 9.0 | 7.6 | 6.7 | 5.5 | 5.6 | 7.4 | 7.9 | 8.2 |
| Malignant Neoplasms | 10,214 | 75.6 | 8 | 12.1 | 137 | 82.5 | 72 | 70.6 | 238 | 47.0 | 995 | 50.6 | 2,886 | 81.2 | 2,325 | 85.6 | 3,553 | 80.0 | 8.1 | 23.4 | 8.2 | 7.6 | 6.5 | 7.5 | 7.9 | 8.1 | 8.5 |
| Genital & Urinary Organs | 2,126 | 15.7 | 1 | 1.5 | 0 | 0.0 | 1 | 1.0 | 41 | 8.1 | 163 | 8.3 | 558 | 15.7 | 486 | 17.9 | 876 | 19.7 | 6.4 | 3.0 | 0.0 | 9.0 | 4.7 | 6.4 | 5.2 | 6.8 | 7.1 |
| <i>Prostate</i> | 911 | 6.7 | 1 | 1.5 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 24 | 1.2 | 230 | 6.5 | 191 | 7.0 | 465 | 10.5 | 5.1 | 3.0 | 0.0 | 0.0 | 2.8 | 3.3 | 4.8 | 6.1 | |
| <i>Uterus</i> | 227 | 1.7 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.2 | 23 | 1.2 | 87 | 2.4 | 60 | 2.2 | 56 | 1.3 | 5.4 | 0.0 | 0.0 | 1.0 | 3.9 | 5.8 | 4.0 | 7.1 | |
| <i>Ovary</i> | 248 | 1.8 | 0 | 0.0 | 0 | 0.0 | 1 | 1.0 | 11 | 2.2 | 47 | 2.4 | 95 | 2.7 | 58 | 2.1 | 36 | 0.8 | 8.4 | 0.0 | 0.0 | 9.0 | 4.4 | 7.1 | 8.0 | 10.3 | 9.2 |
| <i>Urinary Bladder</i> | 324 | 2.4 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 7 | 0.4 | 40 | 1.1 | 79 | 2.9 | 198 | 4.5 | 8.4 | 0.0 | 0.0 | 0.0 | 29.4 | 6.3 | 10.6 | 7.2 | |
| <i>Kidney</i> | 258 | 1.9 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 8 | 1.6 | 14 | 0.7 | 75 | 2.1 | 74 | 2.7 | 87 | 2.0 | 7.1 | 0.0 | 0.0 | 0.0 | 6.4 | 3.0 | 5.3 | 7.6 | 8.9 |
| Digestive Organs & Peritoneum | 2,094 | 15.5 | 2 | 3.0 | 9 | 5.4 | 0 | 0.0 | 28 | 5.5 | 175 | 8.9 | 713 | 20.1 | 501 | 18.5 | 666 | 15.0 | 8.7 | 3.0 | 4.1 | 0.0 | 5.2 | 6.1 | 8.0 | 9.1 | 9.9 |
| <i>Colon (including Rectum)</i> | 971 | 7.2 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 17 | 3.4 | 108 | 5.5 | 336 | 9.5 | 194 | 7.1 | 316 | 7.1 | 8.0 | 0.0 | 0.0 | 0.0 | 6.2 | 6.1 | 6.9 | 8.6 | 9.6 |
| Lymphatic & Hematopoietic Tissues | 1,846 | 13.7 | 1 | 1.5 | 86 | 51.8 | 24 | 23.5 | 81 | 16.0 | 176 | 9.0 | 443 | 12.5 | 330 | 12.2 | 705 | 15.9 | 9.8 | 38.0 | 8.8 | 13.0 | 9.3 | 11.6 | 11.0 | 8.6 | 9.2 |
| Respiratory & Intrathoracic Organs | 1,363 | 10.1 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3 | 0.6 | 46 | 2.3 | 348 | 9.8 | 439 | 16.2 | 527 | 11.9 | 9.2 | 0.0 | 0.0 | 0.0 | 1.0 | 13.1 | 8.7 | 8.7 | 9.5 |
| <i>Lung</i> | 1,270 | 9.4 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2 | 0.4 | 42 | 2.1 | 315 | 8.9 | 408 | 15.0 | 503 | 11.3 | 9.2 | 0.0 | 0.0 | 0.0 | 1.0 | 14.0 | 8.9 | 8.6 | 9.6 |
| Bone, Connective Tissue, Skin & Breast | 1,067 | 7.9 | 0 | 0.0 | 3 | 1.8 | 19 | 18.6 | 34 | 6.7 | 213 | 10.8 | 326 | 9.2 | 187 | 6.9 | 285 | 6.4 | 6.4 | 0.0 | 9.7 | 4.3 | 5.6 | 4.8 | 6.6 | 6.1 | 7.7 |
| <i>Breast (Female)</i> | 764 | 5.7 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 13 | 2.6 | 170 | 8.6 | 251 | 7.1 | 141 | 5.2 | 189 | 4.3 | 5.8 | 0.0 | 0.0 | 0.0 | 2.3 | 4.7 | 6.4 | 5.4 | 6.6 |
| <i>Skin</i> | 145 | 1.1 | 0 | 0.0 | 0 | 0.0 | 1 | 1.0 | 2 | 0.4 | 25 | 1.3 | 26 | 0.7 | 25 | 0.9 | 66 | 1.5 | 8.3 | 0.0 | 0.0 | 4.0 | 1.5 | 5.6 | 6.8 | 8.5 | 10.1 |
| Lip, Oral Cavity & Pharynx | 181 | 1.3 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5 | 1.0 | 20 | 1.0 | 72 | 2.0 | 53 | 2.0 | 31 | 0.7 | 7.4 | 0.0 | 0.0 | 0.0 | 5.2 | 3.9 | 8.6 | 7.0 | 7.6 |
| Other & Unspecified Malignant Sites | 1,537 | 11.4 | 4 | 6.1 | 39 | 23.5 | 28 | 27.5 | 46 | 9.1 | 202 | 10.3 | 426 | 12.0 | 329 | 12.1 | 463 | 10.4 | 7.9 | 0.0 | 7.8 | 5.1 | 4.9 | 8.1 | 7.9 | 8.4 | 7.8 |
| Benign | 2,349 | 17.4 | 54 | 81.8 | 20 | 12.0 | 21 | 20.6 | 235 | 46.4 | 880 | 44.8 | 487 | 13.7 | 241 | 8.9 | 411 | 9.3 | 4.6 | 5.8 | 3.3 | 5.4 | 4.2 | 3.5 | 4.8 | 5.6 | 6.5 |
| Carcinoma in Situ² | 124 | 0.9 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 4 | 0.8 | 34 | 1.7 | 44 | 1.2 | 20 | 0.7 | 22 | 0.5 | 3.7 | 0.0 | 0.0 | 0.0 | 7.3 | 2.6 | 3.8 | 4.2 | 4.0 |
| Uncertain & Unspecified Neoplasms | 827 | 6.1 | 4 | 6.1 | 9 | 5.4 | 9 | 8.8 | 29 | 5.7 | 57 | 2.9 | 136 | 3.8 | 129 | 4.8 | 454 | 10.2 | 7.5 | 22.5 | 7.4 | 3.3 | 8.2 | 6.8 | 8.2 | 8.7 | 6.9 |

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or the length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemotherapy and radiotherapy) is also included. Diagnoses that were related to an earlier episode which had no bearing on the current hospital stay were excluded.

² Carcinoma in Situ may be benign or malignant.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 20. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses¹ by Sex, Westchester County Residents, 2008-2009

| 2008 | | | | | | | | | |
|--|----------------------|-------------|--------------|-------------|--------------|-------------|----------------------------------|------------|------------|
| Principal Diagnosis | Number of Discharges | | | | | | Average Length of Stay (days) | | |
| | Total | | Male | | Female | | Total | Male | Female |
| | Number | % | Number | % | Number | % | | | |
| Total | 14,051 | 100 | 6,347 | 100 | 7,704 | 100 | 7.7 | 8.1 | 7.4 |
| Malignant Neoplasms | 10,742 | 76.5 | 5,469 | 86.2 | 5,273 | 68.4 | 8.3 | 8.1 | 8.5 |
| Genital & Urinary Organs | 2,271 | 16.2 | 1,443 | 22.7 | 828 | 10.7 | 6.6 | 6.2 | 7.3 |
| <i>Prostate</i> | <i>1,037</i> | <i>7.4</i> | <i>1,037</i> | <i>16.3</i> | — | — | <i>5.8</i> | <i>5.8</i> | — |
| <i>Uterus</i> | <i>224</i> | <i>1.6</i> | — | — | <i>224</i> | <i>2.9</i> | <i>6.4</i> | — | <i>6.4</i> |
| <i>Ovary</i> | <i>216</i> | <i>1.5</i> | — | — | <i>216</i> | <i>2.8</i> | <i>7.7</i> | — | <i>7.7</i> |
| <i>Urinary Bladder</i> | <i>317</i> | <i>2.3</i> | <i>234</i> | <i>3.7</i> | <i>83</i> | <i>1.1</i> | <i>7.7</i> | <i>7.2</i> | <i>9.2</i> |
| <i>Kidney</i> | <i>268</i> | <i>1.9</i> | <i>150</i> | <i>2.4</i> | <i>118</i> | <i>1.5</i> | <i>7.0</i> | <i>7.0</i> | <i>7.0</i> |
| Digestive Organs & Peritoneum | 2,099 | 14.9 | 1,173 | 18.5 | 926 | 12.0 | 9.4 | 8.7 | 10.2 |
| <i>Colon (including Rectum)</i> | <i>1,043</i> | <i>7.4</i> | <i>538</i> | <i>8.5</i> | <i>505</i> | <i>6.6</i> | <i>8.6</i> | <i>8.5</i> | <i>8.8</i> |
| Lymphatic & Hematopoietic Tissues | 2,006 | 14.3 | 1,099 | 17.3 | 907 | 11.8 | 9.6 | 9.3 | 10.1 |
| Respiratory & Intrathoracic Organs | 1,588 | 11.3 | 787 | 12.4 | 801 | 10.4 | 9.1 | 9.2 | 9.0 |
| <i>Lung</i> | <i>1,478</i> | <i>10.5</i> | <i>700</i> | <i>11.0</i> | <i>778</i> | <i>10.1</i> | <i>9.0</i> | <i>9.0</i> | <i>9.0</i> |
| Bone, Connective Tissue, Skin & Breast | 1,038 | 7.4 | 175 | 2.8 | 863 | 11.2 | 5.8 | 6.1 | 5.7 |
| <i>Breast (Female)</i> | <i>734</i> | <i>5.2</i> | — | — | <i>734</i> | <i>9.5</i> | <i>5.7</i> | — | <i>5.7</i> |
| <i>Skin</i> | <i>128</i> | <i>0.9</i> | <i>63</i> | <i>1.0</i> | <i>65</i> | <i>0.8</i> | <i>6.3</i> | <i>6.1</i> | <i>6.6</i> |
| Lip, Oral Cavity & Pharynx | 199 | 1.4 | 135 | 2.1 | 64 | 0.8 | 7.4 | 7.4 | 7.3 |
| Other & Unspecified Malignant Sites | 1,541 | 11.0 | 657 | 10.4 | 884 | 11.5 | 8.7 | 8.6 | 8.8 |
| Benign | 2,350 | 16.7 | 488 | 7.7 | 1,862 | 24.2 | 5.0 | 7.0 | 4.5 |
| Carcinoma in Situ² | 120 | 0.9 | 14 | 0.2 | 106 | 1.4 | 3.7 | 7.2 | 3.2 |
| Uncertain & Unspecified Neoplasms | 839 | 6.0 | 376 | 5.9 | 463 | 6.0 | 7.8 | 9.0 | 6.8 |

(continued)

Table 20. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses¹ by Sex, Westchester County Residents, 2008-2009 (continued)

| 2009 | | | | | | | | | |
|--|----------------------|-------------|--------------|-------------|--------------|-------------|----------------------------------|------------|------------|
| Principal Diagnosis | Number of Discharges | | | | | | Average Length of Stay (days) | | |
| | Total | | Male | | Female | | Total | Male | Female |
| | Number | % | Number | % | Number | % | | | |
| Total | 13,514 | 100 | 6,089 | 100 | 7,425 | 100 | 7.4 | 7.7 | 7.2 |
| Malignant Neoplasms | 10,214 | 75.6 | 5,188 | 85.2 | 5,026 | 67.7 | 8.1 | 7.8 | 8.4 |
| Genital & Urinary Organs | 2,126 | 15.7 | 1,320 | 21.7 | 806 | 10.9 | 6.4 | 5.8 | 7.5 |
| <i>Prostate</i> | 911 | 6.7 | 911 | 15.0 | — | — | 5.1 | 5.1 | — |
| <i>Uterus</i> | 227 | 1.7 | — | — | 227 | 3.1 | 5.4 | — | 5.4 |
| <i>Ovary</i> | 248 | 1.8 | — | — | 248 | 3.3 | 8.4 | — | 8.4 |
| <i>Urinary Bladder</i> | 324 | 2.4 | 249 | 4.1 | 75 | 1.0 | 8.4 | 8.2 | 9.0 |
| <i>Kidney</i> | 258 | 1.9 | 160 | 2.6 | 98 | 1.3 | 7.1 | 6.5 | 8.1 |
| Digestive Organs & Peritoneum | 2,094 | 15.5 | 1,193 | 19.6 | 901 | 12.1 | 8.7 | 8.0 | 9.6 |
| <i>Colon (including Rectum)</i> | 971 | 7.2 | 500 | 8.2 | 471 | 6.3 | 8.0 | 6.9 | 9.2 |
| Lymphatic & Hematopoietic Tissues | 1,846 | 13.7 | 977 | 16.0 | 869 | 11.7 | 9.8 | 10.0 | 9.6 |
| Respiratory & Intrathoracic Organs | 1,363 | 10.1 | 670 | 11.0 | 693 | 9.3 | 9.2 | 8.8 | 9.5 |
| <i>Lung</i> | 1,270 | 9.4 | 605 | 9.9 | 665 | 9.0 | 9.2 | 8.7 | 9.6 |
| Bone, Connective Tissue, Skin & Breast | 1,067 | 7.9 | 165 | 2.7 | 902 | 12.1 | 6.4 | 6.8 | 6.3 |
| <i>Breast (Female)</i> | 764 | 5.7 | — | — | 764 | 10.3 | 5.8 | — | 5.8 |
| <i>Skin</i> | 145 | 1.1 | 75 | 1.2 | 70 | 0.9 | 8.3 | 5.6 | 11.2 |
| Lip, Oral Cavity & Pharynx | 181 | 1.3 | 134 | 2.2 | 47 | 0.6 | 7.4 | 7.8 | 6.1 |
| Other & Unspecified Malignant Sites | 1,537 | 11.4 | 729 | 12.0 | 808 | 10.9 | 7.9 | 7.7 | 8.1 |
| Benign | 2,349 | 17.4 | 514 | 8.4 | 1,835 | 24.7 | 4.6 | 6.6 | 4.1 |
| Carcinoma in Situ² | 124 | 0.9 | 14 | 0.2 | 110 | 1.5 | 3.7 | 6.9 | 3.3 |
| Uncertain & Unspecified Neoplasms | 827 | 6.1 | 373 | 6.1 | 454 | 6.1 | 7.5 | 7.9 | 7.1 |

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or the length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemotherapy and radiotherapy) is also included. Diagnoses that were related to an earlier episode which had no bearing on the current hospital stay were excluded.

² Carcinoma in Situ may be benign or malignant.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 21. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses¹ by Race/Ethnicity, Westchester County Residents, 2008-2009

| Principal Diagnosis | 2008 | | | | | | | | | | | | | | |
|--|----------------------|-------------|---------------|-------------|--------------|-------------|--------------------|-------------|-----------------------|-------------|----------------------------------|------------|-------------|--------------------|-----------------------|
| | Number of Discharges | | | | | | | | | | Average Length of Stay (days) | | | | |
| | Total | | White | | Black | | Other ² | | Hispanic ³ | | Total | White | Black | Other ² | Hispanic ³ |
| | Number | % | Number | % | Number | % | Number | % | Number | % | | | | | |
| Total | 14,051 | 100 | 10,216 | 100 | 2,127 | 100 | 1,708 | 100 | 1,085 | 100 | 7.7 | 7.5 | 8.6 | 7.8 | 7.9 |
| Malignant Neoplasms | 10,742 | 76.5 | 8,165 | 79.9 | 1,426 | 67.0 | 1,151 | 67.4 | 728 | 67.1 | 8.3 | 7.9 | 9.9 | 9.1 | 9.5 |
| Genital & Urinary Organs | 2,271 | 16.2 | 1,747 | 17.1 | 306 | 14.4 | 218 | 12.8 | 130 | 12.0 | 6.6 | 6.2 | 9.0 | 6.7 | 8.3 |
| <i>Prostate</i> | <i>1,037</i> | <i>7.4</i> | <i>803</i> | <i>7.9</i> | <i>132</i> | <i>6.2</i> | <i>102</i> | <i>6.0</i> | <i>49</i> | <i>4.5</i> | <i>5.8</i> | <i>5.3</i> | <i>9.1</i> | <i>5.5</i> | <i>5.8</i> |
| <i>Uterus</i> | <i>224</i> | <i>1.6</i> | <i>175</i> | <i>1.7</i> | <i>33</i> | <i>1.6</i> | <i>16</i> | <i>0.9</i> | <i>11</i> | <i>1.0</i> | <i>6.4</i> | <i>5.9</i> | <i>8.5</i> | <i>6.9</i> | <i>6.9</i> |
| <i>Ovary</i> | <i>216</i> | <i>1.5</i> | <i>175</i> | <i>1.7</i> | <i>19</i> | <i>0.9</i> | <i>22</i> | <i>1.3</i> | <i>12</i> | <i>1.1</i> | <i>7.7</i> | <i>7.0</i> | <i>12.1</i> | <i>8.7</i> | <i>22.3</i> |
| <i>Urinary Bladder</i> | <i>317</i> | <i>2.3</i> | <i>277</i> | <i>2.7</i> | <i>29</i> | <i>1.4</i> | <i>11</i> | <i>0.6</i> | <i>3</i> | <i>0.3</i> | <i>7.7</i> | <i>7.4</i> | <i>9.3</i> | <i>11.7</i> | <i>6.3</i> |
| <i>Kidney</i> | <i>268</i> | <i>1.9</i> | <i>215</i> | <i>2.1</i> | <i>23</i> | <i>1.1</i> | <i>30</i> | <i>1.8</i> | <i>15</i> | <i>1.4</i> | <i>7.0</i> | <i>6.8</i> | <i>9.6</i> | <i>6.4</i> | <i>7.9</i> |
| Digestive Organs & Peritoneum | 2,099 | 14.9 | 1,576 | 15.4 | 303 | 14.2 | 220 | 12.9 | 211 | 19.4 | 9.4 | 9.0 | 11.0 | 10.0 | 10.2 |
| <i>Colon (including Rectum)</i> | <i>1,043</i> | <i>7.4</i> | <i>783</i> | <i>7.7</i> | <i>149</i> | <i>7.0</i> | <i>111</i> | <i>6.5</i> | <i>127</i> | <i>11.7</i> | <i>8.6</i> | <i>8.5</i> | <i>9.5</i> | <i>8.8</i> | <i>8.1</i> |
| Lymphatic & Hematopoietic Tissues | 2,006 | 14.3 | 1,506 | 14.7 | 259 | 12.2 | 241 | 14.1 | 167 | 15.4 | 9.6 | 9.2 | 10.3 | 11.5 | 10.6 |
| Respiratory & Intrathoracic Organs | 1,588 | 11.3 | 1,233 | 12.1 | 217 | 10.2 | 138 | 8.1 | 47 | 4.3 | 9.1 | 8.7 | 10.0 | 10.7 | 13.1 |
| <i>Lung</i> | <i>1,478</i> | <i>10.5</i> | <i>1,162</i> | <i>11.4</i> | <i>192</i> | <i>9.0</i> | <i>124</i> | <i>7.3</i> | <i>42</i> | <i>3.9</i> | <i>9.0</i> | <i>8.8</i> | <i>9.8</i> | <i>9.8</i> | <i>13.3</i> |
| Bone, Connective Tissue, Skin & Breast | 1,038 | 7.4 | 767 | 7.5 | 136 | 6.4 | 135 | 7.9 | 66 | 6.1 | 5.8 | 5.6 | 7.5 | 5.3 | 6.3 |
| <i>Breast (Female)</i> | <i>734</i> | <i>5.2</i> | <i>518</i> | <i>5.1</i> | <i>115</i> | <i>5.4</i> | <i>101</i> | <i>5.9</i> | <i>53</i> | <i>4.9</i> | <i>5.7</i> | <i>5.5</i> | <i>6.7</i> | <i>5.3</i> | <i>6.1</i> |
| <i>Skin</i> | <i>128</i> | <i>0.9</i> | <i>106</i> | <i>1.0</i> | <i>9</i> | <i>0.4</i> | <i>13</i> | <i>0.8</i> | <i>6</i> | <i>0.6</i> | <i>6.3</i> | <i>5.9</i> | <i>14.6</i> | <i>4.3</i> | <i>4.3</i> |
| Lip, Oral Cavity & Pharynx | 199 | 1.4 | 138 | 1.4 | 23 | 1.1 | 38 | 2.2 | 19 | 1.8 | 7.4 | 6.5 | 9.0 | 9.6 | 6.7 |
| Other & Unspecified Malignant Sites | 1,541 | 11.0 | 1,198 | 11.7 | 182 | 8.6 | 161 | 9.4 | 88 | 8.1 | 8.7 | 8.3 | 11.0 | 9.1 | 8.2 |
| Benign | 2,350 | 16.7 | 1,321 | 12.9 | 589 | 27.7 | 440 | 25.8 | 311 | 28.7 | 5.0 | 5.2 | 5.1 | 4.5 | 4.5 |
| Carcinoma in Situ⁴ | 120 | 0.9 | 80 | 0.8 | 21 | 1.0 | 19 | 1.1 | 5 | 0.5 | 3.7 | 3.4 | 5.2 | 2.9 | 4.0 |
| Uncertain & Unspecified Neoplasms | 839 | 6.0 | 650 | 6.4 | 91 | 4.3 | 98 | 5.7 | 41 | 3.8 | 7.8 | 7.3 | 10.9 | 8.2 | 6.4 |

(continued)

Table 21. Number of Hospital Discharges and Average Length of Stay Due to Neoplasm Related Diagnoses¹ by Race/Ethnicity, Westchester County Residents, 2008-2009 (continued)

| 2009 | | | | | | | | | | | | | | | |
|--|----------------------|-------------|--------------|-------------|--------------|-------------|--------------------|-------------|-----------------------|----------------------------------|------------|------------|------------|--------------------|-----------------------|
| Principal Diagnosis | Number of Discharges | | | | | | | | | Average Length of Stay (days) | | | | | |
| | Total | | White | | Black | | Other ² | | Hispanic ³ | | Total | White | Black | Other ² | Hispanic ³ |
| | Number | % | Number | % | Number | % | Number | % | Number | % | | | | | |
| Total | 13,514 | 100 | 9,607 | 100 | 2,176 | 100 | 1,731 | 100 | 1,179 | 100 | 7.4 | 7.4 | 7.8 | 7.2 | 6.8 |
| Malignant Neoplasms | 10,214 | 75.6 | 7,594 | 79.0 | 1,432 | 65.8 | 1,188 | 68.6 | 807 | 68.4 | 8.1 | 7.9 | 9.3 | 8.0 | 7.7 |
| Genital & Urinary Organs | 2,126 | 15.7 | 1,558 | 16.2 | 316 | 14.5 | 252 | 14.6 | 139 | 11.8 | 6.4 | 6.1 | 8.3 | 6.0 | 5.9 |
| <i>Prostate</i> | 911 | 6.7 | 661 | 6.9 | 135 | 6.2 | 115 | 6.6 | 50 | 4.2 | 5.1 | 4.8 | 7.4 | 4.1 | 3.7 |
| <i>Uterus</i> | 227 | 1.7 | 154 | 1.6 | 50 | 2.3 | 23 | 1.3 | 13 | 1.1 | 5.4 | 5.0 | 6.4 | 6.1 | 3.8 |
| <i>Ovary</i> | 248 | 1.8 | 173 | 1.8 | 37 | 1.7 | 38 | 2.2 | 15 | 1.3 | 8.4 | 9.4 | 4.5 | 7.8 | 7.3 |
| <i>Urinary Bladder</i> | 324 | 2.4 | 275 | 2.9 | 34 | 1.6 | 15 | 0.9 | 8 | 0.7 | 8.4 | 7.2 | 17.0 | 11.0 | 9.8 |
| <i>Kidney</i> | 258 | 1.9 | 199 | 2.1 | 28 | 1.3 | 31 | 1.8 | 23 | 2.0 | 7.1 | 7.0 | 9.2 | 5.4 | 5.8 |
| Digestive Organs & Peritoneum | 2,094 | 15.5 | 1,557 | 16.2 | 279 | 12.8 | 258 | 14.9 | 213 | 18.1 | 8.7 | 8.5 | 9.5 | 8.7 | 8.6 |
| <i>Colon (including Rectum)</i> | 971 | 7.2 | 751 | 7.8 | 126 | 5.8 | 94 | 5.4 | 94 | 8.0 | 8.0 | 7.7 | 9.2 | 8.9 | 6.2 |
| Lymphatic & Hematopoietic Tissues | 1,846 | 13.7 | 1,344 | 14.0 | 278 | 12.8 | 224 | 12.9 | 190 | 16.1 | 9.8 | 9.7 | 10.1 | 9.8 | 8.7 |
| Respiratory & Intrathoracic Organs | 1,363 | 10.1 | 1,076 | 11.2 | 190 | 8.7 | 97 | 5.6 | 54 | 4.6 | 9.2 | 8.7 | 11.4 | 10.5 | 8.4 |
| <i>Lung</i> | 1,270 | 9.4 | 1,003 | 10.4 | 179 | 8.2 | 88 | 5.1 | 48 | 4.1 | 9.2 | 8.6 | 11.6 | 10.9 | 8.6 |
| Bone, Connective Tissue, Skin & Breast | 1,067 | 7.9 | 779 | 8.1 | 144 | 6.6 | 144 | 8.3 | 84 | 7.1 | 6.4 | 6.3 | 8.4 | 4.9 | 5.8 |
| <i>Breast (Female)</i> | 764 | 5.7 | 552 | 5.7 | 123 | 5.7 | 89 | 5.1 | 51 | 4.3 | 5.8 | 5.6 | 7.6 | 5.1 | 6.2 |
| <i>Skin</i> | 145 | 1.1 | 111 | 1.2 | 5 | 0.2 | 29 | 1.7 | 13 | 1.1 | 8.3 | 9.2 | 8.2 | 5.0 | 6.0 |
| Lip, Oral Cavity & Pharynx | 181 | 1.3 | 128 | 1.3 | 17 | 0.8 | 36 | 2.1 | 20 | 1.7 | 7.4 | 7.4 | 6.2 | 7.7 | 8.0 |
| Other & Unspecified Malignant Sites | 1,537 | 11.4 | 1,152 | 12.0 | 208 | 9.6 | 177 | 10.2 | 107 | 9.1 | 7.9 | 7.7 | 8.5 | 8.8 | 7.9 |
| Benign | 2,349 | 17.4 | 1,266 | 13.2 | 656 | 30.1 | 427 | 24.7 | 307 | 26.0 | 4.6 | 4.7 | 4.5 | 4.6 | 4.3 |
| Carcinoma in Situ⁴ | 124 | 0.9 | 94 | 1.0 | 18 | 0.8 | 12 | 0.7 | 11 | 0.9 | 3.7 | 3.0 | 7.8 | 2.7 | 3.0 |
| Uncertain & Unspecified Neoplasms | 827 | 6.1 | 653 | 6.8 | 70 | 3.2 | 104 | 6.0 | 54 | 4.6 | 7.5 | 7.3 | 7.2 | 9.0 | 7.9 |

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or the length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemotherapy and radiotherapy) is also included. Diagnoses that were related to an earlier episode which had no bearing on the current hospital stay were excluded.

² Includes Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

⁴ Carcinoma in Situ may be benign or malignant.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 22. Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses¹ by Age and Sex, Westchester County Residents, 2008-2009

| 2008 | | | | | | | | |
|----------------|----------------------|--------------|-------------|--------------|-------------|----------------------------------|------------|------------|
| Age (years) | Number of Discharges | | | | | Average Length of Stay (days) | | |
| | Total | Male | | Female | | Total | Male | Female |
| | | Number | % | Number | % | | | |
| Total | 10,742 | 5,469 | 50.9 | 5,273 | 49.1 | 8.3 | 8.1 | 8.5 |
| Less than 1 | 0 | 0 | 0.0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1-2 | 19 | 1 | 5.3 | 18 | 94.7 | 14.2 | 4.0 | 14.8 |
| 3-4 | 39 | 30 | 76.9 | 9 | 23.1 | 5.2 | 5.4 | 4.6 |
| 5-6 | 21 | 3 | 14.3 | 18 | 85.7 | 4.0 | 11.0 | 2.8 |
| 7-8 | 16 | 7 | 43.8 | 9 | 56.3 | 5.7 | 5.9 | 5.6 |
| 9-10 | 21 | 0 | 0.0 | 21 | 100.0 | 3.4 | 0.0 | 3.4 |
| 11-12 | 15 | 0 | 0.0 | 15 | 100.0 | 12.3 | 0.0 | 12.3 |
| 13-14 | 22 | 18 | 81.8 | 4 | 18.2 | 9.5 | 8.1 | 15.8 |
| 15-16 | 40 | 20 | 50.0 | 20 | 50.0 | 9.0 | 12.6 | 5.5 |
| 17-18 | 13 | 2 | 15.4 | 11 | 84.6 | 3.7 | 3.0 | 3.8 |
| 19-20 | 53 | 40 | 75.5 | 13 | 24.5 | 5.4 | 4.4 | 8.7 |
| 21-22 | 45 | 40 | 88.9 | 5 | 11.1 | 9.8 | 10.9 | 1.8 |
| 23-24 | 17 | 9 | 52.9 | 8 | 47.1 | 10.2 | 6.2 | 14.8 |
| 25-29 | 63 | 26 | 41.3 | 37 | 58.7 | 5.7 | 4.6 | 6.5 |
| 30-34 | 83 | 38 | 45.8 | 45 | 54.2 | 11.3 | 9.6 | 12.7 |
| 35-39 | 182 | 66 | 36.3 | 116 | 63.7 | 7.7 | 8.0 | 7.5 |
| 40-44 | 407 | 142 | 34.9 | 265 | 65.1 | 7.0 | 9.3 | 5.8 |
| 45-49 | 480 | 225 | 46.9 | 255 | 53.1 | 7.3 | 8.1 | 6.6 |
| 50-54 | 814 | 361 | 44.3 | 453 | 55.7 | 7.8 | 7.6 | 7.9 |
| 55-59 | 1,094 | 589 | 53.8 | 505 | 46.2 | 8.2 | 7.8 | 8.7 |
| 60-64 | 1,169 | 610 | 52.2 | 559 | 47.8 | 8.0 | 8.1 | 8.0 |
| 65-69 | 1,238 | 682 | 55.1 | 556 | 44.9 | 7.6 | 6.9 | 8.4 |
| 70-74 | 1,219 | 612 | 50.2 | 607 | 49.8 | 9.1 | 8.5 | 9.6 |
| 75-79 | 1,348 | 728 | 54.0 | 620 | 46.0 | 8.6 | 8.2 | 9.1 |
| 80-84 | 1,199 | 630 | 52.5 | 569 | 47.5 | 8.7 | 8.2 | 9.2 |
| 85 and older | 1,125 | 590 | 52.4 | 535 | 47.6 | 9.5 | 9.3 | 9.7 |

(continued)

Table 22. Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses¹ by Age and Sex, Westchester County Residents, 2008-2009 (continued)

| 2009 | | | | | | | | |
|--------------------------|----------------------|--------------|-------------|--------------|-------------|----------------------------------|------------|------------|
| Age (years) | Number of Discharges | | | | | Average Length of Stay (days) | | |
| | Total | Male | | Female | | Total | Male | Female |
| | | Number | % | Number | % | | | |
| Total² | 10,214 | 5,187 | 50.8 | 5,026 | 49.2 | 8.1 | 7.8 | 8.4 |
| Less than 1 | 7 | 6 | 85.7 | 1 | 14.3 | 26.3 | 24.3 | 38.0 |
| 1-2 | 30 | 22 | 73.3 | 8 | 26.7 | 8.8 | 5.2 | 18.6 |
| 3-4 | 33 | 21 | 63.6 | 12 | 36.4 | 6.9 | 6.1 | 8.4 |
| 5-6 | 38 | 21 | 55.3 | 17 | 44.7 | 5.5 | 7.4 | 3.1 |
| 7-8 | 17 | 15 | 88.2 | 2 | 11.8 | 9.1 | 4.4 | 44.5 |
| 9-10 | 10 | 8 | 80.0 | 2 | 20.0 | 10.0 | 5.6 | 27.5 |
| 11-12 | 9 | 1 | 11.1 | 8 | 88.9 | 18.9 | 16.0 | 19.3 |
| 13-14 | 28 | 19 | 67.9 | 9 | 32.1 | 8.9 | 7.2 | 12.4 |
| 15-16 | 32 | 23 | 71.9 | 9 | 28.1 | 5.9 | 4.7 | 9.0 |
| 17-18 | 25 | 16 | 64.0 | 9 | 36.0 | 6.5 | 6.5 | 6.6 |
| 19-20 | 18 | 4 | 22.2 | 14 | 77.8 | 5.9 | 5.3 | 6.1 |
| 21-22 | 37 | 26 | 70.3 | 11 | 29.7 | 5.2 | 5.8 | 3.8 |
| 23-24 | 13 | 8 | 61.5 | 5 | 38.5 | 9.8 | 11.0 | 8.0 |
| 25-29 | 56 | 33 | 58.9 | 23 | 41.1 | 6.6 | 5.5 | 8.2 |
| 30-34 | 101 | 56 | 55.4 | 45 | 44.6 | 6.8 | 8.2 | 5.0 |
| 35-39 | 178 | 77 | 43.3 | 101 | 56.7 | 6.9 | 9.2 | 5.1 |
| 40-44 | 314 | 94 | 29.9 | 220 | 70.1 | 7.8 | 9.0 | 7.3 |
| 45-49 | 503 | 216 | 42.9 | 287 | 57.1 | 7.6 | 7.1 | 8.0 |
| 50-54 | 809 | 361 | 44.6 | 448 | 55.4 | 7.9 | 7.3 | 8.4 |
| 55-59 | 916 | 498 | 54.4 | 418 | 45.6 | 7.3 | 7.2 | 7.4 |
| 60-64 | 1,161 | 592 | 51.0 | 569 | 49.0 | 8.3 | 8.2 | 8.4 |
| 65-69 | 1,207 | 639 | 52.9 | 568 | 47.1 | 7.7 | 7.9 | 7.5 |
| 70-74 | 1,118 | 576 | 51.5 | 542 | 48.5 | 8.5 | 8.1 | 8.9 |
| 75-79 | 1,263 | 707 | 56.0 | 556 | 44.0 | 8.4 | 7.8 | 9.1 |
| 80-84 | 1,122 | 559 | 49.8 | 563 | 50.2 | 9.2 | 8.6 | 9.7 |
| 85+ | 1,168 | 589 | 50.4 | 579 | 49.6 | 8.1 | 7.6 | 8.6 |

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or the length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemotherapy and radiotherapy) is also included.

² Totals include unknown age.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS).

Data as of June 2010.

Table 23. Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses ¹ by Age and Race/Ethnicity, Westchester County Residents, 2008-2009

| 2008 | | | | | | | | | | | | | | |
|----------------|----------------------|--------------|-------------|--------------|-------------|--------------------|-------------|-----------------------|------------|----------------------------------|------------|------------|--------------------|-----------------------|
| Age (years) | Number of Discharges | | | | | | | | | Average Length of Stay (days) | | | | |
| | Total | White | | Black | | Other ² | | Hispanic ³ | | Total | White | Black | Other ² | Hispanic ³ |
| | | Number | % | Number | % | Number | % | Number | % | | | | | |
| Total | 10,742 | 8,165 | 76.0 | 1,426 | 13.3 | 1,151 | 10.7 | 728 | 6.8 | 8.3 | 7.9 | 9.9 | 9.1 | 9.5 |
| Less than 1 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 1-2 | 19 | 13 | 68.4 | 1 | 5.3 | 5 | 26.3 | 6 | 31.6 | 14.2 | 16.2 | 4.0 | 11.0 | 12.8 |
| 3-4 | 39 | 17 | 43.6 | 13 | 33.3 | 9 | 23.1 | 9 | 23.1 | 5.2 | 4.6 | 5.6 | 5.7 | 5.3 |
| 5-6 | 21 | 13 | 61.9 | 1 | 4.8 | 7 | 33.3 | 0 | 0.0 | 4.0 | 3.0 | 19.0 | 3.6 | 0.0 |
| 7-8 | 16 | 11 | 68.8 | 5 | 31.3 | 0 | 0.0 | 2 | 12.5 | 5.7 | 5.1 | 7.0 | 0.0 | 3.0 |
| 9-10 | 21 | 19 | 90.5 | 0 | 0.0 | 2 | 9.5 | 11 | 52.4 | 3.4 | 3.4 | 0.0 | 3.5 | 3.3 |
| 11-12 | 15 | 15 | 100.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 12.3 | 12.3 | 0.0 | 0.0 | 0.0 |
| 13-14 | 22 | 18 | 81.8 | 3 | 13.6 | 1 | 4.5 | 4 | 18.2 | 9.5 | 7.2 | 24.3 | 7.0 | 17.3 |
| 15-16 | 40 | 34 | 85.0 | 2 | 5.0 | 4 | 10.0 | 17 | 42.5 | 9.0 | 4.8 | 93.5 | 3.0 | 2.7 |
| 17-18 | 13 | 8 | 61.5 | 3 | 23.1 | 2 | 15.4 | 1 | 7.7 | 3.7 | 4.0 | 4.3 | 1.5 | 2.0 |
| 19-20 | 53 | 30 | 56.6 | 0 | 0.0 | 23 | 43.4 | 0 | 0.0 | 5.4 | 3.6 | 0.0 | 7.8 | 0.0 |
| 21-22 | 45 | 35 | 77.8 | 0 | 0.0 | 10 | 22.2 | 9 | 20.0 | 9.8 | 5.5 | 0.0 | 25.1 | 29.7 |
| 23-24 | 17 | 13 | 76.5 | 3 | 17.6 | 1 | 5.9 | 6 | 35.3 | 10.2 | 7.0 | 26.3 | 4.0 | 15.3 |
| 25-29 | 63 | 32 | 50.8 | 9 | 14.3 | 22 | 34.9 | 32 | 50.8 | 5.7 | 5.0 | 7.0 | 6.2 | 6.6 |
| 30-34 | 83 | 53 | 63.9 | 7 | 8.4 | 23 | 27.7 | 25 | 30.1 | 11.3 | 6.9 | 2.7 | 24.0 | 11.4 |
| 35-39 | 182 | 128 | 70.3 | 29 | 15.9 | 25 | 13.7 | 28 | 15.4 | 7.7 | 7.1 | 9.0 | 8.9 | 13.4 |
| 40-44 | 407 | 247 | 60.7 | 74 | 18.2 | 86 | 21.1 | 78 | 19.2 | 7.0 | 6.3 | 9.3 | 7.1 | 8.3 |
| 45-49 | 480 | 305 | 63.5 | 113 | 23.5 | 62 | 12.9 | 48 | 10.0 | 7.3 | 6.4 | 9.9 | 6.7 | 6.2 |
| 50-54 | 814 | 539 | 66.2 | 152 | 18.7 | 123 | 15.1 | 71 | 8.7 | 7.8 | 7.1 | 9.6 | 8.4 | 8.6 |
| 55-59 | 1,094 | 769 | 70.3 | 170 | 15.5 | 155 | 14.2 | 101 | 9.2 | 8.2 | 7.6 | 9.7 | 9.8 | 11.4 |
| 60-64 | 1,169 | 889 | 76.0 | 173 | 14.8 | 107 | 9.2 | 69 | 5.9 | 8.0 | 8.0 | 8.2 | 8.2 | 8.2 |
| 65-69 | 1,238 | 929 | 75.0 | 164 | 13.2 | 145 | 11.7 | 71 | 5.7 | 7.6 | 7.1 | 9.1 | 8.9 | 9.1 |
| 70-74 | 1,219 | 951 | 78.0 | 160 | 13.1 | 108 | 8.9 | 47 | 3.9 | 9.1 | 8.5 | 11.0 | 11.6 | 14.9 |
| 75-79 | 1,348 | 1,102 | 81.8 | 148 | 11.0 | 98 | 7.3 | 41 | 3.0 | 8.6 | 8.5 | 9.6 | 8.1 | 8.3 |
| 80-84 | 1,199 | 1,016 | 84.7 | 98 | 8.2 | 85 | 7.1 | 36 | 3.0 | 8.7 | 8.4 | 11.5 | 8.6 | 9.0 |
| 85+ | 1,125 | 979 | 87.0 | 98 | 8.7 | 48 | 4.3 | 16 | 1.4 | 9.5 | 9.2 | 12.6 | 8.4 | 5.4 |

Table 23. Number of Hospital Discharges and Average Length of Stay Due to Malignant Neoplasm Related Diagnoses¹ by Age and Race/Ethnicity, Westchester County Residents, 2008-2009 (continued)

| 2009 | | | | | | | | | | | | | | |
|--------------------------|----------------------|--------------|-------------|--------------|-------------|--------------------|-------------|-----------------------|----------------------------------|------------|------------|------------|--------------------|-----------------------|
| Age (years) | Number of Discharges | | | | | | | | Average Length of Stay (days) | | | | | |
| | Total | White | | Black | | Other ² | | Hispanic ³ | | Total | White | Black | Other ² | Hispanic ³ |
| | | Number | % | Number | % | Number | % | Number | % | | | | | |
| Total⁴ | 10,214 | 7,593 | 74.3 | 1,432 | 14.0 | 1,188 | 11.6 | 807 | 7.9 | 8.1 | 7.9 | 9.3 | 8.0 | 7.7 |
| Less than 1 | 7 | 4 | 57.1 | 0 | 0.0 | 3 | 42.9 | 3 | 42.9 | 26.3 | 39.8 | 0.0 | 8.3 | 8.3 |
| 1-2 | 30 | 20 | 66.7 | 0 | 0.0 | 10 | 33.3 | 1 | 3.3 | 8.8 | 11.1 | 0.0 | 4.2 | 5.0 |
| 3-4 | 33 | 21 | 63.6 | 0 | 0.0 | 12 | 36.4 | 8 | 24.2 | 6.9 | 9.0 | 0.0 | 3.3 | 3.3 |
| 5-6 | 38 | 21 | 55.3 | 9 | 23.7 | 8 | 21.1 | 7 | 18.4 | 5.5 | 5.0 | 9.0 | 2.6 | 2.7 |
| 7-8 | 17 | 1 | 5.9 | 2 | 11.8 | 14 | 82.4 | 14 | 82.4 | 9.1 | 72.0 | 4.0 | 5.4 | 5.4 |
| 9-10 | 10 | 3 | 30.0 | 3 | 30.0 | 4 | 40.0 | 1 | 10.0 | 10.0 | 19.7 | 4.3 | 7.0 | 4.0 |
| 11-12 | 9 | 4 | 44.4 | 5 | 55.6 | 0 | 0.0 | 1 | 11.1 | 18.9 | 20.5 | 17.6 | 0.0 | 15.0 |
| 13-14 | 28 | 12 | 42.9 | 3 | 10.7 | 13 | 46.4 | 6 | 21.4 | 8.9 | 10.3 | 24.3 | 3.9 | 4.3 |
| 15-16 | 32 | 20 | 62.5 | 2 | 6.3 | 10 | 31.3 | 19 | 59.4 | 5.9 | 7.0 | 4.0 | 4.0 | 5.2 |
| 17-18 | 25 | 13 | 52.0 | 2 | 8.0 | 10 | 40.0 | 2 | 8.0 | 6.5 | 6.9 | 6.0 | 6.1 | 15.0 |
| 19-20 | 18 | 4 | 22.2 | 3 | 16.7 | 11 | 61.1 | 1 | 5.6 | 5.9 | 2.8 | 4.3 | 7.5 | 10.0 |
| 21-22 | 37 | 21 | 56.8 | 13 | 35.1 | 3 | 8.1 | 7 | 18.9 | 5.2 | 6.8 | 3.5 | 1.7 | 6.9 |
| 23-24 | 13 | 13 | 100.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 9.8 | 9.8 | 0.0 | 0.0 | 0.0 |
| 25-29 | 56 | 21 | 37.5 | 9 | 16.1 | 26 | 46.4 | 31 | 55.4 | 6.6 | 3.3 | 4.6 | 10.0 | 8.7 |
| 30-34 | 101 | 45 | 44.6 | 35 | 34.7 | 21 | 20.8 | 21 | 20.8 | 6.8 | 6.1 | 7.7 | 6.5 | 6.6 |
| 35-39 | 178 | 112 | 62.9 | 27 | 15.2 | 39 | 21.9 | 39 | 21.9 | 6.9 | 5.5 | 9.7 | 9.0 | 8.4 |
| 40-44 | 314 | 171 | 54.5 | 83 | 26.4 | 60 | 19.1 | 38 | 12.1 | 7.8 | 6.8 | 8.8 | 9.4 | 8.7 |
| 45-49 | 503 | 334 | 66.4 | 99 | 19.7 | 70 | 13.9 | 62 | 12.3 | 7.6 | 6.8 | 11.2 | 6.3 | 7.2 |
| 50-54 | 809 | 529 | 65.4 | 154 | 19.0 | 126 | 15.6 | 83 | 10.3 | 7.9 | 7.2 | 10.7 | 7.6 | 8.2 |
| 55-59 | 916 | 619 | 67.6 | 146 | 15.9 | 151 | 16.5 | 117 | 12.8 | 7.3 | 6.8 | 8.3 | 8.1 | 8.5 |
| 60-64 | 1,161 | 892 | 76.8 | 161 | 13.9 | 108 | 9.3 | 81 | 7.0 | 8.3 | 7.9 | 9.5 | 9.5 | 7.8 |
| 65-69 | 1,207 | 904 | 74.9 | 187 | 15.5 | 116 | 9.6 | 84 | 7.0 | 7.7 | 7.6 | 8.2 | 7.5 | 7.6 |
| 70-74 | 1,118 | 858 | 76.7 | 149 | 13.3 | 111 | 9.9 | 52 | 4.7 | 8.5 | 8.5 | 9.4 | 7.1 | 6.7 |
| 75-79 | 1,263 | 1,031 | 81.6 | 122 | 9.7 | 110 | 8.7 | 74 | 5.9 | 8.4 | 8.4 | 7.5 | 9.5 | 7.4 |
| 80-84 | 1,122 | 926 | 82.5 | 125 | 11.1 | 71 | 6.3 | 27 | 2.4 | 9.2 | 8.9 | 10.5 | 9.6 | 10.4 |
| 85+ | 1,168 | 994 | 85.1 | 93 | 8.0 | 81 | 6.9 | 28 | 2.4 | 8.1 | 7.8 | 11.1 | 8.9 | 8.1 |

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or the length of stay. A diagnosis in the V-class ranges V58.0-V58.10 (chemotherapy and radiotherapy) is also included.

² Includes Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

⁴ Totals include unknown age.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 24. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning¹ by Etiology and Age, Westchester County Residents, 2008-2009

| 2008 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|----------------------|------------|-----------|------------|------------|------------|------------|------------|------------|------------|------------|------------|--------------|------------|------------|------------|----------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Etiology | Number of Discharges | | | | | | | | | | | | | | | | Average Length of Stay (days) | | | | | | | | | | |
| | Total | | Less than | | 1-12 | | 13-17 | | 18-34 | | 35-49 | | 50-64 | | 65-74 | | 75+ | | Total | <1 | 1-12 | 13-17 | 18-34 | 35-49 | 50-64 | 65-74 | 75+ |
| | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | | | | | | | | | |
| Total | 6,972 | 100 | 31 | 100 | 256 | 100 | 234 | 100 | 952 | 100 | 925 | 100 | 1,052 | 100 | 708 | 100 | 2,814 | 100 | 6.5 | 5.9 | 3.4 | 4.3 | 5.0 | 6.2 | 6.7 | 7.1 | 7.3 |
| Falls | 3,757 | 53.9 | 14 | 45.2 | 86 | 33.6 | 56 | 23.9 | 155 | 16.3 | 215 | 23.2 | 506 | 48.1 | 464 | 65.5 | 2,261 | 80.3 | 6.6 | 1.6 | 2.4 | 2.4 | 6.5 | 5.1 | 6.6 | 6.1 | 7.1 |
| Motor Vehicle Accident | 418 | 6.0 | 0 | 0.0 | 4 | 1.6 | 15 | 6.4 | 144 | 15.1 | 93 | 10.1 | 56 | 5.3 | 38 | 5.4 | 68 | 2.4 | 7.0 | 0.0 | 6.3 | 3.3 | 6.4 | 7.9 | 7.9 | 7.2 | 7.2 |
| Self-Inflicted | 342 | 4.9 | 0 | 0.0 | 2 | 0.8 | 26 | 11.1 | 135 | 14.2 | 96 | 10.4 | 62 | 5.9 | 6 | 0.8 | 15 | 0.5 | 4.7 | 0.0 | 2.5 | 6.6 | 4.3 | 4.3 | 4.1 | 7.8 | 7.6 |
| Assault | 334 | 4.8 | 0 | 0.0 | 3 | 1.2 | 39 | 16.7 | 177 | 18.6 | 84 | 9.1 | 23 | 2.2 | 4 | 0.6 | 4 | 0.1 | 4.4 | 0.0 | 6.3 | 3.9 | 3.5 | 6.3 | 4.7 | 4.3 | 5.3 |
| Poisoning | 333 | 4.8 | 2 | 6.5 | 17 | 6.6 | 13 | 5.6 | 49 | 5.1 | 98 | 10.6 | 70 | 6.7 | 32 | 4.5 | 52 | 1.8 | 3.8 | 2.0 | 2.4 | 2.2 | 3.7 | 3.3 | 3.9 | 5.2 | 5.2 |
| Struck by Person/Object | 203 | 2.9 | 1 | 3.2 | 30 | 11.7 | 20 | 8.5 | 50 | 5.3 | 39 | 4.2 | 24 | 2.3 | 12 | 1.7 | 27 | 1.0 | 5.7 | 10.0 | 4.7 | 2.0 | 5.9 | 6.8 | 4.6 | 5.6 | 8.3 |
| Pedestrian | 146 | 2.1 | 0 | 0.0 | 15 | 5.9 | 13 | 5.6 | 29 | 3.0 | 31 | 3.4 | 26 | 2.5 | 10 | 1.4 | 22 | 0.8 | 9.2 | 0.0 | 4.9 | 3.8 | 9.1 | 10.9 | 11.6 | 12.5 | 9.0 |
| Cutting Instrument | 86 | 1.2 | 0 | 0.0 | 4 | 1.6 | 2 | 0.9 | 27 | 2.8 | 29 | 3.1 | 15 | 1.4 | 7 | 1.0 | 2 | 0.1 | 4.6 | 0.0 | 1.8 | 1.5 | 3.8 | 5.3 | 6.5 | 3.0 | 3.5 |
| Overexertion | 84 | 1.2 | 0 | 0.0 | 1 | 0.4 | 7 | 3.0 | 16 | 1.7 | 15 | 1.6 | 16 | 1.5 | 9 | 1.3 | 20 | 0.7 | 6.2 | 0.0 | 5.0 | 3.4 | 3.4 | 12.4 | 4.4 | 4.4 | 7.0 |
| Bicycle | 81 | 1.2 | 0 | 0.0 | 20 | 7.8 | 9 | 3.8 | 11 | 1.2 | 16 | 1.7 | 21 | 2.0 | 4 | 0.6 | 0 | 0.0 | 3.5 | 0.0 | 2.9 | 3.9 | 2.9 | 5.4 | 3.1 | 2.3 | 0.0 |
| Scalds | 76 | 1.1 | 5 | 16.1 | 24 | 9.4 | 1 | 0.4 | 9 | 0.9 | 15 | 1.6 | 9 | 0.9 | 2 | 0.3 | 11 | 0.4 | 8.8 | 4.8 | 6.5 | 4.0 | 9.2 | 11.7 | 11.8 | 5.0 | 10.2 |
| Respiratory Interference | 41 | 0.6 | 1 | 3.2 | 0 | 0.0 | 1 | 0.4 | 0 | 0.0 | 2 | 0.2 | 10 | 1.0 | 9 | 1.3 | 18 | 0.6 | 22.3 | 2.0 | 0.0 | 1.0 | 0.0 | 136.0 | 34.3 | 18.4 | 7.2 |
| Fire/Flame | 22 | 0.3 | 0 | 0.0 | 3 | 1.2 | 0 | 0.0 | 5 | 0.5 | 1 | 0.1 | 5 | 0.5 | 5 | 0.7 | 3 | 0.1 | 12.2 | 0.0 | 16.0 | 0.0 | 5.2 | 17.0 | 7.2 | 23.6 | 8.0 |
| Machinery | 19 | 0.3 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 8 | 0.8 | 4 | 0.4 | 6 | 0.6 | 0 | 0.0 | 1 | 0.0 | 2.1 | 0.0 | 0.0 | 0.0 | 2.4 | 2.0 | 1.8 | 0.0 | 1.0 |
| Other | 1,030 | 14.8 | 8 | 25.8 | 47 | 18.4 | 32 | 13.7 | 137 | 14.4 | 187 | 20.2 | 203 | 19.3 | 106 | 15.0 | 310 | 11.0 | 7.2 | 15.1 | 1.9 | 9.5 | 4.0 | 6.1 | 7.6 | 10.4 | 8.5 |

(continued)

Table 24. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning¹ by Etiology and Age, Westchester County Residents, 2008-2009 (continued)

| 2009 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------|----------------------|------------|-----------|------------|------------|------------|------------|------------|------------|------------|------------|------------|--------------|------------|------------|------------|--------------|------------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|--|
| Etiology | Number of Discharges | | | | | | | | | | | | | | | | | | Average Length of Stay | | | | | | | | | |
| | Total | | Less than | | 1-12 | | 13-17 | | 18-34 | | 35-49 | | 50-64 | | 65-74 | | 75+ | | (days) | | | | | | | | | |
| | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | Total | <1 | 1-12 | 13-17 | 18-34 | 35-49 | 50-64 | 65-74 | 75+ | |
| Total | 6,961 | 100 | 60 | 100 | 258 | 100 | 237 | 100 | 879 | 100 | 911 | 100 | 1,110 | 100 | 804 | 100 | 2,702 | 100 | 6.4 | 6.3 | 3.1 | 4.7 | 4.8 | 5.8 | 7.5 | 7.2 | 6.9 | |
| Falls | 3,769 | 54.1 | 25 | 41.7 | 96 | 37.2 | 54 | 22.8 | 139 | 15.8 | 247 | 27.1 | 496 | 44.7 | 525 | 65.3 | 2,187 | 80.9 | 6.6 | 2.2 | 2.9 | 3.6 | 6.2 | 7.0 | 6.9 | 7.1 | 6.6 | |
| Motor Vehicle Accident | 427 | 6.1 | 1 | 1.7 | 5 | 1.9 | 16 | 6.8 | 150 | 17.1 | 86 | 9.4 | 68 | 6.1 | 44 | 5.5 | 57 | 2.1 | 6.5 | 1.0 | 3.4 | 5.8 | 5.1 | 6.3 | 8.9 | 6.8 | 7.9 | |
| Self-Inflicted | 338 | 4.9 | 0 | 0.0 | 0 | 0.0 | 29 | 12.2 | 123 | 14.0 | 102 | 11.2 | 60 | 5.4 | 12 | 1.5 | 12 | 0.4 | 5.4 | 0.0 | 0.0 | 5.7 | 4.9 | 4.2 | 8.3 | 6.3 | 5.7 | |
| Poisoning | 282 | 4.1 | 2 | 3.3 | 17 | 6.6 | 10 | 4.2 | 51 | 5.8 | 57 | 6.3 | 76 | 6.8 | 28 | 3.5 | 41 | 1.5 | 4.2 | 10.0 | 1.4 | 3.0 | 2.8 | 4.0 | 5.8 | 4.9 | 4.1 | |
| Assault | 278 | 4.0 | 5 | 8.3 | 3 | 1.2 | 33 | 13.9 | 162 | 18.4 | 53 | 5.8 | 18 | 1.6 | 2 | 0.2 | 2 | 0.1 | 5.4 | 13.2 | 4.7 | 2.6 | 5.0 | 6.9 | 6.8 | 7.5 | 4.0 | |
| Struck by Person/Object | 188 | 2.7 | 3 | 5.0 | 25 | 9.7 | 21 | 8.9 | 34 | 3.9 | 32 | 3.5 | 34 | 3.1 | 8 | 1.0 | 31 | 1.1 | 5.8 | 4.3 | 3.0 | 11.6 | 3.9 | 4.0 | 7.2 | 4.6 | 6.8 | |
| Pedestrian | 124 | 1.8 | 0 | 0.0 | 10 | 3.9 | 12 | 5.1 | 26 | 3.0 | 25 | 2.7 | 26 | 2.3 | 18 | 2.2 | 7 | 0.3 | 7.8 | 0.0 | 2.6 | 3.4 | 4.5 | 9.9 | 13.1 | 7.9 | 7.1 | |
| Cutting Instrument | 91 | 1.3 | 2 | 3.3 | 6 | 2.3 | 7 | 3.0 | 20 | 2.3 | 21 | 2.3 | 21 | 1.9 | 6 | 0.7 | 8 | 0.3 | 6.0 | 56.5 | 2.8 | 4.0 | 5.5 | 5.0 | 4.9 | 6.8 | 4.1 | |
| Overexertion | 87 | 1.2 | 0 | 0.0 | 3 | 1.2 | 10 | 4.2 | 9 | 1.0 | 20 | 2.2 | 20 | 1.8 | 5 | 0.6 | 20 | 0.7 | 5.2 | 0.0 | 3.0 | 7.6 | 2.8 | 4.4 | 3.7 | 6.2 | 7.6 | |
| Bicycle | 69 | 1.0 | 0 | 0.0 | 6 | 2.3 | 10 | 4.2 | 16 | 1.8 | 17 | 1.9 | 10 | 0.9 | 8 | 1.0 | 2 | 0.1 | 3.9 | 0.0 | 3.8 | 2.3 | 3.7 | 3.2 | 3.0 | 4.6 | 21.0 | |
| Scalds | 68 | 1.0 | 5 | 8.3 | 18 | 7.0 | 2 | 0.8 | 11 | 1.3 | 10 | 1.1 | 10 | 0.9 | 4 | 0.5 | 8 | 0.3 | 7.8 | 4.8 | 6.1 | 2.0 | 5.2 | 5.9 | 7.6 | 23.0 | 13.3 | |
| Respiratory Interference | 58 | 0.8 | 3 | 5.0 | 3 | 1.2 | 0 | 0.0 | 1 | 0.1 | 3 | 0.3 | 9 | 0.8 | 3 | 0.4 | 36 | 1.3 | 13.4 | 5.7 | 5.7 | 0.0 | 3.0 | 1.0 | 22.6 | 22.7 | 13.0 | |
| Fire/Flame | 28 | 0.4 | 0 | 0.0 | 2 | 0.8 | 2 | 0.8 | 5 | 0.6 | 9 | 1.0 | 5 | 0.5 | 2 | 0.2 | 3 | 0.1 | 17.4 | 0.0 | 3.0 | 5.5 | 6.0 | 27.8 | 13.6 | 20.0 | 27.0 | |
| Machinery | 18 | 0.3 | 0 | 0.0 | 1 | 0.4 | 0 | 0.0 | 3 | 0.3 | 5 | 0.5 | 3 | 0.3 | 3 | 0.4 | 3 | 0.1 | 4.3 | 0.0 | 2.0 | 0.0 | 3.0 | 4.2 | 9.0 | 3.7 | 2.7 | |
| Other | 1,136 | 16.3 | 14 | 23.3 | 63 | 24.4 | 31 | 13.1 | 129 | 14.7 | 224 | 24.6 | 254 | 22.9 | 136 | 16.9 | 285 | 10.5 | 6.5 | 4.8 | 2.9 | 3.8 | 3.7 | 4.4 | 8.2 | 7.9 | 8.4 | |

¹ Including cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recoding an external code (E-Code) are: A) principal diagnosis of an injury or poisoning, B) other diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis, and C) other diagnosis with an external cause. Only the first E-Code is recorded in this item.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 25. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning¹ by Etiology and Sex, Westchester County Residents, 2008-2009

| 2008 | | | | | | | | | |
|--------------------------|----------------------|------------|--------------|------------|--------------|------------|----------------------------------|------------|------------|
| Etiology | Number of Discharges | | | | | | Average Length of Stay (days) | | |
| | Total | | Male | | Female | | Total | Male | Female |
| | Number | % | Number | % | Number | % | | | |
| Total | 6,972 | 100 | 3,629 | 100 | 3,343 | 100 | 6.5 | 6.6 | 6.4 |
| Falls | 3,757 | 53.9 | 2,298 | 63.3 | 1,459 | 43.6 | 6.6 | 6.5 | 6.7 |
| Motor Vehicle Accident | 418 | 6.0 | 176 | 4.8 | 242 | 7.2 | 7.0 | 5.4 | 8.2 |
| Self-Inflicted | 342 | 4.9 | 189 | 5.2 | 153 | 4.6 | 4.7 | 4.1 | 5.3 |
| Assault | 334 | 4.8 | 44 | 1.2 | 290 | 8.7 | 4.4 | 5.9 | 4.2 |
| Poisoning | 333 | 4.8 | 157 | 4.3 | 176 | 5.3 | 3.8 | 3.9 | 3.8 |
| Struck by Person/Object | 203 | 2.9 | 51 | 1.4 | 152 | 4.5 | 5.7 | 7.1 | 5.2 |
| Pedestrian | 146 | 2.1 | 74 | 2.0 | 72 | 2.2 | 9.2 | 10.5 | 7.9 |
| Cutting Instrument | 86 | 1.2 | 16 | 0.4 | 70 | 2.1 | 4.6 | 5.7 | 4.3 |
| Overexertion | 84 | 1.2 | 42 | 1.2 | 42 | 1.3 | 6.2 | 7.9 | 4.5 |
| Bicycle | 81 | 1.2 | 19 | 0.5 | 62 | 1.9 | 3.5 | 2.9 | 3.7 |
| Scalds | 76 | 1.1 | 33 | 0.9 | 43 | 1.3 | 8.8 | 9.9 | 8.0 |
| Respiratory Interference | 41 | 0.6 | 16 | 0.4 | 25 | 0.7 | 22.3 | 20.6 | 23.4 |
| Fire/Flame | 22 | 0.3 | 10 | 0.3 | 12 | 0.4 | 12.2 | 15.2 | 9.8 |
| Machinery | 19 | 0.3 | 3 | 0.1 | 16 | 0.5 | 2.1 | 1.3 | 2.2 |
| Other | 1,030 | 14.8 | 501 | 13.8 | 529 | 15.8 | 7.2 | 7.7 | 6.8 |

| 2009 | | | | | | | | | |
|--------------------------|----------------------|------------|--------------|------------|--------------|------------|----------------------------------|------------|------------|
| Etiology | Number of Discharges | | | | | | Average Length of Stay (days) | | |
| | Total | | Male | | Female | | Total | Male | Female |
| | Number | % | Number | % | Number | % | | | |
| Total | 6,961 | 100 | 3,380 | 100 | 3,581 | 100 | 6.4 | 6.4 | 6.4 |
| Falls | 3,769 | 54.1 | 1,442 | 42.7 | 2,327 | 65.0 | 6.6 | 6.8 | 6.4 |
| Motor Vehicle Accident | 427 | 6.1 | 268 | 7.9 | 159 | 4.4 | 6.5 | 7.1 | 5.5 |
| Self-Inflicted | 338 | 4.9 | 167 | 4.9 | 171 | 4.8 | 5.4 | 5.9 | 5.0 |
| Poisoning | 282 | 4.1 | 160 | 4.7 | 122 | 3.4 | 4.2 | 4.4 | 4.0 |
| Assault | 278 | 4.0 | 248 | 7.3 | 30 | 0.8 | 5.4 | 5.0 | 8.0 |
| Struck by Person/Object | 188 | 2.7 | 141 | 4.2 | 47 | 1.3 | 5.8 | 5.8 | 5.6 |
| Pedestrian | 124 | 1.8 | 72 | 2.1 | 52 | 1.5 | 7.8 | 8.1 | 7.4 |
| Cutting Instrument | 91 | 1.3 | 64 | 1.9 | 27 | 0.8 | 6.0 | 5.7 | 6.9 |
| Overexertion | 87 | 1.2 | 50 | 1.5 | 37 | 1.0 | 5.2 | 5.3 | 5.1 |
| Bicycle | 69 | 1.0 | 61 | 1.8 | 8 | 0.2 | 3.9 | 4.1 | 2.5 |
| Scalds | 68 | 1.0 | 41 | 1.2 | 27 | 0.8 | 7.8 | 8.2 | 7.0 |
| Respiratory Interference | 58 | 0.8 | 34 | 1.0 | 24 | 0.7 | 13.4 | 15.5 | 10.5 |
| Fire/Flame | 28 | 0.4 | 18 | 0.5 | 10 | 0.3 | 17.4 | 14.0 | 23.4 |
| Machinery | 18 | 0.3 | 16 | 0.5 | 2 | 0.1 | 4.3 | 3.9 | 8.0 |
| Other | 1,136 | 16.3 | 598 | 17.7 | 538 | 15.0 | 6.5 | 6.1 | 7.0 |

¹ Including cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recoding an external code (E-Code) are: A) principal diagnosis of an injury or poisoning, B) other diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis, and C) other diagnosis with an external cause. Only the first E-Code is recorded in this item.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 26. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning¹ by Etiology and Race/Ethnicity, Westchester County Residents, 2008-2009

| 2008 | | | | | | | | | | | | | | | |
|--------------------------|----------------------|------------|--------------|------------|------------|------------|--------------------|------------|-----------------------|------------|----------------------------------|------------|------------|--------------------|-----------------------|
| Etiology | Number of Discharges | | | | | | | | | | Average Length of Stay (days) | | | | |
| | Total | | White | | Black | | Other ² | | Hispanic ³ | | Total | White | Black | Other ² | Hispanic ³ |
| | Number | % | Number | % | Number | % | Number | % | Number | % | | | | | |
| Total | 6,972 | 100 | 4,997 | 100 | 856 | 100 | 1,119 | 100 | 688 | 100 | 6.5 | 6.5 | 7.2 | 5.8 | 4.7 |
| Falls | 3,757 | 53.9 | 3,033 | 60.7 | 271 | 31.7 | 453 | 40.5 | 229 | 33.3 | 6.6 | 6.5 | 8.6 | 5.6 | 5.6 |
| Motor Vehicle Accident | 418 | 6.0 | 263 | 5.3 | 47 | 5.5 | 108 | 9.7 | 59 | 8.6 | 7.0 | 6.7 | 5.7 | 8.3 | 4.5 |
| Self-Inflicted | 342 | 4.9 | 240 | 4.8 | 47 | 5.5 | 55 | 4.9 | 35 | 5.1 | 4.7 | 4.7 | 4.9 | 4.1 | 3.7 |
| Assault | 334 | 4.8 | 88 | 1.8 | 130 | 15.2 | 116 | 10.4 | 68 | 9.9 | 4.4 | 4.8 | 3.8 | 4.8 | 3.3 |
| Poisoning | 333 | 4.8 | 212 | 4.2 | 67 | 7.8 | 54 | 4.8 | 37 | 5.4 | 3.8 | 4.2 | 3.4 | 3.1 | 3.6 |
| Struck by Person/Object | 203 | 2.9 | 118 | 2.4 | 33 | 3.9 | 52 | 4.6 | 44 | 6.4 | 5.7 | 5.0 | 7.1 | 6.2 | 5.8 |
| Pedestrian | 146 | 2.1 | 69 | 1.4 | 28 | 3.3 | 49 | 4.4 | 34 | 4.9 | 9.2 | 10.0 | 9.4 | 8.1 | 5.8 |
| Cutting Instrument | 86 | 1.2 | 53 | 1.1 | 11 | 1.3 | 22 | 2.0 | 20 | 2.9 | 4.6 | 4.5 | 4.8 | 4.5 | 3.4 |
| Overexertion | 84 | 1.2 | 58 | 1.2 | 15 | 1.8 | 11 | 1.0 | 9 | 1.3 | 6.2 | 5.0 | 13.6 | 2.5 | 2.8 |
| Bicycle | 81 | 1.2 | 58 | 1.2 | 8 | 0.9 | 15 | 1.3 | 13 | 1.9 | 3.5 | 3.5 | 3.4 | 3.5 | 2.6 |
| Scalds | 76 | 1.1 | 42 | 0.8 | 17 | 2.0 | 17 | 1.5 | 15 | 2.2 | 8.8 | 8.3 | 9.6 | 9.2 | 6.3 |
| Respiratory Interference | 41 | 0.6 | 34 | 0.7 | 4 | 0.5 | 3 | 0.3 | 1 | 0.1 | 22.3 | 16.7 | 78.5 | 10.0 | 2.0 |
| Fire/Flame | 22 | 0.3 | 13 | 0.3 | 5 | 0.6 | 4 | 0.4 | 4 | 0.6 | 12.2 | 12.9 | 10.6 | 12.0 | 8.3 |
| Machinery | 19 | 0.3 | 13 | 0.3 | 1 | 0.1 | 5 | 0.4 | 8 | 1.2 | 2.1 | 1.7 | 6.0 | 2.2 | 2.3 |
| Other | 1,030 | 14.8 | 703 | 14.1 | 172 | 20.1 | 155 | 13.9 | 112 | 16.3 | 7.2 | 7.3 | 7.5 | 6.5 | 4.0 |

(continued)

Table 26. Number of Hospital Discharges and Average Length of Stay Due to Injuries and Poisoning¹ by Etiology and Race/Ethnicity, Westchester County Residents, 2008-2009 (continued)

| 2009 | | | | | | | | | | | | | | | |
|--------------------------|----------------------|------------|--------------|------------|------------|------------|--------------------|------------|-----------------------|------------|----------------------------------|------------|------------|--------------------|-----------------------|
| Etiology | Number of Discharges | | | | | | | | | | Average Length of Stay (days) | | | | |
| | Total | | White | | Black | | Other ² | | Hispanic ³ | | Total | White | Black | Other ² | Hispanic ³ |
| | Number | % | Number | % | Number | % | Number | % | Number | % | | | | | |
| Total | 6,961 | 100 | 5,005 | 100 | 909 | 100 | 1,047 | 100 | 764 | 100 | 6.4 | 6.4 | 6.6 | 6.4 | 5.5 |
| Falls | 3,769 | 54.1 | 3,048 | 60.9 | 294 | 32.3 | 427 | 40.8 | 263 | 34.4 | 6.6 | 6.6 | 6.8 | 6.4 | 6.3 |
| Motor Vehicle Accident | 427 | 6.1 | 273 | 5.5 | 70 | 7.7 | 84 | 8.0 | 61 | 8.0 | 6.5 | 6.0 | 6.9 | 7.7 | 5.3 |
| Self-Inflicted | 338 | 4.9 | 219 | 4.4 | 60 | 6.6 | 59 | 5.6 | 46 | 6.0 | 5.4 | 4.9 | 6.0 | 7.0 | 3.9 |
| Poisoning | 282 | 4.1 | 180 | 3.6 | 49 | 5.4 | 53 | 5.1 | 36 | 4.7 | 4.2 | 3.9 | 6.4 | 3.2 | 3.3 |
| Assault | 278 | 4.0 | 92 | 1.8 | 105 | 11.6 | 81 | 7.7 | 75 | 9.8 | 5.4 | 4.7 | 5.0 | 6.6 | 6.1 |
| Struck by Person/Object | 188 | 2.7 | 116 | 2.3 | 33 | 3.6 | 39 | 3.7 | 37 | 4.8 | 5.8 | 5.9 | 7.9 | 3.7 | 4.6 |
| Pedestrian | 124 | 1.8 | 62 | 1.2 | 25 | 2.8 | 37 | 3.5 | 28 | 3.7 | 7.8 | 7.0 | 5.9 | 10.4 | 10.1 |
| Cutting Instrument | 91 | 1.3 | 58 | 1.2 | 17 | 1.9 | 16 | 1.5 | 14 | 1.8 | 6.0 | 5.8 | 5.2 | 7.8 | 4.5 |
| Overexertion | 87 | 1.2 | 56 | 1.1 | 21 | 2.3 | 10 | 1.0 | 5 | 0.7 | 5.2 | 4.8 | 5.0 | 8.1 | 6.8 |
| Bicycle | 69 | 1.0 | 44 | 0.9 | 5 | 0.6 | 20 | 1.9 | 15 | 2.0 | 3.9 | 4.1 | 3.4 | 3.5 | 3.1 |
| Scalds | 68 | 1.0 | 38 | 0.8 | 16 | 1.8 | 14 | 1.3 | 20 | 2.6 | 7.8 | 9.4 | 4.9 | 6.6 | 5.1 |
| Respiratory Interference | 58 | 0.8 | 50 | 1.0 | 2 | 0.2 | 6 | 0.6 | 6 | 0.8 | 13.4 | 13.6 | 13.0 | 12.3 | 5.8 |
| Fire/Flame | 28 | 0.4 | 21 | 0.4 | 4 | 0.4 | 3 | 0.3 | 8 | 1.0 | 17.4 | 15.2 | 38.0 | 4.7 | 6.0 |
| Machinery | 18 | 0.3 | 11 | 0.2 | 0 | 0.0 | 7 | 0.7 | 8 | 1.0 | 4.3 | 3.5 | 0.0 | 5.7 | 7.0 |
| Other | 1,136 | 16.3 | 737 | 14.7 | 208 | 22.9 | 191 | 18.2 | 142 | 18.6 | 6.5 | 6.4 | 7.0 | 6.3 | 4.5 |

¹ Including cases coded for external cause of an injury, poisoning, or adverse effect. The priorities for recoding an external code (E-Code) are: A) principal diagnosis of an injury or poisoning, B) other diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis, and C) other diagnosis with an external cause. Only the first E-Code is recorded in this item.

² Includes Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 27. Number of Hospital Discharges and Average Length of Stay Due to Diabetes Related Diagnoses¹ by Age and Sex, Westchester County Residents, 2008-2009

| 2008 | | | | | | | | |
|----------------|----------------------|--------------|-------------|--------------|-------------|----------------------------------|------------|------------|
| Age (years) | Number of Discharges | | | | | Average Length of Stay (days) | | |
| | Total | Male | | Female | | Total | Male | Female |
| | | Number | % | Number | % | | | |
| Total | 18,753 | 9,208 | 49.1 | 9,545 | 50.9 | 6.7 | 6.6 | 6.8 |
| Less than 1 | 2 | 2 | 100.0 | 0 | 0.0 | 17.5 | 17.5 | 0.0 |
| 1-2 | 0 | 0 | 0.0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3-4 | 8 | 4 | 50.0 | 4 | 50.0 | 4.5 | 4.8 | 4.3 |
| 5-6 | 6 | 2 | 33.3 | 4 | 66.7 | 23.8 | 61.0 | 5.3 |
| 7-8 | 4 | 1 | 25.0 | 3 | 75.0 | 4.0 | 5.0 | 3.7 |
| 9-10 | 20 | 9 | 45.0 | 11 | 55.0 | 6.9 | 9.7 | 4.6 |
| 11-12 | 26 | 11 | 42.3 | 15 | 57.7 | 4.3 | 6.2 | 2.9 |
| 13-14 | 27 | 18 | 66.7 | 9 | 33.3 | 8.0 | 8.0 | 8.0 |
| 15-16 | 28 | 20 | 71.4 | 8 | 28.6 | 8.9 | 9.7 | 6.9 |
| 17-18 | 18 | 8 | 44.4 | 10 | 55.6 | 6.6 | 5.3 | 7.6 |
| 19-20 | 33 | 15 | 45.5 | 18 | 54.5 | 6.9 | 9.7 | 4.6 |
| 21-22 | 28 | 14 | 50.0 | 14 | 50.0 | 4.4 | 4.9 | 4.0 |
| 23-24 | 28 | 9 | 32.1 | 19 | 67.9 | 5.2 | 6.2 | 4.7 |
| 25-29 | 133 | 61 | 45.9 | 72 | 54.1 | 5.5 | 5.4 | 5.5 |
| 30-34 | 165 | 80 | 48.5 | 85 | 51.5 | 5.3 | 6.1 | 4.5 |
| 35-39 | 346 | 167 | 48.3 | 179 | 51.7 | 6.6 | 6.7 | 6.4 |
| 40-44 | 612 | 324 | 52.9 | 288 | 47.1 | 7.1 | 7.9 | 6.2 |
| 45-49 | 975 | 495 | 50.8 | 480 | 49.2 | 6.0 | 6.3 | 5.7 |
| 50-54 | 1,413 | 789 | 55.8 | 624 | 44.2 | 6.3 | 6.2 | 6.3 |
| 55-59 | 1,665 | 968 | 58.1 | 697 | 41.9 | 6.6 | 6.3 | 7.0 |
| 60-64 | 2,013 | 1,052 | 52.3 | 961 | 47.7 | 6.4 | 6.7 | 6.1 |
| 65-69 | 2,097 | 1,046 | 49.9 | 1,051 | 50.1 | 6.4 | 6.0 | 6.7 |
| 70-74 | 2,164 | 1,024 | 47.3 | 1,140 | 52.7 | 6.6 | 6.2 | 7.0 |
| 75-79 | 2,435 | 1,147 | 47.1 | 1,288 | 52.9 | 7.0 | 6.8 | 7.2 |
| 80-84 | 2,255 | 1,072 | 47.5 | 1,183 | 52.5 | 7.1 | 6.7 | 7.5 |
| 85 and older | 2,252 | 870 | 38.6 | 1,382 | 61.4 | 7.2 | 7.3 | 7.2 |

(continued)

Table 27. Number of Hospital Discharges and Average Length of Stay Due to Diabetes Related Diagnoses¹ by Age and Sex, Westchester County Residents, 2008-2009
(continued)

| 2009 | | | | | | | | |
|----------------|----------------------|--------------|-------------|--------------|-------------|----------------------------------|------------|------------|
| Age (years) | Number of Discharges | | | | | Average Length of Stay (days) | | |
| | Total | Male | | Female | | Total | Male | Female |
| | | Number | % | Number | % | | | |
| Total | 18,858 | 9,291 | 49.3 | 9,567 | 50.7 | 6.5 | 6.5 | 6.5 |
| Less than 1 | 1 | 1 | 100.0 | 0 | 0.0 | 115.0 | 115.0 | 0.0 |
| 1-2 | 3 | 2 | 66.7 | 1 | 33.3 | 3.3 | 3.5 | 3.0 |
| 3-4 | 1 | 0 | 0.0 | 1 | 100.0 | 6.0 | 0.0 | 6.0 |
| 5-6 | 2 | 1 | 50.0 | 1 | 50.0 | 5.0 | 8.0 | 2.0 |
| 7-8 | 10 | 4 | 40.0 | 6 | 60.0 | 16.1 | 35.5 | 3.2 |
| 9-10 | 7 | 4 | 57.1 | 3 | 42.9 | 6.7 | 9.8 | 2.7 |
| 11-12 | 23 | 12 | 52.2 | 11 | 47.8 | 10.7 | 13.2 | 8.1 |
| 13-14 | 32 | 22 | 68.8 | 10 | 31.3 | 10.3 | 11.3 | 8.2 |
| 15-16 | 36 | 19 | 52.8 | 17 | 47.2 | 16.9 | 15.3 | 18.7 |
| 17-18 | 16 | 6 | 37.5 | 10 | 62.5 | 5.6 | 5.2 | 5.8 |
| 19-20 | 22 | 10 | 45.5 | 12 | 54.5 | 3.5 | 2.9 | 4.1 |
| 21-22 | 22 | 7 | 31.8 | 15 | 68.2 | 3.3 | 3.7 | 3.1 |
| 23-24 | 38 | 11 | 28.9 | 27 | 71.1 | 4.6 | 2.0 | 5.7 |
| 25-29 | 129 | 68 | 52.7 | 61 | 47.3 | 4.3 | 4.5 | 4.1 |
| 30-34 | 159 | 80 | 50.3 | 79 | 49.7 | 5.1 | 5.6 | 4.7 |
| 35-39 | 338 | 165 | 48.8 | 173 | 51.2 | 5.6 | 6.6 | 4.6 |
| 40-44 | 627 | 311 | 49.6 | 316 | 50.4 | 6.0 | 5.7 | 6.3 |
| 45-49 | 1,083 | 516 | 47.6 | 567 | 52.4 | 5.8 | 5.5 | 6.1 |
| 50-54 | 1,479 | 806 | 54.5 | 673 | 45.5 | 6.7 | 6.8 | 6.5 |
| 55-59 | 1,625 | 964 | 59.3 | 661 | 40.7 | 6.3 | 6.1 | 6.6 |
| 60-64 | 2,133 | 1,111 | 52.1 | 1,022 | 47.9 | 6.5 | 6.7 | 6.3 |
| 65-69 | 2,076 | 1,031 | 49.7 | 1,045 | 50.3 | 6.1 | 5.9 | 6.3 |
| 70-74 | 2,197 | 1,098 | 50.0 | 1,099 | 50.0 | 6.6 | 6.6 | 6.7 |
| 75-79 | 2,331 | 1,121 | 48.1 | 1,210 | 51.9 | 6.3 | 6.1 | 6.4 |
| 80-84 | 2,198 | 1,085 | 49.4 | 1,113 | 50.6 | 7.0 | 7.1 | 6.9 |
| 85 and older | 2,270 | 836 | 36.8 | 1,434 | 63.2 | 6.8 | 7.0 | 6.6 |

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay.

Source: New York State Department of Health, Statewide Planning and Research Cooperative (SPARCS). Data as of June 2010.

Table 28. Number of Hospital Discharges and Average Length of Stay Due to Diabetes Related Diagnoses¹ by Age and Race/Ethnicity, Westchester County Residents, 2008-2009

| 2008 | | | | | | | | | | | | | | |
|----------------|----------------------|---------------|-------------|--------------|-------------|--------------------|-------------|-----------------------|----------------------------------|------------|------------|------------|--------------------|-----------------------|
| Age (years) | Number of Discharges | | | | | | | | Average Length of Stay (days) | | | | | |
| | Total | White | | Black | | Other ² | | Hispanic ³ | | Total | White | Black | Other ² | Hispanic ³ |
| | | Number | % | Number | % | Number | % | Number | % | | | | | |
| Total | 18,753 | 11,307 | 60.3 | 4,476 | 23.9 | 2,970 | 15.8 | 2,061 | 11.0 | 6.7 | 6.7 | 7.0 | 6.2 | 6.0 |
| Less than 1 | 2 | 1 | 50.0 | 1 | 50.0 | 0 | 0.0 | 0 | 0.0 | 17.5 | 18.0 | 17.0 | 0.0 | 0.0 |
| 1-2 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 3-4 | 8 | 4 | 50.0 | 2 | 25.0 | 2 | 25.0 | 1 | 12.5 | 4.5 | 4.3 | 6.0 | 3.5 | 5.0 |
| 5-6 | 6 | 3 | 50.0 | 3 | 50.0 | 0 | 0.0 | 0 | 0.0 | 23.8 | 4.0 | 43.7 | 0.0 | 0.0 |
| 7-8 | 4 | 2 | 50.0 | 0 | 0.0 | 2 | 50.0 | 1 | 25.0 | 4.0 | 3.0 | 0.0 | 5.0 | 1.0 |
| 9-10 | 20 | 9 | 45.0 | 7 | 35.0 | 4 | 20.0 | 4 | 20.0 | 6.9 | 8.4 | 6.7 | 3.8 | 4.5 |
| 11-12 | 26 | 8 | 30.8 | 14 | 53.8 | 4 | 15.4 | 2 | 7.7 | 4.3 | 3.9 | 3.6 | 7.5 | 2.0 |
| 13-14 | 27 | 14 | 51.9 | 5 | 18.5 | 8 | 29.6 | 4 | 14.8 | 8.0 | 4.8 | 13.4 | 10.3 | 2.5 |
| 15-16 | 28 | 15 | 53.6 | 5 | 17.9 | 8 | 28.6 | 7 | 25.0 | 8.9 | 9.0 | 9.0 | 8.6 | 5.7 |
| 17-18 | 18 | 10 | 55.6 | 4 | 22.2 | 4 | 22.2 | 6 | 33.3 | 6.6 | 5.3 | 5.5 | 10.8 | 8.0 |
| 19-20 | 33 | 15 | 45.5 | 9 | 27.3 | 9 | 27.3 | 9 | 27.3 | 6.9 | 3.9 | 15.4 | 3.4 | 4.3 |
| 21-22 | 28 | 4 | 14.3 | 20 | 71.4 | 4 | 14.3 | 2 | 7.1 | 4.4 | 2.0 | 5.2 | 3.0 | 1.5 |
| 23-24 | 28 | 8 | 28.6 | 8 | 28.6 | 12 | 42.9 | 15 | 53.6 | 5.2 | 3.9 | 5.0 | 6.2 | 4.3 |
| 25-29 | 133 | 39 | 29.3 | 58 | 43.6 | 36 | 27.1 | 31 | 23.3 | 5.5 | 4.1 | 5.9 | 6.4 | 4.5 |
| 30-34 | 165 | 69 | 41.8 | 51 | 30.9 | 45 | 27.3 | 49 | 29.7 | 5.3 | 5.4 | 5.8 | 4.6 | 5.7 |
| 35-39 | 346 | 148 | 42.8 | 131 | 37.9 | 67 | 19.4 | 82 | 23.7 | 6.6 | 5.2 | 8.2 | 6.3 | 6.0 |
| 40-44 | 612 | 252 | 41.2 | 243 | 39.7 | 117 | 19.1 | 104 | 17.0 | 7.1 | 6.8 | 7.4 | 7.2 | 8.4 |
| 45-49 | 975 | 414 | 42.5 | 371 | 38.1 | 190 | 19.5 | 156 | 16.0 | 6.0 | 6.4 | 5.8 | 5.5 | 4.5 |
| 50-54 | 1,413 | 642 | 45.4 | 476 | 33.7 | 295 | 20.9 | 191 | 13.5 | 6.3 | 6.6 | 6.5 | 5.3 | 5.1 |
| 55-59 | 1,665 | 872 | 52.4 | 444 | 26.7 | 349 | 21.0 | 269 | 16.2 | 6.6 | 6.5 | 7.4 | 5.8 | 5.5 |
| 60-64 | 2,013 | 1,082 | 53.8 | 542 | 26.9 | 389 | 19.3 | 247 | 12.3 | 6.4 | 6.4 | 6.6 | 6.1 | 6.2 |
| 65-69 | 2,097 | 1,189 | 56.7 | 501 | 23.9 | 407 | 19.4 | 295 | 14.1 | 6.4 | 6.2 | 6.7 | 6.4 | 6.1 |
| 70-74 | 2,164 | 1,323 | 61.1 | 506 | 23.4 | 335 | 15.5 | 199 | 9.2 | 6.6 | 6.5 | 7.0 | 6.5 | 7.4 |
| 75-79 | 2,435 | 1,674 | 68.7 | 454 | 18.6 | 307 | 12.6 | 198 | 8.1 | 7.0 | 7.0 | 7.0 | 6.7 | 6.1 |
| 80-84 | 2,255 | 1,759 | 78.0 | 281 | 12.5 | 215 | 9.5 | 122 | 5.4 | 7.1 | 7.0 | 8.1 | 6.7 | 6.4 |
| 85 and older | 2,252 | 1,751 | 77.8 | 340 | 15.1 | 161 | 7.1 | 67 | 3.0 | 7.2 | 7.1 | 7.7 | 6.9 | 5.7 |

Table 28. Number of Hospital Discharges and Average Length of Stay Due to Diabetes Related Diagnoses¹ by Age and Race/Ethnicity, Westchester County Residents, 2008-2009 (continued)

| 2009 | | | | | | | | | | | | | | |
|----------------|----------------------|---------------|-------------|--------------|-------------|--------------------|-------------|-----------------------|----------------------------------|------------|------------|------------|--------------------|-----------------------|
| Age (years) | Number of Discharges | | | | | | | | Average Length of Stay (days) | | | | | |
| | Total | White | | Black | | Other ² | | Hispanic ³ | | Total | White | Black | Other ² | Hispanic ³ |
| | | Number | % | Number | % | Number | % | Number | % | | | | | |
| Total | 18,858 | 11,255 | 59.7 | 4,616 | 24.5 | 2,987 | 15.8 | 2,181 | 11.6 | 6.5 | 6.4 | 6.8 | 6.1 | 5.5 |
| Less than 1 | 1 | 1 | 100.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 115.0 | 115.0 | 0.0 | 0.0 | 0.0 |
| 1-2 | 3 | 3 | 100.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 3.3 | 3.3 | 0.0 | 0.0 | 0.0 |
| 3-4 | 1 | 0 | 0.0 | 0 | 0.0 | 1 | 100.0 | 0 | 0.0 | 6.0 | 0.0 | 0.0 | 6.0 | 0.0 |
| 5-6 | 2 | 2 | 100.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5.0 | 5.0 | 0.0 | 0.0 | 0.0 |
| 7-8 | 10 | 4 | 40.0 | 3 | 30.0 | 3 | 30.0 | 2 | 20.0 | 16.1 | 2.0 | 46.7 | 4.3 | 2.0 |
| 9-10 | 7 | 1 | 14.3 | 3 | 42.9 | 3 | 42.9 | 1 | 14.3 | 6.7 | 2.0 | 10.0 | 5.0 | 4.0 |
| 11-12 | 23 | 9 | 39.1 | 11 | 47.8 | 3 | 13.0 | 3 | 13.0 | 10.7 | 6.9 | 14.2 | 9.7 | 3.3 |
| 13-14 | 32 | 14 | 43.8 | 6 | 18.8 | 12 | 37.5 | 4 | 12.5 | 10.3 | 10.7 | 8.3 | 10.9 | 13.8 |
| 15-16 | 36 | 19 | 52.8 | 10 | 27.8 | 7 | 19.4 | 5 | 13.9 | 16.9 | 14.0 | 14.4 | 28.4 | 34.8 |
| 17-18 | 16 | 5 | 31.3 | 2 | 12.5 | 9 | 56.3 | 6 | 37.5 | 5.6 | 6.8 | 7.0 | 4.6 | 5.0 |
| 19-20 | 22 | 6 | 27.3 | 12 | 54.5 | 4 | 18.2 | 5 | 22.7 | 3.5 | 1.8 | 4.8 | 2.5 | 2.2 |
| 21-22 | 22 | 12 | 54.5 | 6 | 27.3 | 4 | 18.2 | 2 | 9.1 | 3.3 | 3.7 | 3.7 | 1.8 | 1.0 |
| 23-24 | 38 | 15 | 39.5 | 15 | 39.5 | 8 | 21.1 | 15 | 39.5 | 4.6 | 2.3 | 8.4 | 1.8 | 1.7 |
| 25-29 | 129 | 48 | 37.2 | 53 | 41.1 | 28 | 21.7 | 41 | 31.8 | 4.3 | 3.9 | 4.8 | 4.2 | 3.9 |
| 30-34 | 159 | 52 | 32.7 | 58 | 36.5 | 49 | 30.8 | 42 | 26.4 | 5.1 | 5.6 | 4.9 | 4.9 | 3.6 |
| 35-39 | 338 | 116 | 34.3 | 129 | 38.2 | 93 | 27.5 | 90 | 26.6 | 5.6 | 5.0 | 5.5 | 6.5 | 5.9 |
| 40-44 | 627 | 272 | 43.4 | 254 | 40.5 | 101 | 16.1 | 99 | 15.8 | 6.0 | 5.4 | 6.4 | 6.6 | 4.6 |
| 45-49 | 1,083 | 471 | 43.5 | 379 | 35.0 | 233 | 21.5 | 199 | 18.4 | 5.8 | 5.5 | 6.4 | 5.4 | 6.0 |
| 50-54 | 1,479 | 666 | 45.0 | 522 | 35.3 | 291 | 19.7 | 221 | 14.9 | 6.7 | 7.1 | 6.7 | 5.8 | 6.0 |
| 55-59 | 1,625 | 879 | 54.1 | 404 | 24.9 | 342 | 21.0 | 282 | 17.4 | 6.3 | 6.1 | 7.2 | 5.7 | 5.1 |
| 60-64 | 2,133 | 1,148 | 53.8 | 622 | 29.2 | 363 | 17.0 | 234 | 11.0 | 6.5 | 6.4 | 7.0 | 6.0 | 5.0 |
| 65-69 | 2,076 | 1,115 | 53.7 | 591 | 28.5 | 370 | 17.8 | 263 | 12.7 | 6.1 | 5.8 | 6.3 | 6.5 | 5.5 |
| 70-74 | 2,197 | 1,340 | 61.0 | 493 | 22.4 | 364 | 16.6 | 237 | 10.8 | 6.6 | 6.5 | 7.5 | 6.1 | 5.7 |
| 75-79 | 2,331 | 1,591 | 68.3 | 425 | 18.2 | 315 | 13.5 | 220 | 9.4 | 6.3 | 6.2 | 6.6 | 6.3 | 5.7 |
| 80-84 | 2,198 | 1,675 | 76.2 | 313 | 14.2 | 210 | 9.6 | 131 | 6.0 | 7.0 | 7.0 | 7.4 | 6.8 | 5.8 |
| 85 and older | 2,270 | 1,791 | 78.9 | 305 | 13.4 | 174 | 7.7 | 79 | 3.5 | 6.8 | 6.7 | 7.1 | 6.5 | 5.4 |

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay.

² Includes Native Americans or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Table 29. Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses¹ by Age and Sex, Westchester County Residents, 2008-2009²

| 2008 | | | | | | | | |
|--------------------------|----------------------|------------|-------------|------------|-------------|----------------------------------|------------|------------|
| Age (years) | Number of Discharges | | | | | Average Length of Stay (days) | | |
| | Total | Male | | Female | | Total | Male | Female |
| | | Number | % | Number | % | | | |
| Total³ | 1,088 | 599 | 55.1 | 489 | 44.9 | 7.9 | 7.9 | 8.0 |
| Less than 1 | 23 | 13 | 56.5 | 10 | 43.5 | 5.0 | 3.8 | 6.5 |
| 1-2 | 1 | 1 | 100.0 | 0 | 0.0 | 2.0 | 2.0 | 0.0 |
| 3-4 | 1 | 0 | 0.0 | 1 | 100.0 | 74.0 | 0.0 | 74.0 |
| 5-6 | 0 | 0 | 0.0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7-8 | 1 | 1 | 100.0 | 0 | 0.0 | 2.0 | 2.0 | 0.0 |
| 9-10 | 1 | 0 | 0.0 | 1 | 100.0 | 3.0 | 0.0 | 3.0 |
| 11-12 | 1 | 0 | 0.0 | 1 | 100.0 | 2.0 | 0.0 | 2.0 |
| 13-14 | 3 | 1 | 33.3 | 2 | 66.7 | 6.0 | 2.0 | 8.0 |
| 15-16 | 5 | 3 | 60.0 | 2 | 40.0 | 18.0 | 23.0 | 10.5 |
| 17-18 | 5 | 1 | 20.0 | 4 | 80.0 | 4.2 | 4.0 | 4.3 |
| 19-20 | 9 | 5 | 55.6 | 4 | 44.4 | 5.1 | 6.2 | 3.8 |
| 21-22 | 4 | 2 | 50.0 | 2 | 50.0 | 3.3 | 3.0 | 3.5 |
| 23-24 | 9 | 0 | 0.0 | 9 | 100.0 | 4.3 | 0.0 | 4.3 |
| 25-29 | 51 | 36 | 70.6 | 15 | 29.4 | 7.2 | 8.1 | 5.3 |
| 30-34 | 56 | 30 | 53.6 | 26 | 46.4 | 6.5 | 7.2 | 5.8 |
| 35-39 | 65 | 37 | 56.9 | 28 | 43.1 | 7.4 | 8.4 | 6.0 |
| 40-44 | 166 | 66 | 39.8 | 100 | 60.2 | 10.1 | 9.2 | 10.8 |
| 45-49 | 187 | 115 | 61.5 | 72 | 38.5 | 8.7 | 8.8 | 8.6 |
| 50-54 | 196 | 97 | 49.5 | 99 | 50.5 | 7.0 | 6.6 | 7.5 |
| 55-59 | 132 | 95 | 72.0 | 37 | 28.0 | 7.4 | 7.3 | 7.6 |
| 60-64 | 66 | 42 | 63.6 | 24 | 36.4 | 9.6 | 11.1 | 7.0 |
| 65-69 | 36 | 23 | 63.9 | 13 | 36.1 | 5.9 | 7.0 | 4.0 |
| 70-74 | 23 | 10 | 43.5 | 13 | 56.5 | 7.9 | 5.0 | 10.1 |
| 75-79 | 19 | 9 | 47.4 | 10 | 52.6 | 6.5 | 4.9 | 7.9 |
| 80-84 | 18 | 8 | 44.4 | 10 | 55.6 | 7.2 | 7.3 | 7.2 |
| 85 and older | 10 | 4 | 40.0 | 6 | 60.0 | 5.9 | 5.8 | 6.0 |

(continued)

Table 29. Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses¹ by Age and Sex, Westchester County Residents, 2008-2009² (continued)

| 2009 | | | | | | | | |
|--------------------------|----------------------|------------|-------------|------------|-------------|----------------------------------|------------|------------|
| Age (years) | Number of Discharges | | | | | Average Length of Stay (days) | | |
| | Total | Male | | Female | | Total | Male | Female |
| | | Number | % | Number | % | | | |
| Total³ | 1,020 | 518 | 50.8 | 502 | 49.2 | 7.5 | 8.1 | 6.9 |
| Less than 1 | 17 | 11 | 64.7 | 6 | 35.3 | 10.6 | 13.6 | 5.2 |
| 1-2 | 3 | 1 | 33.3 | 2 | 66.7 | 21.3 | 5.0 | 29.5 |
| 3-4 | 3 | 1 | 33.3 | 2 | 66.7 | 12.3 | 3.0 | 17.0 |
| 5-6 | 0 | 0 | 0.0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7-8 | 2 | 1 | 50.0 | 1 | 50.0 | 7.0 | 10.0 | 4.0 |
| 9-10 | 3 | 2 | 66.7 | 1 | 33.3 | 2.0 | 2.0 | 2.0 |
| 11-12 | 2 | 1 | 50.0 | 1 | 50.0 | 1.5 | 1.0 | 2.0 |
| 13-14 | 4 | 2 | 50.0 | 2 | 50.0 | 3.0 | 3.0 | 3.0 |
| 15-16 | 3 | 2 | 66.7 | 1 | 33.3 | 5.0 | 2.0 | 11.0 |
| 17-18 | 4 | 1 | 25.0 | 3 | 75.0 | 6.0 | 2.0 | 7.3 |
| 19-20 | 2 | 1 | 50.0 | 1 | 50.0 | 2.0 | 2.0 | 2.0 |
| 21-22 | 7 | 4 | 57.1 | 3 | 42.9 | 2.4 | 2.5 | 2.3 |
| 23-24 | 10 | 8 | 80.0 | 2 | 20.0 | 5.2 | 5.5 | 4.0 |
| 25-29 | 42 | 25 | 59.5 | 17 | 40.5 | 7.0 | 7.6 | 6.1 |
| 30-34 | 44 | 22 | 50.0 | 22 | 50.0 | 10.1 | 13.1 | 7.0 |
| 35-39 | 56 | 29 | 51.8 | 27 | 48.2 | 6.5 | 7.4 | 5.6 |
| 40-44 | 151 | 47 | 31.1 | 104 | 68.9 | 6.2 | 5.8 | 6.4 |
| 45-49 | 165 | 80 | 48.5 | 85 | 51.5 | 7.4 | 8.0 | 6.8 |
| 50-54 | 207 | 109 | 52.7 | 98 | 47.3 | 7.9 | 8.2 | 7.6 |
| 55-59 | 100 | 64 | 64.0 | 36 | 36.0 | 8.0 | 7.4 | 9.0 |
| 60-64 | 70 | 37 | 52.9 | 33 | 47.1 | 6.7 | 6.6 | 6.9 |
| 65-69 | 63 | 39 | 61.9 | 24 | 38.1 | 8.6 | 9.7 | 7.0 |
| 70-74 | 19 | 12 | 63.2 | 7 | 36.8 | 10.9 | 15.0 | 3.9 |
| 75-79 | 19 | 10 | 52.6 | 9 | 47.4 | 8.3 | 11.3 | 4.9 |
| 80-84 | 14 | 4 | 28.6 | 10 | 71.4 | 6.3 | 6.5 | 6.2 |
| 85 and older | 10 | 5 | 50.0 | 5 | 50.0 | 5.1 | 5.8 | 4.4 |

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. In addition, it included any V-class coding of V08 and any of the variables for current, new, or past New York State diagnosis-related group in the range of 700 to 716 or any current, new, or past federal diagnosis-related group in the range of 488 to 490.

² For confidentiality reasons, beginning in 2010, certain data (such as patient county, city, and zipcode) relating to HIV/AIDS patients and patients receiving abortions was restricted by the New York State Department of Health. As a result, not all HIV/AIDS or abortion discharges have been captured by this analysis.

³ Totals include unknown age.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS).
Data as of June 2010.

Table 30. Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses¹ by Age and Race/Ethnicity, Westchester County Residents, 2008-2009²

| 2008 | | | | | | | | | | | | | | |
|----------------|----------------------|------------|-------------|------------|-------------|--------------------|-------------|-----------------------|-------------|----------------------------------|------------|------------|--------------------|-----------------------|
| Age (years) | Number of Discharges | | | | | | | | | Average Length of Stay (days) | | | | |
| | Total ³ | White | | Black | | Other ⁴ | | Hispanic ⁵ | | Total | White | Black | Other ⁴ | Hispanic ⁵ |
| | | Number | % | Number | % | Number | % | Number | % | | | | | |
| Total | 1,088 | 358 | 32.9 | 586 | 53.9 | 144 | 13.2 | 153 | 14.1 | 7.9 | 7.9 | 7.9 | 8.4 | 8.3 |
| Less than 1 | 23 | 8 | 2.2 | 8 | 1.4 | 7 | 4.9 | 6 | 3.9 | 5.0 | 5.8 | 4.3 | 4.9 | 6.7 |
| 1-2 | 1 | 1 | 0.3 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2.0 | 2.0 | 0.0 | 0.0 | 0.0 |
| 3-4 | 1 | 1 | 0.3 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 74.0 | 74.0 | 0.0 | 0.0 | 0.0 |
| 5-6 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7-8 | 1 | 1 | 0.3 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2.0 | 2.0 | 0.0 | 0.0 | 0.0 |
| 9-10 | 1 | 0 | 0.0 | 1 | 0.2 | 0 | 0.0 | 0 | 0.0 | 3.0 | 0.0 | 3.0 | 0.0 | 0.0 |
| 11-12 | 1 | 0 | 0.0 | 0 | 0.0 | 1 | 0.7 | 0 | 0.0 | 2.0 | 0.0 | 0.0 | 2.0 | 0.0 |
| 13-14 | 3 | 1 | 0.3 | 1 | 0.2 | 1 | 0.7 | 0 | 0.0 | 6.0 | 2.0 | 8.0 | 8.0 | 0.0 |
| 15-16 | 5 | 5 | 1.4 | 0 | 0.0 | 0 | 0.0 | 4 | 2.6 | 18.0 | 18.0 | 0.0 | 0.0 | 22.3 |
| 17-18 | 5 | 1 | 0.3 | 1 | 0.2 | 3 | 2.1 | 0 | 0.0 | 4.2 | 2.0 | 3.0 | 5.3 | 0.0 |
| 19-20 | 9 | 1 | 0.3 | 6 | 1.0 | 2 | 1.4 | 0 | 0.0 | 5.1 | 4.0 | 3.2 | 11.5 | 0.0 |
| 21-22 | 4 | 3 | 0.8 | 0 | 0.0 | 1 | 0.7 | 2 | 1.3 | 3.3 | 2.7 | 0.0 | 5.0 | 3.5 |
| 23-24 | 9 | 1 | 0.3 | 6 | 1.0 | 2 | 1.4 | 2 | 1.3 | 4.3 | 2.0 | 5.2 | 3.0 | 3.0 |
| 25-29 | 51 | 8 | 2.2 | 40 | 6.8 | 3 | 2.1 | 3 | 2.0 | 7.2 | 13.3 | 6.4 | 3.0 | 8.0 |
| 30-34 | 56 | 6 | 1.7 | 39 | 6.7 | 11 | 7.6 | 7 | 4.6 | 6.5 | 9.2 | 6.4 | 5.5 | 9.9 |
| 35-39 | 65 | 22 | 6.1 | 29 | 4.9 | 14 | 9.7 | 18 | 11.8 | 7.4 | 6.9 | 7.2 | 8.5 | 10.2 |
| 40-44 | 166 | 46 | 12.8 | 93 | 15.9 | 27 | 18.8 | 27 | 17.6 | 10.1 | 7.6 | 12.0 | 7.9 | 8.0 |
| 45-49 | 187 | 53 | 14.8 | 113 | 19.3 | 21 | 14.6 | 23 | 15.0 | 8.7 | 7.2 | 8.3 | 14.7 | 8.8 |
| 50-54 | 196 | 66 | 18.4 | 110 | 18.8 | 20 | 13.9 | 30 | 19.6 | 7.0 | 7.9 | 6.4 | 7.8 | 6.8 |
| 55-59 | 132 | 42 | 11.7 | 74 | 12.6 | 16 | 11.1 | 17 | 11.1 | 7.4 | 8.0 | 7.1 | 6.8 | 4.2 |
| 60-64 | 66 | 32 | 8.9 | 27 | 4.6 | 7 | 4.9 | 8 | 5.2 | 9.6 | 10.4 | 7.4 | 14.6 | 15.3 |
| 65-69 | 36 | 10 | 2.8 | 20 | 3.4 | 6 | 4.2 | 4 | 2.6 | 5.9 | 5.6 | 6.5 | 4.5 | 5.0 |
| 70-74 | 23 | 12 | 3.4 | 9 | 1.5 | 2 | 1.4 | 2 | 1.3 | 7.9 | 6.3 | 10.1 | 7.5 | 5.0 |
| 75-79 | 19 | 14 | 3.9 | 5 | 0.9 | 0 | 0.0 | 0 | 0.0 | 6.5 | 6.5 | 6.4 | 0.0 | 0.0 |
| 80-84 | 18 | 14 | 3.9 | 4 | 0.7 | 0 | 0.0 | 0 | 0.0 | 7.2 | 6.0 | 11.5 | 0.0 | 0.0 |
| 85 and older | 10 | 10 | 2.8 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5.9 | 5.9 | 0.0 | 0.0 | 0.0 |

(continued)

Table 30. Number of Hospital Discharges and Average Length of Stay Due to HIV or AIDS Related Diagnoses¹ by Age and Race/Ethnicity, Westchester County Residents, 2008-2009² (continued)

| 2009 | | | | | | | | | | | | | | |
|----------------|----------------------|------------|-------------|------------|-------------|--------------------|------------|-----------------------|-------------|----------------------------------|------------|------------|--------------------|-----------------------|
| Age (years) | Number of Discharges | | | | | | | | | Average Length of Stay (days) | | | | |
| | Total ³ | White | | Black | | Other ⁴ | | Hispanic ⁵ | | Total | White | Black | Other ⁴ | Hispanic ⁵ |
| | | Number | % | Number | % | Number | % | Number | % | | | | | |
| Total | 1,020 | 337 | 33.0 | 591 | 57.9 | 92 | 9.0 | 142 | 13.9 | 7.5 | 6.5 | 8.4 | 5.5 | 5.8 |
| Less than 1 | 17 | 7 | 2.1 | 7 | 1.2 | 3 | 3.3 | 3 | 2.1 | 10.6 | 5.9 | 18.0 | 4.7 | 5.7 |
| 1-2 | 3 | 1 | 0.3 | 1 | 0.2 | 1 | 1.1 | 1 | 0.7 | 21.3 | 58.0 | 5.0 | 1.0 | 58.0 |
| 3-4 | 3 | 0 | 0.0 | 2 | 0.3 | 1 | 1.1 | 2 | 1.4 | 12.3 | 0.0 | 18.0 | 1.0 | 17.0 |
| 5-6 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 |
| 7-8 | 2 | 1 | 0.3 | 0 | 0.0 | 1 | 1.1 | 1 | 0.7 | 7.0 | 10.0 | 0.0 | 4.0 | 10.0 |
| 9-10 | 3 | 3 | 0.9 | 0 | 0.0 | 0 | 0.0 | 1 | 0.7 | 2.0 | 2.0 | 0.0 | 0.0 | 2.0 |
| 11-12 | 2 | 1 | 0.3 | 0 | 0.0 | 1 | 1.1 | 0 | 0.0 | 1.5 | 1.0 | 0.0 | 2.0 | 0.0 |
| 13-14 | 4 | 3 | 0.9 | 1 | 0.2 | 0 | 0.0 | 0 | 0.0 | 3.0 | 2.3 | 5.0 | 0.0 | 0.0 |
| 15-16 | 3 | 3 | 0.9 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 5.0 | 5.0 | 0.0 | 0.0 | 0.0 |
| 17-18 | 4 | 1 | 0.3 | 1 | 0.2 | 2 | 2.2 | 2 | 1.4 | 6.0 | 6.0 | 2.0 | 8.0 | 8.0 |
| 19-20 | 2 | 2 | 0.6 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 2.0 | 2.0 | 0.0 | 0.0 | 0.0 |
| 21-22 | 7 | 3 | 0.9 | 4 | 0.7 | 0 | 0.0 | 1 | 0.7 | 2.4 | 2.7 | 2.3 | 0.0 | 4.0 |
| 23-24 | 10 | 3 | 0.9 | 6 | 1.0 | 1 | 1.1 | 1 | 0.7 | 5.2 | 3.0 | 5.8 | 8.0 | 6.0 |
| 25-29 | 42 | 8 | 2.4 | 26 | 4.4 | 8 | 8.7 | 10 | 7.0 | 7.0 | 4.1 | 8.7 | 4.3 | 4.4 |
| 30-34 | 44 | 8 | 2.4 | 31 | 5.2 | 5 | 5.4 | 8 | 5.6 | 10.1 | 6.0 | 11.7 | 6.4 | 4.0 |
| 35-39 | 56 | 18 | 5.3 | 28 | 4.7 | 10 | 10.9 | 12 | 8.5 | 6.5 | 4.8 | 6.9 | 8.4 | 5.8 |
| 40-44 | 151 | 50 | 14.8 | 86 | 14.6 | 15 | 16.3 | 18 | 12.7 | 6.2 | 5.5 | 6.6 | 6.3 | 6.1 |
| 45-49 | 165 | 43 | 12.8 | 107 | 18.1 | 15 | 16.3 | 29 | 20.4 | 7.4 | 6.0 | 8.4 | 4.3 | 6.6 |
| 50-54 | 207 | 70 | 20.8 | 128 | 21.7 | 9 | 9.8 | 26 | 18.3 | 7.9 | 5.7 | 9.4 | 4.2 | 3.9 |
| 55-59 | 100 | 22 | 6.5 | 72 | 12.2 | 6 | 6.5 | 11 | 7.7 | 8.0 | 7.0 | 8.1 | 10.0 | 3.7 |
| 60-64 | 70 | 28 | 8.3 | 39 | 6.6 | 3 | 3.3 | 7 | 4.9 | 6.7 | 7.8 | 6.1 | 4.7 | 6.7 |
| 65-69 | 63 | 23 | 6.8 | 31 | 5.2 | 9 | 9.8 | 8 | 5.6 | 8.6 | 12.7 | 7.1 | 3.3 | 4.5 |
| 70-74 | 19 | 10 | 3.0 | 8 | 1.4 | 1 | 1.1 | 0 | 0.0 | 10.9 | 6.9 | 16.8 | 4.0 | 0.0 |
| 75-79 | 19 | 12 | 3.6 | 6 | 1.0 | 1 | 1.1 | 1 | 0.7 | 8.3 | 5.9 | 12.8 | 9.0 | 4.0 |
| 80-84 | 14 | 11 | 3.3 | 3 | 0.5 | 0 | 0.0 | 0 | 0.0 | 6.3 | 6.8 | 4.3 | 0.0 | 0.0 |
| 85 and older | 10 | 6 | 1.8 | 4 | 0.7 | 0 | 0.0 | 0 | 0.0 | 5.1 | 4.5 | 6.0 | 0.0 | 0.0 |

¹ Including the principal diagnosis and 14 other related diagnoses that coexisted at the time of admission, or developed subsequently, which affected the treatment received and/or length of stay. In addition, it included any V-class coding of V08.0 and any of the variables for current, new or past New York State diagnosis-related group in the range of 700 to 716 or any current, new or past federal diagnosis-related group in the range of 488 to 490.

² For confidentiality reasons, beginning in 2010, certain data (such as patient county, city, and zipcode) relating to HIV/AIDS patients and patients receiving abortions was restricted by the New York State Department of Health. As a result, not all HIV/AIDS or abortion discharges have been captured by this analysis.

³ Total includes unknown age.

⁴ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

⁵ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2010.

Appendices

A1. The Statewide Planning and Research Cooperative System (SPARCS)

Information on emergency room visits and hospitalizations comes from the Statewide Planning and Research Cooperative System (SPARCS) data for the years 2007 and 2008. SPARCS was implemented by the New York State Department of Health in 1979, with the cooperation and initial financial support of the U.S. Department of Health and Human Services. SPARCS receives, processes, stores, and analyzes inpatient hospitalization data from hospitals in New York State and outpatient data from hospitals with emergency departments, hospitals providing ambulatory surgery services, and all other facilities providing ambulatory surgery services.

To protect patient privacy, any personal identifiers are omitted from the SPARCS data set, such as patient names, individual medical record numbers, and detailed residence addresses. Data reported are the number of cases of diseases or conditions requiring emergency care and hospitalizations, rather than individual patients.

Due to the fact that the SPARCS data is continually being updated, the completeness of reporting by individual facilities varies over time. All SPARCS tables included in this data book reflect the information as of June 2009.

Hospitalizations and Emergency Room Visits

Hospitalizations: Cases admitted to an acute-care hospital. Data are extracted from the in-patient data files.

Emergency Room Visits: Cases received treatment from a hospital emergency department or ambulatory surgery services. Data are extracted from both the out-patient data files and the in-patient data files. From the out-patient data files, an emergency room visit is indicated when the record contains an emergency department ancillary revenue code of 045X. From the in-patient data files, an emergency room visit is indicated where the patient record contains an emergency department ancillary revenue codes, where the patient is admitted to the facility upon recommendation of the facility's emergency room physician, or the patient's admission type indicates that the patient required immediate medical intervention as a result of severe, life threatening, or potentially disabling conditions.

Please note that a case may be counted as hospitalization and Emergency Department incident if the individual is admitted to a hospital following an initial admittance to the emergency department. .

Length of Stay

SPARCS calculates a length of stay for each discharge record by subtracting the date of admission from the date of discharge. If a patient is admitted and discharged the same day, the length of stay is one day.

Service Categories

The service categories are based on categories developed by the New York State Department of Health and are defined in terms of diagnosis and procedure codes from the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM).

Nursery: Including patients whose age equals zero and have an ICD-9-CM code of V30.0, V30.1, V31.0, V31.1, V32.0, V32.1, V33.0, V33.1, V34.0, V34.1, V35.0, V35.1, V36.0, V36.1, V37.0, or V37.1. These codes refer only to live-born infants.

Obstetrical: Including female patients of any age with an ICD-9-CM code within the range of 630 through 634.9 and 640 through 676.9.

Psychiatric: Including patients of any age with an ICD-9-CM code within the range of 290 through 319.

Pediatric: Including patients aged 14 years and younger whose primary diagnosis is neither included in the nursery, obstetrical, or psychiatric categories nor classified by ICD-9-CM codes 614 through 629.9 (gynecological) or 635 through 639.9 (abortion).

Medical: Including patients aged 15 years or older with no reported procedure code or with reported procedure codes greater than 86.99. This category also includes gynecological patients (ICD-9-CM codes 614 through 629.9) of all ages with no reported procedure code or with reported procedure codes greater than 86.99. Newborn, obstetrical, psychiatric, and pediatric patients are excluded.

Surgical: Including patients aged 15 years or older with at least one procedure code in the range 01 through 86.99. This category also include gynecological patients (ICD-9-CM codes 614 through 629.9) of all ages with at least one such procedure code and all patients whose principal diagnoses are codes 635 through 639.9 (abortion). Newborn, obstetrical, psychiatric, pediatric, and medical patients are excluded.

Principal Diagnosis and Other Diagnosis

The principal diagnosis is the condition chiefly responsible for causing the admission of the patient into the hospital for care. Because it represents the reason for the patient's stay and reflects clinical findings discovered during the patient's stay, it may not necessarily have been the diagnosis which represented the greatest length of stay, the greatest consumption of hospital resources, or the most life-threatening condition. It may also differ from the admitting diagnosis.

There are 14 additional diagnosis codes in the SPARCS discharge record. These additional codes describe the diagnoses that coexist at the time of admission or have developed subsequently, which affect the treatment received and/or length of stay. The diagnoses that are related to an earlier episode which have no bearing on the current hospital stay are not included.

Diagnosis-Related Groups

The Diagnosis-Related Group (DRG) is developed by the U.S. Department of Health and Human Services to categorize patient records for reimbursement and research purposes for the calendar year of the date of discharge. It is based on ICD-9 data in the principal and secondary diagnoses, surgical procedures, age, sex, and discharge disposition within the patient medical record.

Classification of Neoplasms

According to the New York State Department of Health, neoplasm data is categorized by considering the principal diagnosis and other fourteen diagnoses in the SPARCS discharge record on the basis of metastatic nature of cancer. The intent of the logic was to develop a comprehensive categorization of all hospital discharges related to neoplasms. The procedure used to extract and categorize neoplasm-related records is as the following⁹:

- Extract all records with **any** diagnosis fields containing a three digit ICD-9 code prefix indicating a neoplasm (i.e. between 140 and 239) or Chemo/Radiation therapy encounter (V58).
- If the principal diagnosis is associated with a primary site (140 through 194 or 200 through 208), the principal diagnosis identifies the primary site of cancer. If the principal diagnosis corresponds to a secondary or ill defined site (195 or 196 through 199), the other diagnosis fields are searched for a primary site. If one is found, that diagnosis identifies the primary site of cancer. If a primary site is not found, the principal diagnosis identifies the secondary site of cancer.
- If the principal diagnosis does not correspond to a primary or a secondary site of cancer, the primary or the secondary site of cancer is identified through searching the other 14 diagnoses based on the same logic stated at step 2.
- If a primary or a secondary site of cancer is not identified by the above 3 steps, an other-than-malignant neoplasm (210 through 239) is identified by checking the principal diagnosis and the 14 other diagnoses.

Classification of HIV and AIDS

Cases of HIV and AIDS were classified by considering the principal diagnosis code and the fourteen other diagnosis codes (ICD-9: 042, 043, 044, 079.51, 079.53, 136.3, 279.10, 279.19, 279.3, 795.71, and V08), as well as the current, new, and prior New York DRG's (in the range of 700-716) and the current, new, and prior Federal DRG's (in the range of 488-490) in the NYS DOH SPARCS discharge record.¹⁰

⁹ Archived on the New York State Department Of Health web page at <https://commerce.health.state.ny.us/hpn/ctrldocs/sparcs/deriveneo.html>.

¹⁰ Archived on the New York State Department Of Health web page at <https://commerce.health.state.ny.us/hpn/ctrldocs/sparcs/deriveaidsh.html>

Classification of Injury

Injury was classified by considering both the principal diagnosis code, the 14 other diagnosis codes, and a separate variable of the external cause of injury, using the E-code supplement of the International Classification of Diseases, Ninth Revision. The priorities for recording the E-code categories are: a) principal diagnosis of an injury or poisoning; b) other diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis; and c) other diagnosis with an external cause. Only the first E-Code is recorded.

A2. The International Classification of Diseases (ICD-9): Codes for Selected Diseases for Hospitalizations

| Disease Category | ICD-9 Code |
|--|-----------------------|
| Infectious and Parasitic Diseases | 001-139 |
| AIDS | 042 |
| Neoplasms (including Benign) | 140-239 |
| Breast | 174 |
| Buccal Cavity and Pharynx | 140-149 |
| Digestive Organs and Peritoneum | 150-159 |
| Genital Organs | 179-187 |
| Lymphatic and Hemotopoietic Tissues | 200-208 |
| Respiratory System | 160-165 |
| Urinary Organs | 188-189 |
| Other and Unspecified Sites | 170-173, 175, 190-199 |
| Endocrine, Nutritional, Metabolic, and Immunologic Disorders | 240-279 |
| Diabetes Mellitus | 250 |
| Diseases of the Blood and Blood-Forming Organs | 280-289 |
| Mental Disorders | 290-319 |
| Psychoses | 290-299 |
| Alcoholic Psychoses | 291 |
| Drug-Induced Psychoses | 292 |
| Schizophrenia | 295 |
| Other | 293-294, 296-299 |
| Neurotic, Personality & Other Non-Psychotic Mental Disorders | 300-316 |
| Alcohol Dependence Syndrome | 303 |
| Drug Dependence Syndrome | 304 |
| Non-Dependent Drug Abuse | 305 |
| Other | 300-302, 306-316 |
| Mental Retardation | 317-319 |
| Diseases of the Nervous System and Sensory Organs | 320-389 |
| Disease of the Circulatory System | 390-459 |
| Diseases of the Heart | 390-398, 402, 404-429 |
| Acute Rheumatic Fever | 390-392 |
| Chronic Rheumatic Fever | 393-398 |
| Diseases of the Pulmonary Circulation | 415-417 |
| Hypertension with Heart Disease | 402, 404 |

(continued)

A2. The International Classification of Diseases (ICD-9): Codes for Selected Diseases for Hospitalizations *(continued)*

| Disease Category | ICD-9 Code |
|--|-----------------------|
| Disease of the Circulatory System <i>(continued)</i> | 390-459 |
| Diseases of the Heart <i>(continued)</i> | 390-398, 402, 404-429 |
| Ischemic Heart Diseases | 410-414 |
| <i>Acute Myocardial Infarction</i> | 410 |
| <i>Other Ischemic Heart Diseases</i> | 411-414 |
| Other Diseases of the Heart | 420-429 |
| Atherosclerosis | 440 |
| Cerebrovascular Disease | 430-438 |
| Hypertension with or without Renal Disease | 401, 403, 405 |
| Other Diseases of the Circulatory System | 441-459 |
| Diseases of the Respiratory System | 460-519 |
| Acute Respiratory Infections | 460-466 |
| Other Diseases of the Upper Respiratory Tract | 470-478 |
| Pneumonia | 480-486 |
| Influenza | 487 |
| Chronic Obstructive Pulmonary Disease | 490-496 |
| Chronic Bronchitis | 491 |
| Asthma | 493 |
| Other Respiratory Diseases | 496 |
| Diseases of the Digestive System | 520-579 |
| Diseases of the Oral Cavity, Salivary Glands, and Jaws | 520-529 |
| Diseases of the Esophagus, Stomach, and Duodenum | 530-539 |
| Appendicitis | 540-543 |
| Hernia of the Abdominal Cavity | 550-553 |
| Noninfectious Enteritis and Colitis | 555-558 |
| Other Diseases of the Intestines and Peritoneum | 560-569 |
| Diverticula of the Intestine | 562 |
| Other Diseases of the Digestive System | 570-579 |
| Chronic Liver Diseases and Cirrhosis | 571 |
| Diseases of the Genitourinary System | 580-629 |
| Complications of Pregnancy, Childbirth, and the Puerperium | 630-679 |
| Disease of the Skin and Subcutaneous Tissue | 680-709 |
| Diseases of the Musculoskeletal System and Connective Tissue | 710-739 |
| Congenital Anomalies | 740-759 |
| Conditions Originating in the Perinatal Period | 760-779 |
| Symptoms, Signs, and Ill-Defined Conditions | 780-799 |

(continued)

A2. The International Classification of Diseases (ICD-9): Codes for Selected Diseases for Hospitalizations *(continued)*

| Disease Category | ICD-9 Code |
|----------------------------|--|
| Injury and Poisoning | 800-999 |
| Assault | E960-E968.9 |
| Bicycle | E800.3, E801.3, E802.3, E803.3, E804.3, E805.3, E806.3, E807.3, E810.6, E811.6, E812.6, E813.6, E814.6, E815.6, E816.6, E817.6, E818.6, E819.6, E820.6, E821.6, E822.6, E823.6, E824.6, E825.6, E826.1 |
| Cutting Instrument | E920-E920.9 |
| Falls | E880-E886.9, E888-E888.9 |
| Fire/Flame | E900-E899.9 |
| Machinery | E919-E919.9 |
| Motor Vehicle Crash | E810-E810.3, E810.8-E810.9, E811-E811.3, E811.8-E811.9, E812-E812.3, E812.8-E812.9, E813-E813.3, E813.8-E813.9, E814-E814.3, E814.8-E814.9, E815-E815.3, E815.8-E815.9, E816-E816.3, E816.8-E816.9, E819-E819.3, E819.8-E819.9, E822-E822.3, E822.8-E822.9, E823-E823.3, E823.8-E823.9, E825-E825.3, E825.8-E825.9 |
| Overexertion | E927 |
| Pedestrian | E810.7, E811.7, E812.7, E813.7, E814.7, E815.7, E816.7, E817.7, E818.7, E819.7, E820.7, E821.7, E822.7, E823.7, E824.7, E825.7 |
| Poisonings | E850-E858.9, E860-E869.9 |
| Respiratory Interference | E911-E913 |
| Scalds | E924-E924.9 |
| Self-Inflicted | E950-E958.9 |
| Struck by Object or Person | E916-E918 |
| Submersion | E830-E830.9, E832-E832.9, E910-E910.9 |
| Unintentional Firearms | E922-E922.9 |
| Other | |
| Railway | E800-E800.2, E800.8-E800.9, E801-E801.2, E801.8-E801.9, E802-E802.2, E802.8-E802.9, E803-E803.2, E803.8-E803.9, E804-E804.2, E804.8-E804.9, E805-E805.2, E805.8-E805.9, E806-E806.2, E806.8-E806.9, E807-E807.2, E807.8-E807.9 |
| Motor Vehicle/Traffic | E810.4-E810.5, E811.4-E811.5, E812.4-E812.5, E813.4-E813.5, E814.4-E814.5, E815.4-E815.5, E816.4-E816.5, E817-E817.5, E817.8-E817.9, E818-E818.5, E818.8-E818.9, E819.4-E914.5 |

(continued)

A2. The International Classification of Diseases (ICD-9): Codes for Selected Diseases for Hospitalizations *(continued)*

| Disease Category | ICD-9 Code |
|---|---|
| Injury and Poisoning <i>(continued)</i> | 800-999 |
| Other <i>(continued)</i> | |
| Motor Vehicle/Non-Traffic | E820-E820.9, E821-E821.9, E822.4-E822.5, E823.4-E823.5, E824.0-E824.5, E824.8-E824.9, E825.4-E825.5 |
| Water Transport | E831-E831.9, E833-E838.9, |
| Air and Space Transport | E840-E845 |
| Vehicle, Not Elsewhere Classified | E846-E848 |
| Falls (Other) | E887 |
| Natural and Environmental | E900-E909 |
| Submersion, Suffocation, Foreign Body | E914-E915 |
| Other Road Vehicle | E826, E826.2-E826.9, E827-E829 |
| Explosion of a Pressurized Vessel | E921.0-E921.9 |
| Explosive Material | E923 |
| Caustic and Corrosive Material | E924.1 |
| Other Unintentional | E925-E926, E928 |
| Legal Intervention | E970-E976, E978 |
| Injury, Undetermined Whether Accidentally or Purposefully Inflicted | E980-E988 |
| Terrorism | E979 |
| Medical Misadventures, Adverse Reactions, and Late Effects | 800-999 |
| Medical Misadventures | E870-E876 |
| Abnormal Reactions to Medical Procedures | E878-E879 |
| Adverse Effects of Therapeutic Substances | E930-E949 |
| Late Effects of Injuries | E929, E959, E969, E977, E989, E999 |
| War | E990-E998 |
| Medical Misadventures (Late Effects) | 905-909, 996-999 |
| Certain Adverse Effects, Not Elsewhere Classified | 995 |
| Supplementary Classifications – Newborns | V30-V39 |
| Supplementary Classifications – Other | V01-V29, V40-V83 |


A3. Westchester County Hospitals

| Name | Address | Telephone |
|---|---|---------------------|
| Acute Hospitals | | |
| Community Hospital at Dobbs Ferry | 128 Ashford Avenue, Dobbs Ferry, NY 10522 | 914-693-0700 |
| Hudson Valley Hospital Center | 1980 Crompond Road, Cortlandt Manor, NY 10567 | 914-737-9000 |
| Lawrence Hospital Center | 55 Palmer Avenue, Bronxville, NY 10708 | 914-787-1000 |
| Mount Vernon Hospital | 12 North Seventh Avenue, Mount Vernon, NY 10550 | 914-664-8000 |
| Northern Westchester Hospital | 400 Main Street, Mount Kisco, NY 10549 | 914-666-1303 |
| Phelps Memorial Hospital Association | 701 North Broadway, Sleepy Hollow, NY 10591 | 914-366-3000 |
| Sound Shore Medical Center of Westchester | 16 Guion Place, New Rochelle, NY 10802 | 914-632-5000 |
| St. John's Riverside Hospital - Andrus Pavilion | 967 North Broadway, Yonkers, NY 10701 | 914-964-4200 |
| <i>Park Care Pavilion Division¹</i> | <i>2 Park Avenue, Yonkers, New York 10703</i> | <i>914-964-7300</i> |
| St. Joseph's Hospital | 127 South Broadway, Yonkers, NY 10701 | 914-378-7000 |
| Westchester Medical Center | 95 Grasslands Road, Valhalla, NY 10595 | 914-493-7000 |
| White Plains Hospital Center | 14 East Post Road, White Plains, NY 10604 | 914-681-0600 |
| Specialty Hospitals | | |
| Blythedale Children's Hospital | Bradhurst Avenue, Valhalla, NY 10595 | 914-592-7555 |
| W.M. Burke Rehabilitation Hospital | 785 Mamaroneck Avenue, White Plains, NY 10605 | 914-597-2500 |
| Four Winds Hospital | 800 Cross River Road, Katonah, NY 10536 | 914-763-8151 |
| New York Presbyterian Hospital - Westchester Division | 21 Bloomingdale Road, White Plains, NY 10605 | 914-682-9100 |
| Rye Hospital Center | 754 Boston Post Road, Rye, NY 10580 | 914-967-4567 |
| St. Vincent's Westchester Catholic Medical Center - St. Vincent's Westchester | 275 North Street, Harrison, NY 10528 | 914-967-6500 |
| Stony Lodge Hospital | 40 Croton Dam Road, Ossining, NY 10562 | 914-941-7400 |
| VA Hudson Valley Health Care System | 2094 Albany Post Road, Montrose, NY 10548 | 914-737-4400 |

¹As of 11/01/2001, Yonkers General Hospital has been merged with St. John's Riverside Hospital. The original Yonkers General Hospital is currently an urgent care center that is open 24 hours a day, 7 days a week. The center is limited to walk-in detoxification and rehabilitation patients only and is known as the Park Care Pavilion. Patients in need of hospital care are admitted to St. John's Riverside Hospital.

Source: New York State Department of Health, July 2007.

Hospitals Located in Westchester County, 2011



A4. Westchester County Municipalities

| Health Planning Region and Municipality ¹ | Code ² |
|---|-------------------|
| Northwest | |
| Cortlandt Town | T |
| Buchanan Village | V |
| Croton-on-Hudson Village | V |
| Cortlandt Unincorporated | TOV |
| Mount Pleasant Town | T |
| Briarcliff Manor Village (Mount Pleasant Part) ² | V |
| Pleasantville Village | V |
| Sleepy Hollow Village | V |
| Mount Pleasant Unincorporated | TOV |
| Ossining Town | T |
| Briarcliff Manor Village (Ossining Part) ² | V |
| Ossining Village | V |
| Ossining Unincorporated | TOV |
| Peekskill | C |
| Northeast | |
| Bedford Town | T |
| Lewisboro Town | T |
| Mount Kisco Town/Village | T/V |
| New Castle Town | T |
| North Castle Town | T |
| North Salem Town | T |
| Pound Ridge Town | T |
| Somers Town | T |
| Yorktown Town | T |
| West Central | |
| Greenburgh Town | T |
| Ardsley Village | V |
| Dobbs Ferry Village | V |
| Elmsford Village | V |
| Hastings-on-Hudson Village | V |
| Irvington Village | V |
| Tarrytown Village | V |
| Greenburgh Unincorporated | TOV |
| Scarsdale Town/Village | T/V |
| White Plains | C |

A4. Westchester County Municipalities *(continued)*

| Health Planning Region and Municipality¹ | Code² |
|--|-------------------------|
| East Central | |
| Harrison Town/Village | T/V |
| Mamaroneck Town | T |
| Larchmont Village | V |
| Mamaroneck Village (Mamaroneck Part) ³ | V |
| Mamaroneck Unincorporated | TOV |
| Rye City | C |
| Rye Town | T |
| Mamaroneck Village (Rye Part) ³ | V |
| Port Chester Village | V |
| Rye Brook Village | V |
| Southwest | |
| Yonkers | C |
| Southeast | |
| Eastchester Town | T |
| Bronxville Village | V |
| Tuckahoe Village | V |
| Eastchester Unincorporated | TOV |
| Mount Vernon | C |
| New Rochelle | C |
| Pelham Town | T |
| Pelham Village | V |
| Pelham Manor Village | V |

¹ For regional planning purposes, municipalities are grouped into six geographic health planning regions.

² A town may or may not include incorporated villages located within the town boundary. When it does not include any incorporated villages within the town boundary, the statistics refer to the town as a whole (T). When it does include incorporated villages within its boundary, the statistics refer to the unincorporated area within the town boundary (TOV). The entities of Harrison, Mount Kisco, and Scarsdale are both towns and villages (V/T). The land in two towns, Pelham and Rye, has all been incorporated into separated villages. Therefore, no data are reported for these two towns.

³ The Village of Briarcliff Manor and the Village of Mamaroneck are split between two towns. Briarcliff Manor is within the Town of Ossining (92% of its surface area and 91% of its population) and the Town of Mount Pleasant (8% of its surface area and 9% of its population). The Village of Mamaroneck is within the Town of Mamaroneck (63% of its surface area and 60% of its population) and the Town of Rye (37% of its surface area and 40% of its population).

