
Andrew J. Spano, Westchester County Executive County Board of Legislators

Age and Region Profiles







2009

Westchester gov.com

DEPARTMENT OF HEALTH Joshua Lipsman, M.D., J.D., M.P.H., Commissioner

COUNTY OF WESTCHESTER ANDREW J. SPANO COUNTY EXECUTIVE

DEPARTMENT OF HEALTH

COMMUNITY HEALTH ASSESSMENT AGE & REGIONAL PROFILES

2009

JOSHUA LIPSMAN, M.D., J.D., M.P.H.
COMMISSIONER OF HEALTH
WESTCHESTER COUNTY DEPARTMENT OF HEALTH
145 HUGUENOT STREET – 8TH FLOOR
NEW ROCHELLE, NY 10801

For questions, please contact the Department's Division of Planning and Evaluation: Phone: (914) 813-5100

Westchester County Department of Health

Mission Statement

The mission of the Westchester County Department of Health is to promote health, prevent disease and prolong meaningful life for Westchester residents.

The Commissioner of Health is vested with all of the powers and duties necessary under the mandates of the New York State Public Health Law to

- > monitor and control the spread of communicable disease,
- > monitor and regulate air and water quality,
- > enforce the state and local sanitary code,
- promote and ensure local public health activities and
- > assure the availability of community health services.

Introduction

As part of the Community Health Assessment (CHA) 2010-2013, age and regional profiles are presented to describe the general demographic and health indicators for each specific age group and region in the county. These profiles are extracted from the main CHA document with updated information for easier access to the readers.

AGE PROFILES

The age profiles present the basic demographic information such as total population, sex, and race/ethnicity, and the most recent rates of communicable diseases (2008), emergency room visits (2008), hospitalizations (2008), and deaths (2007) for the whole age group as well as for males and females and specific race/ethnicity groups. In addition, the top three communicable diseases and the top three causes of emergency room visits, hospitalizations and deaths for each age group are highlighted. The age groups presented are:

- > Children under 1, age 1-4, 5-9, and 10-14,
- > Teenagers and young adults, age 15-17, and 18-24,
- Middle-aged adults, age 25-44, 45-64, and
- ➤ Older adults, age 65-74, and 75 and older.

REGION PROFILES

The region profiles are presented for Westchester County, each of the six Health Planning Regions (HPR), and select towns and areas in the county based on data availability from the 2005-2007 American Community Survey (ACS). The profiles present the basic geographic information and demographic characteristics such as total population, sex, race/ethnicity, family structure, country of origin, language spoken at home, education, median household income, and poverty rate in the reference regions from the 2000 census and the 2005-2007 ACS. Vital information such as average number of births and deaths, mother's demographic and socioeconomic characteristics, and the major causes of death are presented. Data from 2005-2007 averages are presented for the vital statistics in considerations of single-year data fluctuations in small areas.

In addition to the demographic and vital information, the top five communicable diseases and sexually transmitted diseases in the regions are listed for 2008. Furthermore, the numbers and rates of 2008 emergency room visits and hospitalizations, the top causes of emergency room visits and hospitalizations, and insurance type are presented for each region.

The information on emergency room visits and hospitalization is extracted from the New York State Statewide Planning and Research Cooperative System (SPARCS). The geographic information for each region is based on the patients' residence ZIP codes. If a ZIP code serves multiple regions, the emergency room visit and hospitalization cases are allocated to the corresponding regions according to the geographic locations and population densities of the regions. In some areas with high population densities, the assumption of homogeneity distribution of such cases within the ZIP code is applied.

Also included in the region profiles are the Prevention Quality Indicators (PQI) adapted by the New York State Department of Health. The Prevention Quality Indicators are a set of measures developed by the federal Agency for Healthcare Research and Quality (AHRQ) intended to assess the quality of outpatient care for "ambulatory care sensitive conditions." With adequate outpatient care, such conditions can be monitored and prevented from developing into further complications or more severe diseases, therefore avoiding unnecessary hospitalizations.

The AHRQ has selected 12 conditions in four categories to calculate the Prevention Quality Indicators. These conditions are:

Diabetes Related


- Short-term complications
- o Long-terms complications
- Lower limb amputations
- Uncontrolled

> Respiratory Related

- o Asthma
- o Chronic obstructive pulmonary diseases (COPD)

- > Circulatory Related
 - o Angina
 - o Congestive heart failure
 - o Hypertension
- > Acute Condition Related
 - o Bacterial pneumonia
 - o Dehydration
 - o Urinary tract infection

The Prevention Quality Indicators are defined as the rates of admission to the hospital for these conditions in a given population, adjusted for age and sex in the area. The population used in such calculations is derived from the population estimates by Clarita, a national demographic research firm. The indicators are extracted from the New York State Department of Health's Prevention Quality Indicators website.



AGE GROUP: Total

		2000 Cens	sus	2005-07 A	ACS	
		N	%	N	%	
Total Population	923.	,459	100.0	949,041	100.0	
Male	441.	.722	47.8	457,328	48.2	
Female	481.		52.2	491,713	51.8	
White	658.		71.3	648,667	68.3	
Black	131,		14.2	132,140	13.9	
Other	133.		14.5	168,234	17.7	
Hispanic*	144.		15.6	175,405	18.5	
* Hispanic may be of any race.						
General Health Status	Total	Males	Females	White	Black	Hispanic*
Communicable Diseases	5,260	2,166	3,074	993	1,409	925
Rate (per 100,000)	570	490	638	151	1,074	642
Emergency Room Visits (N)	295,123	139,562		159,351	71,516	62,499
Rate (per 10,000)	3,196	3,159	3,229	2,419	5,454	4,336
Hospitalizations	111,638	48,372	63,238	71,579	19,662	15,299
Rate (per 10,000)	1,209	1,095	1,313	1,086	1,499	1,062
Excl.Newborns & Obstetrics	89,963	43,197	46,765	59,831	16,092	9,764
Rate (per 10,000)	974	978	971	908	1,227	677
Deaths	6,805	3,084	3,721	5,637	895	364
Rate (per 100,000)	737	698	772	856	683	253
* Hispanic may be of any race.						
Гор Communicable Diseases					N	%
1 Chlamydia				2,	545	48.4
2 Gonorrhea				3	376	7.1
3 Syphilis				1	186	3.5
Гор Causes of Emergency Room Vis	sits				<u>N</u>	%
1 Injuries				71	,070	24.1
2 Acute respiratory infections		`			,845	5.0
3 Mental disorders				10	,560	3.6
Γορ Causes of Hospital Admission*					N	%
1 Diseases of the circulatory sys	tem			15	,570	17.3
2 Mental disorders				8,	881	9.9
3 Diseases of the digestive syste * Excluding Newborns & Obstetrics.	m			8,	.880	9.9
Γop Causes of Death					N	%
1 Major cardiovascular diseases				2,	,725	40.0
2 Malignant neoplasms				1,	,678	24.7
3 Chronic lower respiratory dise	(CODD)				313	4.6

AGE GROUP: Under 1

	2000	Census		2000 Birt	hs		007 Birth	ıs
	N	%		N	%	N		%
Total Population	12,528	100.0		13,283	100.0	11,857		100.0
Male	6,415	51.2		6,817	51.3	6,012		50.7
Female	6,113	48.8		6,466	48.7	5,845		49.3
White	8,241	65.8		10,158	76.5	7,010		59.1
Black	1,792	14.3		2,111	15.9	1,688		14.2
Other	2,495	19.9		1,014	7.6	3,159		26.6
Hispanic*	2,835	22.6		3,121	23.5	3,812		32.1
* Hispanic may be of any race.								
General Health Status*		Total	Males	Females	_ =	White	Black	Hispanic [*]
Communicable Diseases		5	2	3		1	0	2
Rate (per 100,000)		40	31	49		12	0	71
Emergency Room Visits		,411	4,065	3,345		3,167	1,689	3,271
Rate (per 10,000)	5	,916	6,337	5,472		3,843	9,425	11,538
Hospitalizations	1	1,316	5,823	5,466		6,213	1,759	2,902
Rate (per 10,000)	9	,033	9,077	8,942		7,539	9,816	10,236
Excluding Newborns	1	,145	648	497		567	194	352
Rate (per 10,000)		914	1,010	813		688	1,083	1,242
Deaths		57	35	22		29	21	17
Rate (per 1,000)		4.5	5.5	3.6		3.5	11.7	6.0
* 2000 Census data were used in calculating		, , , , , , , , , , , , , , , , , , ,	-			* Hispanic may be of any rac		
Communicable Diseases (1	case each)							
	case each)			Salm	onellosi	s		
Communicable Diseases (1 Congenital Syphilis Haemophilus Influen Influenza A						s B, Invasive		
Congenital Syphilis Haemophilus Influen Influenza A	za Type B							%
Congenital Syphilis Haemophilus Influen Influenza A Top Causes of Emergency I	za Type B Room Visits					B, Invasive		
Congenital Syphilis Haemophilus Influen Influenza A Top Causes of Emergency I 1 Acute respiratory info	za Type B Room Visits					B, Invasive N 1,489		20.1
Congenital Syphilis Haemophilus Influen Influenza A Top Causes of Emergency I	za Type B Room Visits					B, Invasive		
Congenital Syphilis Haemophilus Influen Influenza A Fop Causes of Emergency I Acute respiratory info Fever Injuries	za Type B Room Visits ection					B, Invasive N 1,489 838		20.1 11.3
Congenital Syphilis Haemophilus Influen Influenza A Top Causes of Emergency I Acute respiratory info Fever Injuries	za Type B Room Visits ection mission*					N 1,489 838 613		20.1 11.3 8.3
Congenital Syphilis Haemophilus Influen Influenza A Top Causes of Emergency I Acute respiratory info Fever Injuries Top Causes of Hospital Adm	za Type B Room Visits ection mission* eatory system	atal period				N 1,489 838 613 N		20.1 11.3 8.3 %
Congenital Syphilis Haemophilus Influen Influenza A Top Causes of Emergency I Acute respiratory info Fever Injuries Top Causes of Hospital Adu Diseases of the respir Conditions originatin Congenital anomalies	za Type B Room Visits ection mission* ratory system g in the perina	atal period				B, Invasive N 1,489 838 613 N 287		20.1 11.3 8.3 % 25.1
Congenital Syphilis Haemophilus Influen Influenza A Top Causes of Emergency I 1 Acute respiratory info 2 Fever 3 Injuries Top Causes of Hospital Adu 1 Diseases of the respir 2 Conditions originatin 3 Congenital anomalies *Excluding newborns.	za Type B Room Visits ection mission* ratory system g in the perina	atal period				B, Invasive N 1,489 838 613 N 287 265		20.1 11.3 8.3 % 25.1 23.1
Congenital Syphilis Haemophilus Influen Influenza A Top Causes of Emergency I 1 Acute respiratory info 2 Fever 3 Injuries Top Causes of Hospital Adu 1 Diseases of the respir 2 Conditions originatin 3 Congenital anomalies * Excluding newborns. Top Causes of Death	za Type B Room Visits ection mission* ratory system g in the perina	·				N 1,489 838 613 N 287 265 126		20.1 11.3 8.3 % 25.1 23.1 11.0
Haemophilus Influen Influenza A Top Causes of Emergency I Acute respiratory inform Fever Injuries Top Causes of Hospital Adu Diseases of the respir Conditions originatin Congenital anomalies	za Type B Room Visits ection mission* ratory system g in the perina s	·				N 1,489 838 613 N 287 265 126 N		20.1 11.3 8.3 % 25.1 23.1 11.0

AGE GROUP: 1-4

	2000 Cen	2000 Census (1-4)		sus (0-4)*	2005-07 ACS (0-4)*		
	N	%	N	%	N	%	
Total Population	51,714	100.0	64,242	100.0	60,791	100.0	
Male	26,369	51.0	32,784	51.0	30,796	50.7	
Female	25,345	49.0	31,458	49.0	29,995	49.3	
White	34,269	66.3	42,510	66.2	36,549	60.1	
Black	7,528	14.6	9,320	14.5	9,456	15.6	
Other	9,917	19.2	12,412	19.3	14,786	24.3	
Hispanic**	10,551	20.4	13,386	20.8	17,577	28.9	

^{*} Population 1-4 is not available from the AVS estimates. Therefore the population0-4 from the 2000 Census and the 05-07 ACS estimates are listed for references.
** Hispanic may be of any race.

Total	Males	Females	White	Black	Hispanic*
129	68	60	47	7	27
249	258	237	137	93	256
19,763	10,901	8,862	8,797	4,112	8,130
3,822	4,134	3,497	2,567	5,462	7,705
1,381	815	566	711	237	427
267	309	223	207	315	405
7	3	4	4	1	5
14	11	16	12	13	47
	129 249 19,763 3,822 1,381 267	129 68 249 258 19,763 10,901 3,822 4,134 1,381 815 267 309 7 3	129 68 60 249 258 237 19,763 10,901 8,862 3,822 4,134 3,497 1,381 815 566 267 309 223 7 3 4	129 68 60 47 249 258 237 137 19,763 10,901 8,862 8,797 3,822 4,134 3,497 2,567 1,381 815 566 711 267 309 223 207 7 3 4 4	129 68 60 47 7 249 258 237 137 93 19,763 10,901 8,862 8,797 4,112 3,822 4,134 3,497 2,567 5,462 1,381 815 566 711 237 267 309 223 207 315 7 3 4 4 1

Top C	ommunicable Diseases	N	%
1	Salmonellosis	22	17.1
2	Campylobacteriosis	18	14.0
3	Giardiasis	9	7.0
Гор С	auses of Emergency Room Visits	N	0%
1	Injuries	4,942	25.0
2	Acute respiratory infections	2,771	14.0
3	Suppurative otitis media	1,701	8.6
Тор С	auses of Hospital Admission	N	%
1	Diseases of the respiratory system	477	34.5
2	Endocrine, nutritional, metabolic, & immunologic disorders	135	9.8
3	Injury & poisoning	126	9.1

Causes of Death for the Seven Cases (1 case of each)

Congenital anomalies Diseases of the respiratory system Neoplasms Endocrine, nutritional & metabolic diseases Diseases of the nervous system Homicide Pneumonia

AGE GROUP: 5-9

		2000 Censu		2005-07 A		
		N	%	N	%	
Cotal Population	67.	,993	100.0	63,284	100.0	
Male	34,	,853	51.3	32,809	51.8	
Female	33,	,140	48.7	30,475	48.2	
White	45.	,074	66.3	40,763	64.4	
Black		,035	16.2	9,591	15.2	
Other		,884	17.5	12,930	20.4	
Hispanic* * Hispanic may be of any race.	12.	,833	18.9	13,357	21.1	
General Health Status	Total	Males	Females	White	Black	Hispanic
Communicable Diseases	134	75	58	28	3	9
Rate (per 100,000)	197	215	175	62	27	70
Emergency Room Visits	14,211	7,948	6,263	6,534	3,279	4,727
Rate (per 10,000)	2,090	2,280	1,890	1,450	2,971	3,683
Hospitalizations	922	534	388	450	166	213
Rate (per 10,000)	136	153	117	100	150	166
Deaths	8	5	3	3	4	2
Rate (per 100,000) * Hispanic may be of any race.	12	14	9	7	36	16
op Communicable Diseases					<u>N</u>	%
Haemophilus Influenza Typ	e B				23 1	7.2
2 Salmonellosis					14 1	0.4
3 Pertussis					9	6.7
op Causes of Emergency Room	Visits				<u>N</u>	%
1 Injuries				4,	,874 3	34.3
2 Acute respiratory infections	3			1,	,546 1	0.9
3 Infectious & parasitic disea	ses			8	355	6.0
op Causes of Hospital Admissio	n				<u>N</u>	%
1 Diseases of the respiratory						21.3
2 Disease of the nervous systematical 2 Disease of the nervous systema	em & sensory org	gans				4.0
3 Injury & poisoning				1	107 1	1.6
op Causes of Death					<u>N</u>	%
1 Congenital anomalies						12.9
2 Malignant neoplasms						4.3
3 Major cardiovascular diseas	ses				1 1	4.3

AGE GROUP: 10-14

	20	000 Censi	us	2005-07	7 ACS	
	N		%	N	%	
Total Population	63,757	,	100.0	66,821	100.0	
Male	32,933	1	51.7	33,695	50.4	
Female	30,824		48.3	33,126	49.6	
White	42,065		66.0	43,089	64.5	
Black	11,239)	17.6	10,599	15.9	
Other	10,453		16.4	13,133	19.7	
Hispanic*	11,481		18.0	13,589	20.3	
* Hispanic may be of any race.						
General Health Status	Total	Males	Females	White	Black	Hispanic*
Communicable Diseases	137	59	76	34	27	17
Rate (per 100,000)	215	179	247	81	240	148
Emergency Room Visits	13,978	7,963	6,015	7,106	3,319	3,512
Rate (per 10,000)	2,192	2,418	1,951	1,689	2,953	3,059
Hospitalizations	1,321	719	602	654	288	264
Rate (per 10,000)	207	218	195	155	256	230
Excluding Obstetrics	1,313	719	594	652	285	261
Rate (per 10,000)	206	218	193	155	254	227
Deaths	6	2	4	3	3	0
Rate (per 100,000)	9	6	13	7	27	0
* Hispanic may be of any race.						
Top Communicable Diseases					<u>N</u>	%
1 Chlamydia					38	27.7
2 Campylobacteriosis					9	6.6
3 Salmonellosis					8	5.8
Top Causes of Emergency Room Visits	s				N	%
1 Injuries					6,515	46.6
2 Mental disorders					817	5.8
3 Acute respiratory infections					752	5.4
Top Causes of Hospital Admission					N	º/ ₀
1 Mental disorders					405	30.7
2 Diseases of the digestive system					163	12.3
3 Injury & poisoning					145	11.0
Top Causes of Death					N	%
1 Congenital anomalies					1	16.7
2 Malignant neoplasms					1	16.7
3 Major cardiovascular diseases					1	16.7

AGE GROUP: 15-17

	20	000 Cens	us	2005-07	ACS	
	N		%	N	0/0	
Total Population	34,805	5	100.0	41,447	100.0	
Male	18,308	3	52.6	21,546	52.0	
Female	16,497		47.4	19,901	48.0	
White	22,160		63.7	26,875	64.8	
Black	6,495		18.7	7,464	18.0	
Other	6,150		17.7	7,108	17.1	
Hispanic* * Hispanic may be of any race.	6,820		19.6	7,837	18.9	
General Health Status	Total	Males	Females	White	Black	Hispanic*
Communicable Diseases	458	118	339	43	212	95
Rate (per 100,000)	1,316	645	2,055	43 194	3,264	1,393
Emergency Room Visits	11,258	5,927	5,331	5,547	2,918	2,626
Rate (per 10,000)	3,235	3,237	3,231	2,503	4,493	3,850
Hospitalizations	1,377	648	729	672	308	311
Rate (per 10,000)	396	354	442	303	474	456
Excluding Obstetrics	1,221	648	573	616	257	241
Rate (per 10,000)	351	354	347	278	396	353
Deaths	8	5	3	5	3	2
Rate (per 100,000)	23	27	18	23	46	29
* Hispanic may be of any race.						
Top Communicable Diseases					<u>N</u>	%
1 Chlamydia					372	31.2
2 Gonorrhea					38	8.3
3 Campylobacteriosis					7	1.5
Top Causes of Emergency Room Visi	its				N	%
1 Injuries						12.4
2 Mental disorders						7.9
3 Acute respiratory infections					559	5.0
Top Causes of Hospital Admission					<u>N</u>	%
1 Mental disorders						32.6
2 Injury & poisoning						1.4
3 Diseases of the digestive system	n				134	9.7
Top Causes of Death					N	%
1 Homicide					2 2	25.0
2 Major cardiovascular diseases					2 2	25.0
3 AIDS					1 1	2.5

AGE GROUP: 18-24

		2000 Census			05-07 ACS		
]	N	%	N	%		
Total Population	66,	520	100.0	81,407	100.0)	
Male	33,	392	50.2	40,431	49.7		
Female		128	49.8	40,976			
White		499	59.4	50,353			
Black		799	17.7	13,552			
Other		222	22.9	17,502			
Hispanic*		728	28.2	19,343			
* Hispanic may be of any race.							
General Health Status	Total	Males	Femal	es W	hite E	Black	Hispanic*
Communicable Diseases	1,716	541	1,17	4 2	50	662	389
Rate (per 100,000)	2,580	1,620	3,54			,611	2,077
Emergency Room Visits	28,361	12,538				,695	7,594
Rate (per 10,000)	4,264	3,755	4,77			,369	4,055
Hospitalizations	5,270	1,648	3,62			,329	1,508
Rate (per 10,000)	792	494	1,09			,126	805
Excluding Obstetrics	3,017	1,648	1,36	9 1,	529	686	614
Rate (per 10,000)	454	494	413	3	<i>87</i> .	581	328
Deaths	43	35	8	2	25	10	12
Rate (per 100,000)	65	105	24	Ć	63	85	64
* Hispanic may be of any race.							
Top Communicable Diseases					N 1.406	9%	
1 Chlamydia					1,406	81.9	
2 Gonorrhea					174	10.1	
3 Syphilis					20	1.2	
Гор Causes of Emergency Room Vi	sits*				N	%	
1 Injuries					7,641	26.9	
2 Acute respiratory infections					1,635	5.8	
3 Mental disorders * Excluding childbirth and reproduction care (1,886 cases).					1,503	5.3	
Γορ Causes of Hospital Admission*					N	0/0	
1 Mental disorders					962	31.9	
2 Injury & poisoning					433	14.4	
3 Diseases of the digestive syste * Excluding obstetrics.	em				400	13.3	
Γop Causes of Death					N	%	
1 Accident					10	23.3	
2 Suicide					6	14.0	
3 Malignant neoplasms					6	14.0	

AGE GROUP: 25-44

		2000 Cen	sus	2005-07	ACS	
		N	%	N	%	
Total Population	28	0,500	100.0	246,785	100.0	
Male	13	5,835	48.4	121,575	49.3	
Female		4,665	51.6	125,210	50.7	
White	19	0,269	67.8	150,106	60.8	
Black	41	,002	14.6	35,920	14.6	
Other	49	,229	17.6	60,759	24.6	
Hispanic*	53	3,712	19.1	64,623	26.2	
* Hispanic may be of any race.						
General Health Status	Total	Males	Females	White	Black	Hispanic*
Communicable Diseases	1,394	617	775	256	356	309
Rate (per 100,000)	497	454	536	135	868	575
Emergency Room Visits	75,667	33,949		34,192	21,991	19,198
Rate (per 10,000)	2,698	2,499	2,884	1,797	5,363	3,574
Hospitalizations	21,681	6,333	15,348	11,250	4,740	4,605
Rate (per 10,000)	773	466	1,061	591	1,156	857
Excluding Obstetrics	12,643	6,333	6,310	6,190	3,436	2,595
Rate (per 10,000)	451	466	436	325	838	483
Deaths	222	142	80	140	62	38
Rate (per 100,000)	<i>79</i>	105	55	74	151	71
* Hispanic may be of any race.						
Гор Communicable Diseases					<u>N</u>	%
1 Chlamydia					690	49.5
2 Gonorrhea					142	10.2
3 Syphilis					63	4.5
Гор Causes of Emergency Room Vi	sits				N	0/0
1 Injuries				1	18,178	24.0
2 Acute respiratory infections					3,523	4.7
3 Mental disorders * Excluding childbirth and reproduction care (4,398 cases).					3,398	4.5
Γορ Causes of Hospital Admission*				_	N	%
1 Mental disorders					3,141	24.8
2 Diseases of the digestive syste	em				1,605	12.7
3 Injury & poisoning * Excluding obstetrics.					1,172	9.3
Γορ Causes of Death					N	%
1 Malignant neoplasms					50	22.5
2 Accident					45	20.3
3 Major cardiovascular diseases					44	19.8

AGE GROUP: 45-64


		2000 Cens	sus	2005-07	ACS	
		N	%	N	%	
Total Population	216	5,678	100.0	255,998	100.0	
Male	101	,962	47.1	122,334	47.8	
Female	114	,716	52.9	133,664	52.2	
White	166	5,205	76.7	191,094	74.6	
Black		,166	13.0	31,730	12.4	
Other		,307	10.3	33,174	13.0	
Hispanic*		,333	9.8	31,005	12.1	
* Hispanic may be of any race.						
General Health Status	Total	Males	Females	White	Black	Hispanic*
Communicable Diseases	847	487	356	187	97	64
Rate (per 100,000)	391	478	310	113	344	300
Emergency Room Visits	66,558	32,080	34,476	37,805	17,354	9,776
Rate (per 10,000)	3,072	3,146	3,005	2,275	6,161	4,583
Hospitalizations	26,143	13,496	12,646	16,211	5,753	2,930
Rate (per 10,000)	1,207	1,324	1,102	975	2,043	1,373
Excluding Obstetrics	26,094	13,496	12,597	16,173	5,749	2,922
Rate (per 10,000)	1,204	1,324	1,098	973	2,041	1,370
Deaths	994	566	428	702	227	101
Rate (per 100,000)	459	555	373	422	806	473
* Hispanic may be of any race.						
Γορ Communicable Diseases					<u>N</u>	0/0
1 Syphilis						6.4
2 Campylobacteriosis						5.1
2 Chlamydia					37	4.4
Top Causes of Emergency Room	Visits				<u>N</u>	%
1 Injuries						21.1
2 Diseases of the cardiovascu					*	13.2
3 Diseases of the musculosko	eletal & nervous s	systems		6	,393	9.6
Гор Causes of Hospital Admissio	on				N	0/0
1 Diseases of the circulatory	system			4	,321	16.5
2 Mental disorders	-					11.6
3 Diseases of the digestive sy	ystem			2	,612	10.0
					<u>N</u>	%
Γop Causes of Death						
Γop Causes of Death1 Malignant neoplasms				·	397	39.9
Top Causes of Death 1 Malignant neoplasms 2 Major cardiovascular disea	ises					39.9 26.4


AGE GROUP: 65-74

			2000 Ce	nsus		2005-07	ACS	
			N	%		N	%	
Fotal Population		6	6,785	100.0		65,091	100.0	
Male		2	9,428	44.1		28,860	44.3	
Female		3	7,357	55.9		36,231	55.7	
White			6,199	84.1		51,415	79.0	
Black		(5,925	10.4		7,995	12.3	
Other			3,661	5.5		5,681	8.7	
Hispanic* * Hispanic may be of any	race.	3	3,800	5.7		5,015	7.7	
General Health Sta	tus	Total	Male	s F	emales	White	Black	Hispanic*
Communicable I	Diseases	186	86		96	57	24	8
Rate (per 10		279	292		257	101	347	211
Emergency Roon		19,948	9,314	1	10,634	13,149	3,976	2,033
Rate (per 10,		2,987	3,165		2,847	2,340	5,742	5,350
Hospitalizations	,	13,667	6,606		7,061	9,528	2,249	1,066
Rate (per 10,	000)	2,046	2,245	5	1,890	1,695	3,248	2,805
Deaths	•	940	500		440	728	167	35
Rate (per 10	0,000)	1,408	1,699)	1,178	1,295	2,412	921
* Hispanic may be of any	race.							
Top Communicable 1 Syphilis 2 Salmonellosi							N 26 10	14.0 5.4
3 Strep Group							9	4.8
Гор Causes of Eme	rgency Room	Visits					N	%
1 Diseases of t	he cardiovascu	ılar system				3	3,840	19.3
2 Injuries						3	3,186	16.0
3 Diseases of t	he respiratory	system				1	1,923	9.6
Top Causes of Hosp	oital Admissio	n					N	%
1 Diseases of t	he circulatory	system				3	3,104	22.7
	he digestive sy	stem					1,251	9.2
3 Neoplasms						1	1,218	8.9
Гор Causes of Deat	h						N	%
1 Malignant ne								42.3
	vaccular dicea	ses					281	29.9
Major cardio	er respiratory d						41	4.4

AGE GROUP: 75+

		2000 Cens	sus	2005-07	ACS	
		N	%	N	%	
Total Population	62	2,179	100.0	67,417	100.0	
Male	22	2,227	35.7	25,282	37.5	
Female	39	,952	64.3	42,135	62.5	
White	54	,877	88.3	58,423	86.7	
Black	5.	,151	8.3	5,833	8.7	
Other	2,	,151	3.5	3,161	4.7	
Hispanic*	2,	,031	3.3	3,059	4.5	
* Hispanic may be of any race.						
General Health Status	Total	Males	Females	White	Black	Hispanic ^a
Communicable Diseases	234	105	126	87	20	3
Rate (per 100,000)	376	472	315	159	<i>388</i>	148
Emergency Room Visits	37,968	14,877	23,089	30,820	4,183	1,632
Rate (per 10,000)	6,106	6,693	5,779	5,616	8,121	8,035
Hospitalizations	28,560	11,750	16,810	23,415	2,833	1,073
Rate (per 10,000)	4,593	5,286	4,208	4,267	5,500	5,283
Deaths	4,520	1,791	2,729	3,998	397	152
Rate (per 100,000)	7,269	8,058	6,831	7,285	7,707	7,484
* Hispanic may be of any race.						
Top Communicable Diseases 1 Strep Group B, Invasive					N 27	11.5
2 Syphilis	-				22	9.4
3 Haemophilus Influenza Ty	pe B				17	
Top Causes of Emergency Room	Visits				N	%
1 Diseases of the cardiovasc	ular system				8,103	21.3
2 Injuries					6,292	16.6
3 Diseases of the respiratory	system				3,913	10.3
Top Causes of Hospital Admission	on				N	%
1 Diseases of the circulatory	system				7,204	25.2
2 Injury & poisoning	<i>J</i>				2,637	9.2
3 Diseases of the digestive s	ystem				2,485	8.7
	-					
Top Causes of Death					<u>N</u>	%
1 Major cardiovascular disea	ises				2,128	47.1
2 Malignant neoplasms					824	18.2
3 Chronic lower respiratory	diseases				244	5.4





Westchester County Region Profile Checklist

Health Planning Region, Town, and Municipality ¹	Code ²	Included in Profile
Northwest		Y
Cortlandt Town	T	
Buchanan Village	V	Y
Croton-on-Hudson Village	V	I
Cortlandt Unincorporated	TOV	
Mount Pleasant Town	T	
Briarcliff Manor Village (Mount Pleasant Part) ²	V	
Pleasantville Village	V	Y
Sleepy Hollow Village	V	
Mount Pleasant Unincorporated	TOV	
Ossining Town	T	
Briarcliff Manor Village (Ossining Part) ²	V	• •
Ossining Village	V	Y
Ossining Unincorporated	TOV	
Peekskill	C	Y
Northeast		Y
Bedford Town	Т	
Lewisboro Town	T	<u> </u>
Mount Kisco Town/Village	T/V	<u> </u>
New Castle Town	T	NO
North Castle Town	T	
North Salem Town	T	
Pound Ridge Town	T	<u> </u>
Somers Town	T	Y
Yorktown Town	T	Y
West Central		Y
Greenburgh Town	T	
Ardsley Village	V	
Dobbs Ferry Village	V	
Elmsford Village	V	Y
Hastings-on-Hudson Village	V	1
Irvington Village	V	
Tarrytown Village	V	
Greenburgh Unincorporated	TOV	
Scarsdale Town/Village	T/V	NO
White Plains	С	Y

Health Planning Region, Town, and Municipality ¹	Code ²	Included in Profile
East Central		Y
Harrison Town/Village	T/V	Y
Mamaroneck Town	T	
Larchmont Village	V	
Mamaroneck Village (Mamaroneck Part) ³	V	
Mamaroneck Unincorporated	TOV	— Y
Rye Town	T	1
Mamaroneck Village (Rye Part) ³	V	
Port Chester Village	V	
Rye Brook Village	V	
Rye City	С	Y
Southwest		Y
Yonkers	С	Y
Southeast		Y
Eastchester Town	T	
Bronxville Village	V	Y
Tuckahoe Village	V	1
Eastchester Unincorporated	TOV	
Mount Vernon	С	Y
New Rochelle	C	Y
Pelham Town	T	
Pelham Village	V	Y
Pelham Manor Village	V	

For regional planning purposes, municipalities are grouped into six geographic health planning regions.

² A town may or may not include incorporated villages located within the town boundary. When it does not include any incorporated villages within the town boundary, the statistics refer to the town as a whole (T). When it does include incorporated villages within its boundary, the statistics refer to the unincorporated area within the town boundary (TOV). The entities of Harrison, Mount Kisco, and Scarsdale are both towns and villages (V/T). The land in two towns, Pelham and Rye, has all been incorporated into separated villages. Therefore, no data are reported for these two towns.

³ The Village of Briarcliff Manor and the Village of Mamaroneck are split between two towns. Briarcliff Manor is within the Town of Ossining (92% of its surface area and 91% of its population) and the Town of Mount Pleasant (8% of its surface area and 9% of its population). The Village of Mamaroneck is within the Town of Mamaroneck (63% of its surface area and 60% of its population) and the Town of Rye (37% of its surface area and 40% of its population).

WESTCHESTER COUNTY

DE	MOGRAPHICS	
	2000	2005-07
Population	923,459	949,041
Sex		
Male	441,722	457,328
Female	481,737	491,713

Age	2000	2005-07
0-4	64,242	60,791
5-9	67,993	63,284
10-14	63,757	66,821
15-17	34,805	41,447
18-24	66,520	81,407
25-44	280,500	246,785
45-64	216,678	255,998
65-74	66,785	65,091
75+	62,179	67,417

WESTCHESTER COUNTY



Region Area:	450.5	sq	miles
		~ ~1	

Race & Ethnicity	2000	2005-07
White	658,858	648,667
Black	131,132	132,140
Other	133,469	168,234
Hispanic*	144,124	175,405
Non-Hispanic	779,335	773,636
* Hispanic may be of any race.		

Family Structure	2000	2005-07
Total Family Households	235,201	231,842
Families with Own Children < 18	114,677	119,722
Single Mother Families	21,174	23,691

Country of Origin	2000	2005-07
U.S.	718,030	720,433
Foreign Countries	205,429	228,608
Non-Citizen (%)	58.4	54.4

Language Spoken at Home (5+)	2000	2005-07
Non-English (%)	28.4	30.0

2000	2005-07
242,270	232,228
95,004	82,313
34,743	36,819
132,557	142,328
124,367	141,603
	242,270 95,004 34,743 132,557

Income	1999	2005-07
Median Household Income (\$)	63,582	77,856
Poverty Rate (%)	8.8	7.4

Health Planning Regions (HPR) Municipalities & ZIP codes in the County

6 Health Planning Regions (HPR)

43 Municipalities

6 Cities

17 Towns (3 towns which are totally comprised of their incorporated villages)

23 incorporated villages (3 villages are totally within their corresponding towns)

Over 80 ZIP codes, including

4 P.O. Box ZIP codes

6 ZIP codes serving special rural communities and/or locations

WESTCHESTER COUNTY

BIRTHS (2005	5-2007)		DEATHS	3 (2005-200	17)	
Total Births 1	1,953			Total	Male	Fema
	2.9 per 1,000					1 cma
	0.7		Total Deaths	7,221	3,316	3,904
			Death Rate (per 100,000)	736.9	698.2	772.4
Mother's Race/Ethnicity	N	%				
White	7.269	60.8	Infant Mortality Rate	4.7 p	er 1,000 liv	e birth
	7,268					
Black	1,682 3,003	14.1 25.1	A A A D db	T-4-1	Mala	E
Other	3,881	32.5	Average Age at Death	Total	Male	Fema
Hispanic*	3,001 8,072	52.5 67.5	T. 4.1	76.2	72.6	79.4
Non-Hispanic	8,072	07.3	Total			
* Hispanic may be of any race.			White	78.1	74.6	81.0
			Black	68.1	63.5	71.8
			Other	65.0	61.7	68.6
Mother's Education	N		Hispanic* * Hispanic may be of any race.	61.8	58.6	65.5
Less than High School	2,274	19.0				
High School or GED	1,912	16.0				
Some College (no degree)	2,221	18.6	Top Five Causes of Death		N	%
Bachelor's Degree	2,717	22.7	F			
Graduate/Prof. Degree	2,783	23.3	Major Cardiovascular Dis	sease	2,912	40.3
	,		2 Malignant Neoplasms		1,877	26.0
			3 Chronic Lower Respirato	rv	315	4.4
Mother's Country of Origin	N	%	4 Pneumonia	-)	196	2.7
with the second year of the second			5 Septicemia		188	2.6
U.S.	6,816	57.0	3 берисенна		100	2.0
Foreign	5,137	43.0				
			COMMUNICABI	LE DISEA	SES (2008)	
Prenatal Care*	N	<u>%</u>				
Late or No Prenatal Care	686	6.5	Top Five Reported Diseases		N	Rate*
* With valid prenatal care information.			1 Chlamydia		2,499	270.6
			2 Gonorrhea		365	39.5
			3 Syphilis		182	19.7
Teen Mothers	N	%	4 Salmonellosis		148	16.0
Mother < 20	573	4.8	5 Campylobacteriosis * Per 100,000 population.		147	15.9

	Cases (N)		Rate (per 100,000)		
	Male	Female	Male	Female	
Chlamydia	707	1,792	160.1	372.0	
Gonorrhea	184	181	41.7	37.6	
Syphilis (all stages)	109	73	24.7	15.2	

WESTCHESTER COUNTY

EMER	GENCY ROOM	VISITS (200	3)	HOS	PITALIZATIO	NS (2008)	
	N	Rate (per	10,000)		N	Rate (pe	r 10
Total	295,123	3,19	6	Total	111,638	1,2	09
Male	139,562	3,15	9	Male	48,372	1,0	95
Female	155,555	3,22	9	Female	63,238	1,3	13
White	159,351	2,41	9	White	71,579	1,0	86
Black	71,516	5,45	4	Black	19,662	1,4	99
Other	64,256	4,81	4	Other	20,397	1,5	28
Hispanic*	62,499	4,33	6	Hispanic*	15,299	1,0	
Non-Hispanic	232,624	2,98	5	Non-Hispanic	96,339	1,2	
* Hispanic may be of an		,		* Hispanic may be of any		ŕ	
Under 5	27,174	4,23	0	Under 5*	2,526	39	93
5-9	14,211	2,09		5-9	922	13	
10-14	13,978	2,19		10-14	1,321	20	
15-17	11,258	3,23		15-17	1,377	39	
18-24	28,361	4,26		18-24	5,270	79	
25-44	75,667	2.69		25-44	21,681	77	
25-44 45-64	66,558	3,07		45-64	26,143	1,2	
43-04 65-74	19,948	2,98		65-74	13,667	2,0	
75+	37,968	6,10		75+ * Excluding 10,171 newborns.	28,560	2,0 4,5	
Top Five Cause	es of ER Visits	_	N	Top Five Cause	s of Hospitaliza	tion*	
1 Injuries			71,070	1 Diseases of c	circulatory system	n	1.
	atory infections		14,845	2 Mental disor			8
3 Mental disor	•		10,560		digestive system		8
	parasitic diseases		10,276		espiratory system	n	7
5 Discomfort	in chest		9,220	5 Injury & pois * Excluding newborns	soning		7
Insurance Type	2	N		Insurance Type		N	
Private		148,469	50.3	Private		52,460	
Medicare		55,845	18.9	Medicare		15,389	
Medicaid		43,881	14.9	Medicaid		38,781	
Other		6,469	2.2	Other		893	
		40,459	13.7	Self-Pay		4,115	

ZIP Codes Included the Region for Tabulations of Emergency Visits and Hospitalizations

All ZIP Codes are included.

WESTCHESTER COUNTY

PREVENTION QUALITY INDICATORS (PQI)

	Hospital	Admission	Statewide		As % of I	Expected ²	
	Admissions	Rate ¹	Rate	All	White ³	Black ³	Hispanic ³
	i	·		T.	1	T.	1
Diabetes-Related	1,566	210	283	74	50	228	73
Short-Term Complications	285	40	52	78	47	241	75
Long-Term Complications	885	117	155	76	54	223	71
Lower Limb Amputation	214	28	37	76	60	206	66
Uncontrolled	181	24	39	63	27	249	81
							•
	1	1		I.	1	I.	1
Respiratory Related	2,007	267	351	76	64	154	83
Asthma	937	127	174	73	41	212	107
COPD	1,069	140	178	79	83	88	48
	2.269	420	554	70		101	(2)
Circulatory-Related	3,368	439	554	79	67	181	63
Angina	277	37	50	73	59	150	74
Congestive Heart Failure	2,735	356	443	80	71	169	58
Hypertension	356	47	61	77	40	287	83
Acute Condition Related	4,538	597	666	90	85	122	73
Bacterial Pneumonia	2,536	332	381	87	82	127	66
Dehydration	966	127	116	109	106	154	71
Urinary Tract Infection	1,036	138	169	82	77	91	90

ZIP Codes Included the Region for PQI

 $10510, 10502, 10504, 10506, 10507, 10510, 10511, 10514, 10518, 10520, 10522, 10523, 10526, 10527, 10528, 10530, 10532, 10533, 10535, \\ 10536, 10538, 10543, 10546, 10547, 10548, 10549, 10550, 10552, 10553, 10560, 10562, 10566, 10567, 10570, 10573, 10576, 10577, 10578, \\ 10580, 10583, 10588, 10589, 10590, 10591, 10594, 10595, 10597, 10598, 10601, 10603, 10604, 10605, 10606, 10607, 10701, 10703, 10704, \\ 10705, 10706, 10707, 10708, 10709, 10710, 10801, 10803, 10804, 10805$

Region admission rates are defined as hospital admissions per 100,000 population, adjusted for age and sex. The population used in such calculations is derived from the 2006 ZIP code population estimated by Claritas, a national demographic research firm. According to Claritas, the population included in this report for Westchester County was 710,945.

² Expected rate is defined as the statewide rate, adjusted for age and sex unless otherwise defined.

³ White, black, and Hispanic categories are mutually exclusive.

NORTHWEST

Health Planning Region

DEMOGRAPHICS				
	2000	2005-07		
Population	140,663	146,051		
Sex				
Male	70,448	74,113		
Female	70,215	71,938		

Age	2000	2005-07
0-4	9,836	9,792
5-9	10,113	8,925
10-14	9,508	10,417
15-17	5,388	5,746
18-24	10,329	11,812
25-44	45,276	41,169
45-64	32,562	39,939
65-74	9,158	8,067
75+	8,493	10,184

NORTHWEST HPR



Race & Ethnicity	2000	2005-07
White	108,983	109,500
Black	14,905	13,218
Other	16,775	23,333
Hispanic*	21,025	29,766
Non-Hispanic	119,638	116,285
* Hispanic may be of any race		

Family Structure	2000	2005-07
Total Family Households	34,553	35,052
Families with Children < 18	17,325	17,861
Single Mother Families	2.610	2.499

Country of Origin	2000	2005-07
U.S.	115,103	•••
Foreign Countries	25,560	
Non-Citizen (%)	60.5	

Language Spoken at Home (5+)	2000	2005-07
Non-English (%)	24.3	28.8

Education (25+)	2000	2005-07
High School or Less	38,184	39,119
Some College (no degree)	14,564	14,374
Associate Degree	5,584	5,653
Bachelor's Degree	19,707	20,275
Graduate/Professional Degree	17,595	19,938

Income	1999	2005-07
Median Household Income (\$)	71,528	••
Poverty Rate (%)	7.1	6.6

Municipalities Included in Region

Briarcliff Manor (V)	Ossining (TOV)
Buchanan (V)	Ossining (V)
Cortlandt (TOV)	Peekskill (City)
Croton-on-Hudson (V)	Pleasantville (V)
Mt. Pleasant (TOV)	Sleepy Hollow (V)

ZIP Codes Serving the Region

10510 10511 10514* 10517 10520* 10521 10532 10545 10547* 10548 10562* 10566* 10567* 10570 10591* 10594 10595 10596

^{*} Also serve other regions.

NORTHWEST

Health Planning Region

BIRTHS (2005-2	007)		DEATHS	S (2005-200	7)	
Total Births 173	9			Total	Male	Femal
Birth Rate (per 1,000) 12.4						1 011111
Average Maternal Age 30.9			Total Deaths	1136	518	618
			Death Rate (per 100,000)	807.8	735.3	880.6
Mother's Race/Ethnicity	N	%				
			Infant Mortality Rate (per 1	,000 live bi	rth)	4.0
White	974	56.0				
Black	120	6.9				
Other	645	37.1	Average Age at Death	Total	Male	Femal
Hispanic*	637	36.6				
Non-Hispanic	1,102	63.4	Total	77.2	73.1	80.6
* Hispanic may be of any race.			White	78.6	74.5	81.9
			Black	66.6	62.6	70.0
			Other	65.3	63.4	67.8
Mother's Education	N	%	Hispanic*	67.8	63.8	68.5
			* Hispanic may be of any race.			
Less than High School	369	21.2				
High School or GED	262	15.1				
Some College (no degree)	307	17.7	Top Five Causes of Death		N	%
Bachelor's Degree	390	22.4				
Graduate/Prof. Degree	407	23.4	1 Major Cardiovascular	r Disease	439	38.6
			2 Malignant Neoplasms	S	290	25.6
			3 Chronic Lower Respi	ratory	52	4.6
Mother's Country of Origin	N	%	4 Septicemia		38	3.3
			5 Pneumonia		35	3.1
U.S.	988	56.8				
Foreign	751	43.2				
			COMMUNICABI	LE DISEAS	SES (2008)	
Prenatal Care*		%	m m n		NT	D
Late or No Prenatal Care	73	4.5	Top Five Reported Diseases	_	N	Rate*
* With valid prenatal care information.			1 Chlamydia		280	199.1
			2 Campylobacteriosis		33	23.5
The see Market and	≥ T	0/	3 Gonorrhea		25	17.8
Teen Mothers		%	4 Salmonellosis		20	14.2
Mother < 20	70	4.0	5 Tuberculosis *Per 100,000 population.		15	10.7
	SEXUAL	LY TRANSI	MITTED DISEASES (2008)			
	Com	es (N)	D. A.	(per 100,00	0)	

Male

90.8

11.4

9.9

Female

307.6

24.2

1.4

Female

216

17

1

Male

64

8

7

Chlamydia

Gonorrhea

Syphilis (all stages)

NORTHWEST

Health Planning Region

EMER	GENCY ROOM	VISITS (200	18)	HOSI	PITALIZATIO	NS (2008)	
	N	Rate (per	10,000)		N	Rate (pe	r 10,0
Total	50,622	3,59	99	Total	18,118	1,2	288
Male	24,854	3,52	28	Male	8,181	1,1	161
Female	25,765	3,60	59	Female	9,934	1,4	115
White	31,602	2,90	00	White	12,795	1,1	174
Black	7,569	5,07	78	Black	1,978	1,3	327
Other	11,451	6,82	26	Other	3,345	1,9	94
Hispanic*	9,071	4,3	14	Hispanic*	1,978	94	41
Non-Hispanic	41,551	3,47	73	Non-Hispanic	16,140	1,3	349
* Hispanic may be of any ra				* Hispanic may be of any race.			
Under 5	4,338	4,4	10	Under 5*	1,983	2,0	016
5-9	2,389	2,30	52	5-9	173	13	71
10-14	2,572	2,70		10-14	222	2.	33
15-17	2,101	3,89	99	15-17	315	58	85
18-24	4,507	4,30		18-24	792	70	57
25-44	12,525	2,70		25-44	3,464	70	55
45-64	12,029	3,69	94	45-64	4,374	1,3	343
65-74	3,275	3,57	76	65-74	2,047	2,2	235
75+	6,885	8,10	07	75+ * Excluding 10,171 newborns.	4,748	5,5	590
Top Five Caus	es of ER Visits	-	N	Top Five Causes	s of Hospitaliza	tion*	1
1 Injuries			13,410	1 Diseases of c	irculatory system	m	2,4
2 Acute respin	ratory infections		2,178	2 Mental diso	rders		1,5
3 Mental diso	rders		1,753	3 Diseases of d	igestive system		1,4
4 Abdominal	pain		1,701	4 Injury & Po			1,4
5 Discomfor	t in chest		1,601	5 Diseases of re * Excluding newborns of		m	1,2
Insurance Typ	e	N	<u>%</u>	Insurance Type		N	_
Private		27,571	54.5	Private		8675	
Medicare		9,939	19.6	Medicare		6370	
Medicaid		5,840	11.5	Medicaid		2165	
Other		1,618	3.2	Other		284	
C		5,654	11.2	Self-Pay		624	

ZIP Codes Included the Region for Tabulations of Emergency Visits and Hospitalizations

 $10510\ 10511\ 10517\ 10521\ 10532\ 10545\ 10548\ 10562\ (90\%)\ 10566\ 10567\ 10570\ \ 10591\ (50\%)\ 10594\ 10595\ 10596,$ representing 97.9% of the region population according to 2000 census.

NORTHWEST

Health Planning Region

	PREVENTION O	DUALITY INDICATORS	(POI)
--	--------------	---------------------------	-------

	Hospital Admission		Statewide		As % of l	Expected ²	
	Admissions	Rate ¹	Rate	All	White ³	Black ³	Hispanic ³
Diabetes-Related	222	212	283	75	61	236	40
Short-Term Complications	34	33	52	64	54	194	60
Long-Term Complications	133	127	155	82	67	253	44
Lower Limb Amputation	43	41	37	109	87	409	54
Uncontrolled	11	10	39	27	18	90	31
Respiratory Related	241	233	351	66	67	95	50
Asthma	86	83	174	48	39	115	55
COPD	155	150	178	84	92	70	42
Circulatory-Related	413	391	554	71	65	153	42
Angina	39	36	50	73	77	105	28
Congestive Heart Failure	344	327	443	74	68	160	37
Hypertension	29	27	61	45	26	151	78
Acute Condition Related	670	641	666	96	94	120	59
Bacterial Pneumonia	385	366	381	96	94	126	68
Dehydration	140	134	116	115	112	165	31
Urinary Tract Infection	145	140	169	83	81	76	58

ZIP Codes Included the Region for PQI

 $10510\ 10511\ 10520\ 10532\ 10548\ 10562\ 10566\ 10567\ 10570\ 10594\ 10595$, representing 86.1% of the region population according to 2000 census.

Region admission rates are defined as hospital admissions per 100,000 population, adjusted for age and sex. The population used in such calculations is derived from the 2006 ZIP code population estimated by Claritas, a national demographic research firm. According to Claritas, the population included in this report for this region was 102,060.

² Expected rate is defined as the statewide rate, adjusted for age and sex unless otherwise defined.

³ White, black, and Hispanic categories are mutually exclusive.

CORTLANDT TOWN

Health Planning Region: NORTHWEST

DE	MOGRAPHICS	
	2000	2005-07
Population	38,467	41,677
Sex		
Male	18,820	20,747
Female	19,647	20,930

Age	2000	2005-07
0-4	2,864	2,773
5-9	3,058	3,170
10-14	2,785	3,758
15-17	1,496	1,698
18-24	2,023	2,844
25-44	11,574	9,954
45-64	9,729	12,307
65-74	2,507	2,597
75+	2,431	2,576

CORTLANDT TOWN

Buchanan W. 10511	10647 10617 Cortlandt
10568	21 10820 Croton-on-Hudson 19542
Zp Codes Municipalities	

	Region	Area:	41.1	sq	miles
--	--------	-------	------	----	-------

Municipalities 1	Included	in	Region
------------------	----------	----	--------

Buchanan (V) Croton-on-Hudson (V) Cortlandt (TOV)

ZIP Codes Serving the R	Region
-------------------------	--------

10511 10517 10520* 10521 10547* 10548 10562* 10566* 10567* 10596

* Also serve other regions.

Race & Ethnicity	2000	2005-07
White	34,082	34,201
Black	1,765	2,039
Other	2,620	5,437
Hispanic*	2,766	5,745
Non-Hispanic	35,701	35,932
* Hispanic may be of any race.		

Family Structure	2000	2005-07
Total Family Households	10,138	10372
Families with Children < 18	5,318	5,619
Single Mother Families	562	528

Country of Origin	2000	2005-07
U.S.	34,096	
Foreign Countries	4,371	
Non-Citizen (%)	44.8	

Language Spoken at Home (5+)	2000	2005-07
Non-English (%)	16.3	20.8

Education (25+)	2000	2005-07
High School or Less	9,258	9,137
Some College (no degree)	4,471	4,590
Associate Degree	1,732	2,001
Bachelor's Degree	5,734	6,107
Graduate/Professional Degree	5,117	5,599

Income	1999	2005-07
Median Household Income (\$)	75,442	93,215
Poverty Rate (%)	4.5	4.6

Chlamydia

Gonorrhea

Syphilis (all stages)

CORTLANDT TOWN

Health Planning Region: NORTHWEST

BIRTHS (2005	-2007)		DEATHS	(2005-200)7)	
Total Births 41	0			Total	Male	Femal
Birth Rate (per 1,000) 10				Total	Iviaic	reman
4 , ,			Total Deaths	371	172	199
Average Maternal Age 32	.4		Death Rate (per 100,000)	964.5	912.2	1015
			Death Rate (per 100,000)	904.3	912.2	1013
Mother's Race/Ethnicity	<u>N</u>	<u>%</u>				2.2
White	305	74.3	Infant Mortality Rate (per 1	,000 live b	irth)	3.2
Black	18	4.4				
Other	87	21.2	Average Age at Death	Total	Male	Femal
Hispanic*	79	19.3	Average Age at Death	Total	Maic	rema
	331	80.7	Total	78.1	74.5	81.2
Non-Hispanic * Hispanic may be of any race.	331	00.7	Total White	78.1 78.4	74.3	81.4
* Hispanic may be of any race.			Black	71.0	67.2	76.1
			Other	76.8	77.2	76.1
Madhaula Edward'an	NT	0/		76.8 73.8	77.2 75.0	72.5
Mother's Education	N		Hispanic*	/3.0	73.0	72.3
I 4h III-h C-h1	27	6.6	* Hispanic may be of any race.			
Less than High School	27	6.6				
High School or GED	48	11.7	T T C 15 1		N.T.	0./
Some College (no degree)	90	21.9	Top Five Causes of Death		N	%
Bachelor's Degree	117	28.5			105	24.0
Graduate/Prof. Degree	125	30.5	1 Major Cardiovascular		137	36.9
			2 Malignant Neoplasms		97	26.1
			3 Chronic Lower Respi	ratory	19	5.0
Mother's Country of Origin	N	<u>%</u>	4 Septicemia		14	3.8
			5 Pneumonia		12	3.1
U.S.	301	73.4				
Foreign	109	26.6				
			COMMUNICABI	LE DISEA	SES (2008)	
Prenatal Care*	N 14	3.6	Ton Pine Done 4 3 Di	_	N	Do4**
Late or No Prenatal Care	14	3.0	Top Five Reported Diseases	-	N	Rate*
* With valid prenatal care information.			1 Chlamydia		45	117.0
			2 Campylobacteriosis		9	23.4
T. N. (1	N T	0/	3 Strep Group B, Invasiv	e	8	20.8
Teen Mothers	- N 8	%	4 Babesiosis		6	15.6
Mother < 20	8	1.9	5 Gonorrhea * Per 100,000 population.		5	13.0
	SEXUAL	LY TRANSM	ITTED DISEASES (2008)			
	Case	es (N)	Rate (per 100,00	00)	
	Male	Female	Male		male	
	0	27	12.5		00.2	

42.5

10.6

5.3

188.3

15.3

5.1

37

3

1

8

2

CORTLANDT TOWN

Health Planning Region: NORTHWEST

ENIERO	ENCY ROOM	V 15115 (200	0)	11031	TALIZATIO	145 (2000)	
	<u>N</u>	Rate (per	10,000)		<u>N</u>	Rate (per	10,000)
Total	14,715	3,82	2.5	Total	5,323	1,30	84
Male	7,183	3,81	!7	Male	2,435	1,25	94
Female	7,529	3,83	32	Female	2,888	1,4	70
White	11,180	3,28	80	White	4,181	1,22	27
Black	1,145	6,48	37	Black	317	1,75	96
Other	2,390	9,12	22	Other	825	3,1	49
Hispanic*	1,503	5,43	34	Hispanic*	359	1,29	98
Non-Hispanic	13,212	3,70	01	Non-Hispanic	4,964	1,39	90
* Hispanic may be of any race.				* Hispanic may be of any race.			
Under 5	981	3,42	2.5	Under 5*	497	1,7.	35
5-9	706	2,30)9	5-9	50	16	4
10-14	847	3,04	41	10-14	72	25	9
15-17	606	4,05	51	15-17	58	38	8
18-24	1,193	5,89	97	18-24	215	1,00	63
25-44	3,269	2,82	24	25-44	911	78	7
45-64	3,697	3,80	00	45-64	1,279	1,3	15
65-74	1,102	4,39	96	65-74	668	2,60	65
75+	2,314	9,51	19	75+ * Excluding 10,171 newborns.	1,573	6,4	71
Top Five Causes	of ER Visits	_	N	Top Five Causes	of Hospitaliza	tion*	N
1 Injuries			4,149	1 Diseases of ci	rculatory system	m	772
2 Acute respirat	tory infections		617	2 Diseases of di			460
_	parasitic diseases		548	3 Diseases of re			421
4 Discomfort in	chest		500	4 Injury & pois	oning		412
5 Mental disor	ders		433	5 Mental dison * Excluding newborns &			372
Insurance Type		N	<u>%</u>	Insurance Type		N	%
Private		9,020	61.3	Private		2756	51.8
Medicare		3,213	21.8	Medicare		2055	38.6
Medicaid		1,015	6.9	Medicaid		324	6.1
Other		356	2.4	Other		58	1.1
Self-Pay		1,111	7.6	Self-Pay		130	2.4

ZIP Codes Included the Region for Tabulations of Emergency Visits and Hospitalizations

10511 10517 10520 10521 10548 10567 10596, representing 95.3% of the region population according to 2000 census.

CORTLANDT TOWN

Health Planning Region: NORTHWEST

PREVENTION QUALI	ITY INDICATORS (POI)
------------------	------------------	------

	Hospital	Admission	Statewide		As % of l	Expected ²	
	Admissions	Rate ¹	Rate	All	White ³	Black ³	Hispanic ³
Diabetes-Related	60	193	283	68	61		1
Short-Term Complications	7	24	52	47	57		
Long-Term Complications	37	117	155	76	65		
Lower Limb Amputation	11	34	37	92	83		
Uncontrolled	4	13	39	33	29		
Respiratory Related	68	219	351	62	65		
Asthma	22	72	174	41	40		
COPD	45	144	178	81	89		
Circulatory-Related	120	374	554	68	65		
Angina	8	25	50	49	54		
Congestive Heart Failure	105	328	443	74	73		
Hypertension	7	22	61	36	21		
Acute Condition Related	216	686	666	103	99		
Bacterial Pneumonia	133	419	381	110	107		
Dehydration	43	136	116	117	109		
Urinary Tract Infection	40	129	169	77	73		

ZIP Codes Included the Region for PQI

10511, 10520, 10548, 10567, representing 69.7% of the region population according to the 2000 census.

Region admission rates are defined as hospital admissions per 100,000 population, adjusted for age and sex. The population used in such calculations is derived from the 2006 ZIP code population estimated by Claritas, a national demographic research firm. According to Claritas, the population included in this report for this region was 28,907.

² Expected rate is defined as the statewide rate, adjusted for age and sex unless otherwise defined.

³ White, black, and Hispanic categories are mutually exclusive.

MOUNT PLEASANT TOWN

Health Planning Region: NORTHWEST

DE	MOGRAPHICS	
	2000	2005-07
Population	43,221	42,442
Sex		
Male	21,933	21,148
Female	21,288	21,294

Age	2000	2005-07
0-4	2,978	2,835
5-9	3,055	2,842
10-14	3,194	2,766
15-17	1,983	2,191
18-24	3,584	3,321
25-44	13,276	11,303
45-64	9,789	12,056
65-74	2,915	2,175
75+	2,447	2,953

MOUNT PLEASANT TOWN

	/	10510 1051	4 10514	
	1	Plea	10570 santville	10514
10510	10571	Mount Plea	1059	10504
Sleepy Hollow	10523	-\/	10595	
			10603	91 (
				St.

Race & Ethnicity	2000	2005-07
White	36,415	35,229
Black	2,191	1,841
Other	4,615	5,372
Hispanic*	6,057	5,903
Non-Hispanic	37,164	36,539
* Hispanic may be of any race.		

Family Structure	2000	2005-07
Total Family Households	10,528	10409
Families with Children < 18	5,259	5,313
Single Mother Families	524	580

Country of Origin	2000	2005-07
U.S.	35,381	•••
Foreign Countries	7,840	
Non-Citizen (%)	54.6	

Language Spoken at Home (5+)	2000	2005-07
Non-English (%)	25.0	25.8

Education (25+)	2000	2005-07
High School or Less	10,425	9,617
Some College (no degree)	3,883	3,176
Associate Degree	1,672	1,618
Bachelor's Degree	6,633	7,279
Graduate/Professional Degree	5,888	6,797

Income	1999	2005-07	
Median Household Income (\$)	81,072	103,657	
Poverty Rate (%)	4.9	3.7	

Region Area: 28.68 sq miles

Municipalities Included in Region

 $Briarcliff\ Manor\ (V)^*$

Mt. Pleasant (TOV)

Pleasantville (V)

Sleepy Hollow (V)

* 8% of its surface area and 9% of its population.

ZIP Codes Serving the Region

10510* 10514* 10532 10570 10591* 10594 10595

* Also serve other regions.

MOUNT PLEASANT TOWN

Health Planning Region: NORTHWEST

BIRTHS (200	05-2007)		DEATHS	6 (2005-200	7)	
Total Births 4	162			Total	Male	Fema
	10.7					
-	31.8		Total Deaths	300	139	161
			Death Rate (per 100,000)	694.9	635.3	756.3
Mother's Race/Ethnicity	<u>N</u>	<u>%</u>	7.6 4.75 4.14 P.4 ()	0001: 1	. 45	2.6
White	317	68.6	Infant Mortality Rate (per 1	,000 live b	irtn)	3.6
Black	9	1.9				
Other	136	29.4	Average Age at Death	Total	Male	Fema
Hispanic*	135	29.2	3 3			
Non-Hispanic	327	70.8	Total	76.7	72.1	80.8
* Hispanic may be of any race.			White	77.6	73.1	81.4
			Black	66.7	60.0	75.2
			Other	60.4	62.1	57.2
Mother's Education	N	%	Hispanic*	64.7	59.4	70.7
			* Hispanic may be of any race.			
Less than High School	68	14.7				
High School or GED	55	11.9				
Some College (no degree)	74	16.0	Top Five Causes of Death		N	%
Bachelor's Degree	128	27.7	-			-
Graduate/Prof. Degree	137	29.7	Major Cardiovascular	r Disease	114	37.8
			2 Malignant Neoplasms	S	83	27.5
			3 Chronic Lower Respi	ratory	12	4.1
Mother's Country of Origin	N	%	4 Accidents	•	11	3.8
, c			5 Septicemia		10	3.3
U.S.	292	63.2				
Foreign	170	36.8				
			COMMUNICABI	LE DISEAS	SES (2008))
Prenatal Care*	<u>N</u>					
Late or No Prenatal Care	16	3.8	Top Five Reported Diseases	_	<u>N</u>	Rate*
* With valid prenatal care information.			1 Chlamydia		75	173.5
			2 Gonorrhea		11	25.5
		0.1	3 Campylobacteriosis		7	16.2
Teen Mothers	N	<u>%</u>	4 Salmonellosis		6	13.9
Mother < 20	13	2.8	5 Tuberculosis * Per 100,000 population.		3	6.9

	Cases (N)		Rate (per	r 100,000)
	Male	Female	Male	Female
Chlamydia	20	55	91.2	258.4
Gonorrhea	3	8	13.7	37.6
Syphilis (all stages)	1	0	4.6	0.0

MOUNT PLEASANT TOWN

Health Planning Region: NORTHWEST

ENIEKG	SENCY ROOM	1 13113 (200	70)	nosr	PITALIZATIO	113 (2000)	
	N	Rate (per	10,000)		N	Rate (per	10,000)
Total	12,717	2,9	42	Total	5,059	1,1	70
Male	6,635	3,0	25	Male	2,370	1,0	81
Female	6,082 2,857 Female 2,689		2,689	1,263			
White	8,998	2,4	71	White	3,895	1,0	70
Black	1,145	5,2	26	Black	345	1,5	75
Other	2,574	5,5	77	Other	819	1,7	75
Hispanic*	1,814	2,9	95	Hispanic*	385	63	6
Non-Hispanic	10,903	2,9	34	Non-Hispanic	4,674	1,2.	58
* Hispanic may be of any race.				* Hispanic may be of any race.			
Under 5	931	3,1	26	Under 5*	488	1,6.	39
5-9	558	1,8	27	5-9	58	19	0
10-14	710	2,2	23	10-14	80	25	0
15-17	730	3,6	81	15-17	162	81	7
18-24	1,093	3,0	50	18-24	178	49	7
25-44	2,943	2,2	17	25-44	917	69	1
45-64	3,079	3,1	45	45-64	1,231	1,2.	58
65-74	801	2,7	48	65-74	575	1,9	73
75+	1,872	7,6	50	75+ * Excluding 10,171 newborns.	1,370	5,5	99
Top Five Causes	of ER Visits		N	Top Five Causes	of Hospitaliza	tion*	N
1 Injuries			3,432	1 Diseases of ci	irculatory syster	m	676
2 Mental disor	rders		653	2 Mental disor	rders		594
3 Acute respira	tory infections		401	3 Injury & Pois	oning		404
4 Infectious & 1	parasitic disease	es	355	4 Diseases of di	igestive system		378
5 Disorders of	f back, neck or	spine	351	5 Diseases of re *Excluding newborns &		m	318
Insurance Type		N	<u>%</u>	Insurance Type		N	%
Private		7005	55.1	Private		2457	48.6
Medicare		2577	20.3	Medicare		1798	35.5
Medicaid		1424	11.2	Medicaid		550	10.9
Other		544	4.3	Other		114	2.3
Self-Pay		1167	9.2	Self-Pay		140	2.8

ZIP Codes Included the Region for Tabulations of Emergency Visits and Hospitalizations

10532 10570 10594 10595 10591 (50%), representing 96.4% of the region population according to 2000 census.

MOUNT PLEASANT TOWN

Health Planning Region: NORTHWEST

PREVENTION QUALITY INDICATORS (PQI)

	Hospital	Admission	Statewide		As % of Expected ²			
	Admissions	Rate ¹	Rate	All	White ³	Black ³	Hispanic ³	
Diabetes-Related	31	128	283	45	35	1		
Short-Term Complications	10	42	52	82	44	••	••	
_	15	61	155	40	38	••	**	
Long-Term Complications				-		••	••	
Lower Limb Amputation	3	12	37	32	36	••	••	
Uncontrolled	2	8	39	21	6	••		
Respiratory Related	56	233	351	66	60			
Asthma	18	76	174	44	31			
COPD	37	151	178	85	86			
Circulatory-Related	79	321	554	58	51			
Angina	9	37	50	73	77			
Congestive Heart Failure	63	253	443	58	52			
Hypertension	6	25	61	40	26			
Acute Condition Related	141	580	666	87	76			
Bacterial Pneumonia	70	286	381	75	68			
Dehydration	32	131	116	113	103			
Urinary Tract Infection	38	159	169	94	76			

ZIP Codes Included the Region for PQI

10532 10570 10594 10595, representing 71.5% of the region population according to the 2000 census.

¹ Region admission rates are defined as hospital admissions per 100,000 population, adjusted for age and sex. The population used in such calculations is derived from the 2006 ZIP code population estimated by Claritas, a national demographic research firm. According to Claritas, the population included in this report for this region was 23,401.

² Expected rate is defined as the statewide rate, adjusted for age and sex unless otherwise defined.

³ White, black, and Hispanic categories are mutually exclusive.

OSSINING TOWN

Health Planning Region: NORTHWEST

DE	MOGRAPHICS	
	2000	2005-07
Population	36,534	36,241
Sex		
Male	18,808	18,955
Female	17,726	17,286
OSS	SINING TOWN	

Age	2000	2005-07
0-4	2,288	2,157
5-9	2,331	1,898
10-14	2,163	2,765
15-17	1,179	1,327
18-24	2,856	3,003
25-44	12,591	10,680
45-64	8,360	9,494
65-74	2,385	2,258
75+	2,381	2,659

10062
Ossining Town 10545 Ossining Village 10519
Briarcliff Manor
Zp Codes
Municipalities Variables

Race & Ethnicity	2000	2005-07
White	25,667	26,223
Black	5,217	4,082
Other	5,650	5,936
Hispanic*	7,282	8,139
Non-Hispanic	29,252	28,102
* Hispanic may be of any race.		

Family Structure	2000	2005-07
Total Family Households	8,543	8384
Families with Children < 18	4,092	4,402
Single Mother Families	678	757

Country of Origin	2000	2005-07
U.S.	27,700	••
Foreign Countries	8,834	
Non-Citizen (%)	67.6	

Language Spoken at Home (5+)	2000	2005-07
Non-English (%)	30.1	32.1

Education (25+)	2000	2005-07	
High School or Less	10,577	9,275	
Some College (no degree)	3,295	3,729	
Associate Degree	1,260	1,156	
Bachelor's Degree	5,506	4,854	
Graduate/Professional Degree	5,146	6,077	

Income	1999	2005-07	
Median Household Income (\$)	65,485	77,753	
Poverty Rate (%)	8.4	6.6	

Region Area: 11.72 sq miles

Municipalities Included in Region

Briarcliff Manor (V)*
Ossining (V)
Ossining (TOV)

 \ast 92% of its surface area and 91% of its population.

ZIP Codes Serving the Region

10510* 10545 10562

* Also serve other regions.

OSSINING TOWN

Health Planning Region: NORTHWEST

BIRTHS (2005-20	007)		DEATHS	(2005-200	7)	
Total Births 475				Total	Male	Femal
Birth Rate (per 1,000) 13.0						
Average Maternal Age 30.4			Total Deaths	272	120	152
			Death Rate (per 100,000)	743.6	636.3	857.5
Mother's Race/Ethnicity	N	<u>%</u>	Infant Mantakty Data (non 1	000 live hi	• 4.1	3.5
White	223	46.9	Infant Mortality Rate (per 1	,000 1146 01	rtn)	ر. د
Black	32	6.7				
Other	220	46.4	Average Age at Death	Total	Male	Femal
Hispanic*	215	45.2				
Non-Hispanic	260	54.8	Total	78.0	74.4	80.9
* Hispanic may be of any race.			White	79.7	76.0	82.7
			Black	69.4	66.6	71.5
			Other	62.1	57.9	66.7
Mother's Education	N	%	Hispanic*	64.5	62.5	68.0
			* Hispanic may be of any race.			
Less than High School	133	28.0				
High School or GED	73	15.4				
Some College (no degree)	63	13.3	Top Five Causes of Death		N	%
Bachelor's Degree	100	21.0				
Graduate/Prof. Degree	106	22.3	1 Major Cardiovascular	Disease	111	41.0
			2 Malignant Neoplasms	3	66	24.4
			3 Chronic Lower Respin	ratory	13	4.8
Mother's Country of Origin	N	%	4 Pneumonia		7	2.6
			5 Septicemia		6	2.3
U.S.	217	45.7				
Foreign	258	54.3				
D	•	0/	COMMUNICABL	LE DISEAS	SES (2008)	
Prenatal Care*	N 19	4.2	Ton Fine Demonted Discourse	_	N	Rate*
Late or No Prenatal Care	19	4.2	Top Five Reported Diseases	_	N 88	240.9
* With valid prenatal care information.			1 Chlamydia		14	38.3
			2 Campylobacteriosis 3 Salmonellosis		8	21.9
Teen Mothers	N	%	4 Tuberculosis		7	19.2
Mother < 20	21	4.4	5 Strep Group B Invasive		5	13.7
Modici < 20			*Per 100,000 population.			13.7
	SEXUAL	LY TRANSI	MITTED DISEASES (2008)			
		es (N)	D-4/	per 100,00		

Male

132.9

10.6

16.0

Female

355.4

11.3

0.0

Female

63

2

0

Male

25

2

3

Chlamydia

Gonorrhea

Syphilis (all stages)

OSSINING TOWN

Health Planning Region: NORTHWEST

ENIERO	SENCY ROOM	1 115115 (200	<i>(</i> 10)	HOSPITALIZATIONS (2008)			
	N	Rate (per	10,000)		N	Rate (per	10,000)
Total	11,347	3,1	06	Total	4,397	1,2	04
Male	5,655	3,0	07	Male	2,017	1,0	72
Female	5,692	3,2	11	Female	2,378	1,3	42
White	6,649	2,5	90	White	3,087	1,2	03
Black	1,606	3,0	78	Black	494	94	7
Other	3,092	5,4	73	Other	816	1,4	44
Hispanic*	2,819	3,8	71	Hispanic*	610	83	8
Non-Hispanic	8,528	2,9	15	Non-Hispanic	3,787	1,2	95
* Hispanic may be of any race.				* Hispanic may be of any race.			
Under 5	1,209	5,2	84	Under 5*	553	2,4	17
5-9	547	2,3	47	5-9	44	18	9
10-14	562	2,5	98	10-14	44	20	3
15-17	379	3,2	15	15-17	55	46	6
18-24	999	3,4	98	18-24	208	72	8
25-44	2,909	2,3	10	25-44	922	73	2
45-64	2,453	2,9	34	45-64	1,011	1,2	09
65-74	750	3,1	45	65-74	458	1,9	20
75+	1,539	6,4	64	75+	1,102	4,6	28
				* Hispanic may be of any race.			
Top Five Causes	s of ER Visits	-	<u>N</u>	Top Five Causes	of Hospitaliza	tion*	N
1 Injuries			3,025	1 Diseases of ci	rculatory syster	m	540
2 Acute respira	tory infections		484	2 Diseases of di	gestive system		398
3 Abdominal	pain		363	3 Injury & pois	oning		376
4 Mental disorders			344	4 Diseases of re	f respiratory system		300
5 Infectious &	parasitic disease	es	320	5 Mental disord * Excluding newborns &			285
Insurance Type		N	%	Insurance Type		N	%
Private		5860	51.6	Private		1979	45.0
Medicare		2144	18.9	Medicare		1436	32.7
Medicaid		1498	13.2	Medicaid		704	16.0
Other		404	3.6	Other		81	1.8
Self-Pay		1441	12.7	Self-Pay		197	4.5

ZIP Codes Included the Region for Tabulations of Emergency Visits and Hospitalizations

10510 (90%) 10545 10562 (90%), over representing the region population by 1.0% according to 2000 census.

OSSINING TOWN

Health Planning Region: NORTHWEST

	Hospital	Admission	Statewide	As % of Expected ²			
	Admissions	Rate ¹	Rate	All	White ³	Black ³	Hispanic ³
D'alaza Dalaza	70	218	283	77	58	Ì	18
Diabetes-Related						••	10
Short-Term Complications	6	19	52	36	42		
Long-Term Complications	48	150	155	97	70		23
Lower Limb Amputation	12	37	37	100	70		
Uncontrolled	3	9	39	24	12		48
Respiratory Related	49	156	351	44	42		66
Asthma	18	57	174	33	19		62
COPD	31	99	178	56	61		71
Circulatory-Related	124	382	554	69	67		33
Angina	17	52	50	104	114		44
Congestive Heart Failure	97	300	443	68	65		26
Hypertension	10	31	61	50	43		56
Acute Condition Related	166	516	666	78	79		43
Bacterial Pneumonia	81	251	381	66	66		34
Dehydration	42	130	116	112	114		38
Urinary Tract Infection	42	132	169	78	82		66

ZIP Codes Included the Region for PQI

10510 10562, over representing the region population by 12.2% according to the 2000 census.

Region admission rates are defined as hospital admissions per 100,000 population, adjusted for age and sex. The population used in such calculations is derived from the 2006 ZIP code population estimated by Claritas, a national demographic research firm. According to Claritas, the population included in this report for this region was 31,580.

² Expected rate is defined as the statewide rate, adjusted for age and sex unless otherwise defined.

 $^{^{3}}$ White, black, and Hispanic categories are mutually exclusive.

PEEKSKILL

Health Planning Region: NORTHWEST

DEN	MOGRAPHICS	Age	2000	2005-07
		0-4	1,706	2,027
	2000 2005-07	5-9	1,669	1,015
Population	22,441 25,691	10-14	1,366	1,128
1 opuluion	, -,	15-17	730	530
Sex		18-24	1,866	2,644
Male	10,887 13,263	25-44	7,835	9,232
Female	11,554 12,428	45-64	4,684	6,082
2 0111410	11,00	65-74	1,351	1,037
		75+	1,234	1,996
F	PEEKSKILL	731	1,234	1,,,,0
		Race & Ethnicity	2000	2005-07
	~~	White	12,819	13,847
_		Black	5,732	5,256
3		Other	3,732	6,588
5		Hispanic*	3,890 4,920	9,979
		Non-Hispanic	4,920 17,521	9,979 15,712
	1	*Hispanic may be of any race.	17,321	13,/12
3	Peekskill 10666			
5		Family Structure	2000	2005-07
Call		Total Family Households	5,344	5887
by		Families with Children < 18	2,656	2,527
Jum	3	Single Mother Families	846	634
		Country of Origin	2000	2005-07
	L. Charles	U.S.	17,926	••
Municipality	Fm 3	Foreign Countries	4,515	
	L. Control	Non-Citizen (%)	71.8	
Region	Area: 4.6 sq miles			
		Language Spoken at Home (5+)	2000	2005-07
Municipalities Inc	cluded in Region	Non-English (%)	26.9	42.3
Peekskill (City)		Education (25+)	2000	2005-07
		High School or Less	7,924	11,090
		Some College (no degree)	2,915	2,879
		Associate Degree	920	878
		Bachelor's Degree	1,834	2,035
		Graduate/Professional Degree	1,444	1,465
ZIP Codes Servin	g the Region	Graduate/11010ssional Degite	1,777	1,703
10566		Income	1999	2005-07
10300		Median Household Income (\$)	47,177	55,953
* Also serve ot	her regions	Poverty Rate (%)	13.7	14.6
Aiso serve of	nei regions.	roverty Nate (%)	13.7	14.0

PEEKSKILL

Health Planning Region: NORTHWEST

BIRTHS (2005	5-2007)	DEATHS (2005-2007)				
Fotal Births 39 Birth Rate (per 1,000) 17	92 7.5			Total	Male	Femal
4 / /	3.6		Total Deaths	193	87.3	106
			Death Rate (per 100,000)	861.5	802.2	917.4
Mother's Race/Ethnicity	N	<u>%</u>				6.0
White	130	33.2	Infant Mortality Rate (per 1	,000 live b	irth)	6.0
Black	61	15.6				
Other	201	51.2	Average Age at Death	Total	Male	Femal
Hispanic*	208	53.1	- · · - · · · · · · · · · · · · · · · ·			
Non-Hispanic	184	46.9	Total	75.0	70.3	78.9
* Hispanic may be of any race.			White	79.0	74.3	82.9
			Black	62.3	58.0	65.7
			Other	65.1	60.5	70.3
Mother's Education	N	%	Hispanic*	61.9	59.7	63.9
Total 5 Education			* Hispanic may be of any race.	01.7	0,1,	30.7
Less than High School	142	36.3				
High School or GED	85	21.7				
Some College (no degree)	80	20.4	Top Five Causes of Death		N	%
Bachelor's Degree	44	11.2				
Graduate/Prof. Degree	39	10.0	1 Major Cardiovascular Disease		77	39.8
			2 Malignant Neoplasms		45	23.1
			3 Chronic Lower Respi		8	4.1
Mother's Country of Origin	N	%	3 Pneumonia	,	8	4.1
			4 Accidents		7	3.4
U.S.	178	45.4	4 Septicemia		7	3.4
Foreign	214	54.6	5 Nephritis, Nephritic S	Syndrome	5	2.6
			COMMUNICABI	LE DISEAS	SES (2008)	
Prenatal Care*	N	7.2				.
Late or No Prenatal Care	27	7.3	Top Five Reported Diseases	_	N	Rate*
* With valid prenatal care information.			1 Chlamydia		72	320.8
			2 Gonorrhea		5	22.3
		0.1	3 Campylobacteriosis		3	13.4
Teen Mothers	N	%	4 Tuberculosis		3	13.4
Mother < 20	29	7.4	5 Amebiasis * Per 100,000 population.		3	13.4

	Cas	es (N)	Rate (per	100,000)
	Male	Female	Male	Female
Chlamydia	11	61	101.0	528.0
Gonorrhea	1	4	9.2	34.6
Syphilis (all stages)	2	0	18.4	0.0

PEEKSKILL

Health Planning Region: NORTHWEST

	N	Rate (per	10,000)		N	Rate (per	r 10,000
otal	11,843	5,27	77	Total	3,340	1,4	88
Male	5,381	4,94		Male	1,359	1,2	
Female	6,462	5,59		Female	1,979	1,7	
Vhite	4,775	3,72		White	1,633	1,2	
Black	3,673	6,40		Black	823	1,4.	
Other	3,395	8,72		Other	884	2,2	
Hispanic*	2,936	5,90		Hispanic*	624	1,2	
Non-Hispanic	8,907	5,08		Non-Hispanic	2,716	1,5.	
Hispanic may be of any race	,	2,00		* Hispanic may be of any race.		1,0.	
Jnder 5	1,217	7,13	34	Under 5*	445	2,6	08
i-9	578	3,40	53	5-9	21	12	6
0-14	453	3,31		10-14	25	18	3
5-17	386	5,28	38	15-17	40	54	18
8-24	1,222	6,54		18-24	192	1,0	29
5-44	3,404	4,34		25-44	715	91	
5-64	2,801	5,98		45-64	852	1,8	19
55-74	623	4,61		65-74	346	2,5	
75+	1,159	9,39	92	75+ * Excluding 10,171 newborns.	704	5,7	05
Top Five Cause	s of ER Visits	_	N	Top Five Causes	of Hospitaliza	tion*	N
1 Injuries			2,804	1 Diseases of ci	rculatory syster	m	450
2 Acute respira	atory infections		676	2 Mental disor	rders		299
3 Abdominal p	oain		513	3 Injury & Pois	oning		247
4 Disorders of back, neck or spine		ne	433	4 Diseases of di	igestive system		244
5 Discomfort	in chest		414	5 Diseases of re *Excluding newborns &		m	208
nsurance Type		N	%	Insurance Type		N	0
Private		5686	48.0	Private		1483	44
Medicare		2005	16.9	Medicare		1082	32
Medicaid		1903	16.1	Medicaid		586	17
Other		313	2.6	Other		32	1
Self-Pay		1936	16.3	Self-Pay		157	4

10566, representing 100% of the region population according to 2000 census.

PEEKSKILL

Health Planning Region: NORTHWEST

PREVENTION QUALITY INDICATORS (PQI

	Hospital	Admission	Statewide		As % of l	Expected ²	
	Admissions	Rate ¹	Rate	All	White ³	Black ³	Hispanic ³
	ſ		1	1	1	1	1
Diabetes-Related	60	347	283	123	132		
Short-Term Complications	10	55	52	106	101		
Long-Term Complications	32	188	155	121	133		••
Lower Limb Amputation	15	90	37	241	266		
Uncontrolled	2	11	39	29	29		
Respiratory Related	68	400	351	114	147		
Asthma	27	151	174	87	102		
COPD	40	247	178	139	186		
Circulatory-Related	89	539	554	97	86		
Angina	4	23	50	46	55		
Congestive Heart Failure	79	486	443	110	100		
Hypertension	5	29	61	47			
Acute Condition Related	147	886	666	133	154		
Bacterial Pneumonia	100	604	381	159	179		
Dehydration	23	139	116	120	136		
Urinary Tract Infection	24	144	169	85	111		

ZIP Codes Included the Region for PQI

10566, representing 100% of the region population according to the 2000 census.

Region admission rates are defined as hospital admissions per 100,000 population, adjusted for age and sex. The population used in such calculations is derived from the 2006 ZIP code population estimated by Claritas, a national demographic research firm. According to Claritas, the population included in this report for this region was 18,172.

² Expected rate is defined as the statewide rate, adjusted for age and sex unless otherwise defined.

 $^{^{3}}$ White, black, and Hispanic categories are mutually exclusive.


NORTHEAST

Health Planning Region

DE	MOGRAPHICS	
	2000	2005-07
Population	133,343	••
Sex		
Male	64,482	
Female	68,861	

9,669	-
	••
11,094	
10,392	
5,661	
6,655	
38,140	
35,356	
9,065	
7,311	
	6,655 38,140 35,356 9,065

NORTHEAST HPR



Race & Ethnicity	2000	2005-07
White	121,160	
Black	3,979	
Other	8,204	
Hispanic*	8,024	
Non-Hispanic	125,319	
* Hispanic may be of any race.		

Family Structure	2000	2005-07
Total Family Households	35,978	
Families with Children < 18	18,707	
Single Mother Families	1,599	

Country of Origin	2000	2005-07
U.S.	116,872	
Foreign Countries	16,471	
Non-Citizen (%)	45.6	

Language Spoken at Home (5+)	2000	2005-07
Non-English (%)	16.5	

Education (25+)	2000	2005-07
High School or Less	23,619	••
Some College (no degree)	13,046	
Associate Degree	5,275	
Bachelor's Degree	24,692	
Graduate/Professional Degree	23,474	

1999	2005-07
94,457	
3.5	
	94,457

Municipalities Included in Region

Bedford (T)	North Salem (T)
Lewisboro (T)	Pound Ridge (T)
Mount Kisco (T/V)	Somers (T)
New Castle (T)	Yorktown (T)
North Castle (T)	

ZIP Codes Serving the Region

 $10501\ 10504\ 10505\ 10506\ 10507\ 10514\ 10518\ 10519\ 10526\\ 10527\ 10535\ 10536\ 10540*\ 10546\ 10547*\ 10549\ 10560\ 10562*\\ 10576\ 10578\ 10587\ 10588\ 10589\ 10590\ 10597\ 10598\ 10603*$

* Also serve other regions.

NORTHEAST

Health Planning Region

BIRTHS (2005-2007)			DEATHS (2005-2007)			
Total Births 131	17			Total	Male	Femal
Birth Rate (per 1,000) 9.9						* *****
Average Maternal Age 33.			Total Deaths	803	361	442
Average maternar age	1		Death Rate (per 100,000)	602.5	560.4	641.9
	-		Death Nate (per 100,000)	002.5	500.1	0.11.
Mother's Race/Ethnicity	<u>N</u>			. 2001: 1	• • •	2.0
White	1140	86.6	Infant Mortality Rate (per 1	1,000 live b	irth)	3.8
Black	27	2.1				
Other	150	11.4	Average Age at Death	Total	Male	Femal
	194	14.7	Average Age at Death	1 Utai	Maic	FUIIai
Hispanic*	194 1,123	85.3	Tr-∡-1	77.2	74.4	79.5
Non-Hispanic	1,123	83.3	Total			
* Hispanic may be of any race.			White	77.9	75.1	80.2
			Black	67.3	57.4	73.6
			Other	64.5	65.4	63.5
Mother's Education	N	<u>%</u>	Hispanic*	58.9	57.8	59.9
			* Hispanic may be of any race.			
Less than High School	115	8.7				
High School or GED	116	8.8				
Some College (no degree)	200	15.2	Top Five Causes of Death		N	%
Bachelor's Degree	413	31.4	r			
Graduate/Prof. Degree	468	35.5	1 Major Cardiovascular	r Disease	314	39.0
O1444410,1101.205-11		55.2	2 Malignant Neoplasms		221	27.5
			3 Chronic Lower Respi		34	4.2
Mathaula Country of Origin	N	%		II ator y	26	3.2
Mother's Country of Origin						
	1.000	77.0	5 Pneumonia		21	2.7
U.S.	1,000	75.9				
Foreign	317	24.1				
			COMMUNICABI	LE DISEA	SES (2008)	ı
Prenatal Care*	N 	2.1	m r p		N T	D - 4 - \$
Late or No Prenatal Care	25	2.1	Top Five Reported Diseases	_	N	Rate*
* With valid prenatal care information.			1 Chlamydia		133	99.7
			2 Salmonellosis		29	21.7
			3 Campylobacteriosis		26	19.5
Teen Mothers	N	%	4 Babesiosis		20	15.0
Mother < 20	21	1.6	5 Giardiasis		17	12.7
			* Per 100,000 population.			
	SEXUAL	LY TRANSM	HTTED DISEASES (2008)			
	Case	es (N)	Rate	(per 100,00)0)	
•	Male	Female	Male		male	
Chlamydia	45	88	69.8		27.8	
		-	10.4		7.0	

12.4

10.9

8.7

4.4

6

3

8

7

Gonorrhea Syphilis (all stages)

NORTHEAST

Health Planning Region

ENIER	GENCY ROOM	V15115 (200	0)	nosr	PITALIZATIO	NS (2008)	
	N	Rate (per	10,000)		N	Rate (pe	r 10,000)
Total	32,697	2,45	52	Total	13,262	99	05
Male	16,277	2,52	24	Male	5,800	89	99
Female	16,420	2,38	35	Female	7,462	1,0	<i>84</i>
White	26,259	2,10	57	White	11,029	91	10
Black	1,630	4,09	97	Black	518	1,3	02
Other	4,808	5,80	51	Other	1,715	2,0	90
Hispanic*	3,095	3,85	57	Hispanic*	769	95	58
Non-Hispanic	29,602	2,36	52	Non-Hispanic	12,493	99	97
* Hispanic may be of any rac	e.			* Hispanic may be of any race.			
Under 5	2,394	2,47	76	Under 5*	1,401	1,4	49
5-9	1,701	1,53	33	5-9	106	9	6
10-14	1,992	1,91	!7	10-14	156	15	50
15-17	1,796	3,17	73	15-17	162	28	36
18-24	2,674	4,01	18	18-24	458	68	38
25-44	6,464	1,69	95	25-44	2,171	56	59
45-64	7,880	2,22	29	45-64	3,091	87	74
65-74	2,538	2,80	00	65-74	1,839	2,0	29
75+	5,258	7,19	92	75+ * Excluding 10,171 newborns.	3,878	5,3	04
Top Five Cause	es of ER Visits	_	N	Top Five Causes	of Hospitaliza	tion*	N
1 Injuries			10,311	1 Diseases of ci	irculatory syster	n	2,020
2 Discomfort	in chest		1,153	2 Diseases of d			1,147
3 Infectious &	parasitic diseases	S	1,039	3 Injury & pois	oning		1,025
4 Acute respi	ratory infection	S	1,039	4 Diseases of re	-	n	947
5 Abdominal	•		1,003	5 Cancer * Excluding newborns &	obstetrics.		835
Insurance Type		N	%	Insurance Type		N	%
Private		21256	65.0	Private		7191	54.2
Medicare		6925	21.2	Medicare		4929	37.2
Medicaid		1465	4.5	Medicaid		684	5.2
Other		584	1.8	Other		175	1.3
Self-Pay		2467	7.5	Self-Pay		283	2.1

ZIP Codes Included the Region for Tabulations of Emergency Visits and Hospitalizations

 $10501\ 10504\ 10506\ 10507\ 10514\ 10518\ 10519\ 10526\ 10527\ 10535\ 10536\ 10546\ 10547\ (2/3)\ 10549\ 10560\ 10576\ 10578$ $10589\ 10589\ 10590\ 10597\ 10598\ 10603\ (10\%), representing\ 96.8\% \ of the region\ population\ according\ to\ 2000\ Census.$

NORTHEAST

Health Planning Region

	PREVENTION O	DUALITY INDICATORS	(POI)
--	--------------	---------------------------	-------

	Hospital	Admission	Statewide		As % of l	of Expected ²	
	Admissions	Rate ¹	Rate	All	White ³	Black ³	Hispanic ³
				•	1	I	1
Diabetes-Related	116	110	283	39	39	•	31
Short-Term Complications	12	12	52	24	25	••	••
Long-Term Complications	78	73	155	47	46		58
Lower Limb Amputation	21	19	37	51	54		31
Uncontrolled	4	4	39	10	7		
	·						
Respiratory Related	188	179	351	51	47		58
Asthma	58	56	174	32	22		62
COPD	130	124	178	70	70		51
							·
Circulatory-Related	305	298	554	54	51		24
Angina	30	27	50	54	45		62
Congestive Heart Failure	262	260	443	59	57		19
Hypertension	13	12	61	20	15		18
Acute Condition Related	533	525	666	79	76		44
Bacterial Pneumonia	323	320	381	84	80		55
Dehydration	96	97	116	84	83		26
Urinary Tract Infection	102	106	169	63	62		32

ZIP Codes Included the Region for PQI

 $10501\ 10504\ 10506\ 10507\ 10514\ 10518\ 10526\ 10527\ 10535\ 10536\ 10546\ 10547\ 10549\ 10560\ 10576\ 10578\ 10588\ 10589$ $10590\ 10597\ 10598, representing\ 97.5\% \ of the\ region\ population\ according\ to\ 2000\ census.$

¹ Region admission rates are defined as hospital admissions per 100,000 population, adjusted for age and sex. The population used in such calculations is derived from the 2006 ZIP code population estimated by Claritas, a national demographic research firm. According to Claritas, the population included in this report for this region was 97,965.

² Expected rate is defined as the statewide rate, adjusted for age and sex unless otherwise defined.

³ White, black, and Hispanic categories are mutually exclusive.

SOMERS TOWN

Health Planning Region: NORTHEAST

DE	MOGRAPHICS	
	2000	2005-07
Population	18,346	20,934
Sex		
Male	8,757	10,183
Female	9,589	10,751

SOMERS TOWN

Age	2000	2005-07
0-4	1,235	1,154
5-9	1,277	1,353
10-14	1,229	1,401
15-17	782	1,156
18-24	770	1,215
25-44	4,719	3,743
45-64	4,803	6,200
65-74	1,872	2,014
75+	1,659	2,698

10505 10598 10587 10578 10578 10598 10536

Race & Ethnicity	2000	2005-07
White	17,400	19,209
Black	313	89
Other	633	1,636
Hispanic*	543	
Non-Hispanic	17,803	
* Hispanic may be of any race.		

Family Structure	2000	2005-07
Total Family Households	5,167	5979
Families with Children < 18	2,245	2,477
Single Mother Families	142	200

Country of Origin	2000	2005-07
U.S.	16,425	••
Foreign Countries	1,921	
Non-Citizen (%)	35.2	

Language Spoken at Home (5+)	2000	2005-07
Non-English (%)	12.8	14.8

Education (25+)	2000	2005-07
High School or Less	3,451	4,027
Some College (no degree)	2,168	2,315
Associate Degree	845	958
Bachelor's Degree	3,482	4,228
Graduate/Professional Degree	3,094	3,127

Income	1999	2005-07
Median Household Income (\$)	89,528	101,421
Poverty Rate (%)	2.0	1.4

Region Area: 32.1 sq miles

Municipalities Included in Region

Somers (T)

ZIP Codes Serving the Region

10501 10505* 10519* 10527 10526* 10540* 10578 10587 10589

* Also serve other regions.

SOMERS TOWN

Health Planning Region: NORTHEAST

BIRTHS (2005-2007)			DEATHS (2005-2007)				
Total Births 162				Total	Male	Femal	
Birth Rate (per 1,000) 8.8							
Average Maternal Age 34.	1		Total Deaths	196	80	116	
			Death Rate (per 100,000)	1068	913.6	1210	
Mother's Race/Ethnicity	N			00011 1		4.1	
White	149	92.2	Infant Mortality Rate (per 1	,000 live bi	irth)	4.1	
Black	1	0.6					
Other	12	7.2	Average Age at Death	Total	Male	Femal	
Hispanic*	9	5.6					
Non-Hispanic	153	94.4	Total	80.4	77.6	82.4	
* Hispanic may be of any race.			White	80.5	77.9	82.4	
			Black	77.7	63.5	84.8	
			Other	65.3	53.0	77.5	
Mother's Education	N	%	Hispanic*	78.9	72.0	88.0	
violiti s Daucation			* Hispanic may be of any race.				
Less than High School	1	0.6					
High School or GED	12	7.4					
Some College (no degree)	28	17.3	Top Five Causes of Death		N	%	
Bachelor's Degree	58	35.9	Top Tive Suuses of Beath				
Graduate/Prof. Degree	63	39.0	Major Cardiovascular	Disease	88	44.7	
Gradatte, 11011 Degree	-		2 Malignant Neoplasms		49	25.0	
			3 Chronic Lower Respir		12	6.3	
Mother's Country of Origin	N	%	4 Pneumonia	i de la constantina della cons	6	3.1	
violiti s country of origin			5 Accidents		5	2.7	
U.S.	133	82.3					
Foreign	29	17.7					
			COMMUNICABI	LE DISEAS	SES (2008))	
Prenatal Care*	N	<u>%</u>			N .T	D 4 4	
Late or No Prenatal Care	4	2.6	Top Five Reported Diseases	_	N	Rate*	
* With valid prenatal care information.			1 Chlamydia		17	92.7	
			2 Salmonellosis		7	38.2	
	••	0.1	3 Campylobacteriosis		4	21.8	
Teen Mothers	N	<u>%</u>	4 Gonorrhea		2	10.9	
Mother < 20	1	0.6	5 Giardiasis * Per 100,000 population.		2	10.9	
	SEXUAL	LY TRANSN	MITTED DISEASES (2008)				
		es (N)		per 100,00			

Male

125.6

11.4

0.0

Female

62.6

10.4

0.0

Female

6

0

Male

11

1 0

Chlamydia

Gonorrhea

Syphilis (all stages)

SOMERS TOWN

Health Planning Region: NORTHEAST

EMER(GENCY ROOM	EMERGENCY ROOM VISITS (2008)			TALIZATIO	NS (2008)	
	N	Rate (per	10,000)		N	Rate (per	10,000)
Total 4,901		2,67	71	Total	2,471	1,3-	47
Male	2,415	2,73	58	Male	1,076	1,229	
Female	2,486	2,59	93	Female	1,395	1,455	
White	4,346	2,49	98	White	2,267	1,303	
Black	211	6,74	41	Black	52	1,6	61
Other	344	5,4.	34	Other	152	2,4	01
Hispanic*	157	2,89	91	Hispanic*	38	70	0
Non-Hispanic	4,744	2,60	55	Non-Hispanic	2,433	1,3	67
* Hispanic may be of any race				* Hispanic may be of any race.			
Under 5	199	1,6.	11	Under 5*	135	1,0	93
5-9	187	1,40	54	5-9	15	11	7
10-14	281	2,28	86	10-14	11	90)
15-17	319	4,07	79	15-17	25	32	0
18-24	251	3,20	50	18-24	43	558	
25-44	684	1,44	19	25-44	232	492	
45-64	1,044	2,174		45-64	479	997	
65-74	510	2,72	24	65-74	389	2,0	78
75+	1,426	8,59	96	75+ * Excluding 10,171 newborns.	1,142	6,8	84
Top Five Causes	s of ER Visits	-	N	Top Five Causes	of Hospitaliza	tion*	N
1 Injuries			1,507	1 Diseases of ci	rculatory system	m	461
2 Discomfort in	n chest		176	2 Diseases of di			242
3 Infectious &	parasitic diseases	3	150	3 Diseases of re	espiratory system	m	231
4 Abdominal p	ain		135	4 Injury & pois	oning		182
5 Mental diso	rders		118	5 Cancer * Excluding newborns &	obstetrics.		153
Insurance Type		N		Insurance Type		N	<u>%</u>
Private		2615	53.4	Private		981	39.7
Medicare		1810	36.9	Medicare		1415	57.3
Medicaid		222	4.5	Medicaid		37	1.5
Other		59	1.2	Other		6	0.2
Self-Pay		195	4.0	Self-Pay		32	1.3

ZIP Codes Included the Region for Tabulations of Emergency Visits and Hospitalizations

 $10501\ 10527\ 10536\ (50\%)\ 10540\ 10578\ 10587\ 10589,$ representing 83.2% of the region population according to the 2000 census.

SOMERS TOWN

Health Planning Region: NORTHEAST

	Hospital	Admission	Statewide		As % of l	Expected ²	
	Admissions	Admissions Rate ¹	Rate	All	White ³	Black ³	Hispanic ³
	1			l	1	I.	İ
Diabetes-Related	23	107	283	38	37	••	••
Short-Term Complications	2	11	52	22	24	••	••
Long-Term Complications	14	62	155	40	41		
Lower Limb Amputation	4	17	37	46	55		
Uncontrolled			39				
Respiratory Related	44	198	351	56	54		
Asthma	5	24	174	14	14		
COPD	39	163	178	92	87		
Circulatory-Related	85	370	554	67	64		
Angina	7	31	50	63	57		
Congestive Heart Failure	76	327	443	74	71		
Hypertension	2	9	61	15	16		
Acute Condition Related	143	642	666	96	85		
Bacterial Pneumonia	79	349	381	92	78		
Dehydration	23	103	116	89	77		
Urinary Tract Infection	41	191	169	113	107		

ZIP Codes Included the Region for PQI

10501 10527 10536 10578 10589, over representing the region population by 11.1% according to the 2000 census.

Region admission rates are defined as hospital admissions per 100,000 population, adjusted for age and sex. The population used in such calculations is derived from the 2006 ZIP code population estimated by Claritas, a national demographic research firm. According to Claritas, the population included in this report for this region was 18,086.

² Expected rate is defined as the statewide rate, adjusted for age and sex unless otherwise defined.

³ White, black, and Hispanic categories are mutually exclusive.

YORKTOWN TOWN

Health Planning Region: NORTHEAST

	MOGRAPHICS		Age	2000	2005-07
			0-4	2,522	2,333
	2000	2005-07	5-9	2,945	2,681
Population	36,318	37,262	10-14	2,879	3,121
			15-17	1,661	1,688
Sex			18-24	1,972	2,716
Male	17,501	18,778	25-44	10,333	8,354
Female	18,817	18,484	45-64	9,161	11,275
			65-74	2,440	2,384
VOR	KTOWN TOWN	I	75+	2,405	2,710
TOR	RIOWN IOW		D 0.70 * 14	2000	2005.05
	10535		Race & Ethnicity	2000	2005-07
10588			White	32,919	32,097
	\		Black	1,103	1,271
10547			Other	2,296	3,894
	\		Hispanic*	2,112	••
KV	10598		Non-Hispanic * Hispanic may be of any race.	34,206	
10567 York	town		Inspance may be of any race.		
			Family Structure	2000	2005-07
\			Total Family Households	9,830	10153
			Families with Children < 18	5,138	4,966
10520			Single Mother Families	417	446
	10582 10549 10514	\[Country of Origin	2000	2005-07
Zip Codes Municipality			U.S.	32,513	••
		L.3)	Foreign Countries	3,805	••
		L. Joseph	Non-Citizen (%)	37.0	••
		- N.			
Region	Area: 39.5 sq mil	es	Language Cooking of Warring (51)	2000	
		es	Language Spoken at Home (5+)	2000	2005-07
		es	Language Spoken at Home (5+) Non-English (%)	2000 14.8	2005-07 19.2
Municipalities Ind		es	Non-English (%)	14.8	2005-07 19.2
Municipalities Ind		es	Non-English (%) Education (25+)	2000	2005-07 19.2 2005-07
Aunicipalities Ind		es	Non-English (%) Education (25+) High School or Less	2000 8,027	2005-07 19.2 2005-07 7,297
Municipalities Ind		es	Non-English (%) Education (25+) High School or Less Some College (no degree)	2000 8,027 4,194	2005-07 19.2 2005-07 7,297 4,278
Municipalities Ind		es	Non-English (%) Education (25+) High School or Less Some College (no degree) Associate Degree	2000 8,027 4,194 1,790	2005-07 19.2 2005-07 7,297 4,278 1,233
Aunicipalities Ind		es	Non-English (%) Education (25+) High School or Less Some College (no degree) Associate Degree Bachelor's Degree	2000 8,027 4,194 1,790 5,703	2005-07 19.2 2005-07 7,297 4,278 1,233 5,765
Municipalities Ind Yorktown (T)	cluded in Region	es	Non-English (%) Education (25+) High School or Less Some College (no degree) Associate Degree	2000 8,027 4,194 1,790	2005-07 19.2 2005-07 7,297 4,278 1,233
Municipalities Ind Yorktown (T)	cluded in Region		Non-English (%) Education (25+) High School or Less Some College (no degree) Associate Degree Bachelor's Degree Graduate/Professional Degree	2000 8,027 4,194 1,790 5,703 4,750	2005-07 19.2 2005-07 7,297 4,278 1,233 5,765 6,150
Region Municipalities Ind Yorktown (T) ZIP Codes Servin	cluded in Region		Non-English (%) Education (25+) High School or Less Some College (no degree) Associate Degree Bachelor's Degree	2000 8,027 4,194 1,790 5,703	2005-07 19.2 2005-07 7,297 4,278 1,233 5,765

YORKTOWN TOWN

Health Planning Region: NORTHEAST

BIRTHS (2005-2	007)		DEATHS (2005-2007)			
Total Births 353				Total	Male	Fema
Birth Rate (per 1,000) 9.7			_			
Average Maternal Age 32.8			Total Deaths	248	106	142
			Death Rate (per 100,000)	682.9	607.6	752.9
Mother's Race/Ethnicity	N	<u>%</u>	Infant Mortality Rate (per 1,00	00 live hi	entle)	3.8
White	295	83.6	miant wortanty Rate (per 1,00	JO IIVE DI	irui)	5.0
Black	9	2.6				
Other	49	13.8	Average Age at Death	Total	Male	Fema
Hispanic*	42	11.9	_			
Non-Hispanic	311	88.1	Total	77.8	74.6	80.2
* Hispanic may be of any race.			White	78.4	75.7	80.3
			Black	73.7	67.2	79.1
			Other	58.1	50.2	71.2
Mother's Education	N	%	Hispanic*	58.7	50.2	69.6
			* Hispanic may be of any race.			
Less than High School	12	3.4				
High School or GED	33	9.4				
Some College (no degree)	79	22.4	Top Five Causes of Death		N	%
Bachelor's Degree	107	30.3	•			
Graduate/Prof. Degree	121	34.3	Major Cardiovascular D	isease	93	37.4
S			2 Malignant Neoplasms		68	27.3
			3 Chronic Lower Respirat	ory	10	4.0
Mother's Country of Origin	N	%	4 Pneumonia	-	9	3.6
V B ·			5 Accidents		8	3.1
U.S.	279	79.1				
Foreign	74	20.9				
	•		COMMUNICABLE	DISEAS	SES (2008)	
Prenatal Care*		%	m F: B : 15:		N.T.	D-4 *
Late or No Prenatal Care	7	2.1	Top Five Reported Diseases		N	Rate*
* With valid prenatal care information.			1 Chlamydia		48	132.2
			2 Gonorrhea		8	22.0
T 35.0	* *	0/	3 Salmonellosis		6	16.5
Teen Mothers		%	4 Invasive Strep Pneumoni	ae	5	13.8
Mother < 20	5	1.4	5 Babesiosis * Per 100,000 population.		5	13.8
	CEVIIAI	I X/TD A NICA	AITTED DISEASES (2008)			

	Case	es (N)	Rate (per	100,000)
	Male	Female	Male	Female
Chlamydia	20	28	114.3	148.8
Gonorrhea	4	4	22.9	21.3
Syphilis (all stages)	1	1	5.7	5.3

YORKTOWN TOWN

Health Planning Region: NORTHEAST

LIVILIO	ENCY ROOM V			11001	ITALIZATIO		
	<u> </u>	Rate (per	10,000)		N	Rate (per	10,000)
Total	10,467	2,88	32	Total	4,111	1,13	2
Male	5,193	2,90	57	Male	1,804	1,03	1
Female	5,274	2,80	03	Female	2,307	1,22	6
White	8,608	2,61	15	White	3,487	1,05	9
Black	489	4,43	33	Black	113	1,02	4
Other	1,370	5,90	57	Other	511	2,22	6
Hispanic*	690	3,20	57	Hispanic*	170	805	5
Non-Hispanic	9,777	2,85	58	Non-Hispanic	3,941	1,15	2
* Hispanic may be of any race.				* Hispanic may be of any race.			
Under 5	637	2,52	26	Under 5*	417	1,65	3
5-9	458	1,55	55	5-9	26	88	
10-14	596	2,07	70	10-14	32	111	!
15-17	511	3,07	76	15-17	49	295	5
18-24	991	5,02	25	18-24	154	781	!
25-44	2,128	2,05	59	25-44	668	646	j .
45-64	2,549	2,78	32	45-64	956	1,04	4
65-74	795	3,25	58	65-74	537	2,20	1
75+	1,802	7,49	93	75+ * Excluding 10,171 newborns.	1,272	5,28	9
Top Five Causes	of ER Visits	_	N	Top Five Causes	of Hospitaliza	ntion*	N
1 Injuries			3,142	1 Diseases of ci	rculatory syste	m	643
2 Acute respira	tory infections		399	2 Diseases of di			367
3 Discomfort in	chest		368	3 Injury & poise	oning		342
4 Abdominal	oain		352	4 Diseases of re	espiratory syste	m	290
5 Infectious & p	parasitic diseases		317	5 Musculoskelet * Excluding newborns &	•	nnective tissue	262
Insurance Type	-	N		Insurance Type		N	%
Private		6731	64.3	Private		2286	55.
Medicare		2348	22.4	Medicare		1562	38.
Medicaid		451	4.3	Medicaid		145	3.5
Other		226	2.2	Other		42	1.0
Self-Pay		711	6.8	Self-Pay		76	1.8

ZIP Codes Included the Region for Tabulations of Emergency Visits and Hospitalizations

10535 10547 (2/3) 10588 10598, over representing the region population by 3.2% according to 2000 census.

YORKTOWN TOWN

Health Planning Region: NORTHEAST

PREVENTION QUALI	ITY INDICATORS (POI)
------------------	------------------	------

	Hospital	Admission	Statewide		As % of l	Expected ²	
	Admissions	Rate ¹	Rate	All	White ³	Black ³	Hispanic ³
Diabetes-Related	48	152	283	54	53		
	6	20	52	39	46	••	••
Short-Term Complications	34	106	155	69	67	••	••
Long-Term Complications	7	21	37	58	51	••	••
Lower Limb Amputation	/	21		58	51	••	•
Uncontrolled			39				
	i		,	1	1	1	1
Respiratory Related	86	273	351	78	79		
Asthma	23	74	174	42	39	••	••
COPD	63	198	178	112	117		
Circulatory-Related	114	358	554	65	64		
Angina	8	24	50	49	38		
Congestive Heart Failure	101	319	443	72	73		
Hypertension	5	16	61	25	20	••	
Acute Condition Related	201	643	666	97	98		
Bacterial Pneumonia	139	441	381	116	116	••	
Dehydration	34	109	116	94	101		
Urinary Tract Infection	27	88	169	52	54		

ZIP Codes Included the Region for PQI

10535 10547 10588 10598, over representing the region population by 11.1% according to the 2000 census.

Region admission rates are defined as hospital admissions per 100,000 population, adjusted for age and sex. The population used in such calculations is derived from the 2006 ZIP code population estimated by Claritas, a national demographic research firm. According to Claritas, the population included in this report for this region was 29,530.

² Expected rate is defined as the statewide rate, adjusted for age and sex unless otherwise defined.

³ White, black, and Hispanic categories are mutually exclusive.


WEST CENTRAL

Health Planning Region

DEMOGRAPHICS		
	2000	2005-07
Population	157,664	
Sex		
Male	74,935	
Female	82,729	

Age	2000	2005-07
0-4	10,172	
5-9	11,060	
10-14	10,653	
15-17	5,775	
18-24	9,813	
25-44	47,039	
45-64	40,374	
65-74	12,088	
75+	10,690	

WEST CENTRAL HPR



2000	2005-07
11,279	
20,059	
126,326	
20,768	
136,896	
	20,059 126,326 20,768

Family Structure	2000	2005-07
Total Family Households	40,783	
Families with Children < 18	19,212	
Single Mother Families	2,699	

Country of Origin	2000	2005-07
U.S.	120,681	
Foreign Countries	36,983	
Non-Citizen (%)	58.7	

Language Spoken at Home (5+)	2000	2005-07
Non-English (%)	28.4	

Education (25+)	2000	2005-07
High School or Less	31,348	
Some College (no degree)	15,868	
Associate Degree	5,785	
Bachelor's Degree	27,493	
Graduate/Professional Degree	30,066	

Income	1999	2005-07
Median Household Income (\$)	92,087	
Poverty Rate (%)	5.8	

Municipalities Included in Region

Ardsley (V)	Irvington (V)
Dobbs Ferry (V)	Scarsdale (T/V)
Elmsford (V)	Tarrytown (V)
Greenburgh (TOV)	White Plains (City)
Hastings-on-Hudson (V)	

ZIP Codes Serving the Region

10502 10503 10522 10523 10530 10533 10583* 10591* 10601 10602 10603* 10604* 10605 10606 10607 10706

^{*} Also serve other regions.

Chlamydia

Gonorrhea

Syphilis (all stages)

WEST CENTRAL

Health Planning Region

BIRTHS (2005	5-2007)		DEATHS	(2005-200)7)	
Total Births 18	349			Total	Male	Femal
	1.7					Tellian
-	1.4		Total Deaths	1146	506	640
Average maternal Age 31			Death Rate (per 100,000)	726.9	675.7	773.2
Mother's Race/Ethnicity	N	%				
			Infant Mortality Rate (per 1	,000 live b	oirth)	5.0
White	1000	54.1				
Black	198	10.7				
Other	651	35.2	Average Age at Death	Total	Male	Femal
Hispanic*	571	30.9				
Non-Hispanic	1,278	69.1	Total	77.6	74.3	80.2
* Hispanic may be of any race.			White	79.3	76.2	81.8
			Black	71.8	66.7	75.5
			Other	64.7	64.8	64.5
Mother's Education	N	%	Hispanic*	60.6	56.3	65.1
			* Hispanic may be of any race.			
Less than High School	277	15.0				
High School or GED	262	14.2				
Some College (no degree)	284	15.4	Top Five Causes of Death		N	%
Bachelor's Degree	468	25.3	•			-
Graduate/Prof. Degree	551	29.8	1 Major Cardiovascular	Disease	447	39.0
č			2 Malignant Neoplasms		301	26.3
			3 Chronic Lower Respin		48	4.2
Mother's Country of Origin	N	%	4 Pneumonia		34	3.0
with a country of origin			5 Septicemia		28	2.5
U.S.	961	52.0	5 Septicenna		_0	
Foreign	888	48.0				
Toleign		10.0				
Prenatal Care*	N	%	COMMUNICABL	E DISEA	SES (2008)	
Late or No Prenatal Care	100	6.0	Top Five Reported Diseases		N	Rate*
* With valid prenatal care information.	100		1 Chlamydia	_	348	220.7
			2 Gonorrhea		45	28.5
			3 Campylobacteriosis		30	19.0
Teen Mothers	N	%	4 Salmonellosis		25	15.9
Mother < 20	67	3.6	5 Syphilis		18	11.4
Mother < 20	07	3.0	* Per 100,000 population.		10	11.4
	SEXUAL	LY TRANSM	ITTED DISEASES (2008)			
	Case	es (N)	Rate (per 100,00	00)	
	Male	Female	Male		male	
Cl-1	106	242	141.5)2.5	

141.5

25.4

14.7

292.5

31.4

8.5

242

26

7

106

19 11

WEST CENTRAL

Health Planning Region

EMER	RGENCY ROOM	VISITS (200	8)	HOSE	PITALIZATIO	NS (2008)	
	<u> </u>	Rate (per	10,000)		N	Rate (pe	r 10,0
Total	46,233	2,93	32	Total	18,057	1,1	145
Male	22,210	2,90	54	Male	7,888	1,0	053
Female	24,012	2,90)2	Female	10,169	1,2	229
White	25,702	22,7	87	White	12,014	10,	652
Black	8,882	4,42	28	Black	2,523	1,2	258
Other	11,649	92	2	Other	3,520	27	79
Hispanic*	9,133	4,39	08	Hispanic*	2,140	1,0	030
Non-Hispanic	37,100	2,71	10	Non-Hispanic	15,917	1,1	163
* Hispanic may be of any ra		ŕ		* Hispanic may be of any race.		,	
Under 5	4,200	4,12	29	Under 5*	2,050	2,0	015
5-9	2,186	1,97		5-9	127		15
10-14	2,297	2,15		10-14	215	20	92
15-17	2,015	3,48	39	15-17	258	44	<i>47</i>
18-24	3,920	3,99		18-24	777		92
25-44	10,957	2,32		25-44	3,266	69	94
45-64	10,560	2,61		45-64	4,117	1.0	020
65-74	3,348	2,77		65-74	2,258		868
75+	6,742	6,30		75+ * Excluding 10,171 newborns.	4,989		667
Top Five Caus	es of ER Visits	_	N	Top Five Causes	s of Hospitaliza	ntion*]
1 Injuries			12,037	1 Diseases of c	irculatory syste	m	2,4
2 Acute respin	ratory infections		1,955	2 Diseases of d			1,4
3 Mental dis	•		1,614	3 Mental disord			1,4
	k parasitic disease	S	1,559	4 Injury & Po			1,2
5 Discomfor	rt in chest		1,327	5 Diseases of re	espiratory syste	m	1,1
Insurance Typ	e	N	0/0	Insurance Type		N	
Private		26850	58.1	Private		8802	
Medicare		9506	20.6	Medicare		6647	
Medicaid		3208	6.9	Medicaid		1889	
Other		1,150	2.5	Other		121	
Self-Pay		5519	11.9	Self-Pay		598	

ZIP Codes Included the Region for Tabulations of Emergency Visits and Hospitalizations

 $10502\ 10503\ 10522\ 10523\ 10530\ 10533\ 10583\ (60\%)\ 10591\ (50\%)\ 10601\ 10602\ 10603\ (90\%)\ 10604\ (1/3)\ 10605\ 10606\ 10607\ 10706,$ representing 97.9% of the region population according to 2000 Census.

WEST CENTRAL

Health Planning Region

	PREVENTION	OUALITY INDICATOR	S (POI)
--	------------	-------------------	---------

	Hospital	Admission	Statewide	As % of Expect		Expected ²	d²
	Admissions	Rate ¹	Rate	All	White ³	Black ³	Hispanic ³
	1		1		1	1	1
Diabetes-Related	210	154	283	54	41	166	55
Short-Term Complications	41	33	52	64	44	196	75
Long-Term Complications	124	89	155	57	43	187	48
Lower Limb Amputation	30	21	37	57	52	77	92
Uncontrolled	15	11	39	29	15	129	18
Respiratory Related	265	191	351	54	47	118	62
Asthma	120	90	174	52	29	172	92
COPD	145	101	178	57	63	63	17
Circulatory-Related	489	345	554	62	57	141	35
Angina	27	19	50	38	35	83	15
Congestive Heart Failure	415	292	443	66	62	140	39
Hypertension	46	33	61	54	38	197	26
Acute Condition Related	830	597	666	90	87	133	64
Bacterial Pneumonia	433	309	381	81	79	127	52
Dehydration	203	146	116	125	117	233	73
Urinary Tract Infection	194	142	169	84	84	77	83

ZIP Codes Included the Region for PQI

 $10502\ 10522\ 10523\ 10530\ 10533\ 10583\ 10601\ 10603\ 10605\ 10606\ 10607\ 10706$, representing 99.7% of the region population according to 2000 census.

¹ Region admission rates are defined as hospital admissions per 100,000 population, adjusted for age and sex. The population used in such calculations is derived from the 2006 ZIP code population estimated by Claritas, a national demographic research firm. According to Claritas, the population included in this report for this region was 124,886.

² Expected rate is defined as the statewide rate, adjusted for age and sex unless otherwise defined.

³ White, black, and Hispanic categories are mutually exclusive.

GREENBURGH TOWN

Health Planning Region: WEST CENTRAL

DE	MOGRAPHICS	
	2000	2005-07
Population	86,764	95,945
Sex		
Male	41,170	44,223
Female	45,594	51,722

GREENBURGH TOWN

Age	2000	2005-07
0-4	5,498	4,775
5-9	5,965	6,424
10-14	5,953	6,895
15-17	3,144	5,054
18-24	5,119	8,959
25-44	25,734	22,659
45-64	22,707	27,979
65-74	6,881	6,701
75+	5,763	6,499

F	
Tarrytown	10023 10003 10003
20097	5033 Elmsford 5003
Irvington	Greenburgh
Dobbs Ferry	wood wood words with the words wood wood words word words word word word word word word word word
1002	33
Hastings-on-Hudsón 10706. 12700	
Zip Codes Municipatities	

Race & Ethnicity	2000	2005-07
White	62,825	64,041
Black	11,344	12,653
Other	12,595	19,251
Hispanic*	7,825	12,233
Non-Hispanic	78,939	83,712
* Hispanic may be of any race.		

Family Structure	2000	2005-07
Total Family Households	23,083	23161
Families with Children < 18	10,693	11,407
Single Mother Families	1.490	1.698

Country of Origin	2000	2005-07
U.S.	68,569	72,535
Foreign Countries	18,195	23,410
Non-Citizen (%)	54.0	50.8

Language Spoken at Home (5+)	2000	2005-07
Non-English (%)	25.1	27.8

Education (25+)	2000	2005-07
High School or Less	15,995	16,246
Some College (no degree)	9,023	7,837
Associate Degree	3,351	3,090
Bachelor's Degree	16,105	16,884
Graduate/Professional Degree	16,841	19,781

Income	1999	2005-07		
Median Household Income (\$)	80,379	97,147		
Poverty Rate (%)	3.9	4.8		

Region Area: 30.4 sq miles

Municipalities Included in Region

Ardsley (V)	Irvington (V)
Dobbs Ferry (V)	Tarrytown (V)
Elmsford (V)	
Greenburgh (TOV)	
Hastings-on-Hudson (V)	

ZIP Codes Serving the Region

10502 10503 10522 10523 10530 10533 10583* 10591* 10603* 10607 10706

^{*} Also serve other regions.

Chlamydia

Gonorrhea

Syphilis (all stages)

GREENBURGH TOWN

Health Planning Region: WEST CENTRAL

BIRTHS (2	2005-2007)		DEATHS	S (2005-200	07)	
Total Births	950			Total	Male	Femal
Birth Rate (per 1,000)	10.9					1 cmu
Average Maternal Age	32.0		Total Deaths	652	288	364
Average Maternal Age	32.0		Death Rate (per 100,000)	751.8	699.5	799.1
			Death Rate (per 100,000)	701.0	0,7,10	,,,,,
Mother's Race/Ethnicity	N	%				
XX 71 *-	<i>EE</i> 0	5 0 0	Infant Mortality Rate (per 1	1,000 live b	oirth)	3.9
White	558	58.8				
Black	111	11.7		TD 4.1	37.1	_
Other	281	29.6	Average Age at Death	Total	Male	Fema
Hispanic*	213	22.4				
Non-Hispanic	737	77.6	Total	77.9	74.6	80.4
* Hispanic may be of any race.			White	79.4	76.3	81.8
			Black	70.5	67.0	73.5
			Other	68.2	65.4	71.1
Mother's Education	N	<u>%</u>	Hispanic*	65.2	59.2	70.5
			* Hispanic may be of any race.			
Less than High School	100	10.5				
High School or GED	106	11.2				
Some College (no degree)) 155	16.3	Top Five Causes of Death		\mathbf{N}	%
Bachelor's Degree	275	29.0				
Graduate/Prof. Degree	311	32.7	 Major Cardiovascular 	r Disease	259	39.7
			2 Malignant Neoplasms	S	170	26.1
			3 Chronic Lower Respi	iratory	29	4.5
Mother's Country of Origin	n N	%	4 Pneumonia	•	20	3.1
,			5 Septicemia		15	2.3
U.S.	560	59.0	1			
Foreign	390	41.0				
			COMMUNICABI	LE DISEA	SES (2008))
Prenatal Care*	<u>N</u>	<u>%</u>				
Late or No Prenatal Care	47	5.4	Top Five Reported Diseases	s _	N	Rate*
* With valid prenatal care information.			1 Chlamydia		177	204.0
			2 Gonorrhea		30	34.6
			3 Salmonellosis		15	17.3
Teen Mothers	N	<u>%</u>	4 Campylobacteriosis		12	13.8
Mother < 20	23	2.4	5 Giardiasis		11	12.7
			* Per 100,000 population.			
	SEXUAL	LY TRANSM	ITTED DISEASES (2008)			
	Cas	es (N)	Rate	(per 100,0	00)	
	Male	Female	Male	Fo	male	

145.7

29.1

9.7

256.6

39.5

4.4

117

18

2

60

12

4

GREENBURGH TOWN

Health Planning Region: WEST CENTRAL

EMER	GENCY ROOM	V 13113 (200	0)	11051	PITALIZATIO	(2000)	
	<u>N</u>	Rate (per	10,000)		N	Rate (pe	r 10,000)
Total	25,124	2,89	96	Total	9,829	1,1	33
Male	12,071	2,93	32	Male	4,286	1,0	41
Female	13,051	2,86	52	Female	5,543	1,2	16
White	15,808	2,51	16	White	6,937	1,1	04
Black	4,043	3,56	54	Black	1,104	97	73
Other	5,273	4,18	37	Other	1,788	1,4	20
Hispanic*	3,839	4,90	06	Hispanic*	884	1,1	30
Non-Hispanic	21,285	2,69	96	Non-Hispanic	8,945	1,1	33
* Hispanic may be of any race				* Hispanic may be of any race.			
Under 5	2,007	3,65	50	Under 5*	1,043	1,8	97
5-9	1,177	1,97	73	5-9	74	12	24
10-14	1,383	2,32	2.3	10-14	121	20)3
15-17	1,296	4,12	22	15-17	166	52	28
18-24	2,077	4,05	57	18-24	380	74	12
25-44	5,646	2,19	04	25-44	1,651	64	12
45-64	5,729	2,52	2.3	45-64	2,198	96	58
65-74	1,859	2,70)2	65-74	1,252	1,8	20
75+	3,950	6,85	54	75+ * Excluding 10,171 newborns.	2,944	5,1	08
Top Five Cause	s of ER Visits	_	N	Top Five Causes	of Hospitaliza	tion*	N
1 Injuries			7,065	1 Diseases of ci	irculatory syster	n	1,385
2 Acute respira	ntory infections		981	2 Diseases of d	igestive system		794
3 Mental disc	orders		845	3 Injury & pois	oning		738
4 Infectious &	parasitic diseases		815	4 Mental disord	lers		737
5 Discomfort	in chest		706	5 Diseases of re		n	622
Insurance Type		N	0/0	Insurance Type		N	%
Private		14959	59.5	Private		4865	49.5
Medicare		5352	21.3	Medicare		3809	38.8
Medicaid		1613	6.4	Medicaid		797	8.1
Other		664	2.6	Other		71	0.7
Self-Pay		2536	10.1	Self-Pay		287	2.9

ZIP Codes Included the Region for Tabulations of Emergency Visits and Hospitalizations

 $10502\ 10503\ 10522\ 10523\ 10530\ 10533\ 10583\ (15\%)\ 10591\ (50\%)\ 10603\ (65\%)\ 10607\ 10706,$ over representing the region population by 0.4% according to the 2000 census.

GREENBURGH TOWN

Health Planning Region: WEST CENTRAL

PREVENTION QUALITY INDICATORS (PQI)

	Hospital	Admission	Statewide		As % of l	Expected ²	
	Admissions	Rate ¹	Rate	All	White ³	Black ³	Hispanic ³
Diabetes-Related	101	154	283	54	45	129	20
	19	32	52	61	58	131	14
Short-Term Complications	62	92	155	60	47	154	20
Long-Term Complications	11		37		47	32	
Lower Limb Amputation Uncontrolled	9	16 14	39	43 35	20	122	29
					1	1	1
Respiratory Related	136	204	351	58	51	114	72
Asthma	65	100	174	58	31	166	113
COPD	71	104	178	58	67	61	14
Cinculatory Daloted	276	411	554	74	70	142	35
Circulatory-Related	15	22	50	44	34	104	39
Angina Congestive Heart Failure	235	350	443	79	78	134	39
Hypertension	26	39	61	64	41	223	17
Hypertension	20	3)	01	04	71	223	17
Acute Condition Related	440	668	666	100	102	114	73
Bacterial Pneumonia	224	337	381	88	91	99	68
Dehydration	104	158	116	136	131	212	44
Urinary Tract Infection	112	174	169	103	106	83	100

ZIP Codes Included the Region for PQI

 $10502\ 10522\ 10523\ 10530\ 10533\ 10603\ 10607\ 10706$, representing 87.8% of the region population according to the 2000 census.

¹ Region admission rates are defined as hospital admissions per 100,000 population, adjusted for age and sex. The population used in such calculations is derived from the 2006 ZIP code population estimated by Claritas, a national demographic research firm. According to Claritas, the population included in this report for this region was 60,479.

² Expected rate is defined as the statewide rate, adjusted for age and sex unless otherwise defined.

³ White, black, and Hispanic categories are mutually exclusive.

WHITE PLAINS

Health Planning Region: WEST CENTRAL

				·
DE	MOGRAPHICS	Age	2000	2005-07
		0-4	3,317	3,119
	2000 2005-07	5-9	3,252	2,341
Population	53,077 52,802	10-14	2,985	2,952
-		15-17	1,708	2,407
Sex		18-24	3,974	4,268
Male	25,110 24,961	25-44	17,239	16,236
Female	27,967 27,841	45-64	12,544	13,709
		65-74	4,053	3,833
		75+	4,005	3,937
W	HITE PLAINS			
Λ		Race & Ethnicity	2000	2005-07
1060	7	White	34,465	33,357
)1060	/5	Black	8,444	7,197
53		Other	10,168	12,248
7 / 1	0604	Hispanic*	12,476	15,127
10603		Non-Hispanic	40,601	37,675
10801		* Hispanic may be of any race.		
	Plains			
10808 White	rains	Family Structure	2000	2005-07
1		Total Family Households	12,704	12368
13	10605	Families with Children < 18	5,631	4,773
		Single Mother Families	1,062	1,253
	3 / 9			
	2 3	Country of Origin	2000	2005-07
Zip Codes		U.S.	37,505	36,117
Municipality		Foreign Countries	15,572	16,685
	The second	Non-Citizen (%)	64.2	58.4
	~	Tion Chizen (70)		
Regio	n Area: 9.9 sq miles	Language Spoken at Home (5+)	2000	2005-07
Municipalities In	cluded in Region	Non-English (%)	35.9	37.4
White Plains (City	,)			
winte riams (City		Education (25+)	2000	2005-07
		High School or Less	14,352	12,228
		Some College (no degree)	5,851	4,153
		Associate Degree	2,158	2,083
		Bachelor's Degree	2,138 8,089	2,083 9,532
		Graduate/Professional Degree	7,533	9,332 9,719
ZIP Codes Servin	ng the Region	Graduate/Froressional Degree	1,333	9,719
10601 10602** 10	0605 10606 10603* 10604*	Income	1999	2005-07
3002 20002 10		Median Household Income (\$)	58,545	73,744
* Also serve other	regions. ** PO Box.	Poverty Rate (%)	9.8	9.5
1 1150 SCI VC OUICI	TOBIONS. TO DOA.	1 Overty Rate (70)	7.0	7.5

Chlamydia

Gonorrhea

Syphilis (all stages)

WHITE PLAINS

Health Planning Region: WEST CENTRAL

BIRTHS (200	5-2007)		DEATHS	(2005-200)7)	
Total Births 7	80			Total	Male	Female
Birth Rate (per 1,000) 1	4.7					-
- · · · · · · · · · · · · · · · · · · ·	0.0		Total Deaths	419	181	238
			Death Rate (per 100,000)	789.4	719.5	852.2
Mother's Race/Ethnicity	N	%				
White	347	44.5	Infant Mortality Rate (per 1	,000 live b	irth)	7.3
Black	84	10.8				
Other	349	44.7	Average Age at Death	Total	Male	Famal
	352	45.1	Average Age at Death	Total	- Wiate	Femal
Hispanic*	332 428	54.9	T-4-1	76.7	72.8	79.5
Non-Hispanic	420	34.9	Total White	76.7 78.8	72.8 75.0	79.5 81.8
* Hispanic may be of any race.				73.3	66.6	77.2
			Black	73.3 59.6	62.7	56.7
Made at The Adam	N	0/	Other	56.6	54.4	59.5
Mother's Education	N	<u>%</u>	Hispanic* * Hispanic may be of any race.	30.0	34.4	39.3
Less than High School	177	22.7				
High School or GED	154	19.8				
Some College (no degree)	121	15.5	Top Five Causes of Death		N	%
Bachelor's Degree	147	18.9	•			
Graduate/Prof. Degree	177	22.7	1 Major Cardiovascular	Disease	158	37.6
			2 Malignant Neoplasms	3	110	26.2
			3 Chronic Lower Respi	ratory	16	3.9
Mother's Country of Origin	N	%	4 Pneumonia	-	12	2.9
,			5 Accidents		11	2.5
U.S.	319	40.9	5 Septicemia		11	2.5
Foreign	461	59.1				
			COMMUNICABI	LE DISEA	SES (2008))
Prenatal Care*	N 49	7.0	Ton Eine Donest J.D.		N	Do4-*
Late or No Prenatal Care	49	7.0	Top Five Reported Diseases	-	N 150 -	Rate*
* With valid prenatal care information.			1 Chlamydia		158	297.7
			2 Gonorrhea		15 12	28.3 22.6
Toon Modhana	N⊤	9/	3 Campylobacteriosis		12	
Teen Mothers	N 44	5.6	4 Syphilis		8	22.6
Mother < 20	44	3.0	5 Tuberculosis * Per 100,000 population.		0	15.1
	SEXUAL	LY TRANSM	ITTED DISEASES (2008)			
	Caso	es (N)	Rate (per 100,00	00)	
	Male	Female	Male		male	
		114	175.0	-	77.6	

175.2

27.9

27.9

407.6

28.6

17.9

114

8

5

44

7

7

WHITE PLAINS

Health Planning Region: WEST CENTRAL

22,222	GENCY ROOM	(1011)		12002	PITALIZATIO	110 (2000)	
	<u> </u>	Rate (per 1	0,000)		N	Rate (per	r 10,000
Γotal	18,223	3,433		Total	6,776	1,2	77
Male	8,736	3,479		Male	2,980	1,1	87
Female	9,487	3,392		Female	3,796	1,3.	57
White	7,574	2,198		White	3,880	1,1.	26
Black	4,764	5,642		Black	1,391	1,6	47
Other	5,885	5,788		Other	1,505	1,4	80
Hispanic*	5,178	4,150		Hispanic*	1,215	97	4
Non-Hispanic	13,045	3,213		Non-Hispanic	5,561	1,3	70
Hispanic may be of any race	9.			* Hispanic may be of any race.			
Under 5	1,993	6,008		Under 5*	845	2,5	47
5-9	839	2,580		5-9	43	13	2
10-14	739	2,476		10-14	65	21	8
5-17	588	3,443		15-17	74	43	3
8-24	1,634	4,112		18-24	357	89	8
25-44	4,809	2,790		25-44	1,376	79	8
15-64	4,180	3,332		45-64	1,615	1,2	87
65-74	1,244	3,069		65-74	823	2,0.	31
75+	2,197	5,486		75+ * Excluding 10,171 newborns.	1,578	3,9	40
Гор Five Cause	s of ER Visits		N	Top Five Causes	of Hospitaliza	ntion*	N
1 Injuries			4,031	1 Diseases of ci	irculatory syste	m	883
2 Acute respira	atory infections		895	2 Mental disor			644
3 Mental disor	-		686	3 Diseases of d	igestive system		556
4 Discomfort i	n chest		535	4 Diseases of re	-		463
5 Abdominal	pain		521	5 Injury & pois * Excluding newborns &	-		423
Insurance Type		N	%	Insurance Type		N	9/
Private		9953	54.6	Private		3097	45
Medicare		3434	18.8	Medicare		2276	33
Medicaid		1556	8.5	Medicaid		1070	15
Other		440	2.4	Other		47	0.
Ouici		2840	15.6	Self-Pay		286	4.

ZIP Codes Included the Region for Tabulations of Emergency Visits and Hospitalizations

10601 10605 10606 10603 (25%) 10604 (1/3), representing 93.7% of the region population according to 2000 census.

WHITE PLAINS

Health Planning Region: WEST CENTRAL

PREVENTION QUALITY INDICATORS (PQI)

	Hospital	Admission	Statewide		As % of l	Expected ²	
	Admissions	Rate ¹	Rate	All	White ³	Black ³	Hispanic ³
Diabetes-Related	87	224	283	79	52	1	79
Short-Term Complications	20	55	52	107	58		122
Long-Term Complications	50	126	155	82	55		68
Lower Limb Amputation	12	31	37	82	74		108
Uncontrolled	4	10	39	27	6		16
Respiratory Related	93	235	351	67	57		57
Asthma	41	107	174	62	27		81
COPD	52	127	178	72	80		22
Circulatory-Related	149	358	554	65	57		37
Angina	10	25	50	51	57		
Congestive Heart Failure	125	296	443	67	59		43
Hypertension	14	35	61	57	46		35
Acute Condition Related	259	624	666	94	86		63
Bacterial Pneumonia	140	339	381	89	81		47
Dehydration	67	160	116	137	121		94
Urinary Tract Infection	52	126	169	74	72		79

ZIP Codes Included the Region for PQI

10601 10605 10606, representing 79.4% of the region population according to 2000 census.

Region admission rates are defined as hospital admissions per 100,000 population, adjusted for age and sex. The population used in such calculations is derived from the 2006 ZIP code population estimated by Claritas, a national demographic research firm. According to Claritas, the population included in this report for this region was 36,691.

² Expected rate is defined as the statewide rate, adjusted for age and sex unless otherwise defined.

³ White, black, and Hispanic categories are mutually exclusive.

EAST CENTRAL

Health Planning Region

DEMOGRAPHICS					
	2000	2005-07			
Population	111,956	••			
Sex					
Male	54,182				
Female	57,774				

EAST CENTRAL HPR

Age	2000	2005-07
0-4	8,142	
5-9	8,531	
10-14	7,598	
15-17	3,959	
18-24	8,099	
25-44	34,760	
45-64	24,884	
65-74	8,125	
75+	7,858	

~~A
10004
£ ~ 5 K
10577 Rye Brook
Harrison 10573
Port Chester
10580
10580
10628 Rye City
10583 Mamaroneck Village
Mamaroneck Town
10538
Larchmont
10538
Zip Codes Municipalities
J. Janes
L.R.

Race & Ethnicity	2000	2005-07
White	92,133	
Black	3,603	
Other	16,220	
Hispanic*	19,764	
Non-Hispanic	92,192	
* Hispanic may be of any race.		

Family Structure	2000	2005-07
Total Family Households	28,784	••
Families with Children < 18	14,188	
Single Mother Families	1,650	

Country of Origin	2000	2005-07
U.S.	83,653	••
Foreign Countries	28,303	
Non-Citizen (%)	66.2	

Language Spoken at Home (5+)	2000	2005-07	
Non-English (%)	32.3		

2000	2005-07
27,057	••
10,325	
3,687	
17,565	
17,636	
	27,057 10,325 3,687 17,565

Income	1999	2005-07		
Median Household Income (\$)	75,463	••		
Poverty Rate (%)	6.5			

Municipalities Included in Region

Harrison (T/V)	Port Chester (V)
Larchmont (V)	Rye (City)
Mamaroneck (V)	Rye Brook (V)
Mamaroneck (TOV)	

Region Area: 37.3 sq miles

Mamaroneck (TOV)

ZIP Codes Serving the Region

 $10528\ 10538\ 10543\ 10573\ 10577\ 10580\ 10583* \\ 10604*$

EAST CENTRAL

Health Planning Region

BIRTHS (2005-2	007)		DEATHS	S (2005-200	7)	
Total Births 1380)			Total	Male	Femal
Birth Rate (per 1,000) 12.3						
Average Maternal Age 31.5			Total Deaths	726	322	404
			Death Rate (per 100,000)	648.5	594.9	698.7
Mother's Race/Ethnicity	N	%				
			Infant Mortality Rate (per	,000 live b	irth)	2.9
White	904	65.5				
Black	39	2.8				
Other	437	31.7	Average Age at Death	Total	Male	Femal
Hispanic*	511	37.0				
Non-Hispanic	869	63.0	Total	78.9	75.1	81.8
* Hispanic may be of any race.			White	79.3	75.9	82.1
			Black	75.3	68.8	79.1
			Other	67.7	56.9	77.0
Mother's Education	N	%	Hispanic*	63.4	61.6	65.6
			* Hispanic may be of any race.			
Less than High School	273	19.8				
High School or GED	208	15.1				
Some College (no degree)	195	14.1	Top Five Causes of Death		N	%
Bachelor's Degree	341	24.7				
Graduate/Prof. Degree	357	25.9	1 Major Cardiovascula	r Disease	291	40.0
			2 Malignant Neoplasm	S	182	25.1
			3 Chronic Lower Respi	ratory	31	4.3
Mother's Country of Origin	N	%	4 Pneumonia		21	2.8
			5 Accidents		20	2.7
U.S.	752	54.5				
Foreign	628	45.5				
			COMMUNICABI	LE DISEAS	SES (2008)	
Prenatal Care*	N		m m n		N T	TD 4 44
Late or No Prenatal Care	46	5.7	Top Five Reported Diseases	_	N	Rate*
* With valid prenatal care information.			1 Chlamydia		171	152.7
			2 Salmonellosis		28	25.0
T 35.4	N T	0.4	3 Campylobacteriosis		25	22.3
Teen Mothers	N	%	4 Gonorrhea		18	16.1
Mother < 20	49	3.6	5 Syphilis * Per 100,000 population.		16	14.3
	SEXUAL	LY TRANSI	MITTED DISEASES (2008)			
		es (N)	Doto	(per 100,00	•	

68
\mathbf{o}

Male

77.5

16.6

24.0

Female

223.3

15.6

5.2

Female

129

9

3

Male

42

9

13

Chlamydia

Gonorrhea

Syphilis (all stages)

EAST CENTRAL

Health Planning Region

ENIERC	GENCY ROOM	V15115 (200	<i>(</i> 10)	11031	OSPITALIZATIONS (2008)		
	N	Rate (per	10,000)		N	Rate (pe	r 10,000)
Total	14,127	1,2	62	Total	7,651	68	33
Male	7,003	1,2	92	Male	3,394	62	26
Female	7,124	1,2.	33	Female	4,255	73	26
White	9,701	1,0	53	White	5,768	62	26
Black	1,176	3,2	64	Black	390	1,0	82
Other	3,250	2,0	04	Other	1,493	92	20
Hispanic*	3,100	1,5	69	Hispanic*	1,138	57	76
Non-Hispanic	11,027	1,1	96	Non-Hispanic	6,513	70	06
* Hispanic may be of any race				* Hispanic may be of any race.			
Under 5	1,265	1,5.	54	Under 5*	969	1,1	90
5-9	595	69	7	5-9	90	10)5
10-14	613	80	7	10-14	106	14	10
15-17	447	1,1.	29	15-17	97	24	!5
18-24	1,324	1,6.	35	18-24	407	50)3
25-44	3,377	97	2	25-44	1,456	41	9
45-64	3,098	1,2	45	45-64	1,632	65	6
65-74	1,037	1,2	76	65-74	908	1,1	18
75+	2,364	3,0	08	75+ * Excluding 10,171 newborns.	1,985	2,5	26
Top Five Cause	s of ER Visits	-	N	Top Five Causes	of Hospitaliza	tion*	N
1 Injuries			3,380	1 Diseases of ci	rculatory syste	m	1,025
2 Mental disor	ders		682	2 Mental disor			607
3 Acute respi	ratory infection	ıs	463	3 Injury & poise	oning		559
4 Discomfort i	n chest		445	4 Diseases of di	gestive system		554
5 Infectious &	parasitic disease	S	434	5 Cancer * Excluding newborns &	obstetrics.		507
Insurance Type		N	%	Insurance Type		N	%
Private		7580	53.7	Private		3579	46.8
Medicare		3196	22.6	Medicare		2572	33.6
Medicaid		1259	8.9	Medicaid		1192	15.6
Other		271	1.9	Other		36	0.5
Self-Pay		1821	12.9	Self-Pay		272	3.6

ZIP Codes Included the Region for Tabulations of Emergency Visits and Hospitalizations

10528 10538 10543 10573 10577 10580 10604 (2/3), representing 100.0% of the region population according to 2000 Census.

EAST CENTRAL

Health Planning Region

	PREVENTION O	DUALITY INDICATORS	(POI)
--	--------------	---------------------------	-------

	Hospital	Admission	Statewide		As % of l	Expected ²	
	Admissions	Rate ¹	Rate	All	White ³	Black ³	Hispanic ³
	1		1		1	i.	1
Diabetes-Related	81	88	283	31	26		22
Short-Term Complications	13	15	52	29	33	••	11
Long-Term Complications	47	50	155	32	27		28
Lower Limb Amputation	14	15	37	40	34		25
Uncontrolled	6	6	39	17	7		19
Respiratory Related	76	82	351	23	24		21
Asthma	24	26	174	15	14		21
COPD	52	55	178	31	33		22
Circulatory-Related	180	188	554	34	32		16
Angina	14	15	50	30	28		8
Congestive Heart Failure	160	166	443	37	36		19
Hypertension	6	6	61	11	10		7
Acute Condition Related	286	300	666	45	44		20
Bacterial Pneumonia	163	170	381	45	44		16
Dehydration	72	75	116	65	59		23
Urinary Tract Infection	51	54	169	32	32		27

ZIP Codes Included the Region for PQI

10528 10538 10543 10573 10577 10580 10604, over representing the region population by 3.1% according to 2000 census.

Region admission rates are defined as hospital admissions per 100,000 population, adjusted for age and sex. The population used in such calculations is derived from the 2006 ZIP code population estimated by Claritas, a national demographic research firm. According to Claritas, the population included in this report for this region was 88,570.

² Expected rate is defined as the statewide rate, adjusted for age and sex unless otherwise defined.

³ White, black, and Hispanic categories are mutually exclusive.

HARRISON TOWN/VILLAGE

Health Planning Region: EAST CENTRAL


2000

2005-07

DE	MOGRAPHICS	
	2000	2005-07
Population	24,154	28,817
Sex		
Male	11,386	12,907
Female	12,768	15,910

Age	2000	2005-07
0-4	1,618	1,607
5-9	1,847	1,990
10-14	1,634	1,735
15-17	817	1,173
18-24	2,322	5,087
25-44	7,097	7,078
45-64	5,282	6,230
65-74	1,831	1,911
75+	1,706	2,006

HARRISON TOWN/VILLAGE



Black	345	747
	343	747
Other	2,123	4,457
Hispanic*	1,618	
Non-Hispanic	22,536	

Race & Ethnicity

Family Structure	2000	2005-07
Total Family Households	6,187	6534
Families with Children < 18	2,965	3,047
Single Mother Families	319	337

Country of Origin	2000	2005-07
U.S.	19,634	••
Foreign Countries	4,520	
Non-Citizen (%)	56.0	

Language Spoken at Home (5+)	2000	2005-07
Non-English (%)	26.7	29.3

Education (25+)	2000	2005-07
High School or Less	5,498	5,894
Some College (no degree)	2,424	2,121
Associate Degree	761	788
Bachelor's Degree	3,895	4,881
Graduate/Professional Degree	3,314	3,541

Income	1999	2005-07
Median Household Income (\$)	80,738	100,681
Poverty Rate (%)	5.6	3.1

Region	Area:	1/.4	sq	mı.	es

Municipalities Included in Region

Harrison (T/V)

ZIP Codes Serving the Region

10528 10577 10580* 10604*

* Also serve other regions.

HARRISON TOWN/VILLAGE

Health Planning Region: EAST CENTRAL

	(2005-2007)			DEATHS	3 (2005-200	11)	
Total Births	219				Total	Male	Fema
Birth Rate (per 1,000)	9.1						
Average Maternal Age	32.6			Total Deaths	143	76	67
				Death Rate (per 100,000)	592	664.6	527.4
Mother's Race/Ethnicity	_	N	%	Information Description	0001: 1	. 41	3.0
White		174	79.3	Infant Mortality Rate (per 1	,000 five b	irtn)	3.0
Black		6	2.7				
Other		39	17.9	Average Age at Death	Total	Male	Fema
Hispanic*		32	14.6				-
Non-Hispanic		187	85.4	Total	77.7	74.8	81.0
* Hispanic may be of any race.				White	77.8	75.0	80.9
				Black	79.0	79.0	
				Other	76.7	65.7	85.0
Mother's Education		N	%	Hispanic*	66.9	63.3	74.3
				* Hispanic may be of any race.			
Less than High School		11	5.0				
High School or GED		33	15.0				
Some College (no degre	ee)	42	19.1	Top Five Causes of Death		N	%
Bachelor's Degree		68	31.0	_			
Graduate/Prof. Degree		65	29.6	Major Cardiovascular	r Disease	56	38.9
				2 Malignant Neoplasms	S	40	28.0
				3 Chronic Lower Respi	ratory	7	4.9
Mother's Country of Orig	in	N	%	4 Pneumonia		4	2.6
	_			5 Accidents		3	2.3
U.S.		156	71.1				
Foreign		63	28.9				
				COMMUNICABI	LE DISEAS	SES (2008))
Prenatal Care*	_	<u>N</u>	%			•	
Late or No Prenatal Car	e	7	5.2	Top Five Reported Diseases	_	N	Rate*
* With valid prenatal care information.				1 Chlamydia		35	144.9
				2 Gonorrhea		8	33.1
			0.4	3 Salmonellosis		6	24.8
Teen Mothers	_	N	<u>%</u>	4 Campylobacteriosis		6	24.8
Mother < 20		5	2.3	5 Syphilis * Per 100,000 population.		5	20.7

	Cases (N)		Rate (per	100,000)
	Male	Female	Male	Female
Chlamydia	11	24	96.6	188.0
Gonorrhea	3	5	26.3	39.2
Syphilis (all stages)	2	3	17.6	23.5

HARRISON TOWN/VILLAGE

Health Planning Region: EAST CENTRAL

	ENCY ROOM		/		TALIZATIO	(,	
	N	Rate (per	10,000)		N	Rate (pe	r 10
Total	4,012	1,60	61	Total	1,870	77	74
Male	1,951	1,7.	14	Male	852	74	<i>1</i> 8
Female	2,061	1,6.	14	Female	1,017	79	97
White	2,803	1,29	93	White	1,491	68	88
Black	340	9,8.	55	Black	127	3,6	81
Other	869	4,0	93	Other	252	1,1	87
Hispanic*	627	3,8	75	Hispanic*	134	82	28
Non-Hispanic	3,385	1,50	02	Non-Hispanic	1,736	77	70
* Hispanic may be of any race.				* Hispanic may be of any race.			
Under 5	290	1,79	92	Under 5*	188	1,1	62
5-9	184	99	6	5-9	21	11	14
10-14	205	1,2.	55	10-14	27	16	55
15-17	154	1,88	85	15-17	28	34	13
18-24	477	2,0.	54	18-24	99	42	26
25-44	889	1,2.	53	25-44	348	49	90
45-64	849	1,60	07	45-64	384	72	27
65-74	311	1,69	99	65-74	254	1,3	87
75+	646	3,76	87	75+ * Excluding 10,171 newborns.	521	3,0)54
Top Five Causes	of ER Visits	-	N	Top Five Causes	of Hospitaliza	tion*	
1 Injuries			1,031	1 Diseases of ci	rculatory syster	n	
2 Mental disorde	ers		191	2 Mental disor	ders		
3 Discomfort in o	chest		138	3 Diseases of di	gestive system		
4 Acute respirato	ory infections		132	4 Injury & pois	oning		
5 Abdominal pa	ain		124	5 Cancer * Excluding newborns &	obstetrics.		
Insurance Type		N	<u>%</u>	Insurance Type		N	
Private		2398	59.8	Private		976	
Medicare		845	21.1	Medicare		664	
Medicaid		223	5.6	Medicaid		168	
Other		81	2.0	Other		9	
Self-Pay		465	11.6	Self-Pay		53	

ZIP Codes Included the Region for Tabulations of Emergency Visits and Hospitalizations

10528 10577 10580 (10%) 10604 (2/3), over representing the region population by 1.0% according to 2000 census.

HARRISON TOWN/VILLAGE

Health Planning Region: EAST CENTRAL

PREVENTION QUALITY INDICATORS (PQI)

	Hospital	Admission	Statewide		As % of I	Expected ²	
	Admissions	Rate ¹	Rate	All	White ³	Black ³	Hispanic ³
					1	l	1
Diabetes-Related	16	75	283	27	22	••	
Short-Term Complications	2	10	52	18	12	••	
Long-Term Complications	9	42	155	27	26		
Lower Limb Amputation	4	19	37	50	36		
Uncontrolled			39				
Respiratory Related	26	122	351	35	37		
Asthma	12	57	174	33	33		
COPD	14	65	178	36	40		
Circulatory-Related	70	326	554	59	54		
Angina	4	19	50	38	39		
Congestive Heart Failure	64	297	443	67	62		
Hypertension			61				
Acute Condition Related	101	470	666	71	68		
Bacterial Pneumonia	62	288	381	76	71		
Dehydration	20	94	116	81	78		
Urinary Tract Infection	19	89	169	53	53		

ZIP Codes Included the Region for PQI

10528 10577 10604, over representing the region population by 8.5% according to the 2000 census.

Region admission rates are defined as hospital admissions per 100,000 population, adjusted for age and sex. The population used in such calculations is derived from the 2006 ZIP code population estimated by Claritas, a national demographic research firm. According to Claritas, the population included in this report for this region was 20,805.

² Expected rate is defined as the statewide rate, adjusted for age and sex unless otherwise defined.

³ White, black, and Hispanic categories are mutually exclusive.

MAMARONECK TOWN & RYE TOWN

Health Planning Region: EAST CENTRAL

DE	MOGRAPHICS	
	2000	2005-07
Population	72,847	72,090
Sex		
Male	35,593	36,150
Female	37,254	35,940

Age	2000	2005-07
0-4	5,224	5,214
5-9	5,255	4,702
10-14	4,745	4,308
15-17	2,638	2,539
18-24	5,210	5,178
25-44	23,222	20,032
45-64	16,119	19,176
65-74	5,238	4,840
75+	5,196	6,101

MAMARONECK TOWN & RYE TOWN

	Tye Brook
1	Port Chester
Mamaroneck Town 10538 Larchmont 10538	kVillage
Zo Codes Municipatites	

Region	Area:	13	8	ςn	miles	

	2005-07
57,046	54,276
3,068	2,884
12,733	14,930
17,428	17,470
55,419	54,620
	3,068 12,733 <i>17,428</i>

Family Structure	2000	2005-07
Total Family Households	18,570	18385
Families with Children < 18	9,067	8,516
Single Mother Families	1,195	862

Country of Origin	2000	2005-07
U.S.	52,278	••
Foreign Countries	20,569	
Non-Citizen (%)	68.3	

Language Spoken at Home (5+)	2000	2005-07
Non-English (%)	36.3	38.1

Education (25+)	2000	2005-07
High School or Less	20,038	18,531
Some College (no degree)	6,767	5,703
Associate Degree	2,368	2,503
Bachelor's Degree	10,248	11,098
Graduate/Professional Degree	10,815	12,314

Income	1999	2005-07
Median Household Income (\$)	•••	••
Poverty Rate (%)	14.6	4.7

Municipalities Included in Region

Larchmont (V) Mamaroneck (V) Mamaroneck (TOV) Port Chester (V) Rye Brook (V)

ZIP Codes Serving the Region

 $10538\ 10543\ 10573\ 10583*\ 10604*$

* Also serve other regions.

MAMARONECK TOWN & RYE TOWN

Health Planning Region: EAST CENTRAL

BIRTHS (2005-2007)			DEATHS (2005-2007)				
Total Births 985	5			Total	Male	Femal	
Birth Rate (per 1,000) 13.						1 cinur	
Average Maternal Age 30.			Total Deaths	477	204	273	
Treruge Hauterian rige			Death Rate (per 100,000)	654.8	574.1	731.9	
Mother's Race/Ethnicity	N	<u>%</u>				2.0	
White	573	58.2	Infant Mortality Rate (per 1	1,000 live b	oirth)	2.0	
Black	31	3.1					
Other	381	38.7	Average Age at Death	Total	Male	Femal	
Hispanic*	466	47.3					
Non-Hispanic	519	52.7	Total	78.8	74.9	81.7	
* Hispanic may be of any race			White	79.4	75.8	82.2	
			Black	74.0	67.3	77.9	
			Other	67.1	56.5	75.0	
Mother's Education	N	%	Hispanic*	62.2	60.3	64.4	
			* Hispanic may be of any race.				
Less than High School	260	26.4					
High School or GED	166	16.8					
Some College (no degree)	133	13.5	Top Five Causes of Death		N	%	
Bachelor's Degree	196	19.9					
Graduate/Prof. Degree	227	23.0	1 Major Cardiovascular		190	39.8	
			2 Malignant Neoplasms		118	24.7	
			3 Chronic Lower Respi	ratory	18	3.8	
Mother's Country of Origin	N	%	4 Pneumonia		14	3.0	
			5 Accidents		14	2.9	
U.S.	461	46.8					
Foreign	524	53.2					
			COMMUNICABI	LE DISEA	SES (2008)	
Prenatal Care*	N	% 5.9	m m n		NT	D-4 *	
Late or No Prenatal Care	37	5.9	Top Five Reported Diseases	_	N 131	Rate*	
* With valid prenatal care information.			1 Chlamydia			179.8 19.2	
			2 Salmonellosis		14 14	19.2	
Teen Mothers	N	%	3 Syphilis		13	19.2 17.8	
Mother < 20	43	4.4	4 Campylobacteriosis5 Gonorrhea		12	16.5	
WIGHTER /U	43	4.4	5 Gonornea		14	10.5	

SEACALLI IRANSWIII IED DISEASES (2000)

	Cas	Cases (N)		100,000)
	Male	Female	Male	Female
Chlamydia	31	100	87.1	268.4
Gonorrhea	6	6	16.9	16.1
Syphilis (all stages)	11	3	30.9	8.1

${\bf MAMARONECK\ TOWN\ \&\ RYE\ TOWN}$

Health Planning Region: EAST CENTRAL

	N	Rate (per 1	0.000)		N	Rate (per	· 10.000)	
							10,000)	
Γotal	9,152	1,256		Total	5,087	69		
Male	4,545	1,277		Male	2,180	61.		
Female	4,607	1,237		Female	2,906	78		
White	6,114	1,072		White	3,662	64.		
Black	800	2,608		Black	250	81.		
Other	2,238	1,758		Other	1,175	92.		
Hispanic*	2,403	1,379		Hispanic*	981	56.		
Non-Hispanic	6,749	1,218		Non-Hispanic	4,106	74	1	
Hispanic may be of any race.				* Hispanic may be of any race.				
Under 5	912	1,746	i	Under 5*	719	1,37	76	
5-9	369	702		5-9	55	10.	5	
10-14	356	750		10-14	52	11	0	
15-17	261	989		15-17	58	220	0	
18-24	765	1,468	!	18-24	281	53	9	
25-44	2,306	993		25-44	993	428		
15-64	2,041	1,266		45-64	1,100	682		
55-74	645	1,231		65-74	567	1,08	1,082	
75+	1,497	2,881		75+ * Excluding 10,171 newborns.	1,262	2,42	29	
Гор Five Causes	s of ER Visits		N	Top Five Causes	of Hospitaliza	tion*	N	
1 Injuries			2,131	1 Diseases of ci	rculatory syster	n	647	
2 Mental disord	ders		448	2 Mental disorders			398	
3 Acute respira	tory infections		302	3 Diseases of digestive system		357		
4 Infectious &	parasitic diseases		287	4 Injury & poisoning			357	
5 Discomfort	in chest		286	5 Cancer			327	
				* Excluding newborns &	obstetrics.			
Insurance Type		N	<u>%</u>	Insurance Type		N		
Private		4642	50.7	Private		2223	43.	
Medicare		2087	22.8	Medicare		1656	32.	
Medicaid		967	10.6	Medicaid		981	19.	
Other		181	2.0	Other		28	0.6	
Self-Pay		1275	13.9	Self-Pay		199	3.9	

ZIP Codes Included the Region for Tabulations of Emergency Visits and Hospitalizations

 $10538\ 10543\ 10573,$ representing 99.5% of the region population according to 2000 census.

MAMARONECK TOWN & RYE TOWN Health Planning Region: EAST CENTRAL

PREVENTION QUALITY INDICATORS (PQI)

	Hospital	Admission	Statewide		As % of l	Expected ²	
	Admissions	Rate ¹	Rate	All	White ³	Black ³	Hispanic ³
			1		1	ı	1
Diabetes-Related	59	102	283	36	31		23
Short-Term Complications	11	20	52	38	52		13
Long-Term Complications	35	60	155	39	31		30
Lower Limb Amputation	8	14	37	37	30		29
Uncontrolled	5	9	39	22	12		11
Respiratory Related	46	79	351	22	23		22
Asthma	10	17	174	10	7		20
COPD	36	61	178	34	36		26
Circulatory-Related	95	156	554	28	27		11
Angina	9	15	50	31	30		
Congestive Heart Failure	81	132	443	30	29		11
Hypertension	4	7	61	11	11		8
Acute Condition Related	162	268	666	40	39		18
Bacterial Pneumonia	88	145	381	38	39		15
Dehydration	46	76	116	65	59		22
Urinary Tract Infection	27	45	169	27	28		21

ZIP Codes Included the Region for PQI

10538 10543 10573, representing 99.5% of the region population according to 2000 census.

Region admission rates are defined as hospital admissions per 100,000 population, adjusted for age and sex. The population used in such calculations is derived from the 2006 ZIP code population estimated by Claritas, a national demographic research firm. According to Claritas, the population included in this report for this region was 55,774.

² Expected rate is defined as the statewide rate, adjusted for age and sex unless otherwise defined.

³ White, black, and Hispanic categories are mutually exclusive.

RYE CITY

Health Planning Region: EAST CENTRAL

DEMOG	RAPHICS	Age	2000	2005-07
		0-4	1,300	••
_	2000 2005-07	5-9	1,429	
Population	14,955	10-14	1,219	
		15-17	504	
Sex		18-24	567	
Male	7,203	25-44	4,441	
Female	7,752	45-64	3,483	
		65-74	1,056	
		75+	956	
RYE	CITY			
	77	Race & Ethnicity	2000	2005-07
{		White	13,401	••
		Black	190	
	E	Other	1,364	
	55 D	Hispanic*	718	
Rye	city (Carlot	Non-Hispanic	14,237	
1008		* Hispanic may be of any race.		
1		Family Structure	2000	2005-07
B	1	Total Family Households	4,027	2003-07
3 45	\[\]	Families with Children < 18	2,156	••
and for		Single Mother Families	136	
P		Country of Origin	2000	2005-07
Municipality	1 5	U.S.	11,741	••
	The second second	Foreign Countries	3,214	
	A. A.	Non-Citizen (%)	67.3	
Region Area	: 6.1 sq miles		2000	2005.05
Municipalities Table 1	l in Docior	Language Spoken at Home (5+)	2000 22.0	2005-07
Municipalities Included	i in Region	Non-English (%)	22.0	
Rye (City)		Education (25+)	2000	2005-07
		High School or Less	1,521	
		Some College (no degree)	1,134	
		Associate Degree	558	
		Bachelor's Degree	3,424	
		Graduate/Professional Degree	3,507	
ZIP Codes Serving the	Region		, ·	
10580		Income	1999	2005-07
**		Median Household Income (\$)	110,894	
		Poverty Rate (%)	2.5	
		20.010/ 2000 (70)		••

RYE CITY

Health Planning Region: EAST CENTRAL

BIRTHS (2005-20	DEATHS (2005-2007)					
Fotal Births 175				Total	Male	Femal
Birth Rate (per 1,000) 11.7						
Average Maternal Age 34.5			Total Deaths	106	42	64
			Death Rate (per 100,000)	708.8	587.7	821.3
Mother's Race/Ethnicity	N	%	Infant Mantality Data (no. 1	000 1: 1-	:41	7.6
White	157	89.7	Infant Mortality Rate (per 1	,000 five b	irin)	7.0
Black	2	1.1				
Other	16	9.1	Average Age at Death	Total	Male	Femal
Hispanic*	14	8.0				-
Non-Hispanic	161	92.0	Total	80.7	76.8	83.3
* Hispanic may be of any race.			White	81.2	77.9	83.3
			Black	93.8	92.0	94.3
			Other	52.6	47.6	65.0
Mother's Education	N	%	Hispanic*	84.0	86.5	79.0
			* Hispanic may be of any race.			
Less than High School	3	1.7				
High School or GED	10	5.7				
Some College (no degree)	19	10.9	Top Five Causes of Death		N	%
Bachelor's Degree	77	44.0	- op			
Graduate/Prof. Degree	65	37.1	Major Cardiovascular	Disease	45	42.8
C			2 Malignant Neoplasms		25	23.3
			3 Chronic Lower Respi		6	5.7
Mother's Country of Origin	N	%	4 Accidents	,	3	2.5
		·	4 Pneumonia		3	2.5
U.S.	134	76.6	5 Nephritis, Nephritic S	Syndrome	2	1.9
Foreign	41	23.4	, , , , , , , , , , , , , , , , , , ,			
			COMMUNICABI	LE DISEA	SES (2008)	
Prenatal Care*	N	<u>%</u>				.
Late or No Prenatal Care	2	3.7	Top Five Reported Diseases	_	<u>N</u> –	Rate*
* With valid prenatal care information.			1 Campylobacteriosis		6	40.1
			2 Salmonellosis		6	40.1
	e -		3 Chlamydia		5	33.4
Teen Mothers	N	%	4 Giardiasis		2	13.4
Mother < 20	1	0.6	5 Syphilis * Per 100,000 population.		1	6.7
	SEXUAL	LY TRANSI	MITTED DISEASES (2008)			

	Cases (N)		Rate (per	100,000)
	Male	Female	Male	Female
Chlamydia	0	5	0.0	64.5
Gonorrhea	0	0	0.0	0.0
Syphilis (all stages)	1	0	13.9	0.0

RYE CITY

Health Planning Region: EAST CENTRAL

	ENCY ROOM				ITALIZATI((,	
	N	Rate (per	10,000)		N	Rate (per	10,
Total	963	64	4	Total	694	464	!
Male	507	70	4	Male	363	504	!
Female	456	58	8	Female	331	427	7
White	784	58	25	White	616	460)
Black	36	1,8	95	Black	13	684	!
Other	143	1,0	48	Other	65	477	7
Hispanic*	70	97	75	Hispanic*	23	320)
Non-Hispanic	893	62	7	Non-Hispanic	671	471	
* Hispanic may be of any race.				* Hispanic may be of any race.			
Under 5	63	48	5	Under 5*	62	477	7
5-9	42	29		5-9	14	98	
10-14	52	42	7	10-14	27	221	
15-17	32	63		15-17	11	218	
18-24	82	1,4		18-24	26	459	
25-44	183	41		25-44	115	259	
45-64	208	59		45-64	149	428	
55-74	81	76		65-74	87	824	
75+	220	2,3		75+ * Excluding 10,171 newborns.	203	2,12	3
Top Five Causes	of ER Visits	-	N	To _l Top Five Ca	ıses of Hospit	alization*	
1 Injuries			218	1 Diseases of ci	rculatory syste	em	
2 Disorders of b	ack, neck or sp	ine	45	2 Musculoskelet			
3 Mental disord			42	3 Injury & Pois	oning		
4 Acute respirat	ory infections		29	4 Cancer	-		
5 Abdominal p			22	5 Diseases of di *Excluding newborns &	-	1	:
Insurance Type		N	<u>%</u>	Insurance Type		N	_
Private		541	56.2	Private		380	
Medicare		264	27.4	Medicare		252	
Medicaid		68	7.1	Medicaid		42	
Other		9	0.9	Other		0	
Self-Pay		81	8.4	Self-Pay		20	

ZIP Codes Included the Region for Tabulations of Emergency Visits and Hospitalizations

 $10580 \ (90\%),$ over representing the region population by 0.7% according to $2000 \ census.$

RYE CITY

Health Planning Region: EAST CENTRAL

PREVENTION Q	UALITY INDICATORS	(PQI)
--------------	--------------------------	-------

	Hospital	Admission	Statewide		As % of l	Expected ²	
	Admissions	Rate ¹	Rate	All	White ³	Black ³	Hispanic ³
		•		۱	1 40	1	Í
Diabetes-Related	5	38	283	13	13		
Short-Term Complications		••	52	••	••		••
Long-Term Complications	3	22	155	14	13		
Lower Limb Amputation	5	38	37	103	103		
Uncontrolled			39				
Respiratory Related	4	30	351	8	9		
Asthma	2	15	174	9	10		
COPD	2	14	178	8	9		
Circulatory-Related	15	109	554	20	21		
Angina			50				
Congestive Heart Failure	14	102	443	23	24		
Hypertension			61				
Acute Condition Related	23	171	666	26	24		
Bacterial Pneumonia	13	96	381	25	23		
Dehydration	5	37	116	32	34		
Urinary Tract Infection	4	31	169	18	19		

ZIP Codes Included the Region for PQI

10580, over representing the region population by 11.9% according to 2000 census.

Region admission rates are defined as hospital admissions per 100,000 population, adjusted for age and sex. The population used in such calculations is derived from the 2006 ZIP code population estimated by Claritas, a national demographic research firm. According to Claritas, the population included in this report for this region was 11,991.

² Expected rate is defined as the statewide rate, adjusted for age and sex unless otherwise defined.

³ White, black, and Hispanic categories are mutually exclusive.

YONKERS

SOUTHWEST Health Planning Region

DEMOGRAPHICS						
	2000	2005-07				
Population	196,086	195,817				
Sex						
Male	92,132	93,853				
Female	103,954	101,964				

Age	2000	2005-07
0-4	13,702	12,923
5-9	13,919	12,724
10-14	12,945	12,956
15-17	7,148	7,372
18-24	17,335	17,592
25-44	60,082	53,339
45-64	41,578	50,114
65-74	15,006	14,494
75+	14,371	14,303

YONKERS / SOUTHWEST HPR

1071	
10703 Yonkers	10707
10704	
Zp Codes Municipality	South State of the
Region Area: 18.4 s	sq miles

Race & Ethnicity	2000	2005-07
White	118,007	110,927
Black	32,575	36,752
Other	45,504	48,138
Hispanic*	50,852	58,102
Non-Hispanic	145,234	137,715
* Hispanic may be of any race.		

2000	2005-07
49,290	46576
23,001	21,264
7,200	6,356
	23,001

Country of Origin	2000	2005-07
U.S.	144,399	140,676
Foreign Countries	51,687	55,141
Non-Citizen (%)	56.4	49.0

Language Spoken at Home (5+)	2000	2005-07
Non-English (%)	39.0	41.0

Education (25+)	2000	2005-07
High School or Less	69,268	67,557
Some College (no degree)	22,591	17,401
Associate Degree	7,179	9,733
Bachelor's Degree	19,142	21,644
Graduate/Professional Degree	13,569	15,915

Income	1999	2005-07		
Median Household Income (\$)	44,663	53,320		
Poverty Rate (%)	15.5	13.1		

Municipalities Included in Region

Yonkers (City)

ZIP Codes Serving the Region

10583* 10701 10702** 10703 10704 10705 10707* 10708* 10710

* Also serve other regions. ** PO Box.

Chlamydia

Gonorrhea

Syphilis (all stages)

YONKERS

SOUTHWEST Health Planning Region

BIRTHS (2005-2007)		DEATHS	3 (2005-200)7)	
Total Births	2727			Total	Male	Femal
Birth Rate (per 1,000)	13.9					
Average Maternal Age	28.7		Total Deaths	1602	772	830
arverage material rige			Death Rate (per 100,000)	816.8	837.6	798.4
Mother's Race/Ethnicity	N	%				
	1010	66.4	Infant Mortality Rate (per 1	,000 live b	oirth)	5.0
White	1810	66.4				
Black	522	19.1				
Other	395	14.5 Average Age at Death Total		Male	Fema	
Hispanic*	1177	43.2				
Non-Hispanic	1,550	56.8	Total	74.8	71.1	78.2
* Hispanic may be of any race.			White	77.0	73.4	80.3
			Black	62.6	59.0	65.9
			Other	63.9	60.2	68.0
Mother's Education	N		Hispanic*	61.1	58.1	65.0
Less than High School	733	26.9	* Hispanic may be of any race.			
High School or GED	579	21.2				
Some College (no degree		23.9	Top Five Causes of Death		N	%
Bachelor's Degree	432	15.8	Top Five Causes of Death			
Graduate/Prof. Degree	319	11.7	1 Major Cardiovascular	r Disease	689	43.0
Graduate, 1101. Degree	31)	11.,	2 Malignant Neoplasms		382	23.9
			3 Chronic Lower Respi		78	4.9
Mother's Country of Origin	n N	%	4 Accidents	ratory	44	2.7
widther's Country of Origin	II		5 Pneumonia		40	2.7
U.S.	1,434	52.6	3 Pheumonia		40	2.3
Foreign	1,293	47.4				
1 ofeign	1,273		20122222		G7G (***	
Prenatal Care*	N	0/0	COMMUNICABI	LE DISEA	SES (2008))
Late or No Prenatal Care		8.9	Top Five Reported Diseases	S	N	Rate*
* With valid prenatal care information.			1 Chlamydia	_	718	366.2
			2 Gonorrhea		98	50.0
			3 Syphilis		76	38.8
Teen Mothers	N	%	4 Salmonellosis		28	14.3
Mother < 20	224	8.2	5 Campylobacteriosis		13	6.6
			* Per 100,000 population.			
	SEXUA	LLY TRANSM	ITTED DISEASES (2008)			
	C	ases (N)	Data	(per 100,00) 0)	
	Ca	40-0 (11)	- Kate	(ber 100,00	<i>,</i>	

231.2

56.4

47.8

485.8

44.3

30.8

505

46

32

213

52

44

YONKERS

REGION PROFILE

SOUTHWEST Health Planning Region

-	N	Rate (per	10,000)		N	Rate (pe	r 1
Total	84,696	4,31	9	Total	29,951	1,5	27
Male	38,995	4,23		Male	12,926	1,4	
Female	45,701	4,39		Female	17,010	1,6	
White	36,752	3,11		White	17,070	1,4	
Black	21,830	6,70		Black	5,663	1,7	
Other	26,114	5,73		Other	7,218	1,5	
Hispanic*	27,992	5,50		Hispanic*	7,146	1,4	
Non-Hispanic	56,704	3,90		Non-Hispanic	22,805	1,5	
* Hispanic may be of any race.	,			* Hispanic may be of any race.	,		
Under 5	9,001	6,56	19	Under 5*	3,572	2,6	07
5-9	4,212	3,02	6	5-9	228	16	64
10-14	3,683	2,84	!5	10-14	332	25	6
15-17	2,907	4,06	7	15-17	345	48	33
18-24	9,284	5,35	6	18-24	1,647	95	0
25-44	24,122	4,01	5	25-44	6,324	1,0	53
45-64	17,947	4,31	6	45-64	7,122	1,7	13
65-74	4,979	3,318		65-74	3,532	2,354	
75+	8,561	5,95	7	75+ * Excluding 10,171 newborns.	6,849	4,7	66
Top Five Causes o	f ER Visits	_	N	Top Five Causes	of Hospitaliza	tion*	
1 Injuries			17,672	1 Diseases of ci	rculatory syster	n	
2 Acute respirator	ry infections		5,547	2 Mental disord			2
3 Mental disorder	'S		3,034	3 Diseases of re	espiratory syster	n	2
4 Discomfort in c	hest		2,492	4 Diseases of di	igestive system		2
5 Abdominal pa	in		2,457	5 Injury & poise * Excluding newborns &	~]
Insurance Type		N		Insurance Type		N	
Private		39071	46.1	Private		14219	
Medicare		12774	15.1	Medicare		9309	
Medicaid		16448	19.4	Medicaid		4704	
Other		2,069	2.4	Other		154	
Self-Pay		14334	16.9	Self-Pay		1565	

ZIP Codes Included the Region for Tabulations of Emergency Visits and Hospitalizations

10583 (15%) 10701 10703 10704 10705 10707 (1/3) 10708 (50%) 10710, over representing the region population by 0.4% according to 2000 census.

SOUTHWEST Health Planning Region

PREVENTION QUALITY INDICATORS (PQI)

	Hospital	Admission	Statewide		As % of I	Expected ²	
	Admissions	Rate ¹	Rate	All	White ³	Black ³	Hispanic ³
	ı	ſ		I.	1	I.	1
Diabetes-Related	469	342	283	121	79	312	130
Short-Term Complications	92	69	52	133	83	331	117
Long-Term Complications	260	188	155	121	87	299	128
Lower Limb Amputation	42	31	37	82	53	245	93
Uncontrolled	74	55	39	141	72	385	186
	·						·
	720	#1.c	251	1 45	104	200	1.50
Respiratory Related	720	516	351	147	124	280	150
Asthma	379	278	174	160	97	342	199
COPD	341	239	178	135	145	198	77
Circulatory-Related	1,063	746	554	135	113	283	127
Angina	100	74	50	148	106	283	179
Congestive Heart Failure	822	571	443	129	115	251	110
Hypertension	141	102	61	168	103	469	174
Acute Condition Related	1,197	837	666	126	119	181	119
Bacterial Pneumonia	647	454	381	119	110	189	108
Dehydration	241	168	116	145	147	194	113
Urinary Tract Infection	308	215	169	127	119	155	148

ZIP Codes Included the Region for PQI

10701 10703 10704 10705 10710, representing 90.1% of the region population according to the 2000 census.

Region admission rates are defined as hospital admissions per 100,000 population, adjusted for age and sex. The population used in such calculations is derived from the 2006 ZIP code population estimated by Claritas, a national demographic research firm. According to Claritas, the population included in this report for this region was 134,761.

² Expected rate is defined as the statewide rate, adjusted for age and sex unless otherwise defined.

³ White, black, and Hispanic categories are mutually exclusive.

SOUTHEAST

Health Planning Region

DE	MOGRAPHICS	
	2000	2005-07
Population	183,747	••
Sex		
Male	85,543	
Female	98,204	

SOUTHEAST HPR

Age	2000	2005-07
0-4	12,721	
5-9	13,276	
10-14	12,661	
15-17	6,874	
18-24	14,289	
25-44	55,203	
45-64	41,924	
65-74	13,343	
75+	13,456	

Race & Ethnicity	2000	2005-07
White	106,296	••
Black	56,011	
Other	21,440	
Hispanic*	23,691	
Non-Hispanic	160,056	
* Hispanic may be of any race.		

Family Structure	2000	2005-07
Total Family Households	45,813	••
Families with Children < 18	22,244	
Single Mother Families	5,416	

Country of Origin	2000	2005-07
U.S.	137,322	••
Foreign Countries	46,425	
Non-Citizen (%)	58.8	

country of origin		
U.S.	137,322	••
Foreign Countries	46,425	
Non-Citizen (%)	58.8	

Language Spoken at Home (5+)	2000	2005-07
Non-English (%)	26.5	

Education (25+)	2000	2005-07
High School or Less	52,794	
Some College (no degree)	18,610	
Associate Degree	7,233	
Bachelor's Degree	23,956	
Graduate/Professional Degree	22,027	

Income	1999	2005-07
Median Household Income (\$)	51,548	••
Poverty Rate (%)	10.4	

Region Area: 21.9 sq miles

Municipalities Included in Region

Bronxville (V)	Pelham (V)
Eastchester (TOV)	Pelham Manor (V)
Mount Vernon (City)	Tuckahoe (V)
New Rochelle (City)	

ZIP Codes Serving the Region

10538* 10550 10551** 10552 10553 10583* $10707 *\ 10708 *\ 10709\ 10801\ 10802 **\ 10803$ 10804 10805

* Also serve other regions. ** PO Box.

SOUTHEAST

Health Planning Region

BIRTHS (2005-2007)			DEATHS (2005-2007)			
Total Births	2268			Total	Male	Femal
Birth Rate (per 1,000)	12.3					
Average Maternal Age	30.1		Total Deaths	1456	666	791
			Death Rate (per 100,000)	792.6	778.2	805.1
Mother's Race/Ethnicity	N	<u>%</u>				
White	972	42.9	Infant Mortality Rate (per	1,000 live b	irth)	6.2
Black	657	29.0				
Other	639	28.2	Average Age at Death	Total	Male	Femal
Hispanic*	660	29.1	Average Age at Death	Total	Wiaic	rema
Non-Hispanic	1,608	70.9	Total	75.8	71.8	79.2
* Hispanic may be of any race.	1,000	70.9	White	79.0	75.5	81.9
гизранис тау ое ој ину гасе.			W mte Black	69.5	65.1	73.1
			Other	66.9	61.3	73.7
Mother's Education	N	9/		62.7	55.5	69.5
Motner's Education	<u>_N</u>		Hispanic*	02.7	33.3	09.3
Loss than High Cahaal	459	20.2	* Hispanic may be of any race.			
Less than High School	403	17.8				
High School or GED			To Fine Comment Dead		NT	0/
Some College (no degree)	490	21.6	Top Five Causes of Death		<u>N</u>	<u>%</u>
Bachelor's Degree	466	20.5	1 M ' C I' 1	D.	(22	12 5
Graduate/Prof. Degree	436	19.2	1 Major Cardiovascula		633	43.5
			2 Malignant Neoplasm		340	23.4
	N T	0/	3 Chronic Lower Respi	iratory	64	4.4
Mother's Country of Origin	<u>N</u>		4 Septicemia		48	3.3
11.0	1 222	52.0	5 Diabetes Mellitus		40	2.7
U.S.	1,222	53.9				
Foreign	1,046	46.1				
		0./	COMMUNICABI	LE DISEA	SES (2008))
Prenatal Care*	<u>N</u>					T
Late or No Prenatal Care	196	9.6	Top Five Reported Diseases	_	N	Rate*
* With valid prenatal care information.			1 Chlamydia		845	459.9
			2 Gonorrhea		165	89.8
(T) 3.6 (1	™ T	0/	3 Syphilis		54	29.4
Teen Mothers	N 125	%	4 Giardiasis		21	11.4
Mother < 20	125	5.5	5 Invasive Strep Pneumoni * Per 100,000 population.	ae	19	10.3
	SEXUAL	LY TRANSM	ITTED DISEASES (2008)			
	Case	es (N)	Rate	(per 100,00	00)	
	Male	Female	Male	Fei	male	
Chlamydia	234	611	273.5	62	22.2	
Gonorrhea	88	77	102.9	78	8.4	
Syphilis (all stages)	27	27	31.6	2'	7.5	

SOUTHEAST

Health Planning Region

ENIER	GENCY ROOM	V15115 (200	8)	HOSP	PITALIZATIO	NS (2008)	
	N	Rate (per	10,000)		N	Rate (pe	r 10,00
Total	66,752	3,63	33	Total	24,236	1,3	319
Male	30,217	3,53	32	Male	9,999	1,1	69
Female	36,534	3,72	20	Female	14,230	1,4	149
White	29,336	2,76	50	White	12,650	1,1	90
Black	30,428	5,43	23	Black	8,551	1,5	527
Other	6,988	3,25	59	Other	3,035	1,4	116
Hispanic*	10,107	4,26	66	Hispanic*	2,103	88	88
Non-Hispanic	56,645	3,53	19	Non-Hispanic	22,133	1,3	38 <i>3</i>
Hispanic may be of any ra	ce.			* Hispanic may be of any race.			
Under 5	5,965	4,68	39	Under 5*	2,693	2,1	17
5-9	3,126	2,35	55	5-9	194	14	<i>16</i>
10-14	2,817	2,22	25	10-14	288	22	27
15-17	1,991	2,89	96	15-17	198	28	88
18-24	6,653	4,65	56	18-24	1,169	818	
25-44	18,221 <i>3,301</i> 25-44 4,907	4,907	889				
45-64	15,043	15,043 3,588 45-64 5,692	5,692	1,358			
65-74	4,770 3,575 65-74 3,048	3,048	2,284				
75+	8,162	6,06	56	75+ * Excluding 10,171 newborns.	6,047	4,4	194
Top Five Caus	es of ER Visits	_	N	Top Five Causes	s of Hospitaliza	tion*	N
1 Injuries			14,259	1 Diseases of c	irculatory syster	m	3,34
2 Acute respin	ratory infections		3,662	2 Mental disor			2,09
3 Mental diso	rders		2,562	3 Diseases of digestive system			1,64
4 Infectious &	parasitic diseases		2,375	4 Diseases of respiratory system			1,50
5 Discomfor	omfort in chest 2,202 5 Injury & poisoning * Excluding newborns & obstetrics.			1,10			
Insurance Typ	e	N	%	Insurance Type		N	q
D: .		26127	20.2	D: .		9806	40
Private Madiagra		26137 13506	39.2	Private Madiagra			
Medicare		15660	20.2	Medicare		8851 4709	36
Medicaid Other		786	23.5	Medicaid		4709 114	19
		10663	1.2 16.0	Other Self-Pay		756	3

ZIP Codes Included the Region for Tabulations of Emergency Visits and Hospitalizations

 $10550\ 10552\ 10553\ 10583\ (15\%)\ 10707\ (2/3)\ 10708\ (1/2)\ 10709\ 10801\ 10803\ 10804\ 10805,$ over representing the region population by 0.8% according to 2000 Census.

SOUTHEAST

Health Planning Region

	PREVENTION	OUALITY INDICATOR	S (POI)
--	------------	-------------------	---------

	Hospital	Admission	Statewide		As % of l	Expected ²		
	Admissions	Admissions Rate ¹	Rate	All	_			
Diabetes-Related	403	306	283	108	55	224	71	
Short-Term Complications	83	66	52	127	50	245	138	
Long-Term Complications	203	152	155	98	53	207	42	
Lower Limb Amputation	49	37	37	100	60	199	61	
Uncontrolled	67	51	39	132	64	286	64	
Respiratory Related	448	332	351	95	82	132	69	
Asthma	243	184	174	106	60	194	81	
COPD	205	149	178	84	100	65	53	
Circulatory-Related	778	556	554	100	81	168	32	
Angina	53	40	50	80	64	125	42	
Congestive Heart Failure	618	437	443	99	86	154	27	
Hypertension	106	79	61	129	50	301	52	
Acute Condition Related	813	581	666	87	86	100	58	
Bacterial Pneumonia	465	333	381	88	85	107	47	
Dehydration	166	118	116	101	105	106	72	
Urinary Tract Infection	182	129	169	77	75	81	73	

ZIP Codes Included the Region for PQI

 $10550\ 10552\ 10553\ 10707\ 10709\ 10801\ 10803\ 10804\ 10805$, representing 91.1% of the region population according to 2000 census.

Region admission rates are defined as hospital admissions per 100,000 population, adjusted for age and sex. The population used in such calculations is derived from the 2006 ZIP code population estimated by Claritas, a national demographic research firm. According to Claritas, the population included in this report for this region was 127,124.

² Expected rate is defined as the statewide rate, adjusted for age and sex unless otherwise defined.

³ White, black, and Hispanic categories are mutually exclusive.

EASTCHESTER TOWN

Health Planning Region: SOUTHEAST

			Health Planni	ng Region: SC	UTHEAST
DE	MOGRAPHICS		Age	2000	2005-07
			0-4	2,120	2,258
	2000	2005-07	5-9	2,253	2,276
Population	31,318	33,401	10-14	2,104	2,679
•			15-17	991	1,708
Sex			18-24	1,700	1,990
Male	14,629	16,125	25-44	9,329	8,375
Female	16,689	17,276	45-64	7,586	9,019
			65-74	2,621	2,328
			75+	2,614	2,768
EAST	CHESTER TOW	'N		· 	·
	^		Race & Ethnicity	2000	2005-07
			White	27,355	28,636
	}		Black	878	865
	10583		Other	3,085	3,900
		7	Hispanic*	1,402	••
	}	10804	Non-Hispanic	29,916	
	3		* Hispanic may be of any race.		
	10707				
	Eastchester				
Tuckaho			Family Structure	2000	2005-07
10707	1 < 13		Total Family Households	8,412	8559
	10804		Families with Children < 18	3,960	4,473
{			Single Mother Families	494	508
Bronxville 107) / /	217		2000	2005.05
	10801	A.	Country of Origin	2000	2005-07
Zip Codes Municipalities	7		U.S.	26,079	
		Fred 1	Foreign Countries	5,239	
		A Second	Non-Citizen (%)	56.5	••
Regio	n Area: 5.0 sq mile	es			
			Language Spoken at Home (5+)	2000	2005-07
Municipalities In	cluded in Region		Non-English (%)	22.2	18.7

Bronxville (V)	
Eastchester (TOV)	

Eastchester (TO Tuckahoe (V)

ZIP Codes Serving the Region

10583* 10707* 10708* 10709

* Also serve other regions.

Education (25+)	2000	2005-07
High School or Less	5,968	5,751
Some College (no degree)	3,355	2,307
Associate Degree	1,255	1,112
Bachelor's Degree	5,973	6,875

5,607

6,445

Graduate/Professional Degree

Income	1999	2005-07
Median Household Income (\$)	78,224	101,425
Poverty Rate (%)	4.2	2.8

EASTCHESTER TOWN

Health Planning Region: SOUTHEAST

BIRTHS (2005-2	007)		DEATHS	3 (2005-200	7)	
Total Births 346				Total	Male	Fema
Birth Rate (per 1,000) 11.0)					10114
Average Maternal Age 33.4			Total Deaths	216	104	112
The state of the s			Death Rate (per 100,000)	690.8	713.2	671.1
Mother's Race/Ethnicity	<u>N</u>	<u>%</u>		00011		1.0
White	277	80.1	Infant Mortality Rate (per 1	,000 live b	irth)	1.0
Black	15	4.3				
Other	54	15.6	Average Age at Death	Total	Male	Fema
Hispanic*	31	9.0				
Non-Hispanic	315	91.0	Total	78.7	75.4	81.7
* Hispanic may be of any race.			White	79.0	75.9	81.9
			Black	74.3	70.0	77.9
			Other	70.0	65.7	76.5
Mother's Education	N	%	Hispanic*	74.5	75.0	74.1
Storier 5 Education			* Hispanic may be of any race.	,	, 510	, ,,,
Less than High School	11	3.2				
High School or GED	24	6.9				
Some College (no degree)	47	13.6	Top Five Causes of Death		N	%
Bachelor's Degree	132	38.2	- of			
Graduate/Prof. Degree	130	37.6	Major Cardiovascular	Disease	88	40.8
			2 Malignant Neoplasms		59	27.3
			3 Chronic Lower Respi		13	6.2
Mother's Country of Origin	N	%	4 Septicemia	,	6	2.8
			4 Accidents		6	2.9
U.S.	258	74.6	5 Diabetes Mellitus		4	2.0
Foreign	88	25.4				
			COMMUNICABI	LE DISEAS	SES (2008)	
Prenatal Care*	N	%				
Late or No Prenatal Care	10	3.2	Top Five Reported Diseases	_	N	Rate*
* With valid prenatal care information.			1 Chlamydia		23	73.4
			2 Salmonellosis		5	16.0
			3 Gonorrhea		3	9.6
Teen Mothers	N	%	4 Campylobacteriosis		2	6.4
Mother < 20	4	1.2	5 Syphilis * Per 100,000 population.		1	3.2
	CEVIIAI	I V TD A NCN	MITTED DISEASES (2008)			

	Cases (N)		Rate (per	100,000)
	Male	Female	Male	Female
Chlamydia	6	17	41.0	101.9
Gonorrhea	2	1	13.7	6.0
Syphilis (all stages)	1	0	6.8	0.0

EASTCHESTER TOWN

Health Planning Region: SOUTHEAST

Livilito	ENCY ROOM			11051	ITALIZATIO N		. 10 000
	N	Rate (per	10,000)		N	Rate (per	10,000
Total	6,300	2,01	12	Total	3,417	1,0	91
Male	2,946	2,01	14	Male	1,415	96	7
Female	3,354	2,01	10	Female	2,000	1,1	98
White	4,965	1,82	!5	White	2,762	1,0	10
Black	390	4,44	12	Black	149	1,6	97
Other	945	3,00	53	Other	506	1,6	40
Hispanic*	428	3,05	53	Hispanic*	160	1,1	41
Non-Hispanic	5,872	1,90	53	Non-Hispanic	3,257	1,0	89
Hispanic may be of any race.				* Hispanic may be of any race.			
Under 5	417	1,90	57	Under 5*	386	1,8	21
5-9	267	1,18	35	5-9	21	9.	3
10-14	289	1,37	74	10-14	31	14	7
15-17	198	1,99	98	15-17	27	27	2
18-24	444	2,61	12	18-24	81	47	6
25-44	1,354	1,45	51	25-44	621	66	6
45-64	1,461	1,92	26	45-64	739	97	4
65-74	556	2,12	21	65-74	443	1,6	90
75+	1,309	5,00	98	75+ * Excluding 10,171 newborns.	1,068	4,0	86
Top Five Causes	of ER Visits	-	N	Top Five Causes	of Hospitaliza	tion*	N
1 Injuries			1,702	1 Diseases of ci	rculatory syste	m	468
2 Discomfort in	chest		210	2 Diseases of di			289
3 Mental disord	lers		195	3 Cancer			246
4 Acute respirat	tory infections		191	4 Injury & Poi	soning		238
5 Abdominal J	oain		173	5 Diseases of re * Excluding newborns &	espiratory system	m	232
Insurance Type		N		Insurance Type		N	
Private		4002	63.5	Private		1927	56.
Medicare		1582	25.1	Medicare		1278	37.
Medicaid		197	3.1	Medicaid		115	3.4
Other		107	1.7	Other		21	0.6
Self-Pay		412	6.5	Self-Pay		76	2.2

ZIP Codes Included the Region for Tabulations of Emergency Visits and Hospitalizations

10583 (15%) 10707 (2/3) 10708 (50%) 10709, over representing the region population by 3.6% according to 2000 census.

EASTCHESTER TOWN

Health Planning Region: SOUTHEAST

PREVENTION QUALITY INDICATORS (PQI)

	Hospital	Admission	Statewide		As % of Expected ²		
	Admissions	Rate ¹	Rate	All	White ³	Black ³	Hispanic ³
D' 1 (D 1 (1	21	121	202	46	20	I	1
Diabetes-Related	21	131	283	46	39	••	••
Short-Term Complications			52	••			••
Long-Term Complications	18	109	155	70	53	••	••
Lower Limb Amputation	2	12	37	32	36		
Uncontrolled			39				
Respiratory Related	48	292	351	83	81		
Asthma	18	117	174	67	56		
COPD	30	172	178	97	102		
Circulatory-Related	70	403	554	73	66		
Angina	5	31	50	62	42		
Congestive Heart Failure	59	334	443	75	70		
Hypertension	5	31	61	50	52		
	·						,
Acute Condition Related	113	661	666	99	96		
Bacterial Pneumonia	54	313	381	82	80		
Dehydration	35	204	116	176	180		
Urinary Tract Infection	24	144	169	85	73		

ZIP Codes Included the Region for PQI

10707 10709, representing 59.2% of the region population according to the 2000 census.

Region admission rates are defined as hospital admissions per 100,000 population, adjusted for age and sex. The population used in such calculations is derived from the 2006 ZIP code population estimated by Claritas, a national demographic research firm. According to Claritas, the population included in this report for this region was 14,149.

² Expected rate is defined as the statewide rate, adjusted for age and sex unless otherwise defined.

³ White, black, and Hispanic categories are mutually exclusive.


MOUNT VERNON

Health Planning Region: SOUTHEAST

DE	MOGRAPHICS	
	2000	2005-07
Population	68,381	65,759
Sex		
Male	30,861	29,626
Female	37,520	36,133

Age	2000	2005-07
0-4	4,827	4,563
5-9	5,016	4,356
10-14	4,777	4,343
15-17	2,698	2,939
18-24	5,672	6,257
25-44	21,239	18,284
45-64	15,309	16,310
65-74	4,441	4,937
75+	4,402	3,770

MOUNT VERNON



Region Area: 4.4 sq miles

Mt. Vernon (City)

Race & Ethnicity	2000	2005-07
White	19,577	17,177
Black	40,743	39,627
Other	8,061	8,955
Hispanic*	7,083	8,419
Non-Hispanic	61,298	57,340
* Hispanic may be of any race.		
Family Structure	2000	2005-07
Total Family Households	16,669	15136
Families with Children < 18	8,004	7,383
Single Mother Families	3,170	3,122
Country of Origin	2000	2005-07
U.S.	48,499	46,369
Foreign Countries	19,882	19,390
Non-Citizen (%)	55.9	55.5
Language Spoken at Home (5+)	2000	2005-07
Non-English (%)	23.3	23.2

ZIP Codes Serving the Region

 $10550\ 10551{**}\ 10552\ 10553$

** PO Box.

Education (25+)	2000	2005-07
High School or Less	23,834	20,890
Some College (no degree)	7,621	7,857
Associate Degree	3,192	3,645
Bachelor's Degree	6,600	6,411
Graduate/Professional Degree	4,458	4,498

Income	1999	2005-07
Median Household Income (\$)	41,128	49,705
Poverty Rate (%)	14.2	11.3

Gonorrhea

Syphilis (all stages)

MOUNT VERNON

Health Planning Region: SOUTHEAST

167.9

64.0

210.6

64.8

BIRTHS (2005-	-2007)		DEATHS (2005-2007)				
Total Births 92	20			Total	Male	Femal	
Birth Rate (per 1,000) 13							
Average Maternal Age 28			Total Deaths	543	244	300	
areansg-			Death Rate (per 100,000)	794.6	789.6	798.7	
Mother's Race/Ethnicity	N	0/0					
**** ',	193	21.0	Infant Mortality Rate (per	1,000 live b	irth)	10.1	
White							
Black	504	54.8	4 4 Th and L	m - 4a1	34-1-	T	
Other	223	24.2	Average Age at Death	Total	Male	Femal	
Hispanic*	214	23.3		72.0		7.7	
Non-Hispanic	706	76.7	Total	72.8	68.1	76.5	
* Hispanic may be of any race.			White	79.9	76.2	82.7	
			Black	67.2	62.7	71.0	
		ĺ	Other	66.4	60.9	72.8	
Mother's Education	N	%	Hispanic*	61.7	50.9	72.5	
	=		* Hispanic may be of any race.				
Less than High School	192	20.9					
High School or GED	220	23.9					
Some College (no degree)	265	28.8	Top Five Causes of Death		N	%	
Bachelor's Degree	141	15.3	<u> </u>				
Graduate/Prof. Degree	93	10.1	1 Major Cardiovascula	r Disease	222	40.9	
-			2 Malignant Neoplasm		127	23.3	
			3 Chronic Lower Respi		23	4.2	
Mother's Country of Origin	N	%	4 Diabetes		21	3.9	
17100101 5 5 5 5 1 5 1 5 1 5 1 5 1 5 1 5 1			5 Septicemia		18	3.4	
U.S.	471	51.2	5 5 par		* =		
Foreign	449	48.8					
Poleign	777	70.0					
Prenatal Care*	N	%	COMMUNICABI	LE DISEA	SES (2008)		
Late or No Prenatal Care	106	12.6	Top Five Reported Diseases	s	N	Rate*	
* With valid prenatal care information.			1 Chlamydia	_	592	865.7	
-			2 Gonorrhea		128	187.2	
			3 Syphilis		37	54.1	
Teen Mothers	N	%	4 Invasive Strep Pneumo	nniae	8	11.7	
Mother < 20	68	7.4	5 Salmonellosis	Miac	6	8.8	
Monici < 20		7.7	* Per 100,000 population.			0.0	
	SEXUAL	LY TRANSM	HTTED DISEASES (2008)				
	Cas	es (N)	Rate	(per 100,00	00)		
	Male	Female	Male	Fer	male		
Chlamydia	173	419	560.6	1,1	16.7		
,		62	210.6		7.0		

63

24

65

20

MOUNT VERNON

Health Planning Region: SOUTHEAST

ENIEK	GENCY ROOM	V15115 (200	(8)	HOSE	PITALIZATIO	INS (2008)		
	N	Rate (per	10,000)		N	Rate (pe	r 10,0	
Total	32,636	4,7	73	Total	10,199	1,4	91	
Male	14,163	4,58	89	Male	4,063	1,3	17	
Female	18,472	4,92	23	Female	6,132	1,6	34	
White	7,088	3,62	21	White	2,787	1,4	24	
Black	22,512	5,52	25	Black	6,178	1,5	16	
Other	3,036	3,70	56	Other	1,234	1,5	1,531	
Hispanic*	3,694	5,2	15	Hispanic*	792	1,1	18	
Non-Hispanic	28,942	4,722		Non-Hispanic	9,407	1,5	35	
* Hispanic may be of any ra	ce.			* Hispanic may be of any race.				
Under 5	2,898	6,00	04	Under 5*	1,141	2,3	64	
5-9	1,516	3,02	22	5-9	85	16	59	
10-14	1,315	2,7.		10-14	140	29	93	
15-17	937	3,47	73	15-17	83	308		
18-24	3,561	6,2		18-24	612	1,079		
25-44	10,072	4,742		25-44	2,322	1,093		
45-64	7,511	4,906		45-64	2,623	1,713		
65-74	2,107	4,744		65-74	1,209	2,722		
75+	2,719	6,177					4,507	
Top Five Cause	es of ER Visits	-	N	Top Five Causes	s of Hospitaliza	tion*	1	
1 Injuries			5,591	1 Diseases of c	irculatory system	m	1,3	
2 Acute respin	ratory infections	1,345		2 Mental disorders			92	
3 Mental diso	-	958		3 Diseases of respiratory system		m	73	
4 Infectious &	parasitic diseases	943		4 Diseases of digestive system			73	
5 Discomfort in chest		822		5 Injury & poisoning * Excluding newborns & obstetrics.			536	
Insurance Type	e	N	%	Insurance Type		N		
Private		11715	35.9	Private		3936		
Medicare		5212	16.0	Medicare		3144		
Medicaid		8838	27.1	Medicaid		2592		
Other		429	1.3	Other		45		
Ouici		6442	19.7	Self-Pay		482		

ZIP Codes Included the Region for Tabulations of Emergency Visits and Hospitalizations

10550 10552 10553, representing 99.9% of the region population according to 2000 census.

MOUNT VERNON

Health Planning Region: SOUTHEAST

PREVENTION QUALITY INDICATORS (PQI)

	Hospital	Admission	Statewide	As % of Expected ²				
	Admissions	Rate ¹	Rate	All	White ³	Black ³	Hispanic ³	
Diabetes-Related	243	473	283	167	68	238	145	
Short-Term Complications	53	104	52	201	50	264	253	
Long-Term Complications	116	225	155	145	67	209	100	
Lower Limb Amputation	28	55	37	148	66	208	166	
Uncontrolled	45	87	39	225	99	338	108	
Respiratory Related	262	497	351	142	144	147	157	
Asthma	168	316	174	182	117	220	197	
COPD	94	180	178	101	162	64	103	
Circulatory-Related	401	760	554	137	99	185	43	
Angina	26	50	50	100	93	129	23	
Congestive Heart Failure	293	554	443	125	98	165	34	
Hypertension	81	153	61	252	11	357	115	
Acute Condition Related	332	625	666	94	94	96	84	
Bacterial Pneumonia	189	359	381	94	88	104	65	
Dehydration	61	114	116	98	90	108	121	
Urinary Tract Infection	82	152	169	90	109	74	102	

ZIP Codes Included the Region for PQI

10550 10552 10553, representing 99.9% of the region population according to 2000 census.

¹ Region admission rates are defined as hospital admissions per 100,000 population, adjusted for age and sex. The population used in such calculations is derived from the 2006 ZIP code population estimated by Claritas, a national demographic research firm. According to Claritas, the population included in this report for this region was 51,476.

² Expected rate is defined as the statewide rate, adjusted for age and sex unless otherwise defined.

³ White, black, and Hispanic categories are mutually exclusive.

* Also serve other regions. ** PO Box.

NEW ROCHELLE

Health Planning Region: SOUTHEAST

DE	MOGRAPHICS		Age	2000	2005-07
			0-4	4,879	5,273
	2000	2005-07	5-9	4,988	4,109
Population	72,182	72,585	10-14	4,806	4,349
			15-17	2,678	3,248
Sex			18-24	6,311	8,674
Male	34,322	34,843	25-44	21,281	18,298
Female 37,860 37,742		45-64	16,054	17,556	
			65-74	5,468	5,415
			75+	5,717	5,663
NE	W ROCHELLE				
			Race & Ethnicity	2000	2005-07
			White	49,001	46,014
197	10583		Black	13,848	13,317
(Other	9,333	13,254
/			Hispanic*	14,492	17,122
5			Non-Hispanic	57,690	55,463
\$	10804		* Hispanic may be of any race.	37,090	33,403
1	10538		· Hispanic may be of any race.		
Ne	ew Rochelle 10538		Family Structure	2000	2005-07
			Total Family Households	17,541	16212
\	10801		Families with Children < 18	8,566	7,948
	2674		Single Mother Families	1,564	1,715
	/ " -		Single Would Lamines	1,501	1,715
	10805	3			
A.	0803	25	Country of Origin	2000	2005-07
	3	136	U.S.	52,460	50,818
Zip Codes Municipality	. 0	1	Foreign Countries	19,722	21,767
		The series	Non-Citizen (%)	63.1	59.4
		N.			
Regior	n Area: 10.4 sq mile	es			
			Language Spoken at Home (5+)	2000	2005-07
Municipalities In	cluded in Region		Non-English (%)	33.2	34.7
New Rochelle (Cit	ty)				
			Education (25+)	2000	2005-07
			High School or Less	21,091	20,568
			Some College (no degree)	6,710	5,631
			Associate Degree	2,347	2,360
			Bachelor's Degree	9,120	9,023
			Graduate/Professional Degree	9,604	9,350
ZIP Codes Servin	_				
	0801 10802** 1080	03* 10804	Income	1999	2005-07
10805			Median Household Income (\$)	55,513	64,756
			1.10 σ.	,	,

Poverty Rate (%)

10.5

9.5

Chlamydia

Gonorrhea

Syphilis (all stages)

NEW ROCHELLE

Health Planning Region: SOUTHEAST

	81			Total	Male	Female
4 , ,	2.2					
Average Maternal Age 2	9.8		Total Deaths	617	280	338
			Death Rate (per 100,000)	855.2	814.8	891.9
Mother's Race/Ethnicity	N		Infant Mantalita Data (000 1: 1-	:41)	4.5
White	407	46.2	Infant Mortality Rate (per 1	,000 five b	arun)	4.5
Black	130	14.8				
Other	344	39.0	Average Age at Death	Total	Male	Femal
Hispanic*	401	45.5	Tronge Tige at Death			
Non-Hispanic	480	54.5	Total	77.4	73.4	80.7
* Hispanic may be of any race.	,50	2	White	78.7	75.0	81.7
Impante may be sy any race.			Black	74.5	70.5	77.6
			Other	66.7	60.6	74.5
Mother's Education	N	%		60.6	53.9	67.1
Mother's Education			Hispanic*	00.0	33.9	07.1
Loss than High Cahool	251	28.5	* Hispanic may be of any race.			
Less than High School High School or GED	151	17.1				
•	151	18.0	Ton Fine Courses of Doodle		NT	0/
Some College (no degree)			Top Five Causes of Death	<u>N</u>	<u>%</u>	
Bachelor's Degree	152	17.3	1 11 6 1	20.4	47.6	
Graduate/Prof. Degree	166	18.8	1 Major Cardiovascular Disease		294	47.6
			2 Malignant Neoplasms		130	21.1
	NT	0/	3 Chronic Lower Respi	ratory	25	4.1
Mother's Country of Origin	N	<u>%</u>	4 Septicemia		22	3.5
11.0	401	45.5	5 Pneumonia		13	2.1
U.S.	401	45.5				
Foreign	480	54.5				
Durantal Caust	N	0/	COMMUNICABI	LE DISEA	SES (2008))
Prenatal Care* Late or No Prenatal Care	- N - 78	10.0	Top Five Reported Diseases	:	N	Rate*
* With valid prenatal care information.		-	1 Chlamydia	=	221	306.2
•			2 Gonorrhea		32	44.3
			3 Campylobacteriosis		12	16.6
Teen Mothers	N	%	4 Giardiasis		10	13.9
Mother < 20	53	6.0	5 Group B Strep Invasive		9	12.5
Would \ 20	33	0.0	* Per 100,000 population.			12.3
	SEXUAL	LY TRANSM	ITTED DISEASES (2008)			
	Coc	es (N)	Pote (per 100,00) ())	
	Male	Female	Male	Fe	male	
and the second s			1514		12.7	

154.4

61.2

17.5

443.7

29.1

7.9

168

11

3

53

21

6

NEW ROCHELLE

Health Planning Region: SOUTHEAST

ENIEK	GENCY ROOM	V15115 (200	<i>(</i> 00)	пом	PITALIZATIO	185 (2006)		
	N	Rate (per	10,000)		N	Rate (pe	r 10,0	
Total	25,397	3,5	18	Total	9,584	1,3	228	
Male	11,978	3,4	90	Male	4,056	1,1	82	
Female	13,419	3,5	44	Female	5,527	1,4	160	
White	15,445	3,1.	52	White	6,263	1,2	278	
Black	7,254	5,2.	38	Black	2,159	1,5	1,559	
Other	2,698	2,8	91	Other	1,162	1,2	,245	
Hispanic*	5,776	3,9	86	Hispanic*	1,102	76	50	
Non-Hispanic	19,621	3,4	01	Non-Hispanic	8,482	1,4	170	
* Hispanic may be of any ra	ce.			* Hispanic may be of any race.				
Under 5	2,483	5,0	89	Under 5*	1,052	2,1	56	
5-9	1,227	2,4	60	5-9	78	15	56	
10-14	1,072	2,2.	31	10-14	97	202		
15-17	726	2,7	11	15-17	63	235		
18-24	2,447	3,8	77	18-24	452	716		
25-44	6,223	2,9	24	25-44	1,788	840		
45-64	5,542	3,452		45-64	2,104	1,311		
65-74	1,880	3,438		65-74	1,230	2,249		
75+	3,797			4,758				
Top Five Cause	es of ER Visits	-	N	Top Five Causes	s of Hospitaliza	tion*	N	
1 Injuries			5,591	1 Diseases of c	1 Diseases of circulatory system			
2 Acute respin	ratory infections		1,345	2 Diseases of d		808		
3 Mental diso	rders	958		3 Mental disorders		760		
4 Infectious &	z parasitic diseases	943		4 Injury & Poisoning		664		
5 Discomfor	t in chest		822	5 Diseases of respiratory system * Excluding newborns & obstetrics.		m	629	
Insurance Type	e	N		Insurance Type		N		
Private		8981	35.4	Private		3385	3	
Medicare		6176	24.3	Medicare		4023	4	
Medicaid		6424	25.3	Medicaid		1947	2	
Other		213	0.8	Other		47	_	
VILIDA		3603	14.2	Self-Pay		182		

ZIP Codes Included the Region for Tabulations of Emergency Visits and Hospitalizations

10538 10583 (10%) 10801 10803 10804 10805, over representing the region population by 10.0% according to 2000 census.

NEW ROCHELLE

Health Planning Region: SOUTHEAST

PREVENTION QUALITY INDICATORS (PQI)

	Hospital	Admission	Statewide		As % of Expected ²				
	Admissions	Rate ¹	Rate	All	White ³	Black ³	Hispanic ³		
Diabetes-Related	128	232	283	82	61	191	42		
Short-Term Complications	27	51	52	99	66	196	103		
Long-Term Complications	64	114	155	73	53	199	12		
Lower Limb Amputation	18	32	37	86	75	191	17		
Uncontrolled	19	35	39	90	75	150	52		
Respiratory Related	126	223	351	63	65	87	31		
Asthma	54	99	174	57	47	116	31		
COPD	72	123	178	69	80	60	30		
Circulatory-Related	274	453	554	82	81	129	31		
Angina	21	38	50	76	77	85	57		
Congestive Heart Failure	235	381	443	86	87	129	28		
Hypertension	18	32	61	52	27	158	29		
Acute Condition Related	329	541	666	81	82	107	46		
Bacterial Pneumonia	199	329	381	86	89	115	42		
Dehydration	60	98	116	84	86	98	45		
Urinary Tract Infection	69	113	169	67	61	94	56		

ZIP Codes Included the Region for PQI

10801 10804 10805, representing 94.8% of the region population according to the 2000 census.

Region admission rates are defined as hospital admissions per 100,000 population, adjusted for age and sex. The population used in such calculations is derived from the 2006 ZIP code population estimated by Claritas, a national demographic research firm. According to Claritas, the population included in this report for this region was 52,935.

² Expected rate is defined as the statewide rate, adjusted for age and sex unless otherwise defined.

³ White, black, and Hispanic categories are mutually exclusive.

* Also serve other regions.

PELHAM TOWN

Health Planning Region: SOUTHEAST

3.7

DE	MOGRAPHICS		Age	2000	2005-07
			0-4	895	
		005-07	5-9	1,019	
Population	11,866		10-14	974	
			15-17	507	
Sex			18-24	606	
Male	5,731		25-44	3,354	
Female	6,135		45-64	2,975	
			65-74	813	
			75+	723	
PE	LHAM TOWN				
			Race & Ethnicity	2000	2005-07
	\checkmark		White	10,363	
2			Black	542	••
(Other	961	••
3	\		Hispanic*	714	••
Pelha	ım.		Non-Hispanic	11,152	
(* Hispanic may be of any race.	11,132	••
1080	13		* ruspanic may be of any race.		
			Family Structure	2000	2005-07
)			Total Family Households	3,191	10372
Pelham M	anor		Families with Children < 18	1,714	5,619
108	03		Single Mother Families	188	528
			Single Would Lamines	100	320
	13 Cr		Country of Origin	2000	2005-07
	R		U.S.	10,284	•••
Municipalities	h	4	Foreign Countries	1,582	
		1 2 de 3	Non-Citizen (%)	47.3	
	4	A. C.			
Region	n Area: 2.1 sq miles		Language Constant of There (#)	2000	2005.07
Municipalities I	aludad in Danian		Language Spoken at Home (5+)	2000	2005-07
Municipalities In	ciudea in Kegion		Non-English (%)	16.2	
Pelham (V)			, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
Pelham Manor (V))		Education (25+)	2000	2005-07
			High School or Less	1,901	
			Some College (no degree)	924	
			Associate Degree	439	••
			Bachelor's Degree	2,263	
ZIP Codes Servin	ng the Region		Graduate/Professional Degree	2,358	
10803*			Income	1999	2005-07
			Median Household Income (\$)	91,810	

Poverty Rate (%)

PELHAM TOWN

Health Planning Region: SOUTHEAST

BIRTHS (2005-2	DEATHS (2005-2007)					
Fotal Births 121				Total	Male	Fema
Birth Rate (per 1,000) 10.2						
Average Maternal Age 33.3			Total Deaths	79	38	41
			Death Rate (per 100,000)	668.6	663.1	673.7
Mother's Race/Ethnicity	N	%	Infant Mantality Data (non 1	000 live b	:uth)	2.8
White	95	78.5	Infant Mortality Rate (per 1	,000 five b	iiui)	2.0
Black	8	6.6				
Other	18	14.9	Average Age at Death	Total	Male	Fema
Hispanic*	15	12.4				
Non-Hispanic	106	87.6	Total	77.5	74.9	79.9
* Hispanic may be of any race.			White	77.8	75.3	80.2
			Black	77.0	72.0	80.8
			Other	68.5	65.0	69.3
Mother's Education	N	%	Hispanic*	73.5	92.0	67.3
			* Hispanic may be of any race.			
Less than High School	5	4.1				
High School or GED	9	7.4				
Some College (no degree)	19	15.7	Top Five Causes of Death		N	%
Bachelor's Degree	41	33.9				-
Graduate/Prof. Degree	47	38.8	1 Major Cardiovascular	Disease	29	36.1
			2 Malignant Neoplasms	;	24	30.7
			3 Accidents		4	4.6
Mother's Country of Origin	N	%	4 Pnuemonia		3	4.2
			4 Chronic Lower Res	piratory	3	3.8
U.S.	93	76.9	5 Diabetes Mellitus		2	2.5
Foreign	28	23.1	5 Septicemia		2	2.5
	•	0/	COMMUNICABI	E DISEA	SES (2008)	
Prenatal Care*	$\frac{\mathbf{N}}{3}$		W E: D (1D)		NT.	D-4-*
Late or No Prenatal Care	3	2.8	Top Five Reported Diseases	_	N	Rate*
* With valid prenatal care information.			1 Chlamydia			75.8 33.7
			2 Campylobacteriosis		4 3	33.7 25.3
Foon Mothors	N	0/:	3 Giardiasis4 Gonorrhea		2	23.3 16.9
Teen Mothers Mother < 20	<u>N</u>	% 0.8	4 Gonorrhea 5 Tuberculosis		1	8.4
Mother < 20	1	0.0	5 Tuberculosis * Per 100,000 population.		1	0.4

	Cases (N)		Rate (per	100,000)
	Male	Female	Male	Female
Chlamydia	2	7	34.9	114.1
Gonorrhea	0	2	0.0	32.6
Syphilis (all stages)	0	0	0.0	0.0

PELHAM TOWN

Health Planning Region: SOUTHEAST

	N	Rate (per	. 10 000)		N	Rate (per	. 10 00	
		- Kate (per	10,000)			Kate (per	10,000	
Total	2,419	2,03	39	Total	1,037	87	4	
Male	1,130	1,92	72	Male	465	81	1	
Female	1,289	2,10	01	Female	571	931		
White	1,838	1,77	74	White	838	80	9	
Black	272	5,0	18	Black	64	1,10	1,181	
Other	309	3,2	15	Other	135	1,405		
Hispanic*	209	2,92	27	Hispanic*	49	68	6	
Non-Hispanic	2,210	1,98	82	Non-Hispanic	988	88	6	
* Hispanic may be of any race.				* Hispanic may be of any race.				
Under 5	167	1,80	66	Under 5*	114	1,2	74	
5-9	116	1,1.	38	5-9	10	98	3	
10-14	141	1,44	48	10-14	20	20	5	
15-17	130	2,50	54	15-17	25	49	3	
18-24	200	3,30	00	18-24	24	396		
25-44	572	1,70	05	25-44	176	525		
45-64	530	1,78	82	45-64	226	760		
65-74	227	2,79	92	65-74	166	2,0	42	
75+	336	4,64	47	75+ * Excluding 10,171 newborns.	276	3,8.	17	
Top Five Causes of ER Visits		-	N	Top Five Causes	of Hospitaliza	ation*	N	
1 Injuries			687	1 Diseases of ci	rculatory syste	em	168	
2 Acute respira	tory infections		85	2 Cancer			94	
3 Discomfort in	-	79		3 Diseases of di	gestive system	1	84	
4 Mental disord	lers	73		4 Injury & poise			62	
5 Abdominal pain		71		5 Musculoskelet * Excluding newborns &	-	nnective tissue	61	
Insurance Type		N		Insurance Type		N	9/	
Private		1439	59.5	Private		558	53	
Medicare		537	22.2	Medicare		406	39	
Medicaid		201	8.3	Medicaid		55	5.	
Other		36	1.5	Other		2	0.	
Self-Pay		206	8.5	Self-Pay		16	1.	

ZIP Codes Included the Region for Tabulations of Emergency Visits and Hospitalizations

 $10803, \ over \ representing the region population by 2.2% according to 2000 census.$

PELHAM TOWN

Health Planning Region: SOUTHEAST

PREVENTION QUALITY INDICATORS (PQI)

	Hospital	Admission	Statewide		As % of l	Expected ²	
	Admissions	Rate ¹	Rate	All	White ³	Black ³	Hispanic ³
Diabetes-Related	10	109	283	39	32		
Short-Term Complications	2	24	52	45	70		
Long-Term Complications	5	54	155	35	20		
Lower Limb Amputation			37				
Uncontrolled			39				
Respiratory Related	12	131	351	37	29		
Asthma	3	33	174	19	11		
COPD	8	86	178	49	46		
Circulatory-Related	33	359	554	65	62		
Angina			50				
Congestive Heart Failure	31	339	443	77	75		
Hypertension			61				
Acute Condition Related	39	433	666	65	68		
Bacterial Pneumonia	22	241	381	63	65	••	
Dehydration	9	100	116	86	99		
Urinary Tract Infection	7	80	169	47	55		


ZIP Codes Included the Region for PQI

10803, over representing the region population by 2.2% according to 2000 census.

Region admission rates are defined as hospital admissions per 100,000 population, adjusted for age and sex. The population used in such calculations is derived from the 2006 ZIP code population estimated by Claritas, a national demographic research firm. According to Claritas, the population included in this report for this region was 8,544.

² Expected rate is defined as the statewide rate, adjusted for age and sex unless otherwise defined.

³ White, black, and Hispanic categories are mutually exclusive.



Joshua Lipsman, M.D., J.D., M.P.H.

Commissioner

Patsy Yang, Dr.P.H.

First Deputy Commissioner

Project Staff Planning and Evaluation

Renee Recchia, M.P.H.

Assistant Commissioner

Jiali Li, Ph.D. Director of Research and Evaluation

.....

Mary Ellen Bubnis Senior Control Clerk

Megan Cea, M.P.H. Assistant Statistician

Stanley Cho, M.P.H. Medical Data Analyst I

Emma Hoy, M.P.H. Medical Data Analyst II

Rosemarie Linton, M.P.H. Research Analyst

Milagros Venuti, M.A. Assistant Statistician