Westchester County 2019 Community Health Assessment



Supplemental Data Report V: Emergency Room Utilization



George Latimer, County Executive Sherlita Amler, MD, Commissioner Department of Health

| Project Director | Jiali Li, PhD, Director of Research & Evaluation Renee Recchia, MPH, Acting Deputy Commissioner of Administration |
|------------------|--|
| Project Staff | Thomas Peer, MPH, Medical Data Analyst |
| Contact | Jiali Li, PhD Westchester County Department of Health, Planning & Evaluation 10 County Center Road, 2 nd Floor, White Plains, New York, 10607 |

FOREWORD

The Westchester County Department of Health (WCDH) plays a leading role in promoting health, preventing disease, and prolonging meaningful life for Westchester County residents. The WCDH's ongoing mission involves monitoring and controlling the spread of diseases, regulating air and water quality, enforcing state and local sanitary codes, promoting and endorsing local public health activities, and ensuring the availability of community health services.

To comply with New York State Public Health Law, WCDH has collaborated with local hospitals and other community health partners to complete a *Community Health Assessment (CHA)* Survey, which describes the current health status of Westchester County residents, identifies existing gaps and health care barriers, assesses the availability and accessibility of health care services, and specifies public health priorities in the county. In addition, a *Community Health Improvement Plan (CHIP)* has been crafted to lay out the specific objectives, goals, and actions of the Health Department which address the public health priorities identified in the Community Health Assessment.

Supplementing the *Westchester County Community Health Assessment (CHA) and Community Health Improvement Plan (CHIP), 2019-2021*, six additional data reports are compiled to provide detailed data addressing specific areas relevant to the county's public health. These reports are:

- Westchester County Community Health Assessment Supplemental Data Report 1.
 Population (2013-2017 ACS)
- Westchester County Community Health Assessment Supplemental Data Report 2. Vital Statistics (2011-2017)
- Westchester County Community Health Assessment Supplemental Data Report 3.
 Communicable Diseases (2013-2018)
- Westchester County Community Health Assessment Supplemental Data Report 4. Cancer (2012-2016)
- Westchester County Community Health Assessment Supplemental Data Report 5.
 Emergency Room Visits (2012-2016)
- Westchester County Community Health Assessment Supplemental Data Report 6.
 Hospitalizations (2012-2016)

Using data from the New York Statewide Planning and Research Cooperative System (SPARCS), this report focuses on emergency visits of Westchester County residents. The number of emergency room visits are presented according to patient's age, sex, race and ethnicity, major cause of visit, insurance type, and receiving hospitals using the most recent data available, in most cases, 2016. Due to reporting errors and inconsistencies among hospitals during 2013-2016, all figures and tables related to race and/or ethnicity are reported using data from 2012.

TABLE OF CONTENTS

| Highlights | 1 |
|--|-----|
| Emergency Room Visits over Time | 2 |
| Emergency Room Visits by Age, Sex, Race and Ethnicity | 3 |
| Emergency Room Visits by Hospital | 12 |
| Emergency Room Visits by Primary Cause | 15 |
| Emergency Room Visits due to Injury and Poisonings | 19 |
| Emergency Room Visits due to Diseases of the Respiratory System | 22 |
| Emergency Room Visits due to Diseases of the Cardiovascular System | 25 |
| Emergency Room Visits due to Mental and Behavioral Disorders | 28 |
| Emergency Room Visits by Disposition | 31 |
| Tables | 32 |
| Appendices | 108 |

Figures

| 1 | Emergency Room Visits of Westchester County Residents, by Year and Hospital, 2012- | |
|----|--|----|
| | 2016 | 2 |
| 2 | Emergency Room Visits by Age, Westchester County Residents, 2016 | 3 |
| 3 | Emergency Room Visit Rates by Age, Westchester County Residents, 2016 | 4 |
| 4 | Number of Emergency Room Visits by Age and Sex, Westchester County Residents, 2016 | 5 |
| 5 | Emergency Room Visit Rates by Age and Sex, Westchester County Residents, 2016 | 6 |
| 6 | Emergency Room Visits by Race and Ethnicity, Westchester County Residents, 2012 | 7 |
| 7 | Percentage Distribution of Emergency Room Visits by Age and Race and Ethnicity, | |
| | Westchester County Residents, 2012 | 8 |
| 8 | Emergency Room Visit Rates by Age and Race and Ethnicity, Westchester County | |
| | Residents, 2012 | 9 |
| 9 | Percentage Distribution of Emergency Room Visits by Payer Source and Age, | |
| | Westchester County Residents, 2016 | 10 |
| 10 | Percentage Distribution of Emergency Room Visits by Payer Source and Race and | |
| | Ethnicity, Westchester County Residents, 2012 | 11 |
| 11 | Emergency Room Visits by Hospital, Westchester County Residents, 2016 | 12 |
| 12 | Percentage Distribution of Emergency Room Visits by Hospital and Payer Source, | |
| | Westchester County Residents, 2016 | 13 |
| 13 | Percentage Distribution of Emergency Room Visits by Hospital and Race, Westchester | |
| | County Residents, 2012 | 14 |
| 14 | Emergency Room Visits by Principal Diagnosis, Westchester County Residents, 2016 | 15 |
| 15 | Emergency Room Visits by Principal Diagnosis and Sex, Westchester County Residents, | |
| | 2016 | 16 |
| 16 | Percentage Distribution of Emergency Room Visits by Principal Diagnosis and Race, | |
| | Westchester County Residents, 2012 | 17 |
| 17 | Percentage Distribution of Emergency Room Visits by Principal Diagnosis and Ethnicity, | |
| | Westchester County Residents, 2012 | 18 |
| 18 | Emergency Room Visits due to Injuries and Poisonings by Hospital, Westchester County | |
| | Residents, 2016 | 19 |
| 19 | Emergency Room Visits due to Injuries and Poisonings by Age and Sex, Westchester | |
| | County Residents, 2016 | 20 |
| 20 | Emergency Room Visits due to Injuries and Poisonings by Race and Ethnicity, | |
| | Westchester County Residents, 2012 | 21 |

| 21 | Emergency Room Visits due to Diseases of the Respiratory System by Hospital, | |
|-------|---|----|
| | Westchester County Residents, 2016 | 22 |
| 22 | Emergency Room Visits due to Diseases of the Respiratory System by Age and Sex, | |
| | Westchester County Residents, 2016 | 23 |
| 23 | Emergency Room Visits due to Diseases of the Respiratory System by Race and | |
| | Ethnicity, Westchester County Residents, 2012 | 24 |
| 24 | Emergency Room Visits due to Diseases of the Cardiovascular System by Hospital, | |
| | Westchester County Residents, 2016 | 25 |
| 25 | Emergency Room Visits due to Diseases of the Cardiovascular System by Age and Sex, | |
| | Westchester County Residents, 2016 | 26 |
| 26 | Emergency Room Visits due to Diseases of the Cardiovascular System by Race and | |
| | Ethnicity, Westchester County Residents, 2012 | 27 |
| 27 | Emergency Room Visits due to Mental and Behavioral Disorders by Hospital, | |
| | Westchester County Residents, 2016 | 28 |
| 28 | Emergency Room Visits due to Mental and Behavioral Disorders by Age and Sex, | |
| | Westchester County Residents, 2016 | 29 |
| 29 | Emergency Room Visits due to Mental and Behavioral Disorders by Race and Ethnicity, | |
| | Westchester County Residents, 2012 | 30 |
| 30 | Percentage of Cases Admitted as Inpatients After a Visit to the Emergency Room by | |
| | Principal Diagnosis, Westchester County Residents, 2016 | 31 |
| | | |
| | | |
| | | |
| Table | es · | |
| | | |
| 1 | Total Number of Emergency Room Visits by Hospital, Westchester County Residents, | |
| | 2012-2016 | 32 |
| 2 | Number of Emergency Room Visits by Hospital, Patient Disposition, and Residency, | |
| | 2016 | 33 |
| 3 | Number of Emergency Room Visits by Sex and Hospital, Westchester County Residents, | |
| | 2016 | 34 |
| 4 | Number of Emergency Room Visits by Hospital and Age, Westchester County | |
| | Residents, 2016 | 35 |
| 5 | Number of Emergency Room Visits by Hospital and Race/Ethnicity, Westchester | |
| | County Residents, 2012 & 2016 | 36 |

| Number of Emergency Room Visits by Major Diagnosis Category and Hospital, | |
|--|---|
| Westchester County Residents, 2016 | 38 |
| Number of Emergency Room Visits by Hospital and Payer, Westchester County | |
| Residents, 2016 | 39 |
| Emergency Room Visits by Sex and Age, Westchester County Residents, 2016 | 40 |
| Emergency Room Visits by Race and Ethnicity and Age, Westchester County Residents, | |
| 2012 & 2016 | 41 |
| Emergency Room Visits by Payer and Age, Westchester County Residents, 2016 | 43 |
| Emergency Room Visits by Payer and Race and Ethnicity, Westchester County | |
| Residents, 2012 & 2016 | 44 |
| Number of Emergency Room Visits by Major Diagnosis Category and Sex, Westchester | |
| County Residents, 2016 | 46 |
| Number of Emergency Room Visits by Major Diagnosis Category and Age, Westchester | |
| County Residents, 2016 | 47 |
| Number of Emergency Room Visits by Major Diagnosis Category and Race/Ethnicity, | |
| Westchester County Residents, 2012 & 2016 | 48 |
| Number of Emergency Room Visits by Major Diagnosis Category and Payer, | |
| Westchester County Residents, 2016 | 50 |
| Number of Emergency Room Visits by Major Diagnosis Category and Patient | |
| Disposition, Westchester County Residents, 2016 | 51 |
| Number of Emergency Room Visits Due to Injuries and Poisonings by Sex, Age, and | |
| Race/Ethnicity, Westchester County Residents, 2012 & 2016 | 52 |
| Number of Emergency Room Visits Due to Injuries and Poisonings by Sex and Age, | |
| Westchester County Residents, 2016 | 54 |
| Number of Emergency Room Visits Due to Injuries and Poisonings by Sex and | |
| Race/Ethnicity, Westchester County Residents, 2012 & 2016 | 55 |
| Number of Emergency Room Visits Due to Injuries and Poisonings by Age and | |
| Race/Ethnicity, Westchester County Residents, 2012 & 2016 | 57 |
| Number of Emergency Room Visits Due to Diseases of the Respiratory System by Sex, | |
| Age, and Race/Ethnicity, Westchester County Residents, 2012 & 2016 | 59 |
| Number of Emergency Room Visits Due to Diseases of the Respiratory System by Sex | |
| and Age, Westchester County Residents, 2016 | 61 |
| Number of Emergency Room Visits Due to Diseases of the Respiratory System by Sex | |
| and Race/Ethnicity, Westchester County Residents, 2012 & 2016 | 63 |
| Number of Emergency Room Visits Due to Diseases of the Respiratory System by Age | |
| and Race/Ethnicity, Westchester County Residents, 2012 & 2016 | 65 |
| | Westchester County Residents, 2016 Number of Emergency Room Visits by Hospital and Payer, Westchester County Residents, 2016 Emergency Room Visits by Sex and Age, Westchester County Residents, 2016 Emergency Room Visits by Race and Ethnicity and Age, Westchester County Residents, 2012 & 2016 Emergency Room Visits by Payer and Age, Westchester County Residents, 2012 & 2016 Emergency Room Visits by Payer and Race and Ethnicity, Westchester County Residents, 2012 & 2016 Number of Emergency Room Visits by Major Diagnosis Category and Sex, Westchester County Residents, 2016 Number of Emergency Room Visits by Major Diagnosis Category and Age, Westchester County Residents, 2016 Number of Emergency Room Visits by Major Diagnosis Category and Race/Ethnicity, Westchester County Residents, 2012 & 2016 Number of Emergency Room Visits by Major Diagnosis Category and Payer, Westchester County Residents, 2016 Number of Emergency Room Visits by Major Diagnosis Category and Payer, Westchester County Residents, 2016 Number of Emergency Room Visits by Major Diagnosis Category and Patient Disposition, Westchester County Residents, 2016 Number of Emergency Room Visits Due to Injuries and Poisonings by Sex, Age, and Race/Ethnicity, Westchester County Residents, 2012 & 2016 Number of Emergency Room Visits Due to Injuries and Poisonings by Sex and Age, Westchester County Residents, 2016 Number of Emergency Room Visits Due to Injuries and Poisonings by Age and Race/Ethnicity, Westchester County Residents, 2012 & 2016 Number of Emergency Room Visits Due to Injuries and Poisonings by Age and Race/Ethnicity, Westchester County Residents, 2012 & 2016 Number of Emergency Room Visits Due to Diseases of the Respiratory System by Sex, Age, and Race/Ethnicity, Westchester County Residents, 2012 & 2016 Number of Emergency Room Visits Due to Diseases of the Respiratory System by Sex, and Age, Westchester County Residents, 2012 & 2016 Number of Emergency Room Visits Due to Diseases of the Respiratory System by Sex, and Race/Ethnicity, Westchester |

| 25 | Number of Emergency Room Visits Due to Diseases of the Cardiovascular System by | |
|----|---|-----|
| | Sex, Age, and Race/Ethnicity, Westchester County Residents, 2012 & 2016 | 69 |
| 26 | Number of Emergency Room Visits Due to Diseases of the Cardiovascular System by Sex | |
| | and Age, Westchester County Residents, 2016 | 71 |
| 27 | Number of Emergency Room Visits Due to Diseases of the Cardiovascular System by Sex | |
| | and Race/Ethnicity, Westchester County Residents, 2012 & 2016 | 73 |
| 28 | Number of Emergency Room Visits Due to Diseases of the Cardiovascular System by | |
| | Age and Race/Ethnicity, Westchester County Residents, 2012 & 2016 | 77 |
| 29 | Number of Emergency Room Visits Due to General Symptoms by Sex, Age, and | |
| | Race/Ethnicity, Westchester County Residents, 2012 & 2016 | 81 |
| 30 | Number of Emergency Room Visits Due to General Symptoms by Sex and Age, | |
| | Westchester County Residents, 2016 | 83 |
| 31 | Number of Emergency Room Visits Due to General Symptoms by Sex and | |
| | Race/Ethnicity, Westchester County Residents, 2012 & 2016 | 85 |
| 32 | Number of Emergency Room Visits Due to General Symptoms by Age and | |
| | Race/Ethnicity, Westchester County Residents, 2012 & 2016 | 87 |
| 33 | Number of Emergency Room Visits Due to Diseases of the Digestive System by Sex, Age | |
| | and Race/Ethnicity, Westchester County Residents, 2012 & 2016 | 91 |
| 34 | Number of Emergency Room Visits Due to Diseases of the Digestive System by Sex and | |
| | Age, Westchester County Residents, 2016 | 93 |
| 35 | Number of Emergency Room Visits Due to Diseases of the Digestive System by Sex and | |
| | Race/Ethnicity, Westchester County Residents, 2012 & 2016 | 95 |
| 36 | Number of Emergency Room Visits Due to Diseases of the Digestive System by Age and | |
| | Race/Ethnicity, Westchester County Residents, 2012 & 2016 | 97 |
| 37 | Number of Emergency Room Visits Due to Mental and Behavioral Disorders by Sex, | |
| | Age and Race/Ethnicity, Westchester County Residents, 2012 & 2016 | 101 |
| 38 | Number of Emergency Room Visits Due to Mental and Behavioral Disorders by Sex and | |
| | Age, Westchester County Residents, 2016 | 103 |
| 39 | Number of Emergency Room Visits Due to Mental and Behavioral Disorders by Sex and | |
| | Race/Ethnicity, Westchester County Residents, 2012 & 2016 | 104 |
| 40 | Number of Emergency Room Visits Due to Mental and Behavioral Disorders by Age and | |
| | Race/Ethnicity, Westchester County Residents, 2012 & 2016 | 106 |

Appendices

| A1 | The Statewide Planning and Research Cooperative System (SPARCS) | 108 |
|----|---|-----|
| A2 | International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9) | 112 |
| A3 | International Classification of Diseases, 2016 Revision (ICD-10) | 114 |
| A4 | Westchester County Hospitals | 116 |
| A5 | Westchester County Municipalities | 118 |
| A6 | Health Planning Regions and Municipality Map | 120 |

HIGHLIGHTS

During 2016, 349,563 Westchester County residents visited the emergency room (ER).

The ER visits rate was highest among children under the age of five and for adults aged 75 years and older.

In total, more females than males visited the emergency room in 2016, with women making up over 54% of all emergency room patients. However, males had a higher rate of emergency room visits than females for all non-childbearing age groups.

The majority of residents visiting the emergency room in 2012 were white (47%) or non-Hispanic (77%). However, blacks had more than twice the rate of emergency room visits compared to whites.

Approximately 95% of all patients seeking care in an emergency room had some form of medical insurance: nearly half had private insurance, and close to 39% had either Medicaid or Medicare. Blacks and Hispanics were more likely than whites to have Medicaid or to be uninsured.


About 89% of all emergency room visits made by Westchester County residents in 2016 occurred in Westchester County Hospitals. Five hospitals: SJRH-St Johns Division, White Plains Hospital Center, Westchester Medical Center, Montefiore New Rochelle Hospital, and St. Joseph's Hospital (Yonkers) treated 51% of all emergency room visitors. Just 11% of ER visits among County residents occurred in hospitals located outside of Westchester County.

The most frequent cause of emergency room visits were injuries or poisoning. Approximately 72,000 (20%) residents visited an ER because of injuries and poisonings. Other prevalent causes of emergency room visits were diseases of the respiratory system (13%), general symptoms (9%), diseases of the Musculoskeletal & Nervous Systems (9%), and diseases of the digestive system (8%).

In total, 19% of Westchester residents visiting the emergency room in 2016 were later admitted to the hospital as inpatients. The likelihood of hospital admission was largely dependent on a patient's principal diagnosis.

Emergency Room Visits over Time

The number of Emergency Room visits by Westchester County residents has increased since 2013. While a few hospitals saw a decline in their ER visits, most hospitals received more patients in 2016 than in 2012 (Figure 1)¹.




¹ Figure only includes Westchester Hospitals with 24 hour service Emergency Rooms.


Emergency Room Visits by Age, Sex, Race and Ethnicity

In 2016, there was a total of 349,563 emergency room (ER) visits reported among Westchester County residents.


Approximately 45% of all visits were among people aged 45 years and older. About 25% of emergency room visitors were between the ages of 25 and 44 and 30% were under the age of 25 years (Figure 2).




The emergency room visit rate was about 361 per 1,000 for Westchester County residents, and was highest among children under 5 and adults 75 and over. (Figure 3).




In total, more visits to the emergency room were made by females than males: 189,063 visits were female, compared to 160,493 visits by males. However, for children under the age of 15, males consistently had a higher number of emergency room visits than females (Figure 4).



Although the rate of emergency room admissions was higher among females than males overall, when broken down by age, the rate of ER visits was higher among males than females for all age groups except those of childbearing age (Figure 5).




Of the 338,771 visits made to emergency rooms by Westchester County residents in 2012, 47% were white and 25% were black. Hispanics comprised about 23% of all ER visits (Figure 6)¹.



¹ Data for race/ethnicity is from 2012 SPARCS, due to reporting errors and inconsistencies among hospitals during 2013-2016.


Among all emergency room visits by Westchester residents, 44% were over the age of 45. The proportion of whites visiting the ER in the same age group was 56%. Comparatively, blacks and Hispanics had a higher proportion of young people visiting the ER. Just 39% of blacks and 25% of Hispanics were over the age of 45 (Figure 7)¹.



¹ Data for race/ethnicity is from 2012 SPARCS, due to reporting errors and inconsistencies among hospitals during 2013-2016.

The rate of emergency room visits for the total population in 2012 was 431 per 1,000 residents. The rate of emergency room visits for blacks (603 per 1,000) was more than double that of whites (251 per 1,000). Hispanics had a lower rate (336 per 1,000) than the total population of Westchester residents visiting emergency rooms.

The differences in ER visit rates between whites, blacks, and Hispanics were most pronounced for adults aged 18 to 74. Notably, the ER visit rate among blacks 18-24 was 697 per 1,000 compared to just 249 per 1,000 for whites in the same age range (Figure 8)¹.




¹ Data for race/ethnicity is from 2012 SPARCS, due to reporting errors and inconsistencies among hospitals during 2013-2016.

Most (94%) of the people who visited the emergency room in 2016 had some sort of insurance coverage. Just under half had private insurance, about 21% had Medicare, 18% were covered by Medicaid, and 5% had some other form of insurance, such as worker's compensation. About 6% of those visiting the ER had no insurance (self-pay) (Figure 9).

Children under the age of 18 were the age group with the highest proportion of private insurance coverage as well as Medicaid.


Young adults (18 to 24) and those aged between 25 and 44 were the groups with the largest proportion of uninsured patients. Adults aged 65 years and older had the highest proportion of Medicare and lowest proportion of uninsured (Figure 9).



In 2012, 90% of people who visited the emergency room had some form of health insurance coverage. Nearly 47% had private insurance, 21% had Medicare, and 16% were covered by Medicaid.

Whites had the greatest proportion of patients with both private insurance and Medicare, 49% and 31%, respectively. Whites also had the lowest proportion of patients with Medicaid coverage or no coverage, 9% and 6%, respectively.

Blacks and Hispanics had smaller proportions of patients with private insurance or Medicare coverage and much higher proportions with no health insurance or with only Medicaid coverage. Among blacks and Hispanics who sought medical care in the emergency room, 26% and 24% had Medicaid respectively. About 13% of blacks and 15% of Hispanics had to pay for their care out-of-pocket (Figure 10)¹.




¹ Data for race/ethnicity is from 2012 SPARCS, due to reporting errors and inconsistencies among hospitals during 2013-2016.

11

Emergency Room Visits by Hospital


In 2016, approximately 89% of Westchester County residents seeking care at the emergency room visited Westchester County hospitals.

Of the 12 acute care hospitals and two psychiatric hospitals with emergency departments in Westchester County, five hospitals treated over 51% of all emergency room visitors. White Plains Hospital Center, SJRH-St Johns Division, Montefiore New Rochelle, Westchester Medical Center, and St. Joseph's Hospital (Yonkers) each provided care to more than 31,000 residents seeking emergency medical treatment (Figure 11).



The type of health insurance for patients varied significantly by hospital. For example, 59% of patients at St. Joseph's Hospital were insured by Medicaid and only 10% had private insurance. However, at SJRH Dobbs Ferry Pavilion, only 2.1% were insured by Medicaid and 67% had private insurance.


Phelps Memorial Hospital and NY-Presbyterian Lawrence Hospital treated patients with the highest percentage of Medicare, 32% and 31% respectively (Figure 12).



Among total ER visits in 2012, 47% were white, 25% were black, and 28% were of other races. However, proportions varied significantly by hospital.

More than 60% of Westchester County Residents visiting Northern Westchester Hospital, SJRH at Dobbs Ferry Pavilion, and Phelps Memorial Hospital were white. Conversely, less than 40% of residents visiting Montefiore Mount Vernon, St. Joseph's Hospital (Yonkers) and SJRH-St Johns Division were white.

Montefiore Mount Vernon Hospital had the largest percentage of blacks (76.5%) and St. Joseph's Hospital in Yonkers had the largest percentage of other races, 51.7% (Figure 13)¹.




¹ Data for race/ethnicity is from 2012 SPARCS, due to reporting errors and inconsistencies among hospitals during 2013-2016.


14

Emergency Room Visits by Primary Cause

The top cause of emergency room visits was injury and poisoning. In 2016, 72,206 cases were treated in emergency rooms because of injuries and poisonings, comprising over one-fifth of all ER visits. Diseases of the respiratory system were responsible for about 13% of visits to emergency rooms. Diseases of the musculoskeletal & nervous system and general symptoms (such as fever, headache, dizziness, etc.) were each responsible for approximately 9% of ER visits (Figure 14).




Females outnumbered males in overall emergency room visits, as well as in all major diagnosis categories except injuries and poisonings, mental and behavioral disorders, conditions originating in the perinatal period and other care (Figure 15).




In 2012, whites made up a substantial proportion of ER visits for most principle diagnoses, except in childbirth and reproductive care, diseases of the eyes and ears, and conditions originating in the perinatal period. Whites made up more than 50% of ER visits for a principle diagnosis related to injuries and poisonings, diseases of the cardiovascular system, neoplasms, and endocrine, nutritional and metabolic diseases (Figure 16)¹.

Blacks were the largest proportion (45%) of blood or blood-forming organ related diseases.



¹ Data for race/ethnicity is from 2012 SPARCS, due to reporting errors and inconsistencies among hospitals during 2013-2016.


Childbirth related diagnoses and conditions originating in the perinatal period had the largest proportion of Hispanics to non-Hispanics compared to other causes (Figure 17)¹.




¹ Data for race/ethnicity is from 2012 SPARCS, due to reporting errors and inconsistencies among hospitals during 2013-2016.

Emergency Room Visits due to Injury and Poisonings


In 2016, 72,206 Westchester County residents sought emergency treatment for injuries and poisonings, more than half were treated by five hospitals: White Plains Hospital, Montefiore New Rochelle Hospital, NY-Presbyterian Hudson Valley Hospital, NY-Presbyterian Lawrence Hospital, and Westchester Medical Center (Figure 18).



Overall, there were more males who visited the ER because of injuries and poisonings than females. Although females over 45 had a higher rate of ER visits for injuries and poisonings than males. (Figure 19).




In 2012, there were 80,392 ER visits due to injuries and poisonings. More than half were white, and about 20% were black or Hispanic (Figure 20)9.




 $^{^{9}}$ Data for race/ethnicity is from 2012 SPARCS, due to reporting errors and inconsistencies among hospitals during 2013-2016.

Emergency Room Visits due to Diseases of the Respiratory System


In 2016, 46,859 residents visited the ER due to diseases of the respiratory system, 56% were treated at five hospitals: SJRH St Johns Division, White Plains Hospital, Montefiore New Rochelle, Saint Joseph's Hospital (Yonkers) and NY-Presbyterian Lawrence Hospital (Figure 21).



Overall there were more females who visited the ER for respiratory related diseases in 2016 than males except for ages under 15 (Figure 22).




In 2012, there were 36,404 ER visits due to respiratory related diseases and less than half were white. Nearly 30% were black and 27% were Hispanic (Figure 23)¹⁰.




 $^{^{10}}$ Data for race/ethnicity is from 2012 SPARCS, due to reporting errors and inconsistencies among hospitals during 2013-2016.

Emergency Room Visits due to Diseases of the Cardiovascular System


23,319 visited the ER due to diseases of the cardiovascular system in 2016. White Plains Hospital Center, NY-Presbyterian Lawrence Hospital, NY-Presbyterian Hudson Valley Hospital, SJRH-St Johns Division and Westchester Medical Center treated 58% of the cases (Figure 24).



There were slightly more females seeking care at Emergency Rooms for cardiovascular related diseases than males in 2016. When compared by age, there was a noticeably larger proportion of males aged 45-64 visiting ERs for cardiovascular related diseases, and larger proportion of females over 75 visiting ERs for cardiovascular related disease (Figure 25).




In 2012, there were 29,917 ER visits due to diseases of the cardiovascular system and 55% were white. About 24% were black and only 14% were Hispanic (Figure 26)¹¹.




 $^{^{11}}$ Data for race/ethnicity is from 2012 SPARCS, due to reporting errors and inconsistencies among hospitals during 2013-2016.

Emergency Room Visits due to Mental and Behavioral Disorders


In 2016, there were 22,269 Westchester County residents who visited the ER for mental and behavioral disorders. Saint Joseph's Hospital (Yonkers), White Plains Hospital Center, Westchester Medical Center, Phelps Memorial Hospital, and Montefiore Mount Vernon Hospital treated 56% of the cases (Figure 27).



Overall, there were more males who visited the ER seeking care for mental disorders and substance abuse than females in 2016. More than 70% of males seeking care for mental disorders and substance abuse were between 25 and 64 years of age. Females had a larger proportion than males visiting for ages 10-17 and over 65 (Figure 28).




In 2012, there were 18,379 patients seeking care at emergency rooms for mental disorders and substance abuse. About 48% of these patients were white, 28% black, and 19% Hispanic (Figure 29)¹².



 $^{^{12}}$ Data for race/ethnicity is from 2012 SPARCS, due to reporting errors and inconsistencies among hospitals during 2013-2016.

Emergency Room Visits by Disposition

Most patients were discharged after receiving emergency care in the hospital, but there were 2,510 patients who died after being admitted to the ER. About 19% of the total patients who sought treatment in emergency rooms were later admitted to the hospital. However, certain diagnoses resulted in higher proportions of patients being admitted as inpatients (Figure 30).



Tables

Table 1. Total Number of Emergency Room Visits by Hospital, Westchester County Residents, 2012-2016

| IIi1 | 201 | 2 | 201 | 3 | 201 | 4 | 201 | .5 | 201 | 6 |
|---|---------|------|---------|------|---------|------|---------|------|---------|------|
| Hospital | Number | % |
| Total | 338,771 | 100 | 335,173 | 100 | 338,632 | 100 | 347,269 | 100 | 349,563 | 100 |
| White Plains Hospital Center | 47,179 | 13.9 | 47,157 | 14.1 | 45,500 | 13.4 | 44,374 | 12.8 | 44,454 | 12.7 |
| SJRH - St Johns Division | 34,803 | 10.3 | 35,492 | 10.6 | 36,809 | 10.9 | 38,716 | 11.1 | 38,572 | 11.0 |
| Westchester Medical Center | 27,951 | 8.3 | 28,784 | 8.6 | 30,616 | 9.0 | 31,708 | 9.1 | 32,465 | 9.3 |
| Montefiore New Rochelle Hospital | 29,902 | 8.8 | 29,494 | 8.8 | 30,328 | 9.0 | 31,459 | 9.1 | 31,971 | 9.1 |
| St. Josephs Hospital (Yonkers) | 33,914 | 10.0 | 30,983 | 9.2 | 30,545 | 9.0 | 31,345 | 9.0 | 31,047 | 8.9 |
| New York-Presbyterian/Hudson Valley Hospital | 29,405 | 8.7 | 28,819 | 8.6 | 29,487 | 8.7 | 30,288 | 8.7 | 30,635 | 8.8 |
| New York Presbyterian/Lawrence Hospital | 30,337 | 9.0 | 30,961 | 9.2 | 29,766 | 8.8 | 30,469 | 8.8 | 30,443 | 8.7 |
| Phelps Memorial Hospital | 22,972 | 6.8 | 22,414 | 6.7 | 22,555 | 6.7 | 22,451 | 6.5 | 22,025 | 6.3 |
| Northern Westchester Hospital | 23,897 | 7.1 | 21,659 | 6.5 | 21,979 | 6.5 | 21,536 | 6.2 | 20,412 | 5.8 |
| Montefiore Mount Vernon Hospital | 15,177 | 4.5 | 15,501 | 4.6 | 17,331 | 5.1 | 18,598 | 5.4 | 19,863 | 5.7 |
| SJRH- Dobbs Ferry Pavillion | 7,105 | 2.1 | 7,213 | 2.2 | 6,950 | 2.1 | 7,217 | 2.1 | 6,788 | 1.9 |
| St. Josephs MC (St Vincents Westchester Division) ¹ | 1,410 | 0.4 | 1,258 | 0.4 | 1,217 | 0.4 | 1,604 | 0.5 | 1,669 | 0.5 |
| New York Presbyterian -Westchester Division ¹ | 539 | 0.2 | 628 | 0.2 | 775 | 0.2 | 981 | 0.3 | 1,028 | 0.3 |
| SJRH Park Care Pavilion ¹ | 30 | 0.0 | 3 | 0.0 | 3 | 0.0 | 21 | 0.0 | 24 | 0.0 |
| All Other Out-of-County Hospitals | 34,150 | 10.1 | 34,807 | 10.4 | 34,771 | 10.3 | 36,502 | 10.5 | 38,167 | 10.9 |

¹ These hospitals do not have a physical emergency department but do have a 24 hour referral service.

Table 2. Number of Emergency Room¹ Visits by Hospital, Patient Disposition, and Residency, 2016

| | | | P | atient I | Disposition | | | Resi | dency | |
|--|---------|-------|---------|----------|-------------|------|------------------|------|---------|--------|
| Hospital | Total V | isits | Out Pa | tient | In-Pat | ient | Westch Reside | | Non-Res | sident |
| | Number | % | Number | % | Number | % | Number | % | Number | % |
| Total | 434,032 | | 344,513 | | 89,519 | | 349,563 | | 84,470 | |
| White Plains Hospital Center | 50,092 | 11.5 | 39,408 | 11.4 | 10,684 | 11.9 | 44,454 | 12.7 | 5,639 | 6.7 |
| Westchester Medical Center | 49,653 | 11.4 | 32,402 | 9.4 | 17,251 | 19.3 | 32,465 | 9.3 | 17,188 | 20.3 |
| New York Presbyterian/Lawrence Hospital | 43,702 | 10.1 | 35,939 | 10.4 | 7,763 | 8.7 | 30,443 | 8.7 | 13,259 | 15.7 |
| SJRH - St Johns Division | 42,134 | 9.7 | 35,181 | 10.2 | 6,953 | 7.8 | 38,572 | 11.0 | 3,562 | 4.2 |
| New York-Presbyterian/Hudson Valley Hospital | 40,081 | 9.2 | 33,190 | 9.6 | 6,891 | 7.7 | 30,635 | 8.8 | 9,446 | 11.2 |
| Montefiore New Rochelle Hospital | 38,296 | 8.8 | 33,856 | 9.8 | 4,440 | 5.0 | 31,971 | 9.1 | 6,325 | 7.5 |
| St. Josephs Hospital (Yonkers) | 34,021 | 7.8 | 30,470 | 8.8 | 3,551 | 4.0 | 31,047 | 8.9 | 2,974 | 3.5 |
| Northern Westchester Hospital | 25,534 | 5.9 | 20,383 | 5.9 | 5,151 | 5.8 | 20,412 | 5.8 | 5,122 | 6.1 |
| Phelps Memorial Hospital | 25,372 | 5.8 | 20,501 | 6.0 | 4,871 | 5.4 | 22,025 | 6.3 | 3,347 | 4.0 |
| Montefiore Mount Vernon Hospital | 22,364 | 5.2 | 19,605 | 5.7 | 2,759 | 3.1 | 19,863 | 5.7 | 2,501 | 3.0 |
| SJRH- Dobbs Ferry Pavillion | 7,862 | 1.8 | 7,309 | 2.1 | 553 | 0.6 | 6,788 | 1.9 | 1,074 | 1.3 |
| New York Presbyterian -Westchester Division ² | 4,681 | 1.1 | | | 4,681 | 5.2 | 1,028 | 0.3 | 3,653 | 4.3 |
| St Josephs MC St Vincents Westchester Division ² | 2,406 | 0.6 | | | 2,406 | 2.7 | 1,669 | 0.5 | 737 | 0.9 |
| SJRH -Park Care Pavilion ² | 48 | 0.0 | | | 48 | 0.1 | 24 | 0.0 | 24 | 0.0 |
| All Other Out-of-County Hospitals | 47,786 | 11.0 | 36,269 | 10.5 | 11,517 | 12.9 | 38,167 | 10.9 | 9,619 | 11.4 |

¹ Patients were determined to have visited the emergency room if emergency department services were indicated in their records, or if the type of admission was "emergency".

² These hospitals do not have a physical emergency department but do have a 24 hour referral service.

Table 3. Number of Emergency Room Visits by Sex and Hospital, Westchester County Residents, 2016

| TT 2 1 | Total ¹ | Ma | le | Fem | ale |
|---|--------------------|---------|------|---------|------|
| Hospital | Total | Number | % | Number | % |
| Total | 349,563 | 160,493 | 45.9 | 189,063 | 54.1 |
| White Plains Hospital Center | 44,454 | 20,114 | 45.2 | 24,339 | 54.8 |
| SJRH - St Johns Division | 38,572 | 16,099 | 41.7 | 22,473 | 58.3 |
| Westchester Medical Center | 32,465 | 16,320 | 50.3 | 16,145 | 49.7 |
| Montefiore New Rochelle Hospital | 31,971 | 14,142 | 44.2 | 17,829 | 55.8 |
| St. Josephs Hospital (Yonkers) | 31,047 | 15,209 | 49.0 | 15,838 | 51.0 |
| New York-Presbyterian/Hudson Valley Hospital | 30,635 | 13,729 | 44.8 | 16,905 | 55.2 |
| New York Presbyterian/Lawrence Hospital | 30,443 | 13,010 | 42.7 | 17,433 | 57.3 |
| Phelps Memorial Hospital | 22,025 | 10,002 | 45.4 | 12,023 | 54.6 |
| Northern Westchester Hospital | 20,412 | 9,552 | 46.8 | 10,860 | 53.2 |
| Montefiore Mount Vernon Hospital | 19,863 | 9,135 | 46.0 | 10,728 | 54.0 |
| SJRH- Dobbs Ferry Pavillion | 6,788 | 3,071 | 45.2 | 3,717 | 54.8 |
| St Josephs M C St Vincents Westchester Division ² | 1,669 | 924 | 55.4 | 743 | 44.5 |
| New York Presbyterian -Westchester Division ² | 1,028 | 469 | 45.6 | 559 | 54.4 |
| SJRH Park Care Pavilion ² | 24 | 21 | 87.5 | 3 | 12.5 |
| All Other Out-of-County Hospitals | 38,167 | 18,696 | 49.0 | 19,468 | 51.0 |

¹ Total includes unknown sex.

² These hospitals do not have a physical emergency department but do have a 24 hour referral service.

Table 4. Number of Emergency Room Visits by Hospital and Age, Westchester County Residents, 2016

| | Total | Less than 1 | 1-4 | 5-9 | 10-14 | 15-17 | 18-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75+ |
|--|---------|----------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Total | 349,563 | 6,998 | 19,985 | 16,295 | 14,679 | 11,367 | 33,590 | 48,328 | 40,177 | 44,090 | 40,479 | 28,344 | 45,231 |
| White Plains Hospital Center | 44,454 | 672 | 1,915 | 1,590 | 1,593 | 1,233 | 3,606 | 5,444 | 4,941 | 5,703 | 5,658 | 4,237 | 7,862 |
| SJRH - St Johns Division | 38,572 | 886 | 2,807 | 2,217 | 1,435 | 1,080 | 3,588 | 5,832 | 4,450 | 4,524 | 4,038 | 2,869 | 4,846 |
| Westchester Medical Center | 32,465 | 1,858 | 4,037 | 2,797 | 2,541 | 1,887 | 2,501 | 3,823 | 3,212 | 3,047 | 2,682 | 1,873 | 2,207 |
| Montefiore New Rochelle Hospital | 31,971 | 652 | 1,720 | 1,462 | 1,245 | 934 | 3,768 | 4,701 | 3,704 | 4,150 | 3,267 | 2,417 | 3,951 |
| St. Josephs Hospital (Yonkers) | 31,047 | 331 | 1,615 | 1,669 | 1,337 | 1,081 | 3,857 | 5,583 | 4,303 | 4,374 | 3,818 | 1,586 | 1,493 |
| New York-Presbyterian/Hudson | 30,635 | 471 | 1,564 | 1,366 | 1,340 | 941 | 2,704 | 3,573 | 3,266 | 3,938 | 3,799 | 2,821 | 4,852 |
| Valley Hospital | 50,055 | 17.1 | 1,501 | 1,500 | 1,510 | 711 | 2,701 | 0,570 | 5,200 | 5,750 | 5,777 | 2,021 | 1,032 |
| New York Presbyterian/Lawrence Hospital | 30,443 | 524 | 1,506 | 1,086 | 967 | 771 | 2,315 | 3,776 | 3,308 | 3,611 | 3,451 | 3,135 | 5,993 |
| Phelps Memorial Hospital | 22,025 | 287 | 860 | 780 | 871 | 681 | 1,790 | 2,639 | 2,357 | 2,682 | 2,632 | 2,212 | 4,234 |
| Northern Westchester Hospital | 20,412 | 347 | 1,050 | 888 | 1,079 | 798 | 1,452 | 1,872 | 1,936 | 2,364 | 2,504 | 1,944 | 4,178 |
| Montefiore Mount Vernon Hospital | 19,863 | 167 | 776 | 739 | 560 | 456 | 2,318 | 3,360 | 2,623 | 3,441 | 2,771 | 1,304 | 1,348 |
| SJRH- Dobbs Ferry Pavillion | 6,788 | 26 | 173 | 254 | 355 | 308 | 668 | 841 | 810 | 936 | 822 | 611 | 984 |
| St. Josephs MC (St Vincents | 1,669 | 0 | 0 | 0 | 77 | 158 | 233 | 320 | 263 | 311 | 178 | 95 | 34 |
| Westchester Division) ¹ | 1,009 | U | U | U | 77 | 136 | 233 | 320 | 203 | 311 | 176 | 93 | 34 |
| New York Presbyterian -Westchester Division ¹ | 1,028 | 0 | 0 | 52 | 116 | 102 | 146 | 165 | 109 | 142 | 96 | 52 | 48 |
| SJRH Park Care Pavilion ¹ | 24 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 4 | 5 | 8 | 3 | 1 |
| All Other Out-of-County Hospitals | 38,167 | 777 | 1,962 | 1,395 | 1,163 | 937 | 4,644 | 6,396 | 4,891 | 4,862 | 4,755 | 3,185 | 3,200 |

¹ These hospitals do not have a physical emergency department but do have a 24 hour referral service.

Table 5. Number of Emergency Room Visits by Hospital and Race/Ethnicity, Westchester County Residents, 2012

| Hospital | Total | White | e | Blacl | ζ. | Other | .1 | Hispan | ic ² |
|--|---------|---------|------|--------|------|--------|------|--------|-----------------|
| | Total | Number | % | Number | % | Number | % | Number | % |
| Total | 338,771 | 160,617 | 47.4 | 84,399 | 24.9 | 93,755 | 27.7 | 76,791 | 22.7 |
| White Plains Hospital Center | 47,179 | 24,586 | 52.1 | 9,711 | 20.6 | 12,882 | 27.3 | 10,404 | 22.1 |
| SJRH - St Johns Division | 34,803 | 12,285 | 35.3 | 8,464 | 24.3 | 14,054 | 40.4 | 12,500 | 35.9 |
| Westchester Medical Center | 27,951 | 14,361 | 51.4 | 5,645 | 20.2 | 7,945 | 28.4 | 8,691 | 31.1 |
| Montefiore New Rochelle Hospital | 29,902 | 16,761 | 56.1 | 11,542 | 38.6 | 1,599 | 5.3 | 8,322 | 27.8 |
| St. Josephs Hospital (Yonkers) | 33,914 | 4,564 | 13.5 | 11,814 | 34.8 | 17,536 | 51.7 | 9,706 | 28.6 |
| New York-Presbyterian/Hudson Valley Hospital | 29,405 | 17,050 | 58.0 | 4,800 | 16.3 | 7,555 | 25.7 | 5,158 | 17.5 |
| New York Presbyterian/Lawrence Hospital | 30,337 | 15,940 | 52.5 | 7,165 | 23.6 | 7,232 | 23.8 | 4,722 | 15.6 |
| Phelps Memorial Hospital | 22,972 | 14,493 | 63.1 | 2,533 | 11.0 | 5,946 | 25.9 | 5,129 | 22.3 |
| Northern Westchester Hospital | 23,897 | 18,936 | 79.2 | 1,000 | 4.2 | 3,961 | 16.6 | 2,975 | 12.4 |
| Montefiore Mount Vernon Hospital | 15,177 | 3,080 | 20.3 | 11,608 | 76.5 | 489 | 3.2 | 1,698 | 11.2 |
| SJRH- Dobbs Ferry Pavillion | 7,105 | 5,315 | 74.8 | 626 | 8.8 | 1,164 | 16.4 | 647 | 9.1 |
| St Josephs MC St Vincents Westchester Division ³ | 1,410 | 637 | 45.2 | 451 | 32.0 | 322 | 22.8 | 272 | 19.3 |
| New York Presbyterian -Westchester Division ³ | 539 | 311 | 57.7 | 109 | 20.2 | 119 | 22.1 | 54 | 10.0 |
| SJRH Park Care Pavilion ³ | 30 | 15 | 50.0 | 5 | 16.7 | 10 | 33.3 | 10 | 33.3 |
| All Other Out-of-County Hospitals | 34,150 | 12,283 | 36.0 | 8,926 | 26.1 | 12,941 | 37.9 | 6,503 | 19.0 |

 $^{^{1}}$ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown.

 $^{^{2}}$ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

³ These hospitals of not have a physical emergency department but do have a 24 hour referral service.

Table 5. Number of Emergency Room Visits by Hospital and Race/Ethnicity, Westchester County Residents, 2016

| Hospital | Total | Whit | e | Blacl | ζ | Other | .1 | Hispan | ic ² |
|--|---------|---------|------|--------|------|---------|------|--------|-----------------|
| | Total | Number | % | Number | % | Number | % | Number | % |
| Total | 349,563 | 141,855 | 40.6 | 91,619 | 26.2 | 116,089 | 33.2 | 50,426 | 14.4 |
| White Plains Hospital Center | 44,454 | 87 | 0.2 | 8,639 | 19.4 | 35,728 | 80.4 | 7 | 0.0 |
| SJRH - St Johns Division | 38,572 | 25,623 | 66.4 | 11,034 | 28.6 | 1,915 | 5.0 | 16,811 | 43.6 |
| Westchester Medical Center | 32,465 | 12,013 | 37.0 | 6,290 | 19.4 | 14,162 | 43.6 | 1,785 | 5.5 |
| Montefiore New Rochelle Hospital | 31,971 | 16,107 | 50.4 | 11,619 | 36.3 | 4,245 | 13.3 | 6,193 | 19.4 |
| St. Josephs Hospital (Yonkers) | 31,047 | 3,548 | 11.4 | 10,832 | 34.9 | 16,667 | 53.7 | 4,911 | 15.8 |
| New York-Presbyterian/Hudson Valley Hospital | 30,635 | 16,940 | 55.3 | 5,401 | 17.6 | 8,294 | 27.1 | 6,199 | 20.2 |
| New York Presbyterian/Lawrence Hospital | 30,443 | 14,523 | 47.7 | 7,744 | 25.4 | 8,176 | 26.9 | 3 | 0.0 |
| Phelps Memorial Hospital | 22,025 | 12,434 | 56.5 | 2,782 | 12.6 | 6,809 | 30.9 | 5,898 | 26.8 |
| Northern Westchester Hospital | 20,412 | 15,466 | 75.8 | 757 | 3.7 | 4,189 | 20.5 | 1 | 0.0 |
| Montefiore Mount Vernon Hospital | 19,863 | 3,641 | 18.3 | 15,145 | 76.2 | 1,077 | 5.4 | 2,003 | 10.1 |
| SJRH- Dobbs Ferry Pavillion | 6,788 | 5,553 | 81.8 | 815 | 12.0 | 420 | 6.2 | 1,011 | 14.9 |
| St Josephs MC St Vincents Westchester Division ³ | 1,669 | 747 | 44.8 | 505 | 30.3 | 417 | 25.0 | 321 | 19.2 |
| New York Presbyterian -Westchester Division ³ | 1,028 | 683 | 66.4 | 136 | 13.2 | 209 | 20.3 | 102 | 9.9 |
| SJRH Park Care Pavilion ³ | 24 | 22 | 91.7 | 1 | 4.2 | 1 | 4.2 | 9 | 37.5 |
| All Other Out-of-County Hospitals | 38,167 | 14,468 | 37.9 | 9,919 | 26.0 | 13,780 | 36.1 | 5,172 | 13.6 |

¹ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Multi-Race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

³ These hospitals of not have a physical emergency department but do have a 24 hour referral service.

Table 6. Number of Emergency Room Visits by Major Diagnosis Category and Hospital, Westchester County Residents, 2016

| Diagnosis Category | Total ¹ | White Plains Hospital Center | SJRH- St Johns Division | Westchester Medical Center | Montefiore New Rochelle Hospital | Saint Joseph's Hospital | NY- Presbyterian Hudson Valley Hospital | NY- Presbyterian Lawrence Hospital | Phelps Memorial Hospital | Northern Westchester Hospital | Montefiore Mount Vernon Hospital | SJRH-Dobbs Ferry Pavillion | All Other Out-of- County Hospitals |
|--|--------------------|------------------------------------|-------------------------------|----------------------------------|---|-------------------------------|--|---|--------------------------------|-------------------------------------|---|----------------------------------|---|
| Total | 349,563 | 44,454 | 38,572 | 32,465 | 31,971 | 31,047 | 30,635 | 30,443 | 22,025 | 20,412 | 19,863 | 6,788 | 38,167 |
| Injuries and Poisonings | 72,206 | 7,980 | 6,258 | 6,586 | 7,460 | 5,861 | 7,377 | 6,840 | 5,423 | 4,933 | 4,032 | 2,122 | 7,334 |
| Diseases of the Respiratory System | 46,859 | 5,249 | 7,127 | 3,827 | 4,902 | 4,836 | 3,854 | 4,183 | 2,426 | 2,179 | 3,224 | 822 | 4,230 |
| General Symptoms | 32,796 | 5,817 | 3,044 | 2,576 | 2,554 | 1,776 | 3,562 | 3,083 | 1,808 | 2,552 | 1,782 | 486 | 3,755 |
| Diseases of the Musculoskeletal & Nervous Systems | 32,369 | 4,445 | 3,822 | 2,383 | 2,485 | 2,933 | 3,104 | 2,880 | 2,005 | 1,719 | 1,990 | 773 | 3,826 |
| Diseases of the Digestive System | 30,345 | 4,334 | 3,724 | 3,019 | 2,859 | 2,492 | 2,589 | 2,642 | 2,102 | 1,835 | 1,404 | 520 | 2,824 |
| Diseases of the Cardiovascular System | 23,319 | 3,678 | 2,431 | 2,211 | 1,538 | 1,107 | 2,366 | 2,788 | 1,208 | 1,682 | 951 | 237 | 3,122 |
| Mental & Behavioral Disorders | 22,269 | 2,387 | 771 | 2,322 | 1,254 | 4,372 | 612 | 623 | 1,702 | 903 | 1,793 | 156 | 2,661 |
| Diseases of the Genitourinary System | 18,993 | 2,830 | 2,505 | 1,330 | 1,794 | 1,440 | 1,621 | 2,041 | 1,161 | 1,213 | 879 | 404 | 1,775 |
| Infectious and Parasitic Diseases | 15,665 | 2,138 | 2,016 | 1,851 | 1,734 | 1,334 | 1,195 | 1,102 | 1,170 | 728 | 709 | 247 | 1,441 |
| Diseases of the Skin | 14,195 | 1,792 | 1,656 | 1,077 | 1,469 | 1,226 | 1,298 | 1,452 | 853 | 774 | 891 | 343 | 1,364 |
| Childbirth & Reproductive Care | 10,195 | 651 | 1,340 | 1,788 | 1,337 | 496 | 732 | 586 | 434 | 331 | 462 | 50 | 1,986 |
| Diseases of the Eye & Ear | 9,943 | 972 | 1,434 | 978 | 1,074 | 1,149 | 845 | 795 | 577 | 436 | 606 | 206 | 871 |
| Endocrine, Nutritional & Metabolic Diseases | 6,379 | 855 | 808 | 740 | 535 | 510 | 504 | 531 | 415 | 319 | 402 | 133 | 627 |
| Neoplasms | 2,730 | 368 | 219 | 328 | 144 | 67 | 167 | 239 | 152 | 171 | 60 | 15 | 800 |
| Diseases of the Blood & Blood- forming Organs | 2,490 | 238 | 280 | 314 | 187 | 117 | 164 | 236 | 210 | 127 | 176 | 27 | 414 |
| Conditions Originating in the Perinatal Period | 398 | 36 | 63 | 132 | 21 | 6 | 10 | 20 | 15 | 27 | 3 | 1 | 64 |
| Other Care | 8,412 | 684 | 1,074 | 1,003 | 624 | 1,325 | 635 | 402 | 364 | 483 | 499 | 246 | 1,073 |

¹ Total includes cases from St. Vincent's Hospital Westchester, New York Presbyterian Hospital, and St. John's Riverside Park Care Pavillion. These hospitals do not have a physical emergency department but do have a 24 hour referral service. Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2018.

Table 7. Number of Emergency Room Visits by Hospital and Payer, Westchester County Residents, 2016

| Hospital | Total | Priva Insura | | Medie | care | Medie | caid | Self I | Pay | Work Compen | | Fede Progr | | Othe | er ³ |
|--|---------|-----------------|------|--------|------|--------|------|--------|------|----------------|-----|---------------|-----|--------|-----------------|
| | | N | % | N | % | N | % | N | % | N | % | N | % | N | % |
| Total | 349,563 | 172,341 | 49.3 | 74,787 | 21.4 | 64,326 | 18.4 | 17,843 | 5.1 | 6,465 | 1.8 | 648 | 0.2 | 13,153 | 3.8 |
| White Plains Hospital Center | 44,454 | 26,612 | 59.9 | 12,715 | 28.6 | 2,299 | 5.2 | 2,038 | 4.6 | 786 | 1.8 | 0 | 0.0 | 4 | 0.0 |
| SJRH - St Johns Division | 38,572 | 25,205 | 65.3 | 6,955 | 18.0 | 2,023 | 5.2 | 0 | 0.0 | 1,027 | 2.7 | 56 | 0.1 | 3,306 | 8.6 |
| Westchester Medical Center | 32,465 | 10,889 | 33.5 | 4,472 | 13.8 | 14,120 | 43.5 | 1,592 | 4.9 | 488 | 1.5 | 88 | 0.3 | 816 | 2.5 |
| Montefiore New Rochelle Hospital | 31,971 | 20,008 | 62.6 | 5,000 | 15.6 | 3,058 | 9.6 | 20 | 0.1 | 504 | 1.6 | 29 | 0.1 | 3,352 | 10.5 |
| St. Josephs Hospital (Yonkers) | 31,047 | 3,235 | 10.4 | 4,542 | 14.6 | 18,428 | 59.4 | 4,386 | 14.1 | 299 | 1.0 | 5 | 0.0 | 152 | 0.5 |
| New York-Presbyterian/Hudson Valley Hospital | 30,635 | 10,274 | 33.5 | 8,614 | 28.1 | 8,393 | 27.4 | 2,650 | 8.7 | 370 | 1.2 | 334 | 1.1 | 0 | 0.0 |
| New York Presbyterian/Lawrence Hospital | 30,443 | 16,957 | 55.7 | 9,328 | 30.6 | 863 | 2.8 | 1,772 | 5.8 | 465 | 1.5 | 0 | 0.0 | 1,058 | 3.5 |
| Phelps Memorial Hospital | 22,025 | 7,955 | 36.1 | 6,985 | 31.7 | 5,087 | 23.1 | 1,335 | 6.1 | 619 | 2.8 | 23 | 0.1 | 21 | 0.1 |
| Northern Westchester Hospital | 20,412 | 9,751 | 47.8 | 6,073 | 29.8 | 3,108 | 15.2 | 945 | 4.6 | 369 | 1.8 | 8 | 0.0 | 158 | 0.8 |
| Montefiore Mount Vernon Hospital | 19,863 | 12,617 | 63.5 | 2,005 | 10.1 | 2,533 | 12.8 | 7 | 0.0 | 229 | 1.2 | 17 | 0.1 | 2,455 | 12.4 |
| SJRH- Dobbs Ferry Pavillion | 6,788 | 4,556 | 67.1 | 1,358 | 20.0 | 142 | 2.1 | 0 | 0.0 | 269 | 4.0 | 6 | 0.1 | 457 | 6.7 |
| St. Josephs MC (St Vincents Westchester Division) | 1,669 | 932 | 55.8 | 457 | 27.4 | 225 | 13.5 | 45 | 2.7 | 1 | 0.1 | 9 | 0.5 | 0 | 0.0 |
| New York Presbyterian - Westchester Division | 1,028 | 668 | 65.0 | 216 | 21.0 | 123 | 12.0 | 0 | 0.0 | 1 | 0.1 | 0 | 0.0 | 20 | 1.9 |
| SJRH Park Care Pavilion | 24 | 10 | 41.7 | 9 | 37.5 | 5 | 20.8 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| All Other Out-of-County Hospitals | 38,167 | 22,672 | 59.4 | 6,058 | 15.9 | 3,919 | 10.3 | 3,053 | 8.0 | 1,038 | 2.7 | 73 | 0.2 | 1,354 | 3.5 |

 $^{^{\}rm 1}$ Includes private insurance companies, HMOs, prepaid health service plans, and Blue Cross.

² Includes CHAMPUS and other federal programs.

³ Includes Unknown and other Non-federal programs.

Table 8. Emergency Room Visits by Sex and Age, Westchester County Residents, 2016

| A == (~~~~~~) | Tota | 1 ¹ | Male | es | Fema | les |
|---------------|---------|----------------|---------|------|---------|------|
| Age (years) | Number | % | Number | % | Number | % |
| Total | 349,563 | | 160,493 | | 189,063 | |
| Less than 1 | 6,998 | 2.0 | 3,822 | 2.4 | 3,175 | 1.7 |
| 1-4 | 19,985 | 5.7 | 11,102 | 6.9 | 8,883 | 4.7 |
| 5-9 | 16,295 | 4.7 | 8,924 | 5.6 | 7,371 | 3.9 |
| 10-14 | 14,679 | 4.2 | 7,675 | 4.8 | 7,004 | 3.7 |
| 15-17 | 11,367 | 3.3 | 5,342 | 3.3 | 6,024 | 3.2 |
| 18-24 | 33,590 | 9.6 | 14,081 | 8.8 | 19,509 | 10.3 |
| 25-34 | 48,328 | 13.8 | 20,338 | 12.7 | 27,989 | 14.8 |
| 35-44 | 40,177 | 11.5 | 17,691 | 11.0 | 22,486 | 11.9 |
| 45-54 | 44,090 | 12.6 | 20,394 | 12.7 | 23,693 | 12.5 |
| 55-64 | 40,479 | 11.6 | 20,167 | 12.6 | 20,312 | 10.7 |
| 65-74 | 28,344 | 8.1 | 13,213 | 8.2 | 15,130 | 8.0 |
| 75 and over | 45,231 | 12.9 | 17,744 | 11.1 | 27,487 | 14.5 |

¹Total includes unknown sex.

Table 9. Emergency Room Visits by Race and Ethnicity and Age, Westchester County Residents, 2012

| Age (years) | Tota | 1 | Whit | te | Blac | k | Othe | r ¹ | Hispar | nic ² |
|-------------|---------|------|---------|------|--------|------|--------|----------------|--------|------------------|
| nge (years) | Number | % | Number | % | Number | % | Number | % | Number | % |
| Total | 338,771 | | 160,617 | | 84,399 | | 93,755 | | 76,791 | |
| Less than 1 | 7,408 | 2.2 | 2,051 | 1.3 | 1,623 | 1.9 | 3,734 | 4.0 | 3,495 | 4.6 |
| 1-4 | 21,547 | 6.4 | 6,778 | 4.2 | 5,109 | 6.1 | 9,660 | 10.3 | 8,980 | 11.7 |
| 5-9 | 15,607 | 4.6 | 5,859 | 3.6 | 3,392 | 4.0 | 6,356 | 6.8 | 5,966 | 7.8 |
| 10-14 | 14,851 | 4.4 | 6,572 | 4.1 | 3,543 | 4.2 | 4,736 | 5.1 | 4,282 | 5.6 |
| 15-17 | 11,753 | 3.5 | 5,098 | 3.2 | 2,934 | 3.5 | 3,721 | 4.0 | 3,103 | 4.0 |
| 18-24 | 34,316 | 10.1 | 12,682 | 7.9 | 10,621 | 12.6 | 11,013 | 11.7 | 9,407 | 12.3 |
| 25-34 | 44,152 | 13.0 | 15,977 | 9.9 | 13,165 | 15.6 | 15,010 | 16.0 | 12,558 | 16.4 |
| 35-44 | 39,566 | 11.7 | 15,894 | 9.9 | 11,409 | 13.5 | 12,263 | 13.1 | 10,078 | 13.1 |
| 45-54 | 44,342 | 13.1 | 20,472 | 12.7 | 13,453 | 15.9 | 10,417 | 11.1 | 8,256 | 10.8 |
| 55-64 | 35,116 | 10.4 | 19,146 | 11.9 | 8,520 | 10.1 | 7,450 | 7.9 | 5,146 | 6.7 |
| 65-74 | 25,614 | 7.6 | 15,698 | 9.8 | 5,465 | 6.5 | 4,451 | 4.7 | 2,809 | 3.7 |
| 75 and over | 44,499 | 13.1 | 34,390 | 21.4 | 5,165 | 6.1 | 4,944 | 5.3 | 2,711 | 3.5 |

¹ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

 $^{^{2}}$ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 9. Emergency Room Visits by Race and Ethnicity and Age, Westchester County Residents, 2016

| Age (years) | Tota | 1 | Whit | te | Blac | k | Othe | r ¹ | Hispan | ic ² |
|-------------|---------|------|---------|------|--------|------|---------|----------------|--------|-----------------|
| | Number | % | Number | % | Number | % | Number | % | Number | % |
| Total | 349,563 | | 141,855 | | 91,619 | | 116,089 | | 50,426 | |
| Less than 1 | 6,998 | 2.0 | 1,904 | 1.3 | 1,671 | 1.8 | 3,423 | 2.9 | 1,532 | 3.0 |
| 1-4 | 19,985 | 5.7 | 6,260 | 4.4 | 4,978 | 5.4 | 8,747 | 7.5 | 4,498 | 8.9 |
| 5-9 | 16,295 | 4.7 | 5,326 | 3.8 | 4,164 | 4.5 | 6,805 | 5.9 | 3,518 | 7.0 |
| 10-14 | 14,679 | 4.2 | 5,488 | 3.9 | 3,478 | 3.8 | 5,713 | 4.9 | 2,624 | 5.2 |
| 15-17 | 11,367 | 3.3 | 4,206 | 3.0 | 2,934 | 3.2 | 4,227 | 3.6 | 1,840 | 3.6 |
| 18-24 | 33,590 | 9.6 | 11,704 | 8.3 | 10,493 | 11.5 | 11,393 | 9.8 | 5,981 | 11.9 |
| 25-34 | 48,328 | 13.8 | 15,601 | 11.0 | 15,735 | 17.2 | 16,992 | 14.6 | 8,672 | 17.2 |
| 35-44 | 40,177 | 11.5 | 13,456 | 9.5 | 11,803 | 12.9 | 14,918 | 12.9 | 7,082 | 14.0 |
| 45-54 | 44,090 | 12.6 | 16,788 | 11.8 | 13,968 | 15.2 | 13,334 | 11.5 | 5,945 | 11.8 |
| 55-64 | 40,479 | 11.6 | 18,135 | 12.8 | 10,681 | 11.7 | 11,663 | 10.0 | 4,221 | 8.4 |
| 65-74 | 28,344 | 8.1 | 14,628 | 10.3 | 6,033 | 6.6 | 7,683 | 6.6 | 2,354 | 4.7 |
| 75 and over | 45,231 | 12.9 | 28,359 | 20.0 | 5,681 | 6.2 | 11,191 | 9.6 | 2,159 | 4.3 |

¹ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Multi-Race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 10. Emergency Room Visits by Payer and Age, Westchester County Residents, 2016

| | Tota | 1 | Less th | an 1 | 1-4 | | 5-9 | | 10-1 | .4 | 15-1 | 7 | 18-2 | 4 | 25-4 | 4 | 45-6 | 54 | 65-7 | 4 | 75 and | over |
|---------------------------------------|---------|------|---------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|--------|------|
| | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % |
| Total | 349,563 | | 6,998 | | 19,985 | | 16,295 | | 14,679 | | 11,367 | | 33,590 | | 88,505 | | 84,569 | | 28,344 | | 45,231 | |
| Private Insurance ¹ | 172,341 | 49.3 | 4,129 | 59.0 | 12,530 | 62.7 | 10,393 | 63.8 | 9,652 | 65.8 | 7,315 | 64.4 | 19,995 | 59.5 | 47,110 | 53.2 | 50,162 | 59.3 | 6,378 | 22.5 | 4,677 | 10.3 |
| M edicare | 74,787 | 21.4 | 1 | 0.0 | 4 | 0.0 | 3 | 0.0 | 2 | 0.0 | 5 | 0.0 | 321 | 1.0 | 3,670 | 4.1 | 11,196 | 13.2 | 20,046 | 70.7 | 39,539 | 87.4 |
| M edicaid | 64,326 | 18.4 | 2,474 | 35.4 | 6,064 | 30.3 | 4,855 | 29.8 | 4,203 | 28.6 | 3,047 | 26.8 | 7,757 | 23.1 | 20,696 | 23.4 | 13,917 | 16.5 | 775 | 2.7 | 538 | 1.2 |
| Self Pay | 17,843 | 5.1 | 216 | 3.1 | 757 | 3.8 | 544 | 3.3 | 446 | 3.0 | 460 | 4.0 | 2,670 | 7.9 | 8,174 | 9.2 | 3,930 | 4.6 | 442 | 1.6 | 204 | 0.5 |
| Worker's Compensation ² | 6,465 | 1.8 | 5 | 0.1 | 13 | 0.1 | 19 | 0.1 | 9 | 0.1 | 45 | 0.4 | 710 | 2.1 | 3,020 | 3.4 | 2,375 | 2.8 | 224 | 0.8 | 45 | 0.1 |
| Federal Program | 648 | 0.2 | 6 | 0.1 | 66 | 0.3 | 34 | 0.2 | 27 | 0.2 | 34 | 0.3 | 72 | 0.2 | 134 | 0.2 | 166 | 0.2 | 78 | 0.3 | 31 | 0.1 |
| Other ³ | 13,153 | 3.8 | 167 | 2.4 | 551 | 2.8 | 447 | 2.7 | 340 | 2.3 | 461 | 4.1 | 2,065 | 6.1 | 5,701 | 6.4 | 2,823 | 3.3 | 401 | 1.4 | 197 | 0.4 |

 $^{^{\}mathrm{1}}$ Includes private insurance companies, HMOs, prepaid health service plans, and Blue Cross.

² Includes CHAMPUS and other federal programs.

³ Includes Unknown and other Non-federal programs.

Table 11. Emergency Room Visits by Payer and Race and Ethnicity, Westchester County Residents, 2012

| | Tota | al | Whi | ite | Blac | ck | Otho | er ¹ | Hispanic ² | |
|--------------------------------|---------|------|---------|------|--------------------|------|--------|-----------------|-----------------------|-----------------|
| | Number | % | Number | % | Number | % | Number | % | Number | % |
| Total | 338,771 | | 160,617 | | 84,399 | | 93,755 | | 76,791 | |
| Private Insurance ³ | 157,986 | 46.6 | 79,138 | 49.3 | 32,602 | 38.6 | 46,246 | 49.3 | 35,495 | 46.2 |
| Medicare | 72,518 | 21.4 | 50,097 | 31.2 | 13,398 | 15.9 | 9,023 | 9.6 | 5,495 | 7.2 |
| Medicaid | 55,170 | 16.3 | 14,138 | 8.8 | 21,815 | 25.8 | 19,217 | 20.5 | 18,517 | 24.1 |
| Self Pay | 34,487 | 10.2 | 9,792 | 6.1 | 11,232 | 13.3 | 13,463 | 14.4 | 11,829 | 15.4 |
| Worker's | 7,105 | 2.1 | 3,552 | 2.2 | 1,432 | 1.7 | 2,121 | 2.3 | 1,861 | 2.4 |
| Compensation | 7,105 | 2.1 | 3,332 | 2.2 | 1, 1 32 | 1.7 | 2,121 | 2.3 | 1,001 | 2. 4 |
| Federal Program ⁴ | 3,122 | 0.9 | 1,347 | 0.8 | 1,550 | 1.8 | 225 | 0.2 | 457 | 0.6 |
| Other Program ⁵ | 8,383 | 2.5 | 2,553 | 1.6 | 2,370 | 2.8 | 3,460 | 3.7 | 3,137 | 4.1 |

¹ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

 $^{^{2}}$ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

 $^{^3}$ Includes private insurance companies, HMOs, prepaid health service plans, and Blue Cross.

⁴ Includes CHAMPUS and other federal programs.

 $^{^{\}rm 5}$ Includes Unknown and other Non-federal programs.

Table 11. Emergency Room Visits by Payer and Race and Ethnicity, Westchester County Residents, 2016

| | Tot | al | Whi | ite | Bla | c k | Oth | er ¹ | Hispanic ² | |
|--------------------------------|---------|------|---------|------|--------|------------|---------|-----------------|-----------------------|------|
| | Number | % | Number | % | Number | % | Number | % | Number | % |
| Total | 349,563 | | 141,855 | | 91,619 | | 116,089 | | 50,426 | |
| Private Insurance ³ | 172,341 | 49.3 | 73,707 | 52.0 | 48,016 | 52.4 | 50,618 | 43.6 | 25,203 | 50.0 |
| Medicare | 74,787 | 21.4 | 42,813 | 30.2 | 13,071 | 14.3 | 18,903 | 16.3 | 4,085 | 8.1 |
| Medicaid | 64,326 | 18.4 | 13,807 | 9.7 | 18,537 | 20.2 | 31,982 | 27.5 | 13,303 | 26.4 |
| Self Pay | 17,843 | 5.1 | 3,165 | 2.2 | 4,668 | 5.1 | 10,010 | 8.6 | 3,395 | 6.7 |
| Worker's | 6,465 | 1.8 | 2,780 | 2.0 | 1,548 | 1.7 | 2,137 | 1.8 | 963 | 1.9 |
| Compensation | 0,403 | 1.0 | 2,780 | 2.0 | 1,340 | 1.7 | 2,137 | 1.0 | 903 | 1.9 |
| Federal Program ⁴ | 648 | 0.2 | 296 | 0.2 | 189 | 0.2 | 163 | 0.1 | 139 | 0.3 |
| Other Program ⁵ | 13,153 | 3.8 | 5,287 | 3.7 | 5,590 | 6.1 | 2,276 | 2.0 | 3,338 | 6.6 |

¹ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Multi-Race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

 $^{^3}$ Includes private insurance companies, HMOs, prepaid health service plans, and Blue Cross.

⁴ Includes CHAMPUS and other federal programs.

⁵ Includes Unknown and other Non-federal programs.

Table 12. Number of Emergency Room Visits by Major Diagnosis Category and Sex, Westchester County Residents, 2016

| Diamania Catanana | Total ¹ | Male | <u>;</u> | Fema | le |
|---|--------------------|---------|----------|---------|-------|
| Diagnosis Category | 1 ota1 | Number | % | Number | % |
| Total | 349,563 | 160,493 | 45.9 | 189,063 | 54.1 |
| Injuries and Poisonings | 72,206 | 37,747 | 52.3 | 34,458 | 47.7 |
| Diseases of the Respiratory System | 46,859 | 21,087 | 45.0 | 25,771 | 55.0 |
| General Symptoms | 32,796 | 13,309 | 40.6 | 19,487 | 59.4 |
| Diseases of the Musculoskeletal & Nervous Systems | 32,369 | 14,090 | 43.5 | 18,279 | 56.5 |
| Diseases of the Digestive System | 30,345 | 13,685 | 45.1 | 16,660 | 54.9 |
| Diseases of the Cardiovascular System | 23,319 | 11,377 | 48.8 | 11,942 | 51.2 |
| Mental & Behavioral Disorders | 22,269 | 13,316 | 59.8 | 8,950 | 40.2 |
| Diseases of the Genitourinary System | 18,993 | 6,975 | 36.7 | 12,018 | 63.3 |
| Infectious and Parasitic Diseases | 15,665 | 7,377 | 47.1 | 8,288 | 52.9 |
| Diseases of the Skin | 14,195 | 6,837 | 48.2 | 7,358 | 51.8 |
| Childbirth and Reproductive Care | 10,195 | | | 10,195 | 100.0 |
| Diseases of the Eye & Ear | 9,943 | 4,788 | 48.2 | 5,155 | 51.8 |
| Endocrine, Nutritional & Metabolic Diseases | 6,379 | 2,972 | 46.6 | 3,407 | 53.4 |
| Neoplasms | 2,730 | 1,201 | 44.0 | 1,529 | 56.0 |
| Diseases of the Blood & Blood-forming Organs | 2,490 | 1,048 | 42.1 | 1,442 | 57.9 |
| Conditions Originating in the Perinatal Period | 398 | 209 | 52.5 | 188 | 47.2 |
| Other Care | 8,412 | 4,475 | 53.2 | 3,936 | 46.8 |

 $^{^{\}rm 1}$ Totals may include cases with unknown sex.

Table 13. Number of Emergency Room Visits by Major Diagnosis Category and Age, Westchester County Residents, 2016

| | Total | Less than 1 | 1-4 | 5-9 | 10-14 | 15-17 | 18-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75+ |
|--|---------|-------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Total | 349,563 | 6,998 | 19,985 | 16,295 | 14,679 | 11,367 | 33,590 | 48,328 | 40,177 | 44,090 | 40,479 | 28,344 | 45,231 |
| Injuries and Poisonings | 72,206 | 574 | 4,139 | 3,999 | 5,408 | 3,771 | 7,816 | 9,831 | 7,654 | 8,374 | 7,390 | 4,904 | 8,346 |
| Diseases of the Respiratory System | 46,859 | 2,077 | 5,621 | 4,225 | 2,140 | 1,221 | 4,112 | 5,438 | 4,593 | 5,321 | 4,480 | 3,057 | 4,574 |
| General Symptoms | 32,796 | 795 | 1,594 | 1,365 | 1,352 | 1,116 | 3,033 | 4,345 | 3,813 | 4,228 | 3,963 | 2,877 | 4,315 |
| Diseases of the Musculoskeletal & Nervous Systems | 32,369 | 57 | 328 | 501 | 810 | 691 | 2,326 | 4,575 | 4,973 | 6,169 | 5,114 | 2,933 | 3,892 |
| Diseases of the Digestive System | 30,345 | 695 | 1,719 | 1,603 | 1,056 | 768 | 2,942 | 4,191 | 3,457 | 3,806 | 3,526 | 2,660 | 3,922 |
| Diseases of the Cardiovascular System | 23,319 | 14 | 44 | 132 | 170 | 205 | 582 | 1,276 | 1,886 | 3,430 | 4,187 | 3,861 | 7,532 |
| Mental & Behavioral Disorders | 22,269 | 9 | 11 | 270 | 1,121 | 1,396 | 3,104 | 4,085 | 3,436 | 3,792 | 3,151 | 1,039 | 855 |
| Diseases of the Genitourinary System | 18,993 | 128 | 290 | 395 | 334 | 525 | 2,325 | 2,877 | 2,374 | 2,358 | 2,185 | 1,862 | 3,340 |
| Infectious and Parasitic Diseases | 15,665 | 871 | 2,369 | 1,240 | 529 | 317 | 1,132 | 1,308 | 1,027 | 1,117 | 1,316 | 1,366 | 3,073 |
| Diseases of the Skin | 14,195 | 307 | 958 | 732 | 619 | 471 | 1,558 | 2,041 | 1,690 | 1,927 | 1,632 | 955 | 1,305 |
| Childbirth & Reproductive Care | 10,195 | 10 | 0 | 0 | 8 | 192 | 2,506 | 5,161 | 2,253 | 63 | 1 | 0 | 1 |
| Diseases of the Eye & Ear | 9,943 | 555 | 2,113 | 1,248 | 620 | 273 | 776 | 1,058 | 899 | 849 | 722 | 445 | 385 |
| Endocrine, Nutritional & Metabolic Diseases | 6,379 | 89 | 215 | 124 | 143 | 120 | 272 | 447 | 524 | 908 | 1,139 | 956 | 1,442 |
| Neoplasms | 2,730 | 16 | 10 | 17 | 17 | 14 | 42 | 104 | 207 | 373 | 515 | 593 | 822 |
| Diseases of the Blood & Blood-forming Organs | 2,490 | 18 | 61 | 82 | 65 | 39 | 140 | 294 | 355 | 356 | 225 | 273 | 582 |
| Conditions Originating in the Perinatal Period | 398 | 396 | 0 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Other Care | 8,412 | 387 | 513 | 362 | 286 | 248 | 924 | 1,296 | 1,036 | 1,019 | 933 | 563 | 845 |

Table 14. Number of Emergency Room Visits by Major Diagnosis Category and Race/Ethnicity, Westchester County Residents, 2012

| Dia mandia Catanana | То401 | White | e | Black | ζ. | Other | ,1 | Hispan | ic ² |
|--|---------|---------|------|--------|------|--------|------|--------|-----------------|
| Diagnosis Category | Total | Number | % | Number | % | Number | % | Number | % |
| Total | 338,771 | 160,617 | 47.4 | 84,399 | 24.9 | 93,755 | 27.7 | 76,791 | 22.7 |
| Injuries and Poisonings | 80,392 | 43,312 | 53.9 | 16,417 | 20.4 | 20,663 | 25.7 | 16,124 | 20.1 |
| Diseases of the Respiratory System | 36,404 | 14,262 | 39.2 | 10,753 | 29.5 | 11,389 | 31.3 | 9,782 | 26.9 |
| General Symptoms | 30,948 | 14,299 | 46.2 | 7,148 | 23.1 | 9,501 | 30.7 | 7,823 | 25.3 |
| Diseases of the Musculoskeletal & Nervous Systems | 26,215 | 12,227 | 46.6 | 7,488 | 28.6 | 6,500 | 24.8 | 5,275 | 20.1 |
| Diseases of the Digestive System | 27,479 | 13,038 | 47.4 | 6,469 | 23.5 | 7,972 | 29.0 | 6,888 | 25.1 |
| Diseases of the Cardiovascular System | 29,917 | 16,477 | 55.1 | 7,293 | 24.4 | 6,147 | 20.5 | 4,249 | 14.2 |
| Mental & Behavioral Disorders | 18,379 | 8,901 | 48.4 | 5,080 | 27.6 | 4,398 | 23.9 | 3,403 | 18.5 |
| Diseases of the Genitourinary System | 18,261 | 8,693 | 47.6 | 4,324 | 23.7 | 5,244 | 28.7 | 4,394 | 24.1 |
| Infectious and Parasitic Diseases | 12,911 | 5,574 | 43.2 | 3,161 | 24.5 | 4,176 | 32.3 | 3,639 | 28.2 |
| Diseases of the Skin | 15,162 | 6,787 | 44.8 | 4,052 | 26.7 | 4,323 | 28.5 | 3,679 | 24.3 |
| Childbirth and Reproductive Care | 7,834 | 2,112 | 27.0 | 2,299 | 29.3 | 3,423 | 43.7 | 3,207 | 40.9 |
| Diseases of the Eye & Ear | 10,447 | 3,689 | 35.3 | 2,778 | 26.6 | 3,980 | 38.1 | 3,680 | 35.2 |
| Endocrine, Nutritional & Metabolic Diseases | 6,672 | 3,396 | 50.9 | 1,907 | 28.6 | 1,369 | 20.5 | 1,071 | 16.1 |
| Neoplasms | 2,544 | 1,505 | 59.2 | 554 | 21.8 | 485 | 19.1 | 330 | 13.0 |
| Diseases of the Blood & Blood-forming Organs | 2,965 | 1,154 | 38.9 | 1,320 | 44.5 | 491 | 16.6 | 370 | 12.5 |
| Conditions Originating in the Perinatal Period | 371 | 111 | 29.9 | 82 | 22.1 | 178 | 48.0 | 177 | 47.7 |
| Other Care | 11,870 | 5,080 | 42.8 | 3,274 | 27.6 | 3,516 | 29.6 | 2,700 | 22.7 |

¹ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 14. Number of Emergency Room Visits by Major Diagnosis Category and Race/Ethnicity, Westchester County Residents, 2016

| Diagnosis Catagory | Total | White | e | Black | ζ. | Other | .1 | Hispan | ic ² |
|--|---------|---------|------|--------|------|---------|------|--------|-----------------|
| Diagnosis Category | 1 Ota 1 | Number | % | Number | % | Number | % | Number | % |
| Total | 349,563 | 141,855 | 40.6 | 91,619 | 26.2 | 116,089 | 33.2 | 50,426 | 14.4 |
| Injuries and Poisonings | 72,206 | 33,217 | 46.0 | 16,525 | 22.9 | 22,464 | 31.1 | 9,209 | 12.8 |
| Diseases of the Respiratory System | 46,859 | 16,759 | 35.8 | 14,772 | 31.5 | 15,328 | 32.7 | 8,245 | 17.6 |
| General Symptoms | 32,796 | 12,724 | 38.8 | 7,883 | 24.0 | 12,189 | 37.2 | 4,528 | 13.8 |
| Diseases of the Musculoskeletal & Nervous Systems | 32,369 | 12,435 | 38.4 | 9,471 | 29.3 | 10,463 | 32.3 | 4,526 | 14.0 |
| Diseases of the Digestive System | 30,345 | 12,111 | 39.9 | 7,278 | 24.0 | 10,956 | 36.1 | 4,864 | 16.0 |
| Diseases of the Cardiovascular System | 23,319 | 10,922 | 46.8 | 5,531 | 23.7 | 6,866 | 29.4 | 1,923 | 8.2 |
| Mental & Behavioral Disorders | 22,269 | 9,040 | 40.6 | 6,203 | 27.9 | 7,026 | 31.6 | 2,762 | 12.4 |
| Diseases of the Genitourinary System | 18,993 | 8,265 | 43.5 | 4,333 | 22.8 | 6,395 | 33.7 | 2,853 | 15.0 |
| Infectious and Parasitic Diseases | 15,665 | 6,223 | 39.7 | 3,703 | 23.6 | 5,739 | 36.6 | 2,431 | 15.5 |
| Diseases of the Skin | 14,195 | 5,710 | 40.2 | 3,907 | 27.5 | 4,578 | 32.3 | 2,159 | 15.2 |
| Childbirth and Reproductive Care | 10,195 | 2,872 | 28.2 | 3,156 | 31.0 | 4,167 | 40.9 | 2,370 | 23.2 |
| Diseases of the Eye & Ear | 9,943 | 3,258 | 32.8 | 2,786 | 28.0 | 3,899 | 39.2 | 2,118 | 21.3 |
| Endocrine, Nutritional & Metabolic Diseases | 6,379 | 2,697 | 42.3 | 1,769 | 27.7 | 1,913 | 30.0 | 721 | 11.3 |
| Neoplasms | 2,730 | 1,296 | 47.5 | 572 | 21.0 | 862 | 31.6 | 186 | 6.8 |
| Diseases of the Blood & Blood-forming Organs | 2,490 | 897 | 36.0 | 1,078 | 43.3 | 515 | 20.7 | 178 | 7.1 |
| Conditions Originating in the Perinatal Period | 398 | 134 | 33.7 | 72 | 18.1 | 192 | 48.2 | 89 | 22.4 |
| Other Care | 8,412 | 3,295 | 39.2 | 2,580 | 30.7 | 2,537 | 30.2 | 1,264 | 15.0 |

¹ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Multi-Race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2018.

Table 15. Number of Emergency Room Visits by Major Diagnosis Category and Payer, Westchester County Residents, 2016

| Diagnosis Category | Total | Priva Insura: | | Medi | care | Medio | caid | Self P | ay | Work Compen | | Fede Prog | | Othe | r ³ |
|--|---------|------------------|------|--------|------|--------|------|--------|-----|----------------|-----|--------------|-----|--------|----------------|
| | | N | % | N | % | N | % | N | % | N | % | N | % | N | % |
| Total | 349,563 | 172,341 | 49.3 | 74,787 | 21.4 | 64,326 | 18.4 | 17,843 | 5.1 | 6,465 | 1.8 | 648 | 0.2 | 13,153 | 3.8 |
| Injuries and Poisonings | 72,206 | 36,235 | 50.2 | 12,580 | 17.4 | 10,322 | 14.3 | 4,204 | 5.8 | 4,533 | 6.3 | 131 | 0.2 | 4,201 | 5.8 |
| Diseases of the Respiratory System | 46,859 | 25,556 | 54.5 | 7,796 | 16.6 | 9,671 | 20.6 | 2,080 | 4.4 | 90 | 0.2 | 72 | 0.2 | 1,594 | 3.4 |
| General Symptoms | 32,796 | 17,383 | 53.0 | 7,183 | 21.9 | 5,500 | 16.8 | 1,598 | 4.9 | 116 | 0.4 | 76 | 0.2 | 940 | 2.9 |
| Diseases of the Musculoskeletal & Nervous Systems | 32,369 | 15,865 | 49.0 | 7,128 | 22.0 | 5,370 | 16.6 | 1,623 | 5.0 | 1,034 | 3.2 | 49 | 0.2 | 1,300 | 4.0 |
| Diseases of the Digestive System | 30,345 | 15,467 | 51.0 | 6,480 | 21.4 | 6,037 | 19.9 | 1,430 | 4.7 | 31 | 0.1 | 55 | 0.2 | 845 | 2.8 |
| Diseases of the Cardiovascular System | 23,319 | 9,427 | 40.4 | 10,493 | 45.0 | 2,180 | 9.3 | 705 | 3.0 | 57 | 0.2 | 50 | 0.2 | 407 | 1.7 |
| Mental & Behavioral Disorders | 22,269 | 8,572 | 38.5 | 3,962 | 17.8 | 6,803 | 30.5 | 2,008 | 9.0 | 39 | 0.2 | 38 | 0.2 | 847 | 3.8 |
| Diseases of the Genitourinary System | 18,993 | 9,495 | 50.0 | 4,963 | 26.1 | 2,980 | 15.7 | 919 | 4.8 | 11 | 0.1 | 37 | 0.2 | 588 | 3.1 |
| Infectious and Parasitic Diseases | 15,665 | 6,932 | 44.3 | 4,514 | 28.8 | 3,205 | 20.5 | 555 | 3.5 | 14 | 0.1 | 34 | 0.2 | 411 | 2.6 |
| Diseases of the Skin | 14,195 | 7,497 | 52.8 | 2,446 | 17.2 | 2,750 | 19.4 | 835 | 5.9 | 85 | 0.6 | 26 | 0.2 | 556 | 3.9 |
| Childbirth and Reproductive Care | 10,195 | 5,979 | 58.6 | 108 | 1.1 | 3,364 | 33.0 | 395 | 3.9 | 12 | 0.1 | 15 | 0.1 | 322 | 3.2 |
| Diseases of the Eye & Ear | 9,943 | 5,436 | 54.7 | 798 | 8.0 | 2,620 | 26.4 | 596 | 6.0 | 50 | 0.5 | 29 | 0.3 | 414 | 4.2 |
| Endocrine, Nutritional & Metabolic Diseases | 6,379 | 2,607 | 40.9 | 2,455 | 38.5 | 975 | 15.3 | 185 | 2.9 | 6 | 0.1 | 11 | 0.2 | 140 | 2.2 |
| Neoplasms | 2,730 | 1,091 | 40.0 | 1,260 | 46.2 | 300 | 11.0 | 39 | 1.4 | 4 | 0.1 | 4 | 0.1 | 32 | 1.2 |
| Diseases of the Blood & Blood-forming Organs | 2,490 | 1,032 | 41.4 | 1,052 | 42.2 | 331 | 13.3 | 34 | 1.4 | 0 | 0.0 | 2 | 0.1 | 39 | 1.6 |
| Conditions Originating in the Perinatal Period | 398 | 220 | 55.3 | 0 | 0.0 | 149 | 37.4 | 11 | 2.8 | 0 | 0.0 | 1 | 0.3 | 17 | 4.3 |
| Other Care | 8,412 | 3,547 | 42.2 | 1,569 | 18.7 | 1,769 | 21.0 | 626 | 7.4 | 383 | 4.6 | 18 | 0.2 | 500 | 5.9 |

 $^{^{\}rm 1}$ Includes private insurance companies, HMOs, prepaid health service plans, and Blue Cross.

² Includes CHAMPUS and other federal programs.

 $^{^{\}rm 3}$ Includes Unknown and other Non-federal programs.

Table 16. Number of Emergency Room Visits by Major Diagnosis Category and Patient Disposition, Westchester County Residents, 2016

| Diamenia Catagory | Total | Out Pat | ient | nt In-patient | | |
|---|---------|---------|------|---------------|------|--|
| Diagnosis Category | Total | Number | % | Number | % | |
| Total | 349,563 | 282,586 | 80.8 | 66,977 | 19.2 | |
| Injuries and Poisonings | 72,206 | 66,568 | 92.2 | 5,638 | 7.8 | |
| Diseases of the Respiratory System | 46,859 | 39,499 | 84.3 | 7,360 | 15.7 | |
| General Symptoms | 32,796 | 30,577 | 93.2 | 2,219 | 6.8 | |
| Diseases of the Musculoskeletal & Nervous Systems | 32,369 | 28,337 | 87.5 | 4,032 | 12.5 | |
| Diseases of the Digestive System | 30,345 | 22,339 | 73.6 | 8,006 | 26.4 | |
| Diseases of the Cardiovascular System | 23,319 | 12,030 | 51.6 | 11,289 | 48.4 | |
| Mental & Behavioral Disorders | 22,269 | 15,586 | 70.0 | 6,683 | 30.0 | |
| Diseases of the Genitourinary System | 18,993 | 15,120 | 79.6 | 3,873 | 20.4 | |
| Infectious and Parasitic Diseases | 15,665 | 9,186 | 58.6 | 6,479 | 41.4 | |
| Diseases of the Skin | 14,195 | 12,226 | 86.1 | 1,969 | 13.9 | |
| Childbirth and Reproductive Care | 10,195 | 8,099 | 79.4 | 2,096 | 20.6 | |
| Diseases of the Eye & Ear | 9,943 | 9,637 | 96.9 | 306 | 3.1 | |
| Endocrine, Nutritional & Metabolic Diseases | 6,379 | 3,566 | 55.9 | 2,813 | 44.1 | |
| Neoplasms | 2,730 | 549 | 20.1 | 2,181 | 79.9 | |
| Diseases of the Blood & Blood-forming Organs | 2,490 | 1,060 | 42.6 | 1,430 | 57.4 | |
| Conditions Originating in the Perinatal Period | 398 | 248 | 62.3 | 150 | 37.7 | |
| Other Care | 8,412 | 7,959 | 94.6 | 453 | 5.4 | |

Table 17. Number of Emergency Room Visits Due to Injuries and Poisonings by Sex, Age, and Race/Ethnicity, Westchester County Residents, 2012

| | Total | Less than 1 | 1-4 | 5-9 | 10-14 | 15-17 | 18-24 | 25-44 | 45-64 | 65-74 | 75+ |
|-----------------------|--------|-------------|-------|-------|-------|-------|-------|--------|--------|-------|-------|
| Total ¹ | 80,392 | 676 | 5,460 | 4,974 | 6,663 | 4,643 | 8,872 | 18,818 | 17,140 | 4,669 | 8,477 |
| White | 43,312 | 253 | 2,372 | 2,465 | 3,584 | 2,341 | 3,984 | 8,458 | 9,686 | 3,179 | 6,990 |
| Black | 16,417 | 144 | 1,028 | 858 | 1,358 | 1,000 | 2,333 | 4,620 | 3,761 | 721 | 594 |
| Other ² | 20,663 | 279 | 2,060 | 1,651 | 1,721 | 1,302 | 2,555 | 5,740 | 3,693 | 769 | 893 |
| Hispanic ³ | 16,124 | 249 | 1,765 | 1,395 | 1,491 | 1,033 | 2,109 | 4,655 | 2,606 | 405 | 416 |
| Male | 42,510 | 350 | 3,151 | 2,898 | 4,014 | 2,815 | 5,249 | 10,803 | 8,244 | 1,997 | 2,989 |
| White | 22,637 | 148 | 1,373 | 1,398 | 2,196 | 1,416 | 2,412 | 5,110 | 4,699 | 1,413 | 2,472 |
| Black | 8,233 | 66 | 586 | 503 | 800 | 592 | 1,267 | 2,288 | 1,664 | 271 | 196 |
| Other ¹ | 11,640 | 136 | 1,192 | 997 | 1,018 | 807 | 1,570 | 3,405 | 1,881 | 313 | 321 |
| Hispanic ² | 9,339 | 124 | 1,023 | 850 | 905 | 644 | 1,301 | 2,885 | 1,324 | 147 | 136 |
| Female | 37,880 | 326 | 2,308 | 2,075 | 2,649 | 1,828 | 3,623 | 8,015 | 8,896 | 2,672 | 5,488 |
| White | 20,673 | 105 | 998 | 1,066 | 1,388 | 925 | 1,572 | 3,348 | 4,987 | 1,766 | 4,518 |
| Black | 8,184 | 78 | 442 | 355 | 558 | 408 | 1,066 | 2,332 | 2,097 | 450 | 398 |
| Other ¹ | 9,023 | 143 | 868 | 654 | 703 | 495 | 985 | 2,335 | 1,812 | 456 | 572 |
| Hispanic ² | 6,785 | 125 | 742 | 545 | 586 | 389 | 808 | 1,770 | 1,282 | 258 | 280 |

¹ Totals may include cases with unknown sex.

 $^{^{2}\,}$ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

 $^{^3}$ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 17. Number of Emergency Room Visits Due to Injuries and Poisonings by Sex, Age, and Race/Ethnicity, Westchester County Residents, 2016

| | Total | Less than 1 | 1-4 | 5-9 | 10-14 | 15-17 | 18-24 | 25-44 | 45-64 | 65-74 | 75+ |
|-----------------------|--------|-------------|-------|-------|-------|-------|-------|--------|--------|-------|-------|
| Total ¹ | 72,206 | 574 | 4,139 | 3,999 | 5,408 | 3,771 | 7,816 | 17,485 | 15,764 | 4,904 | 8,346 |
| White | 33,217 | 187 | 1,686 | 1,618 | 2,411 | 1,629 | 3,122 | 6,403 | 7,444 | 2,904 | 5,813 |
| Black | 16,525 | 136 | 826 | 845 | 1,178 | 942 | 2,166 | 5,078 | 3,938 | 792 | 624 |
| Other ² | 22,464 | 251 | 1,627 | 1,536 | 1,819 | 1,200 | 2,528 | 6,004 | 4,382 | 1,208 | 1,909 |
| Hispanic ³ | 9,209 | 102 | 764 | 672 | 770 | 544 | 1,193 | 2,879 | 1,671 | 333 | 281 |
| Male | 37,747 | 337 | 2,350 | 2,376 | 3,158 | 2,261 | 4,489 | 9,958 | 7,744 | 2,080 | 2,994 |
| White | 17,091 | 111 | 954 | 948 | 1,432 | 966 | 1,853 | 3,694 | 3,697 | 1,292 | 2,144 |
| Black | 8,368 | 85 | 456 | 491 | 662 | 556 | 1,145 | 2,673 | 1,824 | 296 | 180 |
| Other ¹ | 12,288 | 141 | 940 | 937 | 1,064 | 739 | 1,491 | 3,591 | 2,223 | 492 | 670 |
| Hispanic ² | 5,193 | 59 | 444 | 377 | 450 | 326 | 701 | 1,753 | 849 | 141 | 93 |
| Female | 34,458 | 237 | 1,789 | 1,623 | 2,250 | 1,510 | 3,327 | 7,527 | 8,019 | 2,824 | 5,352 |
| White | 16,126 | 76 | 732 | 670 | 979 | 663 | 1,269 | 2,709 | 3,747 | 1,612 | 3,669 |
| Black | 8,157 | 51 | 370 | 354 | 516 | 386 | 1,021 | 2,405 | 2,114 | 496 | 444 |
| Other ¹ | 10,175 | 110 | 687 | 599 | 755 | 461 | 1,037 | 2,413 | 2,158 | 716 | 1,239 |
| Hispanic ² | 4,015 | 43 | 320 | 295 | 320 | 218 | 492 | 1,126 | 821 | 192 | 188 |

¹ Totals may include cases with unknown sex.

² Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Multi-Race.

 $^{^3}$ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 18. Number of Emergency Room Visits Due to Injuries and Poisonings by Sex and Age, Westchester County Residents, 2016

| | Tota | 1 ¹ | Mal | e | Fema | le |
|-------------------------------|--------|----------------|--------|-------|--------|-------|
| | Number | % | Number | % | Number | % |
| Total | 72,206 | | 37,747 | | 34,458 | |
| Injuries | 66,681 | 100.0 | 35,031 | 100.0 | 31,649 | 100.0 |
| Less than 1 | 524 | 0.8 | 308 | 0.9 | 216 | 0.7 |
| 1-4 | 3,810 | 5.7 | 2,171 | 6.2 | 1,639 | 5.2 |
| 5-9 | 3,812 | 5.7 | 2,267 | 6.5 | 1,545 | 4.9 |
| 10-14 | 5,173 | 7.8 | 3,045 | 8.7 | 2,128 | 6.7 |
| 15-17 | 3,553 | 5.3 | 2,174 | 6.2 | 1,379 | 4.4 |
| 18-24 | 7,325 | 11.0 | 4,307 | 12.3 | 3,018 | 9.5 |
| 25-44 | 16,356 | 24.5 | 9,456 | 27.0 | 6,900 | 21.8 |
| 45-64 | 14,309 | 21.5 | 6,978 | 19.9 | 7,330 | 23.2 |
| 65-74 | 4,246 | 6.4 | 1,738 | 5.0 | 2,508 | 7.9 |
| 75 and Older | 7,573 | 11.4 | 2,587 | 7.4 | 4,986 | 15.8 |
| Complications of Medical Care | 3,879 | 100.0 | 1,887 | 100.0 | 1,992 | 100.0 |
| Less than 1 | 34 | 0.9 | 23 | 1.2 | 11 | 0.6 |
| 1-4 | 212 | 5.5 | 112 | 5.9 | 100 | 5.0 |
| 5-9 | 145 | 3.7 | 83 | 4.4 | 62 | 3.1 |
| 10-14 | 164 | 4.2 | 87 | 4.6 | 77 | 3.9 |
| 15-17 | 108 | 2.8 | 50 | 2.6 | 58 | 2.9 |
| 18-24 | 285 | 7.3 | 95 | 5.0 | 190 | 9.5 |
| 25-44 | 658 | 17.0 | 228 | 12.1 | 430 | 21.6 |
| 45-64 | 1,049 | 27.0 | 548 | 29.0 | 501 | 25.2 |
| 65-74 | 542 | 14.0 | 288 | 15.3 | 254 | 12.8 |
| 75 and Older | 682 | 17.6 | 373 | 19.8 | 309 | 15.5 |
| Poisonings | 1,646 | 100.0 | 829 | 100.0 | 817 | 100.0 |
| Less than 1 | 16 | 1.0 | 6 | 0.7 | 10 | 1.2 |
| 1-4 | 117 | 7.1 | 67 | 8.1 | 50 | 6.1 |
| 5-9 | 42 | 2.6 | 26 | 3.1 | 16 | 2.0 |
| 10-14 | 71 | 4.3 | 26 | 3.1 | 45 | 5.5 |
| 15-17 | 110 | 6.7 | 37 | 4.5 | 73 | 8.9 |
| 18-24 | 206 | 12.5 | 87 | 10.5 | 119 | 14.6 |
| 25-44 | 471 | 28.6 | 274 | 33.1 | 197 | 24.1 |
| 45-64 | 406 | 24.7 | 218 | 26.3 | 188 | 23.0 |
| 65-74 | 116 | 7.0 | 54 | 6.5 | 62 | 7.6 |
| 75 and Older | 91 | 5.5 | 34 | 4.1 | 57 | 7.0 |

 $^{^{1}}$ Totals may include cases with unknown sex.

Data as of March 2018.

Table 19. Number of Emergency Room Visits Due to Injuries and Poisonings by Sex and Race/Ethnicity, Westchester County Residents, 2012

| | Total ¹ | Mal | le | Fema | ıle |
|-------------------------------|--------------------|--------|------|--------|------|
| | Total | Number | % | Number | % |
| Total | 80,392 | 42,510 | | 37,880 | |
| Injuries | 75,355 | 39,879 | 52.9 | 35,474 | 47.1 |
| White | 40,388 | 21,059 | 52.1 | 19,327 | 47.9 |
| Black | 15,398 | 7,749 | 50.3 | 7,649 | 49.7 |
| Other ² | 19,569 | 11,071 | 56.6 | 8,498 | 43.4 |
| Hispanic ³ | 15,371 | 8,954 | 58.3 | 6,417 | 41.7 |
| Complications of Medical Care | 2,868 | 1,554 | 54.2 | 1,314 | 45.8 |
| White | 1,701 | 975 | 57.3 | 726 | 42.7 |
| Black | 607 | 293 | 48.3 | 314 | 51.7 |
| Other ² | 560 | 286 | 51.1 | 274 | 48.9 |
| Hispanic ² | 361 | 184 | 51.0 | 177 | 49.0 |
| Poisonings | 2,169 | 1,077 | 49.7 | 1,092 | 50.3 |
| White | 1,223 | 603 | 49.3 | 620 | 50.7 |
| Black | 412 | 191 | 46.4 | 221 | 53.6 |
| Other ² | 534 | 283 | 53.0 | 251 | 47.0 |
| Hispanic ³ | 392 | 201 | 51.3 | 191 | 48.7 |

¹ Totals may include cases with unknown sex.

 $^{^{2}}$ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 19. Number of Emergency Room Visits Due to Injuries and Poisonings by Sex and Race/Ethnicity, Westchester County Residents, 2016

| | Total ¹ | Mal | .e | Fema | ıle |
|-------------------------------|--------------------|--------|------|--------|------|
| | Total | Number | % | Number | % |
| Total | 72,206 | 37,747 | | 34,458 | |
| Injuries | 66,681 | 35,031 | 52.5 | 31,649 | 47.5 |
| White | 30,651 | 15,726 | 51.3 | 14,925 | 48.7 |
| Black | 15,264 | 7,841 | 51.4 | 7,423 | 48.6 |
| Other ² | 20,766 | 11,464 | 55.2 | 9,301 | 44.8 |
| Hispanic ³ | 8,599 | 4,929 | 57.3 | 3,669 | 42.7 |
| Complications of Medical Care | 3,879 | 1,887 | 48.6 | 1,992 | 51.4 |
| White | 1,713 | 905 | 52.8 | 808 | 47.2 |
| Black | 905 | 369 | 40.8 | 536 | 59.2 |
| Other ² | 1,261 | 613 | 48.6 | 648 | 51.4 |
| Hispanic ² | 397 | 167 | 42.1 | 230 | 57.9 |
| Poisonings | 1,646 | 829 | 50.4 | 817 | 49.6 |
| White | 853 | 460 | 53.9 | 393 | 46.1 |
| Black | 356 | 158 | 44.4 | 198 | 55.6 |
| Other ² | 437 | 211 | 48.3 | 226 | 51.7 |
| Hispanic ³ | 213 | 97 | 45.5 | 116 | 54.5 |

¹ Totals may include cases with unknown sex.

 $^{^{2}}$ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Multi-Race.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 20. Number of Emergency Room Visits Due to Injuries and Poisonings by Age and Race/Ethnicity, Westchester County Residents, 2012

| | | Whit | te | Blac | k | Other ¹ | | Hispanic ² | |
|-------------------------------|--------|--------|------|--------|------|--------------------|------|-----------------------|------|
| | Total | Number | % | Number | % | Number | % | Number | % |
| Total | 80,392 | 43,312 | | 16,417 | | 20,663 | | 16,124 | |
| Injuries | 75,355 | 40,388 | 53.6 | 15,398 | 20.4 | 19,569 | 26.0 | 15,371 | 20.4 |
| Less than 1 | 648 | 243 | 37.5 | 138 | 21.3 | 267 | 41.2 | 238 | 36.7 |
| 1-4 | 5,216 | 2,275 | 43.6 | 980 | 18.8 | 1,961 | 37.6 | 1,683 | 32.3 |
| 5-9 | 4,877 | 2,427 | 49.8 | 839 | 17.2 | 1,611 | 33.0 | 1,359 | 27.9 |
| 10-14 | 6,533 | 3,520 | 53.9 | 1,333 | 20.4 | 1,680 | 25.7 | 1,459 | 22.3 |
| 15-17 | 4,492 | 2,266 | 50.4 | 973 | 21.7 | 1,253 | 27.9 | 992 | 22.1 |
| 18-24 | 8,487 | 3,772 | 44.4 | 2,253 | 26.5 | 2,462 | 29.0 | 2,041 | 24.0 |
| 25-44 | 17,928 | 8,036 | 44.8 | 4,396 | 24.5 | 5,496 | 30.7 | 4,481 | 25.0 |
| 45-64 | 15,591 | 8,811 | 56.5 | 3,399 | 21.8 | 3,381 | 21.7 | 2,389 | 15.3 |
| 65-74 | 3,948 | 2,715 | 68.8 | 578 | 14.6 | 655 | 16.6 | 352 | 8.9 |
| 75 and Older | 7,635 | 6,323 | 82.8 | 509 | 6.7 | 803 | 10.5 | 377 | 4.9 |
| Complications of Medical Care | 2,868 | 1,701 | 59.3 | 607 | 21.2 | 560 | 19.5 | 361 | 12.6 |
| Less than 1 | 13 | 3 | 23.1 | 2 | 15.4 | 8 | 61.5 | 6 | 46.2 |
| 1-4 | 29 | 12 | 41.4 | 7 | 24.1 | 10 | 34.5 | 7 | 24.1 |
| 5-9 | 32 | 11 | 34.4 | 3 | 9.4 | 18 | 56.3 | 18 | 56.3 |
| 10-14 | 40 | 21 | 52.5 | 3 | 7.5 | 16 | 40.0 | 11 | 27.5 |
| 15-17 | 23 | 13 | 56.5 | 3 | 13.0 | 7 | 30.4 | 4 | 17.4 |
| 18-24 | 106 | 48 | 45.3 | 27 | 25.5 | 31 | 29.2 | 22 | 20.8 |
| 25-44 | 352 | 145 | 41.2 | 111 | 31.5 | 96 | 27.3 | 74 | 21.0 |
| 45-64 | 990 | 529 | 53.4 | 255 | 25.8 | 206 | 20.8 | 141 | 14.2 |
| 65-74 | 584 | 371 | 63.5 | 122 | 20.9 | 91 | 15.6 | 45 | 7.7 |
| 75 and Older | 699 | 548 | 78.4 | 74 | 10.6 | 77 | 11.0 | 33 | 4.7 |
| Poisonings | 2,169 | 1,223 | 56.4 | 412 | 19.0 | 534 | 24.6 | 392 | 18.1 |
| Less than 1 | 15 | 7 | 46.7 | 4 | 26.7 | 4 | 26.7 | 5 | 33.3 |
| 1-4 | 215 | 85 | 39.5 | 41 | 19.1 | 89 | 41.4 | 75 | 34.9 |
| 5-9 | 65 | 27 | 41.5 | 16 | 24.6 | 22 | 33.8 | 18 | 27.7 |
| 10-14 | 90 | 43 | 47.8 | 22 | 24.4 | 25 | 27.8 | 21 | 23.3 |
| 15-17 | 128 | 62 | 48.4 | 24 | 18.8 | 42 | 32.8 | 37 | 28.9 |
| 18-24 | 279 | 164 | 58.8 | 53 | 19.0 | 62 | 22.2 | 46 | 16.5 |
| 25-44 | 538 | 277 | 51.5 | 113 | 21.0 | 148 | 27.5 | 100 | 18.6 |
| 45-64 | 559 | 346 | 61.9 | 107 | 19.1 | 106 | 19.0 | 76 | 13.6 |
| 65-74 | 137 | 93 | 67.9 | 21 | 15.3 | 23 | 16.8 | 8 | 5.8 |
| 75 and Older | 143 | 119 | 83.2 | 11 | 7.7 | 13 | 9.1 | 6 | 4.2 |

¹ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 20. Number of Emergency Room Visits Due to Injuries and Poisonings by Age and Race/Ethnicity, Westchester County Residents, 2016

| | | Whit | te | Blac | k | Othe | r ¹ | Hispanic ² | |
|-------------------------------|--------|------------------|------|--------|------|--------|----------------|-----------------------|------|
| | Total | Number | % | Number | % | Number | % | Number | % |
| Total | 72,206 | 33,217 | | 16,525 | | 22,464 | | 9,209 | |
| Injuries | 66,681 | 30,651 | 46.0 | 15,264 | 22.9 | 20,766 | 31.1 | 8,599 | 12.9 |
| Less than 1 | 524 | 174 | 33.2 | 126 | 24.0 | 224 | 224 42.7 | | 17.4 |
| 1-4 | 3,810 | 1,558 | 40.9 | 753 | 19.8 | 1,499 | 39.3 | 715 | 18.8 |
| 5-9 | 3,812 | 1,556 | 40.8 | 807 | 21.2 | 1,449 | 38.0 | 646 | 16.9 |
| 10-14 | 5,173 | 2,324 | 44.9 | 1,128 | 21.8 | 1,721 | 33.3 | 742 | 14.3 |
| 15-17 | 3,553 | 3,553 1,525 | | 893 | 25.1 | 1,135 | 31.9 | 517 | 14.6 |
| 18-24 | 7,325 | 7,325 2,909 39.7 | | 2,054 | 28.0 | 2,362 | 32.2 | 1,120 | 15.3 |
| 25-44 | 16,356 | 5,964 | 36.5 | 4,784 | 29.2 | 5,608 | 34.3 | 2,714 | 16.6 |
| 45-64 | 14,309 | 6,779 | 47.4 | 3,545 | 24.8 | 3,985 | 27.8 | 1,519 | 10.6 |
| 65-74 | 4,246 | 2,540 | 59.8 | 662 | 15.6 | 1,044 | 24.6 | 285 | 6.7 |
| 75 and Older | 7,573 | 5,322 | 70.3 | 512 | 6.8 | 1,739 | 23.0 | 250 | 3.3 |
| Complications of Medical Care | 3,879 | 1,713 | 44.2 | 905 | 23.3 | 1,261 | 32.5 | 397 | 10.2 |
| Less than 1 | 34 | 6 | 17.6 | 7 | 20.6 | 21 | 61.8 | 7 | 20.6 |
| 1-4 | 212 | 78 | 36.8 | 48 | 22.6 | 86 | 40.6 | 27 | 12.7 |
| 5-9 | 145 | 48 | 33.1 | 28 | 19.3 | 69 | 47.6 | 16 | 11.0 |
| 10-14 | 164 | 62 | 37.8 | 28 | 17.1 | 74 | 45.1 | 12 | 7.3 |
| 15-17 | 108 | 48 | 44.4 | 29 | 26.9 | 31 | 28.7 | 14 | 13.0 |
| 18-24 | 285 | 102 | 35.8 | 83 | 29.1 | 100 | 35.1 | 42 | 14.7 |
| 25-44 | 658 | 201 | 30.5 | 189 | 28.7 | 268 | 40.7 | 104 | 15.8 |
| 45-64 | 1,049 | 450 | 42.9 | 286 | 27.3 | 313 | 29.8 | 102 | 9.7 |
| 65-74 | 542 | 293 | 54.1 | 105 | 19.4 | 144 | 26.6 | 42 | 7.7 |
| 75 and Older | 682 | 425 | 62.3 | 102 | 15.0 | 155 | 22.7 | 31 | 4.5 |
| Poisonings | 1,646 | 853 | 51.8 | 356 | 21.6 | 437 | 26.5 | 213 | 12.9 |
| Less than 1 | 16 | 7 | 43.8 | 3 | 18.8 | 6 | 37.5 | 4 | 25.0 |
| 1-4 | 117 | 50 | 42.7 | 25 | 21.4 | 42 | 35.9 | 22 | 18.8 |
| 5-9 | 42 | 14 | 33.3 | 10 | 23.8 | 18 | 42.9 | 10 | 23.8 |
| 10-14 | 71 | 25 | 35.2 | 22 | 31.0 | 24 | 33.8 | 16 | 22.5 |
| 15-17 | 110 | 56 | 50.9 | 20 | 18.2 | 34 | 30.9 | 13 | 11.8 |
| 18-24 | 206 | 111 | 53.9 | 29 | 14.1 | 66 | 32.0 | 31 | 15.0 |
| 25-44 | 471 | 238 | 50.5 | 105 | 22.3 | 128 | 27.2 | 61 | 13.0 |
| 45-64 | 406 | 215 | 53.0 | 107 | 26.4 | 84 | 20.7 | 50 | 12.3 |
| 65-74 | 116 | 71 | 61.2 | 25 | 21.6 | 20 | 17.2 | 6 | 5.2 |
| 75 and Older | 91 | 66 | 72.5 | 10 | 11.0 | 15 | 16.5 | 0 | 0.0 |

 $^{1\} Includes\ Native\ American\ or\ Alaskan\ Native,\ Asian,\ Native\ Hawaiian\ or\ Other\ Pacific\ Islander,\ Other\ Race,\ and\ Multi-Race.$

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 21. Number of Emergency Room Visits Due to Diseases of the Respiratory System by Sex, Age, and Race/Ethnicity, Westchester County Residents, 2012

| | Total | Less than | 1-4 | 5-9 | 10-14 | 15-17 | 18-24 | 25-44 | 45-64 | 65-74 | 75+ |
|-----------------------|--------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Total | 36,404 | 2,001 | 4,915 | 2,919 | 1,687 | 972 | 3,229 | 7,146 | 6,925 | 2,438 | 4,172 |
| White | 14,262 | 540 | 1,367 | 826 | 506 | 327 | 992 | 2,195 | 2,923 | 1,397 | 3,189 |
| Black | 10,753 | 484 | 1,351 | 781 | 523 | 310 | 1,170 | 2,632 | 2,405 | 613 | 484 |
| Other ¹ | 11,389 | 977 | 2,197 | 1,312 | 658 | 335 | 1,067 | 2,319 | 1,597 | 428 | 499 |
| Hispanic ² | 9,782 | 927 | 2,015 | 1,246 | 607 | 287 | 919 | 1,951 | 1,241 | 293 | 296 |
| Male | 16,653 | 1,148 | 2,834 | 1,566 | 883 | 461 | 1,301 | 2,681 | 2,912 | 1,143 | 1,724 |
| White | 6,672 | 320 | 827 | 468 | 248 | 158 | 443 | 871 | 1,311 | 689 | 1,337 |
| Black | 4,684 | 266 | 744 | 446 | 280 | 136 | 435 | 932 | 984 | 294 | 167 |
| Other ¹ | 5,297 | 562 | 1,263 | 652 | 355 | 167 | 423 | 878 | 617 | 160 | 220 |
| Hispanic ² | 4,432 | 518 | 1,140 | 628 | 312 | 143 | 347 | 727 | 430 | 85 | 102 |
| Female | 19,750 | 853 | 2,081 | 1,353 | 803 | 511 | 1,928 | 4,465 | 4,013 | 1,295 | 2,448 |
| White | 7,589 | 220 | 540 | 358 | 257 | 169 | 549 | 1,324 | 1,612 | 708 | 1,852 |
| Black | 6,069 | 218 | 607 | 335 | 243 | 174 | 735 | 1,700 | 1,421 | 319 | 317 |
| Other ¹ | 6,092 | 415 | 934 | 660 | 303 | 168 | 644 | 1,441 | 980 | 268 | 279 |
| Hispanic ² | 5,350 | 409 | 875 | 618 | 295 | 144 | 572 | 1,224 | 811 | 208 | 194 |

¹ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 21. Number of Emergency Room Visits Due to Diseases of the Respiratory System by Sex, Age, and Race/Ethnicity, Westchester County Residents, 2016

| | Total | Less than | 1-4 | 5-9 | 10-14 | 15-17 | 18-24 | 25-44 | 45-64 | 65-74 | 75+ |
|-----------------------|--------|-----------|-------|-------|-------|-------|-------|--------|-------|-------|-------|
| Total | 46,859 | 2,077 | 5,621 | 4,225 | 2,140 | 1,221 | 4,112 | 10,031 | 9,801 | 3,057 | 4,574 |
| White | 16,759 | 555 | 1,684 | 1,213 | 679 | 446 | 1,331 | 3,014 | 3,659 | 1,456 | 2,722 |
| Black | 14,772 | 537 | 1,613 | 1,314 | 611 | 382 | 1,524 | 3,763 | 3,561 | 841 | 626 |
| Other ¹ | 15,328 | 985 | 2,324 | 1,698 | 850 | 393 | 1,257 | 3,254 | 2,581 | 760 | 1,226 |
| Hispanic ² | 8,245 | 448 | 1,269 | 1,031 | 505 | 231 | 811 | 1,983 | 1,388 | 294 | 285 |
| Male | 21,087 | 1,147 | 3,206 | 2,241 | 1,110 | 529 | 1,634 | 4,017 | 4,046 | 1,354 | 1,803 |
| White | 7,586 | 300 | 976 | 647 | 354 | 194 | 552 | 1,239 | 1,569 | 664 | 1,091 |
| Black | 6,337 | 292 | 875 | 697 | 317 | 160 | 565 | 1,429 | 1,393 | 385 | 224 |
| Other ¹ | 7,164 | 555 | 1,355 | 897 | 439 | 175 | 517 | 1,349 | 1,084 | 305 | 488 |
| Hispanic ² | 3,606 | 245 | 683 | 538 | 266 | 101 | 300 | 744 | 511 | 121 | 97 |
| Female | 25,771 | 930 | 2,415 | 1,984 | 1,030 | 691 | 2,478 | 6,014 | 5,755 | 1,703 | 2,771 |
| White | 9,173 | 255 | 708 | 566 | 325 | 252 | 779 | 1,775 | 2,090 | 792 | 1,631 |
| Black | 8,434 | 245 | 738 | 617 | 294 | 221 | 959 | 2,334 | 2,168 | 456 | 402 |
| Other ¹ | 8,164 | 430 | 969 | 801 | 411 | 218 | 740 | 1,905 | 1,497 | 455 | 738 |
| Hispanic ² | 4,639 | 203 | 586 | 493 | 239 | 130 | 511 | 1,239 | 877 | 173 | 188 |

¹ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Multi-Race.

 $^{^2}$ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 22. Number of Emergency Room Visits Due to Diseases of the Respiratory System by Sex and Age, Westchester County Residents, 2016

| | Tota | .1 ¹ | Mal | .e | Female | | |
|------------------------------|--------|-----------------|--------|-------|--------|-------|--|
| | Number | % | Number | % | Number | % | |
| Total | 46,859 | | 21,087 | | 25,771 | | |
| Acute Respiratory Infections | 16,875 | 100.0 | 7,446 | 100.0 | 9,429 | 100.0 | |
| Less than 1 | 1,399 | 8.3 | 769 | 10.3 | 630 | 6.7 | |
| 1-4 | 3,169 | 18.8 | 1,763 | 23.7 | 1,406 | 14.9 | |
| 5-9 | 2,248 | 13.3 | 1,154 | 15.5 | 1,094 | 11.6 | |
| 10-14 | 1,027 | 6.1 | 501 | 6.7 | 526 | 5.6 | |
| 15-17 | 566 | 3.4 | 230 | 3.1 | 336 | 3.6 | |
| 18-24 | 1,989 | 11.8 | 702 | 9.4 | 1,287 | 13.6 | |
| 25-44 | 3,714 | 22.0 | 1,314 | 17.6 | 2,400 | 25.5 | |
| 45-64 | 1,999 | 11.8 | 730 | 9.8 | 1,269 | 13.5 | |
| 65-74 | 385 | 2.3 | 144 | 1.9 | 241 | 2.6 | |
| 75 and Older | 379 | 2.2 | 139 | 1.9 | 240 | 2.5 | |
| Asthma | 6,080 | 100.0 | 2,834 | 100.0 | 3,246 | 100.0 | |
| Less than 1 | 76 | 1.3 | 48 | 1.7 | 28 | 0.9 | |
| 1-4 | 854 | 14.0 | 572 | 20.2 | 282 | 8.7 | |
| 5-9 | 748 | 12.3 | 452 | 15.9 | 296 | 9.1 | |
| 10-14 | 391 | 6.4 | 234 | 8.3 | 157 | 4.8 | |
| 15-17 | 166 | 2.7 | 71 | 2.5 | 95 | 2.9 | |
| 18-24 | 584 | 9.6 | 249 | 8.8 | 335 | 10.3 | |
| 25-44 | 1,448 | 23.8 | 554 | 19.5 | 894 | 27.5 | |
| 45-64 | 1,446 | 23.8 | 522 | 18.4 | 924 | 28.5 | |
| 65-74 | 221 | 3.6 | 90 | 3.2 | 131 | 4.0 | |
| 75 and Older | 146 | 2.4 | 42 | 1.5 | 104 | 3.2 | |
| Pneumonia and Influenza | 6,420 | 100.0 | 3,067 | 100.0 | 3,352 | 100.0 | |
| Less than 1 | 245 | 3.8 | 126 | 4.1 | 119 | 3.6 | |
| 1-4 | 1,012 | 15.8 | 573 | 18.7 | 439 | 13.1 | |
| 5-9 | 730 | 11.4 | 372 | 12.1 | 358 | 10.7 | |
| 10-14 | 278 | 4.3 | 154 | 5.0 | 124 | 3.7 | |
| 15-17 | 118 | 1.8 | 58 | 1.9 | 59 | 1.8 | |
| 18-24 | 369 | 5.7 | 179 | 5.8 | 190 | 5.7 | |
| 25-44 | 1,015 | 15.8 | 452 | 14.7 | 563 | 16.8 | |
| 45-64 | 1,105 | 17.2 | 489 | 15.9 | 616 | 18.4 | |
| 65-74 | 427 | 6.7 | 198 | 6.5 | 229 | 6.8 | |
| 75 and Older | 1,121 | 17.5 | 466 | 15.2 | 655 | 19.5 | |

(continued)

Table 22. Number of Emergency Room Visits Due to Diseases of the Respiratory System by Sex and Age, Westchester County Residents, 2016 (continued)

| | Tota | 1 | Mal | e | Fema | le |
|--|--------|-------|--------|-------|--------|-------|
| | Number | % | Number | % | Number | % |
| Other Diseases of the Respiratory System | 17,484 | 100.0 | 7,740 | 100.0 | 9,744 | 100.0 |
| Less than 1 | 357 | 2.0 | 204 | 2.6 | 153 | 1.6 |
| 1-4 | 586 | 3.4 | 298 | 3.9 | 288 | 3.0 |
| 5-9 | 499 | 2.9 | 263 | 3.4 | 236 | 2.4 |
| 10-14 | 444 | 2.5 | 221 | 2.9 | 223 | 2.3 |
| 15-17 | 371 | 2.1 | 170 | 2.2 | 201 | 2.1 |
| 18-24 | 1,170 | 6.7 | 504 | 6.5 | 666 | 6.8 |
| 25-44 | 3,854 | 22.0 | 1,697 | 21.9 | 2,157 | 22.1 |
| 45-64 | 5,251 | 30.0 | 2,305 | 29.8 | 2,946 | 30.2 |
| 65-74 | 2,024 | 11.6 | 922 | 11.9 | 1,102 | 11.3 |
| 75 and Older | 2,928 | 16.7 | 1,156 | 14.9 | 1,772 | 18.2 |

 $^{^{1}}$ Totals may include cases with unknown sex.

Data as of March 2018.

Table 23. Number of Emergency Room Visits Due to Diseases of the Respiratory System by Sex and Race/Ethnicity, Westchester County Residents, 2012

| | Total ¹ | Male | e | Fema | le |
|--|--------------------|--------|------|--------|------|
| | 1 ota1 | Number | % | Number | % |
| Total | 36,404 | 16,653 | 45.7 | 19,750 | 54.3 |
| Acute Respiratory Infections | 14,862 | 6,541 | 44.0 | 8,320 | 56.0 |
| White | 4,760 | 2,171 | 45.6 | 2,588 | 54.4 |
| Black | 4,488 | 1,839 | 41.0 | 2,649 | 59.0 |
| Other ¹ | 5,614 | 2,531 | 45.1 | 3,083 | 54.9 |
| Hispanic ² | 5,011 | 2,232 | 44.5 | 2,779 | 55.5 |
| Asthma | 6,911 | 3,164 | 45.8 | 3,747 | 54.2 |
| White | 1,914 | 826 | 43.2 | 1,088 | 56.8 |
| Black | 2,902 | 1,390 | 47.9 | 1,512 | 52.1 |
| Other ¹ | 2,095 | 948 | 45.3 | 1,147 | 54.7 |
| Hispanic ² | 1,833 | 791 | 43.2 | 1,042 | 56.8 |
| Pneumonia and Influenza | 4,655 | 2,329 | 50.0 | 2,326 | 50.0 |
| White | 2,450 | 1,275 | 52.0 | 1,175 | 48.0 |
| Black | 897 | 395 | 44.0 | 502 | 56.0 |
| Other ¹ | 1,308 | 659 | 50.4 | 649 | 49.6 |
| Hispanic ² | 1,033 | 525 | 50.8 | 508 | 49.2 |
| Other Diseases of the Respiratory System | 9,976 | 4,619 | 46.3 | 5,357 | 53.7 |
| White | 5,138 | 2,400 | 46.7 | 2,738 | 53.3 |
| Black | 2,466 | 1,060 | 43.0 | 1,406 | 57.0 |
| Other ¹ | 2,372 | 1,159 | 48.9 | 1,213 | 51.1 |
| Hispanic ² | 1,905 | 884 | 46.4 | 1,021 | 53.6 |

¹ Totals may include cases with unknown sex.

² Includes native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories. Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2015.

Table 23. Number of Emergency Room Visits Due to Diseases of the Respiratory System by Sex and Race/Ethnicity, Westchester County Residents, 2016

| | m 11 | Male | e | Fema | le |
|--|--------------------|--------|------|--------|------|
| | Total ¹ | Number | % | Number | % |
| Total | 46,859 | 21,087 | 45.0 | 25,771 | 55.0 |
| Acute Respiratory Infections | 16,875 | 7,446 | 44.1 | 9,429 | 55.9 |
| White | 5,473 | 2,438 | 44.5 | 3,035 | 55.5 |
| Black | 5,405 | 2,230 | 41.3 | 3,175 | 58.7 |
| Other ¹ | 5,997 | 2,778 | 46.3 | 3,219 | 53.7 |
| Hispanic ² | 3,775 | 1,610 | 42.6 | 2,165 | 57.4 |
| Asthma | 6,080 | 2,834 | 46.6 | 3,246 | 53.4 |
| White | 1,547 | 666 | 43.1 | 881 | 56.9 |
| Black | 2,669 | 1,260 | 47.2 | 1,409 | 52.8 |
| Other ¹ | 1,864 | 908 | 48.7 | 956 | 51.3 |
| Hispanic ² | 1,054 | 443 | 42.0 | 611 | 58.0 |
| Pneumonia and Influenza | 6,420 | 3,067 | 47.8 | 3,352 | 52.2 |
| White | 2,506 | 1,204 | 48.0 | 1,302 | 52.0 |
| Black | 1,520 | 679 | 44.7 | 840 | 55.3 |
| Other ¹ | 2,394 | 1,184 | 49.5 | 1,210 | 50.5 |
| Hispanic ² | 1,020 | 492 | 48.2 | 528 | 51.8 |
| Other Diseases of the Respiratory System | 17,484 | 7,740 | 44.3 | 9,744 | 55.7 |
| White | 7,233 | 3,278 | 45.3 | 3,955 | 54.7 |
| Black | 5,178 | 2,168 | 41.9 | 3,010 | 58.1 |
| Other ¹ | 5,073 | 2,294 | 45.2 | 2,779 | 54.8 |
| Hispanic ² | 2,396 | 1,061 | 44.3 | 1,335 | 55.7 |

¹ Totals may include cases with unknown sex.

 $^{^2}$ Includes native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Multi-Race.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories. Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2018.

Table 24. Number of Emergency Room Visits Due to Diseases of the Respiratory System by Age and Race/Ethnicity, Westchester County Residents, 2012

| | Total | Whi | te | Blac | :k | Othe | r ¹ | Hispa | nic ² |
|------------------------------|--------|--------|------|--------|------|--------|----------------|-------|------------------|
| | Total | N | % | N | % | N | % | N | % |
| Total | 36,404 | 14,262 | 39.2 | 10,753 | 29.5 | 11,389 | 31.3 | 9,782 | 26.9 |
| Acute Respiratory Infections | 14,862 | 4,760 | 32.0 | 4,488 | 30.2 | 5,614 | 37.8 | 5,011 | 33.7 |
| Less than 1 | 1,335 | 383 | 28.7 | 292 | 21.9 | 660 | 49.4 | 621 | 46.5 |
| 1-4 | 2,828 | 768 | 27.2 | 707 | 25.0 | 1,353 | 47.8 | 1,246 | 44.1 |
| 5-9 | 1,367 | 396 | 29.0 | 311 | 22.8 | 660 | 48.3 | 612 | 44.8 |
| 10-14 | 793 | 223 | 28.1 | 243 | 30.6 | 327 | 41.2 | 305 | 38.5 |
| 15-17 | 514 | 166 | 32.3 | 162 | 31.5 | 186 | 36.2 | 168 | 32.7 |
| 18-24 | 1,872 | 569 | 30.4 | 704 | 37.6 | 599 | 32.0 | 536 | 28.6 |
| 25-44 | 3,389 | 1,026 | 30.3 | 1,196 | 35.3 | 1,167 | 34.4 | 1,023 | 30.2 |
| 45-64 | 1,957 | 756 | 38.6 | 701 | 35.8 | 500 | 25.5 | 378 | 19.3 |
| 65-74 | 419 | 213 | 50.8 | 104 | 24.8 | 102 | 24.3 | 80 | 19.1 |
| 75 and Older | 388 | 260 | 67.0 | 68 | 17.5 | 60 | 15.5 | 42 | 10.8 |
| Asthma | 6,911 | 1,914 | 27.7 | 2,902 | 42.0 | 2,095 | 30.3 | 1,833 | 26.5 |
| Less than 1 | 78 | 20 | 25.6 | 28 | 35.9 | 30 | 38.5 | 26 | 33.3 |
| 1-4 | 843 | 231 | 27.4 | 322 | 38.2 | 290 | 34.4 | 253 | 30.0 |
| 5-9 | 791 | 194 | 24.5 | 285 | 36.0 | 312 | 39.4 | 301 | 38.1 |
| 10-14 | 499 | 131 | 26.3 | 184 | 36.9 | 184 | 36.9 | 170 | 34.1 |
| 15-17 | 218 | 51 | 23.4 | 101 | 46.3 | 66 | 30.3 | 53 | 24.3 |
| 18-24 | 619 | 151 | 24.4 | 242 | 39.1 | 226 | 36.5 | 184 | 29.7 |
| 25-44 | 1,558 | 370 | 23.7 | 727 | 46.7 | 461 | 29.6 | 393 | 25.2 |
| 45-64 | 1,719 | 496 | 28.9 | 814 | 47.4 | 409 | 23.8 | 353 | 20.5 |
| 65-74 | 351 | 125 | 35.6 | 152 | 43.3 | 74 | 21.1 | 62 | 17.7 |
| 75 and Older | 235 | 145 | 61.7 | 47 | 20.0 | 43 | 18.3 | 38 | 16.2 |

Table 24. Number of Emergency Room Visits Due to Diseases of the Respiratory System by Age and Race/Ethnicity, Westchester County Residents, 2012 (continued)

| | Takal | Wh | ite | Blac | c k | Othe | er ¹ | Hispa | nic ² |
|-------------------------|-------|-------|------------|-------|-------|-------|-----------------|-------|------------------|
| | Total | N | % | N | % | N | % | N | % |
| Pneumonia and Influenza | 4,655 | 2,450 | 52.6 | 897 | 19.3 | 1,308 | 28.1 | 1,033 | 22.2 |
| Less than 1 | 200 | 44 | 22.0 | 41 | 20.5 | 115 | 57.5 | 109 | 54.5 |
| 1-4 | 585 | 186 | 31.8 | 130 | 22.2 | 269 | 46.0 | 249 | 42.6 |
| 5-9 | 317 | 103 | 32.5 | 70 | 22.1 | 144 | 45.4 | 143 | 45.1 |
| 10-14 | 123 | 51 | 41.5 | 22 | 17.9 | 50 | 40.7 | 43 | 35.0 |
| 15-17 | 62 | 31 | 50.0 | 8 | 12.9 | 23 | 37.1 | 21 | 33.9 |
| 18-24 | 147 | 57 | 38.8 | 33 | 22.4 | 57 | 38.8 | 40 | 27.2 |
| 25-44 | 565 | 216 | 38.2 | 152 | 26.9 | 197 | 34.9 | 143 | 25.3 |
| 45-64 | 946 | 499 | 52.7 | 227 | 24.0 | 220 | 23.3 | 154 | 16.3 |
| 65-74 | 460 | 291 | 63.3 | 81 | 17.6 | 88 | 19.1 | 52 | 11.3 |
| 75 and Older | 1,250 | 972 | 77.8 | 133 | 10.6 | 145 | 11.6 | 79 | 6.3 |
| Other Diseases of the | 0.056 | F 100 | 515 | D 466 | 0.4.7 | 0.070 | 00.0 | 1 005 | 10.1 |
| Respiratory System | 9,976 | 5,138 | 51.5 | 2,466 | 24.7 | 2,372 | 23.8 | 1,905 | 19.1 |
| Less than 1 | 388 | 93 | 24.0 | 123 | 31.7 | 172 | 44.3 | 171 | 44.1 |
| 1-4 | 659 | 182 | 27.6 | 192 | 29.1 | 285 | 43.2 | 267 | 40.5 |
| 5-9 | 444 | 133 | 30.0 | 115 | 25.9 | 196 | 44.1 | 190 | 42.8 |
| 10-14 | 272 | 101 | 37.1 | 74 | 27.2 | 97 | 35.7 | 89 | 32.7 |
| 15-17 | 178 | 79 | 44.4 | 39 | 21.9 | 60 | 33.7 | 45 | 25.3 |
| 18-24 | 591 | 215 | 36.4 | 191 | 32.3 | 185 | 31.3 | 159 | 26.9 |
| 25-44 | 1,634 | 583 | 35.7 | 557 | 34.1 | 494 | 30.2 | 392 | 24.0 |
| 45-64 | 2,303 | 1,172 | 50.9 | 663 | 28.8 | 468 | 20.3 | 356 | 15.5 |
| 65-74 | 1,208 | 768 | 63.6 | 276 | 22.8 | 164 | 13.6 | 99 | 8.2 |
| 75 and Older | 2,299 | 1,812 | 78.8 | 236 | 10.3 | 251 | 10.9 | 137 | 6.0 |

 $^{^{1}}$ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

 $^{^2}$ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 24. Number of Emergency Room Visits Due to Diseases of the Respiratory System by Age and Race/Ethnicity, Westchester County Residents, 2016

| | Т-4-1 | Whi | te | Blac | k | Othe | r ¹ | Hispa | nic ² |
|------------------------------|--------|--------|------|--------|------|--------|----------------|-------|------------------|
| | Total | N | % | N | % | N | % | N | % |
| Total | 46,859 | 16,759 | 35.8 | 14,772 | 31.5 | 15,328 | 32.7 | 8,245 | 17.6 |
| Acute Respiratory Infections | 16,875 | 5,473 | 32.4 | 5,405 | 32.0 | 5,997 | 35.5 | 3,775 | 22.4 |
| Less than 1 | 1,399 | 393 | 28.1 | 343 | 24.5 | 663 | 47.4 | 300 | 21.4 |
| 1-4 | 3,169 | 1,047 | 33.0 | 844 | 26.6 | 1,278 | 40.3 | 808 | 25.5 |
| 5-9 | 2,248 | 688 | 30.6 | 650 | 28.9 | 910 | 40.5 | 576 | 25.6 |
| 10-14 | 1,027 | 340 | 33.1 | 291 | 28.3 | 396 | 38.6 | 291 | 28.3 |
| 15-17 | 566 | 193 | 34.1 | 177 | 31.3 | 196 | 34.6 | 123 | 21.7 |
| 18-24 | 1,989 | 638 | 32.1 | 759 | 38.2 | 592 | 29.8 | 419 | 21.1 |
| 25-44 | 3,714 | 1,086 | 29.2 | 1,432 | 38.6 | 1,196 | 32.2 | 817 | 22.0 |
| 45-64 | 1,999 | 701 | 35.1 | 746 | 37.3 | 552 | 27.6 | 352 | 17.6 |
| 65-74 | 385 | 174 | 45.2 | 104 | 27.0 | 107 | 27.8 | 53 | 13.8 |
| 75 and Older | 379 | 213 | 56.2 | 59 | 15.6 | 107 | 28.2 | 36 | 9.5 |
| Asthma | 6,080 | 1,547 | 25.4 | 2,669 | 43.9 | 1,864 | 30.7 | 1,054 | 17.3 |
| Less than 1 | 76 | 16 | 21.1 | 22 | 28.9 | 38 | 50.0 | 10 | 13.2 |
| 1-4 | 854 | 189 | 22.1 | 331 | 38.8 | 334 | 39.1 | 108 | 12.6 |
| 5-9 | 748 | 174 | 23.3 | 299 | 40.0 | 275 | 36.8 | 147 | 19.7 |
| 10-14 | 391 | 90 | 23.0 | 149 | 38.1 | 152 | 38.9 | 70 | 17.9 |
| 15-17 | 166 | 61 | 36.7 | 69 | 41.6 | 36 | 21.7 | 31 | 18.7 |
| 18-24 | 584 | 140 | 24.0 | 272 | 46.6 | 172 | 29.5 | 111 | 19.0 |
| 25-44 | 1,448 | 359 | 24.8 | 687 | 47.4 | 402 | 27.8 | 277 | 19.1 |
| 45-64 | 1,446 | 406 | 28.1 | 684 | 47.3 | 356 | 24.6 | 248 | 17.2 |
| 65-74 | 221 | 57 | 25.8 | 116 | 52.5 | 48 | 21.7 | 26 | 11.8 |
| 75 and Older | 146 | 55 | 37.7 | 40 | 27.4 | 51 | 34.9 | 26 | 17.8 |

Table 24. Number of Emergency Room Visits Due to Diseases of the Respiratory System by Age and Race/Ethnicity, Westchester County Residents, 2016 (continued)

| | T-4-1 | Wh | ite | Bla | c k | Oth | er ¹ | Hispa | nic ² |
|-------------------------|--------|-------|------|-------|------------|-------|-----------------|-------|------------------|
| | Total | N | % | N | % | N | % | N | % |
| Pneumonia and Influenza | 6,420 | 2,506 | 39.0 | 1,520 | 23.7 | 2,394 | 37.3 | 1,020 | 15.9 |
| Less than 1 | 245 | 63 | 25.7 | 58 | 23.7 | 124 | 50.6 | 50 | 20.4 |
| 1-4 | 1,012 | 285 | 28.2 | 252 | 24.9 | 475 | 46.9 | 224 | 22.1 |
| 5-9 | 730 | 200 | 27.4 | 204 | 27.9 | 326 | 44.7 | 166 | 22.7 |
| 10-14 | 278 | 101 | 36.3 | 56 | 20.1 | 121 | 43.5 | 50 | 18.0 |
| 15-17 | 118 | 45 | 38.1 | 30 | 25.4 | 43 | 36.4 | 24 | 20.3 |
| 18-24 | 369 | 150 | 40.7 | 99 | 26.8 | 120 | 32.5 | 79 | 21.4 |
| 25-44 | 1,015 | 319 | 31.4 | 296 | 29.2 | 400 | 39.4 | 192 | 18.9 |
| 45-64 | 1,105 | 437 | 39.5 | 329 | 29.8 | 339 | 30.7 | 144 | 13.0 |
| 65-74 | 427 | 212 | 49.6 | 95 | 22.2 | 120 | 28.1 | 30 | 7.0 |
| 75 and Older | 1,121 | 694 | 61.9 | 101 | 9.0 | 326 | 29.1 | 61 | 5.4 |
| Other Diseases of the | 17 404 | 7 000 | 41.4 | E 170 | 20.6 | E 072 | 20.0 | 2 206 | 19.7 |
| Respiratory System | 17,484 | 7,233 | 41.4 | 5,178 | 29.6 | 5,073 | 29.0 | 2,396 | 13.7 |
| Less than 1 | 357 | 83 | 23.2 | 114 | 31.9 | 160 | 44.8 | 88 | 24.6 |
| 1-4 | 586 | 163 | 27.8 | 186 | 31.7 | 237 | 40.4 | 129 | 22.0 |
| 5-9 | 499 | 151 | 30.3 | 161 | 32.3 | 187 | 37.5 | 142 | 28.5 |
| 10-14 | 444 | 148 | 33.3 | 115 | 25.9 | 181 | 40.8 | 94 | 21.2 |
| 15-17 | 371 | 147 | 39.6 | 106 | 28.6 | 118 | 31.8 | 53 | 14.3 |
| 18-24 | 1,170 | 403 | 34.4 | 394 | 33.7 | 373 | 31.9 | 202 | 17.3 |
| 25-44 | 3,854 | 1,250 | 32.4 | 1,348 | 35.0 | 1,256 | 32.6 | 697 | 18.1 |
| 45-64 | 5,251 | 2,115 | 40.3 | 1,802 | 34.3 | 1,334 | 25.4 | 644 | 12.3 |
| 65-74 | 2,024 | 1,013 | 50.0 | 526 | 26.0 | 485 | 24.0 | 185 | 9.1 |
| 75 and Older | 2,928 | 1,760 | 60.1 | 426 | 14.5 | 742 | 25.3 | 162 | 5.5 |

¹ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Multi-Race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories. Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2018

Table 25. Number of Emergency Room Visits Due to Diseases of the Cardiovascular System by Sex, Age and Race/Ethnicity, Westchester County Residents, 2012

| | Total | Less than | 1-4 | 5-9 | 10-14 | 15-17 | 18-24 | 25-44 | 45-64 | 65-74 | 75+ |
|-----------------------|--------|-----------|-----|-----|-------|-------|-------|-------|-------|-------|-------|
| | | 1 | | | | | | | | | |
| Total | 29,917 | 16 | 50 | 188 | 273 | 348 | 1,187 | 5,005 | 9,623 | 4,600 | 8,627 |
| White | 16,477 | 8 | 17 | 49 | 97 | 141 | 450 | 1,790 | 4,571 | 2,754 | 6,600 |
| Black | 7,293 | 1 | 12 | 62 | 88 | 87 | 378 | 1,688 | 2,884 | 1,067 | 1,026 |
| Other ¹ | 6,147 | 7 | 21 | 77 | 88 | 120 | 359 | 1,527 | 2,168 | 779 | 1,001 |
| Hispanic ² | 4,249 | 5 | 21 | 78 | 94 | 102 | 300 | 1,214 | 1,466 | 443 | 526 |
| Male | 14,348 | 8 | 32 | 95 | 157 | 157 | 579 | 2,429 | 5,030 | 2,399 | 3,462 |
| White | 8,178 | 5 | 11 | 25 | 54 | 67 | 257 | 971 | 2,546 | 1,557 | 2,685 |
| Black | 3,096 | 0 | 7 | 22 | 56 | 37 | 156 | 709 | 1,327 | 459 | 323 |
| Other ¹ | 3,074 | 3 | 14 | 48 | 47 | 53 | 166 | 749 | 1,157 | 383 | 454 |
| Hispanic ² | 2,004 | 3 | 12 | 44 | 49 | 53 | 150 | 591 | 708 | 196 | 198 |
| Female | 15,569 | 8 | 18 | 93 | 116 | 191 | 608 | 2,576 | 4,593 | 2,201 | 5,165 |
| White | 8,299 | 3 | 6 | 24 | 43 | 74 | 193 | 819 | 2,025 | 1,197 | 3,915 |
| Black | 4,197 | 1 | 5 | 40 | 32 | 50 | 222 | 979 | 1,557 | 608 | 703 |
| Other ¹ | 3,073 | 4 | 7 | 29 | 41 | 67 | 193 | 778 | 1,011 | 396 | 547 |
| Hispanic ² | 2,245 | 2 | 9 | 34 | 45 | 49 | 150 | 623 | 758 | 247 | 328 |

¹ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 25. Number of Emergency Room Visits Due to Diseases of the Cardiovascular System by Sex, Age and Race/Ethnicity, Westchester County Residents, 2016

| | Total | Less than | 1-4 | 5-9 | 10-14 | 15-17 | 18-24 | 25-44 | 45-64 | 65-74 | 75+ |
|-----------------------|--------|-----------|-----|-----|-------|-------|-------|-------|-------|-------|-------|
| | | 1 | | | | | | | | | |
| Total | 23,319 | 14 | 44 | 132 | 170 | 205 | 582 | 3,162 | 7,617 | 3,861 | 7,532 |
| White | 10,922 | 3 | 18 | 42 | 53 | 70 | 227 | 1,006 | 2,961 | 1,911 | 4,631 |
| Black | 5,531 | 6 | 4 | 27 | 42 | 48 | 156 | 1,008 | 2,291 | 883 | 1,066 |
| $Other^1$ | 6,866 | 5 | 22 | 63 | 75 | 87 | 199 | 1,148 | 2,365 | 1,067 | 1,835 |
| Hispanic ² | 1,923 | 0 | 8 | 21 | 29 | 38 | 94 | 423 | 681 | 268 | 361 |
| Male | 11,377 | 10 | 26 | 73 | 92 | 106 | 289 | 1,570 | 4,147 | 1,942 | 3,122 |
| White | 5,489 | 1 | 10 | 27 | 30 | 29 | 113 | 525 | 1,770 | 1,009 | 1,975 |
| Black | 2,423 | 5 | 2 | 12 | 26 | 30 | 68 | 445 | 1,111 | 354 | 370 |
| Other ¹ | 3,465 | 4 | 14 | 34 | 36 | 47 | 108 | 600 | 1,266 | 579 | 777 |
| Hispanic ² | 930 | 0 | 6 | 13 | 15 | 25 | 53 | 222 | 344 | 135 | 117 |
| Female | 11,942 | 4 | 18 | 59 | 78 | 99 | 293 | 1,592 | 3,470 | 1,919 | 4,410 |
| White | 5,433 | 2 | 8 | 15 | 23 | 41 | 114 | 481 | 1,191 | 902 | 2,656 |
| Black | 3,108 | 1 | 2 | 15 | 16 | 18 | 88 | 563 | 1,180 | 529 | 696 |
| $Other^1$ | 3,401 | 1 | 8 | 29 | 39 | 40 | 91 | 548 | 1,099 | 488 | 1,058 |
| Hispanic ² | 993 | 0 | 2 | 8 | 14 | 13 | 41 | 201 | 337 | 133 | 244 |

¹ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Multi-Race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 26. Number of Emergency Room Visits Due to Diseases of the Cardiovascular System by Sex and Age, Westchester County Residents, 2016

| | Tota | al | M a | le | Fema | ıle |
|------------------------|--------|-------|--------|-------|--------|-------|
| | Number | % | Number | % | Number | % |
| Total | 23,319 | | 11,377 | | 11,942 | |
| Discomfort in Chest | 4,840 | 100.0 | 2,214 | 100.0 | 2,626 | 100.0 |
| Less than 1 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 1-4 | 2 | 0.0 | 1 | 0.0 | 1 | 0.0 |
| 5-9 | 37 | 0.8 | 25 | 1.1 | 12 | 0.5 |
| 10-14 | 62 | 1.3 | 36 | 1.6 | 26 | 1.0 |
| 15-17 | 76 | 1.6 | 30 | 1.4 | 46 | 1.8 |
| 18-24 | 269 | 5.6 | 124 | 5.6 | 145 | 5.5 |
| 25-44 | 1,307 | 27.0 | 619 | 28.0 | 688 | 26.2 |
| 45-64 | 2,026 | 41.9 | 923 | 41.7 | 1,103 | 42.0 |
| 65-74 | 516 | 10.7 | 239 | 10.8 | 277 | 10.5 |
| 75 and Older | 545 | 11.3 | 217 | 9.8 | 328 | 12.5 |
| Ischemic Heart Disease | 2,423 | 100.0 | 1,535 | 100.0 | 888 | 100.0 |
| Less than 1 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 1-4 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 5-9 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 10-14 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 15-17 | 1 | 0.0 | 1 | 0.1 | 0 | 0.0 |
| 18-24 | 6 | 0.2 | 4 | 0.3 | 2 | 0.2 |
| 25-44 | 78 | 3.2 | 53 | 3.5 | 25 | 2.8 |
| 45-64 | 931 | 38.4 | 686 | 44.7 | 245 | 27.6 |
| 65-74 | 546 | 22.5 | 338 | 22.0 | 208 | 23.4 |
| 75 and Older | 861 | 35.5 | 453 | 29.5 | 408 | 45.9 |
| Heart Failure | 2,390 | 100.0 | 1,159 | 100.0 | 1,231 | 100.0 |
| Less than 1 | 1 | 0.0 | 0 | 0.0 | 1 | 0.1 |
| 1-4 | 1 | 0.0 | 0 | 0.0 | 1 | 0.1 |
| 5-9 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 10-14 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 15-17 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 18-24 | 5 | 0.2 | 4 | 0.3 | 1 | 0.1 |
| 25-44 | 54 | 2.3 | 37 | 3.2 | 17 | 1.4 |
| 45-64 | 428 | 17.9 | 275 | 23.7 | 153 | 12.4 |
| 65-74 | 403 | 16.9 | 208 | 17.9 | 195 | 15.8 |
| 75 and Older | 1,498 | 62.7 | 635 | 54.8 | 863 | 70.1 |

Table 26. Number of Emergency Room Visits Due to Diseases of the Cardiovascular System by Sex and Age, Westchester County Residents, 2016 (continued)

| | Tota | al | M a | le | Fema | ale |
|-------------------------|--------|-------|--------|-------|--------|-------|
| | Number | % | Number | % | Number | % |
| Cerebrovascular Disease | 1,974 | 100.0 | 968 | 100.0 | 1,006 | 100.0 |
| Less than 1 | 1 | 0.1 | 0 | 0.0 | 1 | 0.1 |
| 1-4 | 1 | 0.1 | 1 | 0.1 | 0 | 0.0 |
| 5-9 | 2 | 0.1 | 1 | 0.1 | 1 | 0.1 |
| 10-14 | 2 | 0.1 | 0 | 0.0 | 2 | 0.2 |
| 15-17 | 2 | 0.1 | 1 | 0.1 | 1 | 0.1 |
| 18-24 | 8 | 0.4 | 3 | 0.3 | 5 | 0.5 |
| 25-44 | 87 | 4.4 | 45 | 4.6 | 42 | 4.2 |
| 45-64 | 573 | 29.0 | 340 | 35.1 | 233 | 23.2 |
| 65-74 | 397 | 20.1 | 198 | 20.5 | 199 | 19.8 |
| 75 and Older | 901 | 45.6 | 379 | 39.2 | 522 | 51.9 |
| Hypertensive Disease | 3,543 | 100.0 | 1,575 | 100.0 | 1,968 | 100.0 |
| Less than 1 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 1-4 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 5-9 | 1 | 0.0 | 1 | 0.1 | 0 | 0.0 |
| 10-14 | 3 | 0.1 | 1 | 0.1 | 2 | 0.1 |
| 15-17 | 4 | 0.1 | 3 | 0.2 | 1 | 0.1 |
| 18-24 | 16 | 0.5 | 10 | 0.6 | 6 | 0.3 |
| 25-44 | 465 | 13.1 | 243 | 15.4 | 222 | 11.3 |
| 45-64 | 1,315 | 37.1 | 648 | 41.1 | 667 | 33.9 |
| 65-74 | 580 | 16.4 | 241 | 15.3 | 339 | 17.2 |
| 75 and Older | 1,159 | 32.7 | 428 | 27.2 | 731 | 37.1 |
| Other Diseases of the | 8,149 | 100.0 | 3,926 | 100.0 | 4,223 | 100.0 |
| Cardiovascular System | | | • | | | |
| Less than 1 | 12 | 0.1 | 10 | 0.3 | 2 | 0.0 |
| 1-4 | 40 | 0.5 | 24 | 0.6 | 16 | 0.4 |
| 5-9 | 92 | 1.1 | 46 | 1.2 | 46 | 1.1 |
| 10-14 | 103 | 1.3 | 55 | 1.4 | 48 | 1.1 |
| 15-17 | 122 | 1.5 | 71 | 1.8 | 51 | 1.2 |
| 18-24 | 278 | 3.4 | 144 | 3.7 | 134 | 3.2 |
| 25-44 | 1,171 | 14.4 | 573 | 14.6 | 598 | 14.2 |
| 45-64 | 2,344 | 28.8 | 1,275 | 32.5 | 1,069 | 25.3 |
| 65-74 | 1,419 | 17.4 | 718 | 18.3 | 701 | 16.6 |
| 75 and Older | 2,568 | 31.5 | 1,010 | 25.7 | 1,558 | 36.9 |

Table 27. Number of Emergency Room Visits Due to Diseases of the Cardiovascular System by Sex and Race/Ethnicity, Westchester County Residents, 2012

| | T 1 | Mal | .e | Fema | ale |
|-------------------------|--------|--------|------|--------|------|
| | Total | Number | % | Number | % |
| Total | 29,917 | 14,348 | 48.0 | 15,569 | 52.0 |
| Discomfort in Chest | 10,992 | 5,041 | 45.9 | 5,951 | 54.1 |
| White | 5,188 | 2,489 | 48.0 | 2,699 | 52.0 |
| Black | 3,086 | 1,263 | 40.9 | 1,823 | 59.1 |
| Other ¹ | 2,718 | 1,289 | 47.4 | 1,429 | 52.6 |
| Hispanic ² | 2,127 | 981 | 46.1 | 1,146 | 53.9 |
| Ischemic Heart Disease | 2,673 | 1,547 | 57.9 | 1,126 | 42.1 |
| White | 1,669 | 964 | 57.8 | 705 | 42.2 |
| Black | 400 | 183 | 45.8 | 217 | 54.3 |
| Other ¹ | 604 | 400 | 66.2 | 204 | 33.8 |
| Hispanic ² | 265 | 143 | 54.0 | 122 | 46.0 |
| Heart Failure | 2,642 | 1,297 | 49.1 | 1,345 | 50.9 |
| White | 1,819 | 898 | 49.4 | 921 | 50.6 |
| Black | 491 | 216 | 44.0 | 275 | 56.0 |
| Other ¹ | 332 | 183 | 55.1 | 149 | 44.9 |
| Hispanic ² | 201 | 105 | 52.2 | 96 | 47.8 |
| Cerebrovascular Disease | 2,519 | 1,176 | 46.7 | 1,343 | 53.3 |
| White | 1,676 | 791 | 47.2 | 885 | 52.8 |
| Black | 492 | 213 | 43.3 | 279 | 56.7 |
| Other ¹ | 351 | 172 | 49.0 | 179 | 51.0 |
| Hispanic ² | 230 | 111 | 48.3 | 119 | 51.7 |
| Hypertensive Disease | 2,705 | 1,143 | 42.3 | 1,562 | 57.7 |
| White | 1,018 | 413 | 40.6 | 605 | 59.4 |
| Black | 1,145 | 493 | 43.1 | 652 | 56.9 |
| Other ¹ | 542 | 237 | 43.7 | 305 | 56.3 |
| Hispanic ² | 384 | 164 | 42.7 | 220 | 57.3 |

Table 27. Number of Emergency Room Visits Due to Diseases of the Cardiovascular System by Sex and Race/Ethnicity, Westchester County Residents, 2012 (continued)

| | 5,107 2,623 51.4 1,679 728 43.4 1,600 793 49.6 | Fema | ale | | |
|---|--|--------|------|--------|------|
| | Total | Number | % | Number | % |
| Other Diseases of the Cardiovascular System | 8,386 | 4,144 | 49.4 | 4,242 | 50.6 |
| White | 5,107 | 2,623 | 51.4 | 2,484 | 48.6 |
| Black | 1,679 | 728 | 43.4 | 951 | 56.6 |
| Other ¹ | 1,600 | 793 | 49.6 | 807 | 50.4 |
| Hispanic ² | 1,042 | 500 | 48.0 | 542 | 52.0 |

 $^{^{1}}$ Incudes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories. Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2015.

Table 27. Number of Emergency Room Visits Due to Diseases of the Cardiovascular System by Sex and Race/Ethnicity, Westchester County Residents, 2016

| | T-4-1 | Mal | .e | Fema | ıle |
|-------------------------|--------|--------|------|--------|------|
| | Total | Number | % | Number | % |
| Total | 23,319 | 11,377 | 48.8 | 11,942 | 51.2 |
| Discomfort in Chest | 4,840 | 2,214 | 45.7 | 2,626 | 54.3 |
| White | 1,855 | 902 | 48.6 | 953 | 51.4 |
| Black | 1,209 | 494 | 40.9 | 715 | 59.1 |
| Other ¹ | 1,776 | 818 | 46.1 | 958 | 53.9 |
| Hispanic ² | 449 | 197 | 43.9 | 252 | 56.1 |
| Ischemic Heart Disease | 2,423 | 1,535 | 63.4 | 888 | 36.6 |
| White | 1,287 | 827 | 64.3 | 460 | 35.7 |
| Black | 378 | 197 | 52.1 | 181 | 47.9 |
| Other ¹ | 758 | 511 | 67.4 | 247 | 32.6 |
| Hispanic ² | 192 | 123 | 64.1 | 69 | 35.9 |
| Heart Failure | 2,390 | 1,159 | 48.5 | 1,231 | 51.5 |
| White | 1,382 | 693 | 50.1 | 689 | 49.9 |
| Black | 571 | 260 | 45.5 | 311 | 54.5 |
| Other ¹ | 437 | 206 | 47.1 | 231 | 52.9 |
| Hispanic ² | 132 | 50 | 37.9 | 82 | 62.1 |
| Cerebrovascular Disease | 1,974 | 968 | 49.0 | 1,006 | 51.0 |
| White | 976 | 479 | 49.1 | 497 | 50.9 |
| Black | 457 | 217 | 47.5 | 240 | 52.5 |
| Other ¹ | 541 | 272 | 50.3 | 269 | 49.7 |
| Hispanic ² | 112 | 66 | 58.9 | 46 | 41.1 |
| Hypertensive Disease | 3,543 | 1,575 | 44.5 | 1,968 | 55.5 |
| White | 1,310 | 624 | 47.6 | 686 | 52.4 |
| Black | 1,289 | 515 | 40.0 | 774 | 60.0 |
| Other ¹ | 944 | 436 | 46.2 | 508 | 53.8 |
| Hispanic ² | 338 | 149 | 44.1 | 189 | 55.9 |

Table 27. Number of Emergency Room Visits Due to Diseases of the Cardiovascular System by Sex and Race/Ethnicity, Westchester County Residents, 2016 (continued)

| | Total | Mal | e | Fema | le |
|---|-------|--------|------|--------|------|
| | Total | Number | % | Number | % |
| Other Diseases of the Cardiovascular System | 8,149 | 3,926 | 48.2 | 4,223 | 51.8 |
| White | 4,112 | 1,964 | 47.8 | 2,148 | 52.2 |
| Black | 1,627 | 740 | 45.5 | 887 | 54.5 |
| Other ¹ | 2,410 | 1,222 | 50.7 | 1,188 | 49.3 |
| Hispanic ² | 700 | 345 | 49.3 | 355 | 50.7 |

 $^{^{1}}$ Incudes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Multi

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories. Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2018.

Table 28. Number of Emergency Room Visits Due to Diseases of the Cardiovascular System by Age and Race/Ethnicity, Westchester County Residents, 2012

| | T-4-1 | Whi | ite | Bla | ck | Oth | er ¹ | Hispa | nic ² |
|------------------------|--------|--------|-------|-------|------|-------|-----------------|-------|------------------|
| | Total | N | % | N | % | N | % | N | % |
| Total | 29,917 | 16,477 | 55.1 | 7,293 | 24.4 | 6,147 | 20.5 | 4,249 | 14.2 |
| Discomfort in Chest | 10,992 | 5,188 | 47.2 | 3,086 | 28.1 | 2,718 | 24.7 | 2,127 | 19.4 |
| Less than 1 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 1-4 | 4 | 1 | 25.0 | 1 | 25.0 | 2 | 50.0 | 2 | 50.0 |
| 5-9 | 122 | 29 | 23.8 | 43 | 35.2 | 50 | 41.0 | 51 | 41.8 |
| 10-14 | 205 | 74 | 36.1 | 63 | 30.7 | 68 | 33.2 | 73 | 35.6 |
| 15-17 | 267 | 106 | 39.7 | 74 | 27.7 | 87 | 32.6 | 74 | 27.7 |
| 18-24 | 791 | 280 | 35.4 | 271 | 34.3 | 240 | 30.3 | 201 | 25.4 |
| 25-44 | 3,057 | 1,105 | 36.1 | 1,003 | 32.8 | 949 | 31.0 | 775 | 25.4 |
| 45-64 | 4,099 | 1,936 | 47.2 | 1,204 | 29.4 | 959 | 23.4 | 689 | 16.8 |
| 65-74 | 1,205 | 744 | 61.7 | 265 | 22.0 | 196 | 16.3 | 149 | 12.4 |
| 75 and Older | 1,242 | 913 | 73.5 | 162 | 13.0 | 167 | 13.4 | 113 | 9.1 |
| Ischemic Heart Disease | 2,673 | 1,669 | 62.4 | 400 | 15.0 | 604 | 22.6 | 265 | 9.9 |
| Less than 1 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 1-4 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 5-9 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 10-14 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 15-17 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 18-24 | 4 | 4 | 100.0 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 |
| 25-44 | 115 | 47 | 40.9 | 32 | 27.8 | 36 | 31.3 | 20 | 17.4 |
| 45-64 | 930 | 493 | 53.0 | 169 | 18.2 | 268 | 28.8 | 133 | 14.3 |
| 65-74 | 631 | 379 | 60.1 | 110 | 17.4 | 142 | 22.5 | 58 | 9.2 |
| 75 and Older | 993 | 746 | 75.1 | 89 | 9.0 | 158 | 15.9 | 53 | 5.3 |
| Heart Failure | 2,642 | 1,819 | 68.8 | 491 | 18.6 | 332 | 12.6 | 201 | 7.6 |
| Less than 1 | 2 | 0 | 0.0 | 1 | 0.0 | 1 | 0.0 | 0 | 0.0 |
| 1-4 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 5-9 | 1 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 | 1 | 0.0 |
| 10-14 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 15-17 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 18-24 | 4 | 1 | 25.0 | 1 | 25.0 | 2 | 0.0 | 0 | 0.0 |
| 25-44 | 49 | 7 | 14.3 | 36 | 73.5 | 6 | 12.2 | 5 | 10.2 |
| 45-64 | 438 | 194 | 44.3 | 156 | 35.6 | 88 | 20.1 | 54 | 12.3 |
| 65-74 | 413 | 207 | 50.1 | 120 | 29.1 | 86 | 20.8 | 49 | 11.9 |
| 75 and Older | 1,735 | 1,410 | 81.3 | 177 | 10.2 | 148 | 8.5 | 92 | 5.3 |

Table 28. Number of Emergency Room Visits Due to Diseases of the Cardiovascular System by Age and Race/Ethnicity, Westchester County Residents, 2012 (continued)

| | m . 1 | Whi | te | Blac | k | Othe | r ¹ | Hispai | nic ² |
|-------------------------|-------|--------|-------------|--------|-------|--------|----------------|---------|------------------|
| | Total | Number | % | Number | % | Number | % | Number | ************* |
| Cerebrovascular Disease | 2,519 | 1,676 | 66.5 | 492 | 19.5 | 351 | 13.9 | 230 | 9.1 |
| Less than 1 | 3 | 2 | 66.7 | 0 | 0.0 | 1 | 33.3 | 1 | 33.3 |
| 1-4 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 5-9 | 3 | 1 | 33.3 | 0 | 0.0 | 2 | 66.7 | 2 | 66.7 |
| 10-14 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 15-17 | 5 | 3 | 60.0 | 0 | 0.0 | 2 | 40.0 | 3 | 60.0 |
| 18-24 | 6 | 4 | 66.7 | 1 | 16.7 | 1 | 16.7 | 0 | 0.0 |
| 25-44 | 95 | 47 | 49.5 | 27 | 28.4 | 21 | 22.1 | 17 | 17.9 |
| 45-64 | 613 | 296 | 48.3 | 191 | 31.2 | 126 | 20.6 | 101 | 16.5 |
| 65-74 | 545 | 341 | 62.6 | 125 | 22.9 | 79 | 14.5 | 41 | 7.5 |
| 75 and Older | 1,249 | 982 | 78.6 | 148 | 11.8 | 119 | 9.5 | 65 | 5.2 |
| Hypertensive Disease | 2,705 | 1,018 | 37.6 | 1,145 | 42.3 | 542 | 20.0 | 384 | 14.2 |
| Less than 1 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 1-4 | 2 | 1 | 0.0 | 0 | 0.0 | 1 | 0.0 | 1 | 0.0 |
| 5-9 | 2 | 0 | 0.0 | 2 | 100.0 | 0 | 0.0 | 1 | 50.0 |
| 10-14 | 2 | 1 | 50.0 | 0 | 0.0 | 1 | 50.0 | 1 | 50.0 |
| 15-17 | 4 | 1 | 25.0 | 2 | 50.0 | 1 | 25.0 | 0 | 0.0 |
| 18-24 | 24 | 4 | 16.7 | 13 | 54.2 | 7 | 29.2 | 3 | 12.5 |
| 25-44 | 394 | 68 | 17.3 | 221 | 56.1 | 105 | 26.6 | 75 | 19.0 |
| 45-64 | 1,168 | 325 | 27.8 | 592 | 50.7 | 251 | 21.5 | 200 | 17.1 |
| 65-74 | 405 | 162 | 40.0 | 165 | 40.7 | 78 | 19.3 | 48 | 11.9 |
| 75 and Older | 704 | 456 | 64.8 | 150 | 21.3 | 98 | 13.9 | 55 | 7.8 |
| Other Diseases of the | 0.206 | E 107 | 60.0 | 1 (70 | 20.0 | 1 (00 | 10.1 | 1 0 4 2 | 10.4 |
| Cardiovascular System | 8,386 | 5,107 | 60.9 | 1,679 | 20.0 | 1,600 | 19.1 | 1,042 | 12.4 |
| Less than 1 | 11 | 6 | 54.5 | 0 | 0.0 | 5 | 45.5 | 4 | 36.4 |
| 1-4 | 44 | 15 | 34.1 | 11 | 25.0 | 18 | 40.9 | 18 | 40.9 |
| 5-9 | 60 | 19 | 31.7 | 17 | 28.3 | 24 | 40.0 | 23 | 38.3 |
| 10-14 | 66 | 22 | 33.3 | 25 | 37.9 | 19 | 28.8 | 20 | 30.3 |
| 15-17 | 72 | 31 | 43.1 | 11 | 15.3 | 30 | 41.7 | 25 | 34.7 |
| 18-24 | 358 | 157 | 43.9 | 92 | 25.7 | 109 | 30.4 | 95 | 26.5 |
| 25-44 | 1,295 | 516 | 39.8 | 369 | 28.5 | 410 | 31.7 | 322 | 24.9 |
| 45-64 | 2,375 | 1,327 | 55.9 | 572 | 24.1 | 476 | 20.0 | 289 | 12.2 |
| 65-74 | 1,401 | 921 | 65.7 | 282 | 20.1 | 198 | 14.1 | 98 | 7.0 |
| 75 and Older | 2,704 | 2,093 | 77.4 | 300 | 11.1 | 311 | 11.5 | 148 | 5.5 |

 $^{^1 \ \}text{Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.} \\$

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories. Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2015.

Table 28. Number of Emergency Room Visits Due to Diseases of the Cardiovascular System by Age and Race/Ethnicity, Westchester County Residents, 2016

| | Total | Whi | ite | Bla | ck | Oth | er ¹ | Hispa | nic ² |
|------------------------|--------|--------|-------|-------|------|-------|-----------------|-------|------------------|
| | TOTAL | N | % | N | % | N | % | N | % |
| Total | 23,319 | 10,922 | 46.8 | 5,531 | 23.7 | 6,866 | 29.4 | 1,923 | 8.2 |
| Discomfort in Chest | 4,840 | 1,855 | 38.3 | 1,209 | 25.0 | 1,776 | 36.7 | 449 | 9.3 |
| Less than 1 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 1-4 | 2 | 2 | 100.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 5-9 | 37 | 9 | 24.3 | 13 | 35.1 | 15 | 40.5 | 4 | 10.8 |
| 10-14 | 62 | 12 | 19.4 | 18 | 29.0 | 32 | 51.6 | 5 | 8.1 |
| 15-17 | 76 | 25 | 32.9 | 16 | 21.1 | 35 | 46.1 | 13 | 17.1 |
| 18-24 | 269 | 91 | 33.8 | 80 | 29.7 | 98 | 36.4 | 40 | 14.9 |
| 25-44 | 1,307 | 405 | 31.0 | 373 | 28.5 | 529 | 40.5 | 149 | 11.4 |
| 45-64 | 2,026 | 779 | 38.5 | 519 | 25.6 | 728 | 35.9 | 177 | 8.7 |
| 65-74 | 516 | 237 | 45.9 | 107 | 20.7 | 172 | 33.3 | 40 | 7.8 |
| 75 and Older | 545 | 295 | 54.1 | 83 | 15.2 | 167 | 30.6 | 21 | 3.9 |
| Ischemic Heart Disease | 2,423 | 1,287 | 53.1 | 378 | 15.6 | 758 | 31.3 | 192 | 7.9 |
| Less than 1 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 1-4 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 5-9 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 10-14 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 15-17 | 1 | 0 | 0.0 | 1 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 18-24 | 6 | 2 | 33.3 | 1 | 0.0 | 3 | 0.0 | 0 | 0.0 |
| 25-44 | 78 | 28 | 35.9 | 24 | 30.8 | 26 | 33.3 | 11 | 14.1 |
| 45-64 | 931 | 438 | 47.0 | 170 | 18.3 | 323 | 34.7 | 99 | 10.6 |
| 65-74 | 546 | 284 | 52.0 | 87 | 15.9 | 175 | 32.1 | 32 | 5.9 |
| 75 and Older | 861 | 535 | 62.1 | 95 | 11.0 | 231 | 26.8 | 50 | 5.8 |
| Heart Failure | 2,390 | 1,382 | 57.8 | 571 | 23.9 | 437 | 18.3 | 132 | 5.5 |
| Less than 1 | 1 | 1 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 1-4 | 1 | 0 | 0.0 | 0 | 0.0 | 1 | 0.0 | 0 | 0.0 |
| 5-9 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 10-14 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 15-17 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 18-24 | 5 | 2 | 40.0 | 1 | 20.0 | 2 | 0.0 | 1 | 20.0 |
| 25-44 | 54 | 11 | 20.4 | 27 | 50.0 | 16 | 29.6 | 15 | 27.8 |
| 45-64 | 428 | 138 | 32.2 | 212 | 49.5 | 78 | 18.2 | 27 | 6.3 |
| 65-74 | 403 | 194 | 48.1 | 126 | 31.3 | 83 | 20.6 | 20 | 5.0 |
| 75 and Older | 1,498 | 1,036 | 69.2 | 205 | 13.7 | 257 | 17.2 | 69 | 4.6 |

Table 28. Number Of Emergency Room Visits Due to Diseases of the Cardiovascular System by Age and Race/Ethnicity, Westchester County Residents, 2016 (continued)

| | m . 1 | Whi | te | Blac | k | Othe | r ¹ | Hispan | nic ² |
|-------------------------|-------|---------|-------|--------|------|--------|----------------|--------|------------------|
| | Total | Number | % | Number | % | Number | % | Number | % |
| Cerebrovascular Disease | 1,974 | 976 | 49.4 | 457 | 23.2 | 541 | 27.4 | 112 | 5.7 |
| Less than 1 | 1 | 0 | 0.0 | 1 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 1-4 | 1 | 1 | 100.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 5-9 | 2 | 2 | 100.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 10-14 | 2 | 1 | 50.0 | 0 | 0.0 | 1 | 50.0 | 0 | 0.0 |
| 15-17 | 2 | 1 | 50.0 | 0 | 0.0 | 1 | 50.0 | 0 | 0.0 |
| 18-24 | 8 | 4 | 50.0 | 1 | 12.5 | 3 | 37.5 | 0 | 0.0 |
| 25-44 | 87 | 32 | 36.8 | 24 | 27.6 | 31 | 35.6 | 12 | 13.8 |
| 45-64 | 573 | 216 | 37.7 | 194 | 33.9 | 163 | 28.4 | 42 | 7.3 |
| 65-74 | 397 | 171 | 43.1 | 113 | 28.5 | 113 | 28.5 | 23 | 5.8 |
| 75 and Older | 901 | 548 | 60.8 | 124 | 13.8 | 229 | 25.4 | 35 | 3.9 |
| Hypertensive Disease | 3,543 | 1,310 | 37.0 | 1,289 | 36.4 | 944 | 26.6 | 338 | 9.5 |
| Less than 1 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 1-4 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 5-9 | 1 | 0 | 0.0 | 0 | 0.0 | 1 | 100.0 | 0 | 0.0 |
| 10-14 | 3 | 2 | 66.7 | 1 | 33.3 | 0 | 0.0 | 0 | 0.0 |
| 15-17 | 4 | 1 | 25.0 | 1 | 25.0 | 2 | 50.0 | 0 | 0.0 |
| 18-24 | 16 | 6 | 37.5 | 6 | 37.5 | 4 | 25.0 | 2 | 12.5 |
| 25-44 | 465 | 98 | 21.1 | 226 | 48.6 | 141 | 30.3 | 65 | 14.0 |
| 45-64 | 1,315 | 352 | 26.8 | 627 | 47.7 | 336 | 25.6 | 130 | 9.9 |
| 65-74 | 580 | 227 | 39.1 | 199 | 34.3 | 154 | 26.6 | 66 | 11.4 |
| 75 and Older | 1,159 | 624 | 53.8 | 229 | 19.8 | 306 | 26.4 | 75 | 6.5 |
| Other Diseases of the | 0.140 | 4 1 1 2 | 50.5 | 1 607 | 20.0 | 2.410 | 29.6 | 700 | 8.6 |
| Cardiovascular System | 8,149 | 4,112 | 50.5 | 1,627 | 20.0 | 2,410 | 29.0 | 700 | 0.0 |
| Less than 1 | 12 | 2 | 16.7 | 5 | 41.7 | 5 | 41.7 | 0 | 0.0 |
| 1-4 | 40 | 15 | 37.5 | 4 | 10.0 | 21 | 52.5 | 8 | 20.0 |
| 5-9 | 92 | 31 | 33.7 | 14 | 15.2 | 47 | 51.1 | 17 | 18.5 |
| 10-14 | 103 | 38 | 36.9 | 23 | 22.3 | 42 | 40.8 | 24 | 23.3 |
| 15-17 | 122 | 43 | 35.2 | 30 | 24.6 | 49 | 40.2 | 25 | 20.5 |
| 18-24 | 278 | 122 | 43.9 | 67 | 24.1 | 89 | 32.0 | 51 | 18.3 |
| 25-44 | 1,171 | 432 | 36.9 | 334 | 28.5 | 405 | 34.6 | 171 | 14.6 |
| 45-64 | 2,344 | 1,038 | 44.3 | 569 | 24.3 | 737 | 31.4 | 206 | 8.8 |
| 65-74 | 1,419 | 798 | 56.2 | 251 | 17.7 | 370 | 26.1 | 87 | 6.1 |
| 75 and Older | 2,568 | 1,593 | 62.0 | 330 | 12.9 | 645 | 25.1 | 111 | 4.3 |

¹ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Multi-Race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories. Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2018.

Table 29 Number of Emergency Room Visits Due to General Symptoms by Sex, Age and Race/Ethnicity, Westchester County Residents, 2012

| | Total | Less than | 1-4 | 5-9 | 10-14 | 15-17 | 18-24 | 25-44 | 45-64 | 65-74 | 75+ |
|-----------------------|--------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Total | 30,948 | 1,026 | 2,109 | 1,460 | 1,288 | 995 | 2,965 | 7,487 | 7,240 | 2,380 | 3,998 |
| White | 14,299 | 276 | 601 | 549 | 567 | 434 | 1,108 | 2,859 | 3,517 | 1,393 | 2,995 |
| Black | 7,148 | 184 | 473 | 277 | 248 | 228 | 858 | 1,947 | 1,881 | 530 | 522 |
| Other ¹ | 9,501 | 566 | 1,035 | 634 | 473 | 333 | 999 | 2,681 | 1,842 | 457 | 481 |
| Hispanic ² | 7,823 | 525 | 961 | 605 | 427 | 282 | 854 | 2,176 | 1,394 | 299 | 300 |
| Male | 12,466 | 524 | 1,113 | 761 | 631 | 358 | 891 | 2,632 | 2,949 | 1,049 | 1,558 |
| White | 6,087 | 125 | 321 | 295 | 281 | 149 | 374 | 1,090 | 1,579 | 670 | 1,203 |
| Black | 2,589 | 109 | 258 | 135 | 111 | 83 | 227 | 608 | 679 | 212 | 167 |
| Other ¹ | 3,790 | 290 | 534 | 331 | 239 | 126 | 290 | 934 | 691 | 167 | 188 |
| Hispanic ² | 3,021 | 257 | 491 | 314 | 204 | 96 | 247 | 742 | 480 | 96 | 94 |
| Female | 18,482 | 502 | 996 | 699 | 657 | 637 | 2,074 | 4,855 | 4,291 | 1,331 | 2,440 |
| White | 8,212 | 151 | 280 | 254 | 286 | 285 | 734 | 1,769 | 1,938 | 723 | 1,792 |
| Black | 4,559 | 75 | 215 | 142 | 137 | 145 | 631 | 1,339 | 1,202 | 318 | 355 |
| Other ¹ | 5,711 | 276 | 501 | 303 | 234 | 207 | 709 | 1,747 | 1,151 | 290 | 293 |
| Hispanic ² | 4,802 | 268 | 470 | 291 | 223 | 186 | 607 | 1,434 | 914 | 203 | 206 |

¹ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 29. Number of Emergency Room Visits Due to General Symptoms by Sex, Age and Race/Ethnicity, Westchester County Residents, 2016

| | Total | Less than | 1-4 | 5-9 | 10-14 | 15-17 | 18-24 | 25-44 | 45-64 | 65-74 | 75+ |
|-----------------------|--------|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Total | 32,796 | 795 | 1,594 | 1,365 | 1,352 | 1,116 | 3,033 | 8,158 | 8,191 | 2,877 | 4,315 |
| White | 12,724 | 223 | 472 | 457 | 495 | 393 | 1,032 | 2,571 | 3,169 | 1,376 | 2,536 |
| Black | 7,883 | 169 | 320 | 296 | 233 | 240 | 854 | 2,252 | 2,237 | 620 | 662 |
| Other ¹ | 12,189 | 403 | 802 | 612 | 624 | 483 | 1,147 | 3,335 | 2,785 | 881 | 1,117 |
| Hispanic ² | 4,528 | 204 | 373 | 280 | 244 | 168 | 484 | 1,343 | 958 | 255 | 219 |
| Male | 13,309 | 413 | 892 | 768 | 598 | 400 | 1,006 | 2,908 | 3,406 | 1,264 | 1,654 |
| White | 5,379 | 116 | 261 | 269 | 231 | 144 | 358 | 953 | 1,383 | 637 | 1,027 |
| Black | 2,951 | 87 | 175 | 168 | 112 | 77 | 254 | 747 | 887 | 241 | 203 |
| Other ¹ | 4,979 | 210 | 456 | 331 | 255 | 179 | 394 | 1,208 | 1,136 | 386 | 424 |
| Hispanic ² | 1,771 | 102 | 218 | 149 | 110 | 59 | 154 | 468 | 342 | 91 | 78 |
| Female | 19,487 | 382 | 702 | 597 | 754 | 716 | 2,027 | 5,250 | 4,785 | 1,613 | 2,661 |
| White | 7,345 | 107 | 211 | 188 | 264 | 249 | 674 | 1,618 | 1,786 | 739 | 1,509 |
| Black | 4,932 | 82 | 145 | 128 | 121 | 163 | 600 | 1,505 | 1,350 | 379 | 459 |
| Other ¹ | 7,210 | 193 | 346 | 281 | 369 | 304 | 753 | 2,127 | 1,649 | 495 | 693 |
| Hispanic ² | 2,757 | 102 | 155 | 131 | 134 | 109 | 330 | 875 | 616 | 164 | 141 |

 $^{^1}$ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2018.

Table 30. Number of Emergency Room Visits Due to General Symptoms by Sex and Age, Westchester County Residents, 2016

| | Tot | al | Ma | le | Fem | ale |
|----------------|--------|-------|--------|-------|--------|-------|
| | Number | % | Number | % | Number | % |
| Total | 32,796 | | 13,309 | | 19,487 | |
| Abdominal Pain | 11,715 | 100.0 | 4,079 | 100.0 | 7,636 | 100.0 |
| Less than 1 | 80 | 0.7 | 44 | 1.1 | 36 | 0.5 |
| 1-4 | 161 | 1.4 | 91 | 2.2 | 70 | 0.9 |
| 5-9 | 582 | 5.0 | 326 | 8.0 | 256 | 3.4 |
| 10-14 | 602 | 5.1 | 244 | 6.0 | 358 | 4.7 |
| 15-17 | 475 | 4.1 | 139 | 3.4 | 336 | 4.4 |
| 18-24 | 1,464 | 12.5 | 395 | 9.7 | 1,069 | 14.0 |
| 25-44 | 3,860 | 32.9 | 1,161 | 28.5 | 2,699 | 35.3 |
| 45-64 | 3,002 | 25.6 | 1,149 | 28.2 | 1,853 | 24.3 |
| 65-74 | 755 | 6.4 | 270 | 6.6 | 485 | 6.4 |
| 75 and Older | 734 | 6.3 | 260 | 6.4 | 474 | 6.2 |
| Fever | 2,924 | 100.0 | 1,499 | 100.0 | 1,425 | 100.0 |
| Less than 1 | 537 | 18.4 | 276 | 18.4 | 261 | 18.3 |
| 1-4 | 974 | 33.3 | 499 | 33.3 | 475 | 33.3 |
| 5-9 | 388 | 13.3 | 213 | 14.2 | 175 | 12.3 |
| 10-14 | 110 | 3.8 | 62 | 4.1 | 48 | 3.4 |
| 15-17 | 52 | 1.8 | 27 | 1.8 | 25 | 1.8 |
| 18-24 | 86 | 2.9 | 37 | 2.5 | 49 | 3.4 |
| 25-44 | 249 | 8.5 | 113 | 7.5 | 136 | 9.5 |
| 45-64 | 297 | 10.2 | 148 | 9.9 | 149 | 10.5 |
| 65-74 | 124 | 4.2 | 69 | 4.6 | 55 | 3.9 |
| 75 and Older | 107 | 3.7 | 55 | 3.7 | 52 | 3.6 |
| Headache | 4,251 | 100.0 | 1,482 | 100.0 | 2,769 | 100.0 |
| Less than 1 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 1-4 | 24 | 0.6 | 18 | 1.2 | 6 | 0.2 |
| 5-9 | 136 | 3.2 | 79 | 5.3 | 57 | 2.1 |
| 10-14 | 200 | 4.7 | 101 | 6.8 | 99 | 3.6 |
| 15-17 | 173 | 4.1 | 65 | 4.4 | 108 | 3.9 |
| 18-24 | 549 | 12.9 | 184 | 12.4 | 365 | 13.2 |
| 25-44 | 1,499 | 35.3 | 514 | 34.7 | 985 | 35.6 |
| 45-64 | 1,221 | 28.7 | 377 | 25.4 | 844 | 30.5 |
| 65-74 | 205 | 4.8 | 80 | 5.4 | 125 | 4.5 |
| 75 and Older | 244 | 5.7 | 64 | 4.3 | 180 | 6.5 |

Table 30. Number of Emergency Room Visits Due to General Symptoms by Sex and Age, Westchester County Residents, 2016 (continued)

| | Tota | al ¹ | Ma | le | Fem | ale |
|------------------------|--------|-----------------|--------|-------|--------|-------|
| | Number | % | Number | % | Number | % |
| Blackout or Collapse | 3,550 | 100.0 | 1,469 | 100.0 | 2,081 | 100.0 |
| Less than 1 | 2 | 0.1 | 2 | 0.1 | 0 | 0.0 |
| 1-4 | 10 | 0.3 | 5 | 0.3 | 5 | 0.2 |
| 5-9 | 42 | 1.2 | 17 | 1.2 | 25 | 1.2 |
| 10-14 | 182 | 5.1 | 70 | 4.8 | 112 | 5.4 |
| 15-17 | 183 | 5.2 | 56 | 3.8 | 127 | 6.1 |
| 18-24 | 346 | 9.7 | 100 | 6.8 | 246 | 11.8 |
| 25-44 | 617 | 17.4 | 238 | 16.2 | 379 | 18.2 |
| 45-64 | 879 | 24.8 | 422 | 28.7 | 457 | 22.0 |
| 65-74 | 465 | 13.1 | 234 | 15.9 | 231 | 11.1 |
| 75 and Older | 824 | 23.2 | 325 | 22.1 | 499 | 24.0 |
| Other General Symptoms | 10,356 | 100.0 | 4,780 | 100.0 | 5,576 | 100.0 |
| Less than 1 | 176 | 1.7 | 91 | 1.9 | 85 | 1.5 |
| 1-4 | 425 | 4.1 | 279 | 5.8 | 146 | 2.6 |
| 5-9 | 217 | 2.1 | 133 | 2.8 | 84 | 1.5 |
| 10-14 | 258 | 2.5 | 121 | 2.5 | 137 | 2.5 |
| 15-17 | 233 | 2.2 | 113 | 2.4 | 120 | 2.2 |
| 18-24 | 588 | 5.7 | 290 | 6.1 | 298 | 5.3 |
| 25-44 | 1,933 | 18.7 | 882 | 18.5 | 1,051 | 18.8 |
| 45-64 | 2,792 | 27.0 | 1,310 | 27.4 | 1,482 | 26.6 |
| 65-74 | 1,328 | 12.8 | 611 | 12.8 | 717 | 12.9 |
| 75 and Older | 2,406 | 23.2 | 950 | 19.9 | 1,456 | 26.1 |

Table 31. Number of Emergency Room Visits Due to General Symptoms by Sex and Race/Ethnicity, Westchester County Residents, 2012

| | Т-4-1 | Male | 1 | Femal | .e |
|------------------------|--------|--------|------|--------|------|
| | Total | Number | % | Number | % |
| Total | 30,948 | 12,466 | 40.3 | 18,482 | 59.7 |
| Abdominal Pain | 10,945 | 3,791 | 34.6 | 7,154 | 65.4 |
| White | 4,741 | 1,802 | 38.0 | 2,939 | 62.0 |
| Black | 2,481 | 709 | 28.6 | 1,772 | 71.4 |
| Other ¹ | 3,723 | 1,280 | 34.4 | 2,443 | 65.6 |
| Hispanic ² | 3,117 | 1,068 | 34.3 | 2,049 | 65.7 |
| Fever | 3,734 | 1,899 | 50.9 | 1,835 | 49.1 |
| White | 1,292 | 665 | 51.5 | 627 | 48.5 |
| Black | 770 | 388 | 50.4 | 382 | 49.6 |
| Other ¹ | 1,672 | 846 | 50.6 | 826 | 49.4 |
| Hispanic ² | 1,530 | 756 | 49.4 | 774 | 50.6 |
| Headache | 4,007 | 1,338 | 33.4 | 2,669 | 66.6 |
| White | 1,554 | 561 | 36.1 | 993 | 63.9 |
| Black | 1,171 | 351 | 30.0 | 820 | 70.0 |
| Other ¹ | 1,282 | 426 | 33.2 | 856 | 66.8 |
| Hispanic ² | 1,106 | 358 | 32.4 | 748 | 67.6 |
| Blackout or Collapse | 3,724 | 1,543 | 41.4 | 2,181 | 58.6 |
| White | 2,303 | 995 | 43.2 | 1,308 | 56.8 |
| Black | 705 | 275 | 39.0 | 430 | 61.0 |
| Other ¹ | 716 | 273 | 38.1 | 443 | 61.9 |
| Hispanic ² | 453 | 151 | 33.3 | 302 | 66.7 |
| Other General Symptoms | 8,538 | 3,895 | 45.6 | 4,643 | 54.4 |
| White | 4,409 | 2,064 | 46.8 | 2,345 | 53.2 |
| Black | 2,021 | 866 | 42.9 | 1,155 | 57.1 |
| Other ¹ | 2,108 | 965 | 45.8 | 1,143 | 54.2 |
| Hispanic ² | 1,617 | 688 | 42.5 | 929 | 57.5 |

¹ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories. Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2015.

Table 31. Number of Emergency Room Visits Due to General Symptoms by Sex and Race/Ethnicity, Westchester County Residents, 2016

| | T 1 | Male | ! | Femal | le |
|------------------------|--------|--------|------|--------|------|
| | Total | Number | % | Number | % |
| Total | 32,796 | 13,309 | 40.6 | 19,487 | 59.4 |
| Abdominal Pain | 11,715 | 4,079 | 34.8 | 7,636 | 65.2 |
| White | 4,370 | 1,578 | 36.1 | 2,792 | 63.9 |
| Black | 2,750 | 853 | 31.0 | 1,897 | 69.0 |
| Other ¹ | 4,595 | 1,648 | 35.9 | 2,947 | 64.1 |
| Hispanic ² | 1,794 | 561 | 31.3 | 1,233 | 68.7 |
| Fever | 2,924 | 1,499 | 51.3 | 1,425 | 48.7 |
| White | 986 | 527 | 53.4 | 459 | 46.6 |
| Black | 533 | 251 | 47.1 | 282 | 52.9 |
| Other ¹ | 1,405 | 721 | 51.3 | 684 | 48.7 |
| Hispanic ² | 635 | 339 | 53.4 | 296 | 46.6 |
| Headache | 4,251 | 1,482 | 34.9 | 2,769 | 65.1 |
| White | 1,289 | 464 | 36.0 | 825 | 64.0 |
| Black | 1,290 | 421 | 32.6 | 869 | 67.4 |
| Other ¹ | 1,672 | 597 | 35.7 | 1,075 | 64.3 |
| Hispanic ² | 665 | 246 | 37.0 | 419 | 63.0 |
| Blackout or Collapse | 3,550 | 1,469 | 41.4 | 2,081 | 58.6 |
| White | 1,701 | 730 | 42.9 | 971 | 57.1 |
| Black | 732 | 311 | 42.5 | 421 | 57.5 |
| Other ¹ | 1,117 | 428 | 38.3 | 689 | 61.7 |
| Hispanic ² | 343 | 130 | 37.9 | 213 | 62.1 |
| Other General Symptoms | 10,356 | 4,780 | 46.2 | 5,576 | 53.8 |
| White | 4,378 | 2,080 | 47.5 | 2,298 | 52.5 |
| Black | 2,578 | 1,115 | 43.3 | 1,463 | 56.7 |
| Other ¹ | 3,400 | 1,585 | 46.6 | 1,815 | 53.4 |
| Hispanic ² | 1,091 | 495 | 45.4 | 596 | 54.6 |

¹ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Multi-Race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories. Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2018.

Table 32. Number of Emergency Room Visits Due to General Symptoms by Age and Race/Ethnicity, Westchester County Residents, 2012

| | Т. 41 | Whit | е | Blac | k | Othe | r ¹ | Hispan | ic ² |
|----------------|--------|--------|------|--------|-------|--------|----------------|--------|-----------------|
| | Total | Number | % | Number | % | Number | % | Number | ************ |
| Total | 30,948 | 14,299 | 46.2 | 7,148 | 23.1 | 9,501 | 30.7 | 7,823 | 25.3 |
| Abdominal Pain | 10,945 | 4,741 | 43.3 | 2,481 | 22.7 | 3,723 | 34.0 | 3,117 | 28.5 |
| Less than 1 | 18 | 4 | 22.2 | 5 | 27.8 | 9 | 50.0 | 6 | 33.3 |
| 1-4 | 218 | 77 | 35.3 | 40 | 18.3 | 101 | 46.3 | 95 | 43.6 |
| 5-9 | 648 | 268 | 41.4 | 100 | 15.4 | 280 | 43.2 | 264 | 40.7 |
| 10-14 | 616 | 292 | 47.4 | 97 | 15.7 | 227 | 36.9 | 211 | 34.3 |
| 15-17 | 434 | 182 | 41.9 | 83 | 19.1 | 169 | 38.9 | 147 | 33.9 |
| 18-24 | 1,502 | 520 | 34.6 | 438 | 29.2 | 544 | 36.2 | 479 | 31.9 |
| 25-44 | 3,611 | 1,349 | 37.4 | 873 | 24.2 | 1,389 | 38.5 | 1,143 | 31.7 |
| 45-64 | 2,605 | 1,225 | 47.0 | 617 | 23.7 | 763 | 29.3 | 603 | 23.1 |
| 65-74 | 643 | 346 | 53.8 | 152 | 23.6 | 145 | 22.6 | 98 | 15.2 |
| 75 and Older | 650 | 478 | 73.5 | 76 | 11.7 | 96 | 14.8 | 71 | 10.9 |
| Fever | 3,734 | 1,292 | 34.6 | 770 | 20.6 | 1,672 | 44.8 | 1,530 | 41.0 |
| Less than 1 | 733 | 172 | 23.5 | 133 | 18.1 | 428 | 58.4 | 395 | 53.9 |
| 1-4 | 1,420 | 362 | 25.5 | 336 | 23.7 | 722 | 50.8 | 697 | 49.1 |
| 5-9 | 409 | 126 | 30.8 | 88 | 21.5 | 195 | 47.7 | 185 | 45.2 |
| 10-14 | 143 | 49 | 34.3 | 28 | 19.6 | 66 | 46.2 | 53 | 37.1 |
| 15-17 | 59 | 22 | 37.3 | 20 | 33.9 | 17 | 28.8 | 16 | 27.1 |
| 18-24 | 143 | 65 | 45.5 | 35 | 24.5 | 43 | 30.1 | 36 | 25.2 |
| 25-44 | 264 | 115 | 43.6 | 53 | 20.1 | 96 | 36.4 | 78 | 29.5 |
| 45-64 | 320 | 207 | 64.7 | 48 | 15.0 | 65 | 20.3 | 49 | 15.3 |
| 65-74 | 96 | 63 | 65.6 | 14 | 14.6 | 19 | 19.8 | 13 | 13.5 |
| 75 and Older | 147 | 111 | 75.5 | 15 | 10.2 | 21 | 14.3 | 8 | 5.4 |
| Headache | 4,007 | 1,554 | 38.8 | 1,171 | 29.2 | 1,282 | 32.0 | 1,106 | 27.6 |
| Less than 1 | 2 | 0 | 0.0 | 2 | 100.0 | 0 | 0.0 | 0 | 0.0 |
| 1-4 | 31 | 7 | 22.6 | 8 | 25.8 | 16 | 51.6 | 17 | 54.8 |
| 5-9 | 142 | 54 | 38.0 | 33 | 23.2 | 55 | 38.7 | 58 | 40.8 |
| 10-14 | 174 | 64 | 36.8 | 38 | 21.8 | 72 | 41.4 | 65 | 37.4 |
| 15-17 | 185 | 76 | 41.1 | 53 | 28.6 | 56 | 30.3 | 47 | 25.4 |
| 18-24 | 508 | 172 | 33.9 | 164 | 32.3 | 172 | 33.9 | 151 | 29.7 |
| 25-44 | 1,418 | 506 | 35.7 | 417 | 29.4 | 495 | 34.9 | 428 | 30.2 |
| 45-64 | 1,125 | 440 | 39.1 | 369 | 32.8 | 316 | 28.1 | 267 | 23.7 |
| 65-74 | 213 | 104 | 48.8 | 47 | 22.1 | 62 | 29.1 | 42 | 19.7 |
| 75 and Older | 209 | 131 | 62.7 | 40 | 19.1 | 38 | 18.2 | 31 | 14.8 |

Table 32. Number of Emergency Room Visits Due to General Symptoms by Age and Race/Ethnicity, Westchester County Residents, 2012 (continued)

| | Т-4-1 | Whit | e | Blac | k | Othe | r ¹ | Hispan | ic ² |
|------------------------|-------|--------|------|--------|------|--------|----------------|--------|-----------------|
| | Total | Number | % | Number | % | Number | % | Number | % |
| Blackout or Collapse | 3,724 | 2,303 | 61.8 | 705 | 18.9 | 716 | 19.2 | 453 | 12.2 |
| Less than 1 | 2 | 0 | 0.0 | 1 | 50.0 | 1 | 50.0 | 1 | 50.0 |
| 1-4 | 9 | 6 | 66.7 | 0 | 0.0 | 3 | 33.3 | 3 | 33.3 |
| 5-9 | 50 | 26 | 52.0 | 9 | 18.0 | 15 | 30.0 | 13 | 26.0 |
| 10-14 | 153 | 82 | 53.6 | 29 | 19.0 | 42 | 27.5 | 35 | 22.9 |
| 15-17 | 152 | 82 | 53.9 | 29 | 19.1 | 41 | 27.0 | 30 | 19.7 |
| 18-24 | 276 | 151 | 54.7 | 57 | 20.7 | 68 | 24.6 | 64 | 23.2 |
| 25-44 | 588 | 276 | 46.9 | 129 | 21.9 | 183 | 31.1 | 115 | 19.6 |
| 45-64 | 892 | 531 | 59.5 | 183 | 20.5 | 178 | 20.0 | 96 | 10.8 |
| 65-74 | 446 | 275 | 61.7 | 101 | 22.6 | 70 | 15.7 | 27 | 6.1 |
| 75 and Older | 1,156 | 874 | 75.6 | 167 | 14.4 | 115 | 9.9 | 69 | 6.0 |
| Other General Symptoms | 8,538 | 4,409 | 51.6 | 2,021 | 23.7 | 2,108 | 24.7 | 1,617 | 18.9 |
| Less than 1 | 271 | 100 | 36.9 | 43 | 15.9 | 128 | 47.2 | 123 | 45.4 |
| 1-4 | 431 | 149 | 34.6 | 89 | 20.6 | 193 | 44.8 | 149 | 34.6 |
| 5-9 | 211 | 75 | 35.5 | 47 | 22.3 | 89 | 42.2 | 85 | 40.3 |
| 10-14 | 202 | 80 | 39.6 | 56 | 27.7 | 66 | 32.7 | 63 | 31.2 |
| 15-17 | 165 | 72 | 43.6 | 43 | 26.1 | 50 | 30.3 | 42 | 25.5 |
| 18-24 | 536 | 200 | 37.3 | 164 | 30.6 | 172 | 32.1 | 124 | 23.1 |
| 25-44 | 1,606 | 613 | 38.2 | 475 | 29.6 | 518 | 32.3 | 412 | 25.7 |
| 45-64 | 2,298 | 1,114 | 48.5 | 664 | 28.9 | 520 | 22.6 | 379 | 16.5 |
| 65-74 | 982 | 605 | 61.6 | 216 | 22.0 | 161 | 16.4 | 119 | 12.1 |
| 75 and Older | 1,836 | 1,401 | 76.3 | 224 | 12.2 | 211 | 11.5 | 121 | 6.6 |

¹ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

 $^{^2}$ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2015.

Table 32. Number of Emergency Room Visits Due to General Symptoms by Age and Race/Ethnicity, Westchester County Residents, 2016

| | 77 - 4 - 1 | Whit | :e | Blac | k | Othe | r ¹ | Hispan | ic ² |
|----------------|------------|--------|------|--------|------|--------|----------------|--------|-----------------|
| | Total | Number | % | Number | % | Number | % | Number | % |
| Total | 32,796 | 12,724 | 38.8 | 7,883 | 24.0 | 12,189 | 37.2 | 4,528 | 13.8 |
| Abdominal Pain | 11,715 | 4,370 | 37.3 | 2,750 | 23.5 | 4,595 | 39.2 | 1,794 | 15.3 |
| Less than 1 | 80 | 20 | 25.0 | 19 | 23.8 | 41 | 51.3 | 28 | 35.0 |
| 1-4 | 161 | 59 | 36.6 | 26 | 16.1 | 76 | 47.2 | 33 | 20.5 |
| 5-9 | 582 | 210 | 36.1 | 122 | 21.0 | 250 | 43.0 | 103 | 17.7 |
| 10-14 | 602 | 227 | 37.7 | 81 | 13.5 | 294 | 48.8 | 116 | 19.3 |
| 15-17 | 475 | 173 | 36.4 | 87 | 18.3 | 215 | 45.3 | 69 | 14.5 |
| 18-24 | 1,464 | 506 | 34.6 | 436 | 29.8 | 522 | 35.7 | 259 | 17.7 |
| 25-44 | 3,860 | 1,263 | 32.7 | 967 | 25.1 | 1,630 | 42.2 | 683 | 17.7 |
| 45-64 | 3,002 | 1,157 | 38.5 | 741 | 24.7 | 1,104 | 36.8 | 377 | 12.6 |
| 65-74 | 755 | 334 | 44.2 | 165 | 21.9 | 256 | 33.9 | 76 | 10.1 |
| 75 and Older | 734 | 421 | 57.4 | 106 | 14.4 | 207 | 28.2 | 50 | 6.8 |
| Fever | 2,924 | 986 | 33.7 | 533 | 18.2 | 1,405 | 48.1 | 635 | 21.7 |
| Less than 1 | 537 | 146 | 27.2 | 110 | 20.5 | 281 | 52.3 | 144 | 26.8 |
| 1-4 | 974 | 260 | 26.7 | 199 | 20.4 | 515 | 52.9 | 268 | 27.5 |
| 5-9 | 388 | 122 | 31.4 | 75 | 19.3 | 191 | 49.2 | 107 | 27.6 |
| 10-14 | 110 | 34 | 30.9 | 19 | 17.3 | 57 | 51.8 | 24 | 21.8 |
| 15-17 | 52 | 21 | 40.4 | 10 | 19.2 | 21 | 40.4 | 9 | 17.3 |
| 18-24 | 86 | 32 | 37.2 | 21 | 24.4 | 33 | 38.4 | 13 | 15.1 |
| 25-44 | 249 | 92 | 36.9 | 41 | 16.5 | 116 | 46.6 | 33 | 13.3 |
| 45-64 | 297 | 133 | 44.8 | 45 | 15.2 | 119 | 40.1 | 25 | 8.4 |
| 65-74 | 124 | 76 | 61.3 | 8 | 6.5 | 40 | 32.3 | 6 | 4.8 |
| 75 and Older | 107 | 70 | 65.4 | 5 | 4.7 | 32 | 29.9 | 6 | 5.6 |
| Headache | 4,251 | 1,289 | 30.3 | 1,290 | 30.3 | 1,672 | 39.3 | 665 | 15.6 |
| Less than 1 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 1-4 | 24 | 8 | 33.3 | 5 | 20.8 | 11 | 45.8 | 2 | 8.3 |
| 5-9 | 136 | 42 | 30.9 | 38 | 27.9 | 56 | 41.2 | 27 | 19.9 |
| 10-14 | 200 | 75 | 37.5 | 42 | 21.0 | 83 | 41.5 | 39 | 19.5 |
| 15-17 | 173 | 60 | 34.7 | 42 | 24.3 | 71 | 41.0 | 25 | 14.5 |
| 18-24 | 549 | 158 | 28.8 | 172 | 31.3 | 219 | 39.9 | 82 | 14.9 |
| 25-44 | 1,499 | 370 | 24.7 | 474 | 31.6 | 655 | 43.7 | 272 | 18.1 |
| 45-64 | 1,221 | 372 | 30.5 | 415 | 34.0 | 434 | 35.5 | 174 | 14.3 |
| 65-74 | 205 | 84 | 41.0 | 51 | 24.9 | 70 | 34.1 | 33 | 16.1 |
| 75 and Older | 244 | 120 | 49.2 | 51 | 20.9 | 73 | 29.9 | 11 | 4.5 |

Table 32. Number of Emergency Room Visits Due to General Symptoms by Age and Race/Ethnicity, Westchester County Residents, 2016 (continued)

| | Т-4-1 | Whit | e | Blac | k | Othe | r ¹ | Hispan | ic ² |
|------------------------|--------|--------|-------|--------|------|--------|----------------|--------|-----------------|
| | Total | Number | % | Number | % | Number | % | Number | % |
| Blackout or Collapse | 3,550 | 1,701 | 47.9 | 732 | 20.6 | 1,117 | 31.5 | 343 | 9.7 |
| Less than 1 | 2 | 2 | 100.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 1-4 | 10 | 3 | 30.0 | 0 | 0.0 | 7 | 70.0 | 4 | 40.0 |
| 5-9 | 42 | 21 | 50.0 | 8 | 19.0 | 13 | 31.0 | 2 | 4.8 |
| 10-14 | 182 | 79 | 43.4 | 30 | 16.5 | 73 | 40.1 | 23 | 12.6 |
| 15-17 | 183 | 68 | 37.2 | 43 | 23.5 | 72 | 39.3 | 27 | 14.8 |
| 18-24 | 346 | 134 | 38.7 | 75 | 21.7 | 137 | 39.6 | 48 | 13.9 |
| 25-44 | 617 | 247 | 40.0 | 139 | 22.5 | 231 | 37.4 | 80 | 13.0 |
| 45-64 | 879 | 402 | 45.7 | 213 | 24.2 | 264 | 30.0 | 86 | 9.8 |
| 65-74 | 465 | 238 | 51.2 | 92 | 19.8 | 135 | 29.0 | 31 | 6.7 |
| 75 and Older | 824 | 507 | 61.5 | 132 | 16.0 | 185 | 22.5 | 42 | 5.1 |
| Other General Symptoms | 10,356 | 4,378 | 42.3 | 2,578 | 24.9 | 3,400 | 32.8 | 1,091 | 10.5 |
| Less than 1 | 176 | 55 | 31.3 | 40 | 22.7 | 81 | 46.0 | 32 | 18.2 |
| 1-4 | 425 | 142 | 33.4 | 90 | 21.2 | 193 | 45.4 | 66 | 15.5 |
| 5-9 | 217 | 62 | 28.6 | 53 | 24.4 | 102 | 47.0 | 41 | 18.9 |
| 10-14 | 258 | 80 | 31.0 | 61 | 23.6 | 117 | 45.3 | 42 | 16.3 |
| 15-17 | 233 | 71 | 30.5 | 58 | 24.9 | 104 | 44.6 | 38 | 16.3 |
| 18-24 | 588 | 202 | 34.4 | 150 | 25.5 | 236 | 40.1 | 82 | 13.9 |
| 25-44 | 1,933 | 599 | 31.0 | 631 | 32.6 | 703 | 36.4 | 275 | 14.2 |
| 45-64 | 2,792 | 1,105 | 39.6 | 823 | 29.5 | 864 | 30.9 | 296 | 10.6 |
| 65-74 | 1,328 | 644 | 48.5 | 304 | 22.9 | 380 | 28.6 | 109 | 8.2 |
| 75 and Older | 2,406 | 1,418 | 58.9 | 368 | 15.3 | 620 | 25.8 | 110 | 4.6 |

¹ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Multi-Race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 33. Number of Emergency Room Visits Due to Diseases of the Digestive System by Sex, Age and Race/Ethnicity, Westchester County Residents, 2012

| | Total | Less than 1 | 1-4 | 5-9 | 10-14 | 15-17 | 18-24 | 25-44 | 45-64 | 65-74 | 75+ |
|-----------------------|--------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Total | 27,479 | 783 | 1,684 | 1,206 | 889 | 620 | 2,730 | 6,823 | 6,558 | 2,345 | 3,841 |
| White | 13,038 | 213 | 445 | 382 | 342 | 260 | 981 | 2,662 | 3,364 | 1,442 | 2,947 |
| Black | 6,469 | 168 | 367 | 259 | 197 | 143 | 846 | 1,914 | 1,599 | 499 | 477 |
| Other ¹ | 7,972 | 402 | 872 | 565 | 350 | 217 | 903 | 2,247 | 1,595 | 404 | 417 |
| Hispanic ² | 6,888 | 358 | 846 | 533 | 331 | 209 | 806 | 1,938 | 1,305 | 304 | 258 |
| Male | 12,148 | 425 | 899 | 624 | 476 | 274 | 1,081 | 2,986 | 2,882 | 1,062 | 1,439 |
| White | 5,939 | 111 | 250 | 201 | 187 | 116 | 443 | 1,202 | 1,545 | 706 | 1,178 |
| Black | 2,682 | 93 | 204 | 130 | 101 | 51 | 304 | 832 | 652 | 202 | 113 |
| Other ¹ | 3,527 | 221 | 445 | 293 | 188 | 107 | 334 | 952 | 685 | 154 | 148 |
| Hispanic ² | 3,032 | 190 | 441 | 273 | 176 | 98 | 299 | 805 | 569 | 96 | 85 |
| Female | 15,331 | 358 | 785 | 582 | 413 | 346 | 1,649 | 3,837 | 3,676 | 1,283 | 2,402 |
| White | 7,099 | 102 | 195 | 181 | 155 | 144 | 538 | 1,460 | 1,819 | 736 | 1,769 |
| Black | 3,787 | 75 | 163 | 129 | 96 | 92 | 542 | 1,082 | 947 | 297 | 364 |
| Other ¹ | 4,445 | 181 | 427 | 272 | 162 | 110 | 569 | 1,295 | 910 | 250 | 269 |
| Hispanic ² | 3,856 | 168 | 405 | 260 | 155 | 111 | 507 | 1,133 | 736 | 208 | 173 |

¹ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 33. Number of Emergency Room Visits Due to Diseases of the Digestive System by Sex, Age and Race/Ethnicity, Westchester County Residents, 2016

| | Total | Less than 1 | 1-4 | 5-9 | 10-14 | 15-17 | 18-24 | 25-44 | 45-64 | 65-74 | 75+ |
|-----------------------|--------|-------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Total | 30,345 | 695 | 1,719 | 1,603 | 1,056 | 768 | 2,942 | 7,648 | 7,332 | 2,660 | 3,922 |
| White | 12,111 | 190 | 452 | 474 | 358 | 242 | 974 | 2,560 | 3,148 | 1,316 | 2,397 |
| Black | 7,278 | 159 | 399 | 355 | 193 | 158 | 929 | 2,203 | 1,858 | 531 | 493 |
| Other ¹ | 10,956 | 346 | 868 | 774 | 505 | 368 | 1,039 | 2,885 | 2,326 | 813 | 1,032 |
| Hispanic ² | 4,864 | 180 | 428 | 390 | 231 | 161 | 560 | 1,448 | 998 | 247 | 221 |
| Male | 13,685 | 380 | 928 | 769 | 632 | 309 | 1,227 | 3,443 | 3,304 | 1,152 | 1,541 |
| White | 5,499 | 109 | 240 | 259 | 197 | 104 | 402 | 1,179 | 1,470 | 591 | 948 |
| Black | 3,099 | 78 | 216 | 103 | 185 | 56 | 374 | 926 | 781 | 198 | 182 |
| Other ¹ | 5,087 | 193 | 472 | 407 | 250 | 149 | 451 | 1,338 | 1,053 | 363 | 411 |
| Hispanic ² | 2,206 | 99 | 235 | 216 | 122 | 63 | 224 | 657 | 398 | 102 | 90 |
| Female | 16,660 | 315 | 791 | 752 | 506 | 459 | 1,715 | 4,205 | 4,028 | 1,508 | 2,381 |
| White | 6,612 | 81 | 212 | 215 | 161 | 138 | 572 | 1,381 | 1,678 | 725 | 1,449 |
| Black | 4,179 | 81 | 183 | 170 | 90 | 102 | 555 | 1,277 | 1,077 | 333 | 311 |
| Other ¹ | 5,869 | 153 | 396 | 367 | 255 | 219 | 588 | 1,547 | 1,273 | 450 | 621 |
| Hispanic ² | 2,658 | 81 | 193 | 174 | 109 | 98 | 336 | 791 | 600 | 145 | 131 |

¹ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Multi-Race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 34. Number of Emergency Room Visits Due to Diseases of the Digestive System by Sex and Age, Westchester County Residents, 2016

| | Tota | al | Ma | le | Fem | ale |
|-----------------------------------|--------|-------|--------|-------|--------|-------|
| | Number | % | Number | % | Number | % |
| Total | 30,345 | | 13,685 | | 16,660 | |
| Noninfectious Enteritis & Colitis | 5,184 | 100.0 | 2,221 | 100.0 | 2,963 | 100.0 |
| Less than 1 | 111 | 2.1 | 65 | 2.9 | 46 | 1.6 |
| 1-4 | 487 | 9.4 | 273 | 12.3 | 214 | 7.2 |
| 5-9 | 468 | 9.0 | 262 | 11.8 | 206 | 7.0 |
| 10-14 | 285 | 5.5 | 150 | 6.8 | 135 | 4.6 |
| 15-17 | 198 | 3.8 | 80 | 3.6 | 118 | 4.0 |
| 18-24 | 717 | 13.8 | 296 | 13.3 | 421 | 14.2 |
| 25-44 | 1,431 | 27.6 | 598 | 26.9 | 833 | 28.1 |
| 45-64 | 969 | 18.7 | 342 | 15.4 | 627 | 21.2 |
| 65-74 | 254 | 4.9 | 84 | 3.8 | 170 | 5.7 |
| 75 and Older | 264 | 5.1 | 71 | 3.2 | 193 | 6.5 |
| Nausea, Vomiting, & Diarrhea | 4,580 | 100.0 | 1,874 | 100.0 | 2,706 | 100.0 |
| Less than 1 | 257 | 5.6 | 146 | 7.8 | 111 | 4.1 |
| 1-4 | 696 | 15.2 | 375 | 20.0 | 321 | 11.9 |
| 5-9 | 406 | 8.9 | 204 | 10.9 | 202 | 7.5 |
| 10-14 | 192 | 4.2 | 100 | 5.3 | 92 | 3.4 |
| 15-17 | 122 | 2.7 | 50 | 2.7 | 72 | 2.7 |
| 18-24 | 531 | 11.6 | 194 | 10.4 | 337 | 12.5 |
| 25-44 | 985 | 21.5 | 363 | 19.4 | 622 | 23.0 |
| 45-64 | 779 | 17.0 | 272 | 14.5 | 507 | 18.7 |
| 65-74 | 259 | 5.7 | 71 | 3.8 | 188 | 6.9 |
| 75 and Older | 353 | 7.7 | 99 | 5.3 | 254 | 9.4 |
| Diseases of the Oral Cavity | 3,164 | 100.0 | 1,578 | 100.0 | 1,586 | 100.0 |
| Less than 1 | 34 | 1.1 | 22 | 1.4 | 12 | 0.8 |
| 1-4 | 133 | 4.2 | 73 | 4.6 | 60 | 3.8 |
| 5-9 | 142 | 4.5 | 86 | 5.4 | 56 | 3.5 |
| 10-14 | 77 | 2.4 | 44 | 2.8 | 33 | 2.1 |
| 15-17 | 73 | 2.3 | 32 | 2.0 | 41 | 2.6 |
| 18-24 | 437 | 13.8 | 189 | 12.0 | 248 | 15.6 |
| 25-44 | 1,358 | 42.9 | 714 | 45.2 | 644 | 40.6 |
| 45-64 | 689 | 21.8 | 322 | 20.4 | 367 | 23.1 |
| 65-74 | 123 | 3.9 | 62 | 3.9 | 61 | 3.8 |
| 75 and Older | 98 | 3.1 | 34 | 2.2 | 64 | 4.0 |

Table 34. Number of Emergency Room Visits Due to Diseases of the Digestive System by Sex and Age, Westchester County Residents, 2016 (continued)

| | Tota | al | Ma | le | Fem | ale |
|--|--------|-------|--------|-------|--------|-------|
| | Number | % | Number | % | Number | % |
| Other Diseases of the Digestive System | 17,417 | 100.0 | 8,012 | 100.0 | 9,405 | 100.0 |
| Less than 1 | 293 | 1.7 | 147 | 1.8 | 146 | 1.6 |
| 1-4 | 403 | 2.3 | 207 | 2.6 | 196 | 2.1 |
| 5-9 | 587 | 3.4 | 299 | 3.7 | 288 | 3.1 |
| 10-14 | 502 | 2.9 | 256 | 3.2 | 246 | 2.6 |
| 15-17 | 375 | 2.2 | 147 | 1.8 | 228 | 2.4 |
| 18-24 | 1,257 | 7.2 | 548 | 6.8 | 709 | 7.5 |
| 25-44 | 3,874 | 22.2 | 1,768 | 22.1 | 2,106 | 22.4 |
| 45-64 | 4,895 | 28.1 | 2,368 | 29.6 | 2,527 | 26.9 |
| 65-74 | 2,024 | 11.6 | 935 | 11.7 | 1,089 | 11.6 |
| 75 and Older | 3,207 | 18.4 | 1,337 | 16.7 | 1,870 | 19.9 |

Table 35. Number of Emergency Room Visits Due to Diseases of the Digestive System by Sex and Race/Ethnicity, Westchester County Residents, 2012

| | | Mal | e | Fema | le |
|--|--------|--------|------|--------|------|
| | 10ta1 | Number | % | Number | % |
| Total | 27,479 | 12,148 | 44.2 | 15,331 | 55.8 |
| Noninfectious Enteritis & Colitis | 4,508 | 1,840 | 40.8 | 2,668 | 59.2 |
| White | 1,981 | 804 | 40.6 | 1,177 | 59.4 |
| Black | 1,084 | 436 | 40.2 | 648 | 59.8 |
| Other ¹ | 1,443 | 600 | 41.6 | 843 | 58.4 |
| Hispanic ² | 1,298 | 571 | 44.0 | 727 | 56.0 |
| Nausea, Vomiting, & Diarrhea | 4,246 | 1,757 | 41.4 | 2,489 | 58.6 |
| White | 1,698 | 684 | 40.3 | 1,014 | 59.7 |
| Black | 995 | 396 | 39.8 | 599 | 60.2 |
| Other ¹ | 1,553 | 677 | 43.6 | 876 | 56.4 |
| Hispanic ² | 1,298 | 568 | 43.8 | 730 | 56.2 |
| Diseases of the Oral Cavity | 3,310 | 1,653 | 49.9 | 1,657 | 50.1 |
| White | 1,169 | 586 | 50.1 | 583 | 49.9 |
| Black | 1,214 | 614 | 50.6 | 600 | 49.4 |
| Other ¹ | 927 | 453 | 48.9 | 474 | 51.1 |
| Hispanic ² | 756 | 346 | 45.8 | 410 | 54.2 |
| Other Diseases of the Digestive System | 15,415 | 6,898 | 44.7 | 8,517 | 55.3 |
| White | 8,190 | 3,865 | 47.2 | 4,325 | 52.8 |
| Black | 3,176 | 1,236 | 38.9 | 1,940 | 61.1 |
| Other ¹ | 4,049 | 1,797 | 44.4 | 2,252 | 55.6 |
| Hispanic ² | 3,536 | 1,547 | 43.8 | 1,989 | 56.3 |

 $^{^1}$ Includes native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories. Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2015.

Table 35. Number of Emergency Room Visits Due to Diseases of the Digestive System by Sex and Race/Ethnicity, Westchester County Residents, 2016

| | T 1 | Mal | e | Fema | le |
|--|--------|--------|------|--------|------|
| | Total | Number | % | Number | % |
| Total | 30,345 | 13,685 | 45.1 | 16,660 | 54.9 |
| Noninfectious Enteritis & Colitis | 5,184 | 2,221 | 42.8 | 2,963 | 57.2 |
| White | 1,916 | 804 | 42.0 | 1,112 | 58.0 |
| Black | 1,286 | 522 | 40.6 | 764 | 59.4 |
| Other ¹ | 1,982 | 895 | 45.2 | 1,087 | 54.8 |
| Hispanic ² | 993 | 427 | 43.0 | 566 | 57.0 |
| Nausea, Vomiting, & Diarrhea | 4,580 | 1,874 | 40.9 | 2,706 | 59.1 |
| White | 1,697 | 646 | 38.1 | 1,051 | 61.9 |
| Black | 1,086 | 438 | 40.3 | 648 | 59.7 |
| Other ¹ | 1,797 | 790 | 44.0 | 1,007 | 56.0 |
| Hispanic ² | 770 | 363 | 47.1 | 407 | 52.9 |
| Diseases of the Oral Cavity | 3,164 | 1,578 | 49.9 | 1,586 | 50.1 |
| White | 962 | 508 | 52.8 | 454 | 47.2 |
| Black | 1,251 | 589 | 47.1 | 662 | 52.9 |
| Other ¹ | 951 | 481 | 50.6 | 470 | 49.4 |
| Hispanic ² | 435 | 224 | 51.5 | 211 | 48.5 |
| Other Diseases of the Digestive System | 17,417 | 8,012 | 46.0 | 9,405 | 54.0 |
| White | 7,536 | 3,541 | 47.0 | 3,995 | 53.0 |
| Black | 3,655 | 1,550 | 42.4 | 2,105 | 57.6 |
| Other ¹ | 6,226 | 2,921 | 46.9 | 3,305 | 53.1 |
| Hispanic ² | 2,666 | 1,192 | 44.7 | 1,474 | 55.3 |

¹ Includes native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Multi-Race.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories. Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of march 2018.

Table 36. Number of Emergency Room Visits Due to Diseases of the Digestive System by Age and Race/Ethnicity, Westchester County Residents, 2012

| | Т-4-1 | Whi | te | Blac | ck | Othe | er ¹ | Hispa | nic ² |
|-----------------------------------|--------|--------|------|--------|------|--------|-----------------|--------|------------------|
| | Total | Number | % | Number | % | Number | % | Number | % |
| Total | 27,479 | 13,038 | 47.4 | 6,469 | 23.5 | 7,972 | 29.0 | 6,888 | 25.1 |
| Noninfectious Enteritis & Colitis | 4,508 | 1,981 | 43.9 | 1,084 | 24.0 | 1,443 | 32.0 | 1,298 | 28.8 |
| Less than 1 | 124 | 36 | 29.0 | 22 | 17.7 | 66 | 53.2 | 61 | 49.2 |
| 1-4 | 471 | 141 | 29.9 | 105 | 22.3 | 225 | 47.8 | 248 | 52.7 |
| 5-9 | 337 | 101 | 30.0 | 80 | 23.7 | 156 | 46.3 | 152 | 45.1 |
| 10-14 | 217 | 74 | 34.1 | 52 | 24.0 | 91 | 41.9 | 86 | 39.6 |
| 15-17 | 160 | 74 | 46.3 | 37 | 23.1 | 49 | 30.6 | 50 | 31.3 |
| 18-24 | 598 | 242 | 40.5 | 173 | 28.9 | 183 | 30.6 | 169 | 28.3 |
| 25-44 | 1,177 | 485 | 41.2 | 318 | 27.0 | 374 | 31.8 | 305 | 25.9 |
| 45-64 | 828 | 411 | 49.6 | 213 | 25.7 | 204 | 24.6 | 163 | 19.7 |
| 65-74 | 260 | 168 | 64.6 | 45 | 17.3 | 47 | 18.1 | 35 | 13.5 |
| 75 and Older | 336 | 249 | 74.1 | 39 | 11.6 | 48 | 14.3 | 29 | 8.6 |
| Nausea, Vomiting, & Diarrhea | 4,246 | 1,698 | 40.0 | 995 | 23.4 | 1,553 | 36.6 | 1,298 | 30.6 |
| Less than 1 | 322 | 76 | 23.6 | 68 | 21.1 | 178 | 55.3 | 157 | 48.8 |
| 1-4 | 745 | 152 | 20.4 | 160 | 21.5 | 433 | 58.1 | 392 | 52.6 |
| 5-9 | 367 | 99 | 27.0 | 88 | 24.0 | 180 | 49.0 | 157 | 42.8 |
| 10-14 | 155 | 49 | 31.6 | 37 | 23.9 | 69 | 44.5 | 59 | 38.1 |
| 15-17 | 106 | 40 | 37.7 | 24 | 24.0 | 42 | 39.6 | 32 | 30.2 |
| 18-24 | 441 | 177 | 40.1 | 135 | 30.6 | 129 | 29.3 | 117 | 26.5 |
| 25-44 | 835 | 329 | 39.4 | 241 | 28.9 | 265 | 31.7 | 204 | 24.4 |
| 45-64 | 677 | 356 | 52.6 | 150 | 22.2 | 171 | 25.3 | 119 | 17.6 |
| 65-74 | 248 | 156 | 62.9 | 45 | 18.1 | 47 | 19.0 | 33 | 13.3 |
| 75 and Older | 350 | 264 | 75.4 | 47 | 13.4 | 39 | 11.1 | 28 | 8.0 |

Table 36. Number of Emergency Room Visits Due to Diseases of the Digestive System by Age and Race/Ethnicity, Westchester County Residents, 2012 (continued)

| | Т-4-1 | Whi | te | Blac | :k | Othe | r ¹ | Hispai | nic ² |
|---------------------------------|--------|--------|------|--------|------|--------|----------------|--------|------------------|
| | Total | Number | % | Number | % | Number | % | Number | % |
| Diseases of the Oral Cavity | 3,310 | 1,169 | 35.3 | 1,214 | 36.7 | 927 | 28.0 | 756 | 22.8 |
| Less than 1 | 26 | 9 | 34.6 | 5 | 19.2 | 12 | 46.2 | 8 | 30.8 |
| 1-4 | 123 | 30 | 24.4 | 27 | 22.0 | 66 | 53.7 | 67 | 54.5 |
| 5-9 | 127 | 32 | 25.2 | 29 | 22.8 | 66 | 52.0 | 51 | 40.2 |
| 10-14 | 74 | 19 | 25.7 | 23 | 31.1 | 32 | 43.2 | 26 | 35.1 |
| 15-17 | 66 | 21 | 31.8 | 22 | 33.3 | 23 | 34.8 | 17 | 25.8 |
| 18-24 | 599 | 175 | 29.2 | 262 | 43.7 | 162 | 27.0 | 134 | 22.4 |
| 25-44 | 1,445 | 476 | 32.9 | 590 | 40.8 | 379 | 26.2 | 298 | 20.6 |
| 45-64 | 658 | 288 | 43.8 | 218 | 33.1 | 152 | 23.1 | 122 | 18.5 |
| 65-74 | 106 | 55 | 51.9 | 27 | 25.5 | 24 | 22.6 | 21 | 19.8 |
| 75 and Older | 86 | 64 | 74.4 | 11 | 12.8 | 11 | 12.8 | 12 | 14.0 |
| Other Diseases of the Digestive | 15,415 | 8,190 | 53.1 | 3,176 | 20.6 | 4,049 | 26.3 | 3,536 | 22.9 |
| System | 15,415 | 8,190 | 33.1 | 3,176 | 20.6 | 4,049 | 20.3 | 3,330 | 22.9 |
| Less than 1 | 311 | 92 | 29.6 | 73 | 23.5 | 146 | 46.9 | 132 | 42.4 |
| 1-4 | 345 | 122 | 35.4 | 75 | 21.7 | 148 | 42.9 | 139 | 40.3 |
| 5-9 | 375 | 150 | 40.0 | 62 | 16.5 | 163 | 43.5 | 173 | 46.1 |
| 10-14 | 443 | 200 | 45.1 | 85 | 19.2 | 158 | 35.7 | 160 | 36.1 |
| 15-17 | 288 | 125 | 43.4 | 60 | 20.8 | 103 | 35.8 | 110 | 38.2 |
| 18-24 | 1,092 | 387 | 35.4 | 276 | 25.3 | 429 | 39.3 | 386 | 35.3 |
| 25-44 | 3,366 | 1,372 | 40.8 | 765 | 22.7 | 1,229 | 36.5 | 1,131 | 33.6 |
| 45-64 | 4,395 | 2,309 | 52.5 | 1,018 | 23.2 | 1,068 | 24.3 | 901 | 20.5 |
| 65-74 | 1,731 | 1,063 | 61.4 | 382 | 22.1 | 286 | 16.5 | 215 | 12.4 |
| 75 and Older | 3,069 | 2,370 | 77.2 | 380 | 12.4 | 319 | 10.4 | 189 | 6.2 |

 $^{^{1}}$ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2015.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 36. Number of Emergency Room Visits Due to Diseases of the Digestive System by Age and Race/Ethnicity, Westchester County Residents, 2016

| | Т-4-1 | Whi | te | Blac | ck | Othe | er ¹ | Hispanic ² | |
|-----------------------------------|--------|--------|------|--------|------|--------|-----------------|-----------------------|------|
| | Total | Number | % | Number | % | Number | % | Number | % |
| Total | 30,345 | 12,111 | 39.9 | 7,278 | 24.0 | 10,956 | 36.1 | 4,864 | 16.0 |
| Noninfectious Enteritis & Colitis | 5,184 | 1,916 | 37.0 | 1,286 | 24.8 | 1,982 | 38.2 | 993 | 19.2 |
| Less than 1 | 111 | 24 | 21.6 | 23 | 20.7 | 64 | 57.7 | 26 | 23.4 |
| 1-4 | 487 | 110 | 22.6 | 123 | 25.3 | 254 | 52.2 | 111 | 22.8 |
| 5-9 | 468 | 151 | 32.3 | 100 | 21.4 | 217 | 46.4 | 142 | 30.3 |
| 10-14 | 285 | 98 | 34.4 | 56 | 19.6 | 131 | 46.0 | 72 | 25.3 |
| 15-17 | 198 | 65 | 32.8 | 37 | 18.7 | 96 | 48.5 | 48 | 24.2 |
| 18-24 | 717 | 256 | 35.7 | 205 | 28.6 | 256 | 35.7 | 125 | 17.4 |
| 25-44 | 1,431 | 528 | 36.9 | 432 | 30.2 | 471 | 32.9 | 255 | 17.8 |
| 45-64 | 969 | 407 | 42.0 | 250 | 25.8 | 312 | 32.2 | 154 | 15.9 |
| 65-74 | 254 | 126 | 49.6 | 28 | 11.0 | 100 | 39.4 | 35 | 13.8 |
| 75 and Older | 264 | 151 | 57.2 | 32 | 12.1 | 81 | 30.7 | 25 | 9.5 |
| Nausea, Vomiting, & Diarrhea | 4,580 | 1,697 | 37.1 | 1,086 | 23.7 | 1,797 | 39.2 | 770 | 16.8 |
| Less than 1 | 257 | 74 | 28.8 | 53 | 20.6 | 130 | 50.6 | 77 | 30.0 |
| 1-4 | 696 | 179 | 25.7 | 157 | 22.6 | 360 | 51.7 | 193 | 27.7 |
| 5-9 | 406 | 116 | 28.6 | 107 | 26.4 | 183 | 45.1 | 92 | 22.7 |
| 10-14 | 192 | 66 | 34.4 | 40 | 20.8 | 86 | 44.8 | 46 | 24.0 |
| 15-17 | 122 | 41 | 33.6 | 25 | 20.5 | 56 | 45.9 | 20 | 16.4 |
| 18-24 | 531 | 187 | 35.2 | 158 | 29.8 | 186 | 35.0 | 78 | 14.7 |
| 25-44 | 985 | 338 | 34.3 | 287 | 29.1 | 360 | 36.5 | 135 | 13.7 |
| 45-64 | 779 | 344 | 44.2 | 174 | 22.3 | 261 | 33.5 | 90 | 11.6 |
| 65-74 | 259 | 128 | 49.4 | 48 | 18.5 | 83 | 32.0 | 24 | 9.3 |
| 75 and Older | 353 | 224 | 63.5 | 37 | 10.5 | 92 | 26.1 | 15 | 4.2 |

(continued)

Table 36. Number of Emergency Room Visits Due to Diseases of the Digestive System by Age and Race/Ethnicity, Westchester County Residents, 2016 (continued)

| | T-4-1 | Whi | te | Blac | k | Othe | r ¹ | Hispai | nic ² |
|---------------------------------|--------|--------|------|--------|------|--------|----------------|--------|------------------|
| | Total | Number | % | Number | % | Number | % | Number | % |
| Diseases of the Oral Cavity | 3,164 | 962 | 30.4 | 1,251 | 39.5 | 951 | 30.1 | 435 | 13.7 |
| Less than 1 | 34 | 15 | 44.1 | 7 | 20.6 | 12 | 35.3 | 14 | 41.2 |
| 1-4 | 133 | 29 | 21.8 | 37 | 27.8 | 67 | 50.4 | 39 | 29.3 |
| 5-9 | 142 | 33 | 23.2 | 46 | 32.4 | 63 | 44.4 | 30 | 21.1 |
| 10-14 | 77 | 22 | 28.6 | 21 | 27.3 | 34 | 44.2 | 14 | 18.2 |
| 15-17 | 73 | 14 | 19.2 | 26 | 35.6 | 33 | 45.2 | 16 | 21.9 |
| 18-24 | 437 | 104 | 23.8 | 209 | 47.8 | 124 | 28.4 | 58 | 13.3 |
| 25-44 | 1,358 | 373 | 27.5 | 590 | 43.4 | 395 | 29.1 | 175 | 12.9 |
| 45-64 | 689 | 265 | 38.5 | 252 | 36.6 | 172 | 25.0 | 70 | 10.2 |
| 65-74 | 123 | 55 | 44.7 | 42 | 34.1 | 26 | 21.1 | 11 | 8.9 |
| 75 and Older | 98 | 52 | 53.1 | 21 | 21.4 | 25 | 25.5 | 8 | 8.2 |
| Other Diseases of the Digestive | 17,417 | 7,536 | 43.3 | 3,655 | 21.0 | 6,226 | 35.7 | 2,666 | 15.3 |
| System | 17,417 | 7,530 | 43.3 | 3,033 | 21.0 | 0,220 | 35.7 | 2,000 | 15.5 |
| Less than 1 | 293 | 77 | 26.3 | 76 | 25.9 | 140 | 47.8 | 63 | 21.5 |
| 1-4 | 403 | 134 | 33.3 | 82 | 20.3 | 187 | 46.4 | 85 | 21.1 |
| 5-9 | 587 | 174 | 29.6 | 102 | 17.4 | 311 | 53.0 | 126 | 21.5 |
| 10-14 | 502 | 172 | 34.3 | 76 | 15.1 | 254 | 50.6 | 99 | 19.7 |
| 15-17 | 375 | 122 | 32.5 | 70 | 18.7 | 183 | 48.8 | 77 | 20.5 |
| 18-24 | 1,257 | 427 | 34.0 | 357 | 28.4 | 473 | 37.6 | 299 | 23.8 |
| 25-44 | 3,874 | 1,321 | 34.1 | 894 | 23.1 | 1,659 | 42.8 | 883 | 22.8 |
| 45-64 | 4,895 | 2,132 | 43.6 | 1,182 | 24.1 | 1,581 | 32.3 | 684 | 14.0 |
| 65-74 | 2,024 | 1,007 | 49.8 | 413 | 20.4 | 604 | 29.8 | 177 | 8.7 |
| 75 and Older | 3,207 | 1,970 | 61.4 | 403 | 12.6 | 834 | 26.0 | 173 | 5.4 |

¹ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Multi-Race.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2018.

 $^{^{2}}$ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 37. Number of Emergency Room Visits Due to Mental and Behavioral Disorders by Sex, Age and Race/Ethnicity, Westchester County Residents, 2012

| | Total | Less than | 1-4 | 5-9 | 10-14 | 15-17 | 18-24 | 25-44 | 45-64 | 65-74 | 75+ |
|-----------------------|--------|-----------|-----|-----|-------|-------|-------|-------|-------|-------|-----|
| | | 1 | | | | | | | | | |
| Total | 18,379 | 2 | 13 | 104 | 691 | 1,166 | 2,742 | 6,352 | 5,538 | 913 | 858 |
| White | 8,901 | 0 | 4 | 22 | 247 | 486 | 1,344 | 2,625 | 2,969 | 561 | 643 |
| Black | 5,080 | 2 | 2 | 51 | 226 | 323 | 687 | 1,895 | 1,585 | 189 | 120 |
| Other ¹ | 4,398 | 0 | 7 | 31 | 218 | 357 | 711 | 1,832 | 984 | 163 | 95 |
| Hispanic ² | 3,403 | 1 | 5 | 20 | 180 | 288 | 511 | 1,464 | 764 | 123 | 47 |
| Male | 10,471 | 0 | 11 | 70 | 314 | 513 | 1,581 | 3,821 | 3,315 | 523 | 323 |
| White | 4,901 | 0 | 4 | 10 | 124 | 208 | 762 | 1,522 | 1,717 | 316 | 238 |
| Black | 2,945 | 0 | 1 | 36 | 100 | 146 | 411 | 1,092 | 1,002 | 109 | 48 |
| Other ¹ | 2,625 | 0 | 6 | 24 | 90 | 159 | 408 | 1,207 | 596 | 98 | 37 |
| Hispanic ² | 2,040 | 0 | 3 | 10 | 77 | 129 | 286 | 978 | 461 | 79 | 17 |
| Female | 7,908 | 2 | 2 | 34 | 377 | 653 | 1,161 | 2,531 | 2,223 | 390 | 535 |
| White | 4,000 | 0 | 0 | 12 | 123 | 278 | 582 | 1,103 | 1,252 | 245 | 405 |
| Black | 2,135 | 2 | 1 | 15 | 126 | 177 | 276 | 803 | 583 | 80 | 72 |
| Other ¹ | 1,773 | 0 | 1 | 7 | 128 | 198 | 303 | 625 | 388 | 65 | 58 |
| Hispanic ² | 1,363 | 1 | 2 | 10 | 103 | 159 | 225 | 486 | 303 | 44 | 30 |

¹ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, or Unknown Race.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2015.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 37. Number of Emergency Room Visits Due to Mental and Behavioral Disorders by Sex, Age and Race/Ethnicity, Westchester County Residents, 2016

| | Total | Less than 1 | 1-4 | 5-9 | 10-14 | 15-17 | 18-24 | 25-44 | 45-64 | 65-74 | 75+ |
|-----------------------|--------|-------------|-----|-----|-------|-------|-------|-------|-------|-------|-----|
| Total | 22,269 | 9 | 11 | 270 | 1,121 | 1,396 | 3,104 | 7,521 | 6,943 | 1,039 | 855 |
| White | 9,040 | 0 | 3 | 80 | 305 | 465 | 1,277 | 2,614 | 3,169 | 578 | 549 |
| Black | 6,203 | 4 | 4 | 90 | 369 | 369 | 769 | 2,297 | 1,983 | 203 | 115 |
| Other ¹ | 7,026 | 5 | 4 | 100 | 447 | 562 | 1,058 | 2,610 | 1,791 | 258 | 191 |
| Hispanic ² | 2,762 | 1 | 1 | 39 | 162 | 183 | 401 | 1,124 | 709 | 104 | 38 |
| Male | 13,316 | 9 | 8 | 200 | 494 | 642 | 1,766 | 4,909 | 4,476 | 505 | 307 |
| White | 5,191 | 0 | 1 | 57 | 146 | 197 | 724 | 1,686 | 1,908 | 263 | 209 |
| Black | 3,761 | 4 | 3 | 70 | 182 | 165 | 432 | 1,401 | 1,350 | 112 | 42 |
| Other ¹ | 4,364 | 5 | 4 | 73 | 166 | 280 | 610 | 1,822 | 1,218 | 130 | 56 |
| Hispanic ² | 1,793 | 1 | 1 | 27 | 59 | 83 | 244 | 807 | 516 | 46 | 9 |
| Female | 8,950 | 0 | 3 | 70 | 627 | 754 | 1,338 | 2,611 | 2,466 | 533 | 548 |
| White | 3,847 | 0 | 2 | 23 | 159 | 268 | 553 | 928 | 1,260 | 314 | 340 |
| Black | 2,442 | 0 | 1 | 20 | 187 | 204 | 337 | 896 | 633 | 91 | 73 |
| Other ¹ | 2,661 | 0 | 0 | 27 | 281 | 282 | 448 | 787 | 573 | 128 | 135 |
| Hispanic ² | 969 | 0 | 0 | 12 | 103 | 100 | 157 | 317 | 193 | 58 | 29 |

¹ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, or Multi-Race.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2018.

² Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 38. Number of Emergency Room Visits Due to Mental and Behavioral Disorders by Sex and Age, Westchester County Residents, 2016

| | Tota | al ¹ | Ma | le | Fema | ale |
|--|--------|-----------------|--------|-------|--------|-------|
| | Number | % | Number | % | Number | % |
| Total | 22,269 | | 13,316 | | 8,950 | |
| Abuse of Drugs or Alcohol | 8,613 | 100.0 | 6,410 | 100.0 | 2,202 | 100.0 |
| Less than 1 | 7 | 0.1 | 7 | 0.1 | 0 | 0.0 |
| 1-4 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 5-9 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 10-14 | 30 | 0.3 | 15 | 0.2 | 15 | 0.7 |
| 15-17 | 220 | 2.6 | 119 | 1.9 | 101 | 4.6 |
| 18-24 | 1,143 | 13.3 | 736 | 11.5 | 407 | 18.5 |
| 25-44 | 3,336 | 38.7 | 2,523 | 39.4 | 812 | 36.9 |
| 45-64 | 3,504 | 40.7 | 2,734 | 42.7 | 770 | 35.0 |
| 65-74 | 301 | 3.5 | 230 | 3.6 | 71 | 3.2 |
| 75 and Older | 72 | 0.8 | 46 | 0.7 | 26 | 1.2 |
| Mental & Other Behavioral Disorders | 13,656 | 100.0 | 6,906 | 100.0 | 6,748 | 100.0 |
| Less than 1 | 2 | 0.0 | 2 | 0.0 | 0 | 0.0 |
| 1-4 | 11 | 0.1 | 8 | 0.1 | 3 | 0.0 |
| 5-9 | 270 | 2.0 | 200 | 2.9 | 70 | 1.0 |
| 10-14 | 1,091 | 8.0 | 479 | 6.9 | 612 | 9.1 |
| 15-17 | 1,176 | 8.6 | 523 | 7.6 | 653 | 9.7 |
| 18-24 | 1,961 | 14.4 | 1,030 | 14.9 | 931 | 13.8 |
| 25-44 | 4,185 | 30.6 | 2,386 | 34.5 | 1,799 | 26.7 |
| 45-64 | 3,439 | 25.2 | 1,742 | 25.2 | 1,696 | 25.1 |
| 65-74 | 738 | 5.4 | 275 | 4.0 | 462 | 6.8 |
| 75 and Older | 783 | 5.7 | 261 | 3.8 | 522 | 7.7 |

¹ Totals include cases with unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2018.

Table 39. Number of Emergency Room Visits Due to Mental and Behavioral Disorders by Sex and Race/Ethnicity, Westchester County Residents, 2012

| | Total ¹ | Mal | .e | Fema | le |
|-------------------------------------|--------------------|--------|------|--------|------|
| | 1 Ota1 | Number | % | Number | % |
| Total | 18,379 | 10,471 | 57.0 | 7,908 | 43.0 |
| Abuse of Drugs or Alcohol | 6,763 | 4,873 | 72.1 | 1,890 | 27.9 |
| White | 3,446 | 2,291 | 66.5 | 1,155 | 33.5 |
| Black | 1,655 | 1,235 | 74.6 | 420 | 25.4 |
| Other ² | 1,662 | 1,347 | 81.0 | 315 | 19.0 |
| Hispanic ³ | 1,359 | 1,136 | 83.6 | 223 | 16.4 |
| Mental & Other Behavioral Disorders | 11,616 | 5,598 | 48.2 | 6,018 | 51.8 |
| White | 5,455 | 2,610 | 47.8 | 2,845 | 52.2 |
| Black | 3,425 | 1,710 | 49.9 | 1,715 | 50.1 |
| Other ² | 2,736 | 1,278 | 46.7 | 1,458 | 53.3 |
| Hispanic ³ | 2,044 | 904 | 44.2 | 1,140 | 55.8 |

¹ Totals include cases with unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2015.

² Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other

 $^{^3}$ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 39. Number of Emergency Room Visits Due to Mental and Behavioral Disorders by Sex and Race/Ethnicity, Westchester County Residents, 2016

| | Total ¹ | Mal | .e | Fema | le |
|--|--------------------|--------|------|--------|------|
| | 1 ota1 | Number | % | Number | % |
| Total | 22,269 | 13,316 | 59.8 | 8,950 | 40.2 |
| Abuse of Drugs or Alcohol | 8,613 | 6,410 | 74.4 | 2,202 | 25.6 |
| White | 3,489 | 2,398 | 68.7 | 1,091 | 31.3 |
| Black | 2,216 | 1,656 | 74.7 | 560 | 25.3 |
| Other ² | 2,908 | 2,356 | 81.0 | 551 | 18.9 |
| Hispanic ³ | 1,218 | 1,039 | 85.3 | 179 | 14.7 |
| Mental & Other Behavioral Disorders | 13,656 | 6,906 | 50.6 | 6,748 | 49.4 |
| White | 5,551 | 2,793 | 50.3 | 2,756 | 49.6 |
| Black | 3,987 | 2,105 | 52.8 | 1,882 | 47.2 |
| Other ² | 4,118 | 2,008 | 48.8 | 2,110 | 51.2 |
| Hispanic ³ | 1,544 | 754 | 48.8 | 790 | 51.2 |

¹ Totals include cases with unknown sex.

Source: New York State Department of Health, Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2018.

 $^{^{2}}$ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Multi-Race.

³ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 40. Number of Emergency Room Visits Due to Mental and Behavioral Disorders by Age and Race/Ethnicity, Westchester County Residents, 2012

| | Т-4-1 | Wh | ite | Blac | ck | Oth | er ¹ | Hispa | nic ² |
|---------------------------|--------|--------|-------|--------|-------|--------|-----------------|--------|------------------|
| | Total | Number | % | Number | % | Number | % | Number | % |
| Total | 18,379 | 8,901 | | 5,080 | | 4,398 | | 3,403 | |
| Abuse of Drugs or Alcohol | 6,763 | 3,446 | 100.0 | 1,655 | 100.0 | 1,662 | 100.0 | 1,359 | 100.0 |
| Less than 1 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 1-4 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 5-9 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 10-14 | 36 | 22 | 0.6 | 1 | 0.1 | 13 | 0.8 | 9 | 0.7 |
| 15-17 | 306 | 188 | 5.5 | 33 | 2.0 | 85 | 5.1 | 63 | 4.6 |
| 18-24 | 1,003 | 569 | 16.5 | 183 | 11.1 | 251 | 15.1 | 170 | 12.5 |
| 25-44 | 2,534 | 1,051 | 30.5 | 681 | 41.1 | 802 | 48.3 | 691 | 50.8 |
| 45-64 | 2,489 | 1,401 | 40.7 | 668 | 40.4 | 420 | 25.3 | 348 | 25.6 |
| 65-74 | 329 | 171 | 5.0 | 76 | 4.6 | 82 | 4.9 | 75 | 5.5 |
| 75 and Older | 66 | 44 | 1.3 | 13 | 0.8 | 9 | 0.5 | 3 | 0.2 |
| Mental & Other Behavioral | 11.616 | F 455 | 100.0 | D 405 | 100.0 | 0.504 | 100.0 | 0.044 | 1000 |
| Disorders | 11,616 | 5,455 | 100.0 | 3,425 | 100.0 | 2,736 | 100.0 | 2,044 | 100.0 |
| Less than 1 | 2 | 0 | 0.0 | 2 | 0.1 | 0 | 0.0 | 1 | 0.0 |
| 1-4 | 13 | 4 | 0.1 | 2 | 0.1 | 7 | 0.3 | 5 | 0.2 |
| 5-9 | 104 | 22 | 0.4 | 51 | 1.5 | 31 | 1.1 | 20 | 1.0 |
| 10-14 | 655 | 225 | 4.1 | 225 | 6.6 | 205 | 7.5 | 171 | 8.4 |
| 15-17 | 860 | 298 | 5.5 | 290 | 8.5 | 272 | 9.9 | 225 | 11.0 |
| 18-24 | 1,739 | 775 | 14.2 | 504 | 14.7 | 460 | 16.8 | 341 | 16.7 |
| 25-44 | 3,818 | 1,574 | 28.9 | 1,214 | 35.4 | 1,030 | 37.6 | 773 | 37.8 |
| 45-64 | 3,049 | 1,568 | 28.7 | 917 | 26.8 | 564 | 20.6 | 416 | 20.4 |
| 65-74 | 584 | 390 | 7.1 | 113 | 3.3 | 81 | 3.0 | 48 | 2.3 |
| 75 and Older | 792 | 599 | 11.0 | 107 | 3.1 | 86 | 3.1 | 44 | 2.2 |

¹ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Unknown Race.

Source: New York State Department of Health Statewide Planning and Research Cooperative System (SPARCS). Data as of June 2015.

 $^{^2}$ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.

Table 40. Number of Emergency Room Visits Due to Mental and Behavioral Disorders by Age and Race/Ethnicity, Westchester County Residents, 2016

| | Total | Wh | ite | Blac | c k | Othe | er ¹ | Hispa | nic ² |
|--|--------|--------|-------|--------|------------|--------|-----------------|--------|------------------|
| | 1 ota1 | Number | % | Number | % | Number | % | Number | % |
| Total | 22,269 | 9,040 | | 6,203 | | 7,026 | | 2,762 | |
| Abuse of Drugs or Alcohol | 8,613 | 3,489 | 100.0 | 2,216 | 100.0 | 2,908 | 100.0 | 1,218 | 100.0 |
| Less than 1 | 7 | 0 | 0.0 | 3 | 0.1 | 4 | 0.1 | 1 | 0.1 |
| 1-4 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 5-9 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 | 0 | 0.0 |
| 10-14 | 30 | 11 | 0.3 | 8 | 0.4 | 11 | 0.4 | 4 | 0.3 |
| 15-17 | 220 | 109 | 3.1 | 23 | 1.0 | 88 | 3.0 | 23 | 1.9 |
| 18-24 | 1,143 | 536 | 15.4 | 187 | 8.4 | 420 | 14.4 | 174 | 14.3 |
| 25-44 | 3,336 | 1,129 | 32.4 | 906 | 40.9 | 1,301 | 44.7 | 588 | 48.3 |
| 45-64 | 3,504 | 1,520 | 43.6 | 1,003 | 45.3 | 981 | 33.7 | 390 | 32.0 |
| 65-74 | 301 | 142 | 4.1 | 72 | 3.2 | 87 | 3.0 | 34 | 2.8 |
| 75 and Older | 72 | 42 | 1.2 | 14 | 0.6 | 16 | 0.6 | 4 | 0.3 |
| Mental and Other Behavioral Disorders | 13,656 | 5,551 | 100.0 | 3,987 | 100.0 | 4,118 | 100.0 | 1,544 | 100.0 |
| Less than 1 | 2 | 0 | 0.0 | 1 | 0.0 | 1 | 0.0 | 0 | 0.0 |
| 1-4 | 11 | 3 | 0.1 | 4 | 0.1 | 4 | 0.1 | 1 | 0.1 |
| 5-9 | 270 | 80 | 1.4 | 90 | 2.3 | 100 | 2.4 | 39 | 2.5 |
| 10-14 | 1,091 | 294 | 5.3 | 361 | 9.1 | 436 | 10.6 | 158 | 10.2 |
| 15-17 | 1,176 | 356 | 6.4 | 346 | 8.7 | 474 | 11.5 | 160 | 10.4 |
| 18-24 | 1,961 | 741 | 13.3 | 582 | 14.6 | 638 | 15.5 | 227 | 14.7 |
| 25-44 | 4,185 | 1,485 | 26.8 | 1,391 | 34.9 | 1,309 | 31.8 | 536 | 34.7 |
| 45-64 | 3,439 | 1,649 | 29.7 | 980 | 24.6 | 810 | 19.7 | 319 | 20.7 |
| 65-74 | 738 | 436 | 7.9 | 131 | 3.3 | 171 | 4.2 | 70 | 4.5 |
| 75 and Older | 783 | 507 | 9.1 | 101 | 2.5 | 175 | 4.2 | 34 | 2.2 |

¹ Includes Native American or Alaskan Native, Asian, Native Hawaiian or Other Pacific Islander, Other Race, and Multi-Race.

Source: New York State Department of Health Statewide Planning and Research Cooperative System (SPARCS). Data as of March 2018.

 $^{^2}$ Hispanic is an ethnic group and may be of any race. Therefore, Hispanics are also reported in the race categories.



A1. The Statewide Planning and Research Cooperative System (SPARCS)

Information on emergency room visits and hospitalizations comes from the Statewide Planning and Research Cooperative System (SPARCS) data for the years 2012 and 2016. SPARCS was implemented by the New York State Department of Health in 1979, with the cooperation and initial financial support of the U.S. Department of Health and Human Services. SPARCS receives, processes, stores, and analyzes inpatient hospitalization data from hospitals in New York State and outpatient data from hospitals with emergency departments, hospitals providing ambulatory surgery services, and all other facilities providing ambulatory surgery services.

To protect patient privacy, any personal identifiers are omitted from the SPARCS data set, such as patient names, individual medical record numbers, and detailed residence addresses. Data reported are the number of cases of diseases or conditions requiring emergency care and hospitalizations, rather than individual patients.

Due to the fact that the SPARCS data is continually being updated, the completeness of reporting by individual facilities varies over time. All SPARCS tables included in this data book reflect the information as of March 2018.

Emergency Room Visits

Emergency Room Visits are defined as cases that received treatment from a hospital emergency department. Data are extracted from both the outpatient and the inpatient data files. From the outpatient data files, an emergency room visit is indicated when the record contains an emergency department ancillary revenue code of 045X. From the inpatient data files, an emergency room visit is indicated where the patient record contains an emergency department ancillary revenue code, or if the patient's admission priority indicated an emergency.

Principal Diagnosis and Other Diagnosis

The principal diagnosis is the condition determined by the health care provider to have been chiefly responsible for the patient's visit to the emergency department or outpatient ambulatory surgery. Because it reflects clinical findings discovered during the patient's treatment, it may not necessarily have been the diagnosis which resulted in the greatest consumption of hospital resources, or the most life-threatening condition. It may also differ from the admitting diagnosis.

There are 24 additional diagnosis codes in the SPARCS discharge record. These additional codes describe the diagnoses that coexist at the time of admission or have developed subsequently, which

affect the treatment received and/or length of stay. The diagnoses that are related to an earlier episode which have no bearing on the current hospital stay are not included.

Classification of Neoplasms (ICD-9 for 2012 Data)

According to the New York State Department of Health, neoplasm data is categorized by considering the principal diagnosis and other twenty four diagnoses in the SPARCS discharge record on the basis of metastatic nature of cancer. The intent was to develop a comprehensive categorization of all hospital discharges related to neoplasms. The procedure used to extract and categorize neoplasm-related records is as the following:

- Extract all records with any diagnosis field containing a three digit ICD-9 code prefix indicating a neoplasm (i.e. between 140 and 239) or Chemo/Radiation therapy encounter (V58).
- 2. If the principal diagnosis is associated with a primary site (140 through 194 or 200 through 208), the principal diagnosis identifies the primary site of cancer. If the principal diagnosis corresponds to a secondary or ill-defined site (195 or 196 through 199), the other diagnosis fields are searched for a primary site. If one is found, that diagnosis identifies the primary site of cancer. If a primary site is not found, the principal diagnosis identifies the secondary site of cancer.
- 3. If the principal diagnosis does not correspond to a primary or a secondary site of cancer, the primary or the secondary site of cancer is identified through searching the other 24 diagnoses based on the same criteria stated at step 2.
- 4. If a primary or a secondary site of cancer is not identified by the above 3 steps, a nonmalignant neoplasm (210 through 239) is identified by checking the principal diagnosis and the 14 other diagnoses.

Classification of Neoplasms (ICD-10 for 2016 Data)

According to the New York State Department of Health, neoplasm data is categorized by considering the principal diagnosis and other twenty-four diagnoses in the SPARCS discharge record on the basis of metastatic nature of cancer. The intent was to develop a comprehensive categorization of all hospital discharges related to neoplasms. The procedure used to extract and categorize neoplasm-related records is as the following:

- Extract all records with **any** diagnosis fields containing a three digit ICD-10 code prefix indicating a neoplasm (i.e. between C00 and D49) or Chemo/Radiation therapy encounter (Z51.0 through Z51.12).
- If the principal diagnosis is associated with a primary site (C00 through C75 or C81 through C97), the principal diagnosis identifies the primary site of cancer. If the principal diagnosis corresponds to a secondary or ill-defined site (C76 through C80), the other diagnosis fields are searched for a primary site. If one is found, that diagnosis identifies the primary site of cancer. If a primary site is not found, the principal diagnosis identifies the secondary site of cancer.
- If the principal diagnosis does not correspond to a primary or a secondary site of cancer, the primary or the secondary site of cancer is identified through searching the other 24 diagnoses based on the same logic stated at step 2.
- If a primary or a secondary site of cancer is not identified by the above 3 steps, a nonmalignant neoplasm (D00 through D49) is identified by checking the principal diagnosis and the 24 other diagnoses.

Classification of Injury (ICD-9 for 2012 Data)

Injury is classified by considering both the principal diagnosis code, the 24 other diagnosis codes, and a separate variable of the external cause of injury, using the E-code supplement of the International Classification of Diseases, Ninth Revision. The priorities for recording the E-code categories are: a) principal diagnosis of an injury or poisoning; b) other diagnosis of an injury, poisoning, or adverse effect directly related to the principal diagnosis; and c) other diagnosis with an external cause. Only the first E-Code is recorded.

Classification of Injury (ICD-10 for 2016 Data)

Injury was classified by considering both the principal diagnosis code, and valid external cause codes in the 24 other diagnosis fields, and a separate external cause variable for injury. The ICD-10-CD codes used for injuries were defined by CDC NCHS. Priority was based on the format catalogs used for the CHIR New York State dashboard².

-

² External cause of injury e-code matrices: https://www.cdc.gov/nchs/injury/injury_tools.htm.

A2. International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9)

| Disease Category | ICD-9 Codes |
|--|---------------------------|
| Childbirth and Reproductive Care | |
| Care Related to Reproduction | V22-V28 |
| Complications of Pregnancy, Childbirth, and the Puerperium | 630-679 |
| Conditions Originating in the Perinatal Period | 760-779 |
| Diseases of the Blood and Blood-Forming Organs | 280-289 |
| Diseases of the Cardiovascular System | |
| Cerebrovascular Disease | 430-438 |
| Discomfort in Chest | 786.5 |
| Heart Failure | 428 |
| Hypertensive Disease | 401-405 |
| Ischemic Heart Disease | 410-414 |
| Other Diseases of the Cardiovascular System | 390-399, 415-429, 439-459 |
| | 758 |
| Diseases of the Digestive System | |
| Diseases of the Oral Cavity | 520-529 |
| Noninfectious Enteritis and Colitis | 555-558 |
| Other Diseases of the Digestive System | 530-553, 560-579, 787.1- |
| 8 , | 787.8 |
| Nausea, Vomiting, and Diarrhea | |
| Diarrhea | 787.9 |
| Nausea and Vomiting | 787.0 |
| Diseases of the Eye and Ear | |
| Other Diseases of the Eye and Ear | |
| Diseases of the Eye and Related Structures | 360-379 |
| Diseases of the Ear and Mastoid Process | 380-389 |
| Diseases of the Musculoskeletal and Nervous Systems | |
| Diseases of the Musculoskeletal and Nervous Systems | 710-739 |
| Other Diseases of the Nervous System | 320-359 |
| Diseases of the Respiratory System | |
| Acute Respiratory Infections | 460-466 |
| Asthma | 493 |
| | 470-478, 490-492, 494-519 |
| Other Diseases of the Respiratory System | 786.0-786.4, 786.6-786.9 |
| Pneumonia and Influenza | 480-488 |
| Diseases of the Skin | |
| General Symptoms involving the Skin and Integumentary System | 782 |
| Other Diseases of the Skin and Subcutaneous Tissue | 680-709 |

International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9) (continued)

| Infectious and Parasitic Diseases Injuries and Poisonings Complications of Medical Care Injuries | 600-629 580-599 788 789.0 780.2 780.6 |
|---|--|
| Other Diseases of the Urinary System Symptoms involving the Urinary System General Symptoms Abdominal Pain Blackout or Collapse Fever Headache Other General Symptoms Infectious and Parasitic Diseases Injuries and Poisonings Complications of Medical Care Injuries | 580-599 788 789.0 780.2 780.6 |
| Symptoms involving the Urinary System General Symptoms Abdominal Pain Blackout or Collapse Fever Headache Other General Symptoms Infectious and Parasitic Diseases Injuries and Poisonings Complications of Medical Care Injuries | 788 789.0 780.2 780.6 |
| General Symptoms Abdominal Pain Blackout or Collapse Fever Headache Other General Symptoms Infectious and Parasitic Diseases injuries and Poisonings Complications of Medical Care Injuries | 789.0 780.2 780.6 |
| Abdominal Pain Blackout or Collapse Fever Headache Other General Symptoms Infectious and Parasitic Diseases Injuries and Poisonings Complications of Medical Care Injuries | 780.2 780.6 |
| Blackout or Collapse Fever Headache Other General Symptoms Infectious and Parasitic Diseases Injuries and Poisonings Complications of Medical Care Injuries | 780.2 780.6 |
| Fever Headache Other General Symptoms Infectious and Parasitic Diseases Injuries and Poisonings Complications of Medical Care Injuries | 780.6 |
| Headache Other General Symptoms Infectious and Parasitic Diseases Injuries and Poisonings Complications of Medical Care Injuries | |
| Other General Symptoms Infectious and Parasitic Diseases Injuries and Poisonings Complications of Medical Care Injuries | |
| Infectious and Parasitic Diseases Injuries and Poisonings Complications of Medical Care Injuries | 784.0 |
| infectious and Parasitic Diseases injuries and Poisonings Complications of Medical Care Injuries | 780.0-780.1, 780.3-780.5 |
| infectious and Parasitic Diseases injuries and Poisonings Complications of Medical Care Injuries | 780.7-781, 784.1-784.6, |
| njuries and Poisonings Complications of Medical Care Injuries | 784.8-784.9, 789.1-789.9 |
| Complications of Medical Care Injuries | 001-139 |
| Injuries | |
| | 996-999 |
| | 800-959, 990-995 |
| Poisoning and Toxic Effects | 960-989 |
| Mental & Behavioral Disorders | |
| Mental & Other Behavioral Disorders | 290, 293-302, 306-319 |
| Substance Abuse Disorders | 291-292, 303-305 |
| Endocrine, Nutritional & Metabolic Disorders | |
| Diabetes Mellitus | 250 |
| Other Endocrine, Nutritional & Metabolic Disorders | 240-249, 251-279, 783 |
| Neoplasms | 149-239 |
| Other Care | |
| Factors Influencing Health Status and Contact with Health Services | V01-V21, V29-V89 |
| Other Disorders | |
| Abnormal or Unknown Conditions | |
| Congenital Anomalies | 790-799 |

A3. International Classification of Diseases (ICD-10) for Selected Emergency Room Diseases

| Disease Category | ICD-10 Codes | | |
|--|--|--|--|
| Childbirth and Reproductive Care | | | |
| Childbirth | Z38 | | |
| Care Related to Reproduction | Z30-Z37, Z3A, Z39 | | |
| Complications of Pregnancy, Childbirth, and the Puerperium | O00-O9A | | |
| Conditions Originating in the Perinatal Period | P00-P96 | | |
| Diseases of the Blood and Blood-Forming Organs | D50-D89 | | |
| Diseases of the Cardiovascular System | | | |
| Cerebrovascular Disease | I60-I69 | | |
| Discomfort in Chest | R07.9 | | |
| Heart Failure | I50 | | |
| Hypertensive Disease | I10-I16 | | |
| Ischemic Heart Disease | I20-I25 | | |
| Other Diseases of the Cardiovascular System | I00-I09, I26-I49, I51-I52, I70-I99, R00-R03.9, R041 | | |
| | R04.9 | | |
| Diseases of the Digestive System | | | |
| Diseases of the Oral Cavity | K00-K14 | | |
| Noninfectious Enteritis and Colitis | K50-K52 | | |
| Other Diseases of the Digestive System | K20-K46, K55-K95, R12- R19.6, R19.8, R19.9 | | |
| Nausea, Vomiting, and Diarrhea | | | |
| Diarrhea | R19.7 | | |
| Nausea and Vomiting | R11.0-R11.9 | | |
| Diseases of the Eye and Ear | | | |
| Diseases of the Eye and Related Structures | H00-H59 | | |
| Diseases of the Ear and Mastoid Process | H60-H95 | | |
| Diseases of the Musculoskeletal and Nervous Systems | | | |
| Diseases of the Musculoskeletal System | M00-M99 | | |
| Diseases of the Nervous System | G00-G99 | | |
| Diseases of the Respiratory System | | | |
| Acute Respiratory Infections | J00-J06, J20-J22 | | |
| Asthma | J45 | | |
| Other Diseases of the Respiratory System | J30-J44, J46-J99, R05-R07.8, R08-R09 | | |
| Pneumonia and Influenza | J09-J18 | | |


$A3. \ \ The \ International \ Classification \ of \ Diseases \ (ICD-10) \ for \ Selected \ Hospitalizations \ (continued)$

| Disease Category | ICD-10 Codes | | |
|--|--------------------------|--|--|
| D: (.1 (1) | | | |
| Diseases of the Skin | D00 D00 | | |
| General Symptoms involving the Skin and Integumentary System | R20-R23 | | |
| Other Diseases of the Skin and Subcutaneous Tissue | L00-L99 | | |
| Diseases of the Genitourinary System | NIAO NIOO | | |
| Diseases of the Genital Organs or Female Breast | N40-N99 | | |
| Other Diseases of the Urinary System | N00-N39 | | |
| Symptoms involving the Urinary System | R30-R39 | | |
| General Symptoms | | | |
| Abdominal Pain | R10.0-R10.9 | | |
| Blackout or Collapse | R55 | | |
| Fever | R50.0-R50.9 | | |
| Headache | R51 | | |
| Other General Symptoms | R04.0, R20-R49, R52-R54, | | |
| | R56-R99 | | |
| Infectious and Parasitic Diseases | A00-B99 | | |
| Injuries and Poisonings | | | |
| Complications of Medical Care | T78, T80-T98 | | |
| Injuries | S00-T34, T66-T77, T79 | | |
| Poisoning and Toxic Effects | T36-T65 | | |
| Mental & Behavioral Disorders | | | |
| Mental & Other Behavioral Disorders | F00-F09, F20-F99 | | |
| Substance Abuse Disorders | F10-F19 | | |
| Endocrine, Nutritional & Metabolic Disorders | | | |
| Diabetes Mellitus | E08-E14 | | |
| Other Endocrine, Nutritional & Metabolic Disorders | E00-E07, E15-E90 | | |
| Neoplasms | C00-D49 | | |
| Other Care | | | |
| Factors Influencing Health Status and Contact with Health Services | Z00-Z29, Z40-Z99 | | |
| Other Disorders | | | |
| Abnormal or Unknown Conditions | R70-R99 | | |
| Congenital Anomalies | Q00-Q99 | | |

A4. Westchester County Hospitals

| Name | Address | Telephone |
|---|--|--------------|
| Acute Care Hospitals | | |
| New York-Presbyterian/Hudson Valley Hospital | 1980 Crompond Rd, Cortlandt, NY 10567 | 914-737-9000 |
| New York-Presbyterian/Lawrence Hospital | 55 Palmer Ave, Bronxville, NY 10708 | 914-787-1000 |
| Northern Westchester Hospital | 400 Main Street, Mount Kisco, NY 10549 | 914-666-1200 |
| Montefiore New Rochelle Hospital | 16 Guion Pl, New Rochelle, NY 10801 | 914-632-5000 |
| Montefiore Mount Vernon Hospital | 12 North 7th Ave, Mt Vernon, NY 10550 | 914-664-8000 |
| Phelps Memorial Hospital Center | 701 North Broadway, Sleepy Hollow, NY 10591 | 914-366-3000 |
| SJRH-Dobbs Ferry Pavilion | 128 Ashford Ave, Dobbs Ferry, NY 10522 | 914-693-0700 |
| SJRH- St. Johns Division | 967 North Broadway, Yonkers, NY 10701 | 914-964-4200 |
| SJRH- Park Care Pavilion | 2 Park Ave, Yonkers NY 10703 | 914-964-4200 |
| St. Joseph's Hospital (Yonkers) | 127 South Broadway, Yonkers, NY 10701 | 914-378-7000 |
| Westchester Medical Center | 100 Woods Road, Valhalla, NY 10595 | 914-493-7000 |
| White Plains Hospital Center | 41 East Post Road, White Plains, NY 10601 | 914-681-0600 |
| Specialty Care Hospitals | | |
| Blythedale Children's Hospital | 95 Bradhurst Avenue, Valhalla, NY 10595 | 914-592-7555 |
| New York Presbyterian Hospital - Westchester Division | 21 Bloomingdale Road, White Plains, NY 10605 | 914-682-9100 |
| St. Joseph's MC-St Vincents Westchester Division | 275 North Street, Harrison, NY 10528 | 914-925-5300 |
| Winifred Masterson Burke Rehabilitation Hospital | ifred Masterson Burke Rehabilitation Hospital 785 Mamaroneck Avenue, White Plains, NY 10605 914- | |

Source: New York State Department of Health, May 2019.



Prepared by the Division of Planning & Evaluation, Westchester County Health Department August 2019

A5. Westchester County Municipalities

| Health Planning Region and Municipality ¹ | $Code^2$ |
|---|----------|
| Northwest | |
| Cortlandt Town | T |
| Buchanan Village | V |
| Croton-on-Hudson Village | V |
| Cortlandt Unincorporated | TOV |
| Mount Pleasant Town | T |
| Briarcliff Manor Village (Mount Pleasant Part) ² | V |
| Pleasantville Village | V |
| Sleepy Hollow Village | V |
| Mount Pleasant Unincorporated | TOV |
| Ossining Town | T |
| Briarcliff Manor Village (Ossining Part) ² | V |
| Ossining Village | V |
| Ossining Unincorporated | TOV |
| Peekskill | С |
| Northeast | |
| Bedford Town | Т |
| Lewisboro Town | T |
| Mount Kisco Town/Village | T/V |
| New Castle Town | T |
| North Castle Town | T |
| North Salem Town | T |
| Pound Ridge Town | T |
| Somers Town | T |
| Yorktown Town | T |
| West Central | |
| Greenburgh Town | Т |
| Ardsley Village | V |
| Dobbs Ferry Village | V |
| Elmsford Village | V |
| Hastings-on-Hudson Village | V |
| Irvington Village | V |
| Tarrytown Village | V |
| Greenburgh Unincorporated | TOV |
| Scarsdale Town/Village | T/V |
| White Plains | C |

A5. Westchester County Municipalities (continued)

| Health Planning Region and Municipality ¹ | Code ² |
|--|-------------------|
| East Central | |
| Harrison Town/Village | T/V |
| Mamaroneck Town | T |
| Larchmont Village | V |
| Mamaroneck Village (Mamaroneck Part) ³ | V |
| Mamaroneck Unincorporated | TOV |
| Rye City | С |
| Rye Town | T |
| Mamaroneck Village (Rye Part) ³ | V |
| Port Chester Village | V |
| Rye Brook Village | V |
| Southwest | |
| Yonkers | С |
| Southeast | |
| Eastchester Town | T |
| Bronxville Village | V |
| Tuckahoe Village | V |
| Eastchester Unincorporated | TOV |
| Mount Vernon | С |
| New Rochelle | С |
| Pelham Town | T |
| Pelham Village | V |
| Pelham Manor Village | V |

For regional planning purposes, municipalities are grouped into six geographic health planning regions.

A town may or may not include incorporated villages located within the town boundary. When it does not include any incorporated villages within the town boundary, the statistics refer to the town as a whole (T). When it does include incorporated villages within its boundary, the statistics refer to the unincorporated area within the town boundary (TOV). The entities of Harrison, Mount Kisco, and Scarsdale are both towns and villages (V/T). The land in two towns, Pelham and Rye, has all been incorporated into separated villages. Therefore, no data are reported for these two towns.

The Village of Briarcliff Manor and the Village of Mamaroneck are split between two towns. Briarcliff Manor is within the Town of Ossining (92% of its surface area and 91% of its population) and the Town of Mount Pleasant (8% of its surface area and 9% of its population). The Village of Mamaroneck is within the Town of Mamaroneck (63% of its surface area and 60% of its population) and the Town of Rye (37% of its surface area and 40% of its population).

A6. Health Planning Regions and Municipality Map

